

WRRRA M 0 7 Actual and Phenotype in an Energy Weighted Information Ledger

Common definitions and a reproducible load measure for our universe model

Wonsik Choi

WRRRA-M 0.7 | October 1 2026

Independent Researcher Seoul Republic of Korea

ORCID 0009-0001-4263-9772 | janefather@gmail.com

Evaluation order and result

Verification inputs are the public 0.6-r2 code and calibration ledger continuing WRRRA Core 1.0 and MCC 2.3.2. The speed of light is fixed by the SI definition; late-universe fractions and local test-source conditions remain editable inputs. The WRRRA-specific transformation adds positive state loads in three sectors, normalizes their total as the energy-weighted information load of Actual, and computes phenotype and hidden shares. The same loads enter the existing energy, pressure, gravity and expansion calculation.

Outputs reproduce the reference phenotype share of 4.93 percent and hidden share of 95.07 percent, recalculate shares for changed states and scale, and retain the inherited rotation, lensing and expansion outputs. Falsification conditions include a negative admissible load, a failed partition, disagreement with the same-input 0.6 energy or pressure, or claiming an unexecuted transition as complete.

Version 0.7 establishes the common definitions, measure and computed ledger. Its completed connection is weighted accounting to the inherited load calculation. Physical quantization events and particle-filter selection are executed in subsequent releases. Calibration with established values is legitimate model construction; independent prediction is not required for this completion.

Definitions of Actual quantization and phenotype

Actual is the complete current state, scale, constitutive inputs and records represented by this model. One hundred percent means normalization by the adopted total weighted load. It does not assert an infinite bit inventory or that every microscopic state of the universe has already been observed. Theta denotes the common input ledger of constants, calibrations, operators and test-source conditions; R denotes physical outcome records. The physical record list is empty in 0.7.

$$A = (a, \rho, \Theta, R), \rho \geq 0, Tr \rho = 1. \quad (1)$$

Quantization is defined as an operation taking the Actual state to a discrete phenotype outcome, a post-observation state and a physical record. This release prepares its input and output accounting. It does not yet execute boundary selection of 0 or 1, outcome probabilities or a measurement state update. The result explicitly reports quantization_status as unexecuted.

Phenotype is the load allocated to the currently expressed sector in the adopted our-universe branch. Hidden load comprises clustering and background sectors. Both belong to Actual and contribute to gravity and expansion. Lack of expression does not set their loads to zero. Residue denotes retained unexpressed state content and is not added as an independent fourth energy component.

A physical record is a system state retaining a transition outcome. Input provenance and execution logs are reproducibility records, distinguished from physical observation records. Future record-system energy is a suballocation within existing sectors. It must not be counted again under a separate record-cost label.

Common carrier and positive load operators

The sixteen test channels and N internal lattice sites of 0.6 are retained. N=128 is a load-computation grid size, not a particle-channel count. The inherited product state uses the common channel state I16/16 and internal state rho. This release evaluates internal loads and does not newly select particle assignments or filters.

$$K_c = 2I - T - T^\dagger, K_b = \frac{K_c + \epsilon |0\rangle\langle 0|}{1 + \epsilon / (2N)}. \quad (2)$$

For the uniform state, $J_c = \text{Tr}(\rho K_c) = 2$ and $J_b = \text{Tr}(\rho K_b) = 2$. Epsilon zero is the reference carrier; epsilon eight is the inherited noncommuting test choice, not a measurement of the actual universe. Sector weighting operators are defined below. The background fraction is computed as 1 minus the phenotype and clustering fractions rather than entered independently.

$$A_\phi = f_\phi I, A_c = \frac{f_c}{2} a^{n_c} K_c, A_b = \frac{f_b}{2} a^{n_b} K_b. \quad (3)$$

The reference adopts $f_{\phi} = 0.0493$, $f_c = 0.265$, $f_b = 0.6857$, $n_c = 0$ and $n_b = 3$. $A_{\phi} = f_{\phi} I$ retains the pressureless phenotype comoving energy of 0.6. This term does not itself generate a microscopic observation event. The sectors are weighted accounting terms and are not orthogonal outcome projectors.

The measure underlying approximately five percent

For a set of sector labels S, the information-load measure sums state traces against positive weighting operators. Admissible states and operators give nonnegative weights and additivity for disjoint sets of sector labels.

$$\mu_a(S) = \sum_{s \in S} \text{Tr}(\rho A_s), W = \mu_a(\{\phi, c, b\}). \quad (4)$$

Information weight means the state-dependent expected load entering the energy response. It is distinct from Shannon information, von Neumann entropy, a bit count or a channel count. Trace-one states can carry different loads. State entropy is reported separately as a diagnostic.

$$F_\phi = \frac{\text{Tr}(\rho A_\phi)}{W}, F_h = \frac{\text{Tr}(\rho (A_c + A_b))}{W}, F_\phi + F_h = 1. \quad (5)$$

F_ϕ and F_h are shares of the total weighted load at the current state and scale. They are not probabilities of a zero or one measurement outcome. If W is zero, normalized shares are undefined and represented by JSON null. A trace-one carrier state can lie in the common null space of its load operators.

$$a = 1, \rho = I / N : (F_\phi, F_c, F_b) = (0.0493, 0.265, 0.6857). \quad (6)$$

Mapping the approximately five percent late-universe reference to the phenotype sector is a disclosed WRRR constitutive choice. It connects the inherited energy-weighted calibration and the information-load measure in one ledger, reproducing 4.93 percent at the reference. This is not relabeled as a direct count of information bits. Established constants and observations remain valid calibration material for the selected our-universe branch.

Shares under state and scale changes

The 4.93 percent value is a calibrated reference at $a=1$ in the uniform state. Even with the same constitution, a changed state or scale requires recalculation. Retaining clustering exponent zero and background exponent three gives the following uniform-state formula.

$$\rho = I / N : F_{\phi}(a) = \frac{f_{\phi}}{f_{\phi} + f_c + f_b a^3}, n_c = 0, n_b = 3. \quad (7)$$

State	Jc	Jb	Phenotype %	Hidden %
Uniform a 0.5	2.000000	2.000000	12.324615	87.675385
Uniform a 1	2.000000	2.000000	4.930000	95.070000
Uniform a 2	2.000000	2.000000	0.850015	99.149985
Low mode	0.152241	0.152241	40.520194	59.479806
High mode	4.000000	4.000000	2.527298	97.472702
Zero mode	0.000000	0.000000	100.000000	0.000000
Coherent packet	0.657554	0.657554	13.623750	86.376250
Uniform noncommuting	2.000000	2.000000	4.930000	95.070000
Packet noncommuting	0.657554	0.819446	11.811981	88.188019

Low-mode, high-mode, zero-mode and packet rows are structural test states, not new observed cosmic fractions. Low and high pure modes both have zero state entropy but different phenotype shares. This distinguishes the adopted weighted measure from entropy or the number of states.

The uniform phenotype share is approximately 12.324615 percent at $a=0.5$ and 0.850015 percent at $a=2$. These are conditional outputs of the fixed volume dependence and sector allocation. If used as future-universe predictions, the frozen model and calibration conditions must accompany them.

Energy pressure gravity and expansion from the same ledger

V_0 is a representative comoving volume; its default of one cubic metre is a bookkeeping unit, not the size of the universe. The reference energy density is $u_{crit,0}=3H_0^2 c^2$ divided by $8\pi G$. Mapping weighted loads to physical energy reproduces exactly the three sector energies of 0.6. The phenotype exponent is zero.

$$E_s = u_{crit,0} V_0 T r(\rho A_s), u_s = \frac{E_s}{V_0 a^3}, p_s = -\frac{n_s}{3} u_s. \quad (8)$$

$$H^2 = \frac{8\pi G}{3c^2} u_{tot}, q = \frac{u_{tot} + 3p_{tot}}{2u_{tot}}. \quad (9)$$

The present uniform reference reproduces $H/H_0=1$ and $q=-0.52855$. Sending the same clustering load into the inherited local response retains test rotation 207.510905 km/s and conditional deflection 0.535586511 arcsec. The local test source and $\Phi=\Psi$ condition are unchanged; no new observational galaxy fit is performed.

Global twist record magnitude remains an instantaneous aggregate of load and spatial size. No independent temporal accumulation law is added. Calculation of twist and expansion from the same load is distinguished from a claim that twist causes expansion. The pressure and expansion equations use external mathematics already executed in 0.6; the WRRRA contribution here is the actual connection of state loads and phenotype accounting to those calculations.

Verification and failure conditions

Sixteen check groups pass. In addition to nine representative ledgers, twenty-four mixed-state, grid and exponent combinations are evaluated. Nine invalid input or state cases, including a fictitious physical record, are rejected. Independent comparisons use rational reference fractions, finite volume differences, simultaneous basis changes and fixed-scale unitary propagation.

$$A = A_\phi + A_c + A_b, \rho' = U \rho U^\dagger, U = e^{-i\tau A}, \text{Tr}(\rho' A) = \text{Tr}(\rho A). \quad (10)$$

Equation ten tests energy conservation at fixed scale. Individual sector loads may change under unitary evolution while the energy of the same total operator is preserved. This is not expanded into a completed test of energy exchange during a physical quantization event.

No	Check	Result
1	exact reference fraction at three scales	Pass
2	positive additive weight and normalized partition	Pass
3	same energy and pressure as 0 6 r2	Pass
4	inherited reference rotation and lensing	Pass
5	pressure from independent volume difference	Pass
6	joint basis covariance	Pass
7	fixed scale unitary energy and state spectrum	Pass
8	admissible mixed states and exponent changes	Pass
9	declared recalibration propagates	Pass
10	bookkeeping volume does not change density or share	Pass
11	information weight is distinct from entropy or state count	Pass
12	zero total weight is undefined fraction not false probability	Pass
13	zero background sector	Pass

No	Check	Result
14	invalid inputs and states rejected	Pass
15	no fictitious measurement or double counted record	Pass
16	input ledger preserved	Pass

The maximum reference-share error is 2.776 times 10 to the minus 17; the maximum sector-weight partition error is 2.665 times 10 to the minus 15. The independent pressure difference has maximum relative error 4.840 times 10 to the minus 11. The fixed-scale unitary total-energy relative error is 2.220 times 10 to the minus 16. Inherited rotation and lensing have zero discrepancy at output precision. These establish computation consistency and reproduction within the declared model.

A negative admissible load, inconsistent sector sum, loss of state positivity or trace, or mismatch between pressure and the same energy-volume derivative requires revision of the corresponding calculation. Undisclosed recalibration and reporting an unexecuted measurement law as complete are also failure conditions.

Ledger passed to subsequent releases

Parameters.json is the sole executable input for constants, fractions, grid, exponents, test source and bookkeeping volume. Outputs include a SHA256 hash of its canonical JSON representation. Changing the input changes the result and hash; mutation during execution fails. Results.json retains sector weights, energy, density, pressure, the 0.6 bridge outputs, state recipes and the unexecuted measurement status.

Version 0.8 attaches particle and filter selection to this ledger. Version 0.9 generates physical quantization outcomes, probabilities, post-observation states and records. Version 0.10 computes repeated-event branching and uncertainty. Version 0.11 connects event and record-system energy exchanges to physical loads. The next equation is a future accounting contract, not an executed measurement law in 0.7.

$$E_{before} + E_{environment,before} = E_{after} + E_{environment,after} \quad (11)$$

Version 0.12 compares the integrated run, documents and claim ledger before freezing 1.0. Completion of 0.7 covers common definitions, the energy-weighted measure and the inherited load bridge. It does not pre-emptively certify particle selection, measurement dynamics or full theoretical integration. The same evidentiary standard distinguishes external validation inputs and actual WRRM execution.

Reproduction and references

From the archive root, run `python calculations/wrra_m_0_7/run_release.py` to produce the case table and `verification.json`. Computation requires `numpy` and `scipy`. Document authoring additionally requires `pandoc` and `python-docx`; PDF rendering requires LibreOffice. Inputs and state recipes are fixed. The additional mixed-state tests use seed 707.

Choi Wonsik. WRRM-M 0.6-r2. 2026. <https://doi.org/10.5281/zenodo.23076547>

WRRM-M repository. <https://github.com/Wonsik-Choi-janefather/wrra-m-0.1>

Planck Collaboration. Planck 2018 results VI Cosmological parameters. *Astronomy and Astrophysics* 641 A6 2020. <https://doi.org/10.1051/0004-6361/201833910> . This is calibration context; no new raw-data fit is performed in 0.7. The exact executable values 4.93 percent and 26.5 percent are rounded calibrations inherited from the 0.6-r2 ledger.

BIPM. The International System of Units SI defining constants. <https://www.bipm.org/en/measurement-units/si-defining-constants> . The speed of light 299792458 m/s is a fixed defining input, not a WRRM prediction.