HTML 5 Interactive Elements



Bok, Jong Soon jongsoon.bok@gmail.com www.javaexpert.co.kr









- Specifies additional details that the user can view or hide on demand.
- Can used to create an interactive widget that the user can open and close.
- Any sort of content can be put inside the <details> tag.

```
□<details>
<summary>Copyright 1999-2011.</summary>
- by Refsnes Data. All Rights Reserved.
All content and graphics on this web site are
the property of the company Refsnes Data.
 </details>
                 Copyright 1999-2011.
```

<details> (Cont.)

Attributes

- open 🕟 🍪
 - Specifies that the details should be visible (open) to the user.

- ▼ Copyright 1999-2011.
- by Refsnes Data. All Rights Reserved.

All content and graphics on this web site are the property of the company Refsnes Data.

Lab1: Details Tag

- Web Browsers
 - IE10, Firefox, Google Chrome, Opera, Safari
- Text Editors
 - Notepad++ or Editplus
- Files
 - details.html

Lab1: details.html

```
<!DOCTYPE html>
   □<html>
       <head>
 4
         <title>Details Tag </title>
 5
         <meta charset="utf-8">
6
7
8
9
       </head>
       <body>
         <details>
            <summary>Copyright 1999-2011.</summary>
10
             - by Refsnes Data. All Rights Reserved.
            All content and graphics on this web site are
12
           the property of the company Refsnes Data.
13
         </details>
         <b>Note:</b> The details tag is currently
14
         only supported in Chrome and in Safari 6.
15
16
       </body>
     </html>
```

Lab1: Result







- Defines a visible heading for the <details> element.
- The heading can be clicked to view/hide the details.







- Defines a a dialog box, inpector, or window.
- Attributes
 - open 🕟 👸
 - Specifies that the dialog element is active and that the user can interact with it.