

0:30 Sunum, yeni guncellemeler








1.18 [Alpha] Autoscaling

# HPA Velocity




#### Sonlu Zaman

#### Sonsuz Pod

```
behavior:
    scaleUp:
    policies:
    - type: Percent
    value: 100
    periodSeconds: 15
    scaleDown:
    policies:
    - type: Pods
    value: 4
    periodSeconds: 60
```

# Taint Based Eviction




1.18 [Stable] Scheduling

#### **Taint Based Eviction**

#### FeatureGates:

TaintBasedEvictions=true

K8s 1.18 node-manager




- Ingress -> V1
- IPv6
- EndpointSlice API:

**AppProtocol multiple IP to pods** 

### **Debug Ephemeral Containers [Alpha]**

#### FeatureGates:

- EphemeralContainers=true
- PodShareProcessNamespace=true




### **Debug Ephemeral Containers [Alpha]**

```
"apiVersion": "v1",
"kind": "EphemeralContainers",
"metadata": {
        "name": "example-pod"
"ephemeralContainers": [{
    "command": [
        "sh"
    "image": "busybox",
    "imagePullPolicy": "IfNotPresent",
    "name": "debugger",
    "stdin": true,
    "tty": true,
    "terminationMessagePolicy": "File"
```

## Diger Guncellemeler

- Api Server DryRun
- Immutable Secrets [Alpha]
- StartUp Probes [Beta]
- DIFF Komutu [Stable]

## NodeLocal DNS Cache [Stable]





# DEM<sub>0</sub>

github.com/WoodProgrammer/k8s-1.18-webinar