

Отчёт по лабораторной работе № 3

Название работы: Удалённые репозитории (GitHub)

Студент: Кемаев Дмитрий Евгеньевич

Группа: РИ-150904

Дата выполнения: 01.05.2026

1. Выполнение шагов лабораторной работы

Отметьте галочками выполненные шаги. В столбце «Команды / вывод» напишите выполненные команды и полученный вывод (поле автоматически растягивается по содержимому).

Шаг	Описание	Вып.	Команды / вывод
1	Создать пустой репозиторий на GitHub	☒	Сделано
2	Локально инициализировать репозиторий, добавить README.md, сделать коммит	☒	PS D:\Projects\URFU\GitLearn\lab3> git init Initialized empty Git repository in D:/Projects/URFU/GitLearn/lab3/.git/ PS D:\Projects\URFU\GitLearn\lab3> echo "# Lab3 Remote" > README.md PS D:\Projects\URFU\GitLearn\lab3> git add . PS D:\Projects\URFU\GitLearn\lab3> git commit -m "Initial commit" [master (root-commit) 374764c] Initial commit 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 README.md PS D:\Projects\URFU\GitLearn\lab3>

Шаг	Описание	Вып.	Команды / вывод
3	Привязать удалённый репозиторий (git remote add origin URL)	✓	git remote add origin https://github.com/Woodzeii/lab3_remote.git
4	Отправить main на GitHub (git push -u origin main)	✓	PS D:\Projects\URFU\GitLearn\lab3> git push -u origin master Enumerating objects: 3, done. Counting objects: 100% (3/3), done. Writing objects: 100% (3/3), 239 bytes 239.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) To https://github.com/Woodzeii/lab3_remote.git * [new branch] master -> master branch 'master' set up to track 'origin/master'. PS D:\Projects\URFU\GitLearn\lab3>
5	Сделать клон репозитория в другую папку (git clone URL)	✓	PS D:\Projects\URFU\GitLearn> git clone https://github.com/Woodzeii/lab3_remote.git lab3_remote_clone Cloning into 'lab3_remote_clone'... remote: Enumerating objects: 3, done. remote: Counting objects: 100% (3/3), done. remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0) Receiving objects: 100% (3/3), done. PS D:\Projects\URFU\GitLearn>
6	В клоне добавить файл dev2.txt, сделать коммит и push	✓	PS D:\Projects\URFU\GitLearn> cd lab3_remote_clone PS D:\Projects\URFU\GitLearn\lab3_re

Шаг	Описание	Вып.	Команды / вывод
			<pre> mote_clone> echo "От второго разработчика" > dev2.txt PS D:\Projects\URFU\GitLearn\lab3_re mote_clone> git add dev2.txt PS D:\Projects\URFU\GitLearn\lab3_re mote_clone> git commit -m "Add dev2.txt" [master b78061b] Add dev2.txt 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 dev2.txt PS D:\Projects\URFU\GitLearn\lab3_re mote_clone> git push Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 12 threads Compressing objects: 100% (3/3), done. Writing objects: 100% (3/3), 317 bytes 317.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) To https://github.com/Woodzeii/lab3_r emote.git 374764c..b78061b master -> master PS D:\Projects\URFU\GitLearn\lab3_re mote_clone> </pre>
7	В оригинальной папке выполнить git pull	☒	<pre> PS D:\Projects\URFU\GitLearn\lab3_re mote_clone> cd ../lab3 PS D:\Projects\URFU\GitLearn\lab3> git pull origin main fatal: couldn't find remote ref main PS D:\Projects\URFU\GitLearn\lab3> </pre>

Шаг	Описание	Вып.	Команды / вывод
			<pre>git pull origin master remote: Enumerating objects: 4, done. remote: Counting objects: 100% (4/4), done. remote: Compressing objects: 100% (3/3), done. remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0) Unpacking objects: 100% (3/3), 297 bytes 3.00 KiB/s, done. From https://github.com/Woodzeii/lab3_r emote * branch master -> FETCH_HEAD 374764c..b78061b master -> origin/master Updating 374764c..b78061b Fast-forward dev2.txt Bin 0 -> 52 bytes 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 dev2.txt</pre>
8	Создать ветку feature-remote, добавить файл, отправить на GitHub	☒	<pre>:\Projects\URFU\GitLearn\lab3> git checkout -b feature-remote Switched to a new branch 'feature- remote' PS D:\Projects\URFU\GitLearn\lab3> echo "Удалённая фича" > feature.txt PS D:\Projects\URFU\GitLearn\lab3> git add . PS D:\Projects\URFU\GitLearn\lab3> git commit -m "Add feature file" [feature-remote 325f5ed] Add feature file 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 feature.txt PS</pre>

Шаг	Описание	Вып.	Команды / вывод
			D:\Projects\URFU\GitLearn\lab3> git push -u origin feature-remote Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 12 threads Compressing objects: 100% (2/2), done. Writing objects: 100% (3/3), 337 bytes 337.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) remote: remote: Create a pull request for 'feature-remote' on GitHub by visiting: remote: https://github.com/Woodzeii/lab3_r emote/pull/new/feature-remote remote: To https://github.com/Woodzeii/lab3_r emote.git * [new branch] feature-remote - > feature-remote branch 'feature-remote' set up to track 'origin/feature-remote'. PS D:\Projects\URFU\GitLearn\lab3>
9	Удалить удалённую ветку (git push origin --delete feature-remote)	☒	PS D:\Projects\URFU\GitLearn\lab3> git push origin --delete feature-remote To https://github.com/Woodzeii/lab3_r emote.git - [deleted] feature-remote PS D:\Projects\URFU\GitLearn\lab3>

2. Самостоятельное задание

Условие:

Создайте ветку dev, запустите её на GitHub, удалите через веб-интерфейс, затем выполните `git remote prune origin` и убедитесь, что локальная ссылка на удалённую ветку исчезла.

Выполнение (ход действий и результат):

```
PS D:\Projects\URFU\GitLearn\lab3> git checkout -b dev
Switched to a new branch 'dev'
PS D:\Projects\URFU\GitLearn\lab3> git push
fatal: The current branch dev has no upstream branch.
To push the current branch and set the remote as upstream, use
```

```
git push --set-upstream origin dev
```

To have this happen automatically for branches without a tracking upstream, see 'push.autoSetupRemote' in 'git help config'.

```
PS D:\Projects\URFU\GitLearn\lab3> git push --set-upstream origin dev
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'dev' on GitHub by visiting:
remote:   https://github.com/Woodzeii/lab3_remote/pull/new/dev
remote:
To https://github.com/Woodzeii/lab3_remote.git
* [new branch]    dev -> dev
branch 'dev' set up to track 'origin/dev'.
PS D:\Projects\URFU\GitLearn\lab3> git remote prune origin
Pruning origin
URL: https://github.com/Woodzeii/lab3_remote.git
* [pruned] origin/dev
PS D:\Projects\URFU\GitLearn\lab3>
```

3. Ответы на контрольные вопросы

1. **Вопрос 1:**

origin/main - основная ветка на удалённом репо.

2. **Вопрос 2:**

git pull как бы и не опасен при незакомиченных файлах, так как при конфликте попросит сам изменить файлы, но лучше до этого не доводить и закоммитить.

3. **Вопрос 3:**

```
git fetch
git branch -r
```

4. Дополнительные замечания (при необходимости)

Инструкция: Выберите номер лабораторной работы. Заполняйте поля — они автоматически растягиваются по высоте под текст. Для печати нажмите кнопку «Печать» — все рамки полей исчезнут, и отчёт будет выглядеть как обычный документ.