```
งานที่ 10 13/11/61
ส่วนของโค้ด
import java.io.*;
import java.lang.*;
import java.util.regex.*;
class tax10 {
public static void main(String args[]) throws IOException {
        String waitopt;
   BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
   String buf;
   waitopt = "Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]: ";
   displaymenu();
   System.out.print(waitopt);
   buf = stdin.readLine();
   while (!buf.equals("0")) {
    if (buf.equals("0") || buf.equals("bye")) {
      System.out.println("Bye Bye");
      break;
    } else if (buf.equals("1")) {
      addstu();
      buf = " ";
    }else if (buf.equals("2")) {
      addsubj();
      buf = " ";
    }else if (buf.equals("3")) {
      addreg();
      buf = " ";
    }else if (buf.equals("4")) {
      deletestu();
      buf = " ";
    }else if (buf.equals("5")) {
      deletesubj();
      buf = " ";
```

```
}else if (buf.equals("6")) {
    deletereg();
    buf = " ";
   }else if (buf.equals("7")) {
    editstu();
    buf = " ";
   }else if (buf.equals("8")) {
    editsubj();
    buf = " ";
   } else if (buf.equals("9")) {
    editreg();
    buf = " ";
   }else if (buf.equals("10")) {
    list("student.txt");
    buf = " ";
   } else if (buf.equals("11")) {
    list("subj.txt");
    buf = " ";
   } else if (buf.equals("12")) {
    list("regist.txt");
    buf = " ";
   } else {
    System.out.print(waitopt);
    buf = stdin.readLine();
    // buf = (char)System.in.read(); // for 1 character
  }
      }
}
      static void displaymenu () {
             System.out.println("0 : bye bye");
             System.out.println("1 : Add Student Data");
             System.out.println("2 : Add Subject Data");
```

```
System.out.println("3 : Add Regist Data");
              System.out.println("4 : Delete Student Data");
              System.out.println("5 : Delete Subject Data");
              System.out.println("6 : Delete Regist Data");
              System.out.println("7 : Edit Student Data");
              System.out.println("8 : Edit Subject Data");
              System.out.println("9 : Edit Regist Data");
              System.out.println("10 : List Student Data");
              System.out.println("11 : List Subject Data");
              System.out.println("12 : List Regist Data");
              System.out.println("");
 }
 // ========Add Student
public static void addstu () throws IOException {
  BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
  String bufid, bufname;
  System.out.print("Student id : ");
  bufid = stdin.readLine();
  System.out.print("Student name : ");
  bufname = stdin.readLine();
  String b;
  String ar[] = new String[10];
  FileReader fin = new FileReader("student.txt");
  BufferedReader bin = new BufferedReader (fin);
  int i = 0;
  while ((b = bin.readLine()) != null) {
    ar[i] = b;
   i = i + 1;
  fin.close();
  //
  int tot = i;
```

```
FileOutputStream fout = new FileOutputStream("student.txt");
   BufferedOutputStream bout = new BufferedOutputStream(fout);
   PrintStream pout = new PrintStream(bout);
  i = 0;
  while (i < tot) {
    pout.println(ar[i]);
    i = i + 1;
  }
   pout.println(bufid + "," + bufname);
   System.out.println("Add Student : completely");
  pout.close();
 }
// ==========Add Subject Data================================
 public static void addsubj () throws IOException {
   BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
   String bufid, bufname;
   System.out.print("Wait subj ID : ");
   bufid = stdin.readLine();
   System.out.print("Wait subj name : ");
   bufname = stdin.readLine();
   String b;
   String ar[] = new String[10];
   FileReader fin = new FileReader("subj.txt");
   BufferedReader bin = new BufferedReader (fin);
  int i = 0;
  while ((b = bin.readLine()) != null) {
    ar[i] = b;
    i = i + 1;
  fin.close();
  //
  int tot = i;
```

```
FileOutputStream fout = new FileOutputStream("subj.txt");
 BufferedOutputStream bout = new BufferedOutputStream(fout);
 PrintStream pout = new PrintStream(bout);
 i = 0;
 while (i < tot) {
  pout.println(ar[i]);
  i = i + 1;
 }
 pout.println(bufid + "," + bufname );
 System.out.println("Add Student : completely");
 pout.close();
// ===========Add Regist Data================================
public static void addreg () throws IOException {
 BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
 String bufid, bufname, bufgrade;
 System.out.print("Wait Student ID : ");
 bufid = stdin.readLine();
 System.out.print("Wait Subject ID : ");
 bufname = stdin.readLine();
      System.out.print("Wait Grade: ");
 bufgrade = stdin.readLine();
 String b;
 String ar[] = new String[10];
 FileReader fin = new FileReader("regist.txt");
 BufferedReader bin = new BufferedReader (fin);
 int i = 0;
 while ((b = bin.readLine())!= null) {
  ar[i] = b;
  i = i + 1;
 fin.close();
 //
```

```
int tot = i;
  FileOutputStream fout = new FileOutputStream("regist.txt");
  BufferedOutputStream bout = new BufferedOutputStream(fout);
  PrintStream pout = new PrintStream(bout);
  i = 0;
  while (i < tot) {
    pout.println(ar[i]);
   i = i + 1;
  }
  pout.println(bufid + "," + bufname+","+ bufgrade );
  System.out.println("Add Student : completely");
  pout.close();
 // ======DELETE
STUDENT===========
 public static void deletestu () throws IOException {
  BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
  String bufid;
  System.out.print("Wait STUDENT id : ");
  bufid = stdin.readLine();
  String b;
  String ar[] = new String[10];
  FileReader fin = new FileReader("student.txt");
  BufferedReader bin = new BufferedReader (fin);
  int i = 0;
  while ((b = bin.readLine()) != null) {
    ar[i] = b;
   i = i + 1;
  fin.close();
  //
  int tot = i;
  FileOutputStream fout = new FileOutputStream("student.txt");
```

```
BufferedOutputStream bout = new BufferedOutputStream(fout);
  PrintStream pout = new PrintStream(bout);
  i = 0;
  while (i < tot) {
    if (bufid.equals(ar[i].substring(0,3))) {
     System.out.println("Delete STUDENT : completely");
    } else {
     pout.println(ar[i]);
   }
   i = i + 1;
  pout.close();
 // ======DELETE
SUBJECT===========
 public static void deletesubj () throws IOException {
  BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
  String bufid;
  System.out.print("Wait SUBJECT id : ");
  bufid = stdin.readLine();
  String b;
  String ar[] = new String[10];
  FileReader fin = new FileReader("subj.txt");
  BufferedReader bin = new BufferedReader (fin);
  int i = 0;
  while ((b = bin.readLine())!= null) {
   ar[i] = b;
   i = i + 1;
  fin.close();
  //
  int tot = i;
  FileOutputStream fout = new FileOutputStream("subj.txt");
```

```
BufferedOutputStream bout = new BufferedOutputStream(fout);
 PrintStream pout = new PrintStream(bout);
 i = 0;
 while (i < tot) {
  if (bufid.equals(ar[i].substring(0,3))) {
    System.out.println("Delete SUBJECT : completely");
  } else {
    pout.println(ar[i]);
  }
  i = i + 1;
 pout.close();
public static void deletereg () throws IOException {
 BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
 String bufid;
 System.out.print("Wait REGIST id : ");
 bufid = stdin.readLine();
 String b;
 String ar[] = new String[10];
 FileReader fin = new FileReader("regist.txt");
 BufferedReader bin = new BufferedReader (fin);
 int i = 0;
 while ((b = bin.readLine()) != null) {
  ar[i] = b;
  i = i + 1;
 }
 fin.close();
 //
 int tot = i;
 FileOutputStream fout = new FileOutputStream("regist.txt");
 BufferedOutputStream bout = new BufferedOutputStream(fout);
```

```
PrintStream pout = new PrintStream(bout);
 i = 0;
 while (i < tot) {
  if (bufid.equals(ar[i].substring(0,3))) {
    System.out.println("Delete REGIST : completely");
  } else {
    pout.println(ar[i]);
  }
  i = i + 1;
 pout.close();
public static void editstu () throws IOException {
 BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
 String bufid, bufname;
 System.out.print("Wait STUDENT id : ");
 bufid = stdin.readLine();
 System.out.print("Wait STUDENT name : ");
 bufname = stdin.readLine();
 String b;
 String ar[] = new String[10];
 FileReader fin = new FileReader("student.txt");
 BufferedReader bin = new BufferedReader (fin);
 int i = 0;
 while ((b = bin.readLine())!= null) {
  ar[i] = b;
  i = i + 1;
 fin.close();
 //
 int tot = i;
 FileOutputStream fout = new FileOutputStream("student.txt");
```

```
BufferedOutputStream bout = new BufferedOutputStream(fout);
 PrintStream pout = new PrintStream(bout);
 i = 0;
 while (i < tot) {
  if (bufid.equals(ar[i].substring(0,3))) {
    pout.println(bufid + "," + bufname);
    System.out.println("Edit STUDENT : completely");
  } else {
    pout.println(ar[i]);
  }
  i = i + 1;
 pout.close();
public static void editsubj () throws IOException {
 BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
 String bufid, bufname;
 System.out.print("Wait SUBJECT id : ");
 bufid = stdin.readLine();
 System.out.print("Wait SUBJECT name : ");
 bufname = stdin.readLine();
 String b;
 String ar[] = new String[10];
 FileReader fin = new FileReader("subj.txt");
 BufferedReader bin = new BufferedReader (fin);
 int i = 0;
 while ((b = bin.readLine())!= null) {
  ar[i] = b;
  i = i + 1;
 fin.close();
 //
```

```
int tot = i;
 FileOutputStream fout = new FileOutputStream("subj.txt");
 BufferedOutputStream bout = new BufferedOutputStream(fout);
 PrintStream pout = new PrintStream(bout);
 i = 0;
 while (i < tot) {
  if (bufid.equals(ar[i].substring(0,3))) {
    pout.println(bufid + "," + bufname);
    System.out.println("Edit SUBJECT : completely");
  } else {
    pout.println(ar[i]);
  i = i + 1;
 pout.close();
public static void editreg () throws IOException {
 BufferedReader stdin = new BufferedReader(new InputStreamReader(System.in));
 String bufid, bufname, bufgrade;
 System.out.print("Wait STUDENT ID : ");
 bufid = stdin.readLine();
 System.out.print("Wait SUBJECT ID : ");
 bufname = stdin.readLine();
     System.out.print("Wait Grade : ");
 bufgrade = stdin.readLine();
 String b;
 String ar[] = new String[10];
 FileReader fin = new FileReader("regist.txt");
 BufferedReader bin = new BufferedReader (fin);
 int i = 0;
 while ((b = bin.readLine())!= null) {
  ar[i] = b;
```

```
i = i + 1;
 }
 fin.close();
 //
 int tot = i;
 FileOutputStream fout = new FileOutputStream("regist.txt");
 BufferedOutputStream bout = new BufferedOutputStream(fout);
 PrintStream pout = new PrintStream(bout);
 i = 0;
 while (i < tot) {
  if (bufid.equals(ar[i].substring(0,3))) {
    pout.println(bufid + "," + bufname +","+bufgrade);
    System.out.println("Edit REGIST : completely");
  } else {
    pout.println(ar[i]);
  i = i + 1;
 pout.close();
public static void list (String f) throws IOException {
 int n = 0;
 byte b[] = new byte[128];
 FileInputStream fin = new FileInputStream(f);
 while ((n = fin.read(b)) != -1) {
  for(int i=0;i<n;i++) {
    System.out.print((char)b[i]);
  }
 fin.close();
}
```

}

ส่วน screen

1. menu

```
C:\Program Files\Java\jdk-10.0.2\bin>java tax10
0 : bye bye
1 : Add Student Data
2 : Add Subject Data
3 : Add Regist Data
4 : Delete Student Data
5 : Delete Subject Data
6 : Delete Regist Data
7 : Edit Student Data
8 : Edit Subject Data
9 : Edit Regist Data
10 : List Student Data
11 : List Subject Data
12 : List Regist Data
13 : List Regist Data
14 : List Regist Data
```

2. add student

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]: 1
Student id: 106
Student name: Vidapa
Add Student: completely

student-Notepad
File Edit Format View Help
```

101,Worawat

102, Tanawat

103.Kanchanawadee

104,Boonyada

105,Pittaya

106,Vidapa

3. Add subject

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12] : 2
Wait subj ID : 06
Wait subj name : COMM
Add Student : completely

Subj - Notepad
File Edit Format View Help

01,Business

02,ThaiL

03,English

04,Law

06,COMM
```

4. Add regist

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]: 3
Wait Student ID: 106
Wait Subject ID: COMM
Wait Grade: A
Add Student: completely

regist-Notepad
File Edit Format View Help
101,02,A
102,01,A
103,02,B
104,03,C
105,04,A
106,COMM,A
```

5. Delete student

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]: 4
Wait STUDENT id: 106
Delete STUDENT: completely

student-Notepad

File Edit Format View Help

101,Worawat

102,Tanawat

103,Kanchanawadee

104,Boonyada

105,Pittaya
```

6. Delete subject

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12] : 5
Wait SUBJECT id : 6
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12] :

Subj-Notepad
File Edit Format View Help

1,Business

2,ThaiL

3,English

4,Law

6,COMM
```

7. Delete regist

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]: 6
Wait REGIST id: 106
Delete REGIST: completely

regist-Notepad
File Edit Format View Help

101,02,A


102,01,A

y 103,02,B

104,03,C

105,04,A
```

8. Edit student



9. Edit subject

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]: 8
Wait SUBJECT id: 1
Wait SUBJECT name: THAI

Subj-Notepad

Tifle Edit Format View Help

1,THAI


2,ThaiL

3,English

4,Law

6,COMM
```

10. Edit regist



11. List student

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12] : 10 101, Watcharapong 102, Tanawat 103, Kanchanawadee 104, Boonyada 105, Pittaya
```

12. List subject

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12] : 11
1,THAI
2,ThaiL
3,English
4,Law
6,COMM
```

13. List regist

```
Wait your choice [menu, bye, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12] : 12 101,01 102,01,A 103,02,B 104,03,C 105,04,A
```