

Supplemental material

Because phenomenological control contains some suggestions which prompt auditory experience and which may therefore disproportionately drive the relationship we calculated a subset of PCS items which do not involve any auditory experience. Mean PCS score for these items was 2.1 (SD = 0.8).

Supplemental Method

Materials

Mean non-auditory PCS score was calculated from the response to the 8 PCS items which do not involve auditory experience (music and mosquito suggestions were removed (Lush et al., 2021)).

The questionnaire about experience of a variety of phenomena (e.g., insomnia, migraines etc) in everyday life reported by Freeman (2020) was presented prior to vEAR report.

Analysis

A Bayes factor for raw slope of vEAR score regressed onto non-auditory PCS score was calculated using the vEAR mean to bottom of scale over the distance from mean non-auditory PCS score to bottom of scale. H1 was modelled using .24, half the maximum slope of 1.0 over 2.1 (.48).

Supplemental Results

A linear regression was calculated to test the relationship between vEAR score and a subset of 8 PCS items which do not involve imaginative suggestion of auditory experience.

PCS without this predicted vEAR score, $b = .40$ units /unit PCS ($SE = 0.05$), $t(450) = 7.50$, $p < 0.001$, 95% CI [.30, .51], $R^2 = 0.11$, $B_{H(0,.24)} = 8.49 \times 10^{12}$, RR [$< .02$, > 6]. Spearman's Rho = .34, 95% CI [.26, .42].

Table S1 shows mean response to a questionnaire given prior to the vEAR procedure, along with correlation coefficients for PCS and vEAR measures and each questionnaire item.

Table S2 shows correlation coefficients for positively phrased questionnaire items and PCS score.

Question	Mean (SD)	PCS r^s	vEAR r^s
"I can (cannot) watch visual motion or flashing without experiencing vivid sounds in my head."	2.0 (1.1)	.20* [.11, .29]	.39 [.31, .47]
"I have (never) experienced vivid flashes evoked by sounds"	2.3 (1.4)	.19* [.10, .28]	.28 [.19, .36]
"I get migraines very frequently (never experience migraines.)"	2.7 (1.5)	.13 [.04, .22]	.05 [-.04, .14]
"I can (cannot) walk in bright sunshine without experiencing the urge to sneeze"	2.2 (1.5)	.11 [.02, .20]	.18 [.09, .27]
"I (do not) have a good ear for music"	4.7 (1.2)	.10 [.01, .19]	0.12 [.02, .21]
"I can (cannot) look at certain high contrast repetitive patterns without experiencing discomfort or visual distortions."	3.0 (1.3)	.09 [-.01, .18]	.15 [.06, .24]
"I very frequently (never) experience earworms."	4.8 (1.3)	.07 [-.02, .16]	.24 [.15, .33]
"I suffer (do not) from tinnitus"	3.0 (1.6)	.04 [-.06, .09]	.14 [.05, .23]
"I am good (bad) at following conversations when there is background noise"	3.2 (1.3)	.01 [-.08, .10]	.08 [-.02, .17]
"When I get migraines, I usually (never) experience visual disturbances."	3.5 (1.6)	.00 [-.13, .12]	.12 [-.01, .24]
"I find it hard (easy) to sleep at night"	3.4 (1.5)	-.02 [-.12, .07]	.06 [-.04, .15]

Table S1. Mean response to pre-vEAR questionnaire and point estimates with 95% CIs for r^s correlation coefficients between questionnaire responses and PCS and vEAR scales. Negative question modifications given in brackets.

Question	PCS r^s
"I can watch visual motion or flashing without experiencing vivid sounds in my head."*	.19* [.10, .27]
"I have experienced vivid flashes evoked by sounds"	.19* [.10, .28]
"I get migraines very frequently"	.10 [.00, .20]
"I can walk in bright sunshine without experiencing the urge to sneeze"*	.08 [-.02, .17]
"I have a good ear for music"	.13 [.04, .22]
"I can look at certain high contrast repetitive patterns without experiencing discomfort or visual distortions."*	.15 [-.01, .18]
"I very frequently experience earworms."	.11 [.02, .20]
"I suffer from tinnitus"	.01 [-.08, .10]
"I am good at following conversations when there is background noise"*	.01 [-.08, .10]
"When I get migraines, I usually experience visual disturbances."	.02 [-.10, .13]
"I find it hard to sleep at night"	-.001 [-.09, .09]

*Reverse coded

Table S2. r^s correlation coefficient and 95% CIs between positively phrased questionnaire responses and PCS.

References

Freeman, E. D. (2020). Hearing what you see: Distinct excitatory and disinhibitory mechanisms contribute to visually-evoked auditory sensations. *Cortex*, *131*, 66–78.
<https://doi.org/10.1016/j.cortex.2020.06.014>

Lush, P., Scott, R. B., Seth, A., & Dienes, Z. (2021). *The Phenomenological Control Scale: Measuring the capacity for creating illusory nonvolition, hallucination and delusion*. PsyArXiv. <https://doi.org/10.31234/osf.io/zhgeb>