



Splan Visitor Management

API Document

Version 3.3

Introduction

Welcome to the Splan Visitor Management System. This document provides information about commonly used API calls that are available in the Splan Visitor Management. Please reach out to Splan support team at support@splan.com, if you need an API call and it is not listed here.

Here is the summary of the API calls:

1. Login: /api/authenticate

This is the first call that need to be made to get the token. Only once the token is received, other API calls can be made.

2. Save Visitor: /ext/saveExtVisitor/1

This call should be made to create the visit request.

3. Watch List Update

4. Get All Watch List Records

5. Get all Visitor Records

6. Get Specific Visitor Records

7. Delete Visitor

8. Update Visitor details by Appointment Id

9. Delete Watch List

10. Update Employee details

Sync up all employee's information and other entities like watchlist, VIP, contractors and lobby locations using this call. Following entity names are available: employee, watchlist, VIP, contractor, locations. You can update the existing entity information, add new entities and delete the existing entities.

11. Get Visitor Form: /ext/getFormsForExtVisitor/1

With this call, the fields that can be part of the visitor request can be fetched. The complete metadata for the Visitor is available in the call. The same call can be used to fetch metadata information of any entity like employee, watchlist, VIP etc.

12. Get Visitors

13. Get Visitor Details for Specific Time

14. Request Status: /api/<entity name>/processstatus

For all asynchronous calls, fetch the request status using this call by passing the appropriate entity name

15. Update appointment: /api/appointment/update

This API call can be used to update any visit appointment.

API

1. Login: /api/authenticate

This API is used to authenticate the customer account and response token should be used in further API calls. The userid should have the appropriate privileges to invoke the API calls. Once API license is applied, kioskDeviceId can be generated. The token validity can be configured and by default it is 30 minutes. Within token validity time, multiple calls can be made with the same token id.

Path	/api/authenticate
Method	POST
Headers	plocationId: <global provider location id> kioskDeviceId: <global kiosk device id> Content-Type: application/json
Request Body	<pre>{ "userId" : "<login_name>", "password": "<password>" }</pre>
Output	token value
Sample Json Response	<pre>{ "token": "9afadsf5232423asdfat523432afasdf5234234" }</pre>

2. Save Visitor: /ext/saveExtVisitor/1

This API can be used to create the visit requests. The form fields that are configured in form builder should be used here and the information about the form fields can be

fetches using getFormsForExtVisitor call. The response is available for each and every entry.

Path	/ext/saveExtVisitor/1
Method	POST
Headers	plocationId: <global provider location id> kioskDeviceId: < global kiosk device id> Content-Type: application/json token: <token id from authenticate call>
Request Body Sample	<pre>{ "1": { "firstName": "Mary", "lastName": "Thomus", "company": "ABC Company", "emailId" : "mary@splan.com", "reasonForVisit" : "Meeting", "providerLocation": "983040", "sponsorEmail": "dkadari@splan.com", "meetingDate": "11-19-2017", "meetingTime": "11:00 PM", "visitorPhoto": "/9j/4AAQSkZJRgABAQAAAQABAAD/4QBGRXhpZgAASUkqAAgAAAABAD EBAgAjAAAAGgAAAAAABieS5ibG9vZGR5LmNyeXB0by5pbWFnZS5KUE VHRW5jb2RlcgD/2wCEAA0JCgsKCA0LCgsODg0PEyAVExISEyccHhcgLikxM C4pLSwz..." }, "2": { "firstName": "James", "lastName": "Thomus", "company": "ABC Company", "emailId" : "james@splan.com", "reasonForVisit" : "Meeting",</pre>

	<pre> "providerLocation": "983040", "sponsorEmail": "dkadari@splan.com", "meetingDate": "11-18-2017", "meetingTime": "11:00 PM" } } </pre>
Output	OverallCode, (Type: Integer, Possible Values: 0- Success, 1-All Failures, 2-Few Failures) OverallMessage, (Type: String) Map<Integer,Object<Code, Message>> (For each entry sent in the input, there will be a response object with code and message. If code is 0, it is successful and if the code is 1, it is unsuccessful). In the message field, actual message to be displayed will be sent
Sample Json Response	Result 1: All Visitors registered successfully <pre> { "code": 0, "message": "All the Visitors are added Successfully", "responseOfEachLine": { "1": { "code": 0, "message": "Mary Thomus has been registered successfully" }, "2": { "code": 0, </pre>

	<pre> "message": "James Thomus has been registered successfully" } } } </pre> Result 2: Visitors are registered Partially <pre> { "code": 2, "message": "", "responseOfEachLine": { "1": { "code": 0, "message": "Mary Thomus has been registered successfully" }, "2": { "code": 1, "message": "[The person whom you want to meet does not exist]" } } } </pre>
--	--

3. Watch List Update: /saveOrUpdateWatchList/2

Path	/saveOrUpdateWatchList/2
Method	POST
Headers	plocationId: <global provider location id> Content-Type: application/json

	token: <token id from authenticate call> memberId: <Logged in user memberId> LanguageCode: EN
Request Body	<pre>[{ "countryCode": "AF", "emailId": "James@splantest.com", "firstName": "James2", "gender": "M", "lastName": "Peter2", "memId" : 98304 }, { "countryCode": "AF", "emailId": "sam@splantest.com", "firstName": "Sam2", "gender": "M", "lastName": "Paul2" }]</pre>
Output	
Sample Json Response	<pre>[{ "error": null, "fullName": "James2 Peter2", "message": "James2 Peter2 updated successfully", "createOrUpdate": null, "memId": "98304", "baseResponseError": null }, { "error": null,</pre>

	<pre> "fullName": "Sam2 Paul2", "message": "Sam2 Paul2 added successfully", "createOrUpdate": "CREATE", "memId": "6717440", "baseResponseError": null }] </pre>
--	--

4. Get All Watch List Records:

/customform/load/2/0?totalRecords=&optionSelected=0

Path	/customform/load/2/0?totalRecords=&optionSelected=0
Method	GET
Headers	plocationId: <global provider location id> Content-Type: application/json token: <token id from authenticate call> memberId: <Logged in user memberId> LanguageCode: EN
Request Body	
Output	
Sample Json Response	<pre> { "data": [{ "lastName": "Matthew", "instructions": "", "ethnicity": "", "gender": "", "aliasFirstName": "", "imagePath": "images/blank_photo.png", "emailId": "Vinson@smartnetsol.com", "source": "Internal", "watchList": true, "displayColumn1": "5", "visitorNotes": null, "displayColumn2": "Vinson", </pre>

	<pre> "displayColumn3": "Matthew", "displayColumn4": "Vinson@smartnetsol.com", "passport": "", "addlDescription": "", "eyeColor": "", "displayColumn5": "4321567890", "displayColumn6": "Splan", "displayColumn7": "Hyd Int", "loginName": "5", "dateEffective": "", "vehicleModel": "", "MemFieldValuelId": "5", "MemFieldId": "5", "company": "Splan", "hairColor": "", "providerLocationName": "Hyd Int", "height": "", "aliasLastName": "", "providerLocation": 1000, "locationName": "Hyd Int", "accessLevel": "", "homePhone": "", "memFieldId": "5", "weight": "", "isPreferred": "", "vehicleMake": "", "requestor": "", "driversLicense": "", "firstName": "Vinson", "watchListReason": "", "build": "", "stateRegistered": "", "visitorComments": "", "isWatchList": "", "cellPhone": "4321567890", "memId": "5" }, { "lastName": "parker", "instructions": "", "ethnicity": "", "gender": "", "aliasFirstName": "", "imagePath": "images/blank_photo.png", "emailId": "mkrishna@smartnetsol.com", "source": "Internal", "watchList": true, "displayColumn1": "18", "visitorNotes": null, "displayColumn2": "Michelle", "displayColumn3": "parker", "displayColumn4": "mkrishna@smartnetsol.com", "passport": "", </pre>
--	--

	<pre> "addlDescription": "", "eyeColor": "", "displayColumn5": "8765432190", "displayColumn6": "Splan", "displayColumn7": "Hyd Int", "loginName": "18", "dateEffective": "", "vehicleModel": "", "MemFieldValuelId": "18", "MemFieldId": "18", "company": "Splan", "hairColor": "", "providerLocationName": "Hyd Int", "height": "", "aliasLastName": "", "providerLocation": 1000, "locationName": "Hyd Int", "accessLevel": "", "homePhone": "", "memFieldId": "18", "weight": "", "isPreferred": "", "vehicleMake": "", "requestor": "", "driversLicense": "", "firstName": "Michelle", "watchListReason": "", "build": "", "stateRegistered": "", "visitorComments": "", "isWatchList": "", "cellPhone": "8765432190", "memId": "18"] } </pre>
--	---

5. Get All Visitors records: /

customform/load/1/0?totalRecords=&optionSelected=0

Path	/customform/load/1/0?totalRecords=&optionSelected=0
Method	GET
Headers	plocationId: <global provider location id> Content-Type: application/json token: <token id from authenticate call> memberId: <Logged in user memberId>

	LanguageCode: EN
Request Body	
Output	
Sample Json Response	[{ "checkloActionTime": 1629201315000, "endDate": "08-01-2023", "displayColumn1": "1386404", "displayColumn2": "Hhhh", "oldEndDate": 1673259600000, "displayColumn3": "Hhh", "displayColumn4": "Prasanna Billa", "displayColumn5": "", "displayColumn6": "", "displayColumn7": "08-01-2023 08:20 PM", "loginName": "V_1386404", "MemFieldValueld": "25526292", "hostEmail": "prasanna@splantest.com", "canRevoke": false, "canCreatevisit": true, "providerLocation": 1001, "pacsAccessLevels": "", "providerLocationId": 1001, "memFieldId": "25526292", "showCancelBtn": true, "isPendingApproval": false, "checkloStartTime": 1673227200000, "visitType": "-- Select --", "visitorCategory": "", "provideJustiReq": "", "showCheckbox": true, "appointmentId": "1116156", "stateRegistered": "", "appointmentExistCurrentDate": true, "visitorComments": "", "status": null, "escortRequired": "", "checkedOut": false, "lastName": "Hhh", "actionTime": "17-08-2021 07:55 AM", "flag": "false", "wlMemId": null, "sponsorName": "Prasanna Billa(1386401)", "watchListTypeConstant": 0, "paymentType": "Dependent Payer", "showMultiDayVisLink": false, }]

	<pre> "countryCode": "", "visitorVehicleTag": "", "vehicleModel": "", "startTime": "08-01-2023 08:20 PM", "isHideLink": false, "showEdit": true, "noOfComplimentary": "", "isStatusCheckedIn": false, "isPreferred": "No", "driversLicense": "", "registrationNumber": "25SXX47ET38", "dateOfAppointment": "08-01-2023 08:20 PM", "hideMemberId": false, "rfid": "", "oldStartDate": 1673256000000, "endTime": "09:20 PM", "isWatchList": "", "facility": "", "cellPhone": "", "aptStatus": "Registered on", "imagePath": "images/blank_photo.png", "noOfAdults": "", "emailId": "", "badgeNumber": "", "source": "Internal", "currentSchool": "", "passport": "", "showCheckOutBtn": false, "isAptExist": true, "homePhone": "", "formTypeId": 1, "vehicleMake": "", "firstName": "Hhhh", "converted": false, "clientTimeZone": null, "specialRequirements": "", "isEmpDashboard": true, "qrcode": "25SXX47ET38", "aptStatusId": 1, "amountReceived": "", "primaryAttendee": true, "duration": 60, "latestStatus": "Registered on
 17-08-2021 07:55 AM", "meetingDate": "08-01-2023", "company": "", "isMultiDayVisit": false, "noOfChilds": "", "paymentStatus": "", "oldActionTime": 1629226515000, "accessLevel": null, "noOfVisitors": "", "appointmentStatus": "Registered on", </pre>
--	---

	<pre> "displayColumn8": "Registered on
 17-08-2021 07:55 AM", "attendeeType": "", "meetingTime": "08:20 PM", "displaySponsorName": "Prasanna Billa (11223344)", "reasonForVisit": null, "middleName": "", "memId": 1386404 }, { "checkloActionTime": 1629538201000, "endDate": "08-09-2022", "displayColumn1": "1390391", "displayColumn2": "Prasannna", "oldEndDate": 1662702840000, "displayColumn3": "Bhsahah", "displayColumn4": "Prasanna Billa", "displayColumn5": "", "displayColumn6": "", "displayColumn7": "08-09-2022 05:54 PM", "loginName": "V_1390391", "MemFieldValueId": "25657346", "hostEmail": "prasanna@splantest.com", "canRevoke": false, "canCreatevisit": true, "providerLocation": 1001, "pacsAccessLevels": "", "providerLocationId": 1001, "memFieldId": "25657346", "showCancelBtn": true, "isPendingApproval": false, "checkloStartTime": 1662674040000, "visitType": "-- Select --", "visitorCategory": "", "provideJustiReq": "", "showCheckbox": true, "appointmentId": "1120121", "stateRegistered": "", "appointmentExistCurrentDate": true, "visitorComments": "", "status": null, "escortRequired": "", "checkedOut": false, "lastName": "Bhsahah", "actionTime": "21-08-2021 05:30 AM", "flag": "false", "wlMemId": null, "sponsorName": "Prasanna Billa(1386401)", "watchListTypeConstant": 0, "paymentType": "Dependent Payer", "showMultiDayVisLink": false, "countryCode": "", "visitorVehicleTag": "", </pre>
--	--

	<pre> "vehicleModel": "", "startTime": "08-09-2022 05:54 PM", "isHideLink": false, "showEdit": true, "noOfComplimentary": "", "isStatusCheckedIn": false, "isPreferred": "No", "driversLicense": "", "registrationNumber": "48EIA88VU86", "dateOfAppointment": "08-09-2022 05:54 PM", "hideMemberId": false, "rfid": "", "oldStartDate": 1662699240000, "endTime": "06:54 PM", "isWatchList": "", "facility": "", "cellPhone": "", "aptStatus": "Registered on", "imagePath": "images/blank_photo.png", "noOfAdults": "", "emailId": "", "badgeNumber": "", "source": "Internal", "currentSchool": "", "passport": "", "showCheckOutBtn": false, "isAptExist": true, "homePhone": "", "formTypeId": 1, "vehicleMake": "", "firstName": "Prasannna", "converted": false, "clientTimeZone": null, "specialRequirements": "", "isEmpDashboard": true, "qrcode": "48EIA88VU86", "aptStatusId": 1, "amountReceived": "", "primaryAttendee": true, "duration": 60, "latestStatus": "Registered on
 21-08-2021 05:30 AM", "meetingDate": "08-09-2022", "company": "", "isMultiDayVisit": false, "noOfChilds": "", "paymentStatus": "", "oldActionTime": 1629563401000, "accessLevel": null, "noOfVisitors": "", "appointmentStatus": "Registered on", "displayColumn8": "Registered on
 21-08-2021 05:30 AM", </pre>
--	---

	<pre> "attendeeType": "", "meetingTime": "05:54 PM", "displaySponsorName": "Prasanna Billa (11223344)", "reasonForVisit": null, "middleName": "", "memId": 1390391 }] </pre>
--	---

6. Get specific Visitor records:

/customform/advancesearch/1/0?emailId=vamshi.peddi@splan.com&totalRecords=&timeFilterBy=upcomingVisits&optionSelected=1

Path	/customform/advancesearch/1/0?emailId=vamshi.peddi@splan.com&totalRecords=&timeFilterBy=upcomingVisits&optionSelected=1
Method	GET
Headers	locationId: <global provider location id> Content-Type: application/json token: <token id from authenticate call> memberId: <Logged in user memberId> LanguageCode: EN
Request Body	
Output	
Sample Json	<pre> { "data": [], "watchListData": null, "layoutLabelData": null, "heading": {}, "buttonMessages": { "Vendors_List": "Vendors", "Group_Grid_Heading": "Group Members", </pre>

Resp onse	<pre> "deny_Visit_popUp": "Please enter comments for Denying visit", "Photo": "Photo", "Vendor_Emp_List": "Vendor Coordinators List", "Print": "Print", "Search": "Search", "_update": "Update", "Back": "Back", "Visitor_List_Landing_Message": "Search for visitors using their first name, last name,email address or Member Id. Click 'Advance Search' for more fields search.", "add_Visitor": null, "Driver_License": "Driver License", "add": null, "Save_And_Add_Another_Visitor": "+ Add Another Visitor", "edit": "Edit Visitor", "Edit_Visitor_Registration": "Edit Visitor Registration", "Events_List": "Events List", "Visitors": "All Visitors List", "Search_Events": "Search event", "_save": "Save", "Employee_Visitor_Registration": "Employee Visit Registration", "New_Event": "New Event", "Match_Record_Continue": "For returning visitor select a user and click on Continue with Selected Visitor.", "Continue_With_WatchList_Comments": "As the visitor record is matching with the watch list record, please enter comments to continue", "Personal_Information": "Personal Information", "Visitors_Group": "Visitors_Group", "_reset": "Reset", "New_Visitor_Alert_Hint": null, "Description": "Mandatory Fields in different color", "My_Visitors_List": "My Visitors List", "Visitor_Adv_Heading": "Visit Information", "Visitor_Details": null, "Continue": "Continue", "Add_To_Group": "Add to Group", "_advance_search": "Advance Search", "New_Visitor_Registration": "New Visitor Registration", "Take_Photo": "Take Photo", "_home": "Home", "Events": "Events", "Search_Visitor": "Search visitors", "Visitor_Description": "Edit the Visitor Click on the Edit Icon", "Matched_Records": "Matched Records", "_assignBadge": "Assign Badge", "My_Vendors_List": "My Vendors List", "_basic_search": "Basic Search", "Continue_with_selected": "Continue with selected Visitor", "_cancel": "Cancel", "deny_Visit": "Deny Visit", "Visitor_Basic_Heading": "Visitor Information", "Continue_with_new": "Continue with New Visitor" }, </pre>
--------------	--

	<pre> "advanceSearchForm": [], "forms": [], "showMessageForWatchList": false, "showMessageForDuplicateVisitors": false, "showNextBtn": false, "showPrevBtn": false, "showMessage": null, "noOfRecords": "0", "reasonForVisit": null, "notes": null, "groupVisitorDetails": null, "empDashboardResults": null, "newVisitorBasicForms": [], "newVisitorAdvanceForms": [], "appointmentList": [], "attendeeData": [], "additionalChkFlowSteps": [], "applySortOnCols": [], "sortedColumn": null, "sortedOrder": null, "validationRules": null, "hideMemberId": false, "watchListEnabled": false, "duplicatesAllowed": false } </pre>
--	---

7. Delete Visitor record: /deleteVisitors/false

Path	/deleteVisitors/false
Method	POST
Headers	plocationId: <global provider location id> Content-Type: application/json token: <token id from authenticate call> MemberId: <logged in user memberId>
Request Body	<pre> { "visitorIds":["Visitor Appointment ID"], "comments":"s" } </pre>

Output	
Sample Json Response	<pre>{ "successMessage": "Prasannna Bhsahah have been deleted successfully" }</pre>

8. Updating visitor record with appointment ID: /updateVisitorDetails/1

Path	/updateVisitorDetails/1
Method	POST
Headers	plocationId: <global provider location id> Content-Type: application/json token: <token id from authenticate call> MemberId: <logged in user memberId>
Request Body	<pre>{ "Area": "No", "accessGroup": [], "allowToVisit": "", "appointmentId": 1117159, "badgeNumber": "", "cellPhone": "", "comments": "", "company": "", "countryOfOrigin": "No", "dateOfBirth": "", "displaySponsorName": "John Sponsor (psponsor)", "door": "No", "driversLicense": "", "duration": "", "editAllDetails": "true", "emailId": "johnwick@splantest.com", </pre>

```

"endDate": "08-30-2021",
"endTime": "8:00 PM",
"escortRequired": "",
"facility": "",
"firstName": "John",
"foundInWatchList": "",
"fromDashboard": "true",
"gate": "No",
"homePhone": "",
"laptopMake": "97",
"lastName": "Ketin",
"meetingDate": "08-30-2021",
"meetingTime": "10:00 AM",
"memFieldId": "24477697",
"memId": "1157158",
"pacsAccessLevels": "",
"passport": "",
"providerLocation": "1001",
"reasonForVisit": "",
"seatId": "No",
"sponsorName": "john wick ( 1157156 )",
"stateRegistered": "",
"updateVisitor": "true",
"vehicleMake": "",
"vehicleModel": "",
"visScanDocs": [],
"visitType": "Gen_Business_Vis",
"visitorComments": "",
"visitorDocPaths": []
}

```

Output	
Sample Json Response	<pre>{ "data": [], "watchListData": null, "layoutLabelData": null, "advanceSearchForm": [], "forms": [], "showMessageForWatchList": false, "showMessageForDuplicateVisitors": false, "showNextBtn": false, "showPrevBtn": false, "showMessage": null, "noOfRecords": null, "reasonForVisit": null, "notes": null, "groupVisitorDetails": null, "empDashboardResults": null, "newVisitorBasicForms": [], "newVisitorAdvanceForms": [], "appointmentList": [], "attendeeData": [], "additionalChkFlowSteps": [], "applySortOnCols": null, "sortedColumn": null, "sortedOrder": null, "validationRules": null, "hideMemberId": false, "visitorInput": {}, "visitorSetupLinks": {}, "formInput": {}, "error": "The person whom you want to meet does not exist", "successMessage": null, "errorMessage": ["The person whom you want to meet does not exist"], "ids": [], "memberId": null, "templImagePath": null, "defaultSponsor": null, "defaultSponsorToDisplay": null, "eventId": null, "vendorId": null, "parentEventId": null, "waitingListExists": null, "badgeNumberExist": false, "aptFieldId": null, "isWatchListPerson": false, "matchedRecsFound": false, "isVipPerson": false, "memId": null, "memFieldId": null, "successMsg": null, }</pre>

	<pre> "doNotAllowDuplicateBadge": null, "showSaveBtn": false, "roomMates": null, "isMaxVisCount": false, "assignMultiTempBadge": false, "allowChkoutForVisitor": false, "badgeDeletedInACS": false, "rejectVisInitiated": false, "ndaAdlChkInFlowMap": {}, "showNDAAdlChkInFlow": false, "isOTPRequired": true, "useCheckInCallForOTP": false, "isGroupNameMandatory": false, "duplicateVisCount": 0, "sponsorMemId": null, "formIds": [], "failedRecords": [], "requiredFields": [], "currentTime": null, "countDownBadgePrint": null, "isBadgeEnabled": null, "imagePath": null, "message": null, "confirmationTitle": null, "ndaFormEnabled": null, "isRegisteredCheckedIn": null, "defaultApprover": null, "defaultDisplayApprover": null, "locationTimeZoneDataFetched": false, "watchListEnabled": false, "duplicatesAllowed": false } </pre>
--	---

9. Delete Watch List: /deleteVisitor/2/1

Path	/deleteVisitor/2/1
Method	POST
Headers	plocationId: <global provider location id> Content-Type: application/json token: <token id from authenticate call> MemberId: <logged in user memberId> LanguageCode: EN

Request	<provide watch list member id>
Body	
Output	
Sample Json Response	<pre>{ "buttonMessages": { "Vendors_List": "Vendors", "Group_Grid_Heading": "Group Members", "deny_Visit_popUp": "Please enter comments for Denying visit", "Photo": "Photo", "Vendor_Emp_List": "Vendor Coordinators List", "Print": "Print", "Search": "Search", "_update": "Update", "Back": "Back", "Visitor_List_Landing_Message": "Search for visitors using their first name, last name, email address or Member Id. Click 'Advance Search' for more fields search.", "add_Visitor": null, "Driver_License": "Driver License", "add": "Add Watch List", "Save_And_Add_Another_Visitor": "+ Add Another Visitor", "edit": "Edit Watch List", "Edit_Visitor_Registration": null, "Events_List": "Events List", "Visitors": "Watch List", "Search_Events": "Search event", "_save": "Save", "Employee_Visitor_Registration": "Employee Visit Registration", "New_Event": "New Event", "Match_Record_Continue": "For returning Watch List select a user and click on Continue with Selected Watch List.", "Continue_With_WatchList_Comments": "As the visitor record is matching with the watch list record, please enter comments to continue", "Personal_Information": "Personal Information", "Visitors_Group": "Visitors_Group", "_reset": "Reset", "New_Visitor_Alert_Hint": null, "Description": "Edit the WatchList Person Click on the Edit Icon", "My_Visitors_List": null, "Visitor_Adv_Heading": null, "Visitor_Details": null, "Continue": "Continue", "Add_To_Group": "Add to Group", "_advance_search": "Advance Search", "New_Visitor_Registration": "Add Watch List", "Take_Photo": "Take Photo", "_home": "Home", "Events": "Events", } }</pre>

	<pre> "Search_Visitor": "Search Watch List", "Visitor_Description": "Manage Watch List Visitors", "Matched_Records": "Matched Records", "_assignBadge": "Assign Badge", "My_Vendors_List": "My Vendors List", "_basic_search": "Basic Search", "Continue_with_selected": "Continue with selected Watch List", "_cancel": "Cancel", "deny_Visit": "Deny Visit", "Visitor_Basic_Heading": null, "Continue_with_new": "Continue with New Watch List" }, "successMessage": "Paul Murray deleted successfully from Watch List" } </pre>
--	--

10. Employee and other entity Updates: /api/<entity Name>/update

Sync up all employee's information and other entities like watchlist, VIP, contractors, lobby locations using this call. Following entity names are available: employee, watchlist, VIP, contractor and locations. You can update the existing entity information, add new entities and delete the existing entities. This is an asynchronous operation, where you submit with a request id. Form fields mapped for appropriate entity should be used here. The responseId available as part of the output can be used to poll the status of the request.

For example: for employee

Path	/api/employee/update
Method	POST
Headers	plocationId: <global provider location id> kioskDeviceId: < global kiosk device id> token : <token id from authenticate call> Content-Type : application/json MemberId: <logged in user memberId> LanguageCode: EN
Request Body	{ "requestId" : "REQ1111",

	<pre> "employees" : [{ "employeeNTID" : "V123", "firstName" : "John", "lastName" : "Doe", "email" : "jdoe@splan.com", "phoneNumber" : "111-111-1111", "office" : "Floor Cube", "location" : "Location 1", "status":"active" } , { "employeeNTID" : "V456", "firstName" : "Jane", "lastName" : "Doe", "email" : "janedoe@splan.com", "phoneNumber" : "111-111-1111", "office" : "Floor Cube", "location" : "Location 2" , "status" : "inactive" }] } </pre>
Output	The request is processed asynchronously. API call is available for polling.
Sample Json Response	<pre> { "requestId": "REQ1111", "responseCode": "5", "totalRequestRecords": 2, "successfull": 0, "failed": 0, "errorMessage": " Employee update already in progress with responseld :6422720. Please re try after some time. ", "failedRecords": null, "submitTime": 1629820683000, "completedTime": null, "createdRecords": null, "updatedRecords": null, "deletedRecords": null, </pre>

	<pre> "providerLocationId": null, "syncType": null, "syncLog": null, "responseid": null } </pre>
--	--

11. Get Visitor Form: /ext/getFormsForExtVisitor/1

This API can be used to get the metadata of any of the forms. The form fields that are configured in form builder can be retrieved using the call.

Path	/ext/getFormsForExtVisitor/1
Method	GET
Headers	plocationId: <global provider location id> kioskDeviceId: < global kiosk device id> Content-Type: application/json token: <token id from authenticate call>
Request Body	
Output	
Sample Json Response	<pre> { "data": [], "watchListData": null, "layoutLabelData": null, "advanceSearchForm": [], "forms": [], "showMessageForWatchList": false, "showMessageForDuplicateVisitors": false, </pre>

	<pre> "showNextBtn": false, "showPrevBtn": false, "showMessage": null, "noOfRecords": null, "groupVisitorDetails": null, "newVisitorBasicForms": [{ "code": 0, "message": null, "schema": { "firstName": { "code": 0, "message": null, "type": "Hidden", "fieldClass": null, "editorClass": "clearable form-control", "url": null, "editorAttrs": { "id": "firstName", "data-regexp": null, "placeholder": "First Name", "data-required": true, "name": "firstName" }, "tooltip": null, "displaySequence": 1, "encryptedField": false, "fieldLabel": "firstName", "label": "First Name" } } }] </pre>
--	---

	<pre> }, "lastName": { "code": 0, "message": null, "type": "Text", "fieldClass": null, "editorClass": "clearable form-control", "url": null, "editorAttrs": { "id": "lastName", "data-regexp": null, "placeholder": "Last Name", "data-required": true, "name": "lastName" }, "tooltip": null, "displaySequence": 2, "encryptedField": false, "fieldLabel": "lastName", "label": "Last Name" }, "emailId": { "code": 0, "message": null, "type": "Text", "fieldClass": "email", "editorClass": "clearable form-control", "url": null, "editorAttrs": { </pre>
--	---

	<pre> "id": "emailId", "data-regex": "[a-z A-Z][a-z A-Z 0-9 .]*@[a-z A-Z 0-9]+([a-z0-9-]+)*([a-z]{2,4})\$", "placeholder": "Email", "data-required": true, "name": "emailId" }, "tooltip": null, "displaySequence": 4, "encryptedField": false, "fieldLabel": "emailId", "label": "Email" }, "company": { "code": 0, "message": null, "type": "Text", "fieldClass": null, "editorClass": "clearable form-control typeahead-companyLookup", "url": null, "editorAttrs": { "id": "company", "data-regex": null, "placeholder": "Representing Company", "name": "company" } }, "tooltip": null, "displaySequence": 5, </pre>
--	--

	<pre> "encryptedField": false, "fieldLabel": "company", "label": "Representing Company" }, "providerLocation": { "code": 0, "message": null, "type": "Select", "fieldClass": null, "editorClass": "form-control bg-focus", "url": null, "editorAttrs": { "id": "providerLocation", "data-regexp": null, "data-required": true, "name": "providerLocation" }, "options": [{ "val": "983040", "label": "Check Point", "optionId": null }], "tooltip": null, "displaySequence": 7, "encryptedField": false, "fieldLabel": "providerLocation", "label": "Location Name" </pre>
--	--

	<pre> }, "sponsorEmail": { "code": 0, "message": null, "type": "Text", "fieldClass": null, "editorClass": "form-control", "url": null, "editorAttrs": { "id": "sponsorEmail", "data-regexp": null, "placeholder": "Sponsor Email", "name": "sponsorEmail" }, "tooltip": null, "displaySequence": 10, "encryptedField": false, "fieldLabel": "sponsorEmail", "label": "Sponsor Email" }, "meetingDate": { "code": 0, "message": null, "type": "DatePicker", "fieldClass": null, "editorClass": "form-control singlerow dateFormat", "url": null, "editorAttrs": { "id": "meetingDate", </pre>
--	--

	<pre> "data-regexp-message": "Please enter date in MM-DD-YYYY format", "data-regexp": null, "dateformat": "mm/dd/yyyy", "placeholder": "mm/dd/yyyy", "name": "meetingDate" }, "tooltip": null, "displaySequence": 11, "encryptedField": false, "fieldLabel": "meetingDate", "label": "Visiting Date" }, "meetingTime": { "code": 0, "message": null, "type": "TimePicker", "fieldClass": null, "editorClass": "form-control singlerow", "url": null, "editorAttrs": { "id": "meetingTime", "data-regexp": null, "placeholder": "Visiting Time", "name": "meetingTime" } }, "tooltip": null, "displaySequence": 12, "encryptedField": false, </pre>
--	--

	<pre> "fieldLabel": "meetingTime", "label": "Visiting Time" }, }, "section": "personalInformationLeft", "data": {} }], "newVisitorAdvanceForms": [], "attendeeData": [], "visitorInput": {}, "visitorSetupLinks": {}, "formInput": {}, "successMessage": null, "errorMessage": [], "ids": [], "memberId": null, "templImagePath": null, "defaultSponsor": null, "defaultSponsorToDisplay": null, "eventId": null, "vendorId": null, "parentEventId": null, "waitingListExists": null, "badgeNumberExist": false, "aptFieldId": null, "isWatchListPerson": false, "isVipPerson": false, "memId": null, </pre>
--	---

	<pre> "memFieldId": null, "successMsg": null, "doNotAllowDuplicateBadge": null, "currentTime": null, "countDownBadgePrint": null, "isBadgeEnabled": null, "imagePath": null, "message": null, "confirmationTitle": null, "ndaFormEnabled": null, "duplicatesAllowed": false, "watchListEnabled": false } </pre>
--	---

12. Get Visitors: /api/visitors

Fetch all the visitors information along with their registration number and their check-in status by providing different search filters. As part of the search any form field can be sent.

Path	/api/visitors
Method	GET
Headers	plocationId: <provider location id> kioskDeviceId: < global kiosk device id> token : <token id from authenticate call> Content-Type : application/json
Request Body	<pre> { fromDate=01-01-2020T12:00, toDate=01-03-2020T12:00, status=<integer> -- 0-All Registered ones, 1-Checked in, 2- Checked-out, 3-Pending Approval, </pre>

	FetchByRegistrationNumber=1 <i>--for multi day appointment, registration number will be unique</i> }
Output	List of all visitors matching the search criteria
Sample Json Response	<pre>{ "visitors": [{ "lastName": "Doe", "hostName": "John", "checkInDate": "", "meetingStartDate": "01-02-2020T20:00", "firstName": "John", "meetingEndDate": "01-02-2020T20:40", "phoneNumber": "", "checkOutDate": "", "registrationNumber": "86HOZ17PF984", "hostEmail": "aaaa@www.com", "location": "Location 1", "email": "johndoe@splan.com", "status": "Pending Approval" }], "responseCode": "0" }</pre>

13. Get Visitor details for specific time: /api/visitors?fromDate=24-08-2021T12:00&toDate=25-08-2021T12:00

Please check for application preference for date format and use the date format selected as part of preference (Ex: DD-MM-YYYY or MM-DD-YYYY)

Path	/api/visitors?fromDate=24-08-2021T12:00&toDate=25-08-2021T12:00
Method	GET
Headers	plocationId: <provider location id> kioskDeviceId: < global kiosk device id>

	token : <token id from authenticate call> Content-Type : application/json
Request Body	
Output	List of all visitors matching the search criteria
Sample Json Response	<pre>{ "visitors": [{ "lastName": "Doe", "hostName": "John", "checkInDate": "", "meetingStartDate": "01-02-2020T20:00", "firstName": "John", "meetingEndDate": "01-02-2020T20:40", "phoneNumber": "", "checkOutDate": "", "registrationNumber": "86HOZ17PF984", "hostEmail": "aaaa@www.com", "location": "Location 1", "email": "johndoe@splan.com", "status": "Pending Approval" }], "responseCode": "0" }</pre>

14. Request Status: /api/<entity name>/processstatus

For all asynchronous calls, fetch the request status using this call. In the entity name, you can use the names like employee, watchlist, VIP, contractor, locations etc.

Path	/api/employee/processstatus/{responseId}
Method	GET
Headers	plocationId: <global provider location id> kioskDeviceId: < global kiosk device id>

	token: <token id from authenticate call> Content-Type: application/json
Request Body	
Output	a. HTTP Error 401 - Invalid credentials b. Request processing is still progress <pre>{ "requestId" : "REQ984123", "responseld" : "923432", "responseCode" : "4" // In Progress "totalRequestRecords": "0", "successfull" : "0", "failed" : "0", "errorMessage" : "" }</pre> c. All employee records successfully processed <pre>{ "requestId" : "REQ984123", "responseld" : "923432", "responseCode" : "4" "totalRequestRecords": "10", "successfull" : "10", "failed" : "0", "errorMessage" : "" }</pre> d. Some of employee records processing failed. <pre>{ "requestId" : "REQ984123", "responseCode" : "1" "totalRequestRecords": "10", "successfull" : "8", "failed" : "2", "errorMessage" : "", "failedRecords" : [{</pre>

	<pre> "employeeNTID" : "V123", "errorMessage" : "Required fields missing" }, { "employeeNTID" : "V456", "errorMessage" : "Required fields missing" }] } e. All employee records processing failed { "requestId" : "REQ984123", "responseCode" : "2" "totalRequestRecords": "10", "successfull" : "0", "failed" : "10", "errorMessage" : "System Error while processing records" } </pre>
Sample Json Response	

15. Update appointment: </api/appointment/update>

Update any appointment with this call. Any field mapped for the visitor can be sent as part of the update request. Appointment status can be updated too.

Path	/api/appointment/update
Method	POST
Headers	plocationId: <global provider location id> kioskDeviceId: <global kiosk device id> token : <token id from authenticate call> Content-Type : application/json

Request Body	<pre> { "visitors": [{ "registrationNumber": "86HOZ17PF984", --for multi day appointment, registration number will be unique "WIFIUserName": "john1234", "WIFIPassword": "Welcom@!234", "validFrom" : "01-02-2020T20:00", "validTo" : "01-02-2020T20:40", }, { "registrationNumber": "96HOZ17PG985", --for multi day appointment, registration number will be unique "WIFIUserName": "mary1234", "WIFIPassword": "Splan1", "validFrom" : "01-02-2020T20:00", "validTo" : "01-02-2020T20:40", }] } </pre>
Output	Overall response code provides the status of the complete request. If responseCode is 1, all failures are listed along with the error message. If responseCode is 2, overallMessage will be populated <pre> { "responseCode": "0" , --0 - all success, 1-partial success 2-failures overallMessage: "", --this will be populated for responseCode of 2 "failures": [{ "registrationNumber": "86HOZ17PF984", --for multi day appointment, registration number will be unique "WifiUserName": "john1234", "WifiPassword": "Welcom@!234", "validFrom" : "01-02-2020T20:00", "validTo" : "01-02-2020T20:40", "errorMessage": "{error message}", }] } </pre>

Sample Json Response	<pre>{ "responseCode": "0" , "overallMessage": "", "failures": [{ "registrationNumber": "86HOZ17PF984", "WifiUserName": "john1234", "WifiPassword": "Welcom@!234", "validFrom" : "01-02-2019T20:00", "validTo" : "01-02-2019T20:40", "errorMessage": "{error message}", }] }</pre>
-------------------------------------	--

Environment to test

Please send email to support@splan.com for environment details.