

Leishmaniasis Country Profile Generator

User Manual

The Leishmaniasis Country Profile Generator, from now LCPG, retrieves country data from several sources for a specific year and puts it in an HTML country profile format ready to print in PDF.

Table of Contents

1. METADATA AND PERMISSIONS REQUIREMENTS.....	2
2. GENERATING A COUNTRY PROFILE	3
2.1 CONFIGURATION PANEL	4
2.1.1 <i>General</i>	4
2.1.2 <i>Charts</i>	5
2.1.3 <i>Maps</i>	6
2.2.4 <i>Footnotes</i>	7
2.2 COUNTRY PROFILE	8
2.2.1 <i>Texts to update before printing</i>	8
2.2.2 <i>Edit elements in the CP</i>	8
2.2.3 <i>Footnote elements in the CP</i>	8
2.2.4 <i>Arrange maps and charts</i>	9
2.2.5 <i>Printing the CP or saving it as PDF</i>	9
3. SOURCE OF INFORMATION IN COUNTRY PROFILE SECTIONS.....	10
3.1 COUNTRY GENERAL INFORMATION SECTION	10
3.2 EPIDEMIOLOGY SECTION	12
3.3 MONTHLY DISTRIBUTION OF NEW CASES JANUARY-DECEMBER SECTION	15
3.4 MAPS SECTION.....	16
3.5 CONTROL AND SURVEILLANCE SECTION	17
3.6 DIAGNOSIS SECTION	18
3.7 TREATMENT AND MEDICINES AND TREATMENT OUTCOME SECTION	20


1. Metadata and permissions requirements

LCPG and the user using it need metadata (and eventually) data read access to the following metadata:

Type	ID	Name	Comments
program	w9hSFsNr3Vh	CL_cases_by provenance	
program	NVUIJzlakuO	Footnotes for Report Generator RG_	Needs to be assigned to the country
program	Jd8gnElt8uT	Leishmaniasis endemicity	Needs to be assigned to the country
program	i5JSf4ffFI2	VL_cases_by provenance	
dataSet	Uc3j0vpsfSB	Cutaneous Leishmaniasis - ACL/ZCL - Detailed aggregated - Annual	
dataSet	Sn0dExPzQqW	Cutaneous Leishmaniasis - ACL/ZCL - Simple aggregated - Annual	
dataSet	tnek2Ljfulm	Cutaneous Leishmaniasis - Detailed aggregated - Annual	
dataSet	zna8KfLMXn4	Cutaneous Leishmaniasis - Simple aggregated - Annual	
dataSet	NKWbkXyfO5F	General information	Needs to be assigned to the country
dataSet	p0NhulUoeST	GHO indicators for NTDs	Needs to be assigned to the country
dataSet	fdBM4sWSuPR	Visceral Leishmaniasis - Detailed aggregated - Annual	
dataSet	SHw2zOysJ1R	Visceral Leishmaniasis - Simple aggregated - Annual	
sqlViews	mejiVo59hWs	categoryOptionCombos in DS	
sqlViews	oQdlVqkVlxC	data elements in dataSet	
sqlViews	lrawAndH02Y	data elements used in program	
legendSet	clwSlrqvmMx	ACL Incidence	
legendSet	TnU2O8YxH51	CL Incidence	
legendSet	gUOjExXros1	VL Incidence	
legendSet	TbrqplWzLS8	ZCL Incidence	
indicatorGroup	nozEoB0uRq9	NTD_Leish_CP_INC_charts_IG	It doesn't need the IG itself but its indicators.
indicatorGroup	VvTNYst2QCW	NTD_Leish_CP_maps_IG	It doesn't need the IG itself but its indicators.
indicatorGroup	KUdeVRtIK45	NTD_Leish_CP_popAtRisk_IG	It doesn't need the IG itself but its indicators.
indicatorGroup	Wp7ZgcxoAwM	NTD_LSH_EPI_NEW_UNSG_IG	It doesn't need the IG itself but its indicators.
indicatorGroup	OxgkCeNyVvm	NTD_LSH_TREAT_completed_IG	It doesn't need the IG itself but its indicators.
indicatorGroup	jCYF44Wq3r7	NTD_LSH_SCREEN_passive_IG	It doesn't need the IG itself but its indicators.

2. Generating a country profile

Look for the app called “Leishmaniasis Country Profile Generator” in the apps bar of the WIDP instance.



A form box like the following will appear

Two side-by-side screenshots of the 'Generate Country Profile' form. The left screenshot shows the form with input fields for 'Year' and 'Country', both containing the placeholder text 'Enter and select country name'. Below these fields is a green button labeled 'Start preparing CP'. The right screenshot shows the form with 'Year' set to '2017' and 'Country' set to 'al'. Below the country field, a list of suggestions is visible: 'People's Democratic Republic of Algeria' and 'Republic of Albania'. The green 'Start preparing CP' button is highlighted.

Start typing a year and a country. Once it starts appearing in the list, select it. This selection is needed, otherwise, the system won't take in account the text you typed.

The LCPG has two main sections: The configuration panel and the country profile itself.

A screenshot of the Leishmaniasis Country Profile Generator (LCPG) interface. The top section is the 'Configuration panel' with tabs for 'General', 'Maps', and 'Footnotes'. The 'General' tab is active, showing checkboxes for 'Leishmaniasis types to show' (VL, CL, AZCL, ZCL, PKDL, MCL) and 'Leishmaniasis types to show in monthly table' (VL, CL, VL (previous year), CL (previous year), AZCL, ZCL). Below these are checkboxes for 'Graphs to show' (CL monthly, AZCL monthly, VL monthly, CL yearly, AZCL yearly, VL yearly) and a dropdown for '2nd sub-national administ...'. The bottom section is the 'Country profile' for the 'People's Democratic Republic of Algeria' for the year '2017'. It includes a 'Country General Information' table with data on population, gender, GDP, and income status. Below this is an 'Epidemiology' section with a table showing the endemicity status for VL, ACL, ZCL, and MCL.

2.1 Configuration panel

In this panel you can configure which elements are showing in the CP and how. It has three tabs: General, to manage which types of the disease will appear in the tables, the graphs and the subnational level taken in account; maps to configure maps, legends and “notas bene”; and Footnotes, to manage which footnotes will appear in the CP.

2.1.1 General

General Maps Footnotes

Leishmaniasis types to show: ☒ VL ☐ CL ☐ ACL ☐ ZCL ☐ PKDL ☐ MCL

Leishmaniasis types to show in monthly table: ☒ VL ☐ VL (previous year) ☐ CL ☐ CL (previous year) ☐ ACL ☐ ACL (previous year) ☐ ZCL ☐ ZCL (previous year)

Graphs to show: ☐ CL monthly ☐ AZCL monthly ☒ VL monthly ☐ CL yearly ☐ AZCL yearly ☒ VL yearly

1st sub-national administr... ☒ recalculate maps to this level

Leishmaniasis types to show are checked if, at least, one leishmaniasis dataset of this type (VL, CL or ACL/ZCL) is assigned to the country. PKDL and MCL are unchecked by default.


The behavior is the same in the monthly table checkboxes except for previous years, whose checkboxes are by default unchecked.

The graphs checkboxes follow also the same logic.

The subnational level dropdown menu is set, by default, to the first subnational level. Changing it to 2nd or 3rd subnational level will update:

- The “Number of endemic X sub-national...” row text-and-value in the Country General Information section.
- The “Number of endemic X sub-national...” row text-and-value in the Epidemiology section.
- All the maps if the “recalculate maps to this level” checkbox is checked.

2.1.2 Charts



The active chart checkboxes are checked by default. Check or uncheck a checkbox to, respectively, make a chart appear or disappear.

You can select a chart to configure it (if its checkbox is unchecked it will appear as greyed out).

You can adapt the lower and upper bounds of the “number of cases” axis and (if available) the incidence axis. Just type or use the arrows in the correspondent input field to modify the values. You will be able to see changes in real time.

Click on “Update chart” to update it with the new bounds or Cancel to leave it as it was before.

2.1.3 Maps

The active map checkboxes are checked by default. Check or uncheck a checkbox to, respectively, make a chart appear or disappear.

The screenshot shows a configuration window with three tabs: 'General', 'Maps' (selected), and 'Footnotes'. The 'Maps to show' section contains four checkboxes: 'VL incidence' (checked), 'CL incidence', 'ACL incidence', and 'ZCL incidence'. The 'Configure map' section includes a 'Select a Map' dropdown, a 'Select a Legend' dropdown, and a 'Font size' input. Below these are sliders for 'OrgUnit levels' (set to 'WHO Member States - Level 1'), 'OSM Light' (set to 'OSM Light'), 'Opacity' (set to 80), 'Height' (set to 315), and 'Width' (set to 420). There are also two 'Resize Nota Bene for Maps' sections, each with 'Disabled' and 'Enabled' radio buttons. An 'Update Map' button is at the bottom left, and an 'Update Legend' button is on the right.

To update a map, select a map name on the dropdown. Select the deepest subnational level you want to see drawn in the map. You can select also the background layout, the opacity, the height and the width. Click “Update Map” once you finished the configuration.

You can relocate and resize the legend within the map. To do that, select a legend on the right dropdown menu. You will see appear the legend at right. You can resize it, edit the text or select the corner where it will be shown. Click “Update Legend” to apply changes.

Size of the two “Nota Bene” in the CP are locked by default. You may enable this feature to adapt the size of the box to the content or the location. Remember putting them back to “disabled” once you have finished.

2.2.4 Footnotes

General

Maps

Footnotes

Stored footnotes

Defined as "In this reporting period, an area at the 3rd sub-national administrative level reporting cases for the first time ever"

Defined as "Number of people living in 3rd sub-national administrative level endemic areas"

Defined as "In this reporting period, an area at the 2nd sub-national administrative level reporting cases for the first time ever"

Defined as "Number of people living in 2nd sub-national administrative level endemic areas"

Defined as "In this reporting period,

Footnotes page 1

1 Defined as "In this reporting period, an area at the 3rd sub-national administrative level reporting cases for the first time ever"

2 Defined as "Number of people living in 3rd sub-national administrative level endemic areas"

3 Relapse in this country is defined as: "a patient who experiences recurrence of VL symptoms with parasitological confirmation at any time point after initial cure"

Footnotes page 2

4 Failure in this country is defined as: "signs and symptoms persist or recur during treatment or up to initial treatment outcome assessment"

In this section you organize the footnotes stored in and got from the footnote program.

To move one footnote from one page to another or to remove from the CP, just drag and drop it in the correct box. You can reorder them within the box. The footnote index will be accordingly updated. However, the index you put in the CP text are not "linked" to these footnotes: It's up to you to make sure the reference and the index match.

2.2 Country profile

2.2.1 Texts to update before printing

Two texts in CP are generated but must be verified before printing. Those text are highlighted in red and, as described in 2.2.2 section, can be modified and its color changed to black. The texts are:

Name of the division levels: The system, takes, as example, the first subdivision level found, but this text should be updated to its specific category name (region, district, department, upazilla... etc).


Age group <15/> 14 years, %:	- / -
Life expectancy at birth in years (F/M):	N/A / N/A
Number of 1st sub-national administrative level divisions, name:	6, Central

Title on maps: The text in red is automatically changed when you check or uncheck the maps, checkboxes. Just, verify the title is correct and change the color to blue.

Distribution of VL and CL cases per 10 000 population

2.2.2 Edit elements in the CP

You can edit almost any text in the CP. To do that, just right click on the element and an edit field box will pop up. You can change the text, color, size, text style, add hyperlinks, etc.



2.2.3 Footnote elements in the CP



You can footnote almost any element of the CP by left clicking on the element. A footnote index (1 for first clicked element) will be added to the element. The next element will be footnoted with the number "2" and so on. If you want to remove a footnote index, just left click again on it. It's better to remove all higher footnote indexes first, to keep a logic sequence of indexes.

Was there any outbreak?¹
Number of new foci:²
N/A not applicable

2.2.4 Arrange maps and charts


Charts and maps can be moved by clicking on them and moving the mouse to the desired location.

In addition, maps can be zoomed in and its content moved up, down, left or right. However, they cannot be zoomed out for the instance. If you need to reset a map, just go to the maps section in the configuration zone, select the map and click on “Update map”.



2.2.5 Printing the CP or saving it as PDF

In order to generate the PDF version of the CP, click ctrl+P. You can adjust the final with the parameters: paper size (A4) scale (normally 100%), margins (minimum or custom). Select your printer or the option “Save as PDF”.



3. Source of information in country profile sections

3.1 Country general information section

COUNTRY GENERAL INFORMATION			
B1	Total population:	41,320,000	B5 Age group <15/> 14 years, %: 0% / 0%
B2	Gender (% , F/M):	0% / 0%	B6 Life expectancy at birth in years (F/M): 75 / 68
B3	GDP (PPP int \$):	5000	B7 Number of 2nd sub-national administrative level divisions, name: 1493, Abadla
B4	Income status:	Lower middle income	

CODE	DataSet / Program	DataElement / Indicator	CatCombos / comments																																													
B1	DS_GeneralInformation	GEN_UN_WPP_Pop_Tot_1000 * 1000	It shows “No data” if no data value found.																																													
B2	DS_GeneralInformation	GEN_UN_WPP_Pop_Tot_AgeSex_1000 / B1	<table><tr><td>name</td><td>id</td></tr><tr><td>Under 5y, Female</td><td>o7NkWI5xFuS</td></tr><tr><td>5 to 9 y, Female</td><td>xodN5e1QCp6</td></tr><tr><td>10-14yr, Female</td><td>oic7kU2uVtJ</td></tr><tr><td>15 to 19 y, Female</td><td>adEelGXyPln</td></tr><tr><td>20 to 24 y, Female</td><td>SobJ4FGuBRA</td></tr><tr><td>25 to 29 y, Female</td><td>qdWOGC6bbBi</td></tr><tr><td>30 to 34 y, Female</td><td>IVFKF7NzjJa</td></tr><tr><td>35 to 39 y, Female</td><td>Jkrg1KI25AV</td></tr><tr><td>40 to 44 y, Female</td><td>i6rBoDsk4LE</td></tr><tr><td>45 to 49 y, Female</td><td>irBgvZTT9zq</td></tr><tr><td>50 to 54 y, Female</td><td>B2cV93OdJpl</td></tr><tr><td>55 to 59 y, Female</td><td>nJEkgZS74Tt</td></tr><tr><td>60 to 64 y, Female</td><td>RJDdLqVGxu8</td></tr><tr><td>65 to 69 y, Female</td><td>ECle1XHoHZ2</td></tr><tr><td>70 to 74 y, Female</td><td>Gh29gSpSYpp</td></tr><tr><td>75 to 79 y, Female</td><td>zvECz1sg3sj</td></tr><tr><td>80 to 84 y, Female</td><td>BO8BiFA6WZo</td></tr><tr><td>85 to 89 y, Female</td><td>hI8wdaiRHAS</td></tr><tr><td>90 to 94 y, Female</td><td>kH3O17Sezfp</td></tr><tr><td>95 to 99 y, Female</td><td>nHBTtdVMe7l</td></tr><tr><td>100 y and over, Female</td><td>gkeN62eQJSA</td></tr></table>	name	id	Under 5y, Female	o7NkWI5xFuS	5 to 9 y, Female	xodN5e1QCp6	10-14yr, Female	oic7kU2uVtJ	15 to 19 y, Female	adEelGXyPln	20 to 24 y, Female	SobJ4FGuBRA	25 to 29 y, Female	qdWOGC6bbBi	30 to 34 y, Female	IVFKF7NzjJa	35 to 39 y, Female	Jkrg1KI25AV	40 to 44 y, Female	i6rBoDsk4LE	45 to 49 y, Female	irBgvZTT9zq	50 to 54 y, Female	B2cV93OdJpl	55 to 59 y, Female	nJEkgZS74Tt	60 to 64 y, Female	RJDdLqVGxu8	65 to 69 y, Female	ECle1XHoHZ2	70 to 74 y, Female	Gh29gSpSYpp	75 to 79 y, Female	zvECz1sg3sj	80 to 84 y, Female	BO8BiFA6WZo	85 to 89 y, Female	hI8wdaiRHAS	90 to 94 y, Female	kH3O17Sezfp	95 to 99 y, Female	nHBTtdVMe7l	100 y and over, Female	gkeN62eQJSA	
			name	id																																												
			Under 5y, Female	o7NkWI5xFuS																																												
			5 to 9 y, Female	xodN5e1QCp6																																												
			10-14yr, Female	oic7kU2uVtJ																																												
			15 to 19 y, Female	adEelGXyPln																																												
			20 to 24 y, Female	SobJ4FGuBRA																																												
			25 to 29 y, Female	qdWOGC6bbBi																																												
			30 to 34 y, Female	IVFKF7NzjJa																																												
			35 to 39 y, Female	Jkrg1KI25AV																																												
			40 to 44 y, Female	i6rBoDsk4LE																																												
			45 to 49 y, Female	irBgvZTT9zq																																												
			50 to 54 y, Female	B2cV93OdJpl																																												
			55 to 59 y, Female	nJEkgZS74Tt																																												
			60 to 64 y, Female	RJDdLqVGxu8																																												
			65 to 69 y, Female	ECle1XHoHZ2																																												
			70 to 74 y, Female	Gh29gSpSYpp																																												
			75 to 79 y, Female	zvECz1sg3sj																																												
			80 to 84 y, Female	BO8BiFA6WZo																																												
			85 to 89 y, Female	hI8wdaiRHAS																																												
			90 to 94 y, Female	kH3O17Sezfp																																												
			95 to 99 y, Female	nHBTtdVMe7l																																												
			100 y and over, Female	gkeN62eQJSA																																												
			<table><tr><td>name</td><td>id</td></tr><tr><td>Under 5y, Male</td><td>gWsMIGpOSzY</td></tr><tr><td>5 to 9 y, Male</td><td>lptUC1gVg8o</td></tr><tr><td>10-14yr, Male</td><td>o8dMMqNDctr</td></tr><tr><td>15 to 19 y, Male</td><td>xdAhLef7xG4</td></tr><tr><td>20 to 24 y, Male</td><td>ZYAx6PjJ2ZM</td></tr><tr><td>25 to 29 y, Male</td><td>AJkBK9XBytM</td></tr><tr><td>30 to 34 y, Male</td><td>xsUkVSOPK0u</td></tr><tr><td>35 to 39 y, Male</td><td>VwZsMBUBdR1</td></tr><tr><td>40 to 44 y, Male</td><td>XucrdYEMOE7</td></tr><tr><td>45 to 49 y, Male</td><td>BvCWylwlqa8</td></tr><tr><td>50 to 54 y, Male</td><td>RwwDYedBcDI</td></tr><tr><td>55 to 59 y, Male</td><td>xaMRyDOevEu</td></tr><tr><td>60 to 64 y, Male</td><td>Ss3gp5wAYOQ</td></tr><tr><td>65 to 69 y, Male</td><td>a2dH289sMou</td></tr><tr><td>70 to 74 y, Male</td><td>COVlpje6ADR</td></tr><tr><td>75 to 79 y, Male</td><td>MKDYDGdryXB</td></tr><tr><td>80 to 84 y, Male</td><td>Bpl46BM32FB</td></tr><tr><td>85 to 89 y, Male</td><td>avCYQARWeei</td></tr><tr><td>90 to 94 y, Male</td><td>PKDfpYDkyoy</td></tr><tr><td>95 to 99 y, Male</td><td>kXo51Sydk1t</td></tr><tr><td>100 y and over, Male</td><td>ttAEJltz1yh</td></tr></table>	name	id	Under 5y, Male	gWsMIGpOSzY	5 to 9 y, Male	lptUC1gVg8o	10-14yr, Male	o8dMMqNDctr	15 to 19 y, Male	xdAhLef7xG4	20 to 24 y, Male	ZYAx6PjJ2ZM	25 to 29 y, Male	AJkBK9XBytM	30 to 34 y, Male	xsUkVSOPK0u	35 to 39 y, Male	VwZsMBUBdR1	40 to 44 y, Male	XucrdYEMOE7	45 to 49 y, Male	BvCWylwlqa8	50 to 54 y, Male	RwwDYedBcDI	55 to 59 y, Male	xaMRyDOevEu	60 to 64 y, Male	Ss3gp5wAYOQ	65 to 69 y, Male	a2dH289sMou	70 to 74 y, Male	COVlpje6ADR	75 to 79 y, Male	MKDYDGdryXB	80 to 84 y, Male	Bpl46BM32FB	85 to 89 y, Male	avCYQARWeei	90 to 94 y, Male	PKDfpYDkyoy	95 to 99 y, Male	kXo51Sydk1t	100 y and over, Male	ttAEJltz1yh	
			name	id																																												
			Under 5y, Male	gWsMIGpOSzY																																												
			5 to 9 y, Male	lptUC1gVg8o																																												
			10-14yr, Male	o8dMMqNDctr																																												
			15 to 19 y, Male	xdAhLef7xG4																																												
			20 to 24 y, Male	ZYAx6PjJ2ZM																																												
			25 to 29 y, Male	AJkBK9XBytM																																												
			30 to 34 y, Male	xsUkVSOPK0u																																												
			35 to 39 y, Male	VwZsMBUBdR1																																												
			40 to 44 y, Male	XucrdYEMOE7																																												
45 to 49 y, Male	BvCWylwlqa8																																															
50 to 54 y, Male	RwwDYedBcDI																																															
55 to 59 y, Male	xaMRyDOevEu																																															
60 to 64 y, Male	Ss3gp5wAYOQ																																															
65 to 69 y, Male	a2dH289sMou																																															
70 to 74 y, Male	COVlpje6ADR																																															
75 to 79 y, Male	MKDYDGdryXB																																															
80 to 84 y, Male	Bpl46BM32FB																																															
85 to 89 y, Male	avCYQARWeei																																															
90 to 94 y, Male	PKDfpYDkyoy																																															
95 to 99 y, Male	kXo51Sydk1t																																															
100 y and over, Male	ttAEJltz1yh																																															
B3	DS_GeneralInformation	NY.GDP.PCAP.PP.CD																																														
B4	DS_GeneralInformation	GEN_WB_IncomeGroup																																														

B5	DS_GeneralInformation	GEN_UN_WPP_Pop_Tot_AgeSex_1000	As B2, but also those Gender Unknown. Left: Under 5y, 5 to 9 y, 10-14yr Right: All the others.	
B6	DS_GeneralInformation	GEN_UN_WPP_LifeExpBirth_Female GEN_UN_WPP_LifeExpBirth_Male		
B7	Number of subdivisions in the orgUnitTree for the current country at the selected level. The name is the first occurrence found in the orgUnitTree.			

3.2 Epidemiology section

EPIDEMIOLOGY							
	VL	CL	ACL	ZCL	PKDL MCL		
C1	Endemicity status:	Non endemic	Previously endemic	Endemic	Endemic	Error!	Error!
C2	Number of new cases (incidence):	25	15	100	50	No data	105
C3	Number of relapse cases:	No data	1	No data	No data	N/A	N/A
C4	Total number of cases:	25	18	100	50	No data	105
C5	Imported cases (#, %):	No data, No data	21, 33%	No data, No data	No data, No data	N/A	N/A
C6	Gender distribution (%F):	No data	33%	No data	No data	No data	99%
C7	Age group distribution (% , <5/5-14/>14):	No data	(43, 47, 10)	No data	No data	No data	(100, No data, No data).
C8	Incidence rate (cases/10 000 population in endemic areas):	0.01	0	-	-	N/A	N/A
C9	Number of endemic 1st sub-national administrative level divisions (n):	9	47	No data	No data	N/A	N/A
C10	Population at risk (% , n/total):	0% 1800 / 41320000	0% 9200 / 41320000	0% 0 / 41320000	0% 0 / 41320000	N/A	N/A
C11	Was there any outbreak?	No data	Yes	No data	No data	N/A	N/A
C12	Number of new foci:	No data	987	No data	No data	N/A	N/A
	N/A not applicable	VL = visceral leishmaniasis	CL = cutaneous leishmaniasis	ACL = anthroponotic cutaneous leishmaniasis	ZCL = zoonotic cutaneous leishmaniasis	PKDL = post-kala-azar dermal leishmaniasis	MCL = mucocutaneous leishmaniasis


See detailed descriptions on table on next page. Codes are used when possible. Names or names and UIDs otherwise.

CODE	DataSet	DataElement / Indicator	CatCombos / Comments	
C1	GHO_NTDs	NTD_LEISHVEND NTD_LEISHCEND NTD_LEISHACEND NTD_LEISHZCEND NTD_LEISHMCEND NTD_LEISHPKDLEND	-	It replaces the numeric code (1,3 or 5) by "Endemic", "Previously endemic" or "Non endemic". It shows "Error!" if other code is found.
C2	DS_VL_Detailed_Annual DS_VL_Simple_Annual GHO_NTDs	VL_EPI_Type	New (default for PKDL and MCL)	It shows "No data" if no data found in the system.
	DS_CL_Detailed_Annual DS_CL_Detailed_Monthly DS_CL_Simple_Annual GHO_NTDs	CL_EPI_Type MCL_GEN_EPID_cases		
	DS_ACL/ZCL_Detailed_Annual	ACL_EPI_Type ZCL_EPI_Type		
	DS_VL_Detailed_Annual DS_VL_Simple_Annual	PKDL_GEN_EPID_cases		
C3	*As C2 for each DE	VL_EPI_Type CL_EPI_Type ACL_EPI_Type ZCL_EPI_Type	Relapse (N/A for PKDL and MCL)	It shows "No data" if no data found in the system.
C4	*As C2 for each DE	VL_EPI_Type CL_EPI_Type ACL_EPI_Type ZCL_EPI_Type PKDL_GEN_EPID_cases MCL_GEN_EPID_cases	New Relapse Type unspecified (default for PKDL and MCL)	It shows "No data" if no data found in the system.
C5	DS_VL_Simple_Annual DS_VL_Detailed_Annual	VL_EPI_Type_Origin	New, Autochthonous Relapse, Autochthonous Type unspecified, Autochthonous New, Imported Relapse, Imported Type unspecified, Imported New, Origin unknown Relapse, Origin unknown Type unspecified, Origin unknown LCPG shows - instead XY% if it was not able to calculate percentage.	
	DS_CL_Detailed_Annual DS_CL_Detailed_Monthly DS_CL_Simple_Annual	CL_EPI_Type_Origin		
	DS_ACL/ZCL_Detailed_Annual	ACL_EPI_Type_Origin		
		ZCL_EPI_Type_Origin		
C6	DS_VL_Detailed_Annual	VL_EPI_Type_Gender	name="New, Female" id="TtoYClVcBA3" name="New, Gender Unknown" id="FaYhAikLX16" name="New, Male" id="GpQZH8hC7jY" name="Type unspecified, Female" id="wGED4K5Bs37" name="Type unspecified, Gender Unknown" id="zkkbllarkWM" name="Type unspecified, Male" id="aWWYwV6buzp" LCPG shows - instead XY% if it was not able to calculate percentage.	
	DS_CL_Detailed_Monthly DS_CL_Detailed_Annual	CL_EPI_Type_Gender		
	DS_ACL/ZCL_Detailed_Annual	ACL_EPI_Type_Gender		
		ZCL_EPI_Type_Gender		
	DS_VL_Detailed_Annual DS_CL_Detailed_Monthly DS_CL_Simple_Annual DS_CL_Detailed_Annual	PKDL_EPID_sex MCL_EPID_sex	name="Female" id="V2LdgcGgFQt" name="Gender Unknown" id="jNbFhnnUsQv" name="Male" id="Z2hvpF7mhh7" LCPG shows - instead XY% if it was not able to calculate percentage.	
C7	DS_VL_Detailed_Annual	VL_EPI_Type_Age	name="New, 15 y and over" id="DDlIBAHqwGV" name="New, 5 to 14 y" id="mTyLqDjpQ5b" name="New, Age Unknown" id="dVuOzmU4xbl" name="New, Under 5y" id="hKq5WASZw8q" name="Type unspecified, 15 y and over" id="UQMTeRPY2U0" name="Type unspecified, 5 to 14 y" id="P6R9XEaqQbz" name="Type unspecified, Age Unknown" id="nlbrdHllMKh"	
	DS_CL_Detailed_Monthly DS_CL_Detailed_Annual	CL_EPI_Type_Age		
	DS_ACL/ZCL_Detailed_Annual	ACL_EPI_Type_Age		
		ZCL_EPI_Type_Age		

			name="Type unspecified, Under 5y" id="rZwYGlqR8GG"	
	DS_VL_Detailed_Annual	PKDL_EPID_age	name="15 y and over" id="rN9ELJVdEpo"	
	DS_CL_Detailed_Monthly	MCL_EPID_age	name="5 to 14 y" id="moktBQGym51"	
	DS_CL_Simple_Annual DS_CL_Detailed_Annual		name="Age Unknown" id="gPGNI7bWhDB" name="Under 5y" id="HDXcEOGT2s1"	
C8	-	NTD_LSH_VL_EPI_NEW_UNSL NTD_LSH_CL_EPI_NEW_UNSL NTD_LSH_ACL_EPI_NEW_UNSL NTD_LSH_ZCL_EPI_NEW_UNSL * 10000 / population at risk (numerator at C10)	If population at risk is 0, the incidence text shows N/A. N/A for PKDL and MCL.	
C9	Leishmaniasis endemicity	DET_VL_endemicity_WHO DET_CL_endemicity_WHO DET_ACL_endemicity_WHO DET_ZCL_endemicity_WHO	Gets the count of orgUnits at the selected subnational level in CODEHERE having "1" as value for the dataElement and year. N/A for PKDL and MCL.	
C10	-	VL_POP_AT_RISK_I CL_POP_AT_RISK_I ACL_POP_AT_RISK_I ZCL_POP_AT_RISK_I	Adds all the values at selected subnational level in CODEHERE . The indicator value is GEN_pop_Leish if the corresponding PI XXX_endemicity_WHO_factor1_PI equals 1. The indicator value is 0 otherwise. LCPG shows - instead XY% if it was not able to calculate percentage. N/A for PKDL and MCL.	
	DS_GeneralInformation	B1	Total population is same value as B1	
C11	DS_VL_Simple_Annual	VL_GEN_EPID_outbreak	default	Converts the boolean value to Yes/No text. N/A for PKDL and MCL.
	DS_VL_Detailed_Annual			
	DS_CL_Detailed_Annual DS_CL_Simple_Annual	CL_GEN_EPID_outbreak		
	DS_ACL/ZCL_Detailed_Annual	ACL_GEN_EPID_outbreak ZCL_GEN_EPID_outbreak		
C12	DS_VL_Simple_Annual	VL_GEN_EPID_new focus	default	N/A for PKDL and MCL.
	DS_VL_Detailed_Annual			
	DS_CL_Detailed_Annual DS_CL_Simple_Annual	CL_GEN_EPID_new focus		
	DS_ACL/ZCL_Detailed_Annual	ACL_GEN_EPID_new focus ZCL_GEN_EPID_new focus		

3.3 Monthly distribution of new cases January-December section

Monthly distribution of new cases January-December												
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
D1 VL												
VL (previous year)	1909	1441	1441	1441	1441	1441	1441	1441	1441	1441	1441	1441
D2 CL	323	473	439	445	552	593	412	417	451	445	443	421
CL (previous year)	1661	1597	276									
D3 ACL	427	581	569	554	498	438	569	371	350	549	380	570
ACL (previous year)	1664	1865	101									
D4 ZCL	0	0	0	0	0	0	0	0	0	0	0	0
ZCL (previous year)	2300	1794	122									



CODE	Program	DataElement
D1	VL_cases_by provenance	VL_cases_byProvenance_T
D2	CL_cases_by provenance	CL_cases_byProvenance_T
D3		ACL_cases_byProvenance_T
D4		ZCL_cases_byProvenance_T

Number of cases (D5)


INDICATOR	Numerator	den	Comments
NTD LSH VL EPI NEW UNS I	VL EPI Type New + VL EPI Type Type unspecified	1	indicatorType: number
NTD LSH CL EPI NEW UNS I	CL EPI Type New + CL EPI Type Type unspecified		
NTD LSH ACL EPI NEW UNS I	ACL EPI Type New + ACL EPI Type Type unspecified		
NTD LSH ZCL EPI NEW UNS I	ZCL EPI Type New + ZCL EPI Type Type unspecified		

Incidence rates (D5)

INDICATOR	Numerator	denominator	Comments
IA VL EPI INC PopUN 10000	VL cases byProvenance_T	GEN_UN_WPP_Pop_Tot_1000 * 1000	indicatorType: Per ten thousand
IA CL EPI INC PopUN 10000	CL cases byProvenance_T		
IA ACL EPI INC PopUN 10000	ACL cases byProvenance_T		
IA ZCL EPI INC PopUN 10000	ZCL cases byProvenance_T		

3.4 Maps section

Distribution of VL/CL/ACL/ZCL cases per 10 000 population



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.
Map production: WHO/HTM/NTD/IDM

INDICATOR	Numerator	denominator	Comments
VL EPI INC PopData LSH 10000	VL_cases_byProvenance_T	GEN_pop_Leish (In Population data dataset)	indicatorType: Per ten thousand
CL EPI INC PopData LSH 10000	CL_cases_byProvenance_T		
ACL EPI INC PopData LSH 10000	ACL_cases_byProvenance_T		
ZCL EPI INC PopData LSH 10000	ZCL_cases_byProvenance_T		

LEGENDSET name	Legend Name	startValue	endValue	Color
VL_INCIDENCE_LEGEND_0_10	No case reported	0.0	0.001	#CCFFCC
	0<1	0.001	1.0	#FFFFCC
	[1-2.5]	1.0	2.5	#FED976
	[2.5-10]	2.5	10.0	#FC4E2A
	≥10	10.0	10000.0	#800026
CL_INCIDENCE_LEGEND_0_100 ACL_INCIDENCE_LEGEND_0_100 ZCL_INCIDENCE_LEGEND_0_100	No case reported	0.0	0.001	#CCFFCC
	0<10	0.001	10.0	#FFFFCC
	[10-50]	10.0	50.0	#FED976
	[50-100]	50.0	100.0	#FC4E2A
	≥100	100.0	10000.0	#800026

3.5 Control and surveillance section

CONTROL AND SURVEILLANCE			
G1	Year Leishmaniasis National Control Programme (LNCP) was established:	2001	G5 Year latest national guidelines (CL / VL): No data / No data
G2	Type of surveillance (CL / VL):	No data / Integrated	G6 Is leishmaniasis notifiable (mandatory report)? (CL / VL): No data / No data
G3	Is there a vector control programme?	Yes	G7 Is there a reservoir host control programme? Yes
G4	Type of insecticide used for Indoor residual Spraying (IRS):	101	G8 Number of leishmaniasis health facilities (CL / VL): No data / No data

CODE	DataSet	DataElement / Indicator	Comments
G1	DS_VL_Detailed_Annual DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Annual	Leish_GEN_LNCP_year	It shows "No data" when no entry found in the system.
G2	DS_CL_Detailed_Annual	CL_GEN_Surv_Type	Converts codes into texts: 1: Vertical 2: Integrated 7: Other 8: Non-applicable 9: Unknown
	DS_VL_Detailed_Annual	VL_GEN_Surv_Type	
G3	DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Annual DS_VL_Detailed_Annual	Leish_GEN_VectorControl	Converts codes into texts: 1: Yes 2: No 9: Unknown
G4		Leish_GEN_VectorControl_Insecticide	It shows "No data" when no entry found in the system.
G5	DS_ACL/ZCL_Detailed_Annual DS_CL_Detailed_Annual	CL_GEN_Guidelines_year	It shows "No data" when no entry found in the system.
	VL_GEN_Guidelines_year	VL_GEN_Guidelines_year	
G6	DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Annual	CL_GEN_Surv_Notif	Converts codes into texts: 1: Yes 2: No 9: Unknown
	DS_VL_Detailed_Annual	VL_GEN_Surv_Notif	
G7	DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Annual DS_VL_Detailed_Annual	Leish_GEN_ReservoirControl	Converts codes into texts: 1: Yes 2: No 9: Unknown
G8	DS_CL_Detailed_Annual	CL_GEN_Surv_HF	It shows "No data" when no entry found in the system.
		VL_GEN_Surv_HF	

3.6 Diagnosis section

DIAGNOSIS		VL	CL	ACL	ZCL	PKDL	MCL
H1	Number of people screened actively for:	No data	No data	N/A	N/A	N/A	N/A
H2	Number of people screened passively for:	No data	N/A	N/A	N/A	N/A	N/A
H3	VL cases diagnosed by RDT* (%, RDT+/total VL cases):	86% (216 / 252)	N/A	N/A	N/A	N/A	N/A
H4	Proportion of positive RDT* (%, RDT+/total RDT):	100% (216 / 216)	N/A	N/A	N/A	N/A	N/A
H5	Cases diagnosed by direct exam (parasitology) (%, # slides +/-total cases):	15% (38 / 252)	No data	N/A	N/A	N/A	N/A
H6	Proportion of positive slides (%, # slides +/-total slides):	100% (38 / 38)	No data	No data	No data	N/A	N/A
H7	Cases diagnosed clinically (%, # clinical cases/total cases):	0% (0 / 252)	No data	N/A	N/A	N/A	N/A
H8	Percentage of cases with HIV-VL coinfection:	0% (0 / 252)	N/A	N/A	N/A	N/A	N/A
N/A not applicable VL = visceral leishmaniasis CL = cutaneous leishmaniasis ACL = anthroponotic cutaneous leishmaniasis ZCL = zoonotic cutaneous leishmaniasis PKDL = post-kala-azar dermal leishmaniasis MCL = mucocutaneous leishmaniasis HIV = human immunodeficiency virus * These indicators apply only for primary VL cases RDT = rapid diagnostic test							

CODE	DataSet	DataElement / Indicator	CatCombos / Comments	
H1	DS_VL_Detailed_Annual	VL_SCREEN_active	-	N/A for PKDL and MCL
	DS_CL_Detailed_Monthly	CL_SCREEN_active		
	DS_CL_Detailed_Annual			
	DS_ACL/ZCL_Detailed_Annual	ACL_SCREEN_active ZCL_SCREEN_active		
H2	DS_VL_Detailed_Annual	NTD_LSH_VL_SCREEN_passive_I	-	The related DE is assigned to the dataset but it's not in the form!
	DS_CL_Detailed_Monthly	NTD_LSH_CL_SCREEN_passive_I	-	The related DE is not assigned to the dataset !
	DS_CL_Detailed_Annual		-	
	DS_ACL/ZCL_Detailed_Annual	NTD_LSH_ACL_SCREEN_passive_I NTD_LSH_ZCL_SCREEN_passive_I	-	The related DEs are assigned to the dataset but they are not in the form! N/A for PKDL and MCL
H3	DS_VL_Detailed_Annual	VL_Lab_RDT_results_type / NTD_LSH_VL_EPI_NEW_UNSP_I	N/A for CL (All types) and PKDL.	
H4	DS_VL_Detailed_Annual	VL_Lab_RDT_tested_type	name="New" id="psVSPLclyFj" name="Type unspecified" id="IRW4YrOtk5q"	VL_Lab_RDT_results_type (New + Unsp.) / VL_Lab_RDT_tested_type (New + Unsp.)
		VL_Lab_RDT_results_type	name="New, Positive" id="jRcT6HVKb2t" name="Type unspecified, Positive" id="YXktM46YiXo"	N/A for CL (All types) and PKDL.
H5	DS_VL_Detailed_Annual	VL_Lab_parasito_tested_type	New Relapse	Direct exam diagnosed / Total cases (C4)

	DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Monthly	CL_LAB_parasito_Suspects	Type unspecified	
	DS_ACL/ZCL_Detailed_Annual	ACL_Lab_Parasito_Results ZCL_Lab_Parasito_Results		
H6	DS_VL_Detailed_Annual	VL_LAB_parasito_result_type	name="New, Positive" id="jRcT6HVkb2t"	Direct exam diagnosed / Direct exam diagnoses (numerator on H5)
	DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Monthly	CL_LAB_Parasito_Results	name="Relapse, Positive" id="QKqVJ13mGZI"	
	DS_ACL/ZCL_Detailed_Annual	ACL_Lab_Parasito_Results ZCL_Lab_Parasito_Results	name="Type unspecified, Positive" id="YXktM46YiXo"	
H7	DS_VL_Detailed_Annual	VL_LAB_clinical	New Relapse Type unspecified	Clinical cases / Total cases (C4)
	DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Monthly	NO DATA ELEMENT		
	DS_ACL/ZCL_Detailed_Annual	NO DATA ELEMENT NO DATA ELEMENT		
H8	DS_VL_Detailed_Annual	VL_LAB_HIVstatus_Type	name="New, Positive" id="jRcT6HVkb2t" name="Relapse, Positive" id="QKqVJ13mGZI" name="Type unspecified, Positive" id="YXktM46YiXo"	VL_LAB_HIVstatus_Type (New Positive + Relapse Positive + Unsp. Positive) / Total cases (C4)

3.7 Treatment and medicines and Treatment Outcome section

TREATMENT AND MEDICINES

I1	Is treatment provided for free in the public sector? (CL / VL):	N/A / Yes
I2	Antileishmanial medicines included in the National Medicine List:	Amphotericin B deoxycholate, Miltefosine, Paromomycin, Sodium stibogluconate (SSG)
INITIAL TREATMENT OUTCOME FOR NEW CASES		
I3	Proportion of cases treated (% , # treated cases/ total cases):	VL 98% (247 / 252) CL N/A ACL N/A ZCL N/A
I4	Initial cure rate (% , # cases initially cured /total cases):	96% (243 / 252) N/A N/A N/A
I5	Failure rate (% , # patients with treatment failure /total cases):	0% (0 / 252) N/A N/A N/A
I6	Case fatality rate (% , # patients who died/ total cases):	2% (4 / 252) N/A N/A N/A

CO DE	DataSet	DE / Indicator	Comments
I1	DS_VL_Detailed_Annual	VL_GEN_TxFree	Converts codes into texts: 1: Yes 2: No 9: Unknown
	DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Annual	CL_GEN_TxFree	
I2	DS_VL_Detailed_Annual DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Annual	Leish_GEN_EML_AmphotericinB Leish_GEN_EML_LiposomalAmp Leish_GEN_EML_Meglumine Leish_GEN_EML_Miltefosine Leish_GEN_EML_Paromomycin Leish_GEN_EML_Pentamidine Leish_GEN_EML_SSG	LCPG retrieves ids and replaced by hardcodes names: Amphotericin B deoxycholate Liposomal amphotericin B Meglumine antimoniate Miltefosine Paromomycin Pentamidine Sodium stibogluconate (SSG)
I3	DS_VL_Detailed_Annual	VL_TREAT_completed / NTD_LSH_VL_EPI_NEW_UNSL	
	DS_CL_Detailed_Annual	CL_TREAT_completed / NTD_LSH_CL_EPI_NEW_UNSL	
	DS_ACL/ZCL_Detailed_Annual	NTD_LSH_ACL_TREAT_completed_I NTD_LSH_ZCL_TREAT_completed_I / NTD_LSH_ACL_EPI_NEW_UNSL NTD_LSH_ZCL_EPI_NEW_UNSL	
I4	DS_VL_Detailed_Annual DS_CL_Detailed_Monthly DS_CL_Detailed_Annual DS_ACL/ZCL_Detailed_Annual	VL_INIT_ITxO_Drug_Type CL_ITxO_Tx-route ACL_ITxO_Tx-drug ZCL_ITxO_Tx-drug / NTD_LSH_VL_EPI_NEW_UNSL NTD_LSH_CL_EPI_NEW_UNSL NTD_LSH_ACL_EPI_NEW_UNSL NTD_LSH_ZCL_EPI_NEW_UNSL	Ambisome, New, Initial Cure Ambisome, Type unspecified, Initial Cure Antimonials, New, Initial Cure Antimonials, Type unspecified, Initial Cure Meglumine Antimoniate (glucantime), New, Initial Cure Meglumine Antimoniate (glucantime), Type unspecified, Initial Cure Other CL drug, New, Initial Cure Other CL drug, Type unspecified, Initial Cure Other VL drug, New, Initial Cure Other VL drug, Type unspecified, Initial Cure SSG, New, Initial Cure SSG + Paramomycin, New, Initial Cure SSG + Paramomycin, Type unspecified, Initial Cure SSG, Type unspecified, Initial Cure Treatment Drug Unknown, New, Initial Cure Treatment Drug Unknown, Type unspecified, Initial Cure VL drug unspecified, New, Initial Cure VL drug unspecified, Type unspecified, Initial Cure
I5			Ambisome, New, Failure Ambisome, Type unspecified, Failure Antimonials, New, Failure Antimonials, Type unspecified, Failure Meglumine Antimoniate (glucantime), New, Failure Meglumine Antimoniate (glucantime), Type unspecified, Failure Other CL drug, New, Failure Other CL drug, Type unspecified, Failure Other VL drug, New, Failure Other VL drug, Type unspecified, Failure SSG, New, Failure SSG + Paramomycin, New, Failure SSG + Paramomycin, Type unspecified, Failure

			SSG, Type unspecified, Failure Treatment Drug Unknown, New, Failure Treatment Drug Unknown, Type unspecified, Failure VL drug unspecified, New, FailureVL drug unspecified, Type unspecified, Failure
I6			Ambisome, New, Death Ambisome, Type unspecified, Death Antimonials, New, Death Antimonials, Type unspecified, Death Meglumine Antimoniate (glucantime), New, Death Meglumine Antimoniate (glucantime), Type unspecified, Death Other CL drug, New, Death Other CL drug, Type unspecified, Death Other VL drug, New, Death Other VL drug, Type unspecified, Death SSG, New, Death SSG + Paramomycin, New, Death SSG + Paramomycin, Type unspecified, Death SSG, Type unspecified, Death Treatment Drug Unknown, New, Death Treatment Drug Unknown, Type unspecified, Death VL drug unspecified, New, DeathVL drug unspecified, Type unspecified, Death