Consult/Request Tracking

User Manual

March 2018

Version 3.0

Department of Veterans Affairs (VA)

Office of Information & Technology (OIT)

Revision History

Date	Patch	Description	Authors
03/2018	GMRC*3*92	Update the VistA last name criteria. Applied up-to-date 508 standards and VA compliance to title page, Revision History table, headings, and footers.	N. Grimes K. Watson
03/2018	GMRC*3*89	Modified SF 513 images (Image 1 and Image 2) to reflect addition of Age and Cell Phone fields. Added info re: set up of a secondary printer for SF 513. Added info on new Consult Closure Tool.	T. Turowski R. Beltran-West
02/2016	GRMC*3*81	Changed the Earliest Appropriate Date to Clinically Indicated Date. Pages: 16, 22, 33, 64	T. Robinson K. Condie
08/2014	GMRC*3*75	Modified description to CONSULT/REQUEST UPDATED; added description of HCPS and RAS to Glossary.	J. Pappas P. Yeager
01/2015	GMRC*3*82	Modified SF 513 Images to reflect SSN format change.	D Burger P Behuniak
02/2014	GMRC*3*73	ICD-10 Remediation	J. Green C. Hinton
02/2014	GMRC*3*73	Added info to description for CONSULT/REQUEST UPDATED and Consult/Request Has an Added Comment.	J. Green
08/2011	GMRC*3*71	Modified description for CONSULT/REQUEST UPDATED	G. Werner
02/2011		Earliest Appropriate Date Patch 66	C. Arceneau K. Condie
08/2009		Combat Veteran (CV) status added to SF 513	C. Arceneaux K. Condie
04/2006		Updates/corrections to patient and provider names to comply with SOP 192-352	J. Green P. Landy
12/2004		SOP 192-352 applied (scrubbed)	C Arceneaux P. Landy
06/2002		Include Patch 25	
04/2002		Include Patch 22 & 25	
11/2001		Include Patch 17	
06/2001		Include Patch 21	
02/2001		Include Patch 15, 19, & 20	
10/2000		Include Patches 13, 14, 16, & 18	
07/2000		Add Patches 6 thru 8, 11, & 12	
09/1998		Include Patches 1 thru 5	
12/1997		Initail Release	

Table of Contents

Introduction

The *Consult/Request Tracking User Manual* provides descriptions of Consults' options and other information required to effectively use the Consult/Request Tracking package (or Consults).

This manual is for people who use the Consults package in the course of their hospital duties, including:

- Care providers: doctors, nurses, pharmacists, and therapists who make or service requests for consultations on patients.
- Clerical staff, who assist the above-mentioned people.
- Quality Assurance and management, who have an interest in seeing that VA patients receive the best possible care.
- Consults functionality is available from a Windows interface (GUI—Graphical User Interface) on a PC workstation or from a roll-and-scroll List Manager (LM) interface on a traditional CRT (Cathode Ray Tube) terminal or terminal emulation software on a PC workstation.

You can pull out parts of this manual, such as the **User Introduction to GUI** section or the **Package Operation** section, to use for unit training or reference. General parts of this manual, such as the **Package Orientation** section, have been written with examples from Consults to make the general information more meaningful to this application.

Overview

Purpose

Consult/Request Tracking package V. 3.0 improves the quality of patient care by:

- Interfacing with CPRS to provide an efficient mechanism for clinicians to order consults and procedure requests.
- Providing consulting services with the ability to update and track the progress of a consult/procedure request from the point of receipt through its final resolution.
- Providing results reporting that includes doctor's notes and comments entered during the tracking process.

Relationship to Other Packages

The Consults package works with the following packages:
- Computerized Patient Record System (CPRS)
- Text Integration Utilities (TIU)

Relationship of Consults to CPRS

From CPRS Actions to Consults:
- Ordering
- Order checking
- Order updates via HL7 messages
- Inter-Facility Consults via HL7 messages
- Tracking Consults activity
- Resulting TIU and Consults
- Notifications

From Consults actions to CPRS:
- Consult status changes update the CPRS order
- Forwarded and edit/resubmitted consults get a new service/correction order from CPRS
- Sends alerts based on consult activity

Relationship of Consults to TIU
From TIU Actions to Consults:
- Select a consult to associate with a note
- One consult link per consult note
- Sends TIU updates to consult package for:
- New consult note entered
  - Consult note completed
  - New addendum completed

- Disassociate a note
- Extract notes for SF 513 and displays

From Consult Actions to TIU:

- A consult may have multiple notes associated with it.
- Lists the notes associated with a consult.
- Uses TIU to act on a note.
- Updates consult status and activity log from TIU updates.

Enhancements since Version 2.5

GMRC*3*73

This patch is part of the Computerized Patient Records System CPRSv30 project. This project will modify the Computerized Patient Record System, Text Integration Utilities, Consults, Health Summary, Problem List, Clinical Reminders, and Order Entry/Results Reporting to meet the requirements proposed by the Dept. of Health and Human Services
 to adopt ICD-10 code set standards Clinic Orders.

 On January 16, 2009, the Centers for Medicare & Medicaid Services (CMS) released a final rule for replacing the 30-year-old ICD-9-CM code set with International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) and International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS) with dates of service, or date of discharge for inpatients, that occur on or after
 October 1, 2015. The classification system consists of more than 68,000 codes, compared to approximately 13,000 ICD-9-CM codes. There are nearly 87,000 ICD-10-PCS codes, while ICD-9-CM has nearly 3,800 procedure codes. Both systems also expand the number of characters allotted from five and four respectively to seven alpha-numeric characters. This value does not include the decimal point, which follows the third character for the ICD-10-CM code set. There is no decimal point in the ICD-10-PCS code set. These code sets have the potential to reveal more about quality of care, so that data can be used in a more meaningful way to better understand complications, better design clinically robust algorithms, and better track the outcomes of care. ICD-10-CM also incorporates greater specificity and clinical detail to provide information for clinical decision-making and outcomes research.

This patch installs the necessary routine updates to make the GMRC package compliant with the mandate to use ICD-10 codes. The installation also contains one post-install routine that will populate the new PROVISIONAL DIAGNOSIS DATE (30.2) and PROVISIONAL DIAGNOSIS SYSTEM (30.3) fields for existing entries in the REQUEST/CONSULTATION (#123) file. The PROVISIONAL DIAGNOSIS DATE will be populated using the value pulled from FILE ENTRY DATE (.01) field. The PROVISIONAL DIAGNOSIS SYSTEM field will be populated with "ICD" to indicate these diagnoses are from the ICD-9-CM coding system. These fields are only populated for existing entries where the provisional diagnosis contains an ICD code. Consult records with a free-text diagnosis will not have these fields populated.

See page 76 for examples of new displays as a result of GMPL*2*73.

General Overview of Consults/Request Tracking

- Consults can be accessed through Windows NT, Windows 95, or a later Microsoft Windows version with the CPRS GUI Interface or through the List Manager (LM) interface.
- Consult ordering is managed by CPRS Order Entry from within the CPRS Order tab. This includes Quick Orders.
- Consult resulting is based on TIU Consult Notes, Medicine package results, and provider comments.
- Services must be defined within the ALL SERVICES hierarchy in order to access their consults and requests.
- Tracking services are not orderable unless the user is an update user for the service or its parent service.
- The ordering provider may edit and resubmit a consult after it has been canceled.

Alert Actions
- Users can process consult service update actions from the alert.
- The recipient of an alert for a cancelled request can edit and resubmit the request from the alert .

Reporting
- The Standard Form 513 is based on a hard-coded consults routine instead of the OE/RR Print Formats. This facilitates results printing when the consult reaches final resolution.
- A report with completion time statistics has been added.
- A report with pending consults has been added.
- Lists of consults can be viewed by order status, service, and/or date range.

Communications
- HL7 messages and protocols are the communications medium between CPRS and Consults.

Setup
Consult services have a related entry in the CPRS Orderable Items file (#101.43).
Management of procedures and services must be done through Consult options.

Relations with other VistA Components

The Consults package communicates with CPRS through HL7 messages. Order Checking receives information from the Consults package through CPRS. Notifications is the only major package that Consults communicates with directly. When the requesting clinician signs the order, Consults sends a notification to the consulting physician and when the consulting physician signs the final report, Consults sends a notification to the requesting physician.

Consults Package
Relations with other VISTA Components

Inter-Facility Consults (IFC) are requested, acted upon, and viewed the same way as regular Consults. Typically consults that are handled at a different facility have the remote facility indicated in their title, such as "Eye Exam—Salt Lake." The software uses HL7 messaging in the background to communicate inter-facility consults and actions between cooperating facilities. Results are filed at the resulting facility, but since CPRS uses Remote Data Views in the

background to access the results, users do not need to treat Inter-Facility Consults any differently.

Related Manuals and Other References

If you are an ADPAC or IRM personnel, the *Consult/Request Tracking Technical Manual* would probably aid in your understanding of Consults setup and operation.

Consults is installed with CPRS, so the *CPRS Installation Guide* is the appropriate manual to refer to on installation issues that aren't covered in the *Consult/Request Tracking Technical Manual*.

TIU provides boilerplate text and other text-oriented services. The *TIU Clinical Coordinator & User Manual* would assist you in using these features.

Consults package is highly integrated with CPRS. As such, any Consults package user should be familiar with the *CPRS Clinician's Getting Started Guide* and the *CPRS Clinical Coordinator & User Manual.*
See our web pages at:
<div align="center">

vista.med.va.gov/consults
and
vista.med.va.gov/cprs

</div>

Package Management

Service Update and Tracking Security

Your ADPAC can use the Consult Service User Management option, in conjunction with availability to various menus and options, to control access to Consults functionality. The menus that can be provided to you are:

Consult Service Tracking

The Consult Service Tracking menu provides access to basic consult tracking functions and reports, but can also provide complete update capabilities if you have been granted update privileges by your ADPAC.

Individual options in the Consults package that may be useful to you, and what access they provide, are detailed in the following table:

Option	Services
Consult Service Tracking	Tracking and/or update functionality depending upon your individual privileges.
Completion Time Statistics	Reporting.
Service Consults Pending Resolution	Reporting.

With the GMRC Service User Management option, your ADPAC can set you up to be an update user for one or more services at your hospital. In addition, the ADPAC can grant the ability to receive consult notifications according to criteria outlined in the following table:

Category	Notifications Received
UPDATE USERS W/O NOTIFICATIONS	Unless otherwise set up, will not receive notifications.
UPDATE TEAMS W/O NOTIFICATIONS	Unless otherwise set up, will not receive notifications.
UPDATE USER CLASS W/O NOTIFS	Unless otherwise set up, will not receive notifications.
SERVICE INDIVIDUAL TO NOTIFY	Receive consult notifications for your service.
SERVICE TEAM TO NOTIFY	Receive consult notifications for patients assigned to your team.*
NOTIFICATION BY PT LOCATION INDIVIDUAL TO NOTIFY	Receive all consult notifications for your service for patients in a specified ward.
NOTIFICATION BY PT LOCATION TEAM TO NOTIFY	Receive consult notifications for patients assigned to your team and in a specified ward
SPECIAL UPDATES INDIVIDUAL	An individual who has privileges to perform group status updates.

These categories are not mutually exclusive, meaning you may receive notifications based on being present on one or more of the lists detailed in the foregoing table.

* NOTE: The service team does not receive the CONSULT/REQUEST UPDATED notification if another member of that team or an update user is the user adding the comment

Privilege	Granted
Originate a consult	Anyone with access to CPRS
Sign a consult	Anyone who can sign an order
Change a consult status	Anyone with update privileges
View or print a consult	Anyone with access to CPRS

In summary, update user capabilities vary depending on

The option(s) that you are assigned.
Privileges granted in the Consults Service User Management option.

Package Operation

The operation of the Consults package involves multiple people, at various skill levels, in various parts of the hospital. A consult request may be entered by a clinician or a clerk under a clinician's direction. This request acts as a depository of information about itself.
It collects notes and keeps records on everything that happens to it. When complete it becomes part of the patient's medical record.

In the pages that follow, we present this flow of information, and show the actions that must be taken at each step in the process. Many of these actions must be taken by persons other than those originating the consult.

Also, Consults uses CPRS during the initiation process and TIU during the completion process. In this section, we give some information about each of these packages that may help you in using Consults.

Typical Consults Information Flow

(1) Clinician orders a consult

(2) Consult service gets a written copy

(3) If accepted, an appointment is held

(4) Results are entered and signed

(5) Originating clinician receives an alert that the consult is complete

(6) The SF 513 report becomes part of the patient's medical record

Workflow

1. The clinician orders a consult. While in a patient's CPRS medical record, a clinician enters an order for a consultation or procedure.

2. The consult service gets a written copy. An alert and a hard-copy of the SF 513 are sent to the consult service.

3. If accepted, an appointment is held. To accept the consult, the service uses the **receive** action. The service can also **discontinue** or **cancel** the consult. Cancelled consults can be edited and re-submitted by the ordering clinician.

4. Results are entered and signed. The consult service enters results and comments. Resulting is primarily done using TIU.

5. The originating clinician receives an alert that the consult is complete. The results can now be examined and further action taken on behalf of the patient.

6. The SF 513 report becomes part of the patient's medical record. A hard copy can be filed and the electronic copy is on line for paperless access.

1. The Clinician Orders a Consult

Consult orders can be entered:

From the CPRS medical record screen, Consults tab
CPRS GUI interface program, Consults tab

Ordering Within the CPRS Package

Primarily, Consult orders should be placed through the CPRS Add New Orders action.
In this manual we provide a step-by-step display of the process for ordering consult or procedures requests through the CPRS package. We first go through a brief list of steps, then we discuss each step in detail.

To Order a Consult:

A.   Select CPRS Clinician Menu (OE) from the Clinician Menu.
B.   Select the patient.
C.   Select Chart Contents then Consults.
D.   Select Order New Consult.
E.   Answer questions on the particulars of the request.

To go over in detail how to order a consult:

A.   Select CPRS Clinician Menu (OE) from the Clinician Menu

Exactly how you do this option depends on how IRM or your ADPAC set up your menu. This example shows one way of performing step A.

```
Select Clinician Menu Option: ?

   OE      CPRS Clinician Menu
   RR      Results Reporting Menu
   AD      Add New Orders
   RO      Act On Existing Orders
   PP       Personal Preferences ...

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Clinician Menu Option: OE
```

The screen now looks like this:

```
Patient Selection              Apr 07, 1999 14:51:30        Page:  1 of  1
Current patient: ** No patient selected **

     Patient Name                    ID        DOB          Room-Bed
     No patients found.













             Enter the number of the patient chart to be opened            >>>
+   Next Screen          CV  Change View ...        FD  Find Patient
-   Previous Screen      SV  (Save as Default List)Q   Close

Select Patient: Change View //
```

B.   Select the Patient

Select the patient as you would in any other package. Type a patient ID such as the patient's name, social security number, or the patient's last initial followed by the last 4 digits of the social security number. If more than one patient matches the key you entered, select the patient from the list presented on the screen.

```
Select Patient: Change View // C2342
   1  C2342  CPRSPATIENT,TWO      03-04-32      666902342       MILITARY RETIREE

   2  C2342  CPRSPATIENT,TWELVE   02-03-23      666242342       MILITARY RETIREE
CHOOSE 1-2: 2  CPRSPATIENT,TWELVE        02-03-23   666242342     MILITARY RETIREE

Searching for the patient's chart ...
```

(Continued on the next page.)

The screen now looks something like this:

```
Cover Sheet                  Feb 13, 1999 12:53:14      Page:   1 of   2
CPRSPATIENT,TWELVE 666-24-2342          1A/B-1     FEB 3,1923 (74)   <CA>
PrimCare: CPRSProvider, Three                    PCTeam: GOLD

    Item                                       Entered
    Allergies/Adverse Reactions            |
1   BEESWAX (hives, itching,watering eyes, | 03/28/97
    anxiety)                               |
                                           |
    Patient Postings                       |
2   CRISIS NOTE                            | 02/25/97 12:18
                                           |
    Recent Vitals                          |
    No data available                      |
                                           |
    Immunizations                          |
    No immunizations found.                |
                                           |
    Eligibility                            |
    Not Service Connected                  |
+       Enter the numbers of the items you wish to act on.          >>>
NW  Enter New Allergy/ADR CV  (Change View ...)    SP  Select New Patient
AD  Add New Orders       CC  Chart Contents ...    Q   Close Patient Chart

Select: Next Screen//
```

C.   Select Chart Contents then Consults

To get to the menu containing Order New Consults, you must go through the Chart Contents menu, then select the Consults screen. This can be done in one step by typing:
        CC;CON

```
All Consults                 Feb 13, 1998 12:56:32      Page:   1 of   1
CPRSPATIENT,TWELVE 666-24-2342          1A/B-1     FEB 3,1923 (74)   <CA>
PrimCare: CPRSProvider, Three                    PCTeam: GOLD

    Consult/Procedure                      Requested      Status
1   CARDIOLOGY Consult                     | 02/25/97 11:02  complete




        Enter the numbers of the items you wish to act on.         >>>
NW  Enter New Allergy/ADR CV  (Change View ...)    SP  Select New Patient
AD  Add New Orders       CC  Chart Contents ...    Q   Close Patient Chart

Select: Chart Contents//
```

D.   Select Order New Consult

Type NW and press the <Enter> key.

Answer Questions on the Particulars of the Request

```
Select: Chart Contents// NW    Order New Consult

     Consult                   Procedure

Order new: C    Consult
Delay release of these orders? NO// <Enter>
Consult to Service/Specialty: POD    FOOT CLINIC    FOOT CLINIC
Reason for Request:
  1>PERSISTENT SMALL FISSURES AND SCALING ON BOTH FEET.
  2>
EDIT Option:
Category: INPATIENT// <Enter>
Urgency: ROUTINE// ??
Select from:
  1 STAT
  2 ROUTINE
  3 WITHIN 48 HOURS
  4 WITHIN 72 HOURS
  5 EMERGENCY
Select the urgency indicating how quickly results from this consult are needed.


Urgency: ROUTINE// <Enter>
Clinically indicated date:TODAY// <Enter>
Place of Consultation: Bedside// ?
Select from:
  1 Bedside
  2 Consultant's Choice
Select the preferred place to see the patient for this consult.

Place of Consultation: Bedside// <Enter>
Attention: CPRSPROVIDER,THREE         CT         PHYSICIAN
Provisional Diagnosis: TINEA PEDIS

--------------------------------------------------------------------------------
Consult to Service/Specialty: Podiatry
       Reason for Request: PERSISTENT SMALL FISSURES AND SCALING ON ...
                 Category: INPATIENT
                  Urgency: ROUTINE
    Place of Consultation: Bedside
                Attention: CPRSPROVIDER,THREE
     Provisional Diagnosis: TINEA PEDIS
--------------------------------------------------------------------------------

(P)lace, (E)dit, or (C)ancel this order? PLACE// <Enter>
        ... order placed.

Add another Consult order? NO//
```

If the request is for a future service, such as an EKG in 6 months, then enter the future date here.

(Continued on the next page.)

The screen now looks something like this:

```
All Consults               Feb 13, 1998 12:58:32          Page:  1 of  1
CPRSPATIENT,TWELVE 666-24-2342           1A/B-1    FEB 3,1923 (74)   <CA>
PrimCare: CPRSProvider, Three            PCTeam: GOLD

    Consult/Procedure                       Requested      Status
1    CARDIOLOGY Consult                   | 02/25/97 11:02  complete








          Enter the numbers of the items you wish to act on.           >>>
NW  Enter New Allergy/ADR CV  (Change View ...)    SP  Select New Patient
AD  Add New Orders        CC  Chart Contents ...   Q   Close Patient Chart

Select: Chart Contents//
```

Notice that the consult just entered is not yet displayed. It is not displayed until after you have signed the order.

Sign the Consult

```
+    Next Screen                          $    Sign All Orders
-    Previous Screen                      Q    Close
Select: Sign All Orders// $    Sign All Orders


Enter your Current Signature Code:    SIGNATURE VERIFIED

Processing orders ...
```

> Enter your electronic signature here.

When applied to an approved medical record, an electronic signature has the same legal weight as a signature made with a pen on paper. For this reason electronic signatures are part of the overall security system maintained by IRMS.

When the computer prints a document that has been signed and/or cosigned, an electronic signature block is included. What appears in this block is user configurable through the User's Toolbox option.

In this example we change a title and electronic signature:

```
Select Consult Service Tracking Option: ??

   CS      Consult Service Tracking [GMRC SERVICE TRACKING]
   PC      Service Consults Pending Resolution [GMRC RPT PENDING CONSULTS]
   ST      Completion Time Statistics [GMRC COMPLETION STATISTICS]

Or a Common Option:

   CWA     Patient Warning (CWAD) Display [GMRPNCW]
   MA      MailMan Menu ... [XMUSER]
   TBOX    User's Toolbox ... [XUSERTOOLS]
   VA      View Alerts [XQALERT]
           Continue [XUCONTINUE]
              **> Reverse lock ZZLUKE
           Halt [XUHALT]
           Restart Session [XURELOG]
           Time [XUTIME]
           Where am I? [XUSERWHERE]

You have PENDING ALERTS
           Enter  "VA   VIEW ALERTS     to review alerts

Select Consult Service Tracking Option:  TBOX  User's Toolbox


Select User's Toolbox Option: ?

           Display User Characteristics
           Edit User Characteristics
           Electronic Signature code Edit
           Menu Templates ...
           Spooler Menu ...
           Switch UCI
           TaskMan User
           User Help

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.
```

```
Select User's Toolbox Option: ELectronic Signature code Edit
This option is designed to permit you to enter or change your Initials,
Signature Block Information, Office Phone number, and Voice and
Digital Pagers numbers.
In addition, you are permitted to enter a new Electronic Signature Code
or to change an existing code.


INITIAL: CRS// <Enter>
SIGNATURE BLOCK PRINTED NAME: CPRSPROVIDER,SEVEN// <Enter>
SIGNATURE BLOCK TITLE: DOCTOR// MD
OFFICE PHONE: 588-5029
ANALOG PAGER: 4038
DIGITAL PAGER: <Enter>

Enter your Current Signature Code:     SIGNATURE VERIFIED

Your typing will not show.
ENTER NEW SIGNATURE CODE:
RE-ENTER SIGNATURE CODE FOR VERIFICATION:
DONE


Select User's Toolbox Option:
```

The electronic signature is typed here.

The new signature is typed here.

And here.

*NOTE: CONCERNING SPACES IN LAST NAMES OF PROVIDERS SIGNING CONSULTS

Providers with last names in VistA containing spaces who sign Consults – especially Inter-Facility Consults – should have spaces removed from their VistA last name. In certain situations, spaces in the provider's VistA last name may cause IFC Consults to fail to complete. Removing spaces from the VistA last will prevent this problem. Space removal can be accomplished two ways: by combining the parts of the last name or including a hyphen. For example, the name "DE LUCA" should be changed to "DELUCA". Another example: the unhyphenated last name "JONES SMITH" should be changed to "JONES-SMITH". Please contact your facility system access coordinator with your request to edit your VistA last name. Space removal is also recommended as part of VA name standardization; more details are described by Kernel patches XU*8*134 and XU*8*343.

The signature block, as changed in the example above, looks like this:

```
                                          /es/CPRSPROVIDER,SEVEN
                                          MD
```

The `/es/` annotation indicates that the medical document was electronically signed
If for some reason you do not sign an order at the time you write it, then the system enters the
order into your list of alerts. Signing the order is then simply a matter of responding to the alert
as in the following example:

```
You have PENDING ALERTS
         Enter  "VA   VIEW ALERTS     to review alerts

Select OE/RR Manager Menu Option: VA  View Alerts

 1.  CPRSPATIE (C0999): Order requires electronic signature.
 2.  TIUPATIEN (T3456): New  Consult/Request (Stat)

         Select from 1 to 2
         or enter ?, A I, F, P, M, R, or ^ to exit: 1
Searching for the patient's chart ...


Unsigned Orders            Feb 13, 1999 13:01:58      Page:    1 of    1
CPRSPATIENT,TWELVE 666-24-3456              1A/B-1     FEB 3,1923 (74)   <CA>
PrimCare: CPRSProvider, Three                   PCTeam: GOLD

    Item Ordered                         Requestor Start Stop Sts
1   CT ABDOMEN W&W/O CONT *UNSIGNED*      | CPRSPROVIDER,THREE   unr
2   Discontinue CBC BLOOD WC LB# 269      | CPRSPROVIDER,TEN     unr
    *UNSIGNED*                            |
3   Change SODIUM SERUM SERUM WC to GLUCOSE |                    pend
    SERUM SERUM SP LB# 242 *UNSIGNED*     |
4   Change GLUCOSE SERUM SERUM SP to      |                      pend
    POTASSIUM SERUM SERUM SP LB# 242      |
    *UNSIGNED*                            |




      Enter the numbers of the items you wish to act on.           >>>
+   Next Screen         -   Previous Screen     Q   Quit

Select:Quit// 1

```

```
Unsigned Orders          Feb 13, 1998 13:02:58      Page:   1 of  1      □
CPRSPATIENT,TWELVE 666-24-2342            1A/B-1     FEB 3,1923 (74)   <CA>
PrimCare: CPRSProvider, Three                  PCTeam: GOLD

    Item Ordered                              Requestor Start Stop Sts     □
1   CT ABDOMEN W&W/O CONT *UNSIGNED*          | CPRSPROVIDER,THREE   unr
2   Discontinue CBC BLOOD WC LB# 269          | CPRSPROVIDER,TEN     unr
    *UNSIGNED*                                |
3   Change SODIUM SERUM SERUM WC to GLUCOSE   |                      pend
    SERUM SERUM SP LB# 242 *UNSIGNED*         |
4   Change GLUCOSE SERUM SERUM SP to          |                      pend
    POTASSIUM SERUM SERUM SP LB# 242          |
    *UNSIGNED*                                |




      Enter the numbers of the items you wish to act on.         >>>
    Change                            Sign
    Discontinue                       Detailed Display

Select action: S   Sign

                  -- CT ABDOMEN W&W/O CONT  --


Enter your Current Signature Code:   SIGNATURE VERIFIED

CT ABDOMEN W&W/O CONT  signed.
Print CHART COPY for the orders: YES// <Enter> YES
DEVICE: LTA35// <Enter>  C-ITOH 300 LINE PRINTER
DO YOU WANT YOUR OUTPUT QUEUED? NO// <Enter>  (NO)
```

The electronic signature is typed here.

```
Unsigned Orders          Feb 13, 1998 13:03:58      Page:   1 of   1
CPRSPATIENT,TWELVE 666-24-2342            1A/B-1     FEB 3,1923 (74)   <CA>
PrimCare: CPRSProvider, Three                  PCTeam: GOLD

    Item Ordered                              Requestor     Start Stop  Sts
1   CT ABDOMEN W&W/O CONT *UNSIGNED*          | CPRSPROVIDER,ONE         unr
2   Discontinue CBC BLOOD WC LB# 269          | CPRSPROVIDER,TWO         unr
    *UNSIGNED*                                |
3   Change SODIUM SERUM SERUM WC to GLUCOSE   |                          pend
    SERUM SERUM SP LB# 242 *UNSIGNED*         |
4   Change GLUCOSE SERUM SERUM SP to          |                          pend
    POTASSIUM SERUM SERUM SP LB# 242          |
    *UNSIGNED*                                |




      Enter the numbers of the items you wish to act on.         >>>
+   Next Screen        -   Previous Screen      Q   Quit

Select:Quit// <Enter>  Quit
```

2. The Consult Service Gets a Written Copy

The consult service receives an alert and a printed SF 513. The Consultation Form is automatically generated in the receiving clinic when the requesting physician signs the order. (In the case of Inter-Facility Consults, the request in routed to the resulting facility and printed there.) A Secondary Printer can be configured in VistA (see the *Consult/Request Tracking Technical Manual* for instructions). When configured, this automatically prints the SF 513 to both services whenever printing is requested.

Caution: The Consultation Form (SF 513) generated by this package for use by the receiving services is highly confidential and should be treated with the same security precautions as other patient medical record documents.
The computerized consultation form created and printed by this package may only be placed in a patient's medical record, as a valid medical form, *if* it has been authorized for medical record use by the Medical Records Committee at your facility.

```
--------------------------------------------------------------------------------
     MEDICAL RECORD                  |      CONSULTATION SHEET
--------------------------------------------------------------------------------
CPRSPATIENT,NINETY
XXX-XX-9200    02/03/1904  (Age 113)          NSC VETERAN
                                              CV ELIGIBLE
                           Cell: (202) 555-1919
--------------------------------------------------------------------------------
Consult Request: Consult                      |Consult No.: 10943
--------------------------------------------------------------------------------
To: CARDIOLOGY
    From: 2B MED                              |Requested: 08/24/2009 11:00 am
--------------------------------------------------------------------------------
Requesting Facility: BOISE                    |ATTENTION: CPRSPROVIDER,SEVEN
================================================================================
REASON FOR REQUEST: (Complaints and findings)
Patient has a Hx of hypertrophic cardiomyopathy Dx'ed 3 years ago and
seems to be somewhat stable.  Lung fields appear slightly edematious on
Chest X-Ray and we need an assessment of cardiac function prior to
increasing Digitalis dosages.


--------------------------------------------------------------------------------
PROVISIONAL DIAG: Cardiomyopathy, Hypertrophic (425.1)
--------------------------------------------------------------------------------
REQUESTED BY:                     |PLACE:              |URGENCY:
CPRSPROVIDER,TEN                  |Bedside             |Routine
PHYSICIAN                         |                    |
(Pager: )                         |SERVICE RENDERED AS:  | Clinically Indicated
      date:
(Phone: )                         |Inpatient           | Jan 31, 2011
--------------------------------------------------------------------------------


                  W O R K I N G   C O P Y

              No Consultation Results available.


================================================================================
AUTHOR & TITLE:                                   |
                                                  |DATE:
--------------------------------------------------------------------------------
ID #:_____|ORGANIZATION:          BOISE  |REG #:____  |LOC: 2B MED
```

Package Reference

```
-------------------------------------------------------------------------
                                          Standard Form 513 (Rev 9-77)
```

3. If Accepted, an Appointment is Held

It is fairly common for a consult to be sent to the wrong clinic. For this reason it is very easy to forward a consult to another clinic. Simply use the FR (Forward Request) action to specify the new receiving clinic.

In this example, a Neurology consult is forwarded to Psychiatry at the discretion of the consulting physician:

```
Select OPTION NAME: ORMGR          OE/RR Manager Menu      menu


You have PENDING ALERTS
        Enter  "VA   VIEW ALERTS     to review alerts

Select OE/RR Manager Menu Option: VA  View Alerts

 1.I  CPRSPATIE (C3779): Critical High Lab: LITHIUM 5 02/06 10:51
 2.   ARTPATIEN (A9600): New  Consult/Request (Today)
        Select from 1 to 12
        or enter ?, A I, F, P, M, R, or ^ to exit: 2
```

```
Consult/Request Alerts     Feb 13, 1999 13:06          Page: 1 of  1
CPRSPATIENT,TWELVE 666-24-3779            1A/B-1      FEB 3,1923 (74)   <CA>
Ward: 2B MED
    Requested  St    No.   Consult/Procedure Request
185  02/12/97  p     1636  NEUROLOGY Consult




           Enter ?? for more actions
RC Receive              CM Add Comment          DD Detailed Display
FR Forward              CT Complete/Update      RT Results Display
CX Cancel (Deny)        MA Make Addendum        PF Print Form 513
DC Discontinue          SC Schedule
Select Action: Quit// FR   Forward Consult

Forward Request To Another Service For Action.
Select the service to send the consult to.

Forward Consult to which Service/Specialty: PSYCHIATRY
Who is responsible for Forwarding the Consult: CPRSPROVIDER,SEVEN    CS    HYN
Actual Date/Time of Activity: NOW//   (Feb 13, 1999@14:24)
Urgency: Today// <Enter> Today
Enter COMMENT:
  1> List of symptoms indicates Psychiatry would give better work up.
  2> <Enter>
EDIT Option: <Enter>
```

(Continued on the next page.)

```
Consult/Request Alerts      Feb 13, 1998 13:07         Page:  1 of  1
CPRSPATIENT,TWELVE 666-24-3779              1A/B-1      FEB 3,1923 (74)   <CA>
     Number    Date  Stat  Service              Procedure
185  02/12/97 p    PSYCHIATRY        Consult




          Enter ?? for more actions
RC Receive              CM Add Comment          DD Detailed Display
FR Forward              CT Complete/Update      RT Results Display
CX Cancel (Deny)        MA Make Addendum        PF Print Form 513
DC Discontinue          SC Schedule
Select Action: Quit//
```

Receive the Consult

Performing the Receive action on a consult changes its status from Pending to Active. This puts your clinic on record as accepting responsibility for completing the consult.
There are two ways to receive a consult:

From a consult tracking screen.
From a notification alert of a new consult.
In the following example, we receive a consult from a consult tracking screen:

```
CONSULT TRACKING              Oct 05, 2000 09:18:22        Page:    1 of    1
CPRSPATIENT,TWELVE 666-24-3779               1A/B-1     FEB 3,1923 (74)   <CA>
                                                       Wt.(lb): No Entry
    Requested  St    No.   Consult/Procedure Request
1   05/06/97   p      226  PSYCHIATRY Cons




            Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit// RC   Receive Request
```

```
Who received it?: CPRSPROVIDER,SEVEN        CS
Date/Time Actually Received: NOW// <Enter>  (NOV 01, 1997@09:05)
Enter COMMENT...
  1>Pt will be seen ASAP
  2> <Enter>
EDIT Option: <Enter>
```

```
CONSULT TRACKING              Oct 05, 2000 09:18:22       Page:   1 of   1
CPRSPATIENT,TWELVE 666-24-3779                1A/B-1     FEB 3,1923 (74)   <CA>
                                                       Wt.(lb): No Entry
    Requested  St    No.   Consult/Procedure Request
1   05/06/97   a     226   PSYCHIATRY Cons




                   Enter ?? for more actions
SP Select Patient   FR Forward         CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)   MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue     SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment     DD Detailed Display ER Edit/Resubmit
Select: Quit//
```

4. Results are Entered and Signed

The consult service enters results and comments. When you request the Complete (CT) action
from the Consults service tracking or CPRS Consults screen, V*IST*A shifts you into TIU.
In the following example, we complete a consult and enter findings through Consult's link to
TIU:

```
Select Consult Service Tracking Option: CS  Consult Service Tracking
Select Patient:    CPRSPATIENT,TWELVE        05-05-55     666553779    YES     SC
 VETERAN

Select Service/Specialty: ALL SERVICES//    PULMONARY
List From Starting Date:  ALL DATES // <Enter> ALL DATES
```

```
CONSULT TRACKING                Oct 05, 2000 09:22:45        Page:   1 of   1
CPRSPATIENT,TWELVE 666-24-3779              1A/B-1      FEB 3,1923 (74)   <CA>
                                                            Wt.(lb): 180
     Requested  St    No.   Consult/Procedure Request
1   09/04/97   p       319  PULMONARY Cons




                  Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update   RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display  ER Edit/Resubmit
Select: Quit// CT   Complete
```

```
CHOOSE No. 1-2: 1

Creating new progress note...
          Patient Location:  2B
    Date/time of Admission:  10/05/00 09:22
        Date/time of Note:  NOW
           Author of Note:  CPRSPROVIDER,SEVEN
   ...OK? YES// <Enter>

Calling text editor, please wait...
```

```
==[ WRAP ]==[ INSERT ]===< Patient: CPRSPATIENT,TWELVE >===[ <PF1>H=Help ]===
Mr. CPRSPatient's regimen is lacking in inhaled corticosteroids.  Recognizing
that asthma is an inflammatory process, inhaled steroids are important
in controlling the inflammatory response.  My practice for severely
out-of-control asthmatics is to use high-dose inhaled steroids,
typically vanceril, 16 puffs qid, with a spacing device such as the
Aerochamber. I would institute such a regimen while he is here.

Mr. CPRSPatient has an in-house pet dog and an outside pet cat.  I have
told him that the cat should go, even if it is outdoors.  Cat saliva
contains a glycoprotein that leaves residue on their coats and flakes
into the air; it is problematic for many asthmatics.

The purulent phlegm asthmatics have during exacerbations is usually
due to the eosinophils, not from infection.  Antibiotics are usually
not necessary.

If you like, you may refer Mr. CPRSPatient to my clinic after discharge.

<======T=======T=======T=======T=======T=======T=======T=======T=======T=>=====T
```

(Continued on next page.)

```
Saving MEDICINE CONSULT with changes...                              Your
                                                                     electronic
                                                                     signature is
Enter your Current Signature Code:    SIGNATURE VERIFIED..            typed here.
Print this note? No// Y  YES
Do you want WORK copies or CHART copies? CHART// <Enter>
DEVICE: HOME// WORK  OTC
DO YOU WANT YOUR OUTPUT QUEUED? NO// Y  (YES)

Requested Start Time: NOW// <Enter> (Oct 05, 2000 09:23:05)
Request Queued!
```

```
CONSULT TRACKING              Oct 05, 2000 09:23:45      Page:   1 of   1
CPRSPATIENT,TWELVE 666-24-3779              1A/B-1     FEB 3,1923 (74)   <CA>
                                                              Wt.(lb): 180
    Requested  St    No.   Consult/Procedure Request
1   09/04/97   c      319  PULMONARY Cons




            Enter ?? for more actions
SP Select Patient   FR Forward         CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)   MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue     SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment     DD Detailed Display ER Edit/Resubmit
Select: Quit//
```

☞ **Note:**   **The Consult Closure Tool in VistA can be used to generate a team list of consults with a pending status that potentially need to be closed. The tool can be configured to search for consults by Clinic, Procedure, Service, and Order Item. The resulting list can be reviewed in CPRS, and consults can be closed using the tool within VistA. The *Consult/Request Tracking Technical Manual* provides instructions on using the tool.**

5. The Originating Clinician Receives an Alert that the Consult is Complete

After the consult is complete, Notifications sends an alert (via FileMan Alerts) of the completion. This is done while you are in the menu terminal mode, as such:

```
CPRSPATIE (C8829): Completed Consult CAR
TIUPATIEN (T2342): Cancelled consult PLM
ARTPATIEN (A9898): Completed Consult GASTROENTEROLOGY
CPRSPATIE (C8831): Completed Consult PLM with Sig Findings
         Enter "VA   VIEW ALERTS    to review alerts

Select Consult Service Tracking Option:
```

To receive an on-screen report of the results, respond as in the following example:

```
Select Consult Service Tracking Option: VA  View Alerts

 1.    CPRSPATIE (C8829): Completed Consult CAR
 2.    TIUPATIEN (T2342): Cancelled consult PLM
 3.    ARTPATIEN (A9898): Completed Consult GASTROENTEROLOGY
 4.    CPRSPATIE (C8831): Completed Consult PLM with Sig Findings
         Select from 1 to 4
         or enter ?, A I, F, P, M, R, or ^ to exit
         or RETURN to continue:  3

Processing alert: TIUPATIEN (T8829): Completed Consult PLM
```

```
Consult/Request Alerts       Feb 26, 1999 14:56:57        Page:   1 of   1
TIUPATIENT,TWELVE 666-24-2342            1A/B-1      FEB 3,1923 (74)   <CA>
                                                  Wt.(lb): No Entry
    Requested  St    No.   Consult/Procedure Request
1   01/08/99   c     1337  PULMONARY Cons




          Enter ?? for more actions
SP Select Patient    FR Forward         CT Complete/Update  RT Results Display
CV Change View ...   CX Cancel (Deny)   MA Make Addendum     PF Print Form 513
RC Receive           DC Discontinue     SF Sig Findings      RM Remove Med Rslt
SC Schedule          CM Add Comment     DD Detailed Display ER Edit/Resubmit
Compiling Result Display...
```
(Continued on next page.)

Here we select the Results Display (RT) action:

```
Results Display              Feb 26, 1999 14:59:10         Page:   1 of   1_
TIUPATIENT,TWELVE 666-24-2342               1A/B-1     FEB 3,1923 (74)   <CA>
Consult No.: 1337                                     Wt.(lb): No Entry


----------------------------MEDICINE CS CONSULT----------------------------

Pt should stay away from Oyster Crackers.

Signature: /es/CPRSPROVIDER,SEVEN        Date: FEB 12, 1999@11:35:14

Source Information
  Document Status: COMPLETED
        Entry Date: FEB 12, 1999@11:32                 Author: CPRSPROVIDER,S
  Expected Signer: CPRSPROVIDER,SEVEN      Expected Cosigner: None
        Entered By: CRS                       TIU Document #: 5365
          Urgency: None


==============================================================================
          Enter ?? for more actions

Select Action: Quit//
```

6. The SF 513 Report Becomes Part of the Patient's Medical Record

After the consult is complete, Consults sends an alert to the requesting physician. The requesting physician can use the Print Report action to obtain a copy of the final Consults report. In the following example, the consult we want to print has already been selected:

```
CONSULT TRACKING              Feb 13, 1998 13:20:44         Page:   1 of   1
CPRSPATIENT,TWELVE 666-24-3779           1A/B-1       FEB 3,1923 (74)   <CA>
                                                              Wt.(lb): 178
    Requested  St    No.   Consult/Procedure Request
1   11/01/97   c     675   PULMONARY Consult
2   10/28/97   a     506   <MEDICINE EAST> Consult
3   07/21/97   c     285   PULMONARY Pulmonary Function Test




          Enter ?? for more actions
SP Select Patient    FR Forward        CT Complete/Update  RT Results Display
CV Change View ...   CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive           DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule          CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit// PT    Print Form
```

```
Chart Copy (Y/N) Y// <Enter>
DEVICE: HOME//  ;;9999   HOME
```

(Continued on next page)

```
-------------------------------------------------------------------------------
|     MEDICAL RECORD      |      CONSULTATION SHEET                             |
|------------------------------------------------------------------------------|
|CPRSPATIENT,FOUR                        SERVICE CONNECTED 50% to 100%          |
|XXX-XX-4442    03/03/1960  Age: 57      SC VETERAN                             |
|123 SESAME ST.                                                                 |
|APT. 4                                                                         |
|SALT LAKE CITY   UTAH     84101 Phone: 801-555-1289 Cell: 801-555-1010         |
|------------------------------------------------------------------------------|
|Consult Request: Consult                             |Consult No.: 675        |
|------------------------------------------------------------------------------|
|To: PULMONARY                                                                  |
|    From: NOT 2B                        |Requested: 11/01/1997 10:13 am        |
|------------------------------------------------------------------------------|
|Requesting Facility: ELY                |ATTENTION: CPRSPROVIDER,TWO           |
|==============================================================================|
|Current Primary Care Provider: CPRSPROVIDER,SEVEN                             |
|    Current Primary Care Team: GOLD TEAM                                       |
|                                                                               |
|REASON FOR REQUEST: (Complaints and findings)                                 |
|Pt experiences shortness of breath when out of bed.                           |
|------------------------------------------------------------------------------|
|PROVISIONAL DIAG: CHEESE HANDLER'S LUNG                                        |
|------------------------------------------------------------------------------|
|REQUESTED BY:                |PLACE:              |URGENCY:                     |
|CPRSPROVIDER,SEVEN           |Bedside             |Routine                      |
|Chief of Surgery             |                    |                             |
|(Pager: 9999)                |SERVICE RENDERED AS: |                            |
|(Phone: 1234)                |Inpatient           |                             |
|------------------------------------------------------------------------------|
|                    W O R K I N G   C O P Y                                    |
|                    CONSULTATION NOTE #2330                                    |
|                                                                               |
|      TITLE: PULMONARY CS CONSULT                                              |
|DATE OF NOTE: NOV 01, 1997@10:15:35  ENTRY DATE: NOV 01, 1997@10:15:35         |
|     AUTHOR: CPRSPROVIDER,SEVEN   EXP COSIGNER:                                |
|    URGENCY:                            STATUS: COMPLETED                      |
|                                                                               |
|At the time I went to examine the pt, he was acutely broncho-                 |
|spastic and in moderately severe respiratory distress.  I had him             |
|deliver a puff of albuterol with an Aerochamber; his technique was            |
|poor. I then instructed him and delivered an additional four puffs,           |
|which he did with good technique.  He was improved and with a clear           |
|lung exam within a few seconds (though wheezes were still present             |
|on forced expiration).                                                         |
|                                                                               |
|The pt regimen is lacking in inhaled corticosteroids.  Recognizing            |
|that asthma is an inflammatory process, inhaled steroids are important        |
|in controlling the inflammtory response.  My practice for severely            |
|out-of-control asthmatics is to use high-dose inhaled steroids,               |
|typically vanceril, 16 puffs qid, with a spacing device such as the           |
|Aerochamber. I would institute such a regimen while he is here.               |
|                                                                               |
|/es/ CPRSPROVIDER,SEVEN                                                        |
|Signed: 11/01/1997 10:17                                                       |
|------------------------------------------------------------------------------|
|PROVISIONAL DIAG: Arrhythmia (427.9)                                          |
|------------------------------------------------------------------------------|
|REQUESTED BY:                |PLACE:              |URGENCY:                     |
|CASEY,BEN                    |Bedside             |Routine                      |
|CHIEF OF SURGERY             |                    |                             |
|(Pager: )                    |SERVICE RENDERED AS: |CLINICALLY INDICATED DATE:  |
|(Phone: )                    |Inpatient           |Jan 31, 2011                 |
-------------------------------------------------------------------------------
```

```
----------------------------------------------------------------------------
```
See page 127 for details on the Print Report (PR) action.

Quick Orders

Quick Orders are a feature of CPRS that allow certain prompts to be automatically filled in by the computer. Your ADPAC can set them up (a subject that is discussed in the *CPRS Setup Guide*.)

CPRS is shipped with a number of quick orders. Number 91, EKG, Portable on the screen pictured below is one of them. These quick orders do not have any of the fields filled in. They are only provided as place-holders and limited examples of what is possible.

```
Add New Orders              Feb 13, 1998 13:21:08      Page:  1 of  1
CPRSPATIENT,TWELVE 666-24-3779           1A/B-1    FEB 3,1923 (74)  <CA>

0  ORDER SETS...        30 PATIENT CARE...      70 LABORATORY...
1  Patient Movement     31 Condom Catheter      71 Chem 7
2  Diagnosis            32 Guaiac Stools        72 T&S
3  Condition            33 Incentive Spirometer 73 Glucose
4  Allergies            34 Dressing Change      74 CBC w/Diff
                                                75 PT
10 PARAMETERS...        40 DIETETICS...         76 PTT
11 TPR B/P              41 Regular Diet         77 CPK
12 Weight               42 Tubefeeding          78 CPK
13 I & O                43 NPO at Midnight      79 LDH
14 Call HO on                                   80 Urinalysis
                        50 IV FLUIDS...         81 Culture & Suscept
20 ACTIVITY...          51 OUTPATIENT MEDS...
21 Ad Lib               55 INPATIENT MEDS...    90 OTHER ORDERS...
23 Bed Rest / BRP                               91 EKG: Portable
24 Ambulate TID         60 IMAGING ...
25 Up in Chair TID      61 Chest 2 views PA&LAT 99 Text Only Order
        Enter the number of each item you wish to order.          >>>
+   Next Screen         TD  Set Delay ...       Q   Done

Select Item(s): Done//
```

Basically, quick orders supply stock answers to some of the prompts required to make an order. For example, if we filled in the values for the placeholder EKG, Portable, we might answer the following questions in the quick order template:

```
Consult to Service/Specialty:  Cardiology
Category: Inpatient
Place of Consult: Bedside
```

These three prompts are then excluded when you select EKG from the orders screen—relieving you of the necessity of filling in answering several prompts.
The other four prompts, Reason for the Request, Urgency, Attention, and Provisional Diagnosis, are all left blank in the quick order template. The answer to these questions change every time we place an order for a portable EKG. These four questions are the only ones asked when you place an order for "EKG, Portable."

Using the Consults Package with TIU
Direct TIU Input

On page 27 are the directions for entering results from the Consult/ Result Tracking screen. You can also enter results directly from TIU. This may be preferable if you are doing large volumes of consults or it fits your office work flow.

The basic steps to entering findings through TIU given here are. The interested user should look at the *TIU Clinical Coordinator & User Manual* for further information.

1.   From TIU, choose Integrated Document Management.

As with almost everything in V*IST*A, exactly how you do this depends on how your system is set up. If you cannot find this option on your menu, consult your ADPAC.
Example:

```
Select Progress Notes/Discharge Summary [TIU] Option: ?

   1       Progress Notes User Menu ...
   2       Discharge Summary User Menu ...
   3       Integrated Document Management ...
   4       Personal Preferences ...

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Progress Notes/Discharge Summary [TIU] Option: 3  Integrated Document
Management

                         --- Clinician's Menu ---

Select Integrated Document Management Option:
```

2.   Select Enter/edit Document.

Example:

```
Select Integrated Document Management Option: ?

   1       Individual Patient Document
   2       All MY UNSIGNED Documents
   3       Multiple Patient Documents
   4       Enter/edit Document

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Integrated Document Management Option: Enter/edit Document
```

3.   Enter the patient's name.

Follow the usual V*IST*A conventions for selecting a patient.

Example:

```
Select PATIENT NAME:     CPRSPATIENT,FIV        03-05-33      666332432      YES      SC VETERAN
                     A: Known allergies
Select TITLE:
```

4.   **Select a document title.**

Using the standard help functions (? or ??), you can see a list of titles that are available to you. Consult your supervisor or ADPAC about which one is appropriate to your situation.

Example:

```
Select TITLE: ?
 Answer with TIU DOCUMENT DEFINITION NAME, or ABBREVIATION, or
     PRINT NAME
 Do you want the entire TIU DOCUMENT DEFINITION List? Y  (Yes)
Choose from:
   ADVANCE DIRECTIVE       TITLE
   ADVERSE REACTION/ALLERGY       TITLE
   ASI-ADDICTION SEVERITY INDEX       TITLE
   BP TEST NOTE       TITLE
   CLINICAL WARNING       TITLE
   CRISIS NOTE       TITLE
   DISCHARGE SUMMARY       TITLE
   MEDICINE CONSULT       TITLE

Select TITLE: MEDICINE CONSULT          TITLE

Creating new progress note...
        Patient Location:  2B
   Date/time of Admission:  05/10/96 10:17
        Date/time of Note:  NOW
           Author of Note:  CPRSPROVIDER,SEVEN
   ...OK? YES//
You must link your Result to a Consult Request...

The following CONSULT REQUEST is available:
   1. JUL 16, 1997@06:08  278     PULMONARY
CHOOSE 1-1:
```

5.   **Choose the consult to enter findings.**

TIU lists one or more active consults for the patient. Select the one you have findings for.
Example:

```
The following CONSULT REQUEST is available:
   1. JUL 16, 1997@06:08  278     PULMONARY
CHOOSE 1-1: 1  278

Calling text editor, please wait...
  1>
```

6.   Enter and edit findings.

TIU enters the editor specified in your V*IST*A personal preferences. There are a number of alternate ways to enter findings in TIU. Consult the *TIU Clinical Coordinator & User Manual* for details.

Example:

```
Calling text editor, please wait...
  1> No significant findings. Suggest respiratory therapy.
  2>
EDIT Option:

Saving MEDICINE CONSULT with changes...



Enter your Current Signature Code:
```

7.   Sign the findings.

At the prompt, enter your signature code. If you do not sign the document at this time, VISTA generates an alert to remind you to sign it at a later time.
There is a detailed discussion of electronic signatures under step 2, *Sign the Consult*.

8.   Repeat for other patients.
After TIU accepts your signature, it prompts you for another patient name.
Example:

> Enter your electronic signature

```
Enter your Current Signature Code: SIGNATURE VERIFIED..

You may enter another CLINICAL DOCUMENT. Press RETURN to exit.

Select PATIENT NAME:
```

☞   **Note:**   **If your site supports the dictation and transcription of Consult results,**

you may also use the batch upload facility of TIU to support single-point transfer of Consult results in mixed batches (with Discharge Summaries, Progress Notes, etc.) for either in-house or contract transcription services.

Correcting Misdirected Results

Occasionally a consult result is linked to the wrong consult. If this is detected prior to signature, it is possible for the author of a consult result to re-direct the record to a different consult request by any of several methods, as illustrated in the examples below:

- Through the Link to Request action, when processing the alert for the unsigned consult result:
- Through the Individual Patient Document option (which is identical to the Browse action, accessible by a number of familiar paths from TIU Clinician's options, or through the CPRS LM Chart).
- You may choose the Link action from the All My Unsigned Documents Option.
- From the CPRS Chart.

Following signature, such corrections can only be made by those persons who are granted permission to do so under the Authorization/ Subscription Utility (ASU). Information on how to make this kind of correction is contained in the Consult/Request Tracking Technical Manual.

Examples:
You may redirect a consult result through the Link to Request action, when processing the alert for the unsigned consult result:

```
                    --- Clinician's Menu ---

   1      Progress Notes User Menu ...
   2      Discharge Summary User Menu ...
   3      Integrated Document Management ...
   4      Personal Preferences ...

Select Progress Notes/Discharge Summary [TIU] Option: VA  View Alerts

 1.   CPRSPATIE (C0167P): PULMONARY CONSULT available for signature.
 2.   ARTPATIEN (A1414): New order(s) placed.
 3.   ARTPATIEN (A1414): New consult PLM (Routine)
 4.   CPRSPATIE (C2432): New consult CAR (Routine)
         Select from 1 to 4
         or enter ?, A I, F, P, M, R, or ^ to exit: 1

Opening PULMONARY CONSULT record for review...
```
(Continued on the next page.)

```
Browse Document              Jan 26, 1998 16:49:32      Page:    1 of    1
                              PULMONARY CONSULT
CPRSPATIENT,T 666-01-0167P  PULMONARY CLINIC    Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34  ENTRY DATE: JAN 26, 1998@16:37:34
     AUTHOR: TIUPROVIDER,THREE    EXP COSIGNER:
     URGENCY:                           STATUS: UNSIGNED

DEMOGRAPHICS: CPRSPATIENT,TWO
             666-01-0167P
             31
             JAN 1,1967

His disposition is good.

          + Next Screen  - Prev Screen  ?? More actions               >>>
     Find                    Make Addendum         Identify Signers
     Print                   Sign/Cosign           Delete
     Edit                    Copy                  Link ...
                                                   Quit
Select Action: Quit// L    Link ...
```

```
     Problem(s)              Patient/Visit          Link with Request

Specify Linkage: L    Link with Request

You must link your Result to a Consult Request...
The following CONSULT REQUEST(S) are available:
   1>  JAN 23, 1998@11:14   759     PULMONARY
   2>  JAN 23, 1998@11:14   760     PULMONARY
CHOOSE 1-2: 2   760

Opening PULMONARY CONSULT record for review...
```

```
Browse Document              Jan 26, 1998 16:49:32      Page:    1 of    1
                              PULMONARY CONSULT
CPRSPATIENT,T 666-01-0167P  PULMONARY CLINIC    Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34  ENTRY DATE: JAN 26, 1998@16:37:34
     AUTHOR: TIUPROVIDER,THREE    EXP COSIGNER:
     URGENCY:                           STATUS: UNSIGNED

DEMOGRAPHICS: CPRSPATIENT,TWO
             666-01-0167P
             31
             JAN 1,1967

His disposition is good.

          + Next Screen  - Prev Screen  ?? More actions               >>>
     Find                    Make Addendum         Identify Signers
     Print                   Sign/Cosign           Delete
     Edit                    Copy                  Link ...
                                                   Quit
Select Action: Quit// <Enter>    Quit
```

(Continued on the next page.)

```
 1.    CPRSPATIE (C2342): New order(s) placed.
 2.    TIUPATIEN (T0167P): PULMONARY CONSULT available for signature.
 3.    ARTPATIEN (A1414): New order(s) placed.
 4.    ARTPATIEN (A1414): New consult PLM (Routine)
 5.    CPRSPATIE (C2432): New consult CAR (Routine)
          Select from 1 to 5
          or enter ?, A I, F, P, M, R, or ^ to exit: <Enter>
```

2. Through the Individual Patient Document option as shown here (which is identical to the Browse action, accessible by a number of familiar paths from TIU Clinician's options, or through the CPRS LM Chart):

```
                         --- Clinician's Menu ---

   1       Progress Notes User Menu ...
   2       Discharge Summary User Menu ...
   3       Integrated Document Management ...
   4       Personal Preferences ...

Select Progress Notes/Discharge Summary [TIU] Option: INtegrated Document Management

                         --- Clinician's Menu ---

   1       Individual Patient Document
   2       All MY UNSIGNED Documents
   3       Multiple Patient Documents
   4       Enter/edit Document

Select Integrated Document Management Option: INdividual Patient Document
Select PATIENT NAME: CPRSPATIENT,TWO            01-01-67     666010167P        ACTIVE DUTY
                    A: Known allergies


Available documents:  06/13/91 thru 01/26/98  (7)


Please specify a date range from which to select documents:
List documents Beginning: 06/13/91// T-1  (JAN 25, 1998)
                 Thru: 01/26/98// <Enter>  (JAN 26, 1998)

1   01/26/98 16:37    PULMONARY CONSULT                    CPRSPROVIDER,TWO
                      Visit: 01/26/98

One document found within date range...

Opening PULMONARY CONSULT record for review...
```

(Continued on the next page.)

```
Browse Document              Jan 26, 1998 16:49:32      Page:    1 of    1
                             PULMONARY CONSULT
CPRSPATIENT,T 666-01-0167P  PULMONARY CLINIC    Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34  ENTRY DATE: JAN 26, 1998@16:37:34
      AUTHOR: TIUPROVIDER,THREE    EXP COSIGNER:
     URGENCY:                               STATUS: UNSIGNED


DEMOGRAPHICS: CPRSPATIENT,TWO
             666-01-0167P
             31
             JAN 1,1967


His disposition is good.

          + Next Screen  - Prev Screen  ?? More actions               >>>
      Find                    Make Addendum        Identify Signers
      Print                   Sign/Cosign          Delete
      Edit                    Copy                 Link ...
                                                   Quit
Select Action: Quit// L    Link ...
```

```
     Problem(s)              Patient/Visit        Link with Request

Specify Linkage: L    Link with Request

You must link your Result to a Consult Request...
The following CONSULT REQUEST(S) are available:
   1>  JAN 23, 1998@11:14   759     PULMONARY
   2>  JAN 23, 1998@11:14   760     PULMONARY
CHOOSE 1-2: 2   760

Opening PULMONARY CONSULT record for review...
```
(Continued on the next page.)

```
Browse Document              Jan 26, 1998 16:49:32       Page:   1 of    1
                              PULMONARY CONSULT
CPRSPATIENT,T 666-01-0167P  PULMONARY CLINIC     Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34  ENTRY DATE: JAN 26, 1998@16:37:34
      AUTHOR: TIUPROVIDER,THREE    EXP COSIGNER:
     URGENCY:                               STATUS: UNSIGNED


DEMOGRAPHICS: CPRSPATIENT,THREE
              666-01-0167P
              31
              JAN 1,1967


His disposition is good.

          + Next Screen  - Prev Screen  ?? More actions               >>>
     Find                     Make Addendum          Identify Signers
     Print                    Sign/Cosign            Delete
     Edit                     Copy                   Link ...
                                                     Quit
Select Action: Quit// <Enter>      Quit
```

```
Select PATIENT NAME: <Enter>

Nothing selected.
```

3. You may choose the Link action from the All My Unsigned Documents Option, as shown below:

```
                        --- Clinician's Menu ---

   1       Individual Patient Document
   2       All MY UNSIGNED Documents
   3       Multiple Patient Documents
   4       Enter/edit Document

Select Integrated Document Management Option: All MY UNSIGNED Documents

Searching for the documents.....
```

```
MY UNSIGNED Documents         Jan 26, 1998 16:51:18     Page:   1 of   3
         by AUTHOR (TIUPROVIDER,THREE) or EXPECTED COSIGNER   40 documents
    Patient                 Document                    Ref Date  Status
1   CPRSPATIENT,T (C0167) PULMONARY CONSULT            01/26/98  unsigned
2   ARTPATIENT,TW (A4321) Adverse React/Allergy        01/22/98  unsigned
3   CPRSPATIENT,O (C8796) Reparatory Therapy Note      01/20/98  uncosigned
4   CPRSPATIENT,F (R1350) Reparatory Therapy Note      01/16/98  uncosigned
5   CPRSPATIENT,T (C9999) Reparatory Therapy Note      01/16/98  uncosigned
6   CPRSPATIENT,T (C1350) Reparatory Therapy Note      01/15/98  uncosigned
7   TIUPATIENT,EI (T1239) Reparatory Therapy Note      01/15/98  uncosigned
8   CPRSPATIENT,T (C1563) Reparatory Therapy Note      01/14/98  uncosigned
9   CPRSPATIENT,T (C1563) Reparatory Therapy Note      01/14/98  uncosigned
10  PNPATIENT,FIV (P1350) Reparatory Therapy Note      01/14/98  uncosigned
11  DSPATIENT,TEN (D6572) Reparatory Therapy Note      01/14/98  uncosigned
12  HSPATIENT,ONE (H2591) Reparatory Therapy Note      01/14/98  uncosigned
13  TIUPATIENT,EI (T1239) Reparatory Therapy Note      01/14/98  uncosigned
14  TIUPATIENT,EI (T1239) Reparatory Therapy Note      01/14/98  uncosigned
+        + Next Screen  - Prev Screen  ?? More Actions               >>>
     Find                   Sign/Cosign          Change View
     Add Document           Detailed Display     Copy
     Edit                   Browse               Delete Document
     Make Addendum          Print                Quit
     Link ...               Identify Signers
Select Action: Next Screen// L   Link ...
```

```
     Problems              Patient/Visit          Link with Request

Specify Linkage: L   Link with Request
Select Document(s):  (1-14): 1

You must link your Result to a Consult Request...

The following CONSULT REQUEST(S) are available:
  1>  JAN 23, 1998@11:14  759     PULMONARY
  2>  JAN 23, 1998@11:14  760     PULMONARY
CHOOSE 1-2: 2  760
```

(Continued on next page.)

```
MY UNSIGNED Documents        Jan 26, 1998 16:51:32     Page:   1 of    3
          by AUTHOR (TIUPATIENT,THREE) or EXPECTED COSIGNER   40 documents
    Patient              Document                    Ref Date  Status
1   CPRSPATIENT,T (C0167) PULMONARY CONSULT          01/26/98  unsigned
2   ARTPATIENT,TW (A4321) Adverse React/Allergy      01/22/98  unsigned
3   CPRSPATIENT,O (C8796) Reparatory Therapy Note    01/20/98  uncosigned
4   CPRSPATIENT,F (R1350) Reparatory Therapy Note    01/16/98  uncosigned
5   CPRSPATIENT,T (C9999) Reparatory Therapy Note    01/16/98  uncosigned
6   CPRSPATIENT,T (C1350) Reparatory Therapy Note    01/15/98  uncosigned
7   TIUPATIENT,EI (T1239) Reparatory Therapy Note    01/15/98  uncosigned
8   CPRSPATIENT,T (C1563) Reparatory Therapy Note    01/14/98  uncosigned
9   CPRSPATIENT,T (C1563) Reparatory Therapy Note    01/14/98  uncosigned
10  PNPATIENT,FIV (P1350) Reparatory Therapy Note    01/14/98  uncosigned
11  DSPATIENT,TEN (D6572) Reparatory Therapy Note    01/14/98  uncosigned
12  HSPATIENT,ONE (H2591) Reparatory Therapy Note    01/14/98  uncosigned
13  TIUPATIENT,EI (T1239) Reparatory Therapy Note    01/14/98  uncosigned
14  TIUPATIENT,EI (T1239) Reparatory Therapy Note    01/14/98  uncosigned
+         ** Item 1 Reassigned. **                                    >>>
    Find                 Sign/Cosign              Change View
    Add Document         Detailed Display         Copy
    Edit                 Browse                   Delete Document
    Make Addendum        Print                    Quit
    Link ...             Identify Signers
Select Action: Next Screen// Q   Quit
```

```
                   --- Clinician's Menu ---

   1       Individual Patient Document
   2       All MY UNSIGNED Documents
   3       Multiple Patient Documents
   4       Enter/edit Document

Select Integrated Document Management Option:
```

4. From the CPRS Chart, the dialog looks like this (NOTE: If CONSULTS is defined as a CLASS under CLINICAL DOCUMENTS, this approach is not yet available):

```
   OE      CPRS Clinician Menu
   RR      Results Reporting Menu
   AD      Add New Orders
   RO      Act On Existing Orders
   PP      Personal Preferences ...

Select Clinician Menu Option: OE   CPRS Clinician Menu
```

```
Clinic PULMONARY CLINIC      Jan 27, 1998 15:20:32      Page:   1 of   1
Current patient: ** No patient selected **

    Patient Name                  ID      DOB         Appointment Date
    No patients found.

















          Enter the number of the patient chart to be opened
+   Next Screen          CV  Change View ...      FD  Find Patient
-   Previous Screen      SV  Save as Default List  Q   Close

Select Patient: Change View// WINCHESTER,CHARLES EMERSON III       01-01-67
```

```
   107010167P      ACTIVE DUTY
                     A: Known allergies

Searching the patient's chart ...
```
(Continued on the next page.)

```
Cover Sheet                  Jan 27, 1998 15:20:40       Page:    1 of    1
CPRSPATIENT,TWO                   666-01-0167P1A        JAN 1,1967 (31)   <A>

     Item                                     Entered
     Allergies/Adverse Reactions          |
1    DUST                                 | 10/07/97
                                          |
     Patient Postings                     |
     <None>                               |
                                          |
     Recent Vitals                        |
     No data available                    |
                                          |
     Immunizations                        |
     No immunizations found.              |
                                          |
     Eligibility                          |
     Not Service Connected                |
                                          |
        Enter the numbers of the items you wish to act on.           >>>
NW  Enter New Allergy/ADR CV  (Change View ...)     SP  Select New Patient
AD  Add New Orders        CC  Chart Contents ...    Q   Close Patient Chart

Select: Chart Contents// CC;N   Chart Contents ...
```

```
Searching the patient's chart ...
```

```
Signed Notes                 Jan 27, 1998 15:20:46       Page:    1 of    1
CPRSPATIENT,TWO                   666-01-0167P1A        JAN 1,1967 (31)   <A>
                       Currently viewing 17 notes
     Title                                  Written    Author    SigSt
1    PULMONARY CONSULT                    | 01/26 16:37 RUSSELL,J compl
2    Respiratory Therapy Note             | 12/11 16:59 RUSSELL,J uncos
3    General Note                         | 10/16 /91   NO,D      compl
4    General Note                         | 06/17 /91   BUECHLER,M compl
5    General Note                         | 06/13 /91   MCCLENAH,M compl








        Enter the numbers of the items you wish to act on.           >>>
NW  Write New Note       CV  Change View ...        SP  Select New Patient
AD  Add New Orders       CC  Chart Contents ...     Q   Close Patient Chart

Select: Chart Contents// CV   Change View ...
```

(Continued on the next page.)

```
Signed Notes                  Jan 27, 1998 15:20:46      Page:   1 of   1
CPRSPATIENT,TWO                    666-01-0167P1A       JAN 1,1967 (31)   <A>
                       Currently viewing 17 notes
     Title                                        Written     Author    SigSt□
1    PULMONARY CONSULT                          | 01/26 16:37  RUSSELL,J  compl
2    Joel's Test Note                           | 12/11 16:59  RUSSELL,J  uncos
3    General Note                               | 10/16 /91    NO,D       compl
4    General Note                               | 06/17 /91    BUECHLER,M compl
5    General Note                               | 06/13 /91    MCCLENAH,M compl




            Enter the numbers of the items you wish to act on.          >>>
1    all signed         4    signed/author            Save as Preferred View
2    my unsigned        5    signed/dates             Remove Preferred View
3    my uncosigned
Select context: 2   my unsigned
```

```
Searching the patient's chart ...
```

```
Unsigned Notes                Jan 27, 1998 15:20:55      Page:   1 of   1
CPRSPATIENT,TWO                    666-01-0167P1A       JAN 1,1967 (31)   <A>
                    Currently viewing all unsigned notes
     Title                                        Written     Author    SigSt□
1    PULMONARY CONSULT                          | 01/27 15:19  RUSSELL,J  unsig




            Enter the numbers of the items you wish to act on.          >>>
NW   Write New Note        CV  Change View ...      SP  Select New Patient
AD   Add New Orders        CC  Chart Contents ...   Q   Close Patient Chart
Select: Chart Contents// 1
```

(Continued on the next page.)

```
Unsigned Notes              Jan 27, 1998 15:20:55      Page:   1 of    1
CPRSPATIENT,TWO                  666-01-0167P1A        JAN 1,1967 (31)   <A>
                  Currently viewing all unsigned notes
      Title                                   Written     Author    SigSt□
1    PULMONARY CONSULT                      | 01/26 16:37  RUSSELL,J  unsig




          Enter the numbers of the items you wish to act on.             >>>
    Edit                  Detailed Display     Identify signers
    Make Addendum         Browse               Copy
    Sign                  Print                Delete
Select Action: BR   Browse
```

```
Browse Document             Jan 26, 1998 16:49:32      Page:   1 of    1
                          PULMONARY CONSULT
CPRSPATIENT,T  666-01-0167P  PULMONARY CLINIC    Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34  ENTRY DATE: JAN 26, 1998@16:37:34
     AUTHOR: TIUPROVIDER,THREE          EXP COSIGNER:
    URGENCY:                            STATUS: UNSIGNED

DEMOGRAPHICS: CPRSPATIENT,TWO
             666-01-0167P
             31
             JAN 1,1967

His disposition is good.

         + Next Screen  - Prev Screen  ?? More actions                   >>>
    Find                  Make Addendum        Identify Signers
    Print                 Sign/Cosign          Delete
    Edit                  Copy                 Link ...
                                               Quit
Select Action: Quit// L   Link ...
```

```
    Problem(s)              Patient/Visit         Link with Request

Specify Linkage: L   Link with Request

You must link your Result to a Consult Request...
The following CONSULT REQUEST(S) are available:
  1>  JAN 23, 1998@11:14  759     PULMONARY
  2>  JAN 23, 1998@11:14  760     PULMONARY
CHOOSE 1-2: 2  760

Opening PULMONARY CONSULT record for review...
```

(Continued on next page.)

```
Browse Document              Jan 26, 1998 16:49:32       Page:   1 of    1
                                PULMONARY CONSULT
CPRSPATIENT,T 666-01-0167P   PULMONARY CLINIC    Visit Date: 01/26/98@16:37
DATE OF NOTE: JAN 26, 1998@16:37:34  ENTRY DATE: JAN 26, 1998@16:37:34
      AUTHOR: TIUPROVIDER,THREE    EXP COSIGNER:
     URGENCY:                             STATUS: UNSIGNED


DEMOGRAPHICS: CPRSPATIENT,TWO
             666-01-0167P
             31
             JAN 1,1967


His disposition is good.

          + Next Screen  - Prev Screen  ?? More actions              >>>
     Find                   Make Addendum           Identify Signers
     Print                  Sign/Cosign             Delete
     Edit                   Copy                    Link ...
                                                    Quit
Select Action: Quit// <Enter>     Quit
```

```
Unsigned Notes               Jan 27, 1998 15:20:55       Page:   1 of    1
CPRSPATIENT,TWO                     666-01-0167P1A        JAN 1,1967 (31)   <A>
                  Currently viewing all unsigned notes
     Title                                 Written    Author    SigSt
1    PULMONARY CONSULT                    | 01/27 15:19  RUSSELL,J  unsig















          Enter the numbers of the items you wish to act on.          >>>
NW  Write New Note       CV  Change View ...     SP  Select New Patient
AD  Add New Orders       CC  Chart Contents ...  Q   Close Patient Chart
Select: Chart Contents// Q   Close Patient Chart
```

Notice that when we tried to complete a consult with available Medicine results, Consults prompted us, "Attach Medicine Results?" By responding affirmatively we are presented a screen with a list of the qualifying Medicine results and the ability to both explore these results and attach one or more of them to the consult.
For this to happen, two things must have taken place:

1. Your CAC or IRM must have defined certain procedures as qualifying to provide results to your service.

2. Those procedures must have been performed on your patient and the results entered into VistA.

In the following example, a medicine result is associated with the current consult and the complete action is finished:

```
Procedure/Medicine Resulting  Jun 21, 2000 14:29:50        Page:  1 of   1 □
CPRSPATIENT,FOUR 666-43-8796            2B M           DEC 4,1949 (50)   <CAD>
                         Available Medicine Results
    Type of Proc.            Procedure Date       Summary                  □
 1  ELECTROCARDIOGRAM        AUG 13,1997          ABNORMAL
 2  ELECTROCARDIOGRAM        JUL 31,1995@08:04    NORMAL






                         Select action or item number
AR Associate Result        DR Display selected medicine result
Select action: Quit// AR   Associate Result
```

```
Select item:  (1-2): 1

   ELECTROCARDIOGRAM        AUG 13,1997          ABNORMAL

Are you sure you want to associate this result? NO// Y  YES
```

```
Procedure/Medicine Resulting  Jun 21, 2000 14:41:16        Page:   1 of   1
CPRSPATIENT,FOUR 666-43-8796          2B M            DEC 4,1949 (50)   <CAD>
                        Available Medicine Results
     Type of Proc.              Procedure Date      Summary
 1   ELECTROCARDIOGRAM          JUL 31,1995@08:04    NORMAL




                        Select action or item number
AR Associate Result        DR Display selected medicine result
Select action: Quit// <Enter>   QUIT
```

```
Continue with Note Entry? Y// N   NO
```

```
CONSULT TRACKING                Jun 21, 2000 14:41:35        Page:   1 of   3
CPRSPATIENT,FOUR 666-43-8796          2B M            DEC 4,1949 (50)   <CAD>
                                                      Wt.(lb): No Entry
     Requested  St    No.   Consult/Procedure Request
1    05/16/00  c     1719  ELECTROCARDIOGRAM CARDIOLOGY Proc
2    05/15/00  c     1718  ELECTROCARDIOGRAM CARDIOLOGY Proc
3    02/09/00  p     1679  Holter Monitoring CARDIOLOGY Cons
4    06/18/99  a     1538  PACEMAKER SURVEILLANCE CARDIOLOGY Proc
5    04/07/99  c     1433  Holter Monitoring CARDIOLOGY Cons
6    06/11/98  pr    1047  CARDIOLOGY Cons
7    09/24/97  c      341  *CARDIOLOGY Cons
8    02/03/97  dc     209  CARDIOLOGY Cons
9    07/28/95  c       94  ECHO CARDIOLOGY Proc
10   07/20/95  c       88  ELECTROCARDIOGRAM CARDIOLOGY Proc
11   07/20/95  c       87  ELECTROCARDIOGRAM CARDIOLOGY Proc
12   04/23/92  c       64  *ELECTROCARDIOGRAM CARDIOLOGY Proc
+          Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Next Screen//
```

Notice that after we exited the Procedure/Medicine Resulting screen, we were prompted about entering a note. If we had responded with a Yes, we would have been able to attach a TIU note to the consult we were closing in addition to the Medicine results.

Using the Consults Package with Clinical Procedures

Individual consult types can be designated to be resulted with the Clinical Procedures package. If this is the case, then Consults expects clinical procedures results to be attached to the consult. This attachment is usually accomplished with the CPUser program.

If the instrument in question has not yet been connected to Clinical Procedures, then the consult may be completed in the usual way by an authorized provider. (Authorized providers being clinicians whom the CAC has set up as an interpreter for the appropriate service.) In this case Consults will filter the note titles available and only allow you to use Clinical Procedures titles.

When the clinical procedure results are present, Consults changes the status to PR (partial results). This means that, at least, at stub of a TIU document has been attached to the consult. It could also mean that one or more images and/or instrument reports created by a clinical device are also attached to the consult. Additionally, the interpretation of the clinical device image(s) or text may have been uploaded and is ready for signature.

The minimum required by the consults package to complete a clinical procedures consult is the interpretation of the clinical device output. If this is not supplied via upload, then it must be entered by the consulting clinician. When this interpretation is entered, the following fields are required and are prompted for (if not already present):

Press this button to get a drop-down list of choices.

This button brings up a dialog to help you select the date and time.

Windows Quick Start

Key
1. Steps are numbered and bolded:

a) Sub-steps are lettered and include an accent bar.

Tips are in a plain box

Introduction
1. Before each process, select the consult:

a) Click on the consult you want to select. (Most processes assume that you have first selected a specific consult.)

When you pause the cursor over the list of consults, CPRS expands the line the cursor is on.

Windows Flow of Information
Starting Consults in Windows
1. Start CPRS for Windows:

Exactly how you do this depends on how IRMS has set up your system. Generally speaking, you either start CPRS in Windows by double clicking on an icon

Or clicking on the program in a menu.

2. Select the connection:

☞ **Note: Depending on the way CPRS is installed on your machine, you may not see this step**

Click on the drop-down button Select the appropriate connection. (See your Clinical Application Coordinator for information on which is the correct one.)
Click OK.

3. Log-on to your system:

a) After entering your Access Code, use the Tab key to switch to the Verify Code Field.

b) When you have entered both the Access Code and Verify Code, click OK or press the Enter key.

You can save time by typing both the Access and Verify codes here, separated by a semicolon.

4.

Clinics is very useful, it gives today's appointments for a clinic you select.

Click on these radio buttons to change the list of patients.

Type anything here that is allowed in V*IST*A patient prompts and a list of matches appear directly below.

Pressing the Enter key automatically selects the highlighted patient.

a) When ready, click the OK button or press the Enter key.

Double click on any name to select that patient.

5. Click the Consults Tab:

It may take a few seconds after selecting the Consults Tab for CPRS to load consults information.

Order New Consult
1. Select New Consult:

You can find New
Consult on the
Action menu.

~~New Consult~~
Button.

2. Fill out the Order a Consult dialog:

A new field, Clinically Indicated Date, is provided for consults that need to be done in the future.

This button shows you the tree view of Consult services.

b) If needed, change the values in the Urgency, Place, Attention, and Provisional Diagnosis

If you have already talked with another provider about this consult, fill in the name here.

a) If needed, fill in the Reason for Consult. In this example, the field has already been populated from boilerplate text.

This message box gives you critical dialog information.

If this button is active, then you must use the Clinical Lexicon to populate the Provisional Diagnosis filed.

If this field is yellow, then the Provisional Diagnosis must be entered using the Lexicon button.

c) When you are all finished, click on the Accept Order button.

Print Form 513
1. Select Print from the File Menu:

Select Print by clicking on File in the menu bar, then clicking on Print.

Or follow the underlined letters from the keyboard by pressing Alt+F (together) then P.

2. Select the Printer Device:

a) Select Chart Copy or Work Copy.

b) Start typing the device name, CPRS finds the closest match.

c) Or use the scroll bar and then click on the printer you want.

d) Then click OK or press the Enter key.

Forward Request
1. Select Forward:

a) Click on Actions, then Consult Tracking, and then Forward.

Or follow the underlined character on the keyboard by pressing Alt+A (together), then C, and then

2. Fill in the Forward Consult dialog:

a) Type in the reason for forwarding this Consult.

b) Select the correct service from the All Services tree.

c) If appropriate, type in or select the Attention care giver.

d) When finished, click on the OK button.

Receive Request
1. Select Receive:

a) Click on Action, then Consult Tracking, then Receive.

Or use the keyboard by pressing the underlined characters: Firs Alt and A (together), then C, and then R.

VistA CPRS in use by: Cprsprovider,Seven (10.5.21.265)

File   Edit   View   Action   Options   Tools   Help

CPRSPATIENT
666-23-6572

New...   ▶
Consult Tracking...   ▶
Consult Results...   ▶

Receive
Schedule
Cancel (Deny)
Edit/Resubmit
Discontinue
Forward
Add Comment
Significant Findings
Administrative Complete

Display Details
Display Results
Display SF 513

Primary Care
tending:

MEDICI
cus:
ity:

der:
render

All Consults
Sep 15,02 (c) CARDIOLOGY Co
Jul 16,02 (dc) CARDIOLOGY Co
Dec 17,01 (pr) ELECTROCARD
Sep 25,01 (pr) CARDIOLOGY C
Sep 20,00 (c) *PULMONARY Co
Sep 20,00 (c) *FOOT CLINIC Co
Jul 07,00 (c) CARDIOLOGY Cor
Jul 07,00 (p) MEDICINE Cons C
Jan 12,00 (p) PSYCHIATRY Co
Dec 09,99 (dc) Holter Monitorin
Oct 14,99 (dc) CARDIOLOGY C

2. Click OK.

Receive Consult

Comments

If there is anything unusual about this consult, document it by typing a comment here.

If you need some other time, click here.

Date/time of this action
Now   ...

Action by
Cprsprovider,Seven - PHYSICIAN   ▼

If the action should be by some other person, change this.

OK   Cancel

Comment
1. Select Add Comment:

Click on Action, then Consult
Tracking, then Add Comment.

Or use the keyboard following
the underlined letters: First
Alt+A (together), then C, then A.

2. Fill in the Add Comment to Consult Dialog:

a) Type your
comment in the text
area.

b) Then click on the
Send Alert check
box.

3. Select the People to Receive the Alert:

Clicking in this list selects people to receive the alert.

Clicking in this list removes people from the recipients list.

☞ **Note:** **If this were an Inter-Facility Consult, individuals from the other facility involved would not be on this list. In this case, the Notification System decides who to notify at the other facility by referring to Consults files.**

4. Select OK:

a) When finished, click the OK button.

Complete a Consult (From the Consults Tab)

1. Select Complete/Update Results:

Click on Action, then Consult Results, then Complete/ Update Results.

Or use the keyboard following the underlined letters: First Alt+A (together) then R and then C.

a) Start typing the Title, then press Enter when the correct Title is highlighted.

2. Select the Title of the Note:

Progress Note Properties

Progress Note Title: CARDIOLOGY CS CONSULT <CARDIOLOGY CS CONSULT>

CARDIOLOGY CS CONSULT <CARDIOLOGY CS CONSULT>
CARDIOLOGY CS CONSULTS
CONSULT <MEDICINE CS CONSULT>
CONSULT <PULMONARY CS CONSULT>
CONSULT <SURGERY CS CONSULT>
CONSULT <NEUROLOGY CS CONSULT>
CONSULT <CARDIOLOGY CS CONSULT>

Date/Time of Note: Jun 6,2000@10:50

Author: Cprsprovider,Eight

Expected Cosigner: Cprsprovider,Seven - Staff Physician

OK
Cancel

b) If this box appears, you also need to fill in the Expected Cosigner.

3. Type in the text of the results:

As with any TIU document, part of it can be boiler-plate.

And part of it may be ente... you. This can be typed dir... or cut and pasted from a w... processor such as MS Wo...

4. Save the note:

You can save it to finish and sign later. This changes the status to Partial Results (pr).

Or you can sign it now. This changes the status to Complete (c).

Complete a Consults (From the Notes Tab)

Before starting, from the CPRS Windows program, select the correct patient and click the Notes tab.

1. Click New Note:

a) Click the New Note button.

2. Select the Title of the Note:

a) Type or select a title.

b) When finished, click OK.

3. Select the consult:

a) Select the consult you are completing.

4. Type in the text of the results:

As with any TIU document, part of it can be boiler-plate.

And part of it may be entered by you.

5. Save the note:

You can save it to finish and sign later. This changes the status to Partial Results (pr).

Or you can sign it now. This changes the status to Complete (c).

Complete a Consult (From the Medicine Results)
1. Select Attach Medicine Results:

Procedures are indicated by the medical icon.

If medicine results are available for this patient, the menu command is turned on.

2. Select the medicine result.

Select the medicine result you want.

Click OK and you're done.

3. No signature is necessary at this time.

Undo Medicine Results
Select Remove Medicine Results

Windows activates this menu command when a result *you can* remove is present in the selected consult.

2. Select the medicine result to be removed.

> If more medicine results are present, they will be listed here.

> Consults keeps and displays a complete audit trail.

Remove Medicine Result from: ELECTROCARDIOGRAM CARDIOLOGY Proc

Select medicine result:

Type of Result	Date of Result	Summary
ELECTROCARDIOGRAM	MAR 25,1996@08:00	

```
Service is to be rendered on an OUTPATIENT basis
Place:                  Consultant's choice
Urgency:                Routine
Orderable Item:         ELECTROCARDIOGRAM
Procedure:              ELECTROCARDIOGRAM
Provisional Diagnosis: Angina

Status:                 ACTIVE
Last Action:            DISASSOCIATE RESULT

Activity              Date/Time       Responsible Person   Entered
ENTERED IN CPRS       02/28/01 16:00  CPRSPROVIDER,TEN     CPRSPROVID
COMPLETE/UPDATE       02/28/01 16:16  CPRSPROVIDER,SEVEN   CPRSPROVID
     Medicine Procedure performed: MAR 25, 1996@08:00
DISASSOCIATE RESULT   02/28/01 16:21  CPRSPROVIDER,SEVEN   CPRSPROVID
     Medicine Procedure performed: MAR 25, 1996@08:00

==================================== END =============================
```

Other Windows Topics
Cancel (Deny) Request

> This is a consult receiver's action. If you are the consult originator, use the Discontinue Order action.

1. Select Cancel:

Click on Action, then Consult Tracking, and then Cancel.

VistA CPRS in use by: Cprsprovider,Seven (10.5.21.265)

File   Edit   View   Action   Options   Tools   Help

CPRSPATIENT   New...
666-23-6572   S

Consult T

Or follow the underlined letters by typing Alt and A together (Alt+A), then C, and then C again.

All consults
Mar 23,99   (p)
Mar 02,99   (p)   BONE MAR
Jan 05,99   (p)   Family/Marri
Aug 18,98   (p)   NEUROLOGY Con
Aug 17,98   (c)   CARDIOLOGY Con
Jul 06,99   (p)   *PULMONARY Con

Discontinue
Forward

2. Consult dialog:

a) Type the reason for the denial. Be specific enough so that the originating provider can correct and resubmit the consult.

Cancel (Deny) Consult
Comments
Need an Earliest Appropriate Date 6 months in the future! Please change this date and resubmit.

b) When finished, click the OK button.

Date/time of this action   Action by
Now   Cprsprovider,Seven · PHYSICIAN

OK   Cancel

A notification is automatically sent to the consult originator so that the consult can be edited and resubmitted.

Discontinue Order

This is a consult originator's action. If you are the consult receiver, use the Cancel (Deny) action.

1. Select Discontinue:

Click on Action, then Consult Tracking, then Discontinue.

Or follow the underlined characters on the keyboard by pressing Alt+A (together), then C, and then D.

2. Fill out the Discontinue Consult dialog:

a) Type in the reason.

b) When finished, click the OK button.

A notification is automatically sent to the originator of the consult with information about the discontinuation of the order.

Detailed Display

Consults in Windows always show the detailed display of whatever consult is selected.

a) Click on the consult you want to see.

Postings codes have the following meanings:
C–There are Crisis Note(s) present.
W—There are Clinical Warning Note(s) present.
A—There are allergies present.
D—There are Directive Note(s) present.
Click here for specifics.

```
VistA CPRS in use by: Cprsprovider,Seven  (10.5.21.65)                                    _| □| ×|
File   Edit   View   Action   Options   Tools   Help
CPRSPATIENT,TWELVE        2B M                    Primary Care Team Unassigned        Remote   ☒    Postings
666-23-6572   Sep 12,1944 (60)  Provider: CPRSPROVIDER,SEVEN   Attending:        Flag  Data            CWAD

All Consults                        Jan 02,05      (p)       ESOPHAGOGASTRODUODENOSCOPY GASTROENTEROLOGY Proc    Consult #: 10820
⊟ 🐾 All consults                   Current Pat. Status:    Inpatient
   ☆ Jan 02,05  (p) ESOPHAGOGASTRO  Ward:                   2B MED
   🔳 Dec 31,04  (p) CARDIOLOGY Cons Primary Eligibility:          SERVICE CONNECTED  0% to 50%
   🔳 Dec 31,04  (p) FOOT CLINIC Cons
   🔳 Jun 02,03  (c) CARDIOLOGY Cons Order Information
   🔳 Jun 02,03  (c) CARDIOLOGY Cons To Service:            GASTROENTEROLOGY
   🔳 Jun 02,03  (c) CARDIOLOGY Cons Attention:             CPRSPROVIDER,TEN
   🔳 Apr 29,03  (c) CARDIOLOGY Cons From Service:          2B MED
   🔳 Feb 10,03  (dc) CARDIOLOGY Cons Requesting Provider:  CPRSPROVIDER,SEVEN
   🔳 Nov 22,02  (c) CARDIOLOGY Cons Service is to be rendered on an INPATIENT basis
   🔳 Nov 22,02  (c) CARDIOLOGY Cons Place:                 Consultant's choice
◄ │                            ►    Urgency:               Routine
                                    Orderable Item:        ESOPHAGOGASTRODUODENOSCOPY
        New Consult                 Procedure:             ESOPHAGOGASTRODUODENOSCOPY
        New Procedure               Provisional Diagnosis: Possible Hemroids
🐾 No related documents found       Reason For Request:
                                    Pt experiences bleeding . . .

                                    Inter-facility Information
                                    This is not an inter-facility consult request.

                                    Status:                PENDING
                                    Last Action:           CPRS RELEASED ORDER

                                    Facility
                                     Activity               Date/Time/Zone      Responsible Person   Entered By
                                    ─────────────────────────────────────────────────────────────────────
                                    CPRS RELEASED ORDER     01/02/05  8:16      CPRSPROVIDER SEVE    CPRSPROVIDER SE
                                 ◄ │                                                            ►
Cover Sheet │ Problems │ Meds │ Orders │ Notes │ Consults │ Surgery │ D/C Summ │ Labs │ Reports │
```

The consult number can be used to quickly access a specific consult in a variety of situations.

The Detailed Display includes:
Current Primary Care information.
Current Eligibility information.
Order information.
Last action information.
A record of activity.
All signed notes.
Information about unsigned notes.
Notes, Results, and Addenda
All other text fields associated with the consult.

Changes made by Patch 73 for ICD-10 Remediation

ICD Diagnosis Code Display

 ICD Diagnoses will be displayed on the user-selected Consults or Procedures.
If an existing consult (for which ICD-10 diagnosis was entered) is selected for display or the
action Display Details is used, the ICD-10-CM diagnosis code and full description/definition will
be displayed.

If the user selects an existing consult to display or uses the action Display Details and the Provisional Diagnosis was entered using free text data entry, the CRT package will not designate the diagnosis as ICD-9 or ICD-10.

The CRT package will display ICD Diagnosis on the display details of Consults/Procedures orders.

- If the user selects an order to display details and the Provisional Diagnosis was entered as an ICD-9 diagnosis using the Lexicon, the ICD-9 diagnosis code and description/definition will be displayed.
- If the user selects an order to display details and the Provisional Diagnosis was entered as an ICD-10 diagnosis using the Lexicon, the ICD-10-CM diagnosis code and full description/definition will be displayed.
- If the user selects an order to display and the Provisional Diagnosis was entered using free text data entry, then Consults will not designate the diagnosis as ICD-9 or ICD-10.
- If the user selects an existing consult to display and the Provisional Diagnosis was entered using the Lexicon then Consults will designate the particular diagnosis as ICD-9 or ICD-10.

Order Details - 3389564;1

```
PROSTHETICS REQUEST Cons Bedside *UNSIGNED*

Activity:
08/10/2010 10:52  New Order entered by
     Order Text:        PROSTHETICS REQUEST Cons Bedside
     Nature of Order:   ELECTRONICALLY ENTERED
     Ordered by:
     Signature:         NOT SIGNED

Current Data:
Current Primary Provider:
Current Attending Physician:
Treating Specialty:          MEDICINE
Ordering Location:           C MEDICINE
Start Date/Time:
Stop Date/Time:
Current Status:              UNRELEASED
  Orders that have not been released to the service for action.
Order #3389564

Order:
Consult to Service/Specialty: PROSTHETICS REQUEST
Reason for Request:


 ============================================================
             (Describe PROSTHETIC APPLIANCE or REPAIR

   ISSUING INSTRUCTIONS:
            [] VETERAN WILL PICK UP
            [] WARD/CLINIC PERSONNEL WILL PICKUP
            [] DELIVERY LOCATION
            [] ISSUED TO VETERAN BY CLINIC PERSONNEL
   FOR (INPATIENT) - ESTIMATED DISCHARGE DATE:
Category:                    INPATIENT
Urgency:                     ROUTINE
Place of Consultation:       Bedside
Provisional Diagnosis:       Acquired deformity of chest and rib 738.3
```

Will include label indicating diagnosis is ICD-9 or ICD-10.

Coded Diagnosis selected from Lexicon is displayed with Description and Code.

Print   Close

- ICD Diagnosis on the Display SF 513 action will be displayed for a particular Consults or Procedure.
  o If the user performs the action Display SF 513 for a consult or procedure for which ICD-10 diagnosis was entered, Consults will display the ICD-10-CM diagnosis code and full description/definition.
  o If the user performs the action Display SF 513 for a consult or procedure and the Provisional Diagnosis was entered using free text data entry, then Consults will not designate the diagnosis as ICD-9 or ICD-10.
  o If the user performs the action Display SF 513 for a consult or procedure and the Provisional Diagnosis was entered using the Lexicon, then Consults will designate the particular diagnosis as ICD-9 or ICD-10.

ICD Diagnosis Search

Consults will provide the ability to search on ICD-10-CM diagnosis full (expanded) text descriptions and codes.

- Consults will display ICD Diagnosis on the Display SF 513 action for a particular Consults or Procedure.
    - o If the user performs the action Display SF 513 for a consult or procedure for which ICD-10 diagnosis was entered, Consults will display the ICD-10-CM diagnosis code and full description/definition.
    - o If the user performs the action Display SF 513 for a consult or procedure and the Provisional Diagnosis was entered using free text data entry, Consults will not designate the diagnosis as ICD-9 or ICD-10.
    - o If the user performs the action Display SF 513 for a consult or procedure and the Provisional Diagnosis was entered using the Lexicon, then Consults will designate the particular diagnosis as ICD-9 or ICD-10.

Make Addendum

An Addendum is a *medical* statement by a patient care professional about a specific Note. It differs from a Comment in that it is about medical matters, where Comments, which can be written by anyone, should contain information needed to *administer* the consult.

## 1. Select the Consult and the Note

a) First click on the consult.

b) Then, select the note by clicking on it.

2. Select Make Addendum

Click on Action, then Consult Results, and then Make Addendum.

Or follow the underlined character on the keyboard by pressing Alt+A (together), then C, and then

3. Type the addendum:

An addendum supplies supplementary

As with other TIU objects, addendum may include boilerplate.

4. Save the note:

You can save it to finish and sign later.

Or you can sign it now.

New Date Range

1. Select Consults by Date Range:

Select it from the View menu.

Or use the keyboard to follow the underlined letters: Alt+V (together) then R.

## 2. Fill in the List Consults by Date Range Dialog:

Click on this button for a dialog to simplify entering the date.

These arrow buttons go up or down the months.

a) Click on the day of the month you want.

Initially, the current date is highlighted.

b) When finished, click OK or press the Enter key.

3. Select OK:

You may also select the display order.

List Consults by Date Range

Beginning Date

May 1,98

Ending Date

May 20,98

Sort Order
- ○ Ascending (oldest first)
- ● Descending (newest first)

OK

Cancel

After you click OK only consults within the date range are displayed.

VistA CPRS in use by: Cprsprovider,

File Edit View Action Options Tools

CPRSPATIENT,TWELVE   2B M
666-23-6572   Sep 12,1944 (60)   Provider

May 01,98 to May 20,98   May 19,99

☐─ Consults by Date Range   Current
    └─ May 19,98 (c) GAS   Ward:
                            Primary

                            Order
                            To Serv
                            Attent
                            From

Quit

The simplest way to quit is to click on the X in the upper right-hand corner of the window.

Or you can select Exit from the File menu.

Or you can press the Alt and F4 keys at the same time (Alt+F4).

Results Display

Many commands (like this one) require that you first highlight the correct entry.

...e an Inter-Facility Consult, CPRS's Remot... ...e results over the VA Intranet. This may ta...

Get the results for the current consult by selecting Action then Consult Tracking then Display Results from the menu bar.

The results display gives only the signed results and addendum making it easier to focus in on the information you need. It also gives author information on unsigned and/or unreleased notes.

Select Consult

a) Click on the consult you want to view or perform an action on.

b) If the consult has more than one note associated with it, that is indicated here. For many actions, you must select an item in this pane before performing the action.

Select New Patient

1. Choose Select New Patient from the File Menu:

Or follow the underlined letter from the keyboard by pressing Alt+F (together) then N.

2. Use the Patient Selection Dialog:

Click on these radio buttons to change the list of patients.

Type anything here that is allowed in V*IST*A patient prompts and a list of matches appear directly below.

Double click on any name to select that patient.

a) When ready, click the OK button or press the Enter key.

Select Service
1. Select Consults by Service from the View Menu:

Or follow the underlined letters from the keyboard by pressing Alt+V (together) then S.

VistA CPRS in use by: Cprsprovider,Seven (10.5.2

File   Edit   View   Action   Options   Tools   Help

CPRSPA   Chart Tab   ▶

666-23-68   All Consults   CPRSPROVID

All Consults   Consults by Status   NEUROLOGY

☐ All   Consults by Service   TITLE: NEU
                    Consults by Date Range   NOTE: JAN
                    Custom View   UTHOR: CPRS
                                                          GENCY:
                    Save as Default View
                    Return to Default View   PRSPATIENT

2. Select the service you want:

List Consults by Service

Service

☐ All Services
   — Cardiology
   — Foot Clinic
   — Gastroente
   — Geriatrics
   — Hematolog
   — Marcia'S Specialty
   ☐ Medicine Visn
      ☐ Medicine
         — Medicine East
         — Medicine South
   — Neurology
   — Pharmacy Service
   ☐ Psychiatry
   — Rheumatology
   ☐ Surgery

Click on a plus box to expand the hierarchy below it.

Click here to see the rest of the hierarchy

Click on a minus box to collapse the hierarchy below it to a single line.

a) Click on the service you want to select.

b) Close by either:
Double clicking on the service.
Clicking on OK.
Pressing the Enter key.

Sort Order
⦿ Ascending (A-Z)
○ Descending (Z-A)

OK   Cancel

View by Status
1. Select Consults by Status from the View Menu:

Or follow the underlined letters from the keyboard by pressing Alt+V (together) then U.

## 2. Select the status you want from the list:

a) Click on the status you want to see.

b) When finished, click the OK button or press the Enter key.

Hold down the Ctrl key when selecting to select more than one status.

c) Now the list of consults only has ones with the status you selected.

Custom List
1. Select Custom View from the View Menu:

Select one or more services from the tree view.

3. Select the view you want.
Do one or more of the following:

Use the shift and Ctrl keys to select multiple statuses (or services).

These buttons open a dialog to help you select a date.

3.Click OK.

You can group by Consults/ Procedures, Service, or Status.

Package Reference

There are three menus, six notifications, and 18 actions that make up the package that is Consults. In the preceding section, **Package Operation**, we discussed a number of these in order to explain how the Consult/Request Tracking package works. In this section, we give each of a description of each of these in turn to provide reference information for you.

General Service User Menu

If you are a Consults user from a service other than Medicine or Pharmacy services, you probably have the GMRC General Service User menu. This menu gives you access to all the basic functionality you need to track Consults for your service.

As a General Service User, you have access to three basic options as shown in this example:

```
Select Consult Service Tracking Option: ?

   CS      Consult Service Tracking
   PC      Service Consults Pending Resolution
   ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Consult Service Tracking Option:
```

Consult Service Tracking Option

The Consult/Request Service Tracking option may be used to:

Review the latest activity related to a patient's consult/procedure request orders.
Update or track activities related to a patient's consults.
The menu of actions available to you depends on whether you are a Review Only user or an Update user. The names and the synonyms for each menu action is listed below:

Review Only and Update Actions

ACTION NAME	SYNONYM	GUI Menu Action
Next Screen	+	
Previous Screen	-	
Add Comment	CM	Action|Consult Tracking|Add Comment
Change Date Range	CV;DT	View|Consults by Date Range
Detailed Display	DD	Action|Consult Tracking|Detailed Display
Edit/Resubmit	ER	Action|Consult Tracking|Edit Resubmit*
Redisplay Screen	RD	
Select Patient	SP	File|Select New Patient
Select Service	CV;SS	View|Consults by Service
Print Form 513	PF	File|Print
Quit	Q	File|Exit
Results Display	RT	Action|Consult Tracking|Display Results
View By Status	CV;ST	View|Consults by Status

* ER (Edit/Resubmit) may be used only by the originating provider or an update user. It is available on this menu in case the originating provider is not an update user.

Update Only Actions

ACTION NAME	SYNO NYM	GUI Menu Command
Complete (Update)	CT	Action|Consult Results|Complete/Update Results
Cancel (Deny)	DY	Action|Consult Tracking |Deny
Discontinue	DC	Action|Consult Tracking |Discontinue
Forward	FR	Action|Consult Tracking |Forward
Receive	RC	Action|Consult Tracking |Receive
Remove Med Rslt	RM	Action| Consult Tracking|Remove Medicine Results
Schedule	SC	Action|Consult Tracking|Schedule
Significant Findings	SF	Action|Consult Tracking|Significant Findings
Make Addendum	MA	Action|Consult Results|Make Addendum

Each review screen displayed has a prompt at the bottom of the display screen. This prompt varies according to what Consults thinks you are going to do next. Thus it is either "Select Consult:" or "Select Action:" depending on various system variables. If the prompt is "Select Consult:" you may either select a consult or an action. If the prompt is "Select Action:" you may only select an action. In either case a ? at this prompt provides you with a menu of actions.

Before you use this option, you need to know:

- The patient's name or identification.

  > You may identify a patient by entering information other than the patient's name. Some possibilities are: Social Security Number (SSN), Ward Location, or Room-Bed, at the Select Patient prompt.

- The service or specialty.

  The default answer at the Select Service/Specialty Tracking prompt is always ALL SERVICES//. The response you make at the prompt determines what action you are able to select. If you accept the ALL SERVICES default, the Review Only actions are the only ones available. Alternatively, a service/specialty could be specified to restrict the number of consults to review. If you are an Update user for the service/specialty you selected, then you have all actions available to you at the action prompt.

An example of the Consult/Request Service Tracking option and default Review Only actions available for use with the option are shown in the following sample dialogue. User responses are in bold.

```
Select Consult Service Tracking Option: ?

   CS      Consult Service Tracking
   PC      Service Consults Pending Resolution
   ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Consult Service Tracking Option: CS  Consult/Request Service Tracking
Select Patient: CPRSPATIENT,FOUR              01-01-51     666123456     YES     SC VET
ERAN

Select Service/Specialty: ALL SERVICES// <Enter> ALL SERVICES
List From Starting Date: ALL DATES//   <Enter> ALL
```

Select the Consult/Request Service Tracking option from your menu and enter the name of the patient whose consults/requests you want to review.

At the Select Service/Specialty prompt enter the name of the Service or hierarchy of services the consult was referred to. If consults are available in the service or hierarchy for the patient specified, they are listed as shown in the following display.

```
CONSULT TRACKING              Oct 06, 2000 08:24:24        Page:    1 of    1□
CPRSPATIENT,FOUR   666-44-2222    8E/3E101-1           MAR 3,1960 (40)   <AD>
                                                            Wt.(lb): 184
    Requested  St    No.   Consult/Procedure Request                   □
1   10/06/00   p     1766  EYE CLINIC Cons




          Enter ?? for more actions
SP Select Patient         RT Results Display         ER Edit/Resubmit
CV Change View ...        PF Print Form 513
DD Detailed Display       CM Add Comment
Select: Quit//
```

Review Only Actions

Enter ?? at the Select Item(s) prompt to see the complete list of options available to you.

```
Select Consult: Quit// ??


Enter the display number of the item you wish to act on, or select an action.

If you'd like another view of the consults, enter CV.

Status key:
     'a' - active         'c' - complete       'dc' - discontinued
     'p' - pending        'x' - cancelled      'pr' - partial results
     's' - scheduled      'e' - expired

Enter ?? to see a list of actions available for navigating the list.

Press <return> to continue ...
The following actions are also available:
+    Next Screen        RD   Redisplay Screen
-    Previous Screen    UP   Up a Line          CWAD Display CWAD Info
FS   First Screen       DN   Down a Line
LS   Last Screen                                SL   Search List
                        PS   Print Screen       EX   Exit
GO   Go to Page         PT   Print List

Enter RETURN to continue or '^' to exit:
```

If you are an update user, the menu of actions includes additional actions such as received, completed, and discontinued.

The help display also includes a key to abbreviations used in consult screens, including the Consult Tracking screen currently under discussion.

Update Select Actions

If you are an Update user, then the Consult Tracking display looks like this:

```
CONSULT TRACKING              Oct 06, 2000 08:26:04      Page:   1 of   2□
CPRSPATIENT,FOUR   666-44-2222     8E/3E101-1        MAR 3,1960 (40)   <AD>
                                                          Wt.(lb): 184
    Requested  St    No.   Consult/Procedure Request                   □
1   11/17/98   x    1211   BRONCHOSCOPY PULMONARY Proc
2   07/13/98   c    1112 *PULMONARY Cons
3   06/18/98   c    1062 *PULMONARY Cons
4   06/12/98   c    1050  PULMONARY Cons
5   06/08/98   c    1028  PULMONARY Cons
6   06/04/98   dc   1022  PULMONARY Cons
7   05/27/98   dc    940  PULMONARY Cons
8   05/20/98   dc    919  PULMONARY Cons
9   05/13/98   c     898 *PULMONARY Cons
10  05/01/98   c     881  PULMONARY Cons
11  04/15/98   c     843  PULMONARY Cons
12  03/16/98   c     827  PULMONARY Cons
+          Enter ?? for more actions
SP Select Patient   FR Forward          CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)     MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue       SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment       DD Detailed Display ER Edit/Resubmit Select: Next
Screen//
```

Each action is described in detail in the **Actions** section of **Package** Reference starting on page 108.

Completion Time Statistics

This report is intended to help hospitals track overall quality of service. High numbers on this report can indicate the presence of bottlenecks in the organization that might need management attention.

In the following example, a report on completion times is printed for Pulmonary Service:

```
Select Consult Service Tracking Option: ?

   CS      Consult Service Tracking
   PC      Service Consults Pending Resolution
   ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Consult Service Tracking Option: ST  Completion Time Statistics

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date: ALL DATES//
...HMMM, LET ME THINK ABOUT THAT A MOMENT..........
```

```
DAYS TO COMPLETE CONSULT STATSOct 06, 2000 08:28:22        Page:    1 of    1
Number Of Days To Complete A Consult For Services Statistics.
FROM: ALL    TO: OCT 6,2000

                    Consult/Request Completion Time Statistics
                         FROM: ALL    TO: OCT 6,2000

SERVICE: PULMONARY
Total Number Of Consults Completed: 200
Mean Days To Complete: 46.8                    Standard Deviation: 104.7
Total INPATIENT Consults: 32
Mean Days To Complete: 60.7                    Standard Deviation: 125.1
Total OUTPATIENT Consults: 30
Mean Days To Complete: 93.4                    Standard Deviation: 155.5
Total Unclassified Consults: 138
Mean Days To Complete: 33.4                    Standard Deviation: 81.0




          Enter ?? for more actions
SS  Select Service        PR  Print Completion Statistics To A Printer.
Select Item(s): Quit//
```

Service Consults Pending Resolution

The purpose of the Service Consults Pending Resolution option is to list the pending and active consults. Use it to stay informed about the overall status of consults for your service.

In the following example, the option is used to view pending and active Pulmonary consults:

```
Select Consult Service Tracking Option: ?

   CS      Consult Service Tracking
   PC      Service Consults Pending Resolution
   ST      Completion Time Statistics

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Consult Service Tracking Option: PC  Service Consults Pending Resolution
Select Service/Specialty: PULMONARY
List From Starting Date: ALL DATES// <Enter>
...EXCUSE ME, LET ME THINK ABOUT THAT A MOMENT...
```

```
Service Consults by Status    Oct 06, 2000 08:31:39        Page:    1 of    5
To Service:  PULMONARY
From: ALL    To: OCT 6,2000
 Status      Last Action      Request Date  Patient Name     Pt Location    
                        Consult/Request By Status
                      FROM: ALL    TO: OCT 6,2000


SERVICE: PULMONARY
Pending     CPRS RELEASED ORDER 09/20/00 CPRSATIENT,FOU (6572) 2B MED
Pending     CPRS RELEASED ORDER 09/19/00 CPRSATIENT,ONE (5678) 2B MED
Pending     CPRS RELEASED ORDER 09/19/00 CPRSATIENT,FIV (1111) 2B MED
Pending     CPRS RELEASED ORDER 07/20/00 CPRSATIENT,TWO (3241) 2B MED
Pending     PRINTED TO          06/29/99 CPRSATIENT,SIX (8829) GENERAL MEDICINE
Pending     PRINTED TO          06/28/99 CPRSATIENT,FOU (3779) 1A
Pending     PRINTED TO          06/15/99 CPRSATIENT,SEV (8828) 13A PSYCH
Pending     PRINTED TO          06/08/99 CPRSATIENT,FIF (4111) 1A
Pending     PRINTED TO          06/03/99 CPRSATIENT,EIG (2345) ONCOLOGY
Pending     PRINTED TO          06/03/99 CPRSATIENT,SIX (9235) 1A
Pending     PRINTED TO          06/03/99 CPRSATIENT,NIN (3242) ONCOLOGY
Pending     PRINTED TO          06/03/99 CPRSATIENT,TEN (5525) ONCOLOGY
+           Enter ?? for more actions                                     >>>
    Service           Status           Number on/off      Print List
Select Item(s): Next Screen//
```

☞ **Note:** **Someone in your clinic or service should review this list daily to make sure that all consults are being attended to.**

Consult Status

The following table gives the statuses that Consults uses, along with their abbreviation, name, and description:

Abbreviation	Name	Description
a	ACTIVE	Orders that are active or have been accepted by the service for processing.
c	COMPLETE	Orders that require no further action by the ancillary service.
dc	DISCONTINUE	Orders that have been stopped prior to expiration or completion.
p	PENDING	Orders that have been placed but not yet accepted by the service filling the order.
pr	PARTIAL RESULTS	All or part of a consult completion report has been entered, but has not yet been signed.
s	SCHEDULED	The receiving clinic has scheduled an appointment for the patient.
x	CANCELLED	Orders that have been rejected by the ancillary service without being acted on.

The following table gives the actions that Consults uses along with the status after the action is performed:

Consult Actions	Status after Action
CPRS Released Order	PENDING
Discontinued	DISCONTINUED
Incomplete Report	PARTIAL RESULTS
Completed	COMPLETE
Edited/Resubmit	PENDING
Schedule	SCHEDULED
Forwarded	PENDING
Canceled	CANCELLED
Added Comment	No change in status
Received	ACTIVE
Printed	No change in status

This table shows actions that are tracked in Consults V. 3.0. Actions that are new with 3.0 are indicated as well as which Consults menu (update or review) initiates the action. If an order status change can result from the action, the new status is shown.

TRACKED ACTION TYPE	New V.3.0	Update Actions	Review Actions	RELATED OE/RR STATUS	Comment
Added Comment		X	X		Review users can add a comment.
Addendum Added To	X	X			Based on adding a signed and released addendum to a completed note via the Complete/Update or Make Addendum action or through TIU actions.
Cancelled	X	X		CANCELLED	This is used in 3.0 replacing the 2.5 Deny action.
Complete/ Update		X		COMPLETE or PARTIAL RESULTS	Changed title to imply Complete can be chosen multiple times by clinicians entering results. TIU actions can also cause this tracking action. Includes the one-time Administrative Complete.
Disassociate Result	X				Currently done through TIU actions. In the future will be used to remove an incorrectly associated note.
Discontinued		X		DISCONTINUED	No longer includes Denied.
Edit Before Release	Obs o- lete			UNRELEASED	Moved unreleased consults to Order Entry in CPRS conversion.
Edit/Resubmitted	X			PENDING	The originating provider can edit and resubmit a consult from either an alert or the Consult Tracking screen. An update user may also use this action.
CPRS Released Order				PENDING	Used in 3.0 to represent a signed/released Consult order from CPRS.
Forwarded From		X		PENDING	

Incomplete RPT				PARTIAL RESULTS	Status name has changed from Incomplete RPT. Based on Complete/Update action, and/or TIU actions, if the first consult note is not completed.
New Note Added	X			PARTIAL RESULTS/ COMPLETE	Based on Complete/Update action and/or TIU actions.

Consult Action/Status Overview (Continued)

TRACKED ACTION TYPE	New V.3.0	Update Actions	Review Actions	RELATED OE/RR STATUS	Comment
Printed to					Based on the original order being signed and released, forwarded, and edit/resubmitted. The SF 513 printed at the Service is accomplished with the Consult package hard-coded format. (OE/RR print templates cannot include results.)
Received				ACTIVE	
Schedule	X	X		ACTIVE	The Schedule action does not actually schedule an appointment or link to the scheduling package. It does allow a convenient way to annotate a consult after an appointment has been scheduled by some other means.
Service Entered				ACTIVE	Currently unavailable.
Sig Finding Update	X	X			May be used independently from Administrative Complete action from 2.5.
Status Change	X			ACTIVE	Used by TIU when a note is disassociated from a consult and there are no other results associated with the it.
Unknown Action	X			NO STATUS	Used in displays if action is unknown.

Actions
Brief Action Descriptions
Review Only Actions

DD	The *Detailed Order Display* action displays specific order activities and details, audit/tracking trails and results.
CT	The *New Date Range* allows you to change date range while in the Consult Tracking screen. This date range change does not change the patient or require you to select a new patient. It is a subordinate action to Change View (CV).
CV	The *Change View* action gives you the capability to view consults by Service, Status, or Date Range. This is done by adding the modifying action to CV as such: CV;SS for Select Service. CV;ST for View by Status. CV;DT for New Date Range.
PF	The **Print Form** action produces a copy of SF 513.
RT	The *Results Display* action displays the results of the consult or procedure request order.
SP	The *Select New Patient* action allows you to select a new patient's name at any time, while using this option, rather than having to log out of the option and log back in.
SS	The *Select Service* action allows you to select a different service/specialty in which to review orders. It is a subordinate action to Change View (CV).
ST	The **View by Status** action allows you to select one or more statuses to display on the screen. It is a subordinate action to Change View (CV).
CM	This action synonym may be entered at the Select prompt if the Service/Specialty wishes to add a *Comment* to an existing consult order. An example is a comment indicating that the requesting clinician wants a HOLD put on an order that has already been Received and is active in a Service/Specialty.
ER	Although the *Edit/Resubmit* action shows up on the Review Only menu, it can only be executed by the originating provider or an update user. When a consult is cancelled or denied for clerical reasons (such as insufficient data), then the information on the consult can be edited and resubmitted it with this action. Alternatively, the originating provider may perform this function from the alert.
Q	The *Quit* action exits all Consults options.

Update Actions

CT   The ***Complete Request*** action updates the CPRS status of a consult from Active to Completed. When the patient's consult review screen is displayed again, both the consult's current status and the Last Activity field will be updated to indicate that the consult's new current status is Completed.

Complete Request also links you to TIU so that you can enter findings.

CX   The ***Cancel (or Deny) Request*** action may be used by Service personnel to deny a request for completion of a consult/procedure received by their Service. A comment concerning the reason for denial must added when using this action.

DC   The ***Discontinue Order*** action allows Service/Specialty personnel to change an order's current status and Last Activity field to Discontinued. In addition, a comment may be added concerning the reason for discontinuance.

FR   Entering the ***Forward Request*** allows you to forward a consult or request to any other Service/Specialty, provided that Service/ Specialty has been set up by IRM personnel to receive consults on line. As an example, this action could be used when Cardiology Service has mistakenly received a consult that should have been sent to Hematology Service.

MA   The ***Make Addendum*** action allows one or more people to add their comments to the results of a consult. Contrast this to Add Comment, which adds a note to the consult.

RC   The ***Received Request*** action is used by a Service/Specialty to acknowledge receipt of a new consult/request in the Service and to update the current CPRS status of the consult/request to Active rather than Pending. The Last Activity field on the patient's review screen will also be updated to indicate that the consult was Received.

RM   The ***Remove Medicine Results*** action is used when a medicine result has been attached to a consult in error. It's use is restricted, but generally speaking, it can be done by anyone who can attach medicine results.

SC   The ***Schedule*** action can be used by a Service/Specialty to annotate a consult that an appointment has been scheduled for the patient. (It does not schedule an appointment or link to the Scheduling Package.)

SF   The ***Significant Findings*** action is used by a Service/ Specialty to mark a consult has having significant findings. When the Sig Findings flag is set to "Y" an asterisk is placed next to the consult in the review display.

☞ **Note:** **Actions that require you to select an existing order can be done in one of two ways:**

Select the action.
Select the order.

Or

Select the order.
Select the action.

The actions that are affected by this are:

DD   Detailed Order Display
CM   Comment Order
CT   Complete Request
DC   Discontinue Order
CY   Deny Request
FR   Forward Request
RC   Received Request
SC   Schedule
ER   Edit/Resubmit

Add Comment (CM) Action

The Add Comment action allows you to append a comment to a consult order when important information about the consult needs to be added to the original order or when a caregiver needs to furnish information before the consult is ready to be closed out.

The Add Comment action can be performed by any user.

To use the Comment Order action from Windows:

- From the Consults tab, highlight the consult you want to add a comment to.
- Select Action|Consult Request|Add Comment.

☞ **Note:** **If this were an Inter-Facility Consult, individuals from the other facility involved would not be on this list. In this case, the Notification System decides who to notify at the other facility by referring to Consults files.**

Cancel (or Deny) Consult

The Cancel action is one of several options the receiving clinic or service uses to process a request (see **Forward the Consult** under **Work Flow** page 24).

The originating clinician is automatically sent an alert that the request has been canceled. This action is provided for all update options in the Consults package.

Example:

```
Select Consult Management Option: CS  Consult Service Tracking
Select Patient: CPRSPATIENT,FOUR           01-01-51      666123456     YES     SC VET
ERAN

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date:  ALL DATES // <Enter> ALL DATES
```

```
CONSULT TRACKING                 Jun 19, 1997 04:21:18      Page:   1 of   1□
CPRSPATIENT,FOUR 666-43-8796          2B M              DEC 4,1949 (50)   <CAD>
                                                              Wt.(lb): 184
   Requested  St    No.   Consult/Procedure Request                      □
1  02/03/97   a     999   PULMONARY Consult
2  02/03/97   a     989   PULMONARY Consult
3  02/03/97   c     929  *PULMONARY Consult
4  02/03/97   c     873  *PULMONARY Consult
5  01/09/97   c     872   PULMONARY UGI
6  09/06/96   dc    500   PULMONARY ECHO
7  03/05/92   dc    444   PULMONARY Electrocardiogram




             Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit// CX   Cancel (Deny)
```

```
CHOOSE No. 1-2: 2
Responsible Clinician: CPRSPROVIDER,TWO        CRS          PHYSICIAN
Date/Time of Actual Activity: NOW// <Enter> (JUN 19, 1997@04:21)
Enter COMMENT:
  1>Duplicate Consult
  2> <Enter>
EDIT Option: <Enter>
```

(Continued on next page.)

```
CONSULT TRACKING              Jun 19, 1997 04:22:02       Page:  1 of  1
CPRSPATIENT,FOUR 666-43-8796          2B M           DEC 4,1949 (50)   <CAD>
                                                          Wt.(lb): 184
   Requested  St    No.   Consult/Procedure Request
1  02/03/97   x     999   PULMONARY Consult
2  02/03/97   a     989   PULMONARY Consult
3  02/03/97   c     929  *PULMONARY Consult
4  02/03/97   c     873  *PULMONARY Consult
5  01/09/97   c     872   PULMONARY UGI
6  09/06/96   dc    500   PULMONARY ECHO
7  03/05/92   dc    444   PULMONARY Electrocardiogram




              Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit//
```

The originating clinician has then has the option of editing and resubmitting the request. This is done either from the view alerts function, or from the consult tracking screen with the Edit/Resubmit (ER) action. An update user for the subject service may also edit and resubmit a canceled consult.

Change View (CV) Action

The Change View action is really three different actions packaged into one. They are:

- View by Status (ST)
- Change Date Range (DT)
- Select Service (SS)

Enter the CV action followed by one of these three options. You can do this as two different entries, or you can put both commands on the same line separated by a semicolon, like this: CV;DT

In the following example we use the CV action to display selected statues:
With this action you can selectively display consults on the Consult Tracking screen base on the consult's status. In the following example, the display is changed to view only consults with a status of Pending or Discontinued. For a list of consult statuses and their meanings, see page 104.

```
CONSULT TRACKING            Jul 30, 1997 09:21:02        Page: 1 of    2
CPRSPATIENT,FOUR 666-43-8796          2B M           DEC 4,1949 (50)   <CAD>
                                                          Wt.(lb): 184
     Requested  St    No.   Consult/Procedure Request                    □
1    10/06/00   p    1766   EYE CLINIC Cons
2    09/21/00   p    1764   Electrocardiogram CARDIOLOGY Proc
3    04/25/00   s    1713   CARDIOLOGY Cons
4    03/21/00   c    1701   CARDIOLOGY (SOUTH) Cons
5    02/22/00   pr   1687   PULMONARY (SOUTH) Cons
6    01/26/00   c    1665   CARDIOLOGY Cons
7    06/02/99   c    1483   VENTRICAL LEAD IMPLANT CARDIOLOGY Proc
8    04/29/99   a    1455   CARDIOLOGY (oex) CARDIOLOGY Cons
9    02/18/99   x    1395   CARDIOLOGY Cons
10   01/06/99   c    1322   M'S SPECIALTY SEA-M'S SPECIALTY Cons
11   01/05/99   c    1310  *GASTROENTEROLOGY CARDIOLOGY Cons
12   01/04/99   c    1287   CARDIOLOGY Cons
+          Enter ?? for more actions
SP Select Patient       RT Results Display       ER Edit/Resubmit
CV Change View ...      PF Print Form 513
DD Detailed Display     CM Add Comment
Select Consult: Next Screen// CV   Change View ...
```

```
DT   Date Range
ST   Status
SS   Service
Only Display Consults With Status of: All Status's// p  Pending
Another Status to display: s  Scheduled
Another Status to display: a  Active
Another Status to display: <Enter>
```

(Continued on the next page.)

Package Reference

```
CONSULT TRACKING              Jul 30, 1997 09:21:10        Page:  1 of  1
CPRSPATIENT,FOUR 666-43-8796          2B M            DEC 4,1949 (50)  <CAD>
                                                          Wt.(lb): 184
    Requested  St    No.   Consult/Procedure Request                   
1   10/06/00   p    1766   EYE CLINIC Cons
2   09/21/00   p    1764   Electrocardiogram CARDIOLOGY Proc
3   04/25/00   s    1713   CARDIOLOGY Cons
8   04/29/99   a    1455   CARDIOLOGY (oex) CARDIOLOGY Cons




          Enter ?? for more actions
SP Select Patient        RT Results Display      ER Edit/Resubmit
CV Change View ...       PF Print Form 513
DD Detailed Display      CM Add Comment
Select Consult: Quit//
```

Complete Request (CT) Action

The Complete Request action which updates a consult order's CPRS status to completed (c).

Using the CT action informs the system that you are completely finished with a consult or procedure. An alert is sent to the originating provider and marks the record of the consult as complete.

Finally, the Complete action links you to TIU so that you can enter results. See page 27 for an example of this feature.

If a user is set up as either an Administrative User or on an Administrative User Team, the option exists to perform an Administrative Complete. In the GUI (Windows) interface, this is a separate command under Action | Consult Tracking. In List Manager, if the user has Administrative privileges, then the program asks if an Administrative Complete should be performed. (An Administrative complete does not have results attached to it.)

Deny Request (DY) Action

The Deny Request action has been subsumed by the Cancel action. See Cancel (CX) Action on page 112.

Detailed Order Display (DD) Action

The Detailed Order Display action provides a list of all consult information contained in the computer file.

Example:

```
Select Consult Management Option: CS  Consult Service Tracking
Select Patient: CPRSPATIENT,FOUR CPRSPATIENT,FOUR       12-04-49     666438796      SC
VETERAN

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date:  ALL DATES // <Enter> ALL DATES
```

```
CONSULT TRACKING                 Nov 01, 1997 13:55:32        Page:   1 of   1
CPRSPATIENT,FOUR 666-43-8796         2B M              DEC 4,1949 (50)  <CAD>
                                                          Wt.(lb): 184
    Requested  St    No.   Consult/Procedure Request
1   11/01/97   c     675   PULMONARY Consult
2   10/06/00   p     566   EYE CLINIC Cons
3   09/21/00   p     464   Electrocardiogram CARDIOLOGY Proc




          Enter ?? for more actions
SP Select Patient   FR Forward       CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select:Quit// DD   Detail Display
```

```
Select Consult Number: 1
```

You can do just the opposite of the example above; i.e., you can select a consult first then type the action DD. The result is the same.
(Continued on next page.)

```
CONSULTS DETAILED DISPLAY      Nov 01, 1997 13:55:42        Page:   1 of   5
CONSULT DETAILED DISPLAY                              Consult No.: 675
CPRSPATIENT,TWO     666-67-1996    DOB: MAR 5,1949 (48)  Wt. (lb): No Entry

Current Inpatient/Outpatient: Inpatient
Ward:                 2B
Eligibility:          SC VETERAN
To Service:           PULMONARY
From Service:         MEDICINE
Reason For Request:   Pt experiences shortness of breath when out of
                bed.
Status:               COMPLETE

ATTENTION:            CPRSPROVIDER,TWO
Place:                Bedside
Urgency:              Routine

Request Activity       Date/Time     Ordering Clinician  Entered By
                    11/01/97 10:13  CPRSPROVIDE,ONE     CPRSPROVIDE,ONE
RECEIVED            11/01/97 10:15  CPRSPROVIDER,ONE    CPRSPROVIDER,ONE
+        Enter ?? for more actions

Select Action:Next Screen// <Enter>
```

```
CONSULTS DETAILED DISPLAY      Nov 01, 1997 14:00:20        Page:   2 of   5
CONSULT DETAILED DISPLAY                              Consult No.: 675
CPRSPATIENT,TWO     666-67-1996    DOB: MAR 5,1949 (48)  Wt. (lb): No Entry
+
COMPLETED               11/01/97 10:17  CPRSPROVIDER,ONE   CPRSPROVIDER,ONE
-------------------------- TIU CONSULT REPORT ------------------------------

  Source Information
  Reference Date: NOV 01, 1997@10:15:35         Author: CPRSPROVIDER,ONE
     Entry Date: NOV 01, 1997@10:15:35       Entered By: CA
 Expected Signer: CPRSPROVIDER,ONE     Expected Cosigner: None
       Urgency: None                    Document Status: COMPLETED
     Line Count: 21                     TIU Document #: 2330
        Subject: None

  Associated Problems   No linked problems.

  Edit Information
     Edit Date: NOV 01, 1997@10:17:23        Edited By: CPRSPROVIDER,ONE
+        Enter ?? for more actions

Select Action:Next Screen// <Enter>
```

(Continued on next page.)

```
CONSULTS DETAILED DISPLAY     Nov 01, 1997 14:02:13        Page:   3 of   5
CONSULT DETAILED DISPLAY                              Consult No.: 675
CPRSPATIENT,TWO     666-67-1996    DOB: MAR 5,1949 (48)  Wt. (lb): No Entry
+
  Reassignment History   Document Never Reassigned.

  Signature Information
     Signed Date: NOV 01, 1997@10:17:35          Signed By: CPRSPROVIDER,ONE
                                            Signature Mode: ELECTRONIC
  Cosigned Date: None                           Cosigned By: None
                                            Cosignature Mode: None


  Document Body

At the time I went to examine the pt, he was acutely broncho-
spastic and in moderately severe respiratory distress.  I had him
deliver a puff of albuterol with an Aerochamber; his technique was
poor. I then instructed him and delivered an additional four puffs,
which he did with good technique.  He was improved and with a clear
lung exam within a few seconds (though wheezes were still present
+          Enter ?? for more actions

Select Action:Next Screen// <Enter>
```

```
CONSULTS DETAILED DISPLAY     Nov 01, 1997 14:03:47        Page:   4 of   5
CONSULT DETAILED DISPLAY                              Consult No.: 675
CPRSPATIENT,TWO     666-67-1996    DOB: MAR 5,1949 (48)  Wt. (lb): No Entry
+
on forced expiration).

The pt regimen is lacking in inhaled corticosteroids.  Recognizing
that asthma is an inflammatory process, inhaled steroids are important
in controlling the inflammtory response.  My practice for severely
out-of-control asthmatics is to use high-dose inhaled steroids,
typically vanceril, 16 puffs qid, with a spacing device such as the
Aerochamber. I would institute such a regimen while he is here.

The pt has an in-house pet dog and an outside pet cat.  I have
told him that the cat should go, even if it is outdoors.  Cat saliva
contains a glycoprotein that leaves residue on their coats and flakes
into the air; it is problematic for many asthmatics.
The purulent phlegm asthmatics have during exacerbations is usually
+          Enter ?? for more actions

Select Action:Next Screen// <Enter>
```

(Continued on the next page.)

```
CONSULTS DETAILED DISPLAY      Nov 01, 1997 14:07:36          Page:   5 of   5
CONSULT DETAILED DISPLAY                              Consult No.: 675
CPRSPATIENT,TWO      666-67-1996     DOB: MAR 5,1949 (48)  Wt. (lb): No Entry
+
due to the eosinophils, not from infection.  Antibiotics are usually
not necessary.

If you like, you may refer Mr. Bud to my clinic after discharge.
================================== END ======================================



            Enter ?? for more actions

Select Action:Quit//
```

Discontinue Order (DC) Action

The Discontinue Order (DC) action is used by clinical personnel to stop a consult/procedure request after it has been signed. This differs from the cancel action in that there is not Edit/Resubmit action available on a discontinued order.

In the example below, the Discontinue Order action is used to cancel a duplicate order:

```
Select OPTION NAME: GMRC MGR          Consult Management      menu

Select Consult Management Option: cs  Consult Service Tracking
Select Patient: CPRSPATIENT,FOUR CPRSPATIENT,FOUR        12-04-49     666438796      SC
VETERAN

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date:  ALL DATES // <Enter> ALL DATES
```

```
CONSULT TRACKING              Jun 19, 1997 09:31:19       Page:   1 of   1
CPRSPATIENT,FOUR 666-43-8796          2B M            DEC 4,1949 (50)   <CAD>
                                                         Wt.(lb): 184
     Requested  St    No.   Consult/Procedure Request
1   10/06/00   p    1766  EYE CLINIC Cons
2   09/21/00   p    1764  Electrocardiogram CARDIOLOGY Proc
3   04/25/00   c    1713  CARDIOLOGY Cons
4   03/21/00   c    1701  CARDIOLOGY (SOUTH) Cons
5   02/22/00   pr   1687  PULMONARY (SOUTH) Cons
6   01/26/00   c    1665  CARDIOLOGY Cons
7   06/02/99   c    1483  VENTRICAL LEAD IMPLANT CARDIOLOGY Proc
8   04/29/99   c    1455  CARDIOLOGY (oex) CARDIOLOGY Cons
9   02/18/99   x    1395  CARDIOLOGY Cons
10  01/06/99   c    1322  MARCIA'S SPECIALTY SEA-MARCIA'S SPECIALTY Cons
11  01/05/99   c    1310 *GASTROENTEROLOGY CARDIOLOGY Cons
12  01/04/99   c    1287  CARDIOLOGY Cons
          Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select Consult: Quit// DC   Discontinue
```

```
CHOOSE No. 1-7: 3
Responsible Clinician: CPRSPROVIDER,TWO       CRS         PHYSICIAN
Date/Time of Actual Activity: NOW// <Enter>   (JUN 19, 1997@09:31)
Enter COMMENT:
  1>Duplicate
  2> <Enter>
EDIT Option: <Enter>
```

(Continued on next page.)

```
CONSULT TRACKING              Jun 19, 1997 09:31:58      Page:  1 of  1
CPRSPATIENT,FOUR 666-43-8796        2B M          DEC 4,1949 (50)  <CAD>
                                                      Wt.(lb): 184
    Requested  St    No.   Consult/Procedure Request
1   10/06/00   p    1766   EYE CLINIC Cons
2   09/21/00   p    1764   Electrocardiogram CARDIOLOGY Proc
3   04/25/00   dc   1713   CARDIOLOGY Cons
4   03/21/00   c    1701   CARDIOLOGY (SOUTH) Cons
5   02/22/00   pr   1687   PULMONARY (SOUTH) Cons
6   01/26/00   c    1665   CARDIOLOGY Cons
7   06/02/99   c    1483   VENTRICAL LEAD IMPLANT CARDIOLOGY Proc
8   04/29/99   c    1455   CARDIOLOGY (oex) CARDIOLOGY Cons
9   02/18/99   x    1395   CARDIOLOGY Cons
10  01/06/99   c    1322   MARCIA'S SPECIALTY SEA-MARCIA'S SPECIALTY Cons
11  01/05/99   c    1310  *GASTROENTEROLOGY CARDIOLOGY Cons
12  01/04/99   c    1287   CARDIOLOGY Cons
          Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select Consult: Quit//
```

Edit/Resubmit (ER)   Action

In the case where a consult is cancelled (or denied) for clerical reasons (e.g., test results that indicate that the consult is needed), then the original submitter or an update user for the relevant service has a chance to edit the consult to include the missing information, and resubmit it. This may be done from either the alert screen, or from the consult tracking screen. In either case, the procedure is the same. See **Consult/Request Cancel/Hold** on page 151 for an example.

Forward Request (FR) Action

Entering the Forward Request allows you to forward a consult or request to any other Service/Specialty, provided that Service/Specialty has been set up by IRM personnel to receive consults online. Thus the decision by the referring clinician regarding who should receive the consult can be modified by the receiving Service/Specialty. This action is available from both the CPRS screen and the Consult/Request Alerts screen.

If a request needs to be forwarded to a clinic that is not a sub-service of your clinic, the FR (Forward Request) action should be used. This action is discussed in the **Forward the Consult** section under **Work Flow** on page **24**.

Make Addendum (MA) Action

The Make Addendum action allows one or more people to add their comments to the results of a consult. Contrast this to Add Comment, which adds a note to the consult before it is resulted.

There is an example of Make Addendum in the Windows section on page 84.

Print Form (PF) Action

With the Print Form Action, you can print either a chart or working copy of the consult form. To use this action from the Windows interface, follow these steps:

From the Consults tab, select the consult you want to print.
- Select File | Print Form.
- Select the printer you want the form to come out on.
- Choose Chart Copy or Work Copy.
- Choose OK.

For an example of the Print Form option as used from the List Manager interface, see page 30.

Print Screen Contents (PS) Action

This option prints the information that is on the screen. The output is not exactly a screen image, as it does not include the prompt area at the bottom of the screen. To print the entire contents of a consult request, use the Print Form (PF) action.
Example:

```
CONSULTS DETAILED DISPLAY      Jun 20, 1997 10:40:56      Page:   1 of    2
CONSULT DETAILED DISPLAY                          Consult No.: 208
CPRSPATIENT,FOUR 666-43-8796        2B M            DEC 4,1949 (50)   <CAD>

Current Inpatient/Outpatient: Inpatient
Ward:                1A
Eligibility:         SC VETERAN
To Service:          PULMONARY
From Service:
Provisional Diagnosis: Broken interface with CPRS.
Reason For Request:    Checking action of DY (denying) a consult as to
               DC (discontinuing) a consult.
Status:              DISCONTINUED

Urgency:             SWITCH BED

Request Activity      Date/Time       Ordering Clinician  Entered By
ENTERED IN OE/RR      03/05/97 16:09  CPRSPROVIDER,TWO    CPRSPROVIDER,TWO
                      //
Forwarded From MEDICINE
+        Enter ?? for more actions

Select Action:Next Screen// ps    PS
```

```
DEVICE: HOME// laser   PRINTER ROOM LN11 12 PITCH
DO YOU WANT YOUR OUTPUT QUEUED? NO//    (NO)
```

Quit (Q) Action

Enter the Quit (Q) action at the last Select prompt to quit using your Consults option.
Users may enter Q to Quit or **^** to Exit the option at anytime.

Receive Request (RC) Action

Performing the Receive action on a consult changes its status from Pending to Active. This puts your clinic on record as accepting responsibility for completing the consult.
On page 26 we give an example of receiving a consult from a consult tracking screen. This is an example of receiving a consult from a notification alert:

```
You have PENDING ALERTS
        Enter  "VA   VIEW ALERTS     to review alerts

Select OE/RR Manager Menu Option: VA  View Alerts

 1.   CPRSPATIENT,FOUR (C8796): New  Consult/Request ()
 2.   CPRSPATIENT,TWO (C9600): New Consult/Request  (Today)
 4.   CPRSPATIENT,ONE (C3456): Consult/Request DENIED Consult
        Select from 1 to 6
        or enter ?, A I, F, P, M, R, or ^ to exit: 1

Consult/Request Alerts     Feb 13, 1998 13:34:56     Page:   1 of  1
CPRSPATIENT,FOUR 666-43-8796          2B M                DEC 4,1949 (50)   <CAD>
                                                  Wt.(lb): 184     Number
Date    Stat  Service           Procedure
 187      02/14/97 p    NEUROLOGY        Consult




              Enter ?? for more actions
SP Select Patient    FR Forward        CT Complete/Update  RT Results Display
CV Change View ...   CX Cancel (Deny)   MA Make Addendum     PF Print Form 513
RC Receive           DC Discontinue     SF Sig Findings      RM Remove Med Rslt
SC Schedule          CM Add Comment     DD Detailed Display  ER Edit/Resubmit
Select: Quit// RC   Receive Request

Who received it?: CPRSPROVIDER,ONE        OC
Date/Time Actually Received: NOW//    (FEB 13, 1998@13:36)
(Continued on the next page.)
```

Package Reference

```
Consult/Request Alerts      Feb 13, 1998 13:36:52      Page:  1 of  1
CPRSPATIENT,FOUR 666-43-8796          2B M              DEC 4,1949 (50)   <CAD>
                                                              Wt.(lb): 184
      Number      Date     Stat  Service           Procedure
      187         02/14/97 a     NEUROLOGY         Consult




          Enter ?? for more actions
SP Select Patient    FR Forward        CT Complete/Update  RT Results Display
CV Change View ...   CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive           DC Discontinue    SF Sig Findings     RM Remove Med Rslt
SC Schedule          CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit//
```

Remove Medicine Results (RM)

This action is used when a medicine result has been attached to a consult in error. It's use is restricted, but generally speaking, it can be done by anyone who can attach medicine results.

Attaching medicine results is done in conjunction with the Complete (CT) action in List Manager. See the section on medicine resulting on page 53 for details. In Windows, attaching and detaching medicine results are accomplished thru their own menu commands that are activated whenever medicine results are available. Fore an example of medicine results in Windows, refer to the Windows Quick Start section on page 74.

In this example, we use List Manager to remove an incorrect medicine results:

```
CONSULT TRACKING             Mar 02, 2001@13:53:35        Page:   1 of   1
CPRSPATIENT,FOUR 666-43-8796          2B M            DEC 4,1949 (50)   <CAD>
                                                           Wt.(lb): 184
     Requested  St    No.   Consult/Procedure Request
1    03/02/01  p     599   ELECTROCARDIOGRAM CARDIOLOGY Proc
2    02/21/01  c     597   ELECTROCARDIOGRAM CARDIOLOGY Proc
3    10/10/96  a     242   ELECTROCARDIOGRAM CARDIOLOGY Proc
4    09/08/95  c     187   CARDIOLOGY CLINIC Cons
5    08/14/95  pr    183   12 LEAD STAT EKG CARDIOLOGY Proc
6    08/14/95  c     184   12 LEAD STAT EKG CARDIAC TRANSPLANT Proc
7    04/29/94  pr     53   ECHO CARDIOLOGY Proc
8    04/29/94  pr     54   ECHO CARDIOLOGY Proc
9    04/29/94  p      55   ECHO CARDIOLOGY Proc




          Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit//RM
```

```
CHOOSE No. 1-9: 1
```

```
Procedure/Medicine Resulting  Mar 02, 2001@11:34:48       Page:   1 of   1
CPRSPATIENT,FOUR 666-43-8796          2B M            DEC 4,1949 (50)   <CAD>
Consult No.: 242              Associated Medicine Results

 1   ELECTROCARDIOGRAM       OCT 2,1995@10:00    ABNORMAL




                      Select action or item number
DM Disassociate result    DR Display Result
Select Action:Quit// DM
```

```
Select item:  (1-1): 1
   ELECTROCARDIOGRAM       OCT 2,1995@10:00    ABNORMAL

Are you sure you want to disassociate this result? NO// Y  YES
```

Results Display (RT) Action

The Results Display (RT) action allows you to review results of any consult/request for a patient.

The following is an example of the report displayed when you select the RT action:

```
                 C S L T   R E S U L T S   D I S P L A Y
CPRSPATIENT,FOUR 666-43-8796        2B M            DEC 4,1949 (50)   <CAD>
--------------------- ELECTROCARDIOGRAM SUMMARY REPORT --------------------

DIAGNOSIS
 Interpretation Code (rhythm):  SINUS TACHYCARDIA
 Interpretation Code (config):  ABNORMAL ECG

INDICATIONS
 Type OF EKG:                   STAT RETRIEVAL

SUMMARY
 Summary:                       ABNORMAL
 Summary procedure:             Sinus rhythm has replaced atrial flutter

Press return to continue or "^" to escape   <Enter>
```

Schedule (SC) Action

The Schedule action is similar to the Receive (RC) action in that it changes the status of a consult. There is no interface with the Scheduling Package at this time. This action is intended only for annotational purposes.

Unlike the Receive action, this action sends an alert. You can use this alert to inform the requestor of the date and time of the appointment.

In the following example we change the status of a consult from "p" pending to "s" scheduled:

```
CONSULT TRACKING              Jun 08, 2000 21:14:16       Page:   1 of   1
CPRSPATIENT,FOUR 666-43-8796          2B M          DEC 4,1949 (50)  <CAD>
                                                         Wt.(lb): 184
    Requested  St    No.   Consult/Procedure Request
1   07/22/99   p    1561   EXERCISE TOLERANCE TEST CARDIOLOGY Proc
2   05/20/99   p    1470   CARDIOLOGY (oex) CARDIOLOGY Cons
3   04/13/99   c    1437   CARDIOLOGY (oex) CARDIOLOGY Cons
4   04/01/99   c    1429   CARDIOLOGY (oex) CARDIOLOGY Cons
5   02/26/99   c    1406   CARDIOLOGY Cons
6   01/05/99   c    1312   CARDIOLOGY Cons
7   01/04/99   c    1290 *CARDIOLOGY Cons
8   12/18/98   c    1252   CARDIOLOGY Cons
9   12/14/98   c    1234   CARDIOLOGY Cons


          Enter ?? for more actions
SP Select Patient   FR Forward       CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit//SC    Schedule
```

```
CHOOSE No. 1-9: 2
Who scheduled it?: CPRSPROVIDER,ONE   CPRSPROVIDER,ONE   OC        PHYSICIAN
Enter COMMENT...
  1>9:30 pm Jun 23 in Bldg 4
  2> <Enter>
EDIT Option: <Enter>
Do You Wish To Send An Alert With This Comment? N// Y  YES
Send Alert To Requesting Provider CPRSPROVIDER,THREE? N// Y  YES
Send Alert to: <Enter>
Processing Alerts...
```

(Continued on the next page.)

Package Reference

```
CONSULT TRACKING              Jun 08, 2000 21:16:45      Page:   1 of    1
CPRSPATIENT,FOUR 666-43-8796          2B M            DEC 4,1949 (50)  <CAD>
                                                         Wt.(lb): 200
    Requested  St    No.   Consult/Procedure Request
1   07/22/99   p    1561   EXERCISE TOLERANCE TEST CARDIOLOGY Proc
2   05/20/99   s    1470   CARDIOLOGY (oex) CARDIOLOGY Cons
3   04/13/99   c    1437   CARDIOLOGY (oex) CARDIOLOGY Cons
4   04/01/99   c    1429   CARDIOLOGY (oex) CARDIOLOGY Cons
5   02/26/99   c    1406   CARDIOLOGY Cons
6   01/05/99   c    1312   CARDIOLOGY Cons
7   01/04/99   c    1290  *CARDIOLOGY Cons
8   12/18/98   c    1252   CARDIOLOGY Cons
9   12/14/98   c    1234   CARDIOLOGY Cons



          Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select: Quit//
```

Select New Patient (SP) Action

This option allows you to change patients at any time.

Example:

```
CONSULT TRACKING              Jun 20, 1997 14:44:26       Page:   1 of   1
CPRSPATIENT,FOUR 666-43-8796         2B M             DEC 4,1949 (50)   <CAD>
                                                           Wt.(lb): 184
     Requested  St    No.   Consult/Procedure Request
1   08/18/99   a    1586   PULMONARY Cons
2   08/18/99   a    1585   PULMONARY Cons
3   06/23/99   c    1545   PULMONARY Cons




              Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)   MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue     SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment     DD Detailed Display ER Edit/Resubmit
Select: Quit// SP   New Patient
```

```
Select Patient: CPRSPATIENT,THREE 01-01-51    666123456     YES     SC VETERAN

Select Service/Specialty: ALL SERVICES// PULMONARY
List From Starting Date:  ALL DATES // <Enter> ALL DATES
```

(Continued on the next page.)

```
CONSULT TRACKING            Jun 20, 1997 14:44:38      Page:   1 of   1
CPRSPATIENT,THREE               666-12-3456  2B         MAR 3,1960 (40)  <AD>
                                                         Wt.(lb): 184
    Requested  St    No.   Consult/Procedure Request
1  09/14/98    c    1163  PULMONARY Cons
2  09/09/98    dc   1162  PULMONARY Cons
3  07/14/98    dc   1116  PULMONARY Cons
4  07/14/98    c    1114 *CARDIOLOGY PULMONARY Cons




              Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display  ER Edit/Resubmit
Select:  Quit//
```

Significant Findings (SF) Action

The Significant Findings action allows a clinic or service to append a significant findings flag onto a consult (whether completed or not). The action prompts you to enter a comment and sends an alert either at the time the SF action is taken or when the consult is complete. An asterisk is placed next to the consults that have a Significant Findings value of Y.

In this example we add a significant finding to an already completed consult:

```
CONSULT TRACKING            May 01, 1998 14:51:35      Page:    1 of    2
CPRSPATIENT,THREE           666-12-3456   2B           MAR 3,1960 (40)  <AD>
                                                          Wt.(lb): 184
     Requested  St    No.   Consult/Procedure Request
1    09/21/00   p    1764   Electrocardiogram CARDIOLOGY Proc
2    04/25/00   c    1713   CARDIOLOGY Cons
3    01/26/00   c    1665   CARDIOLOGY Cons
4    06/02/99   c    1483   VENTRICAL LEAD IMPLANT CARDIOLOGY Proc
5    04/29/99   c    1455   CARDIOLOGY (oex) CARDIOLOGY Cons
6    02/18/99   x    1395   CARDIOLOGY Cons
7    01/05/99   c    1310  *GASTROENTEROLOGY CARDIOLOGY Cons
8    01/04/99   c    1287   CARDIOLOGY Cons
9    12/18/98   c    1249   CARDIOLOGY Cons
10   10/09/98   c    1184   CARDIOLOGY Cons
11   08/24/98   dc   1144   CARDIOLOGY Cons
12   07/13/98   c    1113  *CARDIOLOGY Cons
+          Enter ?? for more actions
SP Select Patient   FR Forward         CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)   MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue     SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment     DD Detailed Display ER Edit/Resubmit
Select: Next Screen// SF   Sig Findings
```

```
CHOOSE No. 1-17: 1

Current Significant Findings = not entered yet

Are there significant findings? (Y/N/U): unknown// yes
Enter COMMENT:
  1>Pt experiencing 60% loss of breathing efficiency.
  2>
EDIT Option:
Alert will be sent to Requesting Provider: CPRSPROVIDER,TWO
Send Alert to: CPRSPROVIDER,TWO added to the list.
And Send Alert to: CPRSPROVDER,THREE already in the list.
And Send Alert to:
Processing Alerts...
```

(Continued on the next page.)

Package Reference

```
CONSULT TRACKING            May 01, 1998 14:52:28      Page:    1 of    2
CPRSPATIENT,THREE           666-12-3456   2B           MAR 3,1960 (40)   <AD>
                                                       Wt.(lb): 184
     Requested   St    No.   Consult/Procedure Request
1    09/21/00    p    1764 *Electrocardiogram CARDIOLOGY Proc
2    04/25/00    c    1713  CARDIOLOGY Cons
3    01/26/00    c    1665  CARDIOLOGY Cons
4    06/02/99    c    1483  VENTRICAL LEAD IMPLANT CARDIOLOGY Proc
5    04/29/99    c    1455  CARDIOLOGY (oex) CARDIOLOGY Cons
6    02/18/99    x    1395  CARDIOLOGY Cons
7    01/05/99    c    1310 *GASTROENTEROLOGY CARDIOLOGY Cons
8    01/04/99    c    1287  CARDIOLOGY Cons
9    12/18/98    c    1249  CARDIOLOGY Cons
10   10/09/98    c    1184  CARDIOLOGY Cons
11   08/24/98    dc   1144  CARDIOLOGY Cons
12   07/13/98    c    1113 *CARDIOLOGY Cons
+           Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum     PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings      RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display  ER Edit/Resubmit
Select: Next Screen//
```

Notifications about Consults and Requests

During your session, you may notice:

```
You have PENDING ALERTS
            Enter "VA VIEW ALERTS to review alerts

Select Clinician Menu Option:
```

This appears on the screen before each prompt. You may enter VA at any menu prompt in which this message appears to view patient information related to pending notifications.

There are five notifications relating to consults:

OE/RR Notifications	Notification Number	Recipients
New Service Consult/Request	27	Service Users plus Attention
Consult/Request Resolution	23	Ordering Provider on Complete
Consult/Request Cancel/Hold	30	Ordering Provider and others as determined by who is taking the action. The NOTIFY ON DC field in file 123.5 affects who gets the alert on DC.
Consult/Request Update	63	Determined by the individual taking the associated action.*
Order(s) Require Electronic Signature	5	Determined by CPRS

The purpose of these notifications is to allow you to take appropriate follow-up action. This might involve merely reading new information, or it might involve several actions on your part such as scheduling an appointment, signing a consult, resubmission, etc.

*NOTE:
- When a comment is added by an UPDATE USER, the alert will only go to the ordering provider (unless additional alert recipients are added).
- When a comment is added by a SERVICE TEAM member, the alert will only go to the ordering provider (unless additional alert recipients are added).

To initiate the follow-up action, enter VA at the prompt after the view alerts message. In the following example, a user follows up a notification by signing an order:

```
You have PENDING ALERTS
         Enter "VA VIEW ALERTS to review alerts

Select CPRS Manager Menu Option: VA  View Alerts

 1. CPRSPATIENT,ONE (C4723): New order(s) placed.
 2. CPRSPATIENT,THREE (C3456): Consult/Request DENIED To Service: PODIATRY
 3. CPRSPATIENT,ONE (C4723): Order requires electronic signature.
Select from 1 to 3

         or enter ?, A I, F, P, M, R, or ^ to exit
         or RETURN to continue: 3
Processing alert: CPRSPATIENT,ONE (C4723): Order requires electronic signature.
Searching the patient's chart ...
```

```
Unsigned Orders                 Sep 24, 1997 09:22:04          Page: 1 of 1
CPRSPATIENT,THREE               666-12-3456   2B              MAR 3,1960 (40)   <AD>
                     Selected date range: None Selected

     Item Ordered                                  Requestor    Start  Stop    ts
1    >> Weight *UNSIGNED*                         | CPRSPROVIDER,O               unr
2    Consult to CARDIOLOGY Consultant's Choice    | CPRSPROVIDER,O               unr
     *UNSIGNED*                                   |
3    Consult to CARDIOLOGY Consultant's Choice    | CPRSPROVIDER,O               unr
     *UNSIGNED*                                   |
Enter the numbers of the items you wish to act on.




          Enter the numbers of the items you wish to act on.             >>>
+   Next Screen               - Previous Screen          Q Quit

Select: Quit// 2
```

```
Unsigned Orders                 Sep 24, 1997 09:22:04          Page: 1 of 1
CPRSPATIENT,THREE               666-12-3456   2B              MAR 3,1960 (40)   <AD>
                     Selected date range: None Selected

     Item Ordered                                  Requestor    Start  Stop    Sts
1    >> Weight *UNSIGNED*                         | CPRSPROVIDER,O               unr
2    Consult to CARDIOLOGY Consultant's Choice    | CPRSPROVIDER,O               unr
     *UNSIGNED*                                   |
3    Consult to CARDIOLOGY Consultant's Choice    | CPRSPROVIDER,O               unr
     *UNSIGNED*                                   |
Enter the numbers of the items you wish to act on.




          Enter the numbers of the items you wish to act on.             >>>
     Change                              Sign
     Discontinue                         Detailed Display

Select: Quit// S
```

```
Consult to CARDIOLOGY Consultant's Choice –



Enter your Current Signature Code:    SIGNATURE VERIFIED
Consult to CARDIOLOGY Consultant's Choice signed.
Searching the patient's chart ...
```

Enter your electronic signature here.

(Continued on the next page.)

Package Reference

```
Unsigned Orders              Sep 24, 1997 09:22:04         Page: 1 of 1
CPRSPATIENT,THREE            666-12-3456   2B           MAR 3,1960 (40)   <AD>
                    Selected date range: None Selected

    Item Ordered                             Requestor    Start  Stop      ts
1   >> Weight *UNSIGNED*                    | CPRSPROVIDER,O             unr
3   Consult to CARDIOLOGY Consultant's Choice | CPRSPROVIDER,O          unr
    *UNSIGNED*                              |
Enter the numbers of the items you wish to act on.







          Enter the numbers of the items you wish to act on.         >>>
+   Next Screen              - Previous Screen          Q Quit

Select: Quit//
```

Enabling Notifications

In many cases Notifications will not come to you automatically. To find out what Notifications you should be getting, you can run the Show Me the Notifications I Can Receive option from the Notifications Management Menu. If this report shows any notifications you want to receive that are disabled, you may enable them with the Enable/Disable My Notifications option.

In this example we run the Show Me the Notifications I Can Receive report and then enable Consult/Request Cancel/Hold, Consult/Request Resolution, and New Service Consult/Request (Notice that Order(s) Require Electronic Signature is already on):

```
Select Notification Mgmt Menu Option: ?

   1      Enable/Disable My Notifications
   2      Erase All of My Notifications
   3      Set Notification Display Sort Method (GUI)
   4      Send me a MailMan bulletin for Flagged Orders
   5      Show Me the Notifications I Can Receive
   6      Set Surrogate to Receive My Notifications

Enter ?? for more options, ??? for brief descriptions, ?OPTION for help text.

Select Notification Mgmt Menu Option: 5  Show Me the Notifications I Can Receive

Would you like help understanding the list of notifications? No// Y  (Yes)
DEVICE: HOME// <Enter> VAX

             Notification List Help Message                  Page:   1


The delivery of notifications as alerts is determined from values set for:
Users, OE/RR Teams, Service/Sections, Inpatient Locations,
Hospital Divisions, Computer System and Order Entry/Results Reporting.
Possible values include 'Enabled', 'Disabled' and 'Mandatory'. These values
indicate a User's, OE/RR Team's, Service's, Location's, Division's, System's
and OERR's desire for the notification to be 'Enabled' (sent under most
conditions), 'Disabled' (not sent), or 'Mandatory' (almost always sent.)

All values, except the OERR (Order Entry) value, can be set by IRM
or Clinical Coordinators. Individual users can set 'Enabled/Disabled/Mandatory'
values for each specific notification via the 'Enable/Disable My Notifications'
option under the Personal Preferences and Notification Mgmt Menu option menus.
'ON' indicates the user will receive the notification under normal conditions.
'OFF' indicates the user normally will not receive the notification.
Notification recipient determination can also be influenced by patient
location (inpatients only.) This list does not consider patient location
when calculating the ON/OFF value for a notification.

          - End of Report -

Press RETURN to continue: <Enter>

This will take a moment or two, please stand by................................
................
DEVICE: HOME// <Enter> VAX

             Notification List for CPRSPROVIDER,ONE           Page:   1

Notification                       ON/OFF For This User and Why
-----------------------------      --------------------------------------------
```

```
ABNORMAL IMAGING RESULTS          ON   OERR value is Mandatory
ABNORMAL LAB RESULT (INFO)        ON   User value is Mandatory
ABNORMAL LAB RESULTS (ACTION)     OFF  OERR value is Disabled
ADMISSION                         ON   OERR value is Enabled
CONSULT/REQUEST CANCEL/HOLD       ON   User value is Mandatory
CONSULT/REQUEST RESOLUTION        ON   User value is Mandatory
CONSULT/REQUEST UPDATED           OFF  OERR value is Disabled
CRITICAL LAB RESULT (INFO)        ON   OERR value is Mandatory
CRITICAL LAB RESULTS (ACTION)     ON   OERR value is Mandatory
DC ORDER                          OFF  OERR value is Disabled
DECEASED PATIENT                  ON   OERR value is Enabled
DISCHARGE                         OFF  OERR value is Disabled
DNR EXPIRING                      OFF  OERR value is Disabled
ERROR MESSAGE                     OFF  OERR value is Disabled
FLAG ORDER FOR CLARIFICATION      ON   OERR value is Enabled
FLAGGED OI EXPIRING - INPT        OFF  OERR value is Disabled
FLAGGED OI EXPIRING - OUTPT       OFF  OERR value is Disabled
FLAGGED OI ORDER - INPT           OFF  OERR value is Disabled
FLAGGED OI ORDER - OUTPT          ON   System value is Enabled
FLAGGED OI RESULTS - INPT         OFF  OERR value is Disabled
FLAGGED OI RESULTS - OUTPT        OFF  OERR value is Disabled
FOOD/DRUG INTERACTION             OFF  OERR value is Disabled
FREE TEXT                         OFF  OERR value is Disabled
IMAGING PATIENT EXAMINED          OFF  User value is Disabled
IMAGING REQUEST CANCEL/HELD       ON   OERR value is Enabled
IMAGING RESULTS                   OFF  User value is Disabled
IMAGING RESULTS AMENDED           OFF  OERR value is Disabled
LAB ORDER CANCELED                OFF  OERR value is Disabled
LAB RESULTS                       OFF  OERR value is Disabled
MEDICATIONS EXPIRING              OFF  OERR value is Disabled
NEW ORDER                         OFF  OERR value is Disabled
NEW SERVICE CONSULT/REQUEST       ON   User value is Mandatory
NPO DIET MORE THAN 72 HRS         OFF  OERR value is Disabled
ORDER CHECK                       OFF  OERR value is Disabled
ORDER REQUIRES CHART SIGNATURE    ON   OERR value is Mandatory
ORDER REQUIRES CO-SIGNATURE       OFF  OERR value is Disabled
ORDER REQUIRES ELEC SIGNATURE     ON   OERR value is Mandatory
ORDERER-FLAGGED RESULTS           OFF  OERR value is Disabled
SERVICE ORDER REQ CHART SIGN      ON   OERR value is Mandatory
STAT IMAGING REQUEST              OFF  OERR value is Disabled
STAT ORDER                        OFF  OERR value is Disabled
STAT RESULTS                      OFF  OERR value is Disabled
TRANSFER FROM PSYCHIATRY          OFF  OERR value is Disabled
UNSCHEDULED VISIT                 ON   OERR value is Enabled
UNVERIFIED MEDICATION ORDER       OFF  OERR value is Disabled
UNVERIFIED ORDER                  OFF  OERR value is Disabled
URGENT IMAGING REQUEST            OFF  OERR value is Disabled


        - End of Report -
```

```
Select Notification Mgmt Menu Option: 1  Enable/Disable My Notifications

                    Enable/Disable My Notifications
-------------------------------------------------------------------------------

------------------ Setting   for User: CPRSPROVIDER,ONE ------------------
Select Notification: cons
     1   CONSULT/REQUEST CANCEL/HOLD
     2   CONSULT/REQUEST RESOLUTION
     3   CONSULT/REQUEST UPDATED
CHOOSE 1-3: 3  CONSULT/REQUEST UPDATED
Are you adding CONSULT/REQUEST UPDATED as a new Notification? Yes// <Enter> YES

Notification: CONSULT/REQUEST UPDATED// <Enter> CONSULT/REQUEST UPDATED   CONSULT/REQUEST
UPDATED
Value: ?

Code indicating processing flag for the entity and notification.

     Select one of the following:

          M         Mandatory
          E         Enabled
          D         Disabled

Value: Enabled
Select Notification: <Enter>

Select Notification Mgmt Menu Option:
```

New Service Consult/Request

This notification is triggered by the Consults package when a new consult has been requested by a user.

In the following example, the system displays three notifications for new Consults:

```
CPRSPATIE (C5377): New consult Neuro (Stat)
CPRSPATIE (C3456): New consult CAR (Routine)
CPRSPATIE (C6572): New consult PLM (Routine)
         Enter "VA VIEW ALERTS to review alerts

Select Systems Manager Menu Option:
```

As a follow-up action, the system displays the consult in a Consult/Tracking screen so that the recipient can take appropriate action. To initiate the follow-up action, enter VA at the prompt and select the notification you want to follow-up on. After selecting this notification from the View Alerts menu, the system deletes the notification.

In the following example, a new consult is first examined and then a receive action is performed:

```
 1.    CPRSPATIE (C2342): NEW consult CAR (Routine)
 2.    CPRSPATIE (C2432): Consult COMPLETED: CAR
         Select from 1 to 3
         or enter ?, A I, F, P, M, R, or ^ to exit
         or RETURN to continue: A

Processing alert: CPRSPATIENT,NINE (C2342): NEW consult  (Routine)
```

```
Consult/Request Alerts        Feb 13, 1998 13:43:55       Page:    1 of    1
CPRSPATIENT,NINE         666-24-2342   1A              MAR 3,1960 (40)   <AD>
                                                              Wt.(lb): 184
  Number       Date    St  Service                  Procedure
  1          12/16/97  p   CARDIOLOGY               EKG Portable




          Enter ?? for more actions
SP Select Patient    FR Forward         CT Complete/Update  RT Results Display
CV Change View ...   CX Cancel (Deny)   MA Make Addendum    PF Print Form 513
RC Receive           DC Discontinue     SF Sig Findings     RM Remove Med Rslt
SC Schedule          CM Add Comment     DD Detailed Display ER Edit/Resubmit
Select Action: Quit// DD    Detailed Display
```

```
Compiling Report...
```

```
CONSULTS DETAILED DISPLAY     Dec 19, 1997 08:12:04       Page:    1 of    5□
CONSULT DETAILED DISPLAY                            Consult No.: 731
TRAT,JACK     234-24-2342     DOB:  (74)  Wt. (lb): No Entry
                                                              □
```

```
Current Inpatient/Outpatient: Inpatient
Ward:                1A
To Service:          CARDIOLOGY
From Service:        1A
Consult Type:        EKG Portable
Provisional Diagnosis: Cardiomyopathy
Reason For Request:  Rule out alternate diagnosis
Status:              PENDING


Service is to be rendered on an INPATIENT basis
ATTENTION:           CPRSPROVIDER,SEVEN
Place:               Bedside
Urgency:             Stat

Request Activity     Date/Time      Ordering Clinician  Entered By
CPRS RELEASED ORDER  12/16/97 15:52 CPRSPROVIDER,SEVEN  CPRSPROVIDER,SEVEN
+         Enter ?? for more actions

Select Action: Next Screen// Q    Q
```

```
Consult/Request Alerts        Feb 13, 1998 13:44:53     Page:   1 of   1
CPRSPATIENT,NINE         666-24-2342  1A              MAR 3,1960 (40)  <AD>
                                                         Wt.(lb): 184  Number
Date   St  Service                  Procedure
 1          12/16/97  p  CARDIOLOGY                   EKG Portable








          Enter ?? for more actions
SP Select Patient   FR Forward        CT Complete/Update  RT Results Display
CV Change View ...  CX Cancel (Deny)  MA Make Addendum    PF Print Form 513
RC Receive          DC Discontinue    SF Sig Findings     RM Remove Med Rslt
SC Schedule         CM Add Comment    DD Detailed Display ER Edit/Resubmit
Select Action: Quit// RC   Receive
```

```
Who received it?: CPRSPROVIDER,SEVEN        SC

Date/Time Actually Received: NOW//   (DEC 19, 1997 @ 08:12)
```

(Continued on the next page.)

```
Consult/Request Alerts        Dec 19, 1997 08:13:01       Page:    1 of    1
CPRSPATIENT,NINE          666-24-2342   1A             MAR 3,1960 (40)   <AD>
                                                           Wt.(lb): 184   Number
Date    St  Service                     Procedure
  1         12/16/97  a  CARDIOLOGY                    EKG Portable




              Enter ?? for more actions
SP Select Patient    FR Forward         CT Complete/Update  RT Results Display
CV Change View ...   CX Cancel (Deny)    MA Make Addendum    PF Print Form 513
RC Receive           DC Discontinue      SF Sig Findings     ER Edit/Resubmit
SC Schedule          CM Add Comment      DD Detailed Display
Select Action: Quit// <Enter>    QUIT
```

```
Continue Processing ALERTS ? Y//
```

Consult/Request Resolution

This notification is triggered by the Consults package when it determines that a consult is complete.

In the following example, the originating provider receives notifications that consults are complete:

```
CPRSPATIE (C3456): Completed Consult CAR HOLTER
CPRSPATIE (C1996): *Completed Consult CAR
CPRSPATIE (C8910): Completed Consult PSURG
          Enter "VA   VIEW ALERTS     to review alerts

Select Systems Manager Menu Option:
```

As a follow-up action, the system displays the Consult/Request and results/report. To initiate the follow-up action, enter VA at the prompt and select the notification you want to follow-up on. After viewing, the system deletes the notification.

Notice the asterisk on the second notification. This means that there are significant findings for that consult.

Consult/Request Updated

This alert is triggered when a comment is added to consult or the consult is scheduled. Comments may be added either with the Add Comment (CM) action or the Schedule (SC) action. The text of the alert is altered depending on which one of these actions initiated the alert as follows:

Adding a Comment #63 "Comment Added to Consult: . . ."
Scheduling #63 "Scheduled Consult: . . ."
As a follow-up action, the system displays the consult with comments. If appropriate, the clinician may write an additional comment or take other actions as needed.

- When a comment is added by an UPDATE USER, the alert will only go to the ordering provider (unless additional alert recipients are added).
- When a comment is added by a SERVICE TEAM member, the alert will only go to the ordering provider (unless additional alert recipients are added).

This alert is also used by the Healthcare Claims Processing System (HCPS) to notify VA providers the status of a patient who has been referred to a Non-VA Care provider or facility. When an HCPS user enters a comment in RAS, CPRS is updated. The HCPS user might not be a user in VistA; a proxy user will display for 'Responsible Person' and 'Entered By' in the CPRS, as shown below:

```
Facility
Activity                  Date/Time/Zone      Responsible Person  Entered By
--------------------------------------------------------------------------
ADDED COMMENT             08/08/14 22:31      HCPS,APPLICATION    HCPS,APPLICATION
             (entered) 08/08/14 22:40
Author: DOE,JOHN
```

Consult/Request Cancel/Hold

This notification is triggered from the Consults package when a Consult request is cancelled, discontinued, or put on hold.

In the following example, a user receives notification of a discontinued and a denied consult:

```
CPRSPATIE (C2342): Cancelled consult CAR
CPRSPATIE (C9876): Discontinued Consult MEDICINE
CPRSPATIE (C3456): Cancelled consult POD
          Enter "VA   VIEW ALERTS      to review alerts


Select Systems Manager Menu Option:
```

As a follow-up action, the system displays consult with comments. If appropriate, the submitter may resubmit the consult based on this new information. To initiate the follow-up action, enter VA at the prompt and select the notification you want to follow-up on. After viewing, the notification is deleted by the system.

In the following example, a cancelled order is edited and resubmitted:

```
You have PENDING ALERTS
         Enter  "VA   VIEW ALERTS     to review alerts


Select Consult Service Tracking Option: VA  View Alerts

 1.   CPRSPATIE (C2342): Cancelled consult to PLM
 2.   CPRSPATIE (C3456): Discontinued consult to CAR
 3.   CPRSPATIE (C2432): Completed Consult CAR
         Select from 1 to 3
         or enter ?, A I, F, P, M, R, or ^ to exit
         or RETURN to continue: 1

Processing alert: BAXTER,NA (B8840): Cancelled consult PLM
```

(Continued on next page.)

```
Edit Consult Order          Feb 26, 1999 15:58:08       Page:   1 of   2□
Edit Consult for Patient CPRSPATIENT,EIGHT  Consult Number: 1336
Sending Provider: CPRSPROVIDER,SEVEN
  Field Name                    Current Field Contents                   □
  CURRENT STATUS: (Not Editable): CANCELLED
  CANCELLED BY (Not Editable): CPRSPROVIDER,SEVEN
  CANCELLED COMMENT (Not Editable):
Testing edit.
-----------------------------------------------------------------------------
  CANCELLED BY (Not Editable): CPRSPROVIDER,SEVEN
  CANCELLED COMMENT (Not Editable):
Testing edit/resubmit.
-----------------------------------------------------------------------------
SENDING PROVIDER (Not Editable): CPRSPROVIDER,SEVEN
REQUEST TYPE (Not Editable): Consult
-----------------------------------------------------------------------------
1 TO SERVICE: PULMONARY
2 PROCEDURE:
3 Performed as INPT OR OUTPT: Outpatient
+            Enter ?? for more actions
ED Edit A Field          RS ReSubmit Consult
Select Action: Next Screen// <Enter>
```

```
Edit Consult Order          Feb 26, 1999 16:01:18       Page:   2 of   2□
Edit Consult for Patient CPRSPATIENT,EIGHT  Consult Number: 1336
Sending Provider: CPRSPROVIDER,SEVEN
+ Field Name                    Current Field Contents                   □
4 URGENCY: Routine
5 PLACE OF CONSULTATION:
6 ATTENTION (CONSULTANT):
7 PROVISIONAL DIAGNOSIS:
8 REASON FOR REQUEST:
Pt has trouble breathing.


9 COMMENT(S): (Add Only)

ADDED COMMENT (Not Editable) Entered: Jan 11, 1999 BY: CPRSPROVIDER,SEVEN
Testing, more testing.




          Enter ?? for more actions
ED Edit A Field          RS ReSubmit Consult
Select Item/Action:Quit// 7
```

(Continued on the next page.)

```
Edit Consult Order          Feb 02, 1999 10:44:38      Page:   2 of   2
Edit Consult for Patient CPRSPATIENT,NINE  Consult Number: 1366
Sending Provider: CPRSPROVIDER,SEVEN
+ Field Name                 Current Field Contents
8 REASON FOR REQUEST:
Pt is having chest pains.


9 COMMENT(S): (Add Only)








             Enter ?? for more actions
ED Edit A Field         RS ReSubmit Consult
Select Item/Action:Quit// ED   Edit A Field
```

```
Select the fields to edit: 7
Provisional Diagnosis: Angina
```

```
Edit Consult Order          Feb 26, 1999 16:06:16      Page:   2 of   2
Edit Consult for Patient CPRSPATIENT,EIGHT  Consult Number: 1336
Sending Provider: CPRSPROVIDER,SEVEN
+ Field Name                 Current Field Contents
4 URGENCY: Routine
5 PLACE OF CONSULTATION:
6 ATTENTION (CONSULTANT):
7 PROVISIONAL DIAGNOSIS: Angina
8 REASON FOR REQUEST:
Pt has trouble breathing.

9 COMMENT(S): (Add Only)

ADDED COMMENT (Not Editable) Entered: Jan 11, 1999 BY: CPRSPROVIDER,TWO
Testing, more testing.




             Enter ?? for more actions
ED Edit A Field         RS ReSubmit Consult
Select Action: Quit// <Enter>     QUIT
```
(Continued on the next page.)

```
This Consult Has Not Been Resubmitted!!
Resubmit Or All Edits Will Be Lost!!


Do you wish to resubmit now? ? YES// Y  YES
Resubmitting Consult ... One moment please ...
Filing Tracking Data...

 1.   CPRSPATIE (C3456): Discontinued consult to CAR
 2.   CPRSPATIE (C2432): Completed Consult CAR
          Select from 1 to 2
          or enter ?, A I, F, P, M, R, or ^ to exit
          or RETURN to continue:
```

Special Considerations for Discontinued Orders

When an order is Discontinued, who gets the notification depends on the source of the discontinuation. This is dependent on the NOTIFY ON DC field in file 123.5 for the service to which the consult was directed. This field is set by the Set up Consult Services (SS) command of the Consult Management Option.

Consult/Request Has an Added Comment

If a comment is added to a consult by someone in the receiving service, that person is prompted to send notification to the originator of the consult and to any other persons. Other recipients of this notification are controlled as a New Service Consult.
In the following example, a clinician in the Surgery service has added a comment:

```
SIMPSON,H (S9999): Comment Added to Consult CARDIOLOGY
          Enter  "VA   VIEW ALERTS    to review alerts


Select Consult Management Option:
```

The follow-up action is to display the orders containing the comments so that you can read them.
- When a comment is added by an UPDATE USER, the alert will only go to the ordering provider (unless additional alert recipients are added).
- When a comment is added by a SERVICE TEAM member, the alert will only go to the ordering provider (unless additional alert recipients are added).

Order(s) Require Electronic Signature

If you do not sign a consult at the time you initiate it, the CPRS triggers a notification reminding you of the need for an electronic signature.
In the following example, three notifications are presented for Consults that need an electronic signature:

```
CPRSPATIE (C3456): Order requires electronic signature.
CPRSPATIE (C4723): Order requires electronic signature.
CPRSPATIE (C3234): Order requires electronic signature.
          Enter  "VA   VIEW ALERTS    to review alerts

Select Systems Manager Menu Option:
```

The follow-up action is to display the orders requiring electronic signature in a CPRS screen so that you can use the Sign action. The system deletes the notification after you have signed the order.

Significant Findings for a Consult

If the status of the Significant Findings Flag is changed in any way, an alert is sent by the Consults package. As far as the recipients and delivery, this notification is treated like a Consult/ Request Resolution.

This alert may be delayed, at the user's option, until the consult is complete.
In the example that follows, three significant findings notifications are present. One for a completed consult, one for a pending consult, and one for the Significant Findings Flag being turned off on a completed consult:

```
CPRSPATIE (C3456): Sig Findings for consult CAR
CPRSPATIE (C6572): Sig Findings for consult CAR
CPRSPATIE (C1432): No Sig Findings for consult PLM
        Enter  "VA   VIEW ALERTS    to review alerts

Select Systems Manager Menu Option:
```

The follow-up action is to display the orders that have had a change in the Significant Findings Flag in the CPRS screen so that you can examine them.

Glossary

Action	An action in Consults can be selected throughout processing to 1) control screen movement, 2) add new consult orders, or 3) process existing orders.
Consult	Referral of a patient by the primary care physician to another hospital service/ specialty, to obtain a medical opinion based on patient evaluation and completion of any procedures, modalities, or treatments the consulting specialist deems necessary to render a medical opinion.
Consulting Site	In the case of Inter-Facility Consults (IFC, see below) the VA facility that originates the consult.
Discontinued Orders	Orders that are discontinued or cancelled.
HCPS	The Healthcare Claims Processing System is a centralized, automated system that will support the management of purchased care referrals/authorizations.
IFC	Inter-Facility Consults permits the transmitting of consults and related information between Department of Veterans Affairs facilities. Consult requests are made to remote facilities because the needed service is not locally available or for patient convenience. Although the Consult Package is utilized in the hospital settings, Consult requests between facilities have been done manually in the past.
Order	A request for a consult (service/sub-specialty evaluation) or procedure (Electrocardiogram) to be completed for a patient.
Order Cancellation	A request to stop performance of a consult/procedure request; the order may be edited and reactivated
Order Discontinuation	A request to stop (discontinue) performance of a consult/procedure request.

Procedure Request	Any procedure (EKG, Stress Test, etc.) which may be ordered from another service/ specialty without first requiring formal consultation.
RAS	Referral and Authorization System; see HCPS.
Request	See Procedure Request.
Requestor	This is the health care provider (e. g., the physician/clinician) who requests the order to be done.
Result	A consequence of an order. Refers to evaluation or status results. When you use the Complete Request (CT) action on a consult or request, you are transferred to TIU to enter the results.
Resulting Site	In the case of Inter-Facility Consults (IFC, see above) the remote site that performs the consult and enters the results.
Screen Context	This term refers to the particular selection of orders displayed on the screen (e. g., Medicine consults for the patient Ralph Jones).
Service	A clinical or administrative specialty (or department) within a Medical Center.
Status Result	A result that indicates the processing state of an order; for example, a Pharmacy TPN Consult order may be discontinued (dc) or completed (c).
Status Symbols	Codes used in order entry and Consults displays to designate the status of the order.

Index