CliO Terminology Dictionary

and

Clinical Data Model as of Patch MD*1*59

Date/Time Generated: MAY 29,2018@08:05

M Environment: DEV,DEV

==

TERM: ABDOMEN BOWEL SOUNDS   Page: 1

 ID: {A7E05486-2BF9-D304-4925-9A32165B19F0}

==

   Abbreviation................. AB BOW S

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Abdominal Bowel Sounds

   Display Name................ Abdomen Bowel Sounds

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

    2. HYPOACTIVE (HYPOACTIVE)   {2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}

    3. HYPERACTIVE (HYPERACTIV)   {1A548FFE-8645-4C0D-899D-5D91430CC1B1}

    5. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

    6. BRUIT (BRUIT)   {2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

   LOCATION: 5 entries

   ----

    1. ABDOMEN LUQ (ABD LUQ)   {3B31E1EC-CE74-4C76-BB61-10C678431FCA}

    2. ABDOMEN RUQ (ABD RUQ)   {F29C9FA1-717A-49B7-8000-95070E9AACA0}

    3. ABDOMEN RLQ (ABD RLQ)   {2C48394F-6877-4738-856C-E933644D8067}

    4. ABDOMEN LLQ (ABD LLQ)   {39831F59-D7B0-4156-AC57-4C622A93CA58}

5. GENERAL UMBILICUS (GEN UMBILI)

{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

UNITS:

===

 ID: {761ED47D-0598-4B17-EA65-3436FDDB8597}

===

    Abbreviation................. ABDOM COND

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. CURRENT OBSERVATION OF ABDOMINAL

                       CONDITION

    Display Name................. Abdominal Condition

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 10 entries

    ----

     1. SOFT (SOFT)   {E68B4D4B-B86B-4004-A861-986645267F6E}

     2. FIRM (FIRM)   {11E23F20-39A0-4A6D-B198-04BB36B0C909}

     3. HARD (HARD)   {7934B543-7028-4CBC-9308-99F5A952A1DE}

     4. DISTENDED (DISTENDED)   {B5C529CA-2BE0-4698-A153-718F4D58E643}

     5. TENDER (TENDER)   {30486CC7-3097-4F95-9238-FD6C2126CD10}

     6. NON-TENDER (NON-TENDER)   {5A3D41C0-A83D-4382-A573-D6884BB1670B}

     7. GUARDING (GUARDING)   {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}

     8. FLAT (Flat)   {EA4F1980-EDF3-82BC-B677-D747F48F1163}

     9. ROUND (ROUND)   {E8E741F1-F0C5-4B77-B014-63B545BED755}

     10. SCAPHOID (SCAPHOID)   {1BE93489-42FC-44EB-8D07-87F4224979F3}

UNITS:

===

 ID: {F70E6642-2719-22BE-BE87-DEF0A884F177}

===

   Abbreviation................. AG

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Girth of patient abdomen

   Display Name................. Abdominal Girth

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................ 4536404

   UNITS:

   CENTIMETER   0 > 76 * 152 < 300   Dec Prec: 0

Abbreviation................. Wan Pre Me

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Activities of Daily Living: Wandering

Prevention Measures

Help Text................... For patients at risk for wandering

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. ASSIGNED ONE TO ONE SITTER (One to One)

{07D48368-101F-4974-9EC5-7CB182A39281}

20. NO WANDERING PREVENTION MEASURES APPLIED (No Wan App)

{6967F640-223E-46CE-82F9-0E4D87745D94}

30. NO WANDERING PREVENTION MEASURES NEEDED (No Wan Nee)

{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}

40. PATIENT LOCATOR DEVICE IN PLACE (Loc Device)

{CAF7B45E-0143-472D-BABF-9A92857419E9}

50. SECURE TRACK IN PLACE (Secure Trk)

{33F72416-BAD4-44AD-825E-93BCBFFB9670}

60. WANDER GUARD IN PLACE (Wander Grd)

{B49D735F-A6ED-4E8F-9BD0-F8514245B262}

UNITS:

Abbreviation................. ADL AMB AS

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Ambulation Assistance

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. INDEPENDENT (INDEPENDEN)   {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

 2. WITHOUT ASSISTANCE (WO ASSIS)

                {41CE081D-CB0E-49AF-936A-4FD78E61681B}

 3. ONE PERSON ASSIST (1 PERS AS)

                {A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

 4. TWO PERSON ASSIST (2 PERS AST)

                {0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

 5. WALKER (WALKER)   {91247001-5E89-46A0-A841-B4FAE9226E63}

 6. CANE (CANE)   {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}

 7. CRUTCHES (CRUTCHES)   {DDA81269-B25C-4F7D-A059-BB1602B2B179}

 8. GAIT BELT (GAIT BELT)   {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

UNITS:

Abbreviation................. ADL AM D

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Ambulation Distance

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

FOOT   0 > 0 * 9999 < 9999   Dec Prec: 0

    Abbreviation................. ADL DRESS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Dressing

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 8 entries

    ----

    1. INDEPENDENT (INDEPENDEN)   {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

    2. SUPERVISION/SET-UP HELP (SUPERVISED)

                {596D028B-B60D-4244-A1B0-882177C8D25F}

    3. LIMITED ASSISTANCE (LIM ASSIST)

                {9A8C1310-C840-431E-BA21-065B7EA7B768}

    4. EXTENSIVE ASSISTANCE (EXT ASSIST)

                {C402B659-E880-4070-8345-13E5508B4D29}

    5. TOTAL DEPENDENCE (TOT DEPEND)

                {38702CDD-E440-4EFA-9583-36EEE719F7C3}

    6. ONE PERSON ASSIST (1 PERS AS)

                {A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

    7. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

8. NOT DONE (NOT DONE)   {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

TERM: ADL - EATING   Page: 8

 ID: {6293D18C-0742-4D1B-B410-E8641798DD2B}

===

   Abbreviation................. ADL EATING

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. Eating

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 9 entries

   ----

   1. INDEPENDENT (INDEPENDEN)   {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

   2. SUPERVISION/SET-UP HELP (SUPERVISED)

               {596D028B-B60D-4244-A1B0-882177C8D25F}

   3. SET UP HELP ONLY (SETUP ONLY)

               {DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}

   4. LIMITED ASSISTANCE (LIM ASSIST)

               {9A8C1310-C840-431E-BA21-065B7EA7B768}

   5. EXTENSIVE ASSISTANCE (EXT ASSIST)

               {C402B659-E880-4070-8345-13E5508B4D29}

   6. TOTAL DEPENDENCE (TOT DEPEND)

               {38702CDD-E440-4EFA-9583-36EEE719F7C3}

   7. ONE PERSON ASSIST (1 PERS AS)

{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE)   {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

Abbreviation................. SPIRIT CA

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Spiritual care

Help Text.................... Has Patient Had Spiritual Care

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

```
================================================================================
```

 ID: {B5D8ADB2-0D19-4C07-8A09-6053A4D27003}

```
================================================================================
```

    Abbreviation................. ADL ADL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Activities of daily living assessment

    Display Name................ Activities of Daily Living

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 28 entries

    ----

   1. COMPLETE BATH (COMP BATH)   {A7CB1F56-F88E-403B-AABC-105BE129FBB0}

   2. PARTIAL BATH (PART. BATH)   {60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}

   3. SELF AM CARE BY PATIENT (SELF AM CR)

              {C48A46C1-0E68-479C-B803-08C80617ADFF}

   4. TURN AND POSITION (TURN POSIT)

              {44A4F470-1760-4073-AB3A-D59CA9EFE7F3}

   5. UP TO CHAIR (UP TO CHAI)   {42E598E5-82EC-428B-B5FA-1129E3095C78}

   6. MEAL (MEAL)   {85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}

   7. AMBULATED (AMBULATED)   {017D99FE-91D5-49F1-AC15-50620879C466}

   8. SNACK (SNACK)   {60B77974-4102-4511-A105-E24850B924D8}

   9. SELF CARE OF BEDSIDE ENVIRONMENT (S CARE BED)

              {A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}

10. SHOWER (SHOWER)   {C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

11. SELF SHOWER (SELF SHOWE)   {C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}

12. SHAMPOO (SHAMPOO)   {95CCB23C-E614-40CD-84F0-EE4EFBC95271}

13. DRY SHAMPOO (DRY SHAMP)   {8910A186-2590-4352-A884-7D692A9D2B3C}

14. NAIL CARE (NAIL CARE)   {B783A171-1F0A-4135-8535-85776B81AB68}

15. TOENAIL CARE (TOEN CARE)   {6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

16. FOOT CARE (FOOT CARE)   {332E8338-6DAE-4BC9-B195-63DAD57937D0}

17. SELF FOOT CARE (SELF FOOT)

                {F2DCAF0E-389D-4987-8C73-66E35266CC78}

18. TURNING SELF INDEPENDENTLY (TURN SELF)

                {DD804CEB-F7CA-4D42-BF6A-447E38B55E98}

19. SHAVE (SHAVE)   {A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

20. SELF SHAVE (SELF SHAVE)   {90F1760C-4C12-4976-ADCB-DBF456A34023}

21. FACE WASH (FACE WASH)   {E1162A8B-D26D-4EB3-988F-50583B1849EA}

22. SELF FACE WASH (S FACE WAS)

                {77457D46-5676-46E6-B38F-FE3AF70B5CBC}

23. PERINEAL CARE (PERIN CARE)

                {D88736E4-E0EB-4FF7-9199-288A4D051A20}

24. SELF TRACH CARE (S TRACH CA)

                {70BE79EC-107F-4CD3-B964-7919B3DDE222}

25. CLOTHED SELF (CLOTH S)   {33802A30-FAA7-426B-ADAC-5297818DA7DE}

26. LINEN CHANGE (Lin Change)   {AE30A510-112B-4F43-830E-E27FD994550A}

27. TRACH CARE (Trach Care)   {6E0ABF71-9BD8-444F-AF39-F0FD18357493}

28. SKIN CARE (Skin Care)   {A2FB9E2C-7F72-40EA-B510-5B9B0F9EF421}

UNITS:

===

 ID: {ADB040D9-C136-4AF6-809D-CDD868DA3DCA}

===

   Abbreviation................. ADL BED MO

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................. Bed Mobility

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 8 entries

   ----

    1. INDEPENDENT (INDEPENDEN)   {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

    2. SUPERVISION/SET-UP HELP (SUPERVISED)

                {596D028B-B60D-4244-A1B0-882177C8D25F}

    3. LIMITED ASSISTANCE (LIM ASSIST)

                {9A8C1310-C840-431E-BA21-065B7EA7B768}

    4. EXTENSIVE ASSISTANCE (EXT ASSIST)

                {C402B659-E880-4070-8345-13E5508B4D29}

    5. TOTAL DEPENDENCE (TOT DEPEND)

                {38702CDD-E440-4EFA-9583-36EEE719F7C3}

    6. ONE PERSON ASSIST (1 PERS AS)

                {A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

    8. TWO PERSON ASSIST (2 PERS AST)

{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

9. NOT DONE (NOT DONE)   {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

    Abbreviation................. ADL ORAL C

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Oral Care

    Display Name................ Oral Care

    Help Text................... Oral Care

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 12 entries

    ----

     1. DONE (DONE)   {60412C8D-132F-46EA-8DDF-FCC282C4CC8B}

     2. ASSISTED (ASSISTED)   {65069804-39BF-41ED-9EA3-BF2C41389F10}

     3. SELF CARE (SELF CARE)   {0E068188-75B8-46C5-8947-A6CC5C7849B5}

     4. OFFERED (OFFERED)   {715091C2-9668-4678-900E-6D55D3335A30}

     5. REFUSED (REFUSED)   {D5B3E135-4D68-4528-BBC9-6E8A7A997104}

     6. NOT DONE (NOT DONE)   {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

     7. SUCTIONED ONLY (SUCT ONLY)

                  {7A8B23FD-69C5-4931-A6D4-E92F8FD70817}

     8. LIP SALVE (LIP SALVE)   {612F78AB-7386-4176-9896-02DE5A8E836D}

     9. TEETH BRUSHED (TEETH BRUS)

                  {20841794-6E6D-4262-B1FE-9E3F20F8CC49}

    10. MOUTHWASH USED (MOUTHWASH)

{9F7EF355-12A4-4EBA-92ED-0F38273E411B}

11. ETT REPOSITIONED (ETT REPOSI)

{95B35EDB-76B6-433E-B526-01C543A7CCEA}

12. ETT RETAPED/SECURED (ETT RETAPE)

{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

UNITS:

===

 ID: {C0EC0C79-A4AB-4CB6-B026-E193E033A3DE}

===

     Abbreviation................. ADL OTHER

     Active...................... Yes

     Boolean Value False..........

     Boolean Value True...........

     Data Type................... PickList

     Description................. No Description

     Display Name................ Other Activity

     Help Text................... Other ADL Activities

     Multi Select Picklist........ Yes

     Term Type................... OBSERVATION

     Vuid........................

     DATA VALUE: 10 entries

     ----

      1. BEDREST (BEDREST)   {8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}

      2. DANGLED (DANGLED)   {40665750-112F-401D-AEFA-8E19F45EC0C9}

      3. CHAIR (CHAIR)   {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

      4. COMMODE (COMMODE)   {75C896CA-F105-4EF0-B641-3F2B1F984F1B}

      5. PASSIVE RANGE OF MOTION (PASS ROM)

                    {DD43B9EF-E18F-4203-8564-89EBBAD963A4}

      6. ACTIVE RANGE OF MOTION (ACTIVE ROM)

                    {F55E68F3-6788-47AE-B962-119413B4A089}

      7. GERI-CHAIR (g)   {167F9786-8F24-054F-020A-658A6EE5B0B4}

      8. GURNEY CHAIR (GURN CHAIR)   {B6EA0944-8414-42FD-88C0-50155DE82896}

      9. BATHROOM PRIVILEGES (BATHR PRIV)

                    {29C1B6DD-3308-4DED-9970-1322A97C633B}

10. TRANSFER WITH ASSIST (TRANS ASST)

{62A5BFF5-9C7C-4412-83A8-F872095DE005}

UNITS:

Abbreviation................. ADL REPOSI

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Reposition

Display Name................ Reposition

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

 1. LEFT (LEFT)   {81063CEE-2E83-4C95-AAEE-76B7DCB828D4}

 2. RIGHT (RIGHT)   {AB74C579-DF14-4D7B-A9EF-5F119089F976}

 3. SUPINE (SUPINE)   {A18F9534-17AF-47D7-8D14-2AA457A889BD}

 4. PRONE (PRONE)   {41180E09-D9D6-4903-BAE9-28CD5AAC4991}

 5. SELF CARE (SELF CARE)   {0E068188-75B8-46C5-8947-A6CC5C7849B5}

 6. ASSISTED (ASSISTED)   {65069804-39BF-41ED-9EA3-BF2C41389F10}

 7. CARDIAC REPOSITION (CARD REPOS)

               {E133FE5A-20E1-418F-BD90-D2DFE14908C0}

 8. FOWLER'S (FOWLER'S)   {8E691813-A9AC-48BE-9401-528A7D762A32}

 9. HIGH FOWLER'S (HIGH FOWLE)

               {EA23C94D-EE91-4552-9F74-E051FAF3E194}

 10. KINETIC BED THERAPY (Kin Bed Th)

{876D8CCD-74EF-449F-B417-A1E719694292}

UNITS:

```
================================================================================
```

 ID: {CAE19296-4C9E-0049-DD90-4939FFFAA7F4}

```
================================================================================
```

Abbreviation................. AFFECT

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. an expressed or observed emotional

                 response

Display Name................. Affect

Help Text................... Clinician objective observation on

             how the patient expresses their mood

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 12 entries

----

 1. FLAT (Flat)   {EA4F1980-EDF3-82BC-B677-D747F48F1163}

 2. BLUNTED (Blunted)   {F119F2DA-9182-2480-BA75-02D39F4FF69B}

 3. BRIGHT (Bright)   {D16542CE-0403-2C68-A361-125CB3C75ABA}

 4. CONSTRICTED (Constricte) {A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

 5. APPROPRIATE (a)   {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}

 6. SAD (Sad)   {08AA475D-1016-4530-BE03-19AA4581B0A2}

 7. APATHETIC (Apathetic)   {6942F95A-112E-4FF8-86DD-2108823015BC}

 8. LABILE (Labile)   {EAFDAC1F-BEA0-497B-AA03-732CEF08D76D}

 9. EUPHORIC (Euphoric)   {581BBFEE-B167-446A-A6DF-536D9B832421}

10. ANGRY (Angry)   {D71DC90E-D4B7-438F-85C2-FA6D0CC96EEA}
```

11. HOSTILE (h)          {29EF2C04-7DB0-4491-2B5E-D92A6A558721}

12. BIZARRE (Bizarre)      {1B03F376-6BD7-4FD3-BD43-26B1A95B4F57}


UNITS:

---------------------------------------------------------------------

Abbreviation................. ART AIR C

Active....................... Yes

Boolean Value False.......... Deflated

Boolean Value True........... Inflated

Data Type.................... Boolean

Description.................. AIRWAY CUFF INFLATED OR DEFLATED

Display Name................. Artificial Airway Cuff Status

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

------------------------------------------------------------------

  1. NO (n)          {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)         {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

------------------------------------------------------------------

==============================================================================

 ID: {A9032CCC-5479-87C2-27F8-46D8B4F68272}

==============================================================================

    Abbreviation................. ART AIR PO

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. No Description

    Display Name................ Artificial Airway Position at Lip/Nose

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................


    UNITS:

    ------------------------------------------------------------------

    CENTIMETER            11.9 > 12.0 * 28.5 < 28.6  Dec Prec:  1

Abbreviation................. ART AIR F

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Artifical Airway Size -French

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


UNITS:

------------------------------------------------------------------

FRENCH               3.9 > 4.0 * 14.0 < 14.1   Dec Prec:  1

Abbreviation................. ART AIR mm

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Artificial Airway Size - mm

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                         13 entries

------------------------------------------------------------------

   1. 4 (4)              {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

   2. 4.5 (4.5)           {EC6C0C72-8C49-4535-92B2-7E543007EE32}

   3. 5 (5)              {188EDCE7-0726-4234-D8D2-92C8052CD221}

   4. 5.5 (5.5)           {4878F059-EC9D-44FC-9A61-734C291530E7}

   5. 6 (6)              {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

   6. 6.5 (6.5)           {CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}

   7. 7 (7)              {7A010324-D2C2-5D4B-848A-7B8878666D20}

   8. 7.5 (7.5)           {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}

   9. 8 (8)              {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

   10. 8.5 (8.5)          {96723567-151D-4B5C-9C65-B3EB6D584272}

   11. 9 (9)             {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

   12. 9.5 (9.5)          {252555A1-ADB2-4948-8764-C952F2587DC5}

13. 10 (10)            {0C827160-18DB-816F-7FAA-A3C175C6D33B}


UNITS:

-------------------------------------------------------------------

Abbreviation................. ART AIRW T

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. TYPE OF ARTIFICIAL AIRWAY

Display Name................ Artificial Airway Type

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                         9 entries

-------------------------------------------------------------------

 1. NASAL ENDOTRACHEAL (Nasal Endo)

                {C631352E-CAB5-0409-6133-E5D11ECC3293}

 2. ORAL ENDOTRACHEAL (ORAL ENDO)

                {466CAD16-D7F3-9D73-6500-959C4DA50D9A}

 3. TRACHEOSTOMY (TRACHEOSTO)   {2B0B7599-847E-852F-D16F-091CAAA4B205}

 4. LARYNGECTOMY (LARYNGECTO)   {225CB76A-BAF5-827E-729B-C3D60AD5B50A}

 5. NASAL TRUMPET (NASAL TRUM)

                {2FFB8510-793C-D6A4-838E-20FF7CD26533}

 6. BITE BLOCK (BITE BLOCK)     {E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}

 7. ORAL AIRWAY (ORAL AIRWA)    {B0CF4270-A68D-1322-0621-1DFF8D677B40}

 8. CASS ENDOTRACHEAL TUBE (CASS)

                {02BF805C-DF35-4DAB-A99F-2ED673174E49}

9.  LARYNGEAL MASK AIRWAY (La Mask AW)

{B5902B8C-F1C9-4376-A9A9-3013F4DFF1F7}


UNITS:

-------------------------------------------------------------------

Abbreviation................. ALARM PARA

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Alarm Parameters Verified

Display Name................. Alarm Parameters Verified

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

------------------------------------------------------------------

 1. NO (n)              {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)             {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

------------------------------------------------------------------

Abbreviation................. ALARMS

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Alarms

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                              9 entries

--------------------------------------------------------------------

 1. CENTRAL ECG (cecg)        {26D36175-E4E3-C364-3018-1B0DB4DC4793}

 2. BED EXIT ALARM (BED EXIT A)

                {AC53759E-FFAE-5E0F-2EBA-E56A2712357C}

 3. WHEELCHAIR EXIT ALARM (WHEEL EXIT)

                {7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

 4. IV PUMP (IV PUMP)         {EFB92C16-CFA3-18BB-9D54-590089DA3962}

 5. VENTILATOR (v)            {A5A647ED-A56D-5012-AD5B-788B3DCB3498}

 6. UROMETER (u)              {13074A3A-19D7-300C-7BFF-8DC18DDE2951}

 7. IABP (IABP)               {763FE975-F5E5-80A6-AB16-E903A829E665}

 8. HEMODYNAMIC (Hemodynam)     {2E9AF889-0AE6-493A-AED3-F2AD9E6CE988}

 9. ARTERIAL LINE (Art Line)   {03E84782-4771-4412-8686-8E368AF29B34}

UNITS:

--------------------------------------------------------------------

    Abbreviation................. ALD ACTIVI

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. Modified Aldrete Scoring System

    Display Name................. Aldrete Score - Activity

    Help Text................... Ability to move voluntary: 0=0

                    extremeties, 1=2 extremeties, 2=4

                    extremeties

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                         3 entries

    --------------------------------------------------------------------

     1. 0 = 0 EXTREMITIES (ALD ACT 0)

                    {6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}

     2. 1 = 2 EXTREMITIES (ALD ACT 1)

                    {6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}

     3. 2 = 4 EXTREMITIES (ALD ACT 2)

                    {3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}


    UNITS:

    --------------------------------------------------------------------

Abbreviation................. ALD CIRCUL

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Modified Aldrete Scoring System

Display Name................ Aldrete Score - Circulation

Help Text................... BP +/- 50% Preop=0, 20-49% Preop= 1,

              20% Preop = 2

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                          3 entries

----------------------------------------------------------------

 1. 0 = BP +/- 50% PREOP (ALD CIR 0)

              {675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}

 2. 1 = BP +/- 20-49% PREOP (ALD CIR 1)

              {D4A6100D-1228-4860-9BD6-B43F30D4FF94}

 3. 2 = BP +/- 20% PREOP (ALD CIR 2)

              {04B67413-7A88-409B-8005-471A7C84B879}


UNITS:

----------------------------------------------------------------

Abbreviation................. ALD CONSCI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Modified Aldrete Scoring System

Display Name................. Aldrete Score - Consciousness

Help Text.................... Not responding=0, Arousable with

minimal stimulation=1, Fully awake=2

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                            3 entries

------------------------------------------------------------------

 1. 0 = NOT RESPONDING (ALD CON 0)

{E8765215-B0B0-430C-8C89-AB969A6AD12E}

 2. 1 = AROUSABLE (ALD CON 1)   {B2A07804-9829-42D0-9C49-A61FD51EEAA0}

 3. 2 = FULLY AWAKE (ALD CON 2)

{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}


UNITS:

------------------------------------------------------------------

Abbreviation................. ALD O2 SAT

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Modified Aldrete Scoring System

Display Name................ Aldrete - O2 Saturation

Help Text................... <90% even with O2=0, Needs O2 to

              maintain >90%=1, >92% on room air=2

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                        3 entries

-----------------------------------------------------------------

 1. 0 = <90% (ALD O2 0)      {30042730-F600-44FD-A3D0-53172B70082B}

 2. 1 = NEEDS O2 (ALD O2 1)    {5D97F6BB-7B02-4644-8CE5-014C89826731}

 3. 2 = ON ROOM AIR (ALD O2 2)

              {D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}


UNITS:

-----------------------------------------------------------------

    Abbreviation................. ALD RESPIR

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Modified Aldrete Scoring System

    Display Name................ Aldrete - Resipration

    Help Text................... Apneic=0, Dyspnea, shallow or

                       limited=1, Breathes deeply, coughs

                        freely=2

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                         3 entries

    -------------------------------------------------------------------

     1. 0 = APNEIC (ALD RESP 0)     {649C42B0-6E0A-4E86-AAC5-70A8C20EC511}

     2. 1 = DYSPNEA (ALD RESP 1)     {3DAE60A2-57DA-4121-A507-BC43497C7B67}

     3. 2 = BREATHES FREELY (ALD RESP 2)

                       {278CD44C-538E-4015-9D98-D9312A7039BA}


    UNITS:

    -------------------------------------------------------------------

    Abbreviation................. ALD TOTAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Modified Aldrete Scoring System Total

    Display Name................ Aldrete - Total Score

    Help Text................... Total value of Aldrete scores

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................


    UNITS:

    ------------------------------------------------------------------

    MODIFIED ALDRETE SCORE      -1 > 0 * 10 < 11      Dec Prec:  0

    Abbreviation................. Allen Tst

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description..................

    Display Name................. Allen Test

    Help Text....................

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid.........................


    DATA VALUE:                          2 entries

    ----------------------------------------------------------------

    10. NORMAL (n)            {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

    20. ABNORMAL (Abnormal)       {2469E391-60C5-4FF8-BEF7-809CD0F6E7F2}


    UNITS:

    ----------------------------------------------------------------

Abbreviation................. Anes Plan

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Anesthesia Planned

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                         9 entries

------------------------------------------------------------------

 1. LOCAL (Local)           {64A0FD20-4584-446C-8A2A-57F2FEF3DD10}

 2. REGIONAL BLOCK (Region Blk)

                 {3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}

 3. BIER BLOCK (Bier Blk)     {241C28E7-6040-4ABC-B76C-4255452C66FD}

 4. GENERAL (General)        {6ED377F7-55E4-4743-B781-124267567200}

 5. IV SEDATION (IV Sed)      {789B61EB-5E83-4024-850D-D92370C4EC9A}

 6. SPINAL (Spinal)          {AC02181C-0A2C-4F7A-B983-B32EF1BCD150}

 7. EPIDURAL (Epidural)      {63317A63-16FF-4D55-A034-420C65B17AEB}

 8. MODERATE SEDATION (Mod Sed)

                 {C874EDC7-24BF-4F39-8FDA-E8D1193A8428}

 9. NONE (NONE)             {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS:

----------------------------------------------------------------

==============================================================================

 ID: {5B202547-7AD3-4E86-9FBE-82AEC450510B}

==============================================================================

   Abbreviation................. APPEARAN

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Appearance

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................


   DATA VALUE:                              4 entries

   --------------------------------------------------------------------

    1. NEAT (NEAT)           {8B01F7B8-B626-4143-A092-1E732EEB4A05}

    2. APPROPRIATE (a)        {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}

    3. INAPPROPRIATE (Inappropri)

                    {7E3B54C2-8A49-28EC-055E-FEA87599421C}

    4. DISHEVELED (DISHEVEL)      {0455549E-5CCB-470D-9D7F-F3959E6D55FE}


   UNITS:

   --------------------------------------------------------------------

==============================================================================

 ID: {D72DC694-6192-8D57-FD8B-02E49EF45DE5}

==============================================================================

    Abbreviation................. AB ALLERGY

    Active....................... No

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. Is the arm band for allergies present

    Display Name................. Arm Band - Allergies

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                         2 entries

    ------------------------------------------------------------------

     1. NO (n)             {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)            {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


    UNITS:

    ------------------------------------------------------------------

Abbreviation................. AB BL TR

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Arm Band - Blood Transfusion IV

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                              2 entries

------------------------------------------------------------------

  1. NO (n)            {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)           {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

------------------------------------------------------------------

Abbreviation................. AB DNR

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Is patient armband for DNR present

Display Name................. Arm Band - DNR

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

------------------------------------------------------------------

 1. NO (n)             {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)            {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

------------------------------------------------------------------

Abbreviation................. AB ELOPE

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Arm Band - Elopment

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                      2 entries

-----------------------------------------------------------------

 1. NO (n)          {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)         {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

-----------------------------------------------------------------

Abbreviation................. AB FALL RI

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Arm Band - High Fall Risk

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                            2 entries

-----------------------------------------------------------------

  1. NO (n)              {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)             {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

-----------------------------------------------------------------

Abbreviation................. AB PM ALER

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Arm Band - Personal Medical Alert

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

------------------------------------------------------------------

 1. NO (n)              {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)             {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

------------------------------------------------------------------

Abbreviation................. AB WANDER

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Arm Band - Wanderer

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

------------------------------------------------------------------

  1. NO (n)            {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)           {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

------------------------------------------------------------------

Abbreviation................. AB PRESENT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Arm Bands Present

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE:                          15 entries

-------------------------------------------------------------------

 1. N/A (n)              {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

 2. IDENTIFICATION (i)      {39274F69-556C-7F05-6D17-CE8A03D1867D}

 3. DO NOT RESUSCITATE (dnr)    {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

 4. ALLERGY (a)              {EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}

 5. HIGH FALL RISK (hfr)      {276C15F3-5BED-0FE0-5649-337A23AB1386}

 6. ELOPEMENT (e)            {EB030907-FB90-CA9D-CF50-E26C5D9FE671}

 7. PERSONAL MEDICAL ALERT BRACELET (pmab)

                 {E63D5FDE-4509-5751-A11C-C023E296858A}

 8. BLOOD TRANSFUSION IV (BI TRAN IV)

                 {27A0BE4C-433C-F920-BAC2-066F304BDF59}

 9. WANDERER (w)             {C5BD737B-F9A6-5800-B45C-2585507C3EDC}

10. DO NOT INTUBATE (Do Not Int)

{88F9A76A-43BC-4BD9-A567-C8FE5A868544}

11. LATEX ALLERGY (Latex Alle)

{3E7326AA-8CA4-448C-802A-111C232B2F1C}

12. DYSPHAGIA (Dysphagia)     {CC69271C-B4DF-42D1-BA91-0832DBC45E31}

13. RESTRICTED EXTREMITY (Res Extrem)

{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}

14. SKIN RISK (Skin Risk)     {5805C4C7-8FFA-4444-ABCB-710D8088FBC9}

15. RESTRICTED DIET (Restr Diet)

{483DD2C0-2E1D-4886-B702-5A951225DE8B}


UNITS:

----------------------------------------------------------------------

Abbreviation................. ALINE ALAR

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Arterial Lines Alarms On

Display Name................. Arterial Line Alarms On

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                              2 entries

------------------------------------------------------------------

  1. NO (n)            {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)           {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

------------------------------------------------------------------

Abbreviation................. ART L CR A

Active....................... Yes

Boolean Value False.......... Impaired

Boolean Value True........... Normal

Data Type.................... Boolean

Description.................. Has The Arterial Line Circulation

                Been Assessed

Display Name................. Arterial Line Circulation Assessed

Help Text.................... Assessment of circulation distal to

                arterial line.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE:                             2 entries

-------------------------------------------------------------------

  1. NO (n)              {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)             {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-------------------------------------------------------------------

Abbreviation................. ART LIN DC

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Arterial Line Dressing Change

Display Name................. Arterial Line Dressing Change

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          4 entries

------------------------------------------------------------------

 1. DRY (d)              {D8F4F0FD-1B19-2515-3815-EC88D175B305}

 2. INTACT (i)           {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

 3. CHANGED (CHANGED)      {74B14023-D74D-41F6-AA48-B0E5137623CD}

 4. REINFORCED (REINFORCED)    {EC524C50-0CDE-4AA1-8059-E4323850575E}


UNITS:

------------------------------------------------------------------

Abbreviation................. A LINE DRE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Arterial Line Dressing

Help Text.................... Type of dressing used on arterial line

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                           3 entries

-------------------------------------------------------------------

 1. TRANSPARENT (TRANSPAREN)    {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

 2. PRESSURE DRESSING (PRESS DRES)

                {6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

 3. GAUZE AND TAPE (GAU & TAPE)

                {5BC40405-B5C4-47CF-81C3-520732E100AC}


UNITS:

-------------------------------------------------------------------

===============================================================================

 ID: {2CCDDAA0-9563-8B09-11C1-51E1E2823A48}

===============================================================================

Abbreviation................. A LINE CAR

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Has Arterial Line Site Care Been Done?

Display Name................. Arterial Line Site Care

Help Text.................... Date arterial line inserted

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                              2 entries

----------------------------------------------------------------

 1. NO (n)            {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)           {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

----------------------------------------------------------------

===============================================================================

TERM: ARTERIAL LINE SITE CONDITION                    Page: 45

 ID: {A87DEFA0-FD22-8AAB-AEEE-61E91FEE2154}

===============================================================================

    Abbreviation................. ART LI CON

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Arterial Line Site Condition

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                        8 entries

    ----------------------------------------------------------------

     2. RED (RED)              {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

     3. SWOLLEN (SWOLLEN)        {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

     4. DISCOMFORT (DISCOMFORT)    {77D058C9-1EB4-96C0-C9E3-666C840B884C}

    50. PATENT (Patent)           {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

    60. CLEAN (Clean)           {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

    70. BLANCHED (Blanched)       {EBB2EA8D-04BC-49E7-812A-62B46F0F4678}

    80. OOZING (Oozing)          {C23549D7-3238-4523-BA31-AB71609F01C2}

    90. OCCLUDED (Occluded)       {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}


    LOCATION:                        8 entries

    ----------------------------------------------------------------

     1. L RADIAL (L RAD)          {302F78AD-4067-8B6B-BD15-993EC8561AE6}

2. R RADIAL (R RADIAL)      {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}

3. L FEMORAL (L FEMORAL)      {50AF6A08-CE37-6859-F4E6-762660A982F7}

4. R FEMORAL (R FEM)      {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

5. L AXILLARY (L AXILLARY)    {21AF62CA-BEED-2A96-2CD6-F2350A01995E}

6. R AXILLARY (R AXILLARY)    {3044F28B-FED2-4069-7E3B-2A691C5771F9}

7. L BRACHIAL (L BRACH)      {75F6CE33-1AB3-A1DA-70B8-04825290B577}

8. R BRACHIAL (R BRACH)      {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

---------------------------------------------------------------------

Abbreviation................. ART LIN SI

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Arterial Line in size Gauge

Display Name................. Arterial Line Size

Help Text................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


LOCATION:                              8 entries

-------------------------------------------------------------------

 1. L RADIAL (L RAD)          {302F78AD-4067-8B6B-BD15-993EC8561AE6}

 2. R RADIAL (R RADIAL)       {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}

 3. L FEMORAL (L FEMORAL)     {50AF6A08-CE37-6859-F4E6-762660A982F7}

 4. R FEMORAL (R FEM)         {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

 5. L AXILLARY (L AXILLARY)   {21AF62CA-BEED-2A96-2CD6-F2350A01995E}

 6. R AXILLARY (R AXILLARY)   {3044F28B-FED2-4069-7E3B-2A691C5771F9}

 7. L BRACHIAL (L BRACH)      {75F6CE33-1AB3-A1DA-70B8-04825290B577}

 8. R BRACHIAL (R BRACH)      {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}


 UNITS:

-------------------------------------------------------------------

GAUGE                 14 > 18 * 26 < 30        Dec Prec:  0

    Abbreviation................. ALINE WAVE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Arterial Line Waveform

    Display Name................. Arterial Line Waveform

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                         4 entries

    ------------------------------------------------------------------

     1. NORMAL (n)              {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

     2. DAMPENED (DAMPENED)      {77C777B3-7E56-41E3-8E70-DE144E6A3424}

     3. HYPERDYNAMIC (HYPERDYNAM)   {818A8A99-04D9-4989-A9BA-ECFACED74605}

     4. POSITIONAL (POSITIONAL)    {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}


    UNITS:

    ------------------------------------------------------------------

    Abbreviation................. ALINE ZERO

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. Arterial Line Zeroed

    Display Name................. Arterial Line Zeroed

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                        2 entries

    -----------------------------------------------------------------

     1. NO (n)            {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)           {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


    UNITS:

    -----------------------------------------------------------------

Abbreviation................. ASA Phys

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. ASA Physical Status

Help Text...................

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                         6 entries

-------------------------------------------------------------------

 1. ASA PS 1 (ASA PS 1)      {BAF1730E-C358-17F1-8DB8-4B6097AFF066}

 2. ASA PS 2 (ASA PS 2)      {070C0F56-3D9C-5430-EF9E-BF3B96DFB595}

 3. ASA PS 3 (ASA PS 3)      {B041CE25-82D0-EDAD-C673-A64BCD6647F4}

 4. ASA PS 4 (ASA PS 4)      {040841C3-D933-E687-C7E0-29F439C08778}

 5. ASA PS 5 (ASA PS 5)      {1F7B73A6-3F8E-E230-1C23-C7DF92032E58}

 6. EMERGENCY (Emergency)     {3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}


UNITS:

-------------------------------------------------------------------

    Abbreviation................. BABINSKI

    Active....................... Yes

    Boolean Value False.......... Negative

    Boolean Value True........... Positive

    Data Type.................... Boolean

    Description.................. Babinski Reflex Test

    Display Name................. Babinski

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                          2 entries

    ----------------------------------------------------------------

     1. NO (n)            {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)           {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


    UNITS:

    ----------------------------------------------------------------

Abbreviation................. Barriers

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Barriers to Learning

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid.........................


DATA VALUE:                         3 entries

-------------------------------------------------------------------

 1. PHYSICAL IMPAIRMENT (Phys Impai)

                {4D744081-134E-420D-9712-AF114977E490}

 2. COGNITIVE IMPAIRMENT (Cog Impair)

                {6D051F44-2124-4914-A415-B98B2AC516E9}

 3. OTHER (OTHER)           {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}


UNITS:

-------------------------------------------------------------------

========================================================================

TERM: BED POSITION                          Page: 52

 ID: {D65573FE-6CAB-3A81-4572-ACC9488D8BAF}

========================================================================

    Abbreviation................. BEDPOS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Bed Position

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                          5 entries

    --------------------------------------------------------------------

    1. HIGH (h)              {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}

    2. LOW (l)              {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}

    3. SEMIFOWLERS HIGH (sh)     {1BBE7175-2BD2-BFB5-1E1B-E02443433072}

    4. SEMIFOWLERS LOW (sl)      {A265AF02-53FC-B182-8AE3-A06E95718D7E}

    5. CARDIAC CHAIR (cc)        {D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}


    UNITS:

    --------------------------------------------------------------------

    Abbreviation................. BEHAVIOR

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Is Patients Behavior Appropriate?

    Display Name................ Behavior

    Help Text................... Assessment of Behavior

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                         27 entries

    ------------------------------------------------------------------

     1. APPROPRIATE (a)          {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}

     2. INAPPROPRIATE (Inappropri)

                    {7E3B54C2-8A49-28EC-055E-FEA87599421C}

     3. COOPERATIVE (c)          {C176406E-EBDE-4ADE-53DE-CF191D8AFC85}

     4. UNCOOPERATIVE (u)        {2D737EFB-F4CA-7AEA-9EB2-6FF133742815}

     5. RELAXED (Relaxed)        {B8C15DBC-99FB-4239-8040-C27899120009}

     6. SLEEPING (s)             {87338420-F351-F98C-7A80-4990B87ACE2B}

     7. RESTLESS (r)             {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

     8. SILLY (Silly)            {8658F95A-4158-4F11-BE3D-D7C01D29C2E4}

     9. AVOIDANT (Avoidant)      {A259D591-4D95-43E1-A229-4B39E7D91C39}

    10. GUARDED (Guarded)        {E777731C-F6E0-4C77-86B0-6494A4F4D37F}

    11. SUSPICIOUS (Suspicious)   {AE55ED4C-CC3C-4827-8634-9178297A3CEE}

12. DEMANDING (Demanding)      {F9C0729C-9168-4585-8E9A-33F9964F0F43}

13. PROVOCATIVE (Provocativ)    {E308CCF8-71D2-4A86-BE04-7FF976A3FD9D}

14. HYPERACTIVE (HYPERACTIV)    {1A548FFE-8645-4C0D-899D-5D91430CC1B1}

15. IMPULSIVE (Impulsive)      {EBBDB9DE-B190-4CFF-885D-758A98C4CAE3}

16. AGITATED (a)            {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

17. ANGRY (Angry)          {73D509EF-1B12-4985-A6A2-EC3656282C22}

18. ASSAULTIVE (a)          {99ECD8C7-191A-3B9C-2A7A-803A921065FA}

19. VIOLENT (Violent)        {AC534BBE-6DEC-4EA7-9C35-F1B90F134B0E}

20. ARGUMENTATIVE (Argumenta)  {C47051A5-653A-4B5E-9019-52A33BF9CED7}

21. COMPULSIVE (Compulsive)    {2A94E47E-A62B-4B17-98B6-275FBC343EAE}

22. PACING (Pacing)          {C4194F0D-0226-4E63-9D66-101BD062C746}

23. ANXIOUS (a)            {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}

24. INTIMIDATING (Intimidat)    {37ACE461-DF89-489D-82DC-1719C3327B29}

25. INEFFECTIVE COPING (ic)    {704B1A55-B639-60F4-E3A5-16F942ABC259}

26. ISOLATING (Isolating)      {4E1CD1C0-6D27-4760-8230-657A2966A786}

27. WITHDRAWN (w)          {E74B0F04-0E3F-632F-9409-C4953D95B1BA}


UNITS:

---------------------------------------------------------------------

Abbreviation................. CUR LOC

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Behavior Current Location

Help Text................... Physical location of patient

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE:                         15 entries

-------------------------------------------------------------------

 1. PATIENT'S ROOM (pr)       {0F13E11D-9F78-14A3-0568-AF26393F39F1}

 2. BATHROOM (b)              {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}

 3. HALL (h)                  {BFCEA10F-2663-199E-88D8-E263122D7D26}

 4. DAY ROOM (dr)             {269125EF-FA82-B17A-6B56-0CEAB4788899}

 5. QUIET ROOM (qr)           {CCD96D41-C273-F6F3-DA18-8818B1CC9980}

 6. GROUP ROOM (gr)           {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}

 8. SMOKING AREA (sa)         {8AFDBCB0-9FC8-523F-5D07-4D8CCBA7036F}

 9. MEDICATION ROOM (mr)      {9571AA9F-F538-55EC-37F6-99FE5677B970}

10. NURSING STATION (ns)      {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

11. PATIO (Patio)            {39499FD3-F11F-49A8-802F-D61A89F4A901}

12. DINING ROOM (Dining Rm)   {9E120E65-9968-4083-961C-D741FCFB420B}

13. OFF UNIT (Off Unit)       {7C840BE3-B615-46C4-9941-2DD244DB3906}

14. WITH TREATMENT TEAM/PROVIDER (Team/Prov)

                {6F79D529-F477-4CD8-95B5-382FE02AE001}

15. IN HEARING (In Hearing)     {1D72DFE6-3090-4A2C-B234-6885E794C842}

16. OFF UNIT - TESTING/PROCEDURE (Test/Proc)

                {46D81DF8-67E8-4952-9D71-D295693F730C}


UNITS:

--------------------------------------------------------------------

Abbreviation................. BEH OBS

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Behavior

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                          15 entries

-------------------------------------------------------------------

 1. COOPERATIVE (c)          {C176406E-EBDE-4ADE-53DE-CF191D8AFC85}

 2. CALM (c)              {E206C3F5-6977-302C-51FB-AF2155B5FFD9}

 3. ANXIOUS (a)             {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}

 4. HOSTILE (h)             {29EF2C04-7DB0-4491-2B5E-D92A6A558721}

 5. COMBATIVE (c)            {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}

 6. INEFFECTIVE COPING (ic)    {704B1A55-B639-60F4-E3A5-16F942ABC259}

 7. WITHDRAWN (w)            {E74B0F04-0E3F-632F-9409-C4953D95B1BA}

 8. UNCOOPERATIVE (u)        {2D737EFB-F4CA-7AEA-9EB2-6FF133742815}

 9. SLEEPS POORLY (sp)        {AB9424B4-D0B1-148B-C800-FF535F3FAC84}

10. AGITATED (a)            {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

11. SEDATED (s)            {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

12. RESTLESS (r)            {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

13. ALERT (a)          {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

14. DROWSY (d)          {6B350814-A88A-0F05-C382-9F27830FBC09}

15. LETHARGIC (l)          {4ECA2E44-093A-9354-848E-CDC72B165072}


UNITS:

----------------------------------------------------------------------

========================================================================

 ID: {1F322720-9BDF-A3A4-47A6-7DA602FFBBF4}

========================================================================

   Abbreviation................. PRE LVL

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. Behavior Precaution Level

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................


   DATA VALUE:                          4 entries

   -----------------------------------------------------------------

    1. CLOSE OBSERVATION (co)     {2679BCAC-8753-FE73-56F8-3AB632161AF4}

    2. 1:1 OBSERVATION (1o)       {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}

    3. PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (pswlosons)

                  {CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}

    4. PATIENT SIGNS SAFETY CONTRACT (PT CONTRAC)

                  {C65734EC-2CAF-4547-8FD8-CBCD9C706003}


   UNITS:

   -----------------------------------------------------------------

===============================================================================

 ID: {C2808159-80A1-AF7F-7C7F-C3A96096187E}

===============================================================================

Abbreviation................. PRE REA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Behavior Precaution Level

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                              5 entries

--------------------------------------------------------------------

 1. SUICIDAL (s)           {B104E9C7-A78E-82DC-49A4-19B94A639AFE}

 2. ESCAPE (e)             {965F3201-9D63-66AB-FA25-99479AE7145A}

 3. ELOPEMENT (e)           {EB030907-FB90-CA9D-CF50-E26C5D9FE671}

 4. ASSAULTIVE (a)          {99ECD8C7-191A-3B9C-2A7A-803A921065FA}

 5. MEDICAL DEVICE SAFETY (mds)

               {1985CABE-4F53-9FCF-F444-F9AC53C04DBD}


UNITS:

--------------------------------------------------------------------

Abbreviation................. Motor Act

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Behavioral Health:  Motor Activity

Help Text................... Assessment of behavioral health

                related motor activity and posture.

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          12 entries

-------------------------------------------------------------------

10. NORMAL (n)              {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

20. HYPOACTIVITY (Hypoactive)   {AE242A17-D9F0-4A94-B836-B292D5D20FB7}

30. HYPERACTIVITY (Hyperactiv)

                {56D44F75-08D4-4B1E-8AD1-7E43A756AB2E}

40. RELAXED (Relaxed)         {B8C15DBC-99FB-4239-8040-C27899120009}

50. RIGID (Rigid)           {2D1427D1-3D9A-41B8-817F-D391B77A1E70}

60. RESTLESS (r)             {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

70. AGITATED (a)             {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

80. STAGGERING GAIT (Staggering)

                {676C5784-9ABC-4DBE-B2E6-FC5EA040A662}

90. SHUFFLING GAIT (Shuffling)

{D628299F-5393-434C-A609-E1E786A4B3F0}

100. FACIAL GRIMACES (Grimaces)

{FEE509E1-5B2F-49C5-A57D-C9D42744037F}

110. UNUSUAL GESTURES OR MANNERISMS (Mannerisms)

{41DBAE9A-20CB-4173-BFCD-FFF9B4E42F3B}

120. TREMORS (Tremors)        {C9A636BB-F04B-4D90-8230-D261D18047F2}


UNITS:

----------------------------------------------------------------------

Abbreviation................. Thought Pr

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Behavioral Health: Thought Process

Help Text................... Assessment of behavioral health

                  related to thought process as

                  assessed from speech patterns.

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                          9 entries

---------------------------------------------------------------------

10. LOGICAL (logical)          {B758A5A0-73CA-436E-A476-DC56EB153842}

20. ILLOGICAL (Illogical)      {79A0885E-115B-4D12-A018-3829CB7DFB1F}

30. LOOSE ASSOCIATIONS (Lse Assoc)

                  {FF172A39-B03F-44E1-A042-AB5AE2F570BC}

40. FLIGHT OF IDEAS (Fl of Idea)

                  {23048412-DE2D-4493-8BA5-EC1EB523A9FC}

50. BLOCKING (Blocking)        {031E84F8-95F8-4B2B-93A1-DEACB4A702BA}

60. WORD SALAD (Word Salad)     {FB895D51-7E94-42D5-849C-6BAD95F728C6}

70. OBSESSIONS (Obsessions)     {12F82E40-EAB3-4D82-8645-1F9ACD33617F}

80. RUMINATIONS (Rumination)   {E5BE154D-AE5F-4655-9811-E30E568BD5E4}

90. DELUSIONS (Delusions)     {C0945F9A-3F8B-4202-A177-AADCBA93831C}


UNITS:

---------------------------------------------------------------------

==============================================================================

  ID: {B52B46E7-A947-447E-A277-71B286B6313A}

==============================================================================

   Abbreviation................. BIPAP EXP

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Bipap machine setting for expiratory

                      pressure

   Display Name................. Bipap Expiratory Pressure - Do Not

                      Check Total or Subtotals

   Help Text.................... Bipap machine setting for expiratory

                      pressure

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................


   UNITS:

   --------------------------------------------------------------------

   CENTIMETERS H2O          0 > 0 * 30 < 40        Dec Prec:  0

Abbreviation................. BIPAP IN

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Bipap machine setting for inspiratory

                   pressure

Display Name................. Bipap Inspiratory Pressure - Do Not

                   Check Total or Subtotals

Help Text................... Bipap machine setting for inspiratory

                   pressure

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................


UNITS:

--------------------------------------------------------------------

CENTIMETERS H2O          0 > 0 * 40 < 50        Dec Prec:  0

Abbreviation................. BLAD ASSMT

Active....................... Yes

Boolean Value False.......... Nondistended

Boolean Value True........... Distended

Data Type.................... Boolean

Description.................. Assessment of bladder

Display Name................. Bladder Assessment

Help Text.................... Is bladder nondistended or distended?

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

-----------------------------------------------------------------

 1. NO (n)            {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)           {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


UNITS:

-----------------------------------------------------------------

===============================================================================

   ID: {403C285B-40ED-4ECA-BFD0-4404BE4FB59E}

===============================================================================

   Abbreviation................. BLAD SCAN

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Bladder Scan

   Display Name................. Bladder Scan - Do Not Check Total or

                     Subtotals

   Help Text.................... Bladder Scan Urine Volume Results

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................


   UNITS:

   ------------------------------------------------------------------

   MILLILITER              0 > 0 * 1000 < 1000      Dec Prec:  0

   CUBIC CENTIMETER           0 > 0 * 1000 < 1000       Dec Prec:  0

    Abbreviation................. BP

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Complex

    Description................. Complex observation of Systolic and

                    Diastolic pressures.

    Display Name................. Blood Pressure

    Help Text................... Enter in the blood pressure values as

                    ###/###.

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................ 4500634


    LOCATION:                          7 entries

    ------------------------------------------------------------------

     1. BRACHIAL (Bra)          {67426127-09E1-E566-F31E-15714A5B2B7C}

     2. FEMORAL (Fem)           {E3442C9E-8677-7296-D314-7365319C3716}

     3. L ARM (LA)          {567F552F-54B5-A8BB-596F-291001746E31}

     4. L LEG (LL)          {B088C809-E528-B785-21C2-14E45E1FD8AF}

     5. R ARM (RA)          {1C09017A-F10A-543D-A7EA-F13790D78692}

     6. R LEG (RL)          {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

     7. RADIAL (RADIAL)         {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}


    METHOD:                          11 entries

    ------------------------------------------------------------------

1. AFTER EXERCISE (AE)      {D129EF4B-3A99-9966-54F1-2C01A36814EE}

2. ARTERIAL LINE (AL)      {D4B3F4ED-8B33-431E-4164-BD165E823776}

3. AT REST (AR)            {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}

4. CUFF-AUTOMATED (CA)      {088AAD2B-2E7B-F835-376F-3D4340790976}

5. CUFF-MANUAL (CM)        {5F56C163-2B04-112F-55DE-E31374E0FB58}

6. DOPPLER (Dop)           {52683C19-F9DC-876B-CA3F-53E7C864CF04}

7. INVASIVE (I)            {5DB8746E-5446-F47A-883C-A44B91275A6E}

8. MONITOR (Mo)            {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

9. NON-INVASIVE (N-I)       {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

10. PALPATED (Pal)         {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}

11. WITH ACTIVITY (Act)     {544A262B-EA34-F82A-46A9-F80740515D65}


POSITION:                          6 entries

------------------------------------------------------------------------

 1. LYING (Ly)             {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

 2. SEMIFOWLERS (Sfl)      {C2F6A945-3829-AABA-3D67-54D1829D3EB9}

 3. SITTING (Sit)          {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

 4. STANDING (St)          {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

 5. TRENDELENBURG (Tr)      {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}

 6. SUPINE (SUPINE)         {DEA8A744-B445-4A9E-875D-485E060F2ACC}


UNITS:

------------------------------------------------------------------------

Abbreviation................. BP CUFF SI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Blood Pressure Cuff Size

Help Text.................... Blood Pressure Cuff Size

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................


DATA VALUE:                          5 entries

-------------------------------------------------------------------

 1. ADULT (ADULT)            {37B557BE-B932-4757-8E08-5EA315E8AD1F}

 2. ADULT LARGE (AD LARGE)     {38E64D72-2806-47FA-B82F-51844574F850}

 3. ADULT SMALL (AD SMALL)     {0161A4E5-713A-406B-B3FD-9ED13BEB5366}

 4. THIGH (THIGH)            {65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}

 5. PEDIATRIC (PEDIATRIC)      {06865E22-3ED9-4EDD-9749-6F8641BF29DE}


UNITS:

-------------------------------------------------------------------

Abbreviation................. M2

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Body Surface Area

Display Name................. BSA

Help Text.................... Body Surface Area

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


UNITS:

--------------------------------------------------------------------

SQUARE METERS              0.50 > 1.00 * 1.75 < 4.00  Dec Prec:  2

===============================================================================

 ID: {CDD931D5-9DD1-4705-A3FA-E566BB8C076C}

===============================================================================

   Abbreviation................. BowelElim

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. Bowel Elimination

   Help Text....................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid.........................


   DATA VALUE:                         14 entries

   --------------------------------------------------------------------

   10. BATHROOM (b)             {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}

   20. CONTINENT (CONTINENT)      {3B658506-F42E-BAF5-04C4-5AD49699E0D2}

   30. INCONTINENT (INCONTINEN)   {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

   40. ILEOSTOMY (ILEOSTOMY)      {D5DF49C8-C6BA-44C1-9840-7765907730A3}

   50. COLOSTOMY (COLOSTOMY)       {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}

   60. DIARRHEA (DIARRHEA)        {353472EF-3499-46B1-AD7C-554FE01D8CE2}

   70. FLATULENCE (FLATULENCE)     {F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}

   80. ATTENDS/BRIEFS (Briefs)     {6F05A79D-CF1C-49AD-90F5-F000F200183B}

   90. ENEMA (Enema)            {34E6D2F2-9A36-45EC-83DA-37B8266065D5}

   100. SUPPOSITORY (Suppositor)   {B776C3BD-7E10-4A5D-BDA9-F346DB7C578F}

   110. DIGITAL STIMULATION (Dig Stim)

                      {44F30BAF-C8E2-484B-8572-66B86BBBC868}

120. BEDSIDE COMMODE (Bedside Cm)

{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}

130. RECTAL TUBE (RECT TUBE)    {7E492AE5-D3B8-44EC-8841-97770FAD3AFE}

140. STOOL MANAGEMENT SYSTEM (StManSys)

{D707EA3E-3151-4F51-B1FD-E6BA2A0BE888}


UNITS:

-------------------------------------------------------------------

Abbreviation................. BM EVENT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Number of bowel movements observed

Display Name................. Bowel Movement Event

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................


UNITS:

-----------------------------------------------------------------

EVENT(S)              -1 > 0 * 8 < 30        Dec Prec:  0

```
================================================================================
```

ID: {9EBBF98C-9551-3AC6-F955-6242D8416444}

```
================================================================================
```

Abbreviation................. BR SC ACTI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Braden Scale Activity - degree of

physical activity

Display Name................. Braden Scale Activity

Help Text.................... 1. Bedfast: Confined to bed 2.

Chairfast: Ability to walk severely

limited or non-existent. 3. Walks

Occasionally: Walks occasionally

during day, but for very short

distances, with or without

assistance. 4. Walks Frequently:

Walks outside room.

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

1. BRADEN SCALE ACTIVITY 1 BEDFAST (BS ACT 1)

{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

2. BRADEN SCALE ACTIVITY 2 CHAIRFAST (BS ACT 2)

{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

3. BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (BS ACT 3)

{E47B47BC-6097-4602-9184-BF5A4F6D686A}

4. BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (BS ACT 4)

{C5A8C2EA-E042-4804-9812-77603C47FC6A}

UNITS:

==

 ID: {03ECD9F4-3C12-A62B-FAAC-0F8A824763AA}

==

   Abbreviation................. BR SC FRIC

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Braden Scale Friction and Shear

   Display Name................ Braden Scale Friction and Shear

   Help Text................... 1. Problem: Requires moderate to

                    maximum assistance in moving. 2

                    Potential Problem: Moves feebly or

                    requires minimum assistance.3 No

                    Apparent Problem: Moves in bed and

                    in chair independently and has

                    sufficient muscle strength to lift up

                    completely

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

   1. BRADEN FRICTION AND SHEAR 1 PROBLEM (BS F/S 1)

               {AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

   2. BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (BS F/S 2)

               {B56338A9-8956-4D27-8BA0-DA50E07359E0}

   3. BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (BS F/S 3)

{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

UNITS:

Abbreviation................. BR SC MOBI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Braden Scale Mobility - ability to

                    change and control body position

Display Name................. Braden Scale Mobility

Help Text.................... 1=Completely Immobile, 2=Very

                    Limited, 3=Slightly Limited, 4=No

                    Impairment

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (BS MOB 1)

              {7607574E-D4C2-4E64-8DC5-ABE7D00917A6}

 2. BRADEN SCALE MOBILITY 2 VERY LIMITED (BS MOB 2)

              {868EFA33-877E-4B91-B4FD-9655F66A7160}

 3. BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (BS MOB 3)

              {C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}

 4. BRADEN SCALE MOBILITY 4 NO LIMITATION (BS MOB 4)

              {84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

UNITS:

Abbreviation................. BR SC MOIS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Braden Scale Moisture - degree to

              which skin is exposed to moisture

Display Name................. Braden Scale - Moisture

Help Text.................... 1=Constantly Moist, 2=Very Moist,

              3=Occasionally Moist, 4=Rarely Moist

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (BS MOI 1)

              {3E2569BA-ECF0-4622-8F4A-26378A2CB466}

 2. BRADEN SCALE MOISTURE 2 VERY MOIST (BS MOI 2)

              {2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}

 3. BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (BS MOI 3)

              {D7F2714B-B0C7-4000-8588-8582C1B32ECE}

 4. BRADEN SCALE MOISTURE 4 RARELY MOIST (BS MOI 4)

              {745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

 UNITS:

==

 ID: {C8167958-3381-1ACE-82C3-856BC2CB9FD2}

==

   Abbreviation................. BR SC NUTR

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Braden Scale Nutrition - usual food

                 intake pattern

   Display Name................ Braden Scale Nutrition

   Help Text................... 1=Very Poor, 2=Probably Inadequate,

                 3=Adequate, 4=Excellent

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

   1. BRADEN SCALE NUTRITION 1 VERY POOR (BS NUT 1)

                {28A86074-A6B2-455E-ABA4-19195C2E3679}

   2. BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (BS NUT 2)

                {7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}

   3. BRADEN SCALE NUTRITION 3 ADEQUATE (BS NUT 3)

                {3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}

   4. BRADEN SCALE NUTRITION 4 EXCELLENT (BS NUT 4)

                {F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

   UNITS:

Abbreviation................. BR SC SENS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Sensory Perception - ability to

                    respond meaningfully

Display Name................. Braden Score - Sensory Perception

Help Text.................... 1=Completely Limited, 2=Very Limited,

                    3=Slightly Limited, 4=No Impairment

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (BS SENC 1)

              {60F646B3-790F-4C5A-B2A0-845915E120E6}

 2. BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (BS SENC 2)

              {98362E63-7245-4E7F-8C30-896A9B923199}

 3. BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (BS SENC 3)

              {1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

 4. BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (BS SENC 4)

              {10304656-E5E8-4F32-8358-A9F80511EFDA}

 UNITS:

    Abbreviation................. BRADEN TOT

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. No Description

    Display Name................. Braden Scale Total

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    BRADEN SCALE   5 > 6 * 23 < 24   Dec Prec: 0

Abbreviation................. BREATH SOU

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. SOUND OBSERVATIONS FROM PATIENT'S LUNGS

Display Name................. Breath Sounds

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. RHONCHI (RHONCHI)   {850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}

 2. CRACKLES (c)   {6B64C108-4424-00D9-525F-D89D549476D6}

 3. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

 4. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

 5. DIMINISHED (d)   {49DE419E-DC3C-F7CD-771D-742031E0DEBC}

 6. INSPIRATORY WHEEZES (INSP WHEEZ)

                {3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}

 7. EXPIRATORY WHEEZES (EXP WHEEZE)

                {CFC103A8-8B02-4942-BBDD-8D24C930883E}

 8. STRIDOR (Stridor)   {58AFC8CE-A17C-4064-A8EB-F06D324C61CC}

LOCATION: 5 entries

----

   1. LEFT LOWER LOBE (LLL)   {14155C13-874D-6E26-01D8-2C03B349F913}

   2. LEFT UPPER LOBE (LUL)   {21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}

   3. R LOWER LOBE (RLL)   {418D350A-3602-1918-22C8-53D093AF49B0}

   4. R MIDDLE LOBE (RML)   {57879159-350C-2055-34D3-C6EFA39CA98F}

   5. R UPPER LOBE (RUL)   {098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

UNITS:

Abbreviation................. BRUIT

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Bruit

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

 2. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 11 entries

----

 1. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

 2. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

 3. L CAROTID (L CAROTID)   {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}

 4. R CAROTID (R CAROTID)   {8280ACD2-72D6-202A-89AF-86BCA7736427}

 5. R TEMPORAL (R TEMPOR)   {1F50461D-5ECF-25B2-A29A-E02803CB7814}

 6. L TEMPORAL (L TEMPO)   {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

 7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

8. CARDIAC (Cardiac)   {39963876-6FE3-49CF-975F-8DBD60244180}

9. GRAFT SITE (Graft Site)   {56ABE088-8047-4335-9F61-4FF69B9B81D8}

10. FISTULA SITE (Fist Site)   {9959E3F8-D744-45F0-BB6B-4A132F8D87A0}

11. CAROTID ARTERY (Carotid)   {E01C5C9D-CA0C-4866-BC0C-A244DA5CC057}

UNITS:

===

TERM: CALL LIGHT WITHIN REACH   Page: 78

 ID: {ABAC4D24-C449-117E-BE4C-BFBC1F599A57}

===

    Abbreviation................. CALL LT

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Call Light Within Reach

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

    Abbreviation................. CAP REFILL

    Active....................... Yes

    Boolean Value False.......... Greater than 3 seconds

    Boolean Value True........... Less than 3 seconds

    Data Type.................... Boolean

    Description.................. RATE OF CAPILLARY REFILL

    Display Name................. Capillary Refill

    Help Text.................... RATE OF CAPILLARY REFILL

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

Abbreviation................. ABN

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Cardiac Abnormal BPM

Help Text................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

BEATS PER MINUTE   0 > 1 * 200 < 201   Dec Prec: 0

    Abbreviation................. CARD ALARM

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Cardiac Alarm Parameters Verified

    Help Text.................... Cardiac Alarm Parameters Verified

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

    Abbreviation................. CARD E

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Cardiac Ectopy

    Help Text.................... No Help Text

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 13 entries

    ----

     1. PJC (p)   {1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}

     2. PAC (p)   {848AB18A-598D-8E4E-8B1B-ED7478CE340B}

     3. PVC (p)   {33FF92F1-84CC-7CFA-41CF-B271A26C59B8}

     4. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

     6. MULTIFOCAL PVC (Mult PVC)   {34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}

     7. UNIFOCAL PVC (Uni PVC)   {5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}

     8. PAIRS (Pairs)   {668B0D85-E507-4E12-B07A-A90CB98730DC}

     9. RUNS OF VT (Runs of VT)   {3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}

     10. BIGEMINY (Bigeminy)   {729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}

     11. TRIGEMINY (Trigeminy)   {13D65F9F-B51C-4CEC-8002-037C8323626C}

     12. QUADRAGEMINY (Quadragemi) {899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}

     13. JUNCTIONAL ESCAPE BEAT (Junctional)

{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}

14. REMNANT P-WAVE (Remnant P)

{3BBAA695-337E-41C4-BB83-8452917C07DF}

UNITS:

Abbreviation................. CARD HS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Cardiac Heart Sounds

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

  1. S1 (s)   {1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}

  2. S2 (s)   {57C043D3-B227-3E7A-C1E6-5129A2800718}

  3. S3 (s)   {9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}

  4. S4 (s)   {9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}

  5. RUB (r)   {0040835D-1CF0-7D55-EEBB-A94A1E0D1206}

  6. CLICK (c)   {F1F3A1A8-35E1-61B4-C783-3314C8247380}

  7. MURMUR (MURMUR)   {591058E0-4B71-E432-B7D7-EBD42A8C4225}

 UNITS:

===

 ID: {BFC29A9A-C666-68B5-C5CF-36B809CF66C2}

===

    Abbreviation................. CI

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. No Description

    Display Name................. Cardiac Index

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    METHOD: 1 entries

    ----

     1. MONITOR (Mo)   {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

    UNITS:

    LITERS PER MINUTE PER METER2 (BSA)

                -0.1 > 0.0 * 8.0 < 8.1   Dec Prec: 1

Abbreviation................. CO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Cardiac Output

Display Name................. Cardiac Output

Help Text.................... Cardiac Output

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. MONITOR (Mo)   {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

LITERS PER MINUTE   0.00 > 4.00 * 8.00 < 16.00

                         Dec Prec: 2

===

 ID: {D5CF1A63-551A-59D4-E6BB-C851D81BDB58}

===

Abbreviation................. CARDR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. HEART RHYTHM

Display Name................. Cardiac Rhythm

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 32 entries

----

 1. SINUS RHYTHM (sr)   {A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}

 2. SINUS BRADYCARDIA (sb)   {D6EF4940-63AE-22AF-1A80-D8E6F0F07839}

 3. AGONAL (a)   {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

 4. ASYSTOLE (a)   {6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}

 5. ATRIAL FIB/FLUTTER (af)   {9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}

 6. ATRIAL FIBRILLATION (a fib)

                 {7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}

 7. ATRIAL FLUTTER (af)   {9CB8D413-6762-D78E-F40E-25DB66CD23B3}

 8. L BUNDLE BRANCH BLOCK (lbbb)

                 {C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}

 9. R BUNDLE BRANCH BLOCK (rbbb)

                 {FDE0D174-5220-F069-D284-20399D9489B0}

10. IDIOVENTRICULAR (i)   {8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}

11. JUNCTIONAL (j)   {4A339D84-7051-1258-877D-85AFC1CA20FE}

12. PACED: AV SEQUENTIAL (pas)

                 {3C485674-224C-47DA-510D-92F1A0CA54A1}

13. PACED: ATRIAL (pa)   {88837DD4-098D-B77F-A754-89D5C4F5870F}

14. PACED: VENTRICULAR (pv)   {A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}

15. PAROXYSMAL ATRIAL TACHYCARDIA (pat)

                 {27BC1FAF-A403-6EA8-044C-F1271F12A62A}

16. SINUS ARREST (sa)   {3CD8F7AC-3FE0-F342-089C-787232D2A5C2}

17. SINUS ARRHYTHMIA (sa)   {07A24AC9-B486-A4B8-BADB-04D2729542CE}

18. SUPRAVENTRICULAR TACHYCARDIA (st)

                 {F712412F-D39A-58F7-E4F1-6AC8B77445D7}

19. VENTICULAR FIBRILLATION (vf)

                 {400B70C2-6E15-458F-70C6-FA2597DE2556}

20. VENTRICULAR TACHYCARDIA (vt)

                 {138258AD-3A2C-2A6C-9DF8-615CCC303DC2}

21. FIRST DEGREE AV BLOCK (fdab)

                 {4FF046C9-B638-F86C-5D51-006B3D5225E3}

22. SECOND DEGREE AV BLOCK: TYPE 1 (sdabt1)

                 {508BF663-96FB-EEBE-4F06-D2F1A02BD099}

23. SECOND DEGREE AV BLOCK: TYPE 2 (sdabt2)

                 {3367754A-08D1-31A9-E850-1B36358E358A}

24. THIRD DEGREE AV BLOCK (tdab)

                 {1AC7E31B-830E-2309-3AF7-8FB03003DD86}

25. SINUS PAUSE (sp)   {7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}

26. SINUS BLOCK (sb)   {94D6EFED-3D08-E724-BC40-9C398919A142}

27. SINUS TACHYCARDIA (SINUS T)

                 {0AC41AF3-7656-A35D-E397-21D35405812A}

28. PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (PST)

                 {9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

29. MUTIFOCAL ATRIAL TACHYCARDIA (mat)

{562C6BBD-C210-4467-93B3-8E50640E7CCE}

30. JUNCTIONAL TACHYCARDIA (jt)

{D6EF01C1-A8F9-40FD-AE24-785041526041}

31. TORSADES DE POINTES (Tor de Poi)

{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

32. PULSELESS ELECTRICAL ACTIVITY (Pulseless)

{8E21E500-78D4-462D-9483-DD81D3887EE5}

UNITS:

Abbreviation................. CAR RH LD

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Cardiac Rhythm Lead

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 12 entries

----

  1. I (I)   {BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}

  2. II (II)   {F165C13B-397E-4182-8D72-BD1D74CFBA00}

  3. III (III)   {D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}

  4. AVR (AVR)   {04AF2551-1185-4BA9-AEED-977D562D188A}

  5. AVL (AVL)   {9124A193-5F50-448D-9E60-C5869EC4029C}

  6. AVF (AVF)   {C8E97206-58AA-47C0-BD2E-7A30E56DB46A}

  7. V1 (V1)   {4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}

  8. V2 (V2)   {05A3232E-A30D-4771-A1B5-E7705B717646}

  9. V3 (V3)   {E150126E-4AA7-4F96-961E-FD1169C77158}

  10. V4 (V4)   {255260F9-5CC7-41B1-831C-F9319FA27506}

  11. V5 (V5)   {D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

  12. V6 (V6)   {B86F72D7-7884-4470-92A8-EF9277C5B584}

UNITS:

Abbreviation................. THRILL TIM

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Thrill Timing

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. CONTINUOUS (CONTINUOUS)   {676CD2DA-F882-4BE5-99BB-510EA7669749}

 2. SYSTOLIC (SYSTOLIC)   {859B5700-0990-42FF-8129-8DB24EFDA8D1}

 3. DIASTOLIC (DIASTOLIC)   {3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}

 4. PRESYSTOLIC (PRESYSTOLI)   {BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}

UNITS:

```
================================================================================

TERM: CAUTI PREVENTION: ALTERNATIVES ATTEMPTED PRIOR TO CATH        Page: 89

 ID: {D7A1DFC3-BBD5-4439-AAB7-D3489238A360}

================================================================================
```

Abbreviation................. CAUTI: Alt

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. CAUTI Prevention: Alternatives

                 Attempted Prior to Cath

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. BLADDER SCAN   (Blad Scan)

                {6C66BC97-1042-4E53-A49F-69AB7ABEE551}

20. EXTERNAL CONDOM CATH (Ex Con Cat)

                {747E493A-C535-44EA-AD6D-27CE3E8E8CAC}

30. BEDSIDE COMMODE (Bedside Cm)

                {E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}

40. TOILETING BY SCHEDULE (Toilet Sch)

                {D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

UNITS:

Abbreviation................. CAUTI: Cat

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. CAUTI Prevention: Catheter in place

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

10. FROM OPERATING ROOM (From Op Rm)

               {2B26BD84-3D4D-4931-99C7-8204E9D49827}

20. FROM EMERGENCY DEPARTMENT (Fr Emergen)

               {9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}

30. FROM INTERVENTIONAL RADIOLOGY (Fr Int Rad)

               {617DA086-B121-4E2F-8B02-41133EEDD50D}

40. FROM ANOTHER VA FACILITY (Fr Oth VA)

               {66AF9A88-6404-4E05-9640-4FB0C6513BAF}

50. FROM A NON-VA OUTSIDE FACILITY (Fr Non-VA)

               {8090F49E-5056-4F7C-932C-538581996F8F}

60. FROM ANOTHER UNIT (Fr An Unit)

               {D94B5252-7E8A-48EB-A481-0B18C68CAEF7}

70. FROM MICU (From MICU)   {971D83AE-B75C-420B-B23D-844397CEE968}

80. FROM SICU (From SICU)   {892002CC-E07A-49A5-B909-1F88665B3D65}

90. FROM CLC (From CLC)   {8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}

100. FROM HOME (From Home)   {2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

UNITS:

Abbreviation................. GU Cat Dis

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. CAUTI Prevention: GU Catheter

                  Discontinued

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. CAUTI: In

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. CAUTI Prevention: Indications

Help Text................... Select reason for continuation of

             indwelling foley catheter

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. COMFORT CARE (Comfort Ca)   {51669E41-DF78-4E49-BA5F-DE6F1B5F1148}

20. NEUROGENIC BLADDER (Neuro Blad)

             {D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}

30. STAGE 3 OR 4 PRESSURE ULCER (Press Ulce)

             {883029EF-BB3A-4146-95DD-3C6F1C0D097D}

40. SELECTED SURGERY (Sel Surg)

             {6DBC6356-0F00-4001-AF94-20A479995A6C}

50. UNABLE TO VOID (Un to Void)

             {1F2A844D-4E14-4759-B8F7-82B58E157720}

60. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

70. STRICT I&O (Strict I&O)   {546545FA-2143-48CB-8B63-E960CCF1E8BA}

UNITS:

Abbreviation................. CAUTI: Req

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. CAUTI Prevention: Insertion

                Requirements

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 9 entries

----

10. HAND HYGIENE BEFORE AND AFTER (Hand Hyg)

            {6005023D-3C02-4C93-99E8-2A8167574E93}

20. STERILE GLOVES-DRAPES USED (Ster Glove)

            {F26BBB1B-1483-40CD-AC47-828F71B9187C}

30. ASEPTIC TECHNIQUE FOLLOWED (Aseptic)

            {2DE69DDB-F455-4570-A821-C81F39FD2574}

40. SINGLE USE LUBRICANT PACKET (Single Use)

            {7F748EDB-77D4-42D2-BE75-54F73598D4B0}

50. CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (Cath Secur)

            {A2D2ABF1-88D4-46A2-B935-33211292FF25}

60. DRAINAGE FLOW IS UNOBSTRUCTED (Unobstruct)

{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}

70. CATH SIZE DOCUMENTED (Cath Size)

{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}

80. CATHETERIZATION TIME DOCUMENTED (Cath Time)

{4EF58FCA-A5E1-454C-B435-5BFB487618F4}

90. PROVIDED PATIENT EDUCATION (Pat Ed)

{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

UNITS:

Abbreviation................. Cauti-Mnt

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. CAUTI Prevention: Maintenance

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. DAILY ASSESSMENT OF NEED (Dly Assess)

                {3A47013F-0027-4D8F-8142-6DBD57787D6C}

20. PROVIDER CONSULTED (Prv Cnsult)

                {3D84493F-4B21-462B-AE5C-83FA565D6255}

30. CLOSED DRAINAGE SYSTEM (Closed Drn)

                {98A38592-89A5-4ADE-B81C-1FEA9D2CAC0D}

40. SECURED SO DRAINAGE BAG IS BELOW PT'S BLADDER AND FLOW UNOBSTRUCTED (Se

cure Bag)   {AFBC925B-79E1-4C29-81B0-EE057066671B}

50. DAILY HYGIENE (Dly Hyg)   {12D42549-58A5-4079-A226-99928B93A306}

60. PATIENT EDUCATION PROVIDED (Pat Ed)

                {5E658583-22B0-46AF-BF65-318A2070047A}

70. INSTRUCTED ON SELF-CARE INCLUDING HAND AND CATH HYGIENE (Self-Care)

{C52DF898-9A84-4885-AC67-49673ECFA756}

UNITS:

===

TERM: CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY

.   Page: 95

 ID: {130B6426-2DE1-4FBE-ADDD-AA8C66F24A37}

===

    Abbreviation................. Caution

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... String

    Description.................

    Display Name................. Caution-Vitals may not display in

                    correct sequence. Review times

                    carefully

    Help Text...................

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

===

 ID: {152A037A-A6CC-4F12-8B85-25CEE78772C4}

===

Abbreviation................. C-LINE ALA

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Central Line Alarms On

Display Name................. Central Line Alarms On

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

TERM: CENTRAL LINE CHANGED   Page: 97

 ID: {8FA1B26D-CADB-4769-3574-18A6BD86C400}

==

    Abbreviation................. C LINE CHA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Central Line Changed

    Help Text.................... Central Line changed to

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

     1. NEW SITE (NEW SITE)   {10B1FF61-E58E-4608-9CCB-9232BC964418}

     2. OVER WIRE (OVER WIRE)   {157CD456-1020-43AE-9AAA-1686F1574B6F}

     3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)

                    {20BC183A-197F-4464-A27C-47F63C5B842A}

     4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)

                    {7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

    UNITS:

===

 ID: {DDEA3089-9246-40F3-9A67-56A05B393309}

===

   Abbreviation................. C LI DR CH

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Central Line Dressing Change

   Display Name................ Central Line Dressing Change

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. DRY (d)   {D8F4F0FD-1B19-2515-3815-EC88D175B305}

    2. INTACT (i)   {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

    3. CHANGED (CHANGED)   {74B14023-D74D-41F6-AA48-B0E5137623CD}

    4. REINFORCED (REINFORCED)   {EC524C50-0CDE-4AA1-8059-E4323850575E}

   UNITS:

===

 ID: {AF276338-5F2C-1CEF-F009-AC4BAED0DDE3}

===

    Abbreviation................. C LINE DRE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. No Description

    Display Name................. Central Line Dressing Type

    Help Text.................... Type of dressing on central line

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 6 entries

    ----

     1. ANTI-MICROBIAL DRESSING (AB DRESSIN)

                    {9734C5E9-D099-47EB-93B1-D82201F64331}

     2. PRESSURE DRESSING (PRESS DRES)

                    {6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

     3. TRANSPARENT (TRANSPAREN)   {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

     4. GAUZE (GAUZE)   {CF10C658-4334-4F3B-A38E-E98894458333}

     5. SECUREMENT DEVICE (SecureDev)

                    {C53D9B3B-6247-4A1A-B29A-4429C7174966}

     6. OTHER (ENTER COMMENT) (Other)

                    {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

    UNITS:

 ID: {FAF85282-EB13-405A-B78E-36767EE4C33B}

===

   Abbreviation................. C LINE INS

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Central Line Insertion Mark

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   CENTIMETER   0.00 > 0.00 * 250.00 < 250.01

                         Dec Prec: 2

Abbreviation................. C-LINE CAR

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Central Line Site Care

Display Name................. Central Line Site Care

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

TERM: CENTRAL LINE SITE CONDITION   Page: 102

 ID: {7996453B-0F7C-B4E8-2007-6C26AE26C479}

    Abbreviation................. C LINE CON

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. No Description

    Display Name................. Central Line Site Condition

    Help Text................... Condition of central line

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 7 entries

    ----

     2. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

     3. SWOLLEN (SWOLLEN)   {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

     4. DISCOMFORT (DISCOMFORT)   {77D058C9-1EB4-96C0-C9E3-666C840B884C}

    50. PATENT (Patent)   {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

    60. CLEAN (Clean)   {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

    70. OCCLUDED (Occluded)   {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

    80. OOZING (Oozing)   {C23549D7-3238-4523-BA31-AB71609F01C2}

    UNITS:

===

 ID: {234D330A-C51B-4D56-8631-9418BB081E96}

===

    Abbreviation................. CLINE FREN

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Central Line Size (French)

    Display Name................. Central Line Size (French)

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    FRENCH   0.0 > 0.0 * 50.0 < 50.1   Dec Prec: 1

Abbreviation................. C-LINE GAU

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Central Line Size (Gauge)

Display Name................. Central Line Size (Gauge)

Help Text................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

GAUGE   0.0 > 0.0 * 40.0 < 40.1   Dec Prec: 1

===

 ID: {E038D201-2840-B759-4D91-44A093768F8B}

===

    Abbreviation................. C LINE TYP

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Central Line Type

    Help Text................... Type of central line

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 11 entries

    ----

     1. SINGLE (SINGLE)   {8D305E0F-9035-E396-E768-40D7E6455BE4}

     2. DOUBLE (DOUBLE)   {A486852F-150B-24E3-8EB3-8CAABB3D0520}

     3. TRIPLE (TRIPLE)   {077BE8CF-F2AB-56E1-1F25-51DF80F8054D}

     4. INTRODUCER (INTRODUCER)   {B46F7CA4-C94E-68FD-2892-52866763B5A0}

     5. PICC (PICC)   {3CFE33D0-5A35-88CC-152C-D7501D1858D9}

     6. DIALYSIS LINE (DIALYSIS)   {D218E23C-5A34-09B0-DE43-DC792DCD0F1C}

     7. QUAD (Quad)   {E4D9401C-0A33-4420-87B7-660BF259E6AB}

     8. MIDLINE (Midline)   {3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}

     9. MEDIPORT (Mediport)   {E223C221-A1ED-4FC0-969F-16E33E3A0897}

    10. POWERPORT (Powerport)   {A8201E8F-849A-4C37-A5C5-6A97813E14E4}

    11. OTHER (ENTER COMMENT) (Other)

                    {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

LOCATION: 16 entries

----

 1. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

 2. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

 3. L INTERNAL JUGULAR (L INT JUG)

                {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

 4. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

 5. L EXTERNAL JUGULAR (L EXT JUGU)

                {6F7B331B-4F83-0B79-1755-F6F673D647D6}

 6. R EXTERNAL JUGULAR (R EXT JUGU)

                {4D78F704-9E3B-907E-A792-4DC4F4CFF170}

 7. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

 8. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

 9. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

10. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

11. L ANTECUBITAL (L ANTECUBI)

                {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

12. R ANTECUBITAL (R ANTECUBI)

                {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

13. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

14. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

15. L WRIST (L WRIST)   {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

16. R WRIST (R WRIST)   {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

Abbreviation................. C-LINE WAV

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Central Line Waveform

Display Name................ Central Line Waveform

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

 2. DAMPENED (DAMPENED)   {77C777B3-7E56-41E3-8E70-DE144E6A3424}

 3. HYPERDYNAMIC (HYPERDYNAM)   {818A8A99-04D9-4989-A9BA-ECFACED74605}

 4. POSITIONAL (POSITIONAL)   {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}

 5. NOT MONITORED (NOT MONITO)

                {0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

Abbreviation................. C-LINE ZER

Active...................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type................... Boolean

Description................. Central Line Zeroed

Display Name................ Central Line Zeroed

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. CVP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Central Venous Pressure

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid......................... 4688719

LOCATION: 8 entries

----

 1. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

 2. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

 3. L INTERNAL JUGULAR (L INT JUG)

                {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

 4. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

 5. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

 6. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

 7. L BRACHIAL (L BRACH)   {75F6CE33-1AB3-A1DA-70B8-04825290B577}

 8. R BRACHIAL (R BRACH)   {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

METHOD: 2 entries

----

1. CARDIAC OUTPUT MONITOR (COM)

   {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

2. MONITOR (Mo)   {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

MILLIMETERS OF MERCURY   0 > 2 * 6 < 19   Dec Prec: 0

==

  ID: {166BD1C4-D983-464A-9A6E-B3A7AC7885EB}

==

Abbreviation................. CPP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Cerebral Perfusion Pressure

Display Name................. CPP - Do Not Check Total or Subtotals

Help Text................... Cerebral Perfusion Pressure

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLIMETERS OF MERCURY   0 > 50 * 150 < 300   Dec Prec: 0

```
================================================================
```

TERM: CHEST EXPANSION   Page: 110

 ID: {BAF272C6-1F0A-40E1-918B-3BABC5F22407}

```
================================================================
```

    Abbreviation................. CHEST EXPA

    Active....................... Yes

    Boolean Value False.......... Asymmetrical

    Boolean Value True........... Symmetrical

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Chest Expansion

    Help Text.................... Symetrical or Asymetrical Chest

                    Expansion

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

Abbreviation................. CHEST PN

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. EVALUATION OF PATIENTS CHEST DISCOMFORT

Display Name................. Chest Pain

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 11 entries

----

   1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

   2. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

   3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

   4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

   5. 4 (4)   {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

   6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

   7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

   8. 7 (7)   {7A010324-D2C2-5D4B-848A-7B8878666D20}

   9. 8 (8)   {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

   10. 9 (9)   {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

   11. 10 (10)   {0C827160-18DB-816F-7FAA-A3C175C6D33B}

LOCATION: 3 entries

----

 1. L CHEST (L CHEST)   {E332E497-FE0C-47CB-A0A7-217FBF52DC97}

 2. R CHEST (R CHEST)   {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

 3. MID-STERNAL (MID-STERN)   {3F5168F1-9082-4FB2-A364-3CDE33B1214B}

UNITS:

Abbreviation................. DRAIN CHAR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. DESCRIPTION OF PATIENT'S DRAINAGE

Display Name................. Chest Tube Characteristics

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. SEROUS (SEROUS)   {9BDA347E-29E9-80C7-91FA-016192D4257E}

 2. SEROSANGUINOUS (SEROSANGUI)

                {19A8D332-899D-177A-2247-ABCDAEE3BFA8}

 3. PURULENT (PURULENT)   {86C01494-743A-C6A2-8883-01CA5200C79B}

 4. BLOODY (BLOODY)   {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

UNITS:

===

TERM: CHEST TUBE DRAINAGE SUCTION TYPE   Page: 113

 ID: {9F88C02A-4CC7-4A51-927C-4931FAEFE7DC}

===

   Abbreviation................. CH TU SU T

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Chest Tube Drainage Suction Type

   Display Name................. Chest Tube Drainage Suction Type

   Help Text.................... Type of Chest Tube Suction

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. WATERSEAL (WATERSEAL)   {6D91B99D-F199-09ED-78BE-B54F2CAC4E06}

    3. CONTINUOUS SUCTION (CONT SUCTI)

                  {8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}

    4. HEIMLICH VALVE (Heim Valve)

                  {8140240C-8068-4BF2-BE26-4E2C2BE041A7}

   LOCATION: 12 entries

   ----

    1. L UPPER ANTERIOR CHEST (L U A CHES)

                  {FE63B58A-DE39-4C03-AE61-E34A5487C767}

    2. R UPPER ANTERIOR CHEST (R U A CHES)

                  {67890049-A4A8-4241-BDF3-573729BD6EB5}

3. L MIDDLE ANTERIOR CHEST (L M A CHES)

   {36A83F77-117E-474B-AE34-0B2C02E131AE}

4. R MIDDLE ANTERIOR CHEST (R M A CHES)

   {2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

5. L LOWER ANTERIOR CHEST (L L A CHES)

   {6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

6. R LOWER ANTERIOR CHEST (R L A CHES)

   {96BCF731-B661-4455-B5E7-C4AE2509505F}

7. L UPPER POSTERIOR CHEST (L U P CHES)

   {6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

8. R UPPER POSTERIOR CHEST (R U P CHES)

   {D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

9. L MIDDLE POSTERIOR CHEST (L M P CHES)

   {5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

10. R MIDDLE POSTERIOR CHEST (R M P CHES)

   {2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

11. L LOWER POSTERIOR CHEST (L L P CHES)

   {2C19F10B-7546-4A1F-A5DC-3867359ED971}

12. R LOWER POSTERIOR CHEST (R L P CHES)

   {5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

UNITS:

==

TERM: CHEST TUBE DRAINAGE SYSTEM REPLACED   Page: 114

 ID: {5A32F0FC-D81E-435D-A2C9-26EDEF2DF7BB}

==

    Abbreviation................. CH TU S RE

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Chest Tube Drainage System Replaced

    Help Text.................... Chest Tube Drainage System Changed

                    Replaced

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

===

 ID: {8DE63ADE-D3AC-49EE-BB24-ED44AB9971F5}

===

   Abbreviation................. CH T DR CH

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. Chest Tube Dressing Change

   Display Name................. Chest Tube Dressing Change

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

Abbreviation................. CH TU ASSE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Chest Tube Site Assessment

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

 2. AIR LEAK (AIR LEAK)   {52E40E25-6D28-53EC-BC05-D1FEAA4616EF}

 3. FLUCTUATES (Fluctuates) {C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}

 4. CREPITUS (CREPITUS)   {56A97506-05F0-4F37-8FD9-3AA82191408A}

 5. SQ EMPHYSEMA (SQ EMPHYS.) {B8D03538-0168-4CDC-FF41-BA1185EBCC87}

UNITS:

==

TERM: CHEST TUBE SUCTION (CM H20)   Page: 117

 ID: {BD9724EC-B5BB-4F95-8C24-B0A1451C33A6}

==

   Abbreviation................. CHST TU SU

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. No Description

   Display Name................. Chest Tube Suction (cm H20)

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   CENTIMETERS H2O   -1 > 0 * 30 < 31   Dec Prec: 0

Abbreviation................. Chief Com

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... String

Description.................

Display Name................. Chief Concern/Complaint

Help Text...................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. CG

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. circumference

Display Name................ Circumference/Girth

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................ 4688720

LOCATION: 11 entries

----

 1. ABDOMINAL (Abd)   {AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}

 2. ANKLE (Ank)   {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

 3. CALF (Clf)   {7923E496-90D6-B6D5-726A-A5B8DF3436CF}

 4. HEAD (Hd)   {C3209F44-90C6-FF1B-3169-265B294F276A}

 5. HIP (Hip)   {D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}

 6. KNEE (Kn)   {B577308A-4C37-47BD-AD84-38E6342B6DF7}

 7. LOWER ARM (LrA)   {D7627720-D6B0-AC00-8FA3-F7B569ED06FC}

 8. NECK (Ne)   {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

 9. THIGH (THIGH)   {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

10. UPPER ARM (UpA)   {B43A2B31-1F35-3F4D-5D23-882541ABE477}

11. WRIST (Wri)   {C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

POSITION: 2 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

UNITS:

INCH   0.00 > 0.00 * 999.99 < 999.99

                                Dec Prec: 2

CENTIMETER   0.00 > 0.00 * 999.99 < 999.99

                                Dec Prec: 2

Abbreviation................. CIWA AG

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Agitation

Help Text.................... CIWA Agitation Observation

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. 0 - NORMAL ACTIVITY (CIWA AG 0)

                    {9FF32084-A432-467C-B0A2-C8BC9F3D6D13}

 2. 1- SOMEWHAT MORE THAN NORMAL ACTIVITY (CIWA AG 1)

                    {497F7A3D-72C8-4986-A1E6-74EA0E5704F9}

 3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

 4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

 5. 4 - MODERATELY FIDGETY AND RESTLESS (CIWA AG 4)

                    {B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}

 6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

 7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

 8. 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (CIWA AG 7)

                    {9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

UNITS:

    Abbreviation................. CIWA AX

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Anxiety

    Help Text.................... Ask "Do You Feel Nervous?"

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 8 entries

    ----

    1. 0 - NO ANXIETY AT EASE (CIWA AX 0)

                   {DA61A13E-6443-4E8A-9C76-762FEACDB4E7}

    2. 1 - MILDLY ANXIOUS (CIWA AX 1)

                   {401113EE-5CE7-4AE9-80C1-1C3252E706D0}

    3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

    4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

    5. 4 - MODERATELY ANXIOUS (CIWA AX 4)

                   {9A01FEFD-844C-4FAB-BEC3-96333495FA62}

    6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

    7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

    8. 7 - ACUTE PANIC (CIWA AX 7)

                   {3F5E6786-FD67-405F-A535-EC1609910F14}

UNITS:

Abbreviation................. CIWA AU

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Auditory Disturbances

Help Text................... Ask " Are You More Aware Of Sounds

                            Around You? Are They Harsh? Do They

                            Frighten You? Are You Hearing Things

                            You Know Are Not There?"

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. 0 = ABSENT (0-a)   {75F14311-F113-963C-4F05-B8AE17F044A9}

 2. 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 1)

                    {E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}

 3. 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 2)

                    {71204969-E614-46A4-ADA5-39FAF81A79B5}

 4. 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 3)

                    {77F59277-6CE4-4323-8531-3CA26E13C9C4}

 5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

                    {13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

TERM: CIWA: HEADACHE FULLNESS IN HEAD   Page: 123

 ID: {BAA1C221-5540-4A46-96AA-32C7BA53317B}

==

   Abbreviation................. CIWA HA

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. No Description

   Display Name................. Headache, Fullness In Head

   Help Text.................... Ask "Does your head feel different?

                  Does it feel like there is a band

                  around your head? Do not rate for

                  dizziness or lightheadedness."

                  Otherwise, rate severity.

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 8 entries

   ----

   1. 0 = ABSENT (0-a)   {75F14311-F113-963C-4F05-B8AE17F044A9}

   2. 1 - VERY MILD (CIWA HA 1)   {F789C1EA-CC7A-4368-87BA-08AFFE492EE6}

   3. 2 - MILD (CIWA HA 2)   {6B752397-0A4F-4176-90E7-E220DB2BF1C4}

   4. 3 - MODERATE (CIWA HA 3)   {F26EB828-6864-4384-9EBB-35A6CDCACC59}

   5. 4 - MODERATELY SEVERE (CIWA HA 4)

              {83B3DE0F-3BA4-4B0A-A222-F372BD403094}

   6. 5 - SEVERE (CIWA HA 5)   {7BD7B91F-DF6F-47B9-BAA6-3EF249340578}

   7. 6 - VERY SEVERE (CIWA HA 6)

{241C1EF4-2E2A-4D65-9991-607BB6B29E01}

8. 7 - EXTREMELY SEVERE (CIWA HA 7)

{F8DCC910-D36D-480E-867E-B45221170C49}

UNITS:

Abbreviation................. CIWA NV

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Nausea / Vomiting

Help Text................... Ask "Do you feel sick to your

                stomach? Have you vomited?"

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. 0 - NO NAUSEA/VOMITING (CIWA NV 0)

                {0569555E-E7B3-49E3-9A18-68D23CFB2B8D}

 2. 1 - MILD NAUSEA / NO VOMITING (CIWA NV 1)

                {582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}

 3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

 4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

 5. 4 - INTERMITTENT NAUSEA WITH DRY HEAVES (CIWA NV 4)

                {7FBE10F0-472F-4F21-BE55-0892259141B5}

 6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

 7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

 8. 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (CIWA NV 7)

{7F1076C4-C655-4BF2-8BB1-036F5169B619}

UNITS:

Abbreviation................. CIWA OR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Orientation And Clouding Of Sensorium

Help Text.................... Ask "What day is this? Where are you?

                    Who am I?"

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. 0 - ORIENTED AND CAN DO SERIAL ADDITIONS (CIWA OR 0)

                {D8015F54-6E9E-457A-955C-38565BDDDBB6}

  2. 1 - CANNOT DO SERIAL ADDITIONS (CIWA OR 1)

                {F4446E01-E326-420E-8EA8-04451AA9D963}

  3. 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (CIWA OR 2)

                {01B894B0-3E70-47FA-820A-83CA48B93EF9}

  4. 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (CIWA OR 3)

                {68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

  5. 4 - DISORIENTED FOR PLACE OR PERSON (CIWA OR 4)

                {03BBFFA2-233A-41A1-8212-F988889C5E72}

UNITS:

Abbreviation................. CIWA PS

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Paroxysmal Sweats

Help Text................... Paroxysmal Sweats

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. 0 - NO SWEAT VISIBLE (CIWA PS 0)

                 {7C83E616-4414-4766-AAF5-5F5442FFBF09}

 2. 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (CIWA PS 1)

                 {93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}

 3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

 4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

 5. 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (CIWA PS 4)

                 {8388B1A0-46EA-4003-A32B-A2C708A6F056}

 6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

 7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

 8. 7 - DRENCHING SWEAT (CIWA PS 7)

                 {15D2E2CC-BAED-403B-A141-B848FFE4A9D0}

UNITS:

Abbreviation................. CIWA TC

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................. Tactile Disturbances

Help Text................... Ask "Have You Any Itching, Pins and

                   Needles Sensations, Any Burning, Any

                   Numbness Or Do You Feel Bugs Crawling

                   On Or Under Your Skin?"

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

  1. 0 - NONE (CIWA TC 0)   {5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}

  2. 1 - VERY MILD ITCHING PINS/NEEDLES BURNING (CIWA TC 1)

              {00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}

  3. 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (CIWA TC 2)

              {1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}

  4. 3 - MODERATE ITCHING PINS/NEEDLES BURNING (CIWA TC 3)

              {B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

  5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

              {13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

    Abbreviation................. CIWA TOTAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. No Description

    Display Name................. Total CIWA Score

    Help Text................... Add All CIWA Scores Together

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    CIWA SCALE   -1 > 0 * 9 < 68   Dec Prec: 0

Abbreviation................. CIWA TR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Tremor

Help Text................... Arms extended and fingers spread apart.

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. 0 - NO TREMOR (CIWA TR 0)   {2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}

 2. 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (CIWA TR 1)

              {31833D55-9018-47EE-8341-A0863744CEF8}

 3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

 4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

 5. 4 - MODERATE WITH PATIENTS ARMS EXTENDED (CIWA TR 4)

              {79CE1486-151C-4492-AFD2-7845DD69DA9E}

 6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

 7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

 8. 7 - SEVERE EVEN WITH ARMS NOT EXTENDED (CIWA TR 7)

              {FE0BE72E-913A-48CD-BABF-C5B742AFED93}

UNITS:

    Abbreviation................. CIWA VS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Visual Disturbances

    Help Text.................... Ask "Does the light appear to be too

                    bright? Is its color different? Does

                    it hurt your eyes? Are you seeing

                    anything that is disturbing to you?

                    Are you seeing things you know are

                    not there?"

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 8 entries

    ----

     1. 0 = ABSENT (0-a)   {75F14311-F113-963C-4F05-B8AE17F044A9}

     2. 1 - VERY MILD SENSITIVITY (CIWA VS 1)

                    {8BF96CF1-3EA7-468C-838A-284430EA850D}

     3. 2 - MILD SENSITIVITY (CIWA VS 2)

                    {ED600249-E5E8-4020-955E-A5CDA18B5DE9}

     4. 3 - MODERATE SENSITIVITY (CIWA VS 3)

                    {D673A630-1F1E-4734-AADE-17586C48E8B9}

5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)

{13FCDA97-A967-4993-AED5-13EBA61F3102}

6. 5 - SEVERE HALLUCINATIONS (CIWA 5)

{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)

{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)

{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

Abbreviation................. COWS:RestP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. COWS: Resting Pulse

Help Text.................... Record beats per minute

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. 0 - PULSE RATE 80 OR BELOW (0-80/Below)

                    {60BC905C-8235-493A-B0A5-9E0DF72AFE09}

20. 1 - PULSE RATE 81-100 (1 - 80-100)

                    {0051037D-F6FA-4295-820A-456095AB5E1F}

30. 2 - PULSE RATE 101-120 (2 -101-120)

                    {10AF1ABF-1F86-4DC3-B194-D3AFECFBF909}

40. 3 - PULSE RATE GREATER THAN 120 (3 - >120)

                    {DBADEF02-6F98-435D-87A8-E369F331BA48}

UNITS:

===

 ID: {81280B87-0CF2-420E-9049-A25B27AA7817}

===

    Abbreviation................. COWS:Sweat

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. COWS: Sweating

    Help Text................... Over past 1/2 hour not accounted for

                    by room temperature or patient

                    activity

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

    10. 0 - NO REPORT OF CHILLS OR FLUSHING (0-NoChills)

                    {94FBB3F8-36F1-480F-A0E2-4F724F9BCD01}

    20. 1 - SUBJECTIVE REPORT OF CHILLS OR FLUSHING (1-SubChill)

                    {7603511C-234D-4578-8B7A-4976C715BD87}

    30. 3 - BEADS OF SWEAT ON BROW OR FACE (3-BeadsSwe)

                    {482938DF-E2F4-441A-9FD9-A09A2544FD24}

    40. 4 - SWEAT STREAMING OFF FACE (4-SweatStr)

                    {FD040160-5AD6-4C12-B36F-A2B23D1ED95D}

    UNITS:

Abbreviation................. COWS:Rest

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................

Display Name................. COWS: Restlessness

Help Text.................... During Assessment

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. 0 - ABLE TO SIT STILL (COWS:Rest0)

                {3183B1D3-BD5D-4756-86CA-74C2739F4A3A}

20. 1 - REPORTS DIFFICULTY SITTING STILL, BUT IS ABLE TO DO SO (COWS:Rest1)

                {12A7E70F-C76A-4AFA-82C2-1C4A40AB6CAC}

30. 3 - FREQUENT SHIFTING OR EXTRANEOUS MOVEMENTS OF LEGS/ARMS (COWS:Rest3)

                {18FBB2C6-DB3E-4E9D-83DA-7CFD702A1465}

40. 5 - UNABLE TO SIT STILL FOR MORE THAN A FEW SECONDS (COWS:Rest5)

                {ED0F4C4E-10F6-4576-9393-7D296D0F21AC}

UNITS:

Abbreviation................. COWS:Pupil

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. COWS: Pupil Size

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. 0 - PUPILS PINNED OR NORMAL SIZE FOR ROOM LIGHT (COWS:Pupi0)

              {636C3F4E-49EA-4525-AAD1-11C2F922FA64}

20. 1- PUPILS POSSIBLY LARGER THAN NORMAL FOR ROOM LIGHT (COWS:Pupi1)

              {9D4BFC0A-804D-46A1-A8E7-D3E2FA22A5BD}

30. 2 - PUPILS MODERATELY DILATED (COWS:Pupi2)

              {56E7BD48-810D-4AB4-8EC5-846309C96F4D}

40. 5 - PUPILS SO DILATED THAT ONLY THE RIM OF THE IRIS IS VISIBLE (COWS:Pu

pi5)   {1FB3D558-AFCD-44AB-A0EB-B10220BBDCF3}

UNITS:

    Abbreviation................. COWS:Aches

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. COWS: Bone/Joint Aches

    Help Text................... If patient was having pain previously

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

    10. 0 - NOT PRESENT (COWS:Ache0)

                    {7565B19C-E00B-4A89-9BA0-58A9681A767D}

    20. 1 - MILD DIFFUSE DISCOMFORT (COWS:Ache1)

                    {78E68AC6-2325-4A04-989E-C3C8B624EEF7}

    30. 2 - PATIENT REPORTS SEVERE DIFFUSE ACHING OF JOINT/MUSCLES (COWS:Ache2)

                    {56FA2033-6F45-45F8-81D3-76D655F33C71}

    40. 4 - PT. RUBBING JOINTS/MUSCLES & UNABLE TO SIT STILL BECAUSE OF DISCOMF

ORT (COWS:Ache4)   {E216254A-E09E-4134-BEF2-E34711EE8A7F}

    UNITS:

TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): RUNNY NOSE OR TEARING   Page: 136

 ID: {B63F21EA-CE6D-4277-BD1A-7E8555B47018}

Abbreviation................. COWS:Run

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. COWS: Runny Nose/Tearing

Help Text................... Not accounted for by cold symptoms or

allergies

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. 0 - NOT PRESENT (COWS:Run0)

{1BA6AA6E-21A7-42CF-9079-685357BEB0BF}

20. 1 - NASAL STUFFINESS OR UNUSUALLY MOIST EYES (COWS:Run1)

{18CCB8C9-D1CD-4228-A01A-4E74D405A493}

30. 2 - NOSE RUNNING OR TEARING (COWS:Run2)

{DBF3F0B8-57A8-41F1-BE5B-05EA607A8458}

40. 4 - NOSE CONSTANLY RUNNING OR TEARS STREAMING DOWN FACE (COWS:Run4)

{6CDC87E9-57DD-4333-ADD4-AAB311C897C5}

UNITS:

Abbreviation................. COWS:Yawn

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. COWS: Yawning

Help Text.................... During assessment

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. 0 - NO YAWNING (COWS:Yawn0)

                 {A13697C7-5B22-4DC6-92E9-8CBDF056C08E}

20. 1 - YAWNING ONCE OR TWICE DURING ASSESSMENT (COWS:Yawn1)

                 {0D44EECB-D75E-4F0B-B784-6F727143F9AD}

30. 2 - YAWNING THREE OR MORE TIMES DURING ASSESSMENT (COWS:Yawn2)

                 {5C5A7A3F-C439-4DE2-AB52-59D613B92669}

40. 4 - YAWNING SEVERAL TIMES/MINUTE (COWS:Yawn4)

                 {35BA9653-A2EA-49F1-911D-97B966BFB1B5}

UNITS:

==

  ID: {B03062B7-8865-4214-8AC7-419BD0CF3839}

==

   Abbreviation................. COWS:GIUps

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. COWS: GI Upset

   Help Text................... Over the past 1/2 hour

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

   10. 0 - NO GI SYMPTOMS (COWS:GIUp0)

                 {2EB125DC-DDFE-478D-ACB6-05472259E967}

   20. 1 - STOMACH CRAMPS (COWS:GIUp1)

                 {B874B32F-E106-49F6-8BA0-73637FAEB54E}

   30. 2 - NAUSEA OR LOOSE STOOL (COWS:GIUp2)

                 {D8B05449-84E2-431F-AC62-16DD978F8D4F}

   40. 3 - VOMITING OR DIARRHEA (COWS:GIUp3)

                 {B500439E-CF24-4F47-9AC5-2C88330EAE6D}

   50. 5 - MULTIPLE EPISODES OF DIARRHEA OR VOMITING (COWS:GIUp5)

                 {1A589930-ABF3-4CDE-8753-29A0B150EBD2}

   UNITS:

Abbreviation................. COWS:Tremo

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. COWS: Tremor Observation

Help Text.................... During assessment

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. 0 - NO TREMOR (COWS:Trem0)

                {25CCF5BE-1D1F-4FE7-8040-17ADFD9724A5}

20. 1 - TREMOR CAN BE FELT, BUT NOT OBSERVED (COWS:Trem1)

                {D0051619-DA7A-451F-AE6B-EF1AC7BCA36E}

30. 2 - SLIGHT TREMOR OBSERVABLE (COWS:Trem2)

                {195BF393-2B78-4BFB-9304-B5778B65D1F3}

40. 4 - GROSS TREMOR OR MUSCLE TWITCHING (COWS:Trem4)

                {38150DB0-0B35-49EE-8919-3DED4B3B24BC}

UNITS:

===

TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): ANXIETY OR IRRITABILITY Page: 140

 ID: {71DA4590-33C2-45C6-94A8-2F13C9A1E7A7}

===

   Abbreviation................. COWS:Anx

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. COWS: Anxiety/Irritability

   Help Text...................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

   10. 0 - NONE (COWS:Anx0)   {4B20FAC9-9597-41D5-9B06-5ED5805E4367}

   20. 1 - PATIENT REPORTS INCREASING IRRITABILITY OR ANXIOUSNESS (COWS:Anx1)

              {808C7811-ED7E-48D0-8BB7-72C3E8034648}

   30. 2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS (COWS:Anx2)

              {39ED63B3-B00F-4BD9-8DBB-399AB8136360}

   40. 4 - PT. SO IRRITABLE/ANXIOUS THAT PARTICIPATION IN ASSESSMENT IS DIFFIC

ULT (COWS:Anx4)   {952B2616-AC6B-41E4-805A-FDEE24C01285}

   UNITS:

    Abbreviation................. COWS:Goose

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description..................

    Display Name................. COWS: Gooseflesh Skin

    Help Text....................

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid.........................

    DATA VALUE: 3 entries

    ----

    10. 0 - SKIN IS SMOOTH (COWS:Goos0)

                      {4B6290C2-BCC7-45B0-A861-30BB65BFB887}

    20. 3 - PILOERECTION OF SKIN CAN BE FELT OR HAIRS STANDING UP ON ARMS (COWS

:Goos3)   {F2766A37-D6A1-4453-8205-1EE4B04FD051}

    30. 5 - PROMINENT PILOERECTION (COWS:Goos5)

                      {1762037D-1982-40C9-8AB7-9CE7B5F5ACDC}

    UNITS:

==

 ID: {620710B2-E75F-43B7-93C5-55F21DB584EE}

==

    Abbreviation................. COWS:TOTAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description..................

    Display Name................. COWS: Total Score

    Help Text.................... Manual total of all 11 items in the

                     COWS scale.

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    POINTS   0 > 0 * 12 < 48   Dec Prec: 0

Abbreviation................. COWS:Svrty

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. COWS: Severity

Help Text................... Severity rating based upon total

                score of all COWS items.

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. MILD: 5-12 (COWS:5-12)   {4FE0FF3B-E4F1-48C0-9025-E464DDBBC91F}

20. MODERATE: 13-24 (COWS:13-24)

                {C20579F8-1570-43EF-801F-1CA8BCDC3BCD}

30. MODERATELY SEVERE: 25-36 (COWS:25-36)

                {5C58804E-2356-45CD-8743-87541E175B2F}

40. SEVERE: GREATER THAN 36 (COWS:>36)

                {356EE20B-7FA9-4C81-A7F0-25DCCBCA3964}

UNITS:

Abbreviation................. CO BEH

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Close Observation Behavior

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

 1. WALKING OR PACING (wop)   {CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}

 2. LYING OR SITTING (los)   {52A940B1-55AF-AB4E-9E59-F93515A1296C}

 3. QUIET OR RESTING (qor)   {76E4908F-014C-2088-FF7F-33EBF223DE40}

 4. SLEEPING (s)   {87338420-F351-F98C-7A80-4990B87ACE2B}

 5. WITH PHYSICIAN (wp)   {1673C53F-DA8C-2CEC-679B-B01D914FE533}

 6. WITH THERAPIST (wt)   {795A1300-1D60-9D67-692D-A2AB2B190596}

 7. GERI-CHAIR (g)   {167F9786-8F24-054F-020A-658A6EE5B0B4}

 UNITS:

Abbreviation................. CO CUR LOC

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Close Observation Current Location

Display Name................ Close Observation Current Location

Help Text................... Close Observation Current Location

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

 1. PATIENT'S ROOM (pr)   {0F13E11D-9F78-14A3-0568-AF26393F39F1}

 2. BATHROOM (b)   {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}

 3. HALL (h)   {BFCEA10F-2663-199E-88D8-E263122D7D26}

 4. DAY ROOM (dr)   {269125EF-FA82-B17A-6B56-0CEAB4788899}

 5. QUIET ROOM (qr)   {CCD96D41-C273-F6F3-DA18-8818B1CC9980}

 6. GROUP ROOM (gr)   {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}

 7. SMOKING AREA (sa)   {8AFDBCB0-9FC8-523F-5D07-4D8CCBA7036F}

 8. SMOKING PORCH (sp)   {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}

 9. MEDICATION ROOM (mr)   {9571AA9F-F538-55EC-37F6-99FE5677B970}

 10. NURSING STATION (ns)   {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

Abbreviation................. CS

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Code Status

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. FULL CODE (fc)   {1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}

 2. DO NOT RESUSCITATE (dnr)   {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

 3. DO NOT INTUBATE (Do Not Int)

              {88F9A76A-43BC-4BD9-A567-C8FE5A868544}

 4. PARTIAL CODE (SPECIFY IN COMMENTS) (Part Code)

              {BF5D343C-01DA-489A-836F-FA7E8AAD1FA0}

UNITS:

   Abbreviation................. COLLOID TY

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Type of Colloid

   Display Name................. Colloid Type

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. 5 PERCENT ALBUMIN (5 PERC ALB)

                  {38CE47CB-736B-475E-8E89-C4C13F2DF184}

    2. 25 PERCENT ALBUMIN (25 PERC AL)

                  {2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

    3. 6 PERCENT HETASTARCH (6 PERC HET)

                  {D94072C9-87E8-46CA-929F-4904F3BD964C}

   UNITS:

Abbreviation................. CSE

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO

                 SPEECH, 4: OPEN SPONTANEOUSLY

Display Name................. Coma Score

Help Text................... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO

                 SPEECH, 4: OPEN SPONTANEOUSLY

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. CLOSED (CLOSED)   {9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}

  2. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

  3. TO PAIN (TO PAIN)   {AA1F818D-DCFC-4FBC-97D3-BE86D309119E}

  4. TO SPEECH (TO SPEECH)   {2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}

  5. OPEN SPONTANEOUSLY (OPEN SPONT)

             {013F1473-BDC9-4E7C-9709-C577357709F6}

LOCATION: 2 entries

----

  1. L EYE (L EYE)   {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

2. R EYE (R EYE)   {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

Abbreviation................. CSM

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Coma Score Motor

Help Text................... 1: None, 2: Extends to pain, 3:

                            Flexion to pain, 4: Withdraws to

                            pain, 5: Localizes to pain, 6: Obeys

                            Commands

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. EXTENDS TO PAIN (EXT TO PAI)

                 {A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

 3. FLEXION TO PAIN (FLEX TO PA)

                 {B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}

 4. WITHDRAWS TO PAIN (WITHD TO P)

                 {013527C8-FF6B-49CD-BF45-9338F7413E81}

 5. LOCALIZES TO PAIN (LOC TO PAI)

                 {4072DFF9-2D90-423F-B6F0-0F2B924025D9}

6. OBEYS COMMANDS (OBEYS COMM)

{EE88EE08-4C71-4C70-B93E-65F9091544C1}

UNITS:

===

 ID: {3EC4838E-8301-F5C4-D4F0-08D1259203B1}

===

   Abbreviation................. CSV

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. 0: Tubed/Dysphagic, 1: None, 2:

                       Incomprehensible, 3: Inappropriate,

                       4: Confused, 5: Oriented

   Display Name................. Coma Score Verbal

   Help Text................... 0: Tubed/Dysphagic, 1: None, 2:

                       Incomprehensible, 3: Inappropriate,

                       4: Confused, 5: Oriented

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 6 entries

   ----

    1. TUBED/DYSPHAGIC (TUBE/DYSPH)

                   {82AAFAE3-50B0-4F2A-91CF-7900849A14EB}

    2. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

    3. INCOMPREHENSIBLE (INCOMPREHE)

                   {916CD781-563D-4F54-8752-800D37BFAA3B}

    4. INAPPROPRIATE (Inappropri)

                   {7E3B54C2-8A49-28EC-055E-FEA87599421C}

    5. CONFUSED (CONFUSED)   {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

6. ORIENTED (ORIENTED)   {B8DC9245-6D81-40E4-8B47-B6413E49F152}

UNITS:

===

 ID: {F001E3D4-07F9-4B93-9D29-0BA3DC270236}

===

   Abbreviation................. COM S HOS

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. Compression Hose Sequential

                  Compression Device

   Display Name................. Compression Hose Sequential

                  Compression Device

   Help Text.................... Compression Hose Sequential

                  Compression Device

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

    2. 0 = ABSENT (0-a)   {75F14311-F113-963C-4F05-B8AE17F044A9}

   LOCATION: 3 entries

   ----

    1. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

    2. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

    3. BOTH LEGS (BOTH LEGS)   {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

TERM: CONDITIONS IMPACTING TRANSFER OR POSITIONING   Page: 152

  ID: {B1A991D7-A165-45EA-9454-1963A5CC6888}

Abbreviation................. Conditions

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Conditions Impacting Transfer or

                 Positioning

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 21 entries

----

10. HIP/KNEE/SHOULDER REPLACEMENTS (Replacemn)

           {91A7211C-DCB6-47A7-AF15-F64C565AB321}

20. HISTORY OF FALLS (FallHistry)

           {61CC4EBE-2D33-498E-92E0-2BA98429F84C}

30. PARALYSIS/PARESIS (Paralysis)

           {F57B4E7F-87F4-4C5B-A8C7-511D063A415C}

40. UNSTABLE SPINE (UnstablSpi)

           {54C323D4-A191-40CF-A89F-3D5BC3C00623}

50. SEVERE EDEMA (SevereEdem)   {FAFF5DB5-DFBD-46E8-9F17-5C7A2AF0233F}

60. VERY FRAGILE SKIN (FragileSkn)

           {649AF283-6C06-492B-BD88-362D191CF6CC}

70. RESPIRATORY COMPROMISE (RespComp)

{AC2F0B61-0554-40AA-BAB9-0F91AEE36E01}

80. CARDIAC/HEMODYNAMIC INSTABILITY (CarHemInst)

{312130CF-224F-435B-8A9F-D3C2F6795A0A}

90. WOUNDS AFFECTING TRANSFER/POSITIONING (Wounds)

{6D5D97C8-A6D0-4AEF-9965-CB58BB266434}

100. URINARY/FECAL STOMA (UrinFecSto)

{CFE036A8-8F5C-4F1E-BC51-683AA7639159}

110. CONTRACTURES/SPASMS (Contractur)

{E3251324-1B36-4F83-8E0A-005401A034CE}

120. TUBES (IV, CHEST, DRAINS, ETC.) (Tubes)

{4FCB0CE8-76A6-4B5C-A261-81083E14B6AB}

130. FRACTURES (Fractures)   {1C3CD0BC-5B3C-4664-885C-C5BD01E5E664}

140. SPLINTS/TRACTION (Splints/Tr)

{F4679AF8-FC72-4C80-9EC5-29AA64A2F2C4}

150. SEVERE OSTEOPOROSIS (SevereOste)

{1C894FB9-BF40-4A4C-8967-40261C5ED8B1}

160. SEVERE PAIN/DISCOMFORT (SeverePain)

{FABAD58D-E8DC-4BB5-B5E1-3B80B1CD8BD3}

170. POSTURAL HYPOTENSION (PosturalHy)

{24E52EFE-8AAD-465B-A70B-D57A2094F8D3}

180. DEMENTIA (Dementia)   {CA24B020-15E7-4888-83DC-7203C5630D28}

190. TRAUMATIC BRAIN INJURY (TrauBrain)

{FE345588-5431-4F3D-BBB1-1347E484D2AB}

200. EXTERNAL ORTHOPEDIC HARDWARE (ExOrtho)

{7E6D78DE-2CE0-4FCA-BF31-5BC9C8BD2CA6}

210. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

    Abbreviation................. COUGH

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Patients cough character

    Display Name................. Cough

    Help Text.................... Patients cough character

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. PRODUCTIVE (p)   {22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}

     2. NON-PRODUCTIVE (np)   {9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}

     3. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

    UNITS:

Abbreviation................. CPAP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Continuous Positive Airway Pressure

Display Name................. CPAP

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid......................... 4688690

UNITS:

CENTIMETERS H2O   -1 > 0 * 100 < 101   Dec Prec: 0

==

TERM: CUFF INFLATION CHECKED   Page: 155

 ID: {77D485C1-8A5F-225A-CEA3-1219601C23E9}

==

   Abbreviation................. CUFF INFL

   Active...................... Yes

   Boolean Value False.......... Not Checked

   Boolean Value True........... Checked

   Data Type.................... Boolean

   Description.................. VERIFICATION THAT PATIENT'S CUFF

                        INFLATION HAS BEEN CHECKED

   Display Name................. Cuff Inflation Checked

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

Abbreviation................. Dentures

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Dentures

Help Text...................

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. FULL UPPER (Full Up)   {1808E638-62BB-4978-8706-34BD74B427DE}

 3. FULL LOWER (Full Low)   {D38022EF-F4F0-44A7-82FE-B277A2A0A165}

 4. PARTIAL UPPER (Part Up)   {D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}

 5. PARTIAL LOWER (Part Low)   {2556CE7E-F211-4992-BCAF-09677C20BEFE}

 6. DENTAL IMPLANTS (Implants)

                {D3AF96DE-6920-4C93-8105-99EE574FC092}

 UNITS:

    Abbreviation................. Diagnosis

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... String

    Description..................

    Display Name................. Diagnosis

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

===

ID: {3289986D-87C6-4796-AA19-76010682BBAE}

===

Abbreviation................. DIAG TYPE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Type of Diagnosis

Display Name................ Diagnosis Type

Help Text................... Type of Diagnosis

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. POST-OPERATIVE (POST-OP)   {9FA19656-849F-4A65-92FC-755A4C9E8056}

 2. ADMISSION (ADMISSION)   {483C2830-813A-46C3-A012-CCD70044B2A2}

 3. POST PROCEDURE DIAGNOSIS (PO PRO DIA)

                {933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}

 4. DISCHARGE (DISCHARGE)   {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

 5. TRANSFER (TRANSFER)   {DFDB4783-25BE-485B-A9BA-621F1004AAF2}

UNITS:

===

TERM: DIALYSIS BLOOD FLOW RATE   Page: 159

  ID: {43A09B46-36F1-4151-9B98-61E6411B944E}

===

    Abbreviation................. Dial BFR

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description..................

    Display Name................. Dialysis Blood Flow Rate

    Help Text.................... Actual rate at which blood is pumped

                        through the extra corporal circuit

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITERS PER MINUTE   150 > 150 * 500 < 500   Dec Prec: 0

    Abbreviation................. D CATH CON

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Dialysis Catheter Site Condition

    Help Text.................... No Help Text

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 7 entries

    ----

     2. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

     3. SWOLLEN (SWOLLEN)   {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

     4. DISCOMFORT (DISCOMFORT)   {77D058C9-1EB4-96C0-C9E3-666C840B884C}

    170. PATENT (Patent)   {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

    180. CLEAN (Clean)   {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

    190. OCCLUDED (Occluded)   {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

    200. OOZING (Oozing)   {C23549D7-3238-4523-BA31-AB71609F01C2}

    LOCATION: 16 entries

    ----

     1. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

     2. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

3. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

{6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

9. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

10. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

11. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

12. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

13. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

14. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

15. L WRIST (L WRIST)   {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

16. R WRIST (R WRIST)   {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

Abbreviation................. DIAL DRESS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Dialysis Dressing Type

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. TRANSPARENT (TRANSPAREN)   {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

 2. PRESSURE DRESSING (PRESS DRES)

                    {6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS:

Abbreviation................. DIAL RATIO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Dialysis Ratio

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. 1:1 (1:1)   {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}

  2. 1:2 (1:2)   {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}

  3. 1:3 (1:3)   {062B4F93-8F48-7373-F679-11F57CE98BB3}

  4. 1:4 (1:4)   {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

  5. 1:8 (1:8)   {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

===

 ID: {D015B928-D30B-49E2-A6F6-135B6131C07B}

===

    Abbreviation................. Art Press

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description..................

    Display Name................. Dialysis: Arterial Pressure

    Help Text.................... Pressure measured within the blood

                    circuit between the patient's

                    arterial access and the dialyzer

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 1 entries

    ----

    10. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

    UNITS:

    MILLIMETERS OF MERCURY   -300 > -300 * 9999 < 9999 Dec Prec: 0

Abbreviation................. UFR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. Dialysis: UFR (Ultrafiltration Rate)

Help Text................... rate at which fluid moves from the

                    blood into the dialysate

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

10. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

KGS/HOUR   0.00 > 0.00 * 9999.00 < 9999.00

                          Dec Prec: 2

===

ID: {8F84D7EC-BD89-46BC-BDB8-9B18231BD4B9}

===

Abbreviation................. Ven Press

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. Dialysis: Venous Pressure

Help Text.................... Pressure measured within the extra

corporeal blood circuit after the

dialyzer

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

10. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

MILLIMETERS OF MERCURY   0 > 0 * 9999 < 9999   Dec Prec: 0

==

TERM: DIASTOLIC PRESSURE   Page: 166

 ID: {14B24DAF-A0C0-060C-B1C0-ECEC1DF36E8E}

==

   Abbreviation................. DIASTOL PR

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. No Description

   Display Name................. Diastolic Pressure

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   LOCATION: 4 entries

   ----

    1. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

    2. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

    3. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

    4. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

   METHOD: 5 entries

   ----

    1. CUFF (Cu)   {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

    2. DOPPLER (Dop)   {52683C19-F9DC-876B-CA3F-53E7C864CF04}

    3. ARTERIAL LINE (AL)   {D4B3F4ED-8B33-431E-4164-BD165E823776}

    4. NON-INVASIVE (N-I)   {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

    5. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

POSITION: 3 entries

----

  1. LYING (Ly)   {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

  2. SITTING (Sit)   {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

  3. STANDING (St)   {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY   0 > 40 * 90 < 300   Dec Prec: 0

Abbreviation................. DIET

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. Type of diet ordered

Display Name................. DIET

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 14 entries

----

10. CONSTANT CARBOHYDRATE (Con Carbs)

                {D6A8AA11-BCB1-40E8-B63D-167864EE2537}

20. BLAND (BLAND)   {38930AFE-ECF7-4548-857C-854E1B5BE148}

30. CLEAR LIQUID (Clr Liquid)   {390666D6-6371-4E0A-B475-C730C134CC95}

40. DYSPHAGIA (Dysphagia)   {CC69271C-B4DF-42D1-BA91-0832DBC45E31}

50. FULL LIQUID (Ful Liquid)   {6D075973-CE7E-49CA-9A3E-8EE0F3CC1003}

60. LISTED (Listed)   {C5F6F925-0239-4173-A5A9-515B6F83629A}

70. MECHANICAL (MECHANICAL)   {01EA793C-B524-4685-A3EC-60A317CBACC5}

80. NPO (NPO)   {B1CFD636-02EE-4B20-B1D5-44CD0DD9F41B}

90. POTASSIUM RESTRICTED (PotassRest)

                {E6665D0C-D064-482B-9896-BD24D4E52509}

100. PUREED (PUREED)   {99F8AE5F-E390-4583-8A92-CAC13E21BCF4}

110. REGULAR (REGULAR)   {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

120. SODIUM CONTROLLED (Sod Contrl)

                {FF4CB6F0-4EEC-43F3-B4DF-4169F3C3B170}

130. VEGETARIAN (Vegetarian)   {549053C6-5378-4921-8A37-043D06E51E72}

140. OTHER (SEE COMMENTS) (Other)

                {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

    Abbreviation................. DIS ACTI

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Discharge Activities

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 12 entries

    ----

     1. ALERT AND ORIENTED (AL AN OR)

                    {C031F776-36DF-4570-AFAF-A30B8BFA635B}

     2. VITAL SIGNS STABLE (VI SI ST)

                    {E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}

     3. STEADY GAIT OR BASELINE (ST GA BA)

                    {0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}

     4. TRANSPORT FACILITATOR PRESENT (TR FA PR)

                    {645BF269-6B23-4377-95ED-71291F075B25}

     5. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)

                    {E107F272-CD27-46B8-8C50-F9FF776DDCD9}

     6. IV DISCONTINUED (IV DISC)   {FDF951E7-5B72-4166-969B-073D5EC74800}

     7. VOIDED (VOIDED)   {7F23E601-A1E5-4016-8A12-06B1099041CF}

8. DISCHARGE MEDS PLANNED (DI ME PL)

{04E9DF8B-8807-47A5-AE88-180F431F3BDE}

9. MED RECONCILLIATION DOCUMENTED (ME RE DO)

{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}

10. DISCHARGE ORDER ON CHART (DI OR CH)

{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}

11. GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (DI IN UN)

{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

12. DRESSINGS CHECKED (DRESS CH)

{21014F53-29CE-4914-8760-6976D8DBA742}

UNITS:

Abbreviation................. Dis Vis

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Distance Vision

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 21 entries

----

    10. 20/15 (20/15)   {0DB4E45B-A96C-4D11-B59E-A89C9F531146}

    20. 20/20 (20/20)   {FE086353-09B2-4314-84E9-FA909253AAED}

    30. 20/25 (20/25)   {4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}

    40. 20/30 (20/30)   {667B5FCD-A85D-4054-BFA9-3DA9DDD21306}

    50. 20/40 (20/40)   {048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}

    60. 20/50 (20/50)   {C679C160-D93A-431C-8F28-800D64A019D5}

    70. 20/60 (20/60)   {AEAA52C2-1450-45B4-A512-73E339718B02}

    80. 20/70 (20/70)   {B0279832-605C-4441-B568-C131636EB634}

    90. 20/80 (20/80)   {60F51F22-C739-4BD1-A77E-D224517F861F}

    100. 20/100 (20/100)   {ECB85701-8B21-407A-9E0B-C015834E984B}

    110. 20/200 (20/200)   {C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}

    120. 20/300 (20/300)   {E6976753-667B-418B-A6E3-0A7CD010CAC0}

130. 20/400 (20/400)   {AE8E4C3E-D031-4047-B44E-06F4EB29C73B}

140. 20/800 (20/800)   {1303A571-B57C-4757-AC5B-286E6B09343A}

150. CF: COUNTING FINGERS (CF)

                {3AFD9EDB-98A2-498A-AD95-F5285130CC03}

160. CSM: CENTRAL STEADY MAINTAINED (CSM)

                {43085BCB-4264-4E4A-BC17-A9C252A89BA8}

170. LP: LIGHT PERCEPTION (LP)

                {3B5C4FA1-6770-4347-B5FB-2B0554D71339}

180. LPP: LIGHT PERCEPTION WITH PROJECTION (LPP)

                {29ED35AA-49C5-4835-AF43-17173333A2BB}

190. NLP: NO LIGHT PERCEPTION (NLP)

                {F710E3C5-9B5A-4826-876D-B5675F9AA67E}

200. HM: HAND MOTIONS (HM)   {5180AD3D-4377-435B-9F47-FE59F3E3501B}

210. PROSTHESIS (PROSTHESIS)   {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

LOCATION: 2 entries
----

10. RIGHT EYE (Right Eye)   {56F81421-F1C7-4FD4-9757-E0EDEF26626E}

20. LEFT EYE (Left Eye)   {D1B20983-6076-47E6-9578-2EFB3CB6A47B}

UNITS:

Abbreviation................. DNP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... String

Description.................. Do not process

Display Name................. Do Not Process

Help Text.................... Do Not Process

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

===

 ID: {A1E251EA-9302-8851-A67F-00229BCA7163}

===

   Abbreviation................. DORFL

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. No Description

   Display Name................. Dorsi Flexion

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

   1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

   2. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

   UNITS:

==

 ID: {4D01C8F5-DE00-4238-9D07-D6C103D8131A}

==

Abbreviation................. Dra/Dr Chg

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Drain Dressing Change

Help Text....................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 3 entries

----

10. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

20. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

30. N/A (n)   {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

===

 ID: {CB2C5928-71E5-429F-9A0E-3FFBF21F62FF}

===

Abbreviation................. Drain Suct

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description..................

Display Name................. Drain Suction cm H20

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

CENTIMETERS H2O   0 > 0 * 31 < 31   Dec Prec: 0

Abbreviation................. Drain Type

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Drain Suction Type

Help Text.................... When "Number" is selected, enter

                             numeric value as a "Comment"

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

  1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

  2. INTERMITTENT (INTERMITTE)   {DD09ED7C-B977-412F-A678-5130F77D239E}

  3. CONTINUOUS (CONTINUOUS)   {676CD2DA-F882-4BE5-99BB-510EA7669749}

  4. BULB (Bulb)   {2390453E-3353-40EB-B2D7-EF770B67F037}

  5. LOW (l)   {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}

  6. MEDIUM (MEDIUM)   {62C94066-A7B6-CAA8-064B-2AF7C0DA6323}

  7. HIGH (h)   {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}

  8. NUMBER: SPECIFY (Specify)   {397D773F-78F9-4E69-9A84-B518109A95AB}

  UNITS:

Abbreviation................. DRAIN CHAR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Drainage Characteristics

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 15 entries

----

 1. THIN (THIN)   {CB8D8B5C-E824-D030-1241-D8EB814671E9}

 2. THICK (THICK)   {1554A49E-1468-46B2-F851-531DDB1D1A98}

 3. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

 4. AMBER (AMBER)   {90A13048-4C35-E01D-3482-64D782001D4A}

 5. WHITE (WHITE)   {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

 6. BROWN (BROWN)   {A1C32FBC-7B4D-707C-CA58-92A2E201368E}

 7. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

 8. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

 9. BLACK (BLACK)   {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

10. CLAY (CLAY)   {A4E4D16C-B45C-0934-ED22-8BF640080108}

11. ORANGE (ORANGE)   {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}

12. TAN (TAN)   {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

13. PURULENT (PURULENT)   {86C01494-743A-C6A2-8883-01CA5200C79B}

14. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

15. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

===

ID: {2C5F8E0E-8BBB-4D45-92FE-984D51A9B080}

===

Abbreviation................. Dr Sy Repl

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Drainage System Replaced

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

==

 ID: {C101E88C-F5C8-43D7-A25C-33E61414D180}

==

   Abbreviation................. Dress Chg

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. Dressing Change

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

   10. 1. DRY (1. Dry)   {E6C8E56E-DFC8-42FE-9D49-BED30EC37491}

   20. 2. INTACT (2. Intact)   {6F977B33-94E0-4F40-A5B2-9D1EBFBE8433}

   30. 3. CHANGED (3. Changed)   {1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}

   40. 4. REINFORCED (4. Reinfor)

                    {5D06DC53-DB40-47B2-9257-8FD206463014}

   UNITS:

===

 ID: {C2EE711E-C076-491F-8063-8DA80BBCA529}

===

   Abbreviation................. DVT PROPHY

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. DVT Prophylaxis devices

   Display Name................ DVT Prophylaxis

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. ANTI-EMBOLUS STOCKINGS KNEE HIGH (ANT EMB KN)

                {4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}

    2. ANTI-EMBOLUS STOCKINGS THIGH HIGH (ANT EMB ST)

                {9B32D3F3-47F1-886F-A59A-D8AB38A34754}

    3. SEQUENTIAL COMPRESSION DEVICE (SCD)

                {29D657DB-6679-8A55-0E33-235B5DD349F2}

    4. ELASTIC WRAP (ELAST WRAP)   {9EB52FA5-32D8-823F-2E3C-83375DA62342}

    5. MEDICATION PROPHYLAXIS (Med Prophy)

                {40D79227-A4DB-4E1E-81C6-6F4E4F243964}

   UNITS:

Abbreviation................. Edema #1

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Edema #1

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. NON-PITTING (NON-PITTIN)   {786DEC76-36DE-FDC7-885C-F84210F7C7D2}

20. TRACE (Trace)   {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}

30. BRAWNY (CHRONIC DISCOLORED) (Brawny)

                {1EF19911-1556-42D0-BDF7-37858BD40E24}

40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)

                {88796510-F6C1-4997-B650-BBF9B91BEEA8}

50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)

                {CA91C96D-0D94-4D9A-A306-22FA476D143F}

60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)

                {2B874FF9-8DA9-425B-A9F6-166A6E7AF422}

70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)

                {A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

----

10. GENERALIZED (GENERIZED)   {17073C6C-8691-CADC-2238-CBAAB0A5C648}

20. PERIORBITAL (PERIORBITA)   {DBAC362B-6278-EDB4-7E28-3180321A38B2}

30. SCLERA (Sclera)   {3E821267-3D78-49B3-972D-65E4478981F7}

40. FACIAL (Facial)   {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}

50. UPPER ARM (Upper Arm)   {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}

60. FOREARM (Forearm)   {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}

70. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

80. SACRUM (Sacrum)   {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}

90. GENITALS (GENITALS)   {83437106-3336-4925-92C8-F959561687FC}

100. PENIS (PENIS)   {2D82CE55-83B6-4160-A754-07C71FD388E8}

110. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

120. LEG (Leg)   {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

130. THIGH (THIGH)   {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

140. KNEE (Kn)   {B577308A-4C37-47BD-AD84-38E6342B6DF7}

150. CALF (Clf)   {7923E496-90D6-B6D5-726A-A5B8DF3436CF}

160. ANKLE (Ank)   {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

170. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

----

10. ANASARCA (Anasarca)   {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}

20. DEPENDENT (Dependent)   {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}

30. NONDEPENDENT (Nondepend)   {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny)   {BDCB0902-850F-4497-B3EC-EC8442D90AC8}

50. TAUT (Taut)   {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}

60. WEEPING (Weeping)   {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

Abbreviation................. Edema #2

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Edema #2

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. NON-PITTING (NON-PITTIN)   {786DEC76-36DE-FDC7-885C-F84210F7C7D2}

20. TRACE (Trace)   {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}

30. BRAWNY (CHRONIC DISCOLORED) (Brawny)

                    {1EF19911-1556-42D0-BDF7-37858BD40E24}

40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)

                    {88796510-F6C1-4997-B650-BBF9B91BEEA8}

50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)

                    {CA91C96D-0D94-4D9A-A306-22FA476D143F}

60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)

                    {2B874FF9-8DA9-425B-A9F6-166A6E7AF422}

70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)

                    {A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

----

10. GENERALIZED (GENERIZED)   {17073C6C-8691-CADC-2238-CBAAB0A5C648}

20. PERIORBITAL (PERIORBITA)   {DBAC362B-6278-EDB4-7E28-3180321A38B2}

30. SCLERA (Sclera)   {3E821267-3D78-49B3-972D-65E4478981F7}

40. FACIAL (Facial)   {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}

50. UPPER ARM (Upper Arm)   {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}

60. FOREARM (Forearm)   {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}

70. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

80. SACRUM (Sacrum)   {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}

90. GENITALS (GENITALS)   {83437106-3336-4925-92C8-F959561687FC}

100. PENIS (PENIS)   {2D82CE55-83B6-4160-A754-07C71FD388E8}

110. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

120. LEG (Leg)   {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

130. THIGH (THIGH)   {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

140. KNEE (Kn)   {B577308A-4C37-47BD-AD84-38E6342B6DF7}

150. CALF (Clf)   {7923E496-90D6-B6D5-726A-A5B8DF3436CF}

160. ANKLE (Ank)   {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

170. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

----

10. ANASARCA (Anasarca)   {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}

20. DEPENDENT (Dependent)   {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}

30. NONDEPENDENT (Nondepend)   {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny)   {BDCB0902-850F-4497-B3EC-EC8442D90AC8}

50. TAUT (Taut)   {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}

60. WEEPING (Weeping)   {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

===

 ID: {546C4AE9-3E0A-474F-BD81-A132C77734F1}

===

   Abbreviation................. Edema #3

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. Edema #3

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 7 entries

   ----

   10. NON-PITTING (NON-PITTIN)   {786DEC76-36DE-FDC7-885C-F84210F7C7D2}

   20. TRACE (Trace)   {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}

   30. BRAWNY (CHRONIC DISCOLORED) (Brawny)

                  {1EF19911-1556-42D0-BDF7-37858BD40E24}

   40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)

                  {88796510-F6C1-4997-B650-BBF9B91BEEA8}

   50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)

                  {CA91C96D-0D94-4D9A-A306-22FA476D143F}

   60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)

                  {2B874FF9-8DA9-425B-A9F6-166A6E7AF422}

   70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)

                  {A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

----

10. GENERALIZED (GENERIZED)   {17073C6C-8691-CADC-2238-CBAAB0A5C648}

20. PERIORBITAL (PERIORBITA)   {DBAC362B-6278-EDB4-7E28-3180321A38B2}

30. SCLERA (Sclera)   {3E821267-3D78-49B3-972D-65E4478981F7}

40. FACIAL (Facial)   {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}

50. UPPER ARM (Upper Arm)   {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}

60. FOREARM (Forearm)   {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}

70. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

80. SACRUM (Sacrum)   {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}

90. GENITALS (GENITALS)   {83437106-3336-4925-92C8-F959561687FC}

100. PENIS (PENIS)   {2D82CE55-83B6-4160-A754-07C71FD388E8}

110. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

120. LEG (Leg)   {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

130. THIGH (THIGH)   {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

140. KNEE (Kn)   {B577308A-4C37-47BD-AD84-38E6342B6DF7}

150. CALF (Clf)   {7923E496-90D6-B6D5-726A-A5B8DF3436CF}

160. ANKLE (Ank)   {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

170. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

----

10. ANASARCA (Anasarca)   {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}

20. DEPENDENT (Dependent)   {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}

30. NONDEPENDENT (Nondepend)   {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny)   {BDCB0902-850F-4497-B3EC-EC8442D90AC8}

50. TAUT (Taut)   {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}

60. WEEPING (Weeping)   {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

===

 ID: {8BBE9908-BB25-4B15-9129-379946862DED}

===

Abbreviation................. Edema #4

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Edema #4

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. NON-PITTING (NON-PITTIN)   {786DEC76-36DE-FDC7-885C-F84210F7C7D2}

20. TRACE (Trace)   {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}

30. BRAWNY (CHRONIC DISCOLORED) (Brawny)

                {1EF19911-1556-42D0-BDF7-37858BD40E24}

40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)

                {88796510-F6C1-4997-B650-BBF9B91BEEA8}

50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)

                {CA91C96D-0D94-4D9A-A306-22FA476D143F}

60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)

                {2B874FF9-8DA9-425B-A9F6-166A6E7AF422}

70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)

                {A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

----

10. GENERALIZED (GENERIZED)   {17073C6C-8691-CADC-2238-CBAAB0A5C648}

20. PERIORBITAL (PERIORBITA)   {DBAC362B-6278-EDB4-7E28-3180321A38B2}

30. SCLERA (Sclera)   {3E821267-3D78-49B3-972D-65E4478981F7}

40. FACIAL (Facial)   {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}

50. UPPER ARM (Upper Arm)   {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}

60. FOREARM (Forearm)   {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}

70. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

80. SACRUM (Sacrum)   {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}

90. GENITALS (GENITALS)   {83437106-3336-4925-92C8-F959561687FC}

100. PENIS (PENIS)   {2D82CE55-83B6-4160-A754-07C71FD388E8}

110. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

120. LEG (Leg)   {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

130. THIGH (THIGH)   {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

140. KNEE (Kn)   {B577308A-4C37-47BD-AD84-38E6342B6DF7}

150. CALF (Clf)   {7923E496-90D6-B6D5-726A-A5B8DF3436CF}

160. ANKLE (Ank)   {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

170. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

----

10. ANASARCA (Anasarca)   {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}

20. DEPENDENT (Dependent)   {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}

30. NONDEPENDENT (Nondepend)   {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny)   {BDCB0902-850F-4497-B3EC-EC8442D90AC8}

50. TAUT (Taut)   {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}

60. WEEPING (Weeping)   {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

===

 ID: {64C54E39-9541-4FD2-8F3F-A32053F6889F}

===

   Abbreviation................. EDEMA AMOU

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Edema Amount

   Display Name................. Edema Amount

   Help Text.................... 0=Absent, +1=Slight (0-2 mm),

                  +2=Moderate (3-5 mm), +3=Marked (6-8

                  mm), +4=Very Marked (more than 8 mm)

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. 0 = ABSENT (0-a)   {75F14311-F113-963C-4F05-B8AE17F044A9}

    2. +1 = SLIGHT (+1 SLIGHT)   {7C0245BA-B261-4B68-A84C-D737CA634230}

    3. +2 = MODERATE (+2 = MODER)

                   {CCF23A60-068C-443F-AFD0-2D56EEE0446C}

    4. +3 = MARKED (+3 = MARKE)   {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}

    5. +4 = VERY MARKED (+4 = VY MA)

                   {55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

   UNITS:

```
================================================================================
```

TERM: EDEMA SEVERITY   Page: 184

 ID: {E60900D9-BDF3-954C-E752-F3D1CAAC8EC1}

```
================================================================================
```

Abbreviation................. EDEMA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Observation Of Patients Edema

Display Name................ Edema Severity

Help Text................... 0=Absent, +1=Slight (0-2 mm),

                    +2=Moderate (3-5 mm), +3=Marked (6-8

                    mm), +4=Very Marked (more than 8 mm)

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. 0 = ABSENT (0-a)   {75F14311-F113-963C-4F05-B8AE17F044A9}

 2. +1 = SLIGHT (+1 SLIGHT)   {7C0245BA-B261-4B68-A84C-D737CA634230}

 3. +2 = MODERATE (+2 = MODER)

                    {CCF23A60-068C-443F-AFD0-2D56EEE0446C}

 4. +3 = MARKED (+3 = MARKE)   {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}

 5. +4 = VERY MARKED (+4 = VY MA)

                    {55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

LOCATION: 28 entries

----

1. GENERALIZED (GENERIZED)   {17073C6C-8691-CADC-2238-CBAAB0A5C648}

2. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

3. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

4. L HAND (L HAND)   {639DF25A-19E3-B504-D323-4B3F6ED39A24}

5. R HAND (R HAND)   {A54D3A80-8537-D079-9CCE-7DC56346D132}

6. BOTH HANDS (BOTH HANDS)   {63AA2685-CB1D-4680-B2F4-2199A22D1EC6}

7. TORSO (TORSO)   {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}

8. ABDOMEN (ABDOMEN)   {109FE041-2521-6EF2-7F95-1FD1587796AB}

9. LEFT NECK (L NECK)   {40522B5F-F23E-EADB-AE64-8EDE3B9E1155}

10. R NECK (R NECK)   {7E4D84D3-535B-6164-C6C1-837C6F997A0D}

11. BILATERAL NECK (BILAT NECK)

               {744BF4A2-C55E-4D55-8711-58700DD1C446}

12. L FACE (L FACE)   {06F00A70-F475-CD40-665D-AF0569A1E75F}

13. R FACE (R FACE)   {D1B15677-EF6F-0125-3601-68C1FE6386CE}

14. FACE (FACE)   {C638EA14-7903-6A94-496A-C6560D51BEE3}

15. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

16. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

17. FEET (FEET)   {944CAA0E-5165-A6AF-BE3D-85455440BF40}

18. L KNEE (L KNEE)   {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

19. R KNEE (R KNEE)   {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

20. KNEES (KNEES)   {247D6621-3A85-F1F7-59BF-1FB0361B3C21}

21. SACRAL (SACRAL)   {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

22. PERIORBITAL (PERIORBITA)   {DBAC362B-6278-EDB4-7E28-3180321A38B2}

23. L EYE (L EYE)   {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

24. R EYE (R EYE)   {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

25. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

26. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

27. INCISIONAL SITE (INCISON SI)

               {EB36A66D-751D-4031-9F68-0BB03E267321}

28. BOTH LEGS (BOTH LEGS)   {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

Abbreviation................. EDU BARR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Barriers

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 15 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. HEARING (HEARING)   {D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}

 3. LANGUAGE (LANGUAGE)   {0666538E-4F44-4D34-A5EA-69CF2F1F86FA}

 4. LIMITED ATTENION SPAN (LIM ATT S)

              {51553020-0CB9-483E-AC1C-15CA6D9380A3}

 5. MEMORY (MEMORY)   {E30C1930-B98B-4382-B892-34E9C6008D1F}

 6. PAIN (PAIN)   {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

 7. SEDATED (s)   {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

 8. VISUAL IMPAIRMENT (VIS IMPAIR)

              {7B2107CE-002D-43BE-9102-FCD5B9FAD617}

 9. ANXIOUS (a)   {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}

 10. CONFUSED (CONFUSED)   {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

11. COMMUNCATION BARRIER (COMM BARRI)

        {1A24946D-D966-4FAB-B6EA-940FA9EF60D3}

12. IMPAIRED LISTENING SKILLS (IMP LIS SK)

        {9CE0E7E7-79E5-4910-918C-2022C9830171}

13. EMOTIONAL (EMOTIONAL)   {626C22E6-EF2A-489F-AA79-D27541A0BC45}

14. UNABLE TO ASSESS (UNA TO AS)

        {4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

15. UNABLE TO READ (ILLITERATE)

        {6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

UNITS:

```
================================================================================
```

TERM: EDUCATION - BELIEFS   Page: 186

 ID: {3CA218A6-33BA-43A8-A39A-F458BDAFEB82}

```
================================================================================
```

    Abbreviation................. EDU BELIEF

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Beliefs

    Help Text................... Describe patient beliefs that may

                  impact education provided

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. CULTURAL (CULTURAL)   {530D166D-D7C1-4204-94DC-83F4E140F11C}

     2. RELIGIOUS (RELIGIOUS)   {936C9949-8A30-4BBF-934C-1F194551B8E2}

     3. SPIRITUAL (SPIRITUAL)   {9670E2B9-6938-4487-A857-25546775B7A2}

    UNITS:

Abbreviation................. EDU READY

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................ Readiness To Learn

Help Text................... Evaluate patient`s desire and

                 motivation to learn

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

 1. EAGER TO LEARN (EAGER)   {A20AF51B-C89C-4308-AE17-C66144FE68BE}

 2. LACKS INTEREST (LACKS INT)

                  {585C5B7D-D229-4C7C-AE3C-5869FF845F0D}

 3. DENIES NEED (DENIES NE)   {28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}

 4. INDIFFERENT (INDIFF)   {7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}

 5. UNABLE TO RESPOND (UNA TO RES)

                  {1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}

 6. CONTEMPLATIVE (CONTEMPLAT)

                  {5194DB04-7A68-491E-B117-BD089C912DFB}

 7. UNABLE TO ASSESS (UNA TO AS)

                  {4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

UNITS:

===

 ID: {0F8D9E47-CDD7-4652-9E30-0E4355CC2EFA}

===

Abbreviation................. EDU TOPIC

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Topic

Help Text.................... Patient Education

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 51 entries

----

 1. ACTIVITIES OF DAILY LIVING (ADL)

                {12F2CA66-3DCE-443D-883C-119CE4838B4A}

 2. ADVANCED CARE PLANNING (ADV CAR PL)

                {F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}

 3. ANALGESIA (ANALGESIA)   {5452ED11-25E1-437B-8048-3BB3E03BE3B9}

 4. CLINICAL ASSESSMENT (CLIN ASSME)

                {803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}

 5. COMPLIANCE (COMPLIANC)   {EF43367E-9898-44C3-8AC8-F5BD28051F1D}

 6. DAILY PLAN (DAILY PLAN)   {B29357A5-4294-4EA0-A0D3-59182F3C94FB}

 7. DISCHARGE (DISCHARGE)   {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

 8. DISEASE PROCESS (DISEA PROC)

                {E80807AE-6208-421D-BE4C-445C470D32FA}

9. EQUIPMENT (EQUIPMENT)   {04C0F805-C7B3-4A9A-91D8-0F32F3265874}

10. HOME HEALTH (HOME HEALT)   {F94FB70A-AFFD-4A5E-A829-0AF933B044BB}

11. INFECTION (INFECTION)   {DA00DB58-640D-4294-9468-EEF070DBAE8E}

12. INFECTION PREVENTION AND SCREENING (INF PRE SC)

{BA58329F-59EC-49F0-BACE-75AA5EC57F52}

13. MEDICATION (MEDICATION)   {22E6DEBB-9662-466B-990C-8DA500C0A183}

14. MENTAL HEALTH (MEN HEAL)   {ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

15. MENTAL HEALTH HOLD (MEN HEA HO)

{31560285-7BD5-4E53-BB77-93B244367F42}

16. NEW ADMISSION EDUCATION (N ADM EDU)

{1890BC97-FEEB-4BED-A054-3C754C01817B}

17. NUTRITION (NUTRITION)   {429A28EF-8A1F-4247-85E8-68D4EFCD189C}

18. ORIENTATION (ORIENTA)   {10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}

19. PAIN (PAIN)   {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

20. POST-OPERATIVE (POST-OP)   {9FA19656-849F-4A65-92FC-755A4C9E8056}

21. POST-PROCEDURE (POST-PROC)

{0F943BD7-BD13-412E-B4EA-9B5526587340}

22. PRE-OPERATIVE (PRE-OP)   {80C418D5-54B1-4CC3-9B19-5653B8D73C45}

23. PRE-PROCEDURE (PRE-PROC)   {D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}

24. SAFETY (SAFETY)   {AD905A8F-33BD-4EFE-929E-A2B575797402}

25. SPIRITUAL (SPIRITUAL)   {9670E2B9-6938-4487-A857-25546775B7A2}

26. TREATMENTS (TREATMENTS)   {7A6879B5-F781-498E-9D71-3FA0243C3F21}

27. PRE-SEDATION (PRE SEDA)   {684C764E-2BE9-4C99-A2B2-C92D75C73751}

28. POST-SEDATION (POST SED)   {B829A249-CB14-4919-86F8-4A8C8D6B7753}

29. ENVIRONMENT (ENVIRO)   {C61AA262-F6AF-46AC-A215-0D56FD01B234}

30. ENTERAL TUBE/STOMA CARE (Tube/Stoma)

{B91B94EF-CFE6-4628-BEF2-D06E5870D574}

31. ENTERAL TUBE MEDICATION ADMINISTRATION (Med Admin)

{68D124A7-69CF-414B-8A47-BC666A373E24}

32. ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (Feed Form)

{D2EA8840-1123-4660-AD25-587458BF1E89}

33. ENTERAL FEEDING PUMP (Feed Pump)

{31FF069C-0060-45C3-898F-20F1A9D1552B}

34. PCA PUMP (PCA Pump)   {C6F139AF-C42B-4577-83E1-A12675C31A21}

35. EPIDURAL PUMP (Epid Pump)   {26C83111-5FA8-4398-8D3E-787B31A2A9E9}

360. BLOOD GLUCOSE MONITORING (Bl Glu Mon)

{525C8F3C-F8F5-4158-9CDE-3A7B306BADC5}

370. COMMUNITY RESOURCES (Comm Res)

{0088604F-6A99-4D99-B451-5262734E0D17}

380. DIAGNOSIS/HEALTH STATUS (Diag/Healt)

{42F128CE-63B7-4AA9-A121-B08C507F9941}

390. FINANCIAL CONCERNS (Fin Concer)

{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}

400. GENERAL HEALTH (Gen Healt)

{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}

410. OSTOMY CARE (Ostomy Car)   {BC834BC9-5861-4B94-BA34-FDF5C9FDF979}

420. PATIENT RIGHTS AND RESPONSIBILITIES (Pat Rights)

{DA69AAEE-DBDC-4CAA-849A-7242F0854385}

430. PERSONAL HYGIENE AND/OR GROOMING (Per Hyg)

{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}

440. PREVENTIVE HEALTH REHAB TECHNIQUES (Rehab Tech)

{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}

450. SELF-CARE SKILLS (Self Skill)

{39145E84-85F2-486C-9FF8-27787EC8026A}

460. SUPPORT GROUPS (Supp Group)

{7D67F542-4210-42FE-B083-7DA9D29055BD}

470. CAREGIVER STRESS (Care Stres)

{A6A201E7-259C-485E-A35E-9F2F3489B24F}

480. FAMILY NEEDS (Fam Needs)   {CEB07929-0A6E-47E9-99CD-BD9333304C9C}

490. OTHER (Other)   {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

500. NONE IDENTIFIED AT THIS VISIT (None)

{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}

510. ISOLATION (Isolation)   {BD993BAD-087B-4C88-9EEC-DC1B84F9A642}

UNITS:

Abbreviation................. EKG

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. EKG Lead

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

LOCATION: 5 entries

----

  1. CHEST (CHEST)   {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

  2. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

  3. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

  4. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

  5. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 1 entries

----

  1. SKIN (ADHESIVE INDICATOR) (SKIN)

              {C7CE7D84-6FC7-406A-7E56-B080637509DF}

QUALITY: 1 entries

----

  1. ACTUAL (A)   {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

UNITS:

MILLIMETERS   -21.00 > -20.00 * 20.00 < 21.00

                       Dec Prec: 2

   Abbreviation................. EKG WV Des

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. EKG Wave Descriptions

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 23 entries

   ----

   20. P WAVE PRESENT (P Wave Pr)

               {DB568A40-FC64-441F-BA45-F041C6BD1C53}

   30. P WAVE ABSENT (P Wave Ab)   {1366C9A5-343F-4C78-9DC4-0E26E84F41A6}

   40. P WAVE BIPHASIC (P Wave Bi)

               {87E71F59-F44A-4863-9990-079ACBAD44DC}

   50. PR NORMAL DURATION (PR Norm)

               {3CEB0A4F-D3E3-46E3-89D9-E2410C337A19}

   60. PR PROLONGED DURATION (PR Prolong)

               {0D8E81C1-D80D-41B1-ABE8-D931945BB1D8}

   70. PR SHORTENED DURATION (PR Short)

               {C3850A3D-3D57-4875-8F34-78616159F6E8}

   80. QRS (QRS)   {C5065D40-2FAC-45A4-A24A-986A35A52F1F}

90. QR (QR)   {7C3C189A-4A97-4309-8DEB-13A43D803AC0}

100. RS (RS)   {33E44A2C-52B1-4CE4-A7B0-FE85151A555F}

110. QS (QS)   {BD21A0E2-70D3-466E-A0DB-8302A5BE876C}

120. QRSr' (QRSr')   {AB71B4B3-3E02-4B5A-BF84-49757F7FD1A6}

130. RSr' (RSr')   {0A4406E8-D4FD-4735-8A75-EF76FB2F9C00}

140. rSR' (rSR')   {7DB2E237-F355-4A30-8C6F-D6419CBAC50E}

150. QRS NORMAL (QRS Norm)   {BEC63090-8F3E-4CE2-8397-34E51F8C8EEC}

160. QRS WIDENED (QRS Wide)   {A9FC39DC-C781-45D6-820C-C91ABC6FAB6B}

170. DEPRESSED ST (Depress ST)

                {5A1DBEF1-F1C5-4674-91B9-691A3D5D0BA9}

180. ELEVATED ST (Elevate ST)   {7663CF04-7A89-4228-9DB4-80504A417EA8}

190. INVERTED T WAVE (Inverted T)

                {74E92116-CC0C-496E-93D4-F1BB004CB4F7}

200. PEAKED T WAVE (Peaked T)   {CE79199C-3CFE-4DCE-914C-3A0C23CC174E}

210. T WAVE NORMAL (T Normal)   {57AF62FB-DE31-4AF4-9EAA-04B2E46F05E0}

220. FLATTENED T WAVE (Flat T)

                {8CAEE4C4-895C-4FC2-95A9-1C84D5305586}

230. NO T WAVE (No T)   {131585CA-7CED-4B2C-A832-A495538F4B02}

240. U WAVE PRESENT (U Wave)   {5AE06982-CC61-45FC-8A60-85DB23A3BBC4}

UNITS:

===

 ID: {8E6573BB-DED8-47D3-AA52-C56404C5D1D9}

===

   Abbreviation................. EMO SUPPT

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Emotional Support

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. PATIENT (PATIENT)   {7881F205-BCD1-4948-AE66-AD572F5A02F2}

    2. FAMILY (FAMILY)   {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

    3. FRIEND (FRIEND)   {03902E48-AF86-432A-8372-37796A55F625}

    4. SIGNIFICANT OTHER (SO)   {082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}

    5. CAREGIVER (CAREGIVER)   {F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

   UNITS:

    Abbreviation................. EF TUBE TY

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Type of Enteral Feeding Tube used

    Display Name................. E.F. Tube Type

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 8 entries

    ----

     1. NASOGASTRIC LARGE BORE TUBE (NG LG BORE)

                    {C3FEE16A-9998-455B-BEB8-CC55AF890202}

     2. NASAL INTESTINAL SMALL BORE (N INT SM B)

                    {03DCB9EB-9B11-4C3B-869B-B1842BBCC844}

     3. PEG TUBE (PEG TUBE)   {970C3755-2B3F-462F-AA87-EA33F846843F}

     4. JEJUNOSTOMY (JEJUNOSTOM)   {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

     5. GASTRIC TUBE (G TUBE)   {65F774BA-F977-46D3-AE41-7F7C74CFF47E}

     6. ORAL GASTRIC TUBE (OG TUBE)

                    {C6995D6A-939C-4C31-A3C2-4504CB5597CD}

     7. DUODENOSTOMY (DUODENOSTO)   {FA44135D-6806-42E7-B371-8C3912B3582E}

     8. TRANSPYLORIC (TRANSPYOLO)   {78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

UNITS:

===

 ID: {EB68B555-6DE2-4BCE-942D-3B7F1E202B24}

===

    Abbreviation................. En Deliver

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description..................

    Display Name................. Enteral Nutrition Delivery Method

    Help Text....................

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid.........................

    DATA VALUE: 7 entries

    ----

     1. PUMP - CONTINUOUS (Pump- cont)

                    {EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}

     2. PUMP - INTERMITTENT (Pump - int)

                    {1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}

     3. BAG - CONTINUOUS (Bag - cont)

                    {F072EF8A-B38B-4D75-82BF-D5EF851784B0}

     4. BAG - INTERMITTENT (Bag - inte)

                    {3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}

     5. SYRINGE (Syringe)   {8ED1EF3E-79AC-4507-A35B-473F31510FB7}

     6. OPEN SYSTEM (Open syste)   {2047EDE8-5D72-4541-A23A-81F097A6CA2A}

     7. CLOSED SYSTEM (Closed sys)

                    {D076BAB6-C4D1-42F1-9036-80BF4B72E695}

UNITS:

Abbreviation................. En Nut Lin

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Enteral Nutrition Line Traced

Help Text.................... Line traced to origin prior to

               feeding administration

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

```
================================================================================

TERM: ENTERAL NUTRITION RATE                    Page: 195

 ID: {75A4F240-8D8E-4F7D-84D3-3DBCE1C20F00}

================================================================================

    Abbreviation................. ENT NUT RA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Rate of Enteral Nutrition

    Display Name................ Enteral Nutrition Rate

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................


    UNITS:

    -----------------------------------------------------------------

    MILLILITERS PER HOUR        -1 > 0 * 500 < 1000     Dec Prec:  0
```

Abbreviation................. En Sys Mnt

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Enteral Nutrition System Maintenance

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. BAG CHANGE (Bag Chg)   {BC58D518-A742-410B-BE33-732C04D303BD}

 2. SYRINGE CHANGE (Syr Chg)   {1F052EF1-F62C-4442-8B2B-D15280226C69}

 3. TUBING CHANGE (Tube Chg)   {6418C2A2-D244-4C5B-A398-904B99AACEA4}

 4. STOPCOCK CHANGE (Stop Chg)

                    {C4A6E58E-DA4B-478F-823B-D2CFC9860072}

UNITS:

Abbreviation................. Tube Place

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................

Display Name................. Enteral Nutrition Tube Placement

                 Verified

Help Text.................... Can specify method of verification in

                 comments

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. ENT NUT TY

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Type of Enteral Nutrition Used

Display Name................ Enteral Nutrition Type

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 46 entries

----

 1. MAGNACAL (MAGNACAL)   {C810A618-FB1A-45BB-A540-EADF1414E343}

 3. OSMOLITE HN (OSMOLIT HN)   {E4186CA6-302F-4513-B125-30B094151423}

 4. ULTRACAL (ULTRACAL)   {179AE9A5-154D-4CD2-B70B-66E84F5D0932}

 6. VITAL HN ENTERAL NUTRITION (VITAL HN)

                {E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}

 7. D5W ENTERAL NUTRITION (D5W)

                {D6664641-BF43-4157-9A30-8AD8CFE96518}

 8. D10W ENTERAL NUTRITION (D10W ENT N)

                {5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}

 9. D50W ENTERAL NUTRITION (D50W ENT N)

                {528A4339-0261-4EC5-821C-7CE5592666DC}

 17. BOOST (Boost)   {2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}

18. BOOST PLUS (Boost Plus)   {432C8151-10CE-4804-939D-6B6B609BE54A}

19. ENSURE PLUS (Ensure Plu)   {519D1249-B6C0-49ED-BA86-1B27C0F964C9}

20. FIBER STAT (Fiber Stat)   {201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}

21. GLUCERNA 1.0 (Glu 1.0)   {1C465710-80F2-4C13-B8D5-B1D084151104}

22. GLUCERNA 1.2 (Glu 1.2)   {F58F1014-D1C4-44EB-9B01-FB88F2B3D751}

23. ISOSOURCE VHN (Iso VHN)   {D68525BF-F922-464E-97DE-1AB767974483}

24. JEVITY 1.0 (Jevity 1.0)   {637F4523-0417-4EA4-9991-379C8362EC00}

25. JEVITY 1.2 (Jevity 1.2)   {0B3ADECE-FC19-4D90-912B-6EDC3D35C845}

26. JEVITY 1.5 (Jevity 1.5)   {ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}

27. JUVEN (Juven)   {2112F76A-D581-4C55-94CA-4B4CC68813AD}

28. NEPRO (Nepro)   {00FFC7A1-5CDA-45AF-BD50-D77666A23851}

29. NEPRO CARB STEADY (Nepro Car)

               {6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

30. NUTRIHEP (Nutrihep)   {ABD98675-EB60-40C7-BCE6-73FD787F6D17}

31. OSMOLITE 1.0 (Osmo 1.0)   {D5EE7DA5-707B-4000-A133-0C571824A376}

32. OSMOLITE 1.2 (Osmo 1.2)   {CEF57C44-82E5-43F5-8646-F8FBCD4609A0}

33. OSMOLITE 1.5 (Osmo 1.5)   {8AF4CD1A-631A-4E95-A631-ACFF775284BA}

34. OXEPA (Oxepa)   {1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}

35. PERATIVE (Perative)   {9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}

36. PIVOT (Pivot)   {2E68ED54-57F5-490D-A982-668121F0CF5A}

37. PIVOT 1.5 (Pivot 1.5)   {9126F0C6-9716-4C33-8B7C-178D46899D44}

38. PRO STAT SUGAR FREE 64 (ProSta 64)

               {3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

39. PROMOTE (Promote)   {6377C8D3-F6DD-4BD2-877F-DB52525DD65D}

40. PROMOTE WITH FIBER (Pro W/Fib)

               {33E04B6F-2976-402C-B3B7-B75705430340}

41. PROPASS PROTEIN POWDER (Pro Prot)

               {2307C41A-92D2-4DD4-BC1F-2E78F7477D98}

42. PRO-STAT (Pro-Stat)   {E39E36C7-0A47-459D-BA75-CF6186247B40}

43. PROTENEX WOUND CARE (Protenex)

{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}

44. PULMOCARE (Pulmocare)   {8D683106-B5EE-46E1-B1C6-0C7843EDD15C}

45. RESOURCE BREEZE (Re Breeze)

{D3A38687-AD62-4E1D-A945-1201168E1CF6}

46. RESOURCE DM (Re Dm)   {C9D4A461-81F9-4392-98DA-129B00E5807F}

47. SUPLENA (Suplena)   {F606979A-083E-40C1-9EBB-EA56053EF5FD}

48. TWO CAL HN (Two Cal HN)   {3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}

49. VITAL 1.0 (Vital 1.0)   {D3CA653C-419D-4186-8704-E171650062DF}

50. VITAL 1.5 (Vital 1.5)   {3665F539-7BBD-4AD9-A4D0-0A33506036D7}

51. VITAL AF (Vital AF)   {D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}

52. VIVONEX RTF (Viv RTF)   {461E7430-CC94-47D1-A90D-9694314C7729}

53. FIBERSOURCE (FiberSrc)   {0BD55DE7-8524-4A21-A694-218A19EF0CE6}

54. ISOSOURCE 1.5 (Iso 1.5)   {A93C075F-A1FB-4B84-A8E3-9CE81089A462}

55. OTHER (SEE COMMENTS) (Other)

{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation................. Asp Color

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Enteral Tube Aspirate Color

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 14 entries

----

  1. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

  2. AMBER (AMBER)   {90A13048-4C35-E01D-3482-64D782001D4A}

  3. WHITE (WHITE)   {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

  4. BROWN (BROWN)   {A1C32FBC-7B4D-707C-CA58-92A2E201368E}

  5. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

  6. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

  7. BLACK (BLACK)   {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

  8. CLAY (CLAY)   {A4E4D16C-B45C-0934-ED22-8BF640080108}

  9. ORANGE (ORANGE)   {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}

 10. TAN (TAN)   {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

 11. PURULENT (PURULENT)   {86C01494-743A-C6A2-8883-01CA5200C79B}

 12. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

140. GOLD (Gold)   {1D1A2586-C13C-41FA-A3AD-39294BEBA83E}

UNITS:

==

 ID: {C6DD77B7-2501-4B20-AAF8-FF40554257CF}

==

   Abbreviation................. Asp PH

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description..................

   Display Name................. Enteral Tube Aspirate pH

   Help Text.................... pH of enteral tube output

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   ----

   pH   -1.0 > 0.0 * 14.0 < 15.0   Dec Prec: 1

==

 ID: {22EBBA65-D612-43B8-A97F-E750C2ADC9D0}

==

    Abbreviation................. Res Vol

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................

    Display Name................. Enteral Tube Residual Volume

    Help Text................... volume of enteral tube output

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITER   -1 > 0 * 300 < 301   Dec Prec: 0

==

TERM: ENTERAL TUBE SITE CONDITION CHECKED   Page: 202

  ID: {07A53E80-0F27-46DC-A260-B03CFE25803E}

==

    Abbreviation................. En Tube Ck

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................

    Display Name................. Enteral Tube Site Condition Checked

    Help Text.................... Indicate any abnormal findings in

                    comments

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

==

 ID: {ECED5FF9-C840-4D0A-8CD9-6A2EB772FEB0}

==

   Abbreviation................. Epi Bol ml

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................

   Display Name................. Epidural: Bolus (ml)

   Help Text...................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   MILLILITER   0.01 > 0.01 * 999.99 < 999.99

                              Dec Prec: 2

==

TERM: EPIDURAL: CATHETER SITE   Page: 204

 ID: {4BCC4DF1-B319-40E0-B740-DB96EE30A761}

==

   Abbreviation................. Epi Cat Si

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. Epidural: Catheter Site

   Help Text....................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

   10. THORACIC (Thoracic)   {CAC9637E-6CBC-4F12-BF5B-72EDD2148579}

   20. LUMBAR (Lumbar)   {29729E2C-3650-4E81-B7EB-72052EBA3D48}

   UNITS:

===

ID: {45F9DF95-EF21-4BE4-8F43-B680A3CDDC47}

===

Abbreviation................. C Rate Hr

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. Epidural: Continuous Rate (ml/hr)

Help Text...................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MILLILITERS PER HOUR   0.01 > 0.01 * 999.99 < 999.99

                           Dec Prec: 2

===

  ID: {297730B0-12B4-4296-B9E5-9A112E5D4E91}

===

    Abbreviation................. Derm Left

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................ Epidural: Dermatome Sensory Level -

                 Left

    Help Text...................

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 22 entries

    ----

     1. C1 (C1)   {F942693D-F272-4A70-81FF-E750BAF082B9}

     2. C2 (C2)   {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}

     3. C3 (C3)   {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}

     4. C4 (C4)   {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}

     5. C5 (C5)   {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}

     6. T1 (T1)   {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}

     7. T2 (T2)   {7536B154-F3CA-4B21-8CEC-301F204B19A9}

     8. T3 (T3)   {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}

     9. T4 (T4)   {E95970BB-3FDA-4027-AAF0-EE5670642321}

    10. T5 (T5)   {01B568D4-F9F4-44A7-94A4-EFF830691940}

    11. T6 (T6)   {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}

12. T7 (T7)   {385B254A-F256-4626-9C12-7D8984F4B605}

13. T8 (T8)   {68337EB5-902D-4DCB-AFDD-8AC59849F58B}

14. T9 (T9)   {06F10D8D-2E9D-454D-AD6B-B750300523DD}

15. T10 (T10)   {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}

16. T11 (T11)   {3C40B21A-965B-48C4-A65D-9A01CF2327F1}

17. T12 (T12)   {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}

18. L1 (L1)   {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}

19. L2 (L2)   {0E5E7F8E-BA82-499B-A57A-8D32C2113006}

20. L3 (L3)   {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}

21. L4 (L4)   {94632F85-0152-47C2-9D82-B49C36ABF495}

22. L5 (L5)   {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

Abbreviation................. Derm Right

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Epidural: Dermatome Sensory Level -

              Right

Help Text....................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 22 entries

----

   1. C1 (C1)   {F942693D-F272-4A70-81FF-E750BAF082B9}

   2. C2 (C2)   {EE1C5D26-12DE-42ED-A46C-63D66BC145C5}

   3. C3 (C3)   {B53D0E0E-7BF0-4D26-B4DD-D072035E307E}

   4. C4 (C4)   {A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}

   5. C5 (C5)   {30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}

   6. T1 (T1)   {78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}

   7. T2 (T2)   {7536B154-F3CA-4B21-8CEC-301F204B19A9}

   8. T3 (T3)   {F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}

   9. T4 (T4)   {E95970BB-3FDA-4027-AAF0-EE5670642321}

   10. T5 (T5)   {01B568D4-F9F4-44A7-94A4-EFF830691940}

   11. T6 (T6)   {0C2C1A00-7CCB-4608-AECB-30BFB52A5342}

12. T7 (T7)   {385B254A-F256-4626-9C12-7D8984F4B605}

13. T8 (T8)   {68337EB5-902D-4DCB-AFDD-8AC59849F58B}

14. T9 (T9)   {06F10D8D-2E9D-454D-AD6B-B750300523DD}

15. T10 (T10)   {EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}

16. T11 (T11)   {3C40B21A-965B-48C4-A65D-9A01CF2327F1}

17. T12 (T12)   {36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}

18. L1 (L1)   {E6FA1F4F-B32B-4523-966C-9AFAD9C44316}

19. L2 (L2)   {0E5E7F8E-BA82-499B-A57A-8D32C2113006}

20. L3 (L3)   {0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}

21. L4 (L4)   {94632F85-0152-47C2-9D82-B49C36ABF495}

22. L5 (L5)   {87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

Abbreviation................. Epi Meds

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Epidural: Medication

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 5 entries

----

10. {8BC7F294-7126-4843-91A0-14F805EC4578} (Morphine)

                  {8BC7F294-7126-4843-91A0-14F805EC4578}

20. HYDROMORPHONE (Hydromorph)

                  {8E6E9DB1-C969-4274-9761-C9830A9FCF67}

30. ROPIVICAINE (Ropivicain)   {911BE8BC-6737-4DBF-96AF-A501D3D54493}

40. BUPIVICAINE (Bupivicain)   {03B908B3-365A-47F6-8D71-8F8FE1D2C16B}

50. FENTANYL (Fentanyl)   {C0740659-05FB-4513-BD0F-4F4111B32215}

UNITS:

Abbreviation................. Res Vol Rm

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. Epidural: Reservoir Volume Remaining

Help Text...................

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   -1.00 > -1.00 * 9999.00 < 9999.00

                              Dec Prec: 2

==

 ID: {31D66C3C-3A8C-4F97-B9E5-7ECA49A01574}

==

Abbreviation................. Side Eff

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Epidural: Side Effects

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 19 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. NAUSEA (NAUSEA)   {6BF33DC3-0300-4643-BB14-27C35692B806}

 3. VOMITING (VOMITING)   {921F463C-1639-4D13-8E4E-6D3A1B6927F9}

 4. ITCHING (Itching)   {33304859-7DF4-4D89-86E8-9AA3395CC80A}

 5. URINARY RETENTION (Urin Reten)

                {BDD3A568-00E4-4148-8A5D-00319728022A}

 6. CONSTIPATION (CONSTIPAT.)   {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

 7. HYPOTENSION (Hypotensio)   {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}

 8. HEADACHE (Headache)   {9338E67C-201C-4066-A734-8BD4B47462BD}

 9. BLURRED VISION (Blurred Vi)

                {1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

10. SLURRED SPEECH (Slurred Sp)

{6C3D295A-71C9-4DA8-A172-995F431D94C9}

11. CONFUSION (Confusion)   {C577D53B-2924-41C6-AAF0-426F5259B36F}

12. POOR BAL (Poor Balan)   {959AFDB4-6984-452D-9235-B154409DC0ED}

13. TINGLING MOUTH/LIPS (Ting Mou/L)

{E603F979-310D-438B-80A2-1F52E4DE71C6}

14. UNEXPECTED NUMBNESS (Unexp Numb)

{6418B135-56AF-4A76-A207-55D7AE0C5364}

15. EXTENDED PERIOD OF IMMOBILITY (Ex Pd Immo)

{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

16. SYMPTOMS OF MEDICATION ALLERGY (Sym Med Al)

{8E73F22D-7583-4F24-B946-091CF8508CED}

17. REPIRATORY DEPRESSION (Resp Depr)

{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}

18. CNS DEPRESSION (CNS Depres)

{EE349460-8B60-427B-AE98-72007DFD2F6A}

19. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

==

 ID: {9D6BECEA-1AED-42FD-BE2D-396B0B8CD472}

==

    Abbreviation................. Tot Vl Giv

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description..................

    Display Name................. Epidural: Total Volume Given

    Help Text.................... Total Volume of Epidural given

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITER   -1.00 > -1.00 * 9999.00 < 9999.00

                        Dec Prec: 2

Abbreviation................. ESI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. EMERGENCY SEVERITY INDEX

Display Name................. ESI

Help Text.................... EMERGENCY SEVERITY INDEX

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

 2. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

 3. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

 4. 4 (4)   {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

 5. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

 UNITS:

Abbreviation................. TRIAGE CON

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................ Triage Condition

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. STABLE (STABLE)   {A474E7BC-47EF-4472-A19A-172C441099EC}

 2. UNSTABLE (UNSTABLE)   {5841C521-8070-4034-A69D-27DAB2990EB3}

 3. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

```
================================================================
```

TERM: ER TRIAGE DISPOSITION   Page: 214

 ID: {4D5AB8A3-0883-4D48-AAF7-73933D411038}

```
================================================================
```

    Abbreviation................. TRIAGE DIS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. No Description

    Display Name................ Triage Disposition

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

    1. EMERGENCY DEPARTMENT (ER DEPT)

            {D2E511F7-8B80-4928-A64B-3F1EE17395F7}

    2. WAITING ROOM (WAIT ROOM)   {13476486-F895-4FFC-AB42-B274827B47DA}

    3. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

    UNITS:

Abbreviation................. ET LOC

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. LOCATION OF ENDOTRACHEAL TUBE

Display Name................. Endotracheal Tube Location

Help Text................... Measured in centimeters from lip or

                 nose

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

15. 20 (20)   {532FBDF8-7F7B-9551-300C-F2CFEF656163}

16. 21 (21)   {C6188159-9EF1-DA5C-C015-2142A1205C4C}

18. 22 (22)   {DA839156-C7A9-76D7-58CD-7EC2B016EF40}

20. 23 (23)   {8FB6A8B1-B692-BDC7-43B9-0332F33D826A}

22. 24 (24)   {2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}

24. 25 (25)   {42DD0655-142D-6901-D3FE-66D295BBFCD1}

26. 26 (26)   {181395F6-29FD-5A41-5AD7-BFC9CF564F3B}

28. 27 (27)   {64D25A86-6516-0910-B4B5-644B85378876}

30. 28 (28)   {66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}

32. OTHER (COMMENT REQUIRED) (Other Req)

                {334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}

LOCATION: 3 entries

----

10. LIP (Lip)   {43A64C98-CAE1-4069-B66E-91A512D7A703}

20. NOSE (NOSE)   {85F7003E-6D4E-4A79-A534-8A57FBC2D106}

30. TEETH (TEETH)   {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. MIDLINE (Midline)   {1C6F049F-532E-406B-9C54-2AA24CAC085E}

UNITS:

```
================================================================
TERM: EYE CONTACT                          Page: 216

 ID: {C572ADA8-4974-47B7-AF2F-1CBCA368145C}

================================================================
```

Abbreviation................. Eye Contct

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Eye Contact

Help Text................... Assessment of Eye Contact in

                 Behavioral Health Population

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. APPROPRIATE (a)   {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}

20. PUPIL DILATION (Pupil Dila)

                {93923D51-6746-44A7-B906-964CA0DB09B4}

30. PUPIL CONSTRICTION (Pupil Con)

                {C5FB67AF-9331-4702-BF66-575EC3D2B729}

40. AVOIDANT (Avoidant)   {4979C5A5-C03B-4893-8155-40CDC1833C05}

50. STARE (Stare)   {558CBBCE-8857-4198-AC68-62CB0523B267}

UNITS:

==

 ID: {7912B52F-20BC-9128-883B-08AF0EC48045}

==

   Abbreviation................. FALL PRE

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. No Description

   Display Name................. Fall Precautions

   Help Text.................... Fall Precautions Taken

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

    Abbreviation................. Fall Prev

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. Fall Prevention

    Help Text...................

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 17 entries

    ----

    10. ORIENTED TO SURROUNDINGS/ROUTINE (Oriented)

                    {A8F3F756-E5B5-4B8D-AF21-E45746A64E46}

    20. INCREASE ROUNDS (Inc Rds)   {873180AF-9BB9-44F4-B9E4-80F8BBDF9769}

    30. NON-SKID SLIPPERS (Non-Skid)

                    {D7641B31-2CB9-4284-B505-74B131BF4789}

    40. PLACED NEAR TO NURSE STATION (Near N/Sta)

                    {7790D901-36F0-4DFD-9BF5-8C3A913F30E1}

    50. NIGHT LIGHT PROVIDED (Night Lite)

                    {A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}

    60. PERSONAL ARTICLES AT REACH (At Reach)

                    {166DE5BA-67F1-4BDB-9378-062862519BE4}

    70. ORIENTED TO CALL FOR ASSISTANCE (Call/Asst)

{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}

80. COMFORT MEASURES (Com Measu)

{A5F09A1F-921E-4469-9652-0A136BCD9C07}

90. ESTABLISHED ROUTINE TOILETING SCHEDULE (Toil Sched)

{A66F5259-5C01-4597-B881-9267DEBC017C}

100. AVOIDED LIGHT AND NOISE OVERSTIMULATION (Avoid Lght)

{135BE5DC-B93B-4A72-97AC-B423A6E81538}

110. ELIMINATED ENVIRONMENTAL HAZARDS (Eli Env Hz)

{78E77129-F53F-491D-8C86-36AE948FCCC6}

120. ALARMS ON (Alarms On)   {A07F739F-3E78-405D-9012-E43CD84B2CBC}

130. HELMET (Helmet)   {E65974F8-BCE7-4361-868D-C0B4D780EA21}

140. HIP-PROTECTORS (Hip-Prot)

{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}

150. FALL RISK SIGN (Fall Sign)

{E9670720-957E-487E-B0F0-7F7A8AEF69DE}

160. FALL RISK ID (Fall Risk)   {EF1BE81B-656B-474C-B19E-CCDAD8BB4100}

170. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

Abbreviation................. FOTU

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Family Oriented to Unit

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. FID Assess

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Fecal Device: Assessment

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 11 entries

----

10. LEAKAGE (Leakage)   {E6D33143-415D-493D-8AD3-1028D61E26F0}

20. NO LEAKAGE (No Leakage)   {08C6382F-2934-4E02-B217-A10FC4435A17}

30. SKIN BREAKDOWN (Skin Break)

                {B097478B-C287-44D8-9E54-B4FFB7EF45EE}

40. SKIN INTACT (Skin Intac)   {3822B068-9ACA-49D1-A5E6-1BAF31782EEC}

50. SKIN EXCORIATION (SkinExcor)

                {03525053-AF43-445F-99DB-65C9433AADC9}

60. PERINEAL PAIN (PerinealPn)

                {B92D15D5-C65B-41EE-9ACA-480B75FD7454}

70. DRAINING WELL (DrainWell)   {594713DB-C44A-4B57-8B1C-784C7763F80B}

80. DRAINING POORLY (DrainPoor)

                {C3EF5A17-30FC-49B6-9F9E-51A34F45F295}

90. STOOL TOO FIRM TO DRAIN (Firm)

{A57DB5C7-A9F1-48B7-A6EA-1C6256C150BF}

100. ASSESS FOR CONTINUING NEED FOR DEVICE (AssessNeed)

{C6407B93-3747-4A0F-9158-C2EC75FB896B}

110. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

===

ID: {F2350557-8998-40FE-82C4-9ACD284E492E}

===

Abbreviation................. FID Care

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Fecal Device: Care

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. DEFLATE BALLOON (Deflate Ba)

               {35425FEE-DEF6-4880-8F56-6A6745E76604}

20. ROTATION (Rotation)   {B35FBCB8-79A0-4FF9-9220-4811865EB5FE}

30. INFLATE BALLOON (Inflate Ba)

               {8E43AC94-F91F-498A-AEFA-2D754A24AE35}

40. REMOVAL (Removal)   {B4B1C2D0-C8DF-42F5-B74A-ABA3895009E7}

50. IRRIGATION (Irrigation)   {FEC41E5A-D214-48A0-953B-EF75B6414BE3}

60. INSERTION (Insertion)   {FF33CDE9-5CF7-46F7-8E3C-DBEC99CBC8BF}

70. OTHER (ENTER COMMENT) (Other)

               {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

===

 ID: {33F82C01-9087-4D52-9B9B-6347DA0C58BF}

===

Abbreviation................. FID Type

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................ Fecal Device: Type

Help Text...................

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

10. EXTERNAL FECAL INCONTINENCE DEVICE (FID Ext)

                {6FD2A67E-5CDD-4654-8C2A-7BD851D032EF}

20. INTERNAL FECAL INCONTINENCE SYSTEM (FID Int)

                {3E01B153-8BBF-4EB3-B680-AD22E53531F1}

30. RECTAL TUBE (RectalTube)   {D5C228DB-532A-48EC-AF25-CEC20EB2818F}

UNITS:

Abbreviation................. FT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. From Vitals

Display Name................. Fetal Heart Tones

Help Text.................... From Vitals

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid......................... 4688721

UNITS:

BEATS PER MINUTE   50 > 120 * 160 < 225   Dec Prec: 0

==

TERM: FINGERSTICK GLUCOSE   Page: 224

  ID: {805F184D-EF11-446F-A272-B08249A477E9}

==

   Abbreviation................. FINGER GLU

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Fingerstick Glucose Test Result

   Display Name................. Fingerstick Glucose

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   ----

   mg/dl   -1 > 0 * 1000 < 1001   Dec Prec: 0

===

 ID: {9999776E-D262-4F64-BDEC-16A7E5885185}

===

   Abbreviation................. FLATUS

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Flatus

   Display Name................. Flatus

   Help Text................... Flatus / Flatulence

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. UNKNOWN (u)   {1F872397-8635-18A3-E252-AE9B20B88C7D}

    2. PATIENT REPORTS NOT PRESENT (PT RP N PR)

                    {AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}

    3. PATIENT REPORTS PRESENT (PT REP PRE)

                    {1726BC7E-5A82-41AC-B77A-BF62263E1EF6}

    4. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

   UNITS:

    Abbreviation................. FLOW ADDEN

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... String

    Description.................. Flowsheet Addendum

    Display Name................. Flowsheet Addendum

    Help Text.................... 250 Characters ONLY: Place to enter

                  status updates, notes, significant

                  events, etc. That are relevant to the

                  patient and entire flowsheet.

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

===

  ID: {5B1A78F0-5C93-F5BA-29D5-D9AFC205B3C7}

===

   Abbreviation................. FOOTS

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Foot Strength

   Help Text................... Evaluation of foot strength

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

    2. WEAK (w)   {BE2D9305-E2DA-F492-66CF-164EE58B8179}

    3. STRONG (s)   {A12154E1-544E-F372-3839-0D44E5BC476B}

    4. REFLEX INTACT (r)   {F21585F9-5206-A6B3-2BF6-F416E5842366}

    6. N/A (n)   {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

   LOCATION: 3 entries

   ----

    1. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

    2. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

    3. BILATERAL FOOT (BILAT FOOT)

                  {C758847D-468F-479A-B12D-F4E46F0E5E3A}

UNITS:

===

 ID: {EEAB8762-624F-7BA3-4001-114FD229BA69}

===

   Abbreviation................. FH

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. From Vitals

   Display Name................. Fundal Height

   Help Text.................... Starting at 24 weeks

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid......................... 4688722

   UNITS:

   CENTIMETER   15 > 21 * 43 < 60   Dec Prec: 0

 ID: {21F9FD70-0E30-2772-2E3C-D36C9D3ABA9D}

===

Abbreviation................. GAG

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Gag Reflex

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

 2. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

Abbreviation................. Gait

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Gait

Help Text................... Assessment of Gait

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. STEADY (Steady)   {42CF2FDA-E774-4784-99D3-24545E30C46F}

20. UNSTEADY (Unsteady)   {7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}

30. SHUFFLING (Shuffling)   {7EA3A898-1D90-472C-BE90-2110330A1ADA}

40. SCOOTER (Scooter)   {663BC475-C20E-4B8B-B8B5-B16CC79A93C6}

UNITS:

Abbreviation................. Gait Assmt

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Gait Assessment

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 15 entries

----

10. LIMPING (Limping)   {9D3CD08A-9DA7-4CFA-86FA-585D1FBA47DA}

20. HIGH STEPPAGE (High Step)   {69B697DB-695F-4ACE-A55B-5B2890CC86CE}

30. DROPPING FOOT (Drop Foot)   {973DF7B5-4845-46F8-BD5F-D20BB7FF708F}

40. WADDLING (Waddling)   {C88EB596-FB4E-4B11-B85D-2CB27AE903E4}

50. FOOT DRAGGING (Foot Drag)   {6545B9D2-143C-4551-9D93-5D93AD79C65E}

60. AUDIBLE "SCUFFING TOE" (Scuff Toe)

                {FF11D53C-0251-43D6-9CA4-D669A62C1EC6}

70. SCISSORING (BILATERAL CIRCUMDUCTION) (Scissoring)

                {94CEEBD0-ADD0-4165-98C2-34318E443446}

80. DIVIATION TO ONE SIDE (Diviation)

                {49BC09BA-73B8-4FD4-8FBD-79D2EBAC7B82}

90. STAGGERING, WIDE BASED (Staggering)

{2E79C273-2E13-4DD2-BFB5-B84EA2D273C4}

100. EXTRA MOVEMENTS THAT AFFECT GAIT (Extra Move)

{DB1191F0-540F-4E62-B4D9-03DE316E4B5A}

110. SHUFFLING (Shuffling)   {7EA3A898-1D90-472C-BE90-2110330A1ADA}

120. HESITATION AND FREEZING (Hesitate)

{01295D78-9305-4D6B-B1BC-53CBDDA17956}

130. SLOW, WIDE BASE, SHORT STEPS (Slow Steps)

{618C0922-57BD-4DF3-BAF0-6CF91E7309C8}

140. BALANCE IMPAIRMENT (Balance)

{412DDCDD-4CB0-4AE4-A591-E11419EB9AF0}

150. INAPPROPRIATE OR BIZARRE FOOT PLACEMENT (Foot Place)

{9B943C60-F11A-46FC-843B-275837644CDB}

UNITS:

```
================================================================================
```

 ID: {E74268D1-6DB1-40BB-810B-4A33D65F73A4}

```
================================================================================
```

   Abbreviation................. GAS DISCAR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Gastric Residual Amount Discarded

   Display Name................. Gastric Residual Amount Discarded

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   MILLILITER   0 > 0 * 10000 < 10000   Dec Prec: 0

===

 ID: {7CFB9F8C-FDDB-4CB2-B977-E6570D84BAFE}

===

Abbreviation................. GAS RES CH

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Was the Gastric Residual Checked?

Display Name................. Gastric Residual Checked

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

===

   ID: {D93EDA7E-706C-4914-A774-5BE46D4A3085}

===

   Abbreviation................. GAS NOT DI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Gastric Residual Amount Not Discarded

   Display Name................. Gastric Residual Amount Not Discarded

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MILLILITER   0 > 0 * 10000 < 10000   Dec Prec: 0

==

 ID: {A0C56786-F1C2-4834-A149-EF8E521FF263}

==

Abbreviation................. Gtube:Ind

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Gastric Tube Insertion: Indication

Help Text.................... X-ray required before giving meds,

                tube feedings, or using for

                irrigation/lavage.

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. GASTRIC DECOMPRESSION (GastrDecom)

               {EFFD3462-0384-46F1-A072-31C6ACF6E8C4}

20. GASTRIC IRRIGATION (GastricIrr)

               {6AA2256B-A212-4205-85D7-1FD34E928941}

30. GASTRIC LAVAGE (GastricLav)

               {77C3A1C6-73DD-43D4-B5FA-568BE9544218}

40. ASPIRATION OF GASTRIC CONTENTS FOR SPECIMEN (AspofGastr)

               {67DD42D8-E1D9-4A06-A49C-E331CBC4EA8D}

50. ADMINISTRATION OF MEDS/FLUIDS/ENTERAL FEEDINGS (Adm M/F/EF)

               {17B15FC3-59D8-4897-A330-BC20382A6A47}

60. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

```
================================================================================
```

TERM: GASTRIC TUBE INSERTION: PLACEMENT MARKED WITH PERMANENT MARKER   Page: 236

  ID: {C18A8062-2D0D-4F1D-83EA-3EF6171EA3B2}

```
================================================================================
```

Abbreviation................. GT Marker

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. Gastric Tube Insertion: Placement

                    Marked with Permanent Marker

Help Text.................... Placement length of gastric tube

                 marked on the tube with permanent

                 marker for easy visualization.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

LOCATION: 2 entries

----

10. NARES (Nares)   {ADCA65F6-CED5-4661-99A0-BE54212FBBD9}

20. Lips (Lips)   {905C6242-0B5C-45ED-B34C-636A81D760B1}

POSITION: 2 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

UNITS:

CENTIMETER   0 > 0 * 99 < 99   Dec Prec: 0

```
================================================================================

TERM: GASTRIC TUBE INSERTION: RESPONSE TO PROCEDURE          Page: 237

 ID: {34EB7304-866F-452F-BA0A-143C032CAFC1}

================================================================================
```

Abbreviation................. GT:Resp

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Gastric Tube Insertion: Response to

                Procedure

Help Text...................

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

10. TOLERATED WELL (ToleraWell)

                {5455F9B6-AD0E-4053-8EB0-4AAB055A5BB1}

20. OTHER (ENTER COMMENT) (Other)

                {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

===

TERM: GASTRIC TUBE INSERTION: SMALL BORE FEEDING TUBE, GUIDE WIRE REMOVED

 ID: {23B43893-55D7-413C-9882-FB96FDBAED11}

===

    Abbreviation................. GT SM BORE

    Active...................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type................... Boolean

    Description.................

    Display Name................. Gastric Tube Insertion: Small bore

                        feeding tube, guide wire removed

    Help Text................... Verify that guide wire is removed

                        after X-ray verification.

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

```
================================================================================
```

ID: {0A5BFB4B-DE59-467C-90FC-3C2A85BAD87D}

```
================================================================================
```

Abbreviation................. GT:X-Ray

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Gastric Tube Insertion: X-Ray

                    Verification

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

10. VERIFICATION OBTAINED (MANDATORY TO INSTILL MEDS/NUTRITION/FLUIDS) (Ver

Obtaind)   {5BA33ADE-7CE1-4B23-BB40-ADA24F661234}

20. NO VERIFICATION OBTAINED (NO PLANS TO INSTILL MEDS/NUTRITION/FLUIDS) (N

oVerf)   {85899FD9-0420-41A8-AD3D-93E3C2F308B1}

UNITS:

```
================================================================================
```

 ID: {16FE185C-5330-4D05-A918-4F03CE929AD5}

```
================================================================================
```

Abbreviation................. GTubeVia

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Gastric Tube: Inserted Via:

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

10. RIGHT NARIS (RightNaris)   {81196134-EDC9-4C8A-8231-FE2069D027A0}

20. LEFT NARIS (LeftNaris)   {666BDEE6-4B12-4D95-A534-8E68949A34BD}

30. MOUTH (Mouth)   {809D32CF-BBF7-4787-B0E6-E20539655F88}

UNITS:

===

 ID: {A7021182-FBC6-4986-AE14-99D3EBBF8A25}

===

   Abbreviation................. Gtube:Cont

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. Gastric Tube: Placement Checked by

                    Gastric Content

   Help Text...................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

   10. COLOR AND CONSISTENCY OF ASPIRATED SECRETIONS (Color/Con)

               {02E87CEB-DCD2-4AC0-A753-984C0C54CD16}

   20. PLACEMENT INCONCLUSIVE, SPECIMEN SENT TO LAB FOR GASTRIC PH LEVEL 1-4 (

SentToLab)   {D3FE93D2-D17A-4411-B450-B2FB6B0580E1}

   UNITS:

Abbreviation................. GT:Secure

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Gastric Tube: Securement

Help Text...................

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. NG STRIP (NG Strip)   {B94CD60C-2D10-4CE8-A176-A900CF0B9611}

20. HYPOALLERGENIC TAPE (HypoTape)

                {7169C252-192C-4F36-8553-3B3C8DA8123F}

30. BRIDLE (Bridle)   {A9E6BF67-D674-4764-9E4C-153270872CEA}

40. OTHER (ENTER COMMENT) (Other)

                {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

==

 ID: {884A773C-187A-B910-AEC0-59815DEE579E}

==

 Abbreviation................. TUBE SUC T

 Active...................... Yes

 Boolean Value False..........

 Boolean Value True...........

 Data Type................... PickList

 Description................. TYPE OF SUCTION APPLIED TO GI TUBE

 Display Name................. Gastric Tube: Suction Type

 Help Text................... No Help Text

 Multi Select Picklist........ Yes

 Term Type................... OBSERVATION

 Vuid........................

 DATA VALUE: 5 entries

 ----

 10. LOW CONTINUOUS (LowCont)   {7B0A1CE9-382D-4E6E-AE5C-C3C36C32385A}

 20. LOW INTERMITTENT (LowInterm)

                {19BC559B-858E-4975-8005-FC9406394EB2}

 30. GRAVITY (GRAVITY)   {C0233F70-376D-41CE-9F14-714C7B35244F}

 40. NONE - PLUGGED WITH ANTI-REFLUX VALVE (NonePlug)

                {85A4ECEE-D326-4213-83BD-5900242D2CE0}

 50. OTHER (ENTER COMMENT) (Other)

                {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

 UNITS:

Abbreviation................. GASTRIC pH

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Gastric pH

Display Name................. Gastric pH

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

----

pH   0 > 0 * 7 < 15   Dec Prec: 0

    Abbreviation................. GCS EYE OP

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. No Description

    Display Name................. Eye Opening

    Help Text................... Glasgow Coma Scale

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

     1. 4 - SPONTANEOUSLY (4-s)   {4612FC84-FCA8-8C85-50DC-A9A42C195F51}

     2. 3 - TO VERBAL COMMAND (3-tvc)

                    {EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}

     3. 2 - TO PAIN (2-tp)   {49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}

     4. 1 - NO RESPONSE (1-nr)   {26D3168D-40EA-C918-D321-54BED4837311}

     5. 0 = ABSENT (0-a)   {75F14311-F113-963C-4F05-B8AE17F044A9}

    UNITS:

    Abbreviation................. GCS MOTOR

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Motor Response

    Help Text.................... Glasgow Coma Scale

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid.........................

    DATA VALUE: 6 entries

    ----

     1. 6 - OBEYS COMMANDS (6-oc)   {0D4956F4-7E79-8D17-EDF3-274B96BBC89A}

     2. 5 - LOCALIZES PAIN (5-lp)   {CF13650F-899B-6AE1-5913-DC1F4776E5E4}

     3. 4 - WITHDRAWS FROM PAIN (4-wfp)

                   {D808ACF1-30CB-29AB-4957-E91D63C4DF18}

     4. 3 - ABNORMAL FLEXION FROM PAIN (3-affp)

                   {9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}

     5. 2 - ABNORMAL EXTENSION FROM PAIN (2-aefp)

                   {9B4951D8-B271-DFC3-0A00-1DC9984039E3}

     6. 1 - NO RESPONSE (1-nr)   {26D3168D-40EA-C918-D321-54BED4837311}

    UNITS:

===

 ID: {09118FCE-11BC-2679-68FC-67913B3EAAD0}

===

    Abbreviation................. GCS TOTAL

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. No Description

    Display Name................ Total GCS

    Help Text................... Glasgow Coma Scale

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    GLASGOW COMA SCALE   2 > 2 * 15 < 15   Dec Prec: 0

    Abbreviation................. GCS VERBAL

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Verbal Response

    Help Text................... Glasgow Coma Scale

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

     1. 5 - ORIENTED AND CONVERSES (5-oac)

                    {53AD29B1-BA51-4BDE-4F4C-4268619C93A4}

     2. 4 - DISORIENTED AND CONVERSES (4-dac)

                    {D43F646D-A130-5D06-6DC6-DDB971027231}

     3. 3 - INAPPROPRIATE WORDS (3-iw)

                    {FE000191-243E-4D32-1E1E-546EE2CF88A5}

     4. 2 - INCOMPREHENSIBLE SOUNDS (2-is)

                    {F2261C3D-79A3-055B-702D-446B7A6A3113}

     5. 1 - NO RESPONSE (1-nr)   {26D3168D-40EA-C918-D321-54BED4837311}

    UNITS:

===

TERM: GENITAL ASSESSMENT   Page: 249

 ID: {139D5B8A-4DF7-4764-A1C9-835C73A13E41}

===

   Abbreviation................. GEN. ASSMT

   Active....................... Yes

   Boolean Value False.......... Normal

   Boolean Value True........... Abnormal

   Data Type.................... Boolean

   Description.................. General condition of genitals

   Display Name................. Genital Assessment

   Help Text.................... Are genitals normal or abnormal?

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

```
================================================================================

TERM: GI SYMPTOMS                            Page: 250

  ID: {2566D442-22EA-4523-8D77-007B858C1EA0}

================================================================================
```

Abbreviation................. GI SYMPTOM

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. GI Symptoms

Display Name................ GI Symptoms

Help Text................... Select all symptoms that apply

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 21 entries

----

  1. NAUSEA (NAUSEA)   {6BF33DC3-0300-4643-BB14-27C35692B806}

  2. VOMITING (VOMITING)   {921F463C-1639-4D13-8E4E-6D3A1B6927F9}

  3. PROJECTILE VOMITING (PROJ VOMIT)

                  {0D2CB23B-B266-40E1-A6FF-20B733655B69}

  4. CRAMPING (CRAMPING)   {3EC3E352-5469-4A85-80E4-3AFEB61224C4}

  5. HEARTBURN (HEARTBURN)   {5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}

  6. DIARRHEA (DIARRHEA)   {353472EF-3499-46B1-AD7C-554FE01D8CE2}

  7. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

  8. ACID REFLUX (AcidReflux)   {B27EE895-8D22-408D-A436-0A249CCADF22}

  9. BELCHING (Belching)   {F0BF9D4D-F89E-41A1-A99F-90089FC619BD}

 10. BLOATING (Bloating)   {5B8258C5-9C46-4071-B4A6-E94632252A88}

 11. DRY HEAVES (Dry Heaves)   {340B9BAD-5F37-42D1-843B-A4AB9908DFDD}

12. DYSPHAGIA (Dysphagia)   {CC69271C-B4DF-42D1-BA91-0832DBC45E31}

13. FLATUS (Flatus)   {F3FE38C4-CB0B-4141-ACFB-57326B0B2746}

14. HEMATEMESIS (Hematemesi)   {7BAB8FEB-1B77-450D-88A0-F59E3D3C4DA8}

15. HICCUPS (Hiccups)   {2FCEC774-3E4A-4A65-919C-02221E890EA3}

16. IMPACTION (Impaction)   {6F4370A1-03FE-488F-9F95-EF36321270A1}

17. INDIGESTION (Indigestio)   {D60E1A18-8BB6-4B09-93CC-A663833C2D6D}

18. PAIN (PAIN)   {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

19. RETCHING (Retching)   {4C3AFFD1-2F4D-4A48-8B42-567B2445DCD8}

20. TENDERNESS (Tenderness)   {5D03ABF9-835D-49DC-919F-35C169FE649A}

21. OTHER (ENTER COMMENT) (Other)

                {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

TERM: GI TUBE DRAINAGE CHARACTERISTICS   Page: 251

 ID: {D72728F5-FE40-1697-E896-BFAA1895A4A8}

===

Abbreviation................. GI DRAIN C

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. GI Tube Drainage Characteristics

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. THICK (THICK)   {1554A49E-1468-46B2-F851-531DDB1D1A98}

 2. THIN (THIN)   {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

TERM: GI TUBE DRAINAGE COLOR   Page: 252

 ID: {4D0CB409-25EA-40CB-ABE5-1BB2E0FDE1C3}

==

    Abbreviation................. GI DRA COL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. GI Tube Drainage Color

    Display Name................. GI Tube Drainage Color

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 13 entries

    ----

     1. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

     2. AMBER (AMBER)   {90A13048-4C35-E01D-3482-64D782001D4A}

     3. WHITE (WHITE)   {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

     4. BROWN (BROWN)   {A1C32FBC-7B4D-707C-CA58-92A2E201368E}

     5. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

     6. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

     7. BLACK (BLACK)   {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

     8. CLAY (CLAY)   {A4E4D16C-B45C-0934-ED22-8BF640080108}

     9. ORANGE (ORANGE)   {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}

    10. TAN (TAN)   {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

    11. PURULENT (PURULENT)   {86C01494-743A-C6A2-8883-01CA5200C79B}

    12. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

13. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

```
================================================================================

TERM: GI TUBE PLACEMENT CONFIRMATION                    Page: 253

 ID: {BFA579B5-CEA7-43EF-84C0-C4893EFD0F3A}

================================================================================
```

Abbreviation................. GI T PLACE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. GI Tube Placement Confirmation

Display Name................. GI Tube Placement Confirmation

Help Text................... GI Tube Placement Confirmation

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. X-RAY (X-RAY)   {C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}

 2. ASPIRATION (ASPIRATION)   {68B91085-8E3C-4B94-9F97-6305F5DFD900}

 3. AUSCULTATION (AUSCULTATI)   {B9D756DF-74F5-4604-B781-D7BC512FC453}

 4. pH (pH)   {104FE39C-B0A2-40B5-A523-B11E5F2BA272}

UNITS:

Abbreviation................. GI TU SIZE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. GI Tube Size

Display Name................. GI Tube Size

Help Text................... GI Tube Size

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

FRENCH   7 > 7 * 25 < 25   Dec Prec: 0

Abbreviation................. GI TUBE TY

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. TYPE OF GI TUBE

Display Name................. GI Tube Type

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

 1. NASOGASTRIC TUBE (NG TUBE)

                    {6475E343-A310-48A5-B543-D29573E7684D}

 2. GASTRIC TUBE (G TUBE)   {65F774BA-F977-46D3-AE41-7F7C74CFF47E}

 3. JEJUNOSTOMY (JEJUNOSTOM)   {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

 4. PEG TUBE (PEG TUBE)   {970C3755-2B3F-462F-AA87-EA33F846843F}

 5. NASAL SMALL BOWEL FEEDING TUBE (NAS SM BOW)

                    {A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}

 6. ORAL GASTRIC TUBE (OG TUBE)

                    {C6995D6A-939C-4C31-A3C2-4504CB5597CD}

 7. SMALL BORE FEEDING TUBE (SM BO TUBE)

                    {7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}

 8. GASTROSTOMY TUBE (GAST TUBE)

{EF017A39-745E-4C29-821A-5B25F103DF99}

9. GASTROSTOMY FEEDING BUTTON (GAST F BUT)

{1627B53B-374B-42B4-BBFE-463EE37B6110}

10. EWALD TUBE (EWALD TUBE)   {B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

UNITS:

Abbreviation................. GU BL IR F

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Bladder Irrigation Frequency

Display Name................. Bladder Irrigation Frequency

Help Text................... Bladder Irrigation Frequency

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. CONTINUOUS (CONTINUOUS)   {676CD2DA-F882-4BE5-99BB-510EA7669749}

 2. INTERMITTENT (INTERMITTE)   {DD09ED7C-B977-412F-A678-5130F77D239E}

 3. PRN (PRN)   {36493D81-954B-4C56-B0A2-9988EA785EBD}

UNITS:

==

 ID: {F99A31A1-6D6D-4532-81F4-35EA957233D7}

==

Abbreviation................. GU CA CARE

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Catheter Care Performed

Display Name................. Catheter Care Performed

Help Text.................... Catheter Care Performed

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

 ID: {222FF9DB-7D48-4004-B9B9-49B41D8E510B}

==

    Abbreviation................. GU CA SIZE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Catheter Size

    Display Name................. Catheter Size

    Help Text.................... Catheter Size

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

    FRENCH   11 > 11 * 31 < 31   Dec Prec: 0

===

 ID: {A73423E8-EA6C-007E-1F20-6185BD488AEA}

===

Abbreviation................. GU CATH TY

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Type of catheter used

Display Name................. Catheter Type

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 13 entries

----

 1. INDWELLING CATHETER (INDW CATH)

               {EC16724C-D1EA-5650-58D4-38A89D4456F9}

 2. EXTERNAL CATHETER (EXT. CATHE)

               {C8AEE936-DD91-FE91-4DD6-6F210FB59726}

 3. SUPRAPUBIC (SUPRAPUBIC)   {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

 4. L NEPHROSTOMY (L NEPHROST)

               {D8FC4C18-081E-A7B9-E394-25F194BE9757}

 5. R NEPHROSTOMY (R NEPHROST)

               {33661137-688D-5611-4368-B1DFD8DB1469}

 6. UROSTOMY (UROSTOMY)   {1F9E528D-6D78-54EE-94E6-649C6F2056A3}

 7. STRAIGHT CATHETER (STR. CATH)

               {5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

8. ILEAL CONDUIT (ILEAL COND)

             {032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. L STENT (LEFT STENT)   {FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

10. R STENT (RT. STENT)   {6D0EED3B-1F08-11D2-165D-97A9F58327D5}

11. FOLEY (FOLEY)   {9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}

12. 3 WAY FOLEY (3WAY FOLEY)   {32408760-F517-4530-AEC0-54FE0A6A062B}

13. MUSHROOM CATHETER (MUSH CATHE)

             {4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

UNITS:

```
================================================================================

TERM: GU VOIDING                          Page: 260

 ID: {BE9D4DD5-CF6E-C973-C1F1-D70D9F554E38}

================================================================================
```

Abbreviation................. GU VOIDING

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Method of urine elimination

Display Name................ Voiding

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. CONTINENT (CONTINENT)   {3B658506-F42E-BAF5-04C4-5AD49699E0D2}

 2. INCONTINENT (INCONTINEN)   {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

 3. CATHETER (CATHETER)   {B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

UNITS:

Abbreviation................. HAIR CONDI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Hair Condition

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

 2. ALOPECIA PARTIAL (ALOPE PART)

                {98EDBD8D-205A-4630-A09D-6B4222F5B2A2}

 3. ALOPECIA TOTAL (ALOPE TOTA)

                {ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}

 4. HIRSUTISM (HIRSUTISM)   {A909A4FC-080A-4E9A-867A-0B30D4633602}

UNITS:

===

ID: {67289BB5-D6B1-53C5-53E2-6D209C1B0826}

===

Abbreviation................. HAND GRIP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Hand Grip

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

  2. WEAK (w)   {BE2D9305-E2DA-F492-66CF-164EE58B8179}

  3. STRONG (s)   {A12154E1-544E-F372-3839-0D44E5BC476B}

  4. REFLEX INTACT (r)   {F21585F9-5206-A6B3-2BF6-F416E5842366}

  7. N/A (n)   {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

----

  1. L HAND (L HAND)   {639DF25A-19E3-B504-D323-4B3F6ED39A24}

  2. R HAND (R HAND)   {A54D3A80-8537-D079-9CCE-7DC56346D132}

  3. BILATERAL HAND (BILAT HAND)

              {C782FE56-6117-493F-847F-83173407F0B5}

UNITS:

Abbreviation................. Handoff Rp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... String

Description.................

Display Name................. Handoff Report

Help Text...................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

==

 ID: {33827E3C-5DBB-083C-D8BE-4DFD7D42071F}

==

Abbreviation................. HC

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. From Vitals

Display Name................. Head Circumference

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid......................... 4536405

UNITS:

CENTIMETER   0 > 1 * 100 < 101   Dec Prec: 0

==

TERM: HEAD OF BED ELEVATION   Page: 265

 ID: {97D6AA11-1F1A-1853-23E5-25F2F41E07CF}

==

   Abbreviation................. HOB E

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Head of Bed Elevation

   Help Text.................... Value in degrees

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   DEGREES (ANGLE)   -1 > 0 * 90 < 99   Dec Prec: 0

```
================================================================
```

ID: {1AAC7785-C695-44AB-9E0E-96257D66F432}

```
================================================================
```

Abbreviation................. HME PRESEN

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Heat & Moisture Exchanger Present

Display Name................. Heat & Moisture Exchanger Present

Help Text.................... Heat & Moisture Exchanger Present

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

```
================================================================================

TERM: HEIGHT                              Page: 267

 ID: {B440216B-0FB3-1950-7859-7C1BE398FE4A}

================================================================================
```

Abbreviation................ HT

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Height of Patient

Display Name................ Height

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................ 4688724

QUALITY: 4 entries

----

 1. ACTUAL (A)   {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

 2. ESTIMATED (E)   {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

 3. ESTIMATED BY ARM SPAN (EAS)

                {486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}

 4. STATED (Sta)   {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

INCH   0.00 > 1.00 * 96.00 < 100.00

                         Dec Prec: 2

CENTIMETER   0.0 > 0.0 * 300.0 < 300.0 Dec Prec: 1

===

 ID: {996F1DCC-A6EE-4D52-B889-6E0E6185C74C}

===

   Abbreviation................. HOMAN SIGN

   Active....................... Yes

   Boolean Value False.......... Negative

   Boolean Value True........... Positive

   Data Type.................... Boolean

   Description.................. No Description

   Display Name................. Homan's Sign

   Help Text.................... Positive is calf pain with

                     Dorsiflexion and Plantar Flexion

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

===

 ID: {22CFAA57-A2F9-4734-945E-93EB1CC65E5F}

===

Abbreviation................. Hygiene

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Hygiene

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 6 entries

----

10. ATTIRE APPROPRIATE (Attire App)

                {92C2EEFD-DAE4-4DC6-89C0-D21E2B8C1545}

20. ATTIRE IN APPROPRIATE (Attire In)

                {51A9920F-B920-4E62-BF5F-5EAC9324007A}

30. WELL GROOMED (Well Groom)   {B47BFC8D-A0EA-46D4-953E-15E50BE97CBA}

40. DISHEVELED (DISHEVEL)   {0455549E-5CCB-470D-9D7F-F3959E6D55FE}

50. POORLY GROOMED (Poorly Gro)

                {143EA593-64B6-4123-A5B7-14B538B8E657}

60. BODY ODOR (Body Odor)   {4EBF01BA-0BBF-4DDD-828F-01489D95B41E}

UNITS:

==

 ID: {7A108E36-2701-4095-B1CE-FC51773D8D10}

==

   Abbreviation................. I:E RATIO

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Complex

   Description.................. Inspiratory Time to Expiratory Time

                    Ratio

   Display Name................. I:E Ratio

   Help Text.................... Inspiratory Time to Expiratory Time

                    Ratio

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

===

 ID: {21DA5247-9369-4E7E-8089-29087553F2AD}

===

   Abbreviation................. IABP A S P

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. IABP Assisted Systolic Pressure

   Display Name................. IABP Assisted Systolic Pressure

   Help Text.................... IABP Assisted Systolic Pressure

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MILLIMETERS OF MERCURY   0 > 0 * 999 < 999   Dec Prec: 0

    Abbreviation................. IABP BAEDP

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. IABP Balloon Assisted Aortic End

                        Diastolic Pressure

    Display Name................. IABP BAEDP

    Help Text.................... IABP Balloon Assisted Aortic End

                        Diastolic Pressure

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLIMETERS OF MERCURY   0 > 40 * 80 < 200   Dec Prec: 0

===

 ID: {FBA3FB62-E2E2-4246-8D39-D58E5811B1E2}

===

   Abbreviation................. IABP B SIZ

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Size of the IABP

   Display Name................ Balloon Size

   Help Text................... Size of the IABP

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. 34 ml (34 ml)   {25952BB5-50B1-4CC0-9483-8AF891767045}

    2. 40 ml (40 ml)   {37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

   UNITS:

Abbreviation................. IABP CAT F

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Was the Intra-aortic Balloon Pump

                Flushed

Display Name................. IABP Catheter Flush

Help Text.................... Was the Intra-aortic Balloon Pump

                Flushed

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

===

 ID: {59A9ADB9-6630-41B3-AE5E-495AB232E287}

===

   Abbreviation................. IABP CIR A

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. IABP Circulation Assessed

   Display Name................. IABP Circulation Assessed

   Help Text.................... IABP Circulation Assessed

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

   1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

   2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

    Abbreviation................. IABP DRESS

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ IABP Dressing Type

    Help Text................... Type of Invasive Arterial Blood

                    Pressure dressing

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. TRANSPARENT (TRANSPAREN)   {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

     2. PRESSURE (PRESSURE)   {387AFB7F-3973-4D77-B2E6-0724F344D8F6}

     3. GAUZE AND TAPE (GAU & TAPE)

                    {5BC40405-B5C4-47CF-81C3-520732E100AC}

    LOCATION: 5 entries

    ----

     1. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

     2. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

     3. R AXILLARY (R AXILLARY)   {3044F28B-FED2-4069-7E3B-2A691C5771F9}

     4. L AXILLARY (L AXILLARY)   {21AF62CA-BEED-2A96-2CD6-F2350A01995E}

5. MEDIASTINAL (MEDIASTINA)   {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

===

 ID: {24E18FB7-94D9-4F2D-9D6D-3CAF3C1F9951}

===

　　Abbreviation................. IABP PDAP

　　Active....................... Yes

　　Boolean Value False..........

　　Boolean Value True...........

　　Data Type................... Numeric

　　Description.................. BP Peak Diastolic Augmented Pressure

　　Display Name................. IABP Peak Diastolic Augmented Pressure

　　Help Text.................... BP Peak Diastolic Augmented Pressure

　　Multi Select Picklist........

　　Term Type.................... OBSERVATION

　　Vuid........................

　　UNITS:

　　MILLIMETERS OF MERCURY   0 > 80 * 120 < 200   Dec Prec: 0

==

TERM: IABP RATIO   Page: 278

 ID: {19DC7448-F44F-4E90-9FC0-233738821325}

==

   Abbreviation................. IABP RATIO

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. IABP Ratio

   Display Name................ IABP Ratio

   Help Text................... IABP Ratio

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. 1:1 (1:1)   {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}

    2. 1:2 (1:2)   {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}

    3. 1:3 (1:3)   {062B4F93-8F48-7373-F679-11F57CE98BB3}

    4. 1:4 (1:4)   {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

    5. 1:8 (1:8)   {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

   UNITS:

===

  ID: {AA81E246-45C3-258F-4FC8-49CDD592B2D4}

===

   Abbreviation................. IABP CONDI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. IABP Site Condition

   Help Text.................... Condition of IABP Site

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 7 entries

   ----

    2. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

    3. SWOLLEN (SWOLLEN)   {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

    4. DISCOMFORT (DISCOMFORT)   {77D058C9-1EB4-96C0-C9E3-666C840B884C}

   50. PATENT (Patent)   {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

   60. CLEAN (Clean)   {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

   70. OCCLUDED (Occluded)   {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

   80. OOZING (Oozing)   {C23549D7-3238-4523-BA31-AB71609F01C2}

   UNITS:

==

ID: {3C313604-F012-416F-A000-CCB92D04C30C}

==

Abbreviation................. IABP SIZE

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Intra-aortic Balloon Pump Size

Display Name................ IABP Size

Help Text................... Intra-aortic Balloon Pump Size

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

   1. 7.5 (7.5)   {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}

   2. 8 (8)   {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

   3. 8.5 (8.5)   {96723567-151D-4B5C-9C65-B3EB6D584272}

   4. 9 (9)   {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

   5. 9.5 (9.5)   {252555A1-ADB2-4948-8764-C952F2587DC5}

LOCATION: 5 entries

----

   1. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

   2. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

   3. L AXILLARY (L AXILLARY)   {21AF62CA-BEED-2A96-2CD6-F2350A01995E}

   4. R AXILLARY (R AXILLARY)   {3044F28B-FED2-4069-7E3B-2A691C5771F9}

5. MEDIASTINAL (MEDIASTINA)   {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

```
================================================================================

TERM: IABP TIMING                              Page: 281

 ID: {443F4932-9C42-EADA-4A9A-8F8956DF2CE2}

================================================================================
```

Abbreviation................. IABP TIMIN

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. IABP Timing

Display Name................. IABP Timing

Help Text................... IABP Timing

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. 1:1 (1:1)   {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}

  2. 1:2 (1:2)   {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}

  3. 1:3 (1:3)   {062B4F93-8F48-7373-F679-11F57CE98BB3}

  4. 1:4 (1:4)   {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

  5. 1:8 (1:8)   {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

Abbreviation................. IABP TI CH

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Was The IABP Timing Checked?

Display Name................. IABP Timing Check

Help Text.................... Was The IABP Timing Checked?

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. IABP UAEDP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. IABP Unassisted Aortic End Diastolic

                    Pressure

Display Name................. IABP UAEDP

Help Text................... IABP Unassisted Aortic End Diastolic

                    Pressure

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLIMETERS OF MERCURY   0 > 40 * 90 < 200   Dec Prec: 0

===

  ID: {BA1A966E-51BE-42D7-84F6-2C119AD043F8}

===

    Abbreviation................. IABP U S P

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. IABP Unassisted Systolic Pressure

    Display Name................. IABP Unassisted Systolic Pressure

    Help Text.................... IABP Unassisted Systolic Pressure

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

    MILLIMETERS OF MERCURY   0 > 80 * 150 < 250   Dec Prec: 0

==

  ID: {F7924F9E-16C8-0C2C-9461-FBC45435191A}

==

    Abbreviation................. A LINE SIT

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................. Arterial Line Site

    Help Text................... Site of arterial line

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

Abbreviation................. ALINE TYPE

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Arterial Line Type

Display Name................. Arterial Line Type

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. AUD

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. No Description

Display Name................ Audiometry

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................ 4688718

UNITS:

    Abbreviation................. BIS

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. Bispectral Index

    Display Name................. Bispectral Index

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    Abbreviation................. BMI

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. No Description

    Display Name................ BMI

    Help Text................... Body Mass Index

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    Abbreviation................. AV FIST BR

    Active...................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ AV Fistula Bruit

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    Abbreviation................. CATHETER T

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Catheter Type

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

Abbreviation................. C LINE SIT

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Central Line Site

Help Text.................... Site of Central Line

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. CH TU DR I

Active....................... No

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Chest Tube Dressing Intact

Display Name................. Chest Tube Dressing Intact

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. CHEST TU S

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. SITE OF CHEST TUBE

Display Name................. Chest Tube Site

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

==

 ID: {5F7D2087-018E-4DA4-8B36-02743F65A769}

==

Abbreviation................ C&DB EVENT

Active...................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Cough and Deep Breath Events

Display Name................ Cough and Deep Breath Events

Help Text................... Cough and Deep Breath Events

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. DATE

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... Complex

Description.................. Todays Date

Display Name................. Date

Help Text.................... Date: Year, Date: Month, Date: Day

                    are all available

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

```
================================================================================
```

ID: {CD91474C-1EB3-304B-4E3A-B85F6976C1E7}

```
================================================================================
```

Abbreviation................. DATE DAY

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. The day of the month

Display Name................. Date: Day

Help Text.................... The day of the month

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

```
================================================================================
```

TERM: INACTIVE - DATE MONTH   Page: 298

 ID: {D4E1590F-7B12-FD7C-B545-9CF83BA68BAC}

```
================================================================================
```

Abbreviation................. DATE MONTH

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Month of the year

Display Name................. Date: Month

Help Text................... Month of the year

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. DATE YEAR

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. The Year

Display Name................. Date: Year

Help Text.................... The Year

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

```
================================================================
```

 ID: {FC099337-E02E-84E6-7338-E423ECD3DDCB}

```
================================================================
```

Abbreviation................. DIAL CTH S

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Dialysis Catheter Site

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. EDEMA LOCA

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. Location of identified edema

Display Name................. Edema Location

Help Text.................... Location of identified edema

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

```
================================================================================
```

  ID: {1C7EF762-4D93-438B-8CBD-2CB98E6C8686}

```
================================================================================
```

   Abbreviation................. ENT NUT FO

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Enteral Nutrition Formula Used

   Display Name................. Enteral Nutrition Formula

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

    Abbreviation................. GI EME APP

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. Emesis Appearance

    Display Name................. Emesis Appearance

    Help Text................... Emesis Appearance

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    Abbreviation................. HEARING

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. No Description

    Display Name................. Hearing

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid......................... 4688723

    UNITS:

    Abbreviation................. IABP SITE

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. No Description

    Display Name................. IABP Insertion Site

    Help Text.................... Site of Invasive Arterial Blood

                      Pressure line insertion

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

Abbreviation................. IABP SITE

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. IABP Site

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. IN LOCATIO

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Incision Location

Display Name................. Incision Location

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. WOUND INCS

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. SITE OF WOUND INCISION

Display Name................. Incision Site

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. IV DOSE RA

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. IV Dose Rate

Display Name................. IV Dose Rate

Help Text.................... Enter in the IV medication dose rate

                administered over time

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

   Abbreviation................ IV FLUID

   Active...................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. IV FLUID

   Display Name................ IV FLUID

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

```
================================================================================
```

ID: {D01454A0-E430-8B54-C7A6-11B04EBAA417}

```
================================================================================
```

Abbreviation................. IV DATE

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. IV Insertion Date

Help Text................... Date IV Inserted

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

===

   ID: {7F252F53-B53D-D8BD-097B-78197EE99FBA}

===

   Abbreviation................. IV SITE

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Site of IV

   Display Name................. IV Site

   Help Text.................... Site of IV

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

Abbreviation................. ns

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. Describe the size of the honker

Display Name................. Nose Size

Help Text.................... Honker etiquette

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

==

 ID: {F6ECA901-354B-4C5B-B03F-C17F7F6448B6}

==

   Abbreviation................. OR OUT CHE

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................. OR Output - Chest Tube

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

Abbreviation................. OR OUT DRA

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. OR Output - Drain

Help Text................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

```
================================================================
```

ID: {6A424E02-67FF-49F6-9B33-853BE8545B9B}

```
================================================================
```

Abbreviation................. OR OUT PUM

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. OR Output - Pump Loss

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. OR OUT URI

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. OR Ouput - Urine

Help Text.................... contributes to output total value

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

    Abbreviation................. OSTOMY TYP

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Ostomy Type

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

==

   ID: {CFD876D1-AC28-F63F-3B6C-680F5B66A1BD}

==

   Abbreviation................. D02

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. No Description

   Display Name................. Oxygen Delivered

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

===

 ID: {F320E0CF-6BAC-3B6D-F5D7-21253FB88A4F}

===

Abbreviation................. O2 DEL MET

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Type of equipment used to deliver

                oxygen to patient

Display Name................. Oxygen Delivery Method

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. O2ER

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Complex

Description................. Ratio of Oxygen Consumed (VO2) to

                 Oxygen delivered (DO2)

Display Name................. O2ER

Help Text................... Ratio of Oxygen Consumed (VO2) to

                 Oxygen delivered (DO2)

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

    Abbreviation................. PA INS DAT

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ PA Catheter Insertion Date

    Help Text................... Date PA Catheter Inserted

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

==

 ID: {1E2B676E-24D4-28D6-9EC4-2200F3DA31B6}

==

   Abbreviation................. PA SITE

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. PA Catheter Site

   Help Text.................... Site of PA Catheter

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

==

  ID: {B395D1F6-2788-CA17-618C-62719C1CAF4A}

==

     Abbreviation................. PDI

     Active....................... No

     Boolean Value False..........

     Boolean Value True...........

     Data Type................... Numeric

     Description................. No Description

     Display Name................. Pacemaker Date Inserted

     Help Text................... No Help Text

     Multi Select Picklist........

     Term Type................... OBSERVATION

     Vuid........................

     UNITS:

Abbreviation................. PMSI

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Pacemaker Site

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. PAIN LOC

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Location of patients Pain

Display Name................. Pain Location

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

UNITS:

===

 ID: {82FF0CE1-48CD-4AA8-6292-CB6879B8CD75}

===

Abbreviation................. POD#

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. NUMBER OF DAYS SINCE OPERATION

Display Name................. Post Op Day #

Help Text................... Number of days since operation.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

    Abbreviation................. PR UL SITE

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Pressure Ulcer Site

    Display Name................ Pressure Ulcer Site

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

Abbreviation................. PR UL VISI

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Pressure Ulcer Visible Anatomical

                  Structure

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. PO2

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. O2 saturation

Display Name................. Pulse Oximetry

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid......................... 4500637

UNITS:

```
================================================================================

TERM: INACTIVE - SKIN DISCHARGE COLOR                    Page: 331

 ID: {C4633087-CBC5-4924-ADF6-846D13624D3E}

================================================================================

    Abbreviation................. SKI DIS CO

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Skin Discharge Color

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    UNITS:

    ------------------------------------------------------------------
```

Abbreviation................. SKI DIS OD

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Skin Discharge Odor

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. SKI DRA CH

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Skin Drainage Characteristics

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

    Abbreviation................. VENT I-L N

    Active....................... No

    Boolean Value False.......... Off

    Boolean Value True........... On

    Data Type.................... Boolean

    Description.................. Ventilator In-Line Nebulizer

    Display Name................. Ventilator In-Line Nebulizer

    Help Text.................... Ventilator In-Line Nebulizer

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

==

 ID: {7BFBDAAF-779E-4C7A-82F3-DA9E0E7DD597}

==

   Abbreviation................. WOU SITE

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Wound Site

   Display Name................. Wound Site

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

Abbreviation................. WOU TOP TR

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Topical Treatment

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

UNITS:

```
================================================================
```

 ID: {C1E6301C-CB9C-4909-9500-9AA01C42583D}

```
================================================================
```

Abbreviation................. INC SPIROM

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Incentive Spirometry

Display Name................ Incentive Spirometry

Help Text................... Incentive Spirometry

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

  1. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

  2. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  3. N/A (n)   {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

Abbreviation................. INC DIS CH

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Incision Discharge Characteristics

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. BLOODY (BLOODY)   {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

 3. SEROUS (SEROUS)   {9BDA347E-29E9-80C7-91FA-016192D4257E}

 4. SEROSANGUINOUS (SEROSANGUI)

                {19A8D332-899D-177A-2247-ABCDAEE3BFA8}

 5. PURULENT (PURULENT)   {86C01494-743A-C6A2-8883-01CA5200C79B}

 6. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

 7. CLOUDY (CLOUDY)   {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

 8. VISCOUS (VISCOUS)   {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS:

Abbreviation................. I DR AMOUN

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Amount of incision drainage

Display Name................. Incision Drainage Amount

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. INCISION DRAINAGE AMOUNT NONE (I DR A NON)

                {5D0D9027-4B20-43A4-B437-EA7B77CB2105}

 2. INCISION DRAINAGE AMOUNT SCANT (I DR A SCA)

                {A476E395-46AA-44E7-8A00-CE22C7066BB1}

 3. INCISION DRAINAGE AMOUNT SMALL (I DR A SMA)

                {4479479D-8ADA-4FBF-A5A2-426D49FC94D3}

 4. INCISION DRAINAGE AMOUNT MODERATE (I DR A MOD)

                {9B0487A9-DCB4-42D3-92E6-805C412B5D34}

 5. INCISION DRAINAGE AMOUNT HEAVY (I DR A HEA)

                {D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

QUALITY: 1 entries

----

 1. ESTIMATED (E)   {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

Abbreviation................. IN DR PREV

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Incision Dressing Prevents Full

                 Assessment

Display Name................. Incision Dressing Prevents Full

                 Assessment

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

```
================================================================================
```

TERM: INCISION DRESSING TYPE   Page: 341

 ID: {AA1F8811-85BF-187A-7A1D-D55A2B523190}

```
================================================================================
```

Abbreviation................. INC DRE TY

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. OBSERVATION OF INCISION WOUND DRESSING

Display Name................. Incision Dressing Type

Help Text................... Incision Dressing Type

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 15 entries

----

 1. INCISION DRESSING TYPE NONE (INC DR NON)

                {81F07C8D-A463-48A0-A64A-A143CECB5DD6}

 2. INCISION DRESSING TYPE PRESSURE (INC DR PRE)

                {B5823373-E5D8-40A5-954C-6A193D7E7511}

 3. INCISION DRESSING TYPE ANTIMICROBIAL (INC DR ANT)

                {35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}

 4. INCISION DRESSING TYPE GAUZE (INC DR GAU)

                {E4AC9307-0512-4F9D-A254-FE19E654461F}

 5. INCISION DRESSING TYPE TRANSPARENT (INC DR TRA)

                {E198EDAD-AA67-49F9-A065-6BB11FE39ED6}

 6. INCISION DRESSING TYPE ANTIMICROBIAL DISK (INC DR ADI)

                {55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}

7. INCISION DRESSING TYPE GAUZE WRAP (INC DR GWR)

{E1DBEC29-1430-4DA0-99DC-49B9389D2440}

8. INCISION DRESSING TYPE FOAM DRESSING (INC DR FOA)

{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}

9. INCISION DRESSING TYPE GAUZE PACKING (INC DR GPA)

{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}

10. INCISION DRESSING TYPE HYDROCOLLOIDAL (INC DR HYD)

{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}

11. INCISION DRESSING TYPE CALCIUM ALGINATE (INC DR CAL)

{B20558BA-FB9E-499E-82DF-49616ACE9375}

12. INCISION DRESSING TYPE HYPERTONIC HYDROGEL (INC DR HYP)

{25820A63-AD76-4198-BEB1-EF95DDEC5B35}

13. INCISION DRESSING TYPE HYDROGEL (INC DR HYD)

{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}

14. INCISION DRESSING TYPE BALSAM OF PERU (INC DR BAL)

{A1FB45C6-6315-4282-8D89-DCB0C018E357}

15. INCISION DRESSING TYPE BISMUTH GAUZE (INC DR BIS)

{CA88C5DC-3890-49A2-800A-0528CE194BA8}

UNITS:

Abbreviation................. INC ED

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Incision Edge

Display Name................. Incision Edge

Help Text.................... Incision Edge

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. INCISION EDGE INDISTINCT/ATTACHED (INC ED ATT)

              {AF7E7150-525E-49A4-AC23-042B788E8805}

 2. INCISION EDGE NON-ATTACHED (INC ED NON)

              {F457F951-F1DC-47AC-9336-AC093E149862}

 3. INCISION EDGE TUNNELING (INC ED TUN)

              {492CD783-3C32-40F0-AE35-5A89E90409A7}

 4. INCISION EDGE UNDERMINING (INC ED UND)

              {0F3E968A-B867-4123-8C05-ED6B12D364CD}

 5. INCISION EDGE ROLLED (INC ED ROL)

              {FFA33CAE-5D8B-4501-8120-A536BE53296F}

 UNITS:

```
================================================================

TERM: INCISION ERYTHEMA                        Page: 343

 ID: {D87F3C97-622C-43D3-9C7F-55C2C848941B}

================================================================

    Abbreviation................. INC ERYTHE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. Incision Erythema

    Display Name................. Incision Erythema

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid.........................


    DATA VALUE:                         4 entries

    ----------------------------------------------------------------

     1. NONE (NONE)          {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

     2. LIMITED TO INCISION (LIM TO INC)

                    {81A61254-55B6-47E1-8BE2-F4A47F624BC6}

     3. EXTENDS INTO PERIWOUND <1CM (EX IN PER<)

                    {0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}

     4. EXTENDS INTO PERIWOUND>1CM (EX IN PER>)

                    {1F31FEBB-DA19-434C-8C58-67CDC5385231}


    UNITS:

    ----------------------------------------------------------------
```

==

ID: {2584F1F9-CD15-450C-BDDB-D0B2B1924303}

==

Abbreviation................. INC OD

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Incision Odor

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. INCISION ODOR NONE (INC OD NON)

               {CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}

 2. INCISION ODOR FOUL (INC OD FOU)

               {ECDC0988-BE82-41E3-8104-A66A5F8A1093}

UNITS:

===

 ID: {CC0DD035-AAD2-4C9F-B971-E13B2FF0DB9C}

===

  Abbreviation................. INCIS PRES

  Active....................... Yes

  Boolean Value False.......... No

  Boolean Value True........... Yes

  Data Type.................... Boolean

  Description.................. Incision Present

  Display Name................. Incision Present

  Help Text.................... No Help Text

  Multi Select Picklist........

  Term Type.................... OBSERVATION

  Vuid........................

  DATA VALUE: 2 entries

  ----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

  LOCATION: 85 entries

  ----

  1. L THORACOTOMY (L THORACOT)

               {313C11A1-559A-4F68-8718-4012416EC189}

  2. R THORACOTOMY (R THORACOT)

               {A18E4BB3-0718-48D6-BD49-720A70C0EF60}

  3. L TRAPEZIUS (L TRAPEZIU)   {B74CF943-C10F-4A1B-A19A-4975E674A97A}

  4. R TRAPEZIUS (R TRAPEZIU)   {69753B67-AFA1-4C93-BA78-E266F9894E46}

  5. DONOR SITE (DONOR SITE)   {F0A65974-7650-4A4B-AC88-0945E37A0AD2}

6. L GLUTEUS (L GLUTEUS)   {88C4E547-04CD-4D52-9416-CAEB6D898D21}

7. R GLUTEUS (R GLUTEUS)   {B4D32045-68D1-4457-9106-7937887FA6F6}

8. L LOWER ANTERIOR CHEST (L L A CHES)

{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

9. R LOWER ANTERIOR CHEST (R L A CHES)

{96BCF731-B661-4455-B5E7-C4AE2509505F}

10. L MIDDLE ANTERIOR CHEST (L M A CHES)

{36A83F77-117E-474B-AE34-0B2C02E131AE}

11. R MIDDLE ANTERIOR CHEST (R M A CHES)

{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

12. L UPPER ANTERIOR CHEST (L U A CHES)

{FE63B58A-DE39-4C03-AE61-E34A5487C767}

13. R UPPER ANTERIOR CHEST (R U A CHES)

{67890049-A4A8-4241-BDF3-573729BD6EB5}

14. L LOWER POSTERIOR CHEST (L L P CHES)

{2C19F10B-7546-4A1F-A5DC-3867359ED971}

15. R LOWER POSTERIOR CHEST (R L P CHES)

{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

16. L MIDDLE POSTERIOR CHEST (L M P CHES)

{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

17. R MIDDLE POSTERIOR CHEST (R M P CHES)

{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

18. L UPPER POSTERIOR CHEST (L U P CHES)

{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

19. R UPPER POSTERIOR CHEST (R U P CHES)

{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

20. MIDLINE ABDOMINAL (MID ABDOMI)

{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}

21. UMBILICAL (UMBILICAL)   {8874B300-0751-49AF-8211-CF4C009C68B5}

22. TRANSVERSE ABDOMINAL (TRANS ABDO)

{1C10FF98-7B20-45D0-B420-714981832B3D}

23. L ANKLE (L ANKLE)   {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

24. R ANKLE (R ANKLE)   {4E6DF352-F399-4CE9-908C-48132C3D856B}

25. L LOWER ARM (L LOW ARM)   {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

26. R LOWER ARM (R LOW ARM)   {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

27. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

28. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

29. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

30. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

31. L INGUINAL (L INGUINAL)   {627D172E-8F33-48C9-BE89-D036E07D46BF}

32. R INGUINAL (R INGUINAL)   {395233DF-3B89-49E0-946B-EB5C02E51178}

33. L FLANK (L FLANK)   {6E453E8D-B456-4BFD-A015-F9C013830F30}

34. R FLANK (R FLANK)   {F5700ED2-646F-4B75-A55B-111C27FB939C}

35. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

36. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

37. L HIP (L HIP)   {786CD881-27AD-4136-B9CC-8423CB38A431}

38. R HIP (R HIP)   {A48CBCAE-5404-4934-9321-ECEF660A5350}

39. L KNEE (L KNEE)   {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

40. R KNEE (R KNEE)   {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

41. L THIGH (L THIGH)   {16C2312F-1E0E-45E0-B675-160F40C23F57}

42. R THIGH (R THIGH)   {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

43. L CALF (L CALF)   {3DAA7817-936B-444F-8A2D-D3AB09144C10}

44. R CALF (R CALF)   {0298A452-4901-44BF-A7A8-F42DD3BA8B63}

45. L LOWER LEG (L LOW LEG)   {7B8E92FA-E065-4D06-9FB6-4234656CFD61}

46. R LOWER LEG (R LOW LEG)   {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}

47. MIDLINE NECK (MID NECK)   {FF666713-278D-46D6-8D25-E5D57E78EA08}

48. L NECK (L NECK)   {C4EA6279-05E2-4195-A638-3794DCBA7B78}

49. R NECK (R NECK)   {7E4D84D3-535B-6164-C6C1-837C6F997A0D}

50. PERINEAL (PERINEAL)   {1801441C-D5EF-4775-9E58-E4985496F7E0}

51. SPINE CERVICAL (SPINE CERV)

{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}

52. SPINE THORACIC (SPINE THOR)

{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}

53. SPINE LUMBAR (SPINE LUMB)   {E7E411AB-5C29-4906-B0A9-E8658AAFFF91}

54. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

55. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

56. L THORACIC ANTERIOR (L THOR ANT)

{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}

57. R THORACIC ANTERIOR (R THOR ANT)

{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}

58. L THORACIC POSTERIOR (L THOR POS)

{68E3381F-7605-4786-85A8-523D215A2B97}

59. R THORACIC POSTERIOR (R THOR POS)

{E91085D2-E665-4EB6-A086-8CF573DECD8F}

60. L THORACIC LATERAL (L THOR LAT)

{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}

61. R THORACIC LATERAL (R THOR LAT)

{55C48294-D3F3-4013-B552-BA3344D9513B}

62. L THORACOTOMY (L THORACOT)

{313C11A1-559A-4F68-8718-4012416EC189}

63. R THORACOTOMY (R THORACOT)

{A18E4BB3-0718-48D6-BD49-720A70C0EF60}

64. THYROID (THYROID)   {6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}

65. L PARIETAL (L PARIETAL)   {2687ED24-F35E-456C-99C9-F6A8EC4364E0}

66. R PARIETAL (R PARIETAL)   {28C927CD-1342-483B-B366-0B7EA8ACABAD}

67. L ORBIT (L ORBIT)   {1D798E35-5095-4BA0-8F9F-FA96668A5239}

68. R ORBIT (R ORBIT)   {DFFD974A-1684-49AE-8230-8E12411EA62E}

69. L MANDIBULAR (L MANDIBUL)   {CB9DB373-5F0A-446B-909F-F76392CB3A04}

70. R MANDIBULAR (R MANDIBUL)   {303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}

71. L ORAL (L ORAL)   {057B787A-8750-4563-80DB-25110CCC1146}

72. R ORAL (R ORAL)   {9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}

73. L FACE (L FACE)   {06F00A70-F475-CD40-665D-AF0569A1E75F}

74. R FACE (R FACE)   {D1B15677-EF6F-0125-3601-68C1FE6386CE}

75. L EAR (L EAR)   {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

76. R EAR (R EAR)   {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

77. L THUMB (L THUMB)   {F82F4731-2CC5-4705-91BE-05E40C25B419}

78. R THUMB (R THUMB)   {B414BD68-4155-45B3-985D-B2F8252A20FE}

79. L FINGER (L FINGER)   {BB825645-1630-498C-A31B-6728D422EEFC}

80. R FINGER (R FINGER)   {E12CA0EF-3267-4B93-8643-230E2226C3D6}

81. L TOE (L TOE)   {C666DE86-E7AE-4AB3-8AE1-91496219E63D}

82. R TOE (R TOE)   {B65727AB-3205-4DCE-833F-6DA8554636F9}

83. L OCCIPITAL (L OCCIPTAL)   {A4234F41-CD6F-4CE1-9210-316DB847BDE2}

84. R OCCIPITAL (R OCCIPITA)   {5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}

85. OCCIPITAL (OCCIPITAL)   {5A3E384B-1C87-4A19-A449-DB91AB443FFC}

UNITS:

===

TERM: INCISION STAPLES INTACT   Page: 346

ID: {FA75C02B-3698-4D85-A293-0ACC8C1D3252}

===

Abbreviation................. IN STA INT

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Incision Stapes Intact

Display Name................. Incision Staples Intact

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

===

 ID: {A5C84A03-633B-4A9B-891B-292449B8C409}

===

Abbreviation................. IN SUT INT

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Incision Sutures Intact

Display Name................. Incision Sutures Intact

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

TERM: INCISION TENDER TO PALPATION   Page: 348

 ID: {C6ACAC1F-0AEF-4F1B-A487-35A92207AE22}

==

   Abbreviation................. IN TENDER

   Active....................... Yes

   Boolean Value False.......... Patient Denies

   Boolean Value True........... Appropriate

   Data Type.................... Boolean

   Description.................. Incision Tender To Palpation

   Display Name................. Incision Tender To Palpation

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

==

TERM: INFUSION SET CHANGED   Page: 349

 ID: {BA138A48-8B25-40CF-8345-2AD9E12CC840}

==

   Abbreviation................. INF SET CH

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. Was the infusion set changed?

   Display Name................. Infusion Set Changed

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

==

TERM: INSULIN PUMP SQ INFUSION ON?   Page: 350

 ID: {0B8DD5F9-E685-4D44-81D1-04D17DE1E5DA}

==

Abbreviation................. In Pump on

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Insulin Pump SQ Infusion On?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

===

 ID: {062BB93E-EECB-A074-63D7-EB95E176D6A3}

===

Abbreviation................. Intake

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. No Description

Display Name................. Intake

Help Text.................... For Volume (ml) inputs use a value

                    between 0 and 9999, For Volume (.oz)

                    use value between 0 and 64

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 7 entries

----

 1. IV (IV)   {52141E2F-7942-4C60-9B08-62F3B4640020}

 2. TPN (TPN)   {B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}

 3. ENTERAL FEEDING / SUPPLEMENT (EF/SUPPLEM)

                    {8389A9F5-0D48-496D-A605-1560B055DCC0}

 4. ENTERAL FEEDING TUBE (ENT FEED T)

                    {487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}

 5. P.O. (PO)   {7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}

 6. TRANSFUSION (TRANSFUSIO)   {9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}

 7. COLLOID (COLLOID M)   {2AE33508-5EA2-44DF-A401-74DD7B93AB6E}

PRODUCT: 33 entries

----

1. FORMULA 1.5 CAL (1.5 C FORM)

                {95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}

2. FORMULA 2.0 CAL (2.0 C FORM)

                {E5FB9590-25AA-435A-B9B4-4812EA15C217}

3. 25 PERCENT ALBUMIN (25 PERC AL)

                {CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

4. 5 PERCENT ALBUMIN (5 PERC ALB)

                {A2D0F9A0-A9EC-4540-9663-B8B19A189198}

5. 6 PERCENT HETASTARCH (6 PERC HET)

                {8A82F108-D2FE-4C21-93BB-344502235AE8}

6. BLOOD PRODUCT (bp)   {A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

7. CRYOPRECIPITATE (CRYOPRECIP)

                {5329E737-E059-480D-83F8-1146B091C14E}

8. ELEMENTAL FORMULA (ELE FORM)

                {E85DFA33-7F32-4348-9E0E-249AC301EC03}

9. FFP (FFP)   {9DD0ECF5-634F-49CF-A529-A2657240A80C}

10. FFP - THAWED (FFP-THAWED)   {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

11. FORMULA FIBER (FIBER FORM)

                {F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}

12. GRANULOCYTES PHERESIS (GRAN PHERE)

                {2B90878D-9C29-4731-9525-D7DD7FCB513B}

13. HEPATIC FORMULA (HEPAT FORM)

                {41DEECAB-168F-4522-852C-C1ED751BFEDC}

14. JUICE (JUICE)   {91FFF519-1677-BB1D-D959-65B1BFA10285}

15. NEPRO RENAL FORMULA (NEPR RENAL)

                {59C9B396-A705-445B-B566-F030DA4B2B79}

16. NOVASOURCE 2.0 (NOVAS 2.0)

                {67D16273-6271-43E1-80D6-D12C4D55E024}

17. PCA (PCA)   {D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}

18. PLATELETS PHERESIS (PLATELET P)

          {65CBDCBD-99DB-44FE-9230-D62886208EBF}

19. PLATELETS PHERESIS IRRADIATED (PLATEL P I)

          {70C7155A-5AB6-4733-B43F-606F8BBB3B4A}

20. PPN (PPN)   {BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}

21. PRBC (PRBC)   {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

22. PRBC - AUTOLOGOUS (PRBC-A)

          {1580990C-0B35-4DDD-84AA-682B341C9B76}

23. PRBC - LEUKOREDUCED (PRBC-L)

          {13DB3170-6C26-4178-B429-C02AFC541AC7}

24. PRBC - LEUKOREDUCED - DIRECTED (PRBC-L-D)

          {9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}

25. PRBC - LEUKOREDUCED - IRRADIATED (PRBC-L-I)

          {B4431519-0102-49ED-94D6-1738E375C5A4}

26. PRBC - LEUKOREDUCED - WASHED (PRBC-L-W)

          {BB58F35A-1086-4061-B485-FA35DFB79A0D}

27. SANDOSOURCE PEPTIDE (SAND PEPTI)

          {B543461C-7316-4750-9918-B30E96AB3C95}

28. TPN (TPN)   {55341B62-E356-4C38-A52D-4F196751E9EB}

29. WATER (WATER)   {ACCC998E-0F64-510D-B843-3D30B2AD67CF}

30. WBC - WASHED (WBC WASHED)   {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

31. CRYSTALLOID (CRYSTALLOI)   {F8B0C9B5-F386-4C88-896A-092C4A95A031}

32. PLATELETS (PLATELETS)   {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

33. WHOLE BLOOD (WHOL BLOOD)   {144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

OUNCE   -1 > 0 * 64 < 350   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

==

   ID: {182D805C-CF2D-4829-8925-6916D027020D}

==

    Abbreviation................. CBI Irriga

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description..................

    Display Name................. Intake - CBI Irrigation to Subtract

                    (negative number)

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

    MILLILITER   -99999 > -99999 * 0 < 0   Dec Prec: 0

===

TERM: INTAKE - DIALYSIS   Page: 353

 ID: {CE3D8DBD-278C-4D3D-AA4F-2E5800C17DBF}

===

    Abbreviation................. INT DIALYS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Dialysis Intake

    Display Name................ Dialysis Intake

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    METHOD: 4 entries

    ----

    1. HEMODIALYSIS (HEMODIALYS)   {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}

    2. PERITONEAL DIALYSIS (PERI DIALY)

                {6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

    3. CVVHD (CVVHD)   {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

    4. CRRT (CRRT)   {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

    UNITS:

    MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

    CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

    Abbreviation................. INT EF CAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Enteral Feeding and Supplement Calories

    Display Name................. Intake - EF/Supplement Calories

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

    CALORIE   -1 > 0 * 500 < 2001   Dec Prec: 0

==

  ID: {769017E8-B98E-45DC-9706-FE6475B7FF8D}

==

    Abbreviation................. INT EF TU

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Intake - EF Tube

    Display Name................ Intake - EF Tube

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

    CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

==

 ID: {9A509673-FD4C-4F7B-BDF4-FD3E6ECD4A64}

==

Abbreviation................. En Tube Fl

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. Intake - Enteral Tube Flush

Help Text.................... Specify water flush for enteral

              feeding tube

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   0 > 0 * 9999 < 9999   Dec Prec: 0

===

TERM: INTAKE - GI TUBE   Page: 357

  ID: {38602EA8-600E-4427-A695-029DFE06883F}

===

Abbreviation................. INT GI TU

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. GI Tube Intake

Display Name................. GI Tube Intake

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

Abbreviation................. INT IRRIGA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Irrigation Intakes

Display Name................. Intake - Irrigation

Help Text................... Fluid intake from irrigations

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 2 entries

----

  1. BLADDER (BLAD)   {E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}

  2. OTHER (OTHER)   {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

PRODUCT: 6 entries

----

  1. SALINE (SALINE)   {19D84001-70DB-47AA-9149-A37B7E0BAEF1}

  2. BACTERIOSTATIC WATER (BACTER H2O)

                  {EF13BCA6-3AF2-47E9-87A0-82642B529368}

  3. DAKINS SOLUTION (DAKINS SOL)

                  {51651D24-B909-427B-9FF0-3C2859A63D73}

  4. AMPHOTERICIN B (AMPHOTER B)

                  {E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}

5. ANTIBIOTIC (AB)   {BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}

6. TAP WATER (Tap Water)   {EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

Abbreviation................. INT BLOOD

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Blood Products given to patient

Display Name................ Intake - IV Blood Products

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

PRODUCT: 18 entries

----

 1. CRYOPRECIPITATE (CRYOPRECIP)

                 {5329E737-E059-480D-83F8-1146B091C14E}

 2. FFP (FFP)   {9DD0ECF5-634F-49CF-A529-A2657240A80C}

 3. FFP - THAWED (FFP-THAWED)   {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

 4. GRANULOCYTES PHERESIS (GRAN PHERE)

                 {2B90878D-9C29-4731-9525-D7DD7FCB513B}

 5. PLATELETS PHERESIS (PLATELET P)

                 {65CBDCBD-99DB-44FE-9230-D62886208EBF}

 6. PLATELETS PHERESIS IRRADIATED (PLATEL P I)

                 {70C7155A-5AB6-4733-B43F-606F8BBB3B4A}

 7. PRBC - AUTOLOGOUS (PRBC-A)

                 {1580990C-0B35-4DDD-84AA-682B341C9B76}

8. PRBC - LEUKOREDUCED (PRBC-L)

{13DB3170-6C26-4178-B429-C02AFC541AC7}

9. PRBC - LEUKOREDUCED - DIRECTED (PRBC-L-D)

{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}

10. PRBC - LEUKOREDUCED - IRRADIATED (PRBC-L-I)

{B4431519-0102-49ED-94D6-1738E375C5A4}

11. PRBC - LEUKOREDUCED - WASHED (PRBC-L-W)

{BB58F35A-1086-4061-B485-FA35DFB79A0D}

12. WBC - WASHED (WBC WASHED)   {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

13. PRBC (PRBC)   {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

14. PLATELETS (PLATELETS)   {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

15. PLASMAPHERESIS (PLASMAPHER)

{E1214367-8BB0-4FAA-A916-EC707569A9C4}

16. 25 PERCENT ALBUMIN (25 PERC AL)

{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

17. 5 PERCENT ALBUMIN (5 PERC ALB)

{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

18. Rh IMMUNE GLOBULIN (Rh IM GLOB)

{1FE7BD0C-7252-427A-8216-36FCA4637089}

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

==

 ID: {868852E2-3D29-4007-BB36-62F6D90B1685}

==

   Abbreviation................. INT IV CAL

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. Calories taken in by IV

   Display Name................. Itake - IV Calories

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   CALORIE   -1 > 0 * 9999 < 20000   Dec Prec: 0

```
================================================================================

TERM: INTAKE - IV CARDIAC OUTPUT INJECTATE              Page: 361

  ID: {FE023C43-32D0-4937-A100-0F14CDCACEF2}

================================================================================
```

Abbreviation................. INT CO INJ

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Cardiac Output Injectate

Display Name................ Cardiac Output Injectate

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

```
===============================================================================

TERM: INTAKE - IV COLLOID                          Page: 362

 ID: {7CD55D76-7D00-414E-BF24-315A5A92A998}

===============================================================================
```

    Abbreviation................. INT IV COL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Intake of IV Colloids

    Display Name................. Intake IV Colloids

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    PRODUCT: 4 entries

    ----

     1. ALBUMIN (ALBUMIN)   {EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}

     2. 5 PERCENT ALBUMIN (5 PERC ALB)

                    {A2D0F9A0-A9EC-4540-9663-B8B19A189198}

     3. 25 PERCENT ALBUMIN (25 PERC AL)

                    {CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

     4. 6 PERCENT HETASTARCH (6 PERC HET)

                    {8A82F108-D2FE-4C21-93BB-344502235AE8}

    UNITS:

    MILLILITER   -1 > 0 * 9999 < 20000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

===

TERM: INTAKE - IV CRYSTALLOIDS   Page: 363

  ID: {DD597777-861C-44FD-82E6-1FFF925D0095}

===

   Abbreviation................. INT IV CRY

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Intake of IV Crystalloids

   Display Name................. Intake - IV Crystalloids

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

   CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

===

TERM: INTAKE - IV FLUID   Page: 364

 ID: {5902ECD7-7C26-481F-AE76-999211321FFD}

===

    Abbreviation................. INT IV FL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. Intake - IV Fluids

    Display Name................. Intake - IV Fluids

    Help Text................... Enter Fluid type as 'Comments',

                    Continuous or IVPB

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITER   -1 > 0 * 9999 < 20000   Dec Prec: 0

    CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

===

 ID: {79429ADC-7CFD-48E5-B44C-5159595C10AD}

===

Abbreviation................. INT IV MED

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. IV Intake of Medicines

Display Name................. Intake - IV Meds

Help Text.................... Please note the type of med being

                  given in the 'comment'

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

Abbreviation................. IN IV NUTR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. IV Nutrition

Display Name................. IV Nutrition

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

PRODUCT: 3 entries

----

 1. CRYSTALLOID (CRYSTALLOI)   {F8B0C9B5-F386-4C88-896A-092C4A95A031}

 2. COLLOID (COLLOID)   {5B912A05-9ECA-43C1-A117-BE0843313CDD}

 3. LIPIDS (LIPIDS)   {80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

===

 ID: {0DAF17DD-4039-406C-9F53-5AB46E172648}

===

   Abbreviation................. IN LINE FL

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Intake from line flush

   Display Name................ Intake - Line Flush

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   PRODUCT: 2 entries

   ----

    1. SALINE (SALINE)   {19D84001-70DB-47AA-9149-A37B7E0BAEF1}

    2. LINE FLUSH HEPARIN (LN FL HEPA)

                      {E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

   UNITS:

   MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

   CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

```
===============================================================================
```

ID: {86B055A5-04E4-4C85-B20B-9EA8F02E45AB}

```
===============================================================================
```

Abbreviation................. INT PCA VO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Intake PCA Volume

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

MILLILITER   0.00 > 0.00 * 5000.00 < 5001.00

                           Dec Prec: 2

CUBIC CENTIMETER   0.00 > 0.00 * 5000.00 < 5001.00

                           Dec Prec: 2

    Abbreviation................. INT % MEAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Percentage of meal consumed by patient

    Display Name................. Percent Meal Consumed

    Help Text.................... Percentage of meal consumed by patient

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    PERCENTAGE   -1 > 0 * 100 < 101   Dec Prec: 0

Abbreviation................. INT PO CAL

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Pharyngeal Oral caloric intake

Display Name................. Intake - PO Calories

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

CALORIE   -1 > 0 * 9999 < 10000   Dec Prec: 0

```
================================================================================
```

 ID: {D6F28CE6-0E98-436E-AAC8-6749BC71F468}

```
================================================================================
```

Abbreviation................. INT PO FLU

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Oral intake of fluids

Display Name................ Intake PO Fluids

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

PRODUCT: 10 entries

----

 1. NUTRITIONAL SUPPLEMENT (NUTR SUPPL)

                {17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}

 2. WATER (WATER)   {ACCC998E-0F64-510D-B843-3D30B2AD67CF}

 3. JUICE (JUICE)   {91FFF519-1677-BB1D-D959-65B1BFA10285}

 4. FULL LIQUID (FL LIQUID)   {C8405270-CCA3-4BFF-B9D0-398590FBB1D9}

 6. OTHER PO FLUID (PO OTHER)   {1EA44424-4DE2-42B8-A50F-60DC56204502}

70. MILK (Milk)   {6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}

80. COFFEE (Coffee)   {BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}

90. SODA: DIET (Soda: Diet)   {0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}

100. SODA: NON-DIET (Soda: Non)

                {B15D88DC-07B6-4980-98B2-A59B5662797A}

110. CLEAR LIQUIDS (Clear Liq)
```

{BBE3A652-ACDC-4797-B140-D4DB4F474B13}

UNITS:

MILLILITER   0 > 1 * 10000 < 10001   Dec Prec: 0

OUNCE   0 > 1 * 338 < 339   Dec Prec: 0

CUBIC CENTIMETER   0 > 1 * 10000 < 10001   Dec Prec: 0

===

 ID: {6AAC56B6-D4B8-4F1C-A4D0-86FDD3B6C72E}

===

   Abbreviation................. INT TPN CA

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Total parenteral nutrition calories

   Display Name................. Intake - TPN Calories

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   CALORIE   -1 > 0 * 2000 < 2001   Dec Prec: 0

===

 ID: {DCD2263B-0390-4754-950A-6A410C0C59EB}

===

    Abbreviation................. INT TRANSF

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Transfusion Type

    Display Name................. Transfusion

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITER   0 > 0 * 9999 < 10000   Dec Prec: 0

    CUBIC CENTIMETER   0 > 0 * 9999 < 10000   Dec Prec: 0

==

 ID: {E11DD9AE-8220-432E-A855-4697F82AC17A}

==

Abbreviation................. ICP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. No Description

Display Name................. Intracranial Pressure - Do Not Check

                Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTRICULAR DRAIN (VENT DRAIN)

              {5FF035D1-9C97-415D-BBEB-943506395A0C}

UNITS:

MILLIMETERS OF MERCURY   0 > 8 * 20 < 30   Dec Prec: 0

```
================================================================================

TERM: ISOLATION PRECAUTIONS                    Page: 375

 ID: {B8AADF9F-BDAC-49F7-BAB8-4B6A1E9865D1}

================================================================================
```

Abbreviation................. ISOLAT PRE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Isolation Precautions

Help Text................... Environmental Precautions for

                Isolated Patients

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

 1. STRICT (STRICT)   {5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}

 2. CONTACT (CONTACT)   {958F2B5E-F980-47B6-A7F7-EE7D5520B61F}

 3. NEUTROPENIC (NEUTROPENI)   {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}

 4. STANDARD (STANDARD)   {C4B8C06D-BFFE-4438-A43D-926F039E5EE1}

 5. AIRBORNE (AIRBORNE)   {D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}

 6. DROPLET (DROPLET)   {CE1DD314-8A30-4785-BD56-1540CDA85146}

 7. NEGATIVE PRESSURE (NEG PRESSU)

               {6D6CB4BB-96B0-4978-97CC-116A03479DAD}

UNITS:

Abbreviation................. DR UN HR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Only to be used with products with

                    dosage measured in "Units"

Display Name................. IV DOSE RATE - UNITS/HOUR - Do Not

                    Check Total or Subtotals

Help Text.................... Only to be used with products with

                    dosage measured in "Units"

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

UNITS PER HOUR   0 > 0 * 99999 < 99999   Dec Prec: 0

==

TERM: IV DOSE RATE - UNITS/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS   Page: 377

 ID: {D1749D90-3EEE-41BE-BBF5-B3B00C18E8D2}

==

   Abbreviation................. IVDR UkH

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Only to be used with products with

                  dosage measured in "Units"

   Display Name................. IV DOSE RATE - UNITS/kg/HOUR - Do Not

                  Check Total or Subtotals

   Help Text.................... Only to be used with products with

                  dosage measured in "Units"

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   UNITS/kg/HOUR   0 > 10 * 51 < 101   Dec Prec: 0

==

TERM: IV DOSE RATE - g/TIME - DO NOT CHECK TOTAL OR SUBTOTALS   Page: 378

  ID: {5D83FE3F-45BC-4D82-A7A7-832DA99A751F}

==

    Abbreviation................. IVDR g/t

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. No Description

    Display Name................. IV DOSE RATE - g/TIME - Do Not Check

                Total or Subtotals

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    GRAMS PER HOUR   0 > 20 * 80 < 100   Dec Prec: 0

    GRAMS PER MINUTE   0 > 20 * 540 < 600   Dec Prec: 0

   Abbreviation................. IV DR mc

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. No Description

   Display Name................. IV DOSE RATE - mcg/TIME - Do Not

                  Check Total or Subtotals

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   MICROGRAMS PER HOUR   -1.00 > 0.00 * 9999.00 < 10000.00

                               Dec Prec: 2

   MICROGRAMS PER MINUTE   -1.00 > 0.00 * 9999.00 < 10000.00

                               Dec Prec: 2

Abbreviation................. DR mckgH

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. IV DOSE RATE - mcg/kg/HOUR - Do Not

                    Check Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MICROGRAMS PER KILOGRAM PER HOUR

                0.000 > 1.000 * 2000.000 < 9999.000

                        Dec Prec: 3

===

 ID: {E4E00CBB-AE1C-48BE-A172-CDEFF039A311}

===

Abbreviation................. nt

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. IV DOSE RATE - mg/TIME - Do Not Check

                Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MILLIGRAMS PER HOUR   -1.00 > 0.00 * 9999.00 < 10000.00

                    Dec Prec: 2

MILLIGRAMS PER MINUTE   -1.00 > 0.00 * 9999.00 < 10000.00

                    Dec Prec: 2

===

TERM: IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS   Page: 382

  ID: {FE8EB504-6F94-4863-B673-489582F1233C}

===

   Abbreviation................. IV DR MG

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................. IV DOSE RATE - mg/kg/HOUR - Do Not

                    Check Total or Subtotals

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   MILLIGRAMS PER KILOGRAM PER HOUR

                    0 > 1 * 2000 < 9999   Dec Prec: 0

Abbreviation................. mcg/kg/min

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description..................

Display Name................. IV Dose Rate - mcg/kg/min: DO NOT

                    CHECK TOTALS OR SUBTOTALS

Help Text.................... For Weight-baseed IV med dose rates

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MICROGRAMS PER KILOGRAM PER MINUTE

                0.00 > 0.00 * 999.99 < 999.99

                        Dec Prec: 2

===

  ID: {0ED682FE-21ED-4D08-9250-46CB6FB85146}

===

   Abbreviation................. IV FLOW R

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. IV Flow Rate in ml / min or hour

   Display Name................. IV Flow Rate - Do Not Check Total or

                  Subtotals

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   MILLILITERS PER HOUR   -1.00 > 0.00 * 9999.00 < 10000.00

                     Dec Prec: 2

   MILLILITERS PER MINUTE   -1.00 > 0.00 * 9999.00 < 10000.00

                     Dec Prec: 2

Abbreviation................. IV FL kg

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. IV FLOW RATE: ml/kg/Time - Do Not

                     Check Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MILLILITERS PER KILOGRAM PER HOUR

                0.00 > 1.00 * 40.00 < 100.00

                          Dec Prec: 2

MILLILITERS PER KILOGRAM PER MINUTE

                0.00 > 0.33 * 1.33 < 1.70 Dec Prec: 2

===

 ID: {3EC86714-EDBD-4D51-B4B7-465CB386DC72}

===

   Abbreviation................. IV LI CARE

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Care of IV Lines

   Display Name................ IV Line Care

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 20 entries

   ----

   1. PATENT CLEAN (PAT CLEAN)   {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}

   2. DRESSING CHANGED (DRESS CHAN)

                    {E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}

   3. STARTED (STARTED)   {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

   4. TUBING CHANGED/LABELED (TUBE CHANG)

                    {19BA337C-6E28-411E-9702-48B262C593FA}

   5. HEPLOCK (HEPLOCK)   {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}

   6. BAG CHANGED (BAG CHANGE)   {818990DE-4F95-4F8E-92D8-B4D3B975CB36}

   7. LEVELED (LEVELED)   {D72523B2-E0CD-40E1-AC14-2FA43636A456}

   8. PRESSURE CALIBRATION (PRESS CALI)

                    {38C12E69-2CD2-4F61-98D9-06AB857DA51A}

   9. ARTERIAL LINE CARE (ART LINE C)

{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}

10. CENTRAL VENOUS CATHETER (CENT VEN C)

{EE91E841-C09B-4432-A121-8EBAB92E9CD2}

11. PICC (PICC)   {3CFE33D0-5A35-88CC-152C-D7501D1858D9}

12. FLUSHED (nt)   {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

13. CHANGED (CHANGED)   {74B14023-D74D-41F6-AA48-B0E5137623CD}

14. DISCONTINUED (DISCONTINU)   {15E289FB-09DF-4731-9CF3-48A4E0031C31}

15. SALINE LOCK (SALIN LOCK)   {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}

16. ALCOHOL PORT PROTECTOR (Al Port Pr)

{785F47CF-A279-46F9-9073-B6A6A70E8888}

17. NEUTRAL PRESSURE CONNECTOR (N Pres Con)

{263F1A2C-4384-4B6A-B930-B9AF85B7F965}

18. POSITIVE PRESSURE CONNECTOR (P Pres Con)

{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}

19. NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (Needleless)

{5D9D8D90-9B39-4DF3-8095-755235687F45}

20. MEDICAL NECESSITY CONFIRMED (med nec)

{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}

UNITS:

==

  ID: {84D9EDBF-F38B-496F-90F7-CF99E8D11321}

==

    Abbreviation................. IV PORT #

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. IV Port descriptor or number

    Display Name................. IV Port / Number

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 15 entries

    ----

    1. PROXIMAL PORT (PROX PORT)   {3244EF4F-F18A-4250-96F5-ABCEA7BFA578}

    2. MEDIAL PORT (MEDI PORT)   {D1734D73-2E1A-4538-8884-05D8A78CF556}

    3. DISTAL PORT (DIST PORT)   {E493DF34-AD0E-4951-9715-5AD4EFA14036}

    4. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

    5. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

    6. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

    7. 4 (4)   {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

    8. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

    9. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

    10. 7 (7)   {7A010324-D2C2-5D4B-848A-7B8878666D20}

    11. 8 (8)   {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

    12. 9 (9)   {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

13. 10 (10)   {0C827160-18DB-816F-7FAA-A3C175C6D33B}

14. 11 (11)   {BD51A7B3-FACF-890C-472E-E3B28519CC16}

15. 12 (12)   {ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

LOCATION: 20 entries

----

 1. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

 2. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

 3. L ANTECUBITAL (L ANTECUBI)

                {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

 4. R ANTECUBITAL (R ANTECUBI)

                {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

 5. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

 6. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

 7. L WRIST (L WRIST)   {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

 8. R WRIST (R WRIST)   {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

 9. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

10. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

11. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

12. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

13. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

14. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

15. L INTERNAL JUGULAR (L INT JUG)

                {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

16. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

17. L EXTERNAL JUGULAR (L EXT JUGU)

                {6F7B331B-4F83-0B79-1755-F6F673D647D6}

18. R EXTERNAL JUGULAR (R EXT JUGU)

                {4D78F704-9E3B-907E-A792-4DC4F4CFF170}

19. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

20. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

===

 ID: {84C7D095-10E1-AFD2-405D-C44C8278241F}

===

   Abbreviation................. IV ST COND

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. IV Site Condition

   Help Text.................... Condition of IV Site

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 7 entries

   ----

    2. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

    3. SWOLLEN (SWOLLEN)   {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

    4. DISCOMFORT (DISCOMFORT)   {77D058C9-1EB4-96C0-C9E3-666C840B884C}

   50. PATENT (Patent)   {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

   60. CLEAN (Clean)   {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

   70. OCCLUDED (Occluded)   {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

   80. OOZING (Oozing)   {C23549D7-3238-4523-BA31-AB71609F01C2}

   LOCATION: 20 entries

   ----

    1. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

    2. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

3. L ANTECUBITAL (L ANTECUBI)

        {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

4. R ANTECUBITAL (R ANTECUBI)

        {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

5. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

6. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

7. L WRIST (L WRIST)   {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

8. R WRIST (R WRIST)   {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

9. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

10. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

11. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

12. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

13. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

14. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

15. L INTERNAL JUGULAR (L INT JUG)

        {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

16. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

17. L EXTERNAL JUGULAR (L EXT JUGU)

        {6F7B331B-4F83-0B79-1755-F6F673D647D6}

18. R EXTERNAL JUGULAR (R EXT JUGU)

        {4D78F704-9E3B-907E-A792-4DC4F4CFF170}

19. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

Abbreviation................. Labs p/Ord

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Labs per Orders

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

  UNITS:

==

 ID: {1D980210-D857-457D-A335-DC248B264B10}

==

    Abbreviation................. LVEF - CON

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Continuous Left Ventricular Ejection

                    Fraction

    Display Name................. LVEF - Continuous

    Help Text.................... If a range is provided use the midpoint

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 7 entries

    ----

     1. ECHOCARDIOGRAPHY (ECG)   {CA44697E-3BBA-4767-A30D-6548A72F9639}

     2. NUCLEAR PERFUSION IMAGING (NPI)

                    {D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

     3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)

                    {4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

     4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)

                    {35BEA63F-9696-4C03-AE1D-D76E4DDBB017}

     5. MAGNETIC RESONANCE IMAGING (MRI)

                    {50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

     6. COMPUTED TOMOGRAPHY (COM TOMOGR)

                    {B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER)   {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

PERCENTAGE   0 > 1 * 99 < 100   Dec Prec: 0

TERM: LEFT VENTRICULAR EJECTION FRACTION - CATEGORICAL   Page: 391

  ID: {8B4D6E3B-1138-4BC0-A303-44B09F05A058}

Abbreviation................. LVEF - CAT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. Categorical Left Ventricular Ejection

                Fraction

Display Name................. LVEF - Categorical

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. HYPERDYNAMIC (HYPERDYNAM)   {818A8A99-04D9-4989-A9BA-ECFACED74605}

 2. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

 3. BORDERLINE REDUCED (BORD REDUC)

                {63703AB1-6249-403B-BDE8-FECA9FA36CF5}

 4. MILD-MODERATELY REDUCED (MI-MOD-RED)

                {41DA2518-0E49-4E92-A733-3ACF3D2E8199}

 5. MODERATELY REDUCED (MOD REDUCE)

                {91F73300-7EE0-428C-A838-5B3BE062D8BC}

 6. MODERATE-SEVERELY REDUCED (MO-SEV RED)

                {6D031C70-2F95-4111-A9B8-BC22CEC1B17D}

 7. SEVERELY REDUCED (SEV REDUCE)

{A895BACE-85AC-45B2-A190-4A6816DEDC1D}

8. LESS THAN 30 (<30)   {5AA98A0D-9B05-425D-97CA-B8B12425AACA}

METHOD: 7 entries

----

1. ECHOCARDIOGRAPHY (ECG)   {CA44697E-3BBA-4767-A30D-6548A72F9639}

2. NUCLEAR PERFUSION IMAGING (NPI)

                {D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)

                {4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)

                {35BEA63F-9696-4C03-AE1D-D76E4DDBB017}

5. MAGNETIC RESONANCE IMAGING (MRI)

                {50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

6. COMPUTED TOMOGRAPHY (COM TOMOGR)

                {B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

7. OTHER (OTHER)   {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

Abbreviation................. LVSW

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Left Ventricular Stroke Work

Display Name................. Left Ventricular Stroke Work

Help Text................... Left Ventricular Stroke Work

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

                    {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT   29.9 > 30.0 * 150.0 < 150.1

                         Dec Prec: 1

===

TERM: LEG MOVEMENTS   Page: 393

 ID: {49E9E897-E19A-8FE9-416C-F98CA66EFBC9}

===

    Abbreviation................. LEGMOV

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Leg Movements

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

     2. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

    UNITS:

```
================================================================================

TERM: LEVEL OF CONSCIOUSNESS                    Page: 394

 ID: {48EF6B0D-C435-12D4-EA93-F8F5D344E4C5}

================================================================================
```

Abbreviation................. LOC

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Level of Consciousness

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 11 entries

----

  1. ALERT (a)   {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

  2. DROWSY (d)   {6B350814-A88A-0F05-C382-9F27830FBC09}

  3. RESTLESS (r)   {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

  4. AGITATED (a)   {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

  5. LETHARGIC (l)   {4ECA2E44-093A-9354-848E-CDC72B165072}

 60. FOLLOWS COMMANDS (Follow Cmd)

                {D5722341-ACC1-4F69-B537-1D3126ADA249}

 70. CONFUSED (CONFUSED)   {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

 80. DELIRIOUS (Delirious)   {6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}

 90. OBTUNDED (Obtunded)   {356C0511-C91C-4B79-AF10-072F94D4AE09}

100. STUPOROUS (Stuporous)   {4C25FF58-3346-4B06-ACE5-6ADB942877A8}

110. UNRESPONSIVE (Unresponsi)

{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}

UNITS:

Abbreviation................. LiftDevNee

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Lift/Transfer Devices Needed

Help Text.................... In addition to selecting the types of

devices utilized, select Bariatric

Equipment if appropriate.

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 17 entries

----

10. BATHING LIFTS (BathLift)   {BD0E8173-171B-4F8E-AA83-5C4B0E39FD10}

20. LATERAL TRANSFER DEVICE - AIR ASSISTED (LatDevAir)

{9770E288-F7DB-45DE-8480-4D5BF51FDC46}

30. LATERAL TRANSFER DEVICE - NON-AIR ASSISTED (LatDevNon)

{51151B27-56B9-4C8F-8F6E-925C5583AA8B}

40. LONG HANDLED TRANSFER SHEET (LongHandle)

{A38E905C-A9C9-4592-8E2E-BE2D0DB01052}

50. SIT-TO-STAND LIFT - POWERED (SitStanPow)

{2C100603-C7E2-4CB5-A3AA-74D33737CAD6}

60. SIT-TO-STAND LIFT - NON-POWERED (SitStanNon)

{12EB0667-EA7C-484D-A674-0FF5BF32AEEC}

70. LIFT SEAT COMMODE (LiftSeatCo)

{5D8A7A79-B5A7-40F1-A6A5-26B5AC084D7A}

80. CEILING LIFT (CeilLift)   {D6D56490-CDFB-4EEA-A372-E590B93F7A6F}

90. POWER DRIVE STRETCHER (PowerStre)

{F50829BB-FFC8-4BB6-8BC1-A3C76EAC70C4}

100. FLOOR LIFT (TOTAL LIFT) (FloorLift)

{12B1B494-1AF0-428E-8F3F-ADAA18AF5BAA}

110. OPEN TRANSFER BELT (OpenBelt)

{05A4B84E-B0E5-44BE-8ACC-71F020127898}

120. ROTATION DISK (RotatDisk)

{F2E52737-DEA5-4ACD-A9A6-3018F7FB3C3B}

130. VERTICAL TRANSFER DEVICE - AIR ASSISTED (VerTranAir)

{18E2A61B-330A-4570-B8DB-BA7A492F759F}

140. VERTICAL TRANSFER DEVICE - NON-AIR ASSISTED (VerTranNon)

{A940FCC4-1C31-4C3E-8C14-AFB5B3EC714B}

150. WHEELCHAIR MOVER (Wheelchair)

{21239FE9-B2E0-4945-8F86-575EB92A9AB5}

160. BARIATRIC EQUIPMENT (Bariatric)

{D50E0B3F-39A8-4CC5-9FE8-E11EF3386CFC}

170. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

==

 ID: {9215BD72-FA1A-9146-EA8D-B4A33B455724}

==

    Abbreviation................. L LOW LIMB

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Lower Limb Extremities Strength

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 6 entries

    ----

     1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

     2. WEAK (w)   {BE2D9305-E2DA-F492-66CF-164EE58B8179}

     3. STRONG (s)   {A12154E1-544E-F372-3839-0D44E5BC476B}

     4. REFLEX INTACT (r)   {F21585F9-5206-A6B3-2BF6-F416E5842366}

     5. EQUAL (Equal)   {AC079584-158D-EBF2-E13A-C2E919375E4D}

     6. UNEQUAL (Unequal)   {73319200-164F-B39F-649C-B7FB1AFBDBB8}

    LOCATION: 3 entries

    ----

     1. L LOWER LIMB (L LOW LIMB)   {4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

     2. R LOWER LIMB (R LOW LIMB)   {A8E26A05-311A-F196-40B5-B5202D9F8058}

     3. BILATERAL LEG (BILAT LEG)   {0713761D-E0FC-DA03-02A1-F20EFEB99F45}

UNITS:

==

 ID: {7945FB00-2FA8-6D4C-BC85-0110EA75AC5C}

==

Abbreviation................. LVSWI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Left Ventricular Stroke Work Index

Display Name................. LVSWI

Help Text................... Left Ventricular Stroke Work Index

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

                    {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT PER M2   19 > 20 * 150 < 151   Dec Prec: 0

GM-M/M2/BEAT   19 > 20 * 150 < 151   Dec Prec: 0

```
================================================================
```

 ID: {33452BD5-3E25-4B92-8849-F31EE04879AD}

```
================================================================
```

Abbreviation................. Mallampati

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Mallampati Score

Help Text....................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 4 entries

----

 1. CLASS I (Class I)   {4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}

 2. CLASS II (Class II)   {2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}

 3. CLASS III (Class III)   {C0FFDE12-241C-4087-9404-DB128F6B793A}

 4. CLASS IV (Class IV)   {176030D0-2576-4D2D-A5AB-E5DA38DADEB5}

UNITS:

==

 ID: {273C0E5E-8503-4CBE-8DED-E002126A0BBF}

==

   Abbreviation................. Bath Self

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. MDS: Bathing-Self Performance

   Help Text.................... How resident takes full-body

                                 bath/shower, sponge bath, and

                                 transfers in/out of tub/shower

                                 (excludes washing of back and hair)

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 6 entries

   ----

   10. 0 - INDEPENDENT - NO HELP PROVIDED (0 ind)

                    {07AB4004-1793-410A-9872-00BB0B322DFE}

   20. 1 - SUPERVISION - OVERSIGHT HELP ONLY (1 Supervi)

                    {F7DFB6E8-F550-4072-B693-93BF96A23834}

   30. 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (2 Phys Tra)

                    {0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}

   40. 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (3 Phys Bat)

                    {1F24B08B-A5C1-4430-AC56-B40C347E1DDE}

   50. 4 - TOTAL DEPENDENCE (4 Tot Dep)

{062C8F50-294A-48CF-8E81-0C6D7787A4B1}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{909C971F-9C9F-4D6A-9C33-3447614E9057}

UNITS:

Abbreviation................. Bath Supp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. MDS: Bathing-Support

Help Text.................... How resident takes full-body

                             bath/shower, sponge bath, and

                             transfers in/out of tub/shower

                             (excludes washing of back and hair)

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

                {730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

                {5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

                {C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

                {AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

Abbreviation................. Bed Self

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Bed Mobility-Self Performance

Help Text.................... How resident moves to and from lying

                            position, turns, side to side, and

                            positions body while in bed or

                            alternate sleep furniture

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

                {4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

                {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

                {35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

                {4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation................. Bed Supp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. MDS: Bed Mobility-Support

Help Text.................... How resident moves to and from lying

position, turns, side to side, and

positions body while in bed or

alternate sleep furniture

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

Abbreviation................. Dress Self

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Dressing-Self Performance

Help Text................... How resident puts on, fastens and

takes off all items of clothing,

including donning/removing a

prosthesis or TED hose. Dressing

includes putting on and changing

pajamas and housedresses.

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

===

 ID: {E70C8300-5F54-490F-BDB3-619A15C3CA90}

===

Abbreviation................. Dress Supp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. MDS: Dressing-Support

Help Text.................... How resident puts on, fastens and

takes off all items of clothing,

including donning/removing a

prosthesis or TED hose. Dressing

includes putting on and changing

pajamas and housedresses.

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

```
================================================================
```

 ID: {CF6BFC0A-132B-44C9-939E-C3967C1692F6}

```
================================================================
```

Abbreviation................. Eat Self

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. MDS: Eating-Self Performance

Help Text.................... How resident eats and drinks,

regardless of skill. Do not include

eating/drinking during medication

pass. Includes intakes of nourishment

by other means (eg. Tube feeding,

total parenteral nutrition, IV fluids

administered for nutrition or

hydration)

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

{4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation................. Eat Supp

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Eating-Support

Help Text................... How resident eats and drinks,

                regardless of skill. Do not include

                eating/drinking during medication

                pass. Includes intakes of nourishment

                by other means (eg. Tube feeding,

                total parenteral nutrition, IV fluids

                administered for nutrition or

                hydration)

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid.......................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

                {730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

                {5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

TERM: MDS: LOCOMOTION OFF UNIT-SELF PERFORMANCE   Page: 407

 ID: {4C62560C-42F6-475E-8F7E-A58827EA975C}

==

 Abbreviation................. Locom Self

 Active....................... Yes

 Boolean Value False..........

 Boolean Value True...........

 Data Type................... PickList

 Description..................

 Display Name................. MDS: MDS: Locomotion Off Unit-Self

                 Performance

 Help Text................... How resident moves to and returns

                 from off-unit locations (eg. areas

                 set aside for dining, activities,

                 treatments). If facility only has 1

                 floor, how resident moves to/from

                 distant areas on floor. If in

                 wheelchair, self-sufficiency once in

                 chair

 Multi Select Picklist........ No

 Term Type................... OBSERVATION

 Vuid........................

 DATA VALUE: 6 entries

 ----

 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

                 {4A125BF9-A2C1-4503-9182-BF3E2A708547}

 20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

                 {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation................. Locom Supp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. MDS: Locomotion Off Unit-Support

Help Text.................... How resident moves to and returns

from off-unit locations (eg. areas

set aside for dining, activities,

treatments). If facility only has 1

floor, how resident moves to/from

distant areas on floor. If in

wheelchair, self-sufficiency once in

chair

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

Abbreviation................. Locom Unt

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. MDS: Locomotion on Unit-Self

                             Performance

Help Text.................... How resident moves between locations

                             in his/her room and adjacent corridor

                             on same floor. If in wheelchair,

                             self-sufficiency once in chair

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

                {4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

                {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

                {35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

                {4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation................. Loc Un Sup

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Locomotion on Unit-Support

Help Text................... How resident moves between locations

                in his/her room and adjacent corridor

                on same floor. If in wheelchair,

                self-sufficiency once in chair

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

                {730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

                {5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

                {C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

                {AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

Abbreviation................. Hygi Self

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Personal Hygiene-Self Performance

Help Text................... How resident maintains personal

                            hygiene, including combing hair,

                            brushing teeth, shaving, applying

                            makeup, washing/drying face and hands

                            (excludes baths and showers)

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

                {4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

                {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

                {35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

                {4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

==

 ID: {EC30A02C-DAE9-41A4-A7B3-49CD258A4A48}

==

Abbreviation................. Hygi Supp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Personal Hygiene-Support

Help Text................... How resident maintains personal

hygiene, including combing hair,

brushing teeth, shaving, applying

makeup, washing/drying face and hands

(excludes baths and showers)

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

{730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

{5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

Abbreviation................. Toil Self

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Toilet Use-Self Performance

Help Text................... How resident uses the toilet room,

                            commode, bedpan or urinal; transfers

                            on/off toilet; cleanses after

                            elimination; changes pad; manages

                            ostomy or catheter; adjusts clothes.

                            Do not include emptying bedpan,

                            urinal, commode, catheter or ostomy

                            bag.

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

                {4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

                {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

{35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation................. Toil Supp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Toilet Use-Support

Help Text.................... How resident uses the toilet room,

                commode, bedpan or urinal; transfers

                on/off toilet; cleanses after

                elimination; changes pad; manages

                ostomy or catheter; adjusts clothes.

                Do not include emptying bedpan,

                urinal, commode, catheter or ostomy

                bag.

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries
----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

                {730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

                {5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

{AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

===

Abbreviation................. Trans Self

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. MDS: Transfer-Self Performance

Help Text................... How resident moves between surfaces

                including to or from: bed, chair,

                wheelchair, standing position

                (excludes to/from bath/toilet)

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

            {4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

            {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

            {35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

            {4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

===

 ID: {F2B014BE-D247-421B-BB21-1D63C91C71B1}

===

   Abbreviation................. Trans Supp

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. MDS: Transfer-Support

   Help Text.................... How resident moves between surfaces

                    including to or from: bed, chair,

                    wheelchair, standing position

                    (excludes to/from bath/toilet)

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

   10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

                 {730049CC-4CD5-449E-A0E8-389AB61A02BD}

   20. 1 - SETUP HELP ONLY (1 Setup)

                 {5494773C-99FE-4A96-B12E-D734188517CE}

   30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

                 {C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

   40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

                 {AE401096-DF23-4A6E-8842-E1F58829902A}

   50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

==

ID: {FB71EEC1-FE9C-4D43-9D07-DB30CF6DD272}

==

Abbreviation................. Wlk Cor Sf

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Walk in Corridor-Self Performance

Help Text................... How resident walks in corridor on unit

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

                {4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

                {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

                {35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

                {4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

                {E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

                {8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation................. Wlk Cor Sp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Walk in Corridor-Support

Help Text................... How resident walks in corridor on unit

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

              {730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

              {5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

              {C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

              {AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

              {B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

Abbreviation................. Wlk Rm Sel

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Walk in room-Self Performance

Help Text................... How resident walks between locations

                in his/her room

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)

                {4A125BF9-A2C1-4503-9182-BF3E2A708547}

20. 1 - SUPERVISION - OVERSIGHT (1 Superv)

                {7400DA9E-E89A-44F4-8516-CB6D5931D97D}

30. 2 - LIMITED ASSISTANCE (2 Limited)

                {35934E53-08EB-46E0-8136-96FD6174ACF1}

40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)

                {4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)

                {E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

Abbreviation................. Wlk Rm Sp

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. MDS: Walk in Room-Support

Help Text................... How resident walks between locations

                in his/her room

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)

              {730049CC-4CD5-449E-A0E8-389AB61A02BD}

20. 1 - SETUP HELP ONLY (1 Setup)

              {5494773C-99FE-4A96-B12E-D734188517CE}

30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)

              {C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)

              {AE401096-DF23-4A6E-8842-E1F58829902A}

50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)

              {B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

Abbreviation................. Meal Type

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................ Meal Type

Help Text................... Select meal or snack type

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. BREAKFAST (Breakfast)   {59166132-625E-4E1E-9D97-13BF678EA726}

20. LUNCH (Lunch)   {9CF74807-8CA5-491F-98C4-97A5476FCE30}

30. SUPPER (Supper)   {9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}

40. SNACK - AM (Snack - AM)   {CBF0AFB1-AF1D-4C04-931F-3508D0472E70}

50. SNACK - PM (Snack - PM)   {883C1241-38DA-4C6C-BF3C-CCF3B2378560}

60. SNACK - HS (Snack - HS)   {861B5B9A-D59F-46D2-BA96-4BEAA50654CE}

70. SNACK - OTHER (Snack - Ot)

              {CDEE1A83-4546-4A81-AA12-5D27DF743E68}

UNITS:

==

TERM: MEAN ARTERIAL PRESSURE   Page: 422

 ID: {9D9D9FD8-C352-6434-E796-C583407EBD45}

==

    Abbreviation................. MAP

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. No Description

    Display Name................. Mean Arterial Pressure

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    METHOD: 5 entries

    ----

     1. CUFF (Cu)   {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

     2. ARTERIAL LINE (AL)   {D4B3F4ED-8B33-431E-4164-BD165E823776}

     3. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

     4. CARDIAC OUTPUT MONITOR (COM)

                   {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

     5. NON-INVASIVE (N-I)   {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

    UNITS:

    MILLIMETERS OF MERCURY   25 > 50 * 100 < 300   Dec Prec: 0

==

 ID: {9038EF74-932A-42EE-992F-A20BD8784BB7}

==

    Abbreviation................. BP MEAN

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Mean Blood Pressure

    Display Name................. Mean Blood Pressure

    Help Text.................... Mean Blood Pressure

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 5 entries

    ----

     1. ARTERIAL LINE (AL)   {D4B3F4ED-8B33-431E-4164-BD165E823776}

     2. NON-INVASIVE (N-I)   {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

     3. CUFF (Cu)   {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

     4. IABP (IABP)   {4352A41F-AAF3-4544-9590-BAFD7977DF49}

     5. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

    UNITS:

    MILLIMETERS OF MERCURY   20 > 50 * 100 < 200   Dec Prec: 0

===

 ID: {4493FB14-8C5E-9995-C08F-D0BC9A3B5D0B}

===

    Abbreviation................. MBPAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. No Description

    Display Name................. Mean Blood Pressure Arterial Line

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    MILLIMETERS OF MERCURY   24 > 25 * 200 < 201   Dec Prec: 0

```
================================================================================

TERM: MEAN BLOOD PRESSURE NON-INVASIVE                    Page: 425

 ID: {A89EC390-60BB-FE79-6F40-F9E2BAFE5BB5}

================================================================================
```

Abbreviation................. MBPNI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. No Description

Display Name................. Mean Blood Pressure Non-Invasive

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

MILLIMETERS OF MERCURY   24 > 25 * 200 < 201   Dec Prec: 0

===

TERM: MEAN BP CUFF   Page: 426

  ID: {1F7DAE88-DE53-4807-F51F-47AB8A672EA1}

===

Abbreviation................. MBPC

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. No Description

Display Name................. Mean BP Cuff

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MILLIMETERS OF MERCURY   24 > 25 * 200 < 201   Dec Prec: 0

Abbreviation................. MLD AnBio

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... String

Description..................

Display Name................. Med Last Dose: Antibiotic

Help Text.................... Date and time of Last Dose

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. MLD AnCoag

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... String

Description.................

Display Name................. Med Last Dose: Anticoagulant

Help Text.................... Date and Time of Last Dose

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

```
================================================================================

TERM: MED LAST DOSE: ASPIRIN                         Page: 429

 ID: {40F5DD1D-4534-463F-B4C8-5FF0D589C878}

================================================================================
```

Abbreviation................. MLD Aspiri

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... String

Description..................

Display Name................. Med Last Dose: Aspirin

Help Text.................... Date and Time of Last Dose

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

==

TERM: MED LAST DOSE: ESA ERYTHROPOETIN   Page: 430

  ID: {E63799D0-44A6-40A0-9968-FD0974BEDD17}

==

   Abbreviation................. MLD: ESA

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... String

   Description.................

   Display Name................. Med Last Dose: ESA   Erythropoetin

   Help Text................... Enter last time/dose of medications

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

Abbreviation................. MLD: Hypog

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... String

Description.................

Display Name................. Med Last Dose: Hypoglycemic Agent

Help Text................... Enter last time/dose of medications

                 for Diabetes

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

```
================================================================================

TERM: MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG        Page: 432

  ID: {69BB442B-01B6-485F-A78D-423A74C18D06}

================================================================================
```

Abbreviation................. MLD Non-St

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... String

Description.................

Display Name................. Med Last Dose: Non-steroidal

                          Anti-inflammatory Drug

Help Text................... Date and Time of Last Dose

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

    Abbreviation................. Mental Sta

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. Mental Status

    Help Text...................

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 13 entries

    ----

    10. ORIENTED (ORIENTED)   {B8DC9245-6D81-40E4-8B47-B6413E49F152}

    20. DISORIENTED (DISORIENTE)   {A7D1F2EA-CD7C-4100-8552-44834684C6DE}

    30. ALERT (a)   {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

    40. DROWSY (Drowsy)   {837DDD3A-DE8F-41E2-82C9-9533052F7B05}

    50. LETHARGIC (l)   {4ECA2E44-093A-9354-848E-CDC72B165072}

    60. COMATOSE (Comatose)   {BCADA53A-1186-4B73-932B-1BBCB9937308}

    70. COMBATIVE (c)   {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}

    80. VISUAL HALLUCINATIONS (Vis Halluc)

                  {75364EB9-5053-4040-A775-D5CCABBFC799}

    90. TACTILE HALLUCINATIONS (Tac Halluc)

                  {7DF6ACCF-20A9-46EB-93D2-7BB17F27920A}

    110. ATTENTIVE (Attentive)   {F7A62675-3DD8-4CE3-A541-24F7D5F9CCF7}

115. ABLE TO FOLLOW DIRECTION (Follow Dir)

{72621E3E-A350-4321-8A9C-EFCB0F614D36}

120. IMPAIRED JUDGEMENT/INSIGHT (ImpairJdmt)

{A500511F-24DC-4AF1-A0B2-1AC5A40BE258}

130. SEDATED (s)   {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

UNITS:

    Abbreviation................. Metal

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description..................

    Display Name................. Metal Implant/Shrapnel

    Help Text....................

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

    10. SHRAPNEL (Shrapnel)   {72CFD2AD-EAFD-43D7-8860-CB2993655D1A}

    20. METAL IMPLANTS (Metal Impl)

                 {E7424C97-0A81-4C4E-916E-0AE812FFDB96}

    LOCATION: 63 entries

    ----

    10. HEAD (Hd)   {C3209F44-90C6-FF1B-3169-265B294F276A}

    20. FACE (FACE)   {C638EA14-7903-6A94-496A-C6560D51BEE3}

    30. NECK (Ne)   {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

    40. STOMACH (STOMACH)   {613C20B9-CC9C-4F5D-B5B1-69B66A663540}

    50. ABDOMEN (ABDOMEN)   {109FE041-2521-6EF2-7F95-1FD1587796AB}

    60. BACK (BACK)   {22C26239-C692-4E93-B522-E5E8392BA3B1}

70. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

80. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

90. L HAND (L HAND)   {639DF25A-19E3-B504-D323-4B3F6ED39A24}

100. R HAND (R HAND)   {A54D3A80-8537-D079-9CCE-7DC56346D132}

110. L HIP (L HIP)   {786CD881-27AD-4136-B9CC-8423CB38A431}

120. R HIP (R HIP)   {A48CBCAE-5404-4934-9321-ECEF660A5350}

130. L GROIN (L GROIN)   {5488E4EE-C1A2-4B02-8763-A53C412117A7}

140. R GROIN (R GROIN)   {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}

150. L THIGH (L THIGH)   {16C2312F-1E0E-45E0-B675-160F40C23F57}

160. R THIGH (R THIGH)   {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

170. L KNEE (L KNEE)   {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

180. R KNEE (R KNEE)   {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

190. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

200. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

210. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

220. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

230. COCCYX (COCCYX)   {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

240. GASTROINTESTINAL (GI) {C27C66DB-3A6A-487E-9981-FA7FD323C0C3}

250. L EAR (L EAR)   {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

260. R EAR (R EAR)   {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

270. L SHOULDER (L SHOULDER)   {91CBD2FA-2743-42EB-946B-6933980D9337}

280. R SHOULDER (R SHOULDER)   {D27AE130-442E-4DD6-B391-8D7E8AD494A2}

290. L ELBOW (L ELBOW)   {BF4317E7-2024-47EF-9E5F-3D21D0547885}

300. R ELBOW (R ELBOW)   {5BAFF87B-6993-4E76-862F-9F386D9B71C5}

310. L ANKLE (L ANKLE)   {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

320. R ANKLE (R ANKLE)   {4E6DF352-F399-4CE9-908C-48132C3D856B}

330. PERINEAL (PERINEAL)   {1801441C-D5EF-4775-9E58-E4985496F7E0}

340. BLADDER (BLADDER)   {18E083F2-C4BB-407E-B0A3-20C4942FC97F}

350. L JAW (L JAW)   {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}

360. R JAW (R JAW)   {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}

370. TOOTH (TOOTH)   {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}

380. TEETH (TEETH)   {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

390. L NOSE (L NOSE)   {C7707847-5135-4749-B196-002E3E59BB54}

400. R NOSE (R NOSE)   {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}

410. NOSE (NOSE)   {85F7003E-6D4E-4A79-A534-8A57FBC2D106}

420. PENIS (PENIS)   {2D82CE55-83B6-4160-A754-07C71FD388E8}

430. ABDOMEN RUQ (ABD RUQ)   {F29C9FA1-717A-49B7-8000-95070E9AACA0}

440. ABDOMEN LUQ (ABD LUQ)   {3B31E1EC-CE74-4C76-BB61-10C678431FCA}

450. ABDOMEN RLQ (ABD RLQ)   {2C48394F-6877-4738-856C-E933644D8067}

460. ABDOMEN LLQ (ABD LLQ)   {39831F59-D7B0-4156-AC57-4C622A93CA58}

470. INCISIONAL SITE (INCISON SI)

          {EB36A66D-751D-4031-9F68-0BB03E267321}

480. CHEST (CHEST)   {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

490. L CHEST (L CHEST)   {E332E497-FE0C-47CB-A0A7-217FBF52DC97}

500. R CHEST (R CHEST)   {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

510. L SCAPULA (L SCAPULA)   {3381EC50-771B-41C8-85C8-6EB0D208D54E}

520. R SCAPULA (R SCAPULA)   {EA657261-4D72-40C2-B70D-2A2E27556A01}

530. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

540. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

550. SUBSTERNAL (SUBSTERN)   {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}

560. L LOWER ARM (L LOW ARM)   {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

570. R LOWER ARM (R LOW ARM)   {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

580. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

590. BUTTOCK (Buttock)   {7254A44D-91FA-40C7-B179-932AE08AD602}

600. CERVICAL SPINE (Cerv Spine)

          {6EBB5108-39A4-4A18-9AB3-E91329F469A3}

610. THORACIC SPINE (Thor Spine)

          {A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2}

620. LUMBAR SPINE (Lumb Spine)

          {AEA5FA39-E58D-4382-9C33-EAF360395A60}

630. SACRAL SPINE (Sacr Spine)

{55FA6213-78BF-4349-B0A3-232191C659A3}

UNITS:

===

 ID: {D13CE4D4-116E-4929-A8DC-740B579E8018}

===

   Abbreviation................. MEWS: CONS

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. MEWS: Conscious Level

   Help Text................... (Modified Early Warning System)

                  Conscious level (AVPU)

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

   10. 3 - UNRESPONSIVE (Unrespondi)

               {F40F8A1E-ED15-424A-9481-3527B0E69DF1}

   20. 2 - RESPONDS TO PAIN (Pain)

               {AE6B5DEC-6510-4FEE-8461-D2E930534ACE}

   30. 1 - RESPONDS TO VOICE (Voice)

               {69C7DA2C-893A-40AB-969C-E003B5D2F05D}

   40. 0 - ALERT (Alert)   {A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}

   50. 1 - NEW AGITATION CONFUSION (New Agitat)

               {F458199B-A547-419B-A691-F15E7CD61F8C}

   UNITS:

==

 ID: {6D3266EC-E57D-4299-9AAC-80D0842C0D3F}

==

   Abbreviation................. MEWS: HR

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. MEWS: Heart Rate

   Help Text................... (Modified Early Warning System) Heart

                 rate per minute

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 6 entries

   ----

   10. 2 - HR 0-39 (HR 0-39)   {1243C1C9-C72F-4765-8D19-D689E1FC44F5}

   20. 1 - HR 40-50 (HR 40-50)   {EC915B1F-BED1-497D-AD10-4FD0C2ADEDCE}

   30. 0 - HR 51-100 (HR 51-100)   {6A262124-7FE8-4520-9762-87D0A3DB8AE9}

   40. 1 - HR 101-110 (HR 101-110)

               {FCB6C37E-1BB4-418F-8203-0916B4056DEB}

   50. 2 - HR 111-129 (HR 111-129)

               {6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}

   60. 3 - HR 130 OR MORE (HR 130 +)

               {CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

   UNITS:

    Abbreviation................. MEWS: Urin

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. MEWS: Hourly Urine

    Help Text.................... (Modified Early Warning System)

                    Hourly urine for 2 hours

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

    10. 3 - LESS THAN 10MLS/HR (< 10mls/hr)

                    {E013F8AC-7DBE-4F13-BF48-0317A46332CC}

    20. 2 - LESS THAN 30MLS/HR (< 30mls/hr)

                    {A85A05F7-3443-4E62-ACF4-3334E3EF5675}

    30. 1 - LESS THAN 45MLS/HR (< 45mls/hr)

                    {3AED380E-00F9-4C29-B303-52E08F8911B3}

    UNITS:

Abbreviation................. MEWS: Resp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. MEWS: Respiratory

Help Text.................... (Modified Early Warning System)

                    Respiratory rate per minute

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 2 - RR 0-8 (RR 0-8)   {73DC19E6-865C-4161-9CBE-3A8D44BC4D84}

20. 0 - RR 9-14 (RR 9-14)   {F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}

30. 1 - RR 15-20 (RR 15-20)   {1CF2487B-30C6-46AB-A051-B4499F825DC2}

40. 2 - RR 21-29 (RR 21-29)   {72DF48C2-B8F3-4ED4-91D1-87157707C3EC}

50. 3 - RR 30 OR MORE (RR 30 or +)

                 {6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}

UNITS:

```
================================================================================
```

TERM: MEWS: SCORE   Page: 439

  ID: {528BE6FB-ED0A-43FA-A5A4-DF6ADD532CA1}

```
================================================================================
```

Abbreviation................. MEWS-Score

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. (Modified Early Warning System) MEWS

               Score

Display Name................. MEWS: Score

Help Text.................... (Modified Early Warning System) MEWS

               Score

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MEWS: SCORE UNIT   0 > 0 * 15 < 15   Dec Prec: 0

===

 ID: {71007A41-8139-4ED7-BE65-4CCE796F430B}

===

   Abbreviation................. MEWS-SysBP

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. MEWS: Systolic Blood Pressure

   Help Text................... (Modified Early Warning System)

                   Systolic Blood Pressure

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

   10. 3 - SBP 70 OR LESS (SBP 70 or<)

                   {84DE09CE-FCB0-4E07-A72F-C1064CECF094}

   20. 2 - SBP 71-80 (SBP 71-80)   {063CE20D-435C-4176-9A8B-3FC3DB16FF11}

   30. 1 - SBP 81-100 (SBP 81-100)

                   {93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}

   40. 0 - SBP 101-199 (SBP101-199)

                   {ED9B73BA-8B9E-49C0-83A2-5B2397028564}

   50. 2 - SBP 200 OR MORE (SBP 200+)

                   {C3B80866-749C-402A-B7CA-A1B797D36885}

   UNITS:

Abbreviation................. MEWS-Temp

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................ MEWS: Temperature

Help Text................... (Modified Early Warning System)

                Temperature in C

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 2 - TEMP 35.0 C OR LESS (35.0 C or<)

              {D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}

20. 1 - TEMP 35.1-36 C (35.1-36 C)

              {AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}

30. 0 - TEMP 36.1-38 C (36.1-38 C)

              {87CCCC92-0761-47FC-BD44-C37590832EA7}

40. 1 - TEMP 38.1-38.5 C (38.1-38.5C)

              {21326CB3-A848-4984-BB34-5594AD7E5D32}

50. 2 - TEMP MORE THAN 38.6 C (> 38.6 C)

              {B45FAD7F-9438-488D-BDE1-8A64A84E51F6}

UNITS:

Abbreviation................. Appli Remo

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Moderate sedation: Pre-assessment

                appliances removed

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

  1. DENTURES (Dentures)   {ECABE4D0-97BE-418D-AC7D-29E40D166581}

  2. EYEGLASSES (Eyeglasses)   {E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}

  3. CONTACTS (Contacts)   {6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}

  4. PROSTHESIS (PROSTHESIS)   {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

  5. HEARING AIDS (Hear Aids)   {504FF149-8889-444E-925B-C952314FDF98}

  6. OTHER (SEE COMMENTS) (Other)

                {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

  UNITS:

Abbreviation................. Health HX

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Moderate Sedation: Pre-assessment

                  CPRS Health HX Reviewed

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 15 entries

----

 1. AICD (AICD)   {EDB0E730-A1DC-4639-888B-30E956CCA958}

 2. ARTIFICIAL VALVES (Art Valves)

              {088BB4A5-A93E-47E2-B21F-BC2957D52693}

 3. BMI>35KG/M2 (BMI>35KG/M)   {FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}

 4. DIABETES (Diabetes)   {E295E970-759D-44CD-AD43-6047382A790D}

 5. GRAFTS (Grafts)   {E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}

 6. IMPLANTS (Implants)   {14998852-14FD-4C6A-BB8A-5073D6094B11}

 7. PACER (Pacer)   {F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}

 8. KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (Known/Susp)

              {BD47DD8C-7057-403B-B393-EBCBF9907B68}

10. METAL IMPLANTS (Metal Impl)

{E7424C97-0A81-4C4E-916E-0AE812FFDB96}

11. PREGNANT, NO (Preg, No)   {D08F5D48-965E-4537-83BC-14722E28B0AE}

12. PREGNANT, YES (Preg, Yes)   {CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}

13. SEIZURES (Seizures)   {DE974E49-2AB6-4781-9930-468F2B781BA9}

14. SHUNTS (Shunts)   {8D9CB03B-6D63-4205-86C3-869421BEBD04}

15. SNORES (Snores)   {69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

16. STROKE (Stroke)   {F0EE98A8-040F-4923-8A21-059DA7B17995}

UNITS:

==

 ID: {04BC70CE-732A-404B-94AA-ED9273CFB408}

==

Abbreviation................. Pre-Time O

Active....................... Yes

Boolean Value False.......... Not Done

Boolean Value True........... Done

Data Type.................... Boolean

Description..................

Display Name................. Moderate Sedation: Pre-assessment

                    Time out

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. Prev Compl

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Moderate Sedation: PreAssess:

                    Previous Mod Sed. Complications

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. HYPOTENSION (Hypotensio)   {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}

 3. HYPOXIA (Hypoxia)   {7599629D-1206-4A1A-9D02-EEE384E5FE51}

 4. APNEA (Apnea)   {BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}

 5. ARRHYTHMIA (Arrhythmi)   {F12E4852-27E7-4C2C-989F-E973EBDF2C62}

 6. OTHER (SEE COMMENTS) (Other)

              {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

 UNITS:

Abbreviation................. Sub Abuse

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................

Display Name................. Moderate Sedation: PreAssess:

                  Substance Abuse

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

    UNITS:

    Abbreviation................. Mod Sed Pr

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description..................

    Display Name................. Moderate Sedation: Preparation

    Help Text....................

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 6 entries

    ----

     1. CODE CART IS ASSESSIBLE (Code Cart)

                    {DB670E39-CF90-4068-8E38-44DCA5F365B5}

     2. BAG/MASK & O2 SET UP (Bag/Mask)

                    {248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}

     3. FUNCTIONAL SECTION SET UP (Func Sect)

                    {E156C048-11D5-4F62-8B1A-0CEA931E03EF}

     4. CARDIO-RESP MONITOR (Cardio-Re)

                    {4402EC2C-2096-4DF7-BD4A-AE66C67035E0}

     5. PULSE OXIMETER (Pulse Ox)   {773A956B-0B08-4D72-AAD4-630DF8268694}

     6. END-TIDAL CO2 MONITOR (End-Tidal)

                    {609E3607-E441-465D-B1FC-C6986C58C11C}

UNITS:

    Abbreviation................. Pat Identi

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................

    Display Name................. Moderate sedation: Time Out: Patient

                    Identifiers

    Help Text.................... Patient Identifiers

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. FULL NAME (Full Name)   {A915EA98-D18D-4887-8C50-4B6C0DF44D1D}

     2. FULL SSN (Full SSN)   {3E2887AF-2DC5-40FA-9052-7B04347CC802}

     3. DATE OF BIRTH (DOB)   {F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

    UNITS:

==

 ID: {FA699021-BD76-4DCA-B680-6E0F523B67FF}

==

   Abbreviation................. Monitor

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description..................

   Display Name................. Monitor Placed

   Help Text....................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 4 entries

   ----

   1. CARDIAC (Cardiac)   {2A4308E5-C843-4844-B908-32DA0A0B50E3}

   2. RESPIRATION (Respiratio)   {5D6198F0-FE26-4F94-9118-D49A7EC44017}

   3. BLOOD PRESSURE (Blood Pres)

               {D6E2D19A-0B74-476A-90BF-B7C98CC7361A}

   4. PULSE OXIMETER (Pulse Ox)   {D681E1E3-E914-421C-A19E-37C72F5E869F}

   UNITS:

```
================================================================================
```

 ID: {3C959476-0C22-4C00-88D8-99C944D2D4A5}

```
================================================================================
```

   Abbreviation................. MON CAMERA

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Monitoring Camera

   Help Text................... Document if patient, family, visitors

                    have been informed of monitoring

                    camera usage.

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. PATIENT INFORMED (PAT INFORM)

                {074A1D19-3920-49F1-8958-2EB6F9CF05BA}

    2. FAMILY INFORMED (FAM INFORM)

                {77135D32-9CDD-4D3F-9B62-6E8189B77844}

    3. UNABLE TO INFORM (UNABLE INF)

                {77428C87-B3F9-4BBD-B781-F7D89BCF9492}

    4. VISITORS INFORMED (V Informed)

                {5E43EFC0-DD13-4EB2-B212-6AF18DCF0C75}

    5. CAMERA NOT IN USE (Not in Use)

                {F385A6A7-F0EB-4E4A-84E7-A87AD31BA2E2}
```

UNITS:

---------------------------------------------------------------------

Abbreviation................. MORSE AID

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. Morse: Ambulatory Aid During Walking

Display Name................. Morse: Ambulatory Aid During Walking

Help Text.................... 0: None/bedrest/Nurse Assis./

                    Wheelchair, 15: Crutches/Cane/Walker,

                    30: Furniture

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                        3 entries

-------------------------------------------------------------------

  1. 0 (0)              {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

  2. 15 (15)            {FE8C049F-B64C-4991-2F50-3C561BA4825C}

  3. 30 (30)            {1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}


UNITS:

-------------------------------------------------------------------

Abbreviation................. MORSE GAIT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Morse: Gait

Help Text................... 0: Normal/Bedrest/Wheelchair, 10:

                 Weak, 20: Impaired

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE:                          3 entries

-------------------------------------------------------------------

  1. 0 (0)                {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

  2. 10 (10)              {0C827160-18DB-816F-7FAA-A3C175C6D33B}

  3. 20 (20)              {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

-------------------------------------------------------------------

```
================================================================
```

TERM: MORSE: HISTORY OF FALLING WITHIN LAST THREE MONTHS   Page: 453

  ID: {9E44E0AE-F9AD-25A8-7771-589BF2DBD6B7}

```
================================================================
```

    Abbreviation................. MORSE HIST

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Morse: History of Falling Within Last

                    Three Months

    Help Text................... 0 if NO, 25 if YES

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

      1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

      2. 25 (25)   {42DD0655-142D-6901-D3FE-66D295BBFCD1}

    UNITS:

===

ID: {5FB26C06-AF8D-ECBE-FC10-442510EC52F1}

===

Abbreviation................. MORSE IV

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Morse: IV Therapy Saline Lock

Help Text................... 0 if NO, 25 if YES

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

 2. 20 (20)   {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

```
================================================================
```

 ID: {E15F905B-5D1C-47CA-A23A-5EC47302D9A3}

```
================================================================
```

    Abbreviation................. MORSE PT S

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Morse: Mental Status of Patients Own

                Ability

    Display Name................. Morse: Mental Status of Patients Own

                Ability

    Help Text................... 0: Oriented to own ability, 15

                Overestimates, forgets limitations

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

     2. 15 (15)   {FE8C049F-B64C-4991-2F50-3C561BA4825C}

    UNITS:

===

ID: {80F2ACB5-5E42-48B8-8EB8-CADAD149E7BB}

===

   Abbreviation................. MORSE TOTA

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Morse Score Total

   Display Name................. Morse: Score Total

   Help Text.................... Morse Score Total

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MORSE SCORE   0 > 0 * 125 < 125   Dec Prec: 0

===

 ID: {305B5629-D6B2-440A-B46F-E0535AE843F9}

===

    Abbreviation................. MORSE 2NDA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. No Description

    Display Name................. Morse: Secondary Diagnosis Listed On C

    Help Text.................... 0 = No, 25 = Yes

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

     2. 15 (15)   {FE8C049F-B64C-4991-2F50-3C561BA4825C}

    UNITS:

Abbreviation................. MOTOR ACTI

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Motor Activity

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 1. NORMAL POWER (np)   {0E45C061-0744-8A21-7256-003702A5005B}

 2. NO MOVEMENT (nm)   {2618E301-379B-BAB9-9EDE-98FD4B60D311}

 3. FLICKER OF CONTRACTION (foc)

                {218B322B-84AA-F6F6-5207-D86F9A4311F0}

 4. MOVEMENT WITH GRAVITY ELIMINATED (mwge)

                {B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}

 5. MOVE AGAINST GRAVITY BUT NO RESISTANCE (magbnr)

                {F995A165-8536-C493-2269-286E8EFF5E43}

 6. MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (m

agareobte)   {2ECCC197-4A81-025F-3EF3-6214004887A9}

LOCATION: 4 entries

----

  1. L LOWER EXTREMITY (LLEX)   {FC6F5056-779A-BF76-86D0-A237936C1ECC}

  2. L UPPER EXTREMITY (LUEX)   {48806E79-B1DA-129B-EB52-453292A3DDC6}

  3. R LOWER EXTREMITY (R LOW EXTR)

                 {7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

  4. R UPPER EXTREMITY (R UPP EXTR)

                 {C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

Abbreviation................. Act/Pos

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Motor Activity/Posture

Help Text.................... Assessment of behavioral health

                related motor activity

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 11 entries

----

10. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

20. HYPOACTIVITY (PSYCHOMOTOR RETARDATION) (Hypoactive)

                {0A5A49FB-DD28-4C24-A04F-93D92692CCD3}

30. HYPERACTIVITY (PSYCHOMOTOR AGITATION) (Hyperactiv)

                {AFA25449-696C-49A8-A9F1-6862062819FC}

40. RELAXED (Relaxed)   {B8C15DBC-99FB-4239-8040-C27899120009}

50. RIGID (Rigid)   {2D1427D1-3D9A-41B8-817F-D391B77A1E70}

60. RESTLESS AGITATED MOTOR MOVEMENTS (Restless)

                {597EFABF-5512-4975-B8CA-7ABDA46F1419}

70. STAGGERING GAIT (Staggering)

                {676C5784-9ABC-4DBE-B2E6-FC5EA040A662}

80. SHUFFLING GAIT (Shuffling)

{D628299F-5393-434C-A609-E1E786A4B3F0}

90. FACIAL GRIMACES (Grimaces)

{FEE509E1-5B2F-49C5-A57D-C9D42744037F}

100. UNUSUAL GESTURES OR MANNERISMS (Mannerisms)

{41DBAE9A-20CB-4173-BFCD-FFF9B4E42F3B}

110. TREMORS (Tremors)   {C9A636BB-F04B-4D90-8230-D261D18047F2}

UNITS:

    Abbreviation................. MOCH

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Motor Check

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. INTENTIONAL (i)   {D5BBBFFC-F739-1E69-FED4-288D8E803D04}

     2. REFLEX INTACT (r)   {F21585F9-5206-A6B3-2BF6-F416E5842366}

    UNITS:

    Abbreviation................. MUC MEMBRA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Mucous Membrane Condition

    Display Name................ Mucous Membrane Condition

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 7 entries

    ----

     1. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

     2. CYANOTIC (c)   {06BD77DB-1849-D731-0F27-F8CE48755EA9}

     3. PALE (p)   {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

    40. MOIST (m)   {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}

    50. DRY (d)   {D8F4F0FD-1B19-2515-3815-EC88D175B305}

    60. LESION PRESENT (Lesion)   {6AA9A82F-917E-45BB-9601-9E53A559006D}

    70. COLOR APPROPRIATE FOR ETHNICITY (Color Appr)

                {C4128AA9-AC26-45CA-8D42-0764AB327C7F}

    UNITS:

 Abbreviation................. Ampu Type

 Active....................... Yes

 Boolean Value False..........

 Boolean Value True...........

 Data Type................... PickList

 Description.................

 Display Name................. MUSCULOSKELETAL: Amputation Type

 Help Text................... Select appropriate observations

                present in patient. If more than one

                amputation, describe in comments.

 Multi Select Picklist........ Yes

 Term Type................... OBSERVATION

 Vuid........................

 DATA VALUE: 12 entries

 ----

 10. BELOW THE KNEE (Belowknee)

                {BCFFF8CC-7E7D-44AE-B5CA-A6F2254106C1}

 20. ABOVE THE KNEE (AboveKnee)

                {ED6B70A1-46A8-4C4D-A2E6-5B6DC6733D2F}

 30. BELOW THE ELBOW (BelowElbow)

                {D897F561-6488-401E-B8DD-BD04CBF3B6F5}

 40. ABOVE THE ELBOW (AboveElbow)

                {5149095F-3993-44B7-893F-7A89FB862EDB}

 50. HAND (Hand)   {C061465A-7547-4835-9C28-C6BD72843A4A}

 60. FINGER (Finger)   {4116E518-D7DC-4419-B663-728F683DD237}

70. THUMB (Thumb)   {CF7D5D2D-0460-4BFE-8AB3-AA5B385434F8}

80. FOOT (Foot)   {6ECAC533-2F5A-4361-AFDF-6A69BA1B6820}

90. TOE (Toe)   {086D2E43-D99F-47E4-9AB1-1E8E4C3A91E8}

100. PARTIAL (Partial)   {5802C13B-8956-49AD-9CD4-218DE10B5987}

110. TRAUMATIC (Traumatic)   {3BE503D9-E7A6-4618-AFE0-B1BEA7A2A0DF}

120. OTHER (DESCRIBE IN COMMENTS) (Other)

          {C4B3D90E-3A78-435D-A853-5A8281729F7E}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

```
================================================================================
```

ID: {76C082DE-2FD5-4737-ABFA-7B3C5F636A8C}

```
================================================================================
```

Abbreviation................. Devices

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. MUSCULOSKELETAL: Assistive Devices

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 19 entries

----

10. ABDUCTION PILLOW (AbPillow)

                  {9D42476C-E777-4D4C-89CF-8FACFEEE19C2}

20. BACK BRACE (Back Brace)   {59B795E9-3010-46FB-B42F-B2907F2FABFB}

30. CANE (CANE)   {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}

40. CAST BOOT (Cast Boot)   {CE9C92F0-8312-49BB-ABAF-BA91A3468664}

50. CAST SHOE (Cast Shoe)   {1E8397A4-E079-4AB1-B59C-4BA4E3D03DB8}

60. CERVICAL COLLAR (CervCollar)

                  {200D3589-1C0A-480F-956A-BC2F175C2AF9}

70. CRUTCHES (CRUTCHES)   {DDA81269-B25C-4F7D-A059-BB1602B2B179}

80. DORSIFLEXION BOOT (DorsifBoot)

                  {6913D726-62AD-4B8A-A9CE-37F476E8F064}

90. EXTREMITY BRACE (ExtremBrac)

{83E9AD29-633A-4EE3-8179-3402649310FE}

100. EXTREMITY IMMOBILIZER (ExtremImmo)

{25C6E52B-527D-4F9F-A137-3D1E9D7B744A}

110. MOTORIZED WHEELCHAIR (MO WH CH)

{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}

120. PROSTHESIS (PROSTHESIS)   {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

130. QUAD CANE (Quad Cane)   {6AF0827C-EFB8-4897-B7A0-F3987D99ACA5}

140. SCOOTER (Scooter)   {663BC475-C20E-4B8B-B8B5-B16CC79A93C6}

150. SLING (Sling)   {7BFFE3AC-3FDE-4A91-AB16-0703251914C0}

160. SPLINT (Splint)   {9552B268-2387-4424-985F-A25B1BD6BF2F}

170. WALKER (WALKER)   {91247001-5E89-46A0-A841-B4FAE9226E63}

180. WHEELCHAIR (WH CHAIR)   {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}

190. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

LOCATION: 13 entries

----

10. HEAD (Hd)   {C3209F44-90C6-FF1B-3169-265B294F276A}

20. NECK (Ne)   {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

30. BACK (BACK)   {22C26239-C692-4E93-B522-E5E8392BA3B1}

40. SHOULDER (Shoulder)   {7133BB16-7AB5-4581-8677-36C4DCD65B45}

50. UPPER ARM (UpA)   {B43A2B31-1F35-3F4D-5D23-882541ABE477}

60. ELBOW (Elbow)   {88F9326B-0B00-4079-8DE1-FA081BC1D884}

70. FOREARM (Forearm)   {F273E086-97A6-4F2A-9010-B0CABE0AD659}

80. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

90. UPPER LEG (Upper Leg)   {CBE2FBBE-7283-4C60-A424-D866D382C3BA}

100. KNEE (Kn)   {B577308A-4C37-47BD-AD84-38E6342B6DF7}

110. LOWER LEG (Lower Leg)   {75805735-D805-4101-B8C1-965A0E545A42}

120. ANKLE (Ank)   {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

130. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

Abbreviation................. ROM Hip

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. ROM Hip

Help Text................... Select appropriate observations

              present in patient

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. ABDUCTION-WNL (Abduct-WNL)

                {68993B64-576D-4C71-B19C-D035532F20B3}

20. ABDUCTION-DECREASED (Abduct-Dec)

                {3BFD5DE7-A6F8-4850-A17F-55A05CB2FE7A}

30. INTERNAL ROTATION (Int Rotate)

                {B1FE489B-D82F-49F5-87B9-8645157F23A2}

40. EXTERNAL ROTATION (Ext Rotate)

                {F06FCEAA-D457-472B-81D1-E0079764BFB2}

50. CIRCUMDUCTION (Circumduct)

                {1CB99F8A-CEBE-492D-A963-A676A333DA59}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

Abbreviation................. Joint Cond

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. MUSCULOSKELETAL: Joint Condition

Help Text.................... Choose appropriate items present in

                    patient

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

10. REDNESS (Redness)   {47BD43B7-3CFB-42A5-BDE6-9F7EEC9CDCA7}

20. EDEMA (NON-PITTING) (EdemNonPit)

                  {A11E7C74-1876-4677-B1D2-062074E85921}

30. TENDERNESS (Tenderness)   {2C554B2D-2CCE-4E39-B02B-44AE156D2404}

40. STIFFNESS (Stiffness)   {0473BB8B-7912-4191-93BF-8662F30199EC}

50. DECREASED ROM (Decr ROM)   {F3C533EE-4528-4164-9F66-F2D4D3F681D5}

60. DEFORMITY (Deformity)   {65563058-DD1A-41D4-89EF-D3C2A6B578BB}

70. CONTRACTURE (Contractur)   {7C8E8122-10BE-4650-91DF-8BAE66102D98}

80. PAIN (PAIN)   {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

90. HEAT/WARMTH (Heat/Warm)   {BAF70C58-2C8D-4CB5-BF68-012E43C6D2D1}

100. OTHER (DESCRIBE IN COMMENTS) (Other)

{C4B3D90E-3A78-435D-A853-5A8281729F7E}

LOCATION: 15 entries

----

10. RIGHT SHOULDER (Rshoulder)

                        {28108D74-6E29-4907-BC6A-E82CAC0B4DFC}

20. LEFT SHOULDER (Lshoulder)   {C3D5027F-DE62-4227-8F1C-BFED17B0B73F}

30. RIGHT KNEE (RightKnee)   {CD33C7F0-BEEB-4835-BD6C-B59C04E4F2B8}

40. LEFT KNEE (LeftKnee)   {DB284E61-0A1A-4C49-9208-83C1AB45465D}

50. RIGHT HIP (RightHip)   {DFD886F3-C2BF-4CEB-993A-745A905F6A09}

60. LEFT HIP (LeftHip)   {89405289-AAD1-4058-B8F9-B35FB2A47F9C}

70. RIGHT ANKLE (RightAnkle)   {BABD53A4-7D42-41D7-9074-D42064515B11}

80. LEFT ANKLE (LeftAnkle)   {9AFD8711-2A6D-4A8E-A249-84443E64BD64}

90. RIGHT WRIST (RightWrist)   {44686148-2D7E-4616-98DB-03B32C2A2EDC}

100. LEFT WRIST (LeftWrist)   {8D1636A3-EB47-4D30-B4BA-3C4560350AB9}

110. NECK (Ne)   {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

120. RIGHT HAND/FINGERS (RHandFing)

                     {871FEEE6-F298-4AAB-B7B0-852E4EDF9122}

130. LEFT HAND/FINGERS (LHandFing)

                     {293AD277-AE37-4F6C-8BBD-63855645E72E}

140. RIGHT ELBOW (RightElbow)   {24AAAE31-1048-46DD-A221-9E5E9CA5BE4E}

150. LEFT ELBOW (LeftElbow)   {E9233EDA-72EF-4021-A1B7-CC32E8AC0B3A}

UNITS:

Abbreviation................. ROM Knee

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. ROM Knee

Help Text................... Select appropriate observations

                present in patient

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. EXTENSION-WNL (Exten-WNL)   {85694137-C7B1-40D0-BB35-323734235BB4}

20. FLEXION-WNL (Flex-WNL)   {1DA99A69-8F5C-4345-9190-A62839101AEA}

30. EXTENSION-ABNORMAL (Exten-Abnl)

                {4EACD15C-1CB5-4D23-A166-88F50C33C725}

40. FLEXION-ABNORMAL (Flex-Abnl)

                {FE8F1090-BD69-46EC-A4F7-9E40542F60F7}

50. HYPEREXTENSION (Hyperexten)

                {83A1863C-8DD5-4020-AB0C-73DEE6A33D09}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

```
================================================================================
```

TERM: MUSCULOSKELETAL: SHOULDER RANGE OF MOTION   Page: 467

  ID: {D12A7CD5-5603-4FAB-94E7-CDDF8B64536F}

```
================================================================================
```

    Abbreviation................. ROM Should

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. ROM Shoulder

    Help Text................... Select appropriate observations

               present in patient

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

    10. ABDUCTION-WNL (Abduct-WNL)

               {68993B64-576D-4C71-B19C-D035532F20B3}

    20. ABDUCTION-DECREASED (Abduct-Dec)

               {3BFD5DE7-A6F8-4850-A17F-55A05CB2FE7A}

    30. INTERNAL ROTATION (Int Rotate)

               {B1FE489B-D82F-49F5-87B9-8645157F23A2}

    40. EXTERNAL ROTATION (Ext Rotate)

               {F06FCEAA-D457-472B-81D1-E0079764BFB2}

    50. CIRCUMDUCTION (Circumduct)

               {1CB99F8A-CEBE-492D-A963-A676A333DA59}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

Abbreviation................. Spine Cond

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. MUSCULOSKELETAL: Spine Condition

Help Text.................... Choose appropriate items present in

                 patient

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. KYPHOSIS (Kyphosis)   {216EFBCA-A523-4F8F-9C23-CAE8349E16A2}

20. SCOLIOSIS (Scoliosis)   {FF6A5E75-C555-48F4-ABB3-178EFAF159A0}

30. LORDOSIS (Lordosis)   {DC470CE3-6F6D-4363-B570-DE1A6E73AD48}

40. FUSED (Fused)   {80EB6D38-649E-4114-AA66-44228A99B1F4}

50. OTHER DEFORMITY (OtherDefor)

                {FEFC7075-0F32-491E-AA90-BAD2D9390733}

LOCATION: 5 entries

----

10. CERVICAL SPINE (Cerv Spine)

                {6EBB5108-39A4-4A18-9AB3-E91329F469A3}

20. THORACIC SPINE (Thor Spine)

                    {A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2}

30. LUMBAR SPINE (Lumb Spine)   {AEA5FA39-E58D-4382-9C33-EAF360395A60}

40. SACRAL SPINE (Sacr Spine)   {55FA6213-78BF-4349-B0A3-232191C659A3}

50. COCCYX (COCCYX)   {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

UNITS:

===

  ID: {63FF0B1B-B57D-43A9-A05F-3F2CF6FE8926}

===

   Abbreviation................. NAIL COLOR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Nail Color

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. NORMAL FOR ETHNIC GROUP (ETH. NORM.)

                  {3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

    2. CYANOTIC (c)   {06BD77DB-1849-D731-0F27-F8CE48755EA9}

    3. DISCOLORATION (DISCOLORAT)

                  {BBE3E910-CC49-430C-BD90-FB0A97F1B183}

    4. PALE (p)   {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

    5. HEMORRHAGE (HEMORRHAGE)   {E00AC828-83F3-4F69-B97B-D6AD1D87A440}

   UNITS:

Abbreviation................. NAIL SHAPE

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Nail Shape

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

 2. CLUBBING (CLUBBING)   {AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}

 3. SPOONING (SPOONING)   {CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

UNITS:

==

 ID: {AD3F008F-6AA8-483F-AAA6-5F797109F4A6}

==

   Abbreviation................. NAIL TEXTU

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. No Description

   Display Name................. Nail Texture

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

    2. THICK (THICK)   {1554A49E-1468-46B2-F851-531DDB1D1A98}

    3. PITTED (PITTED)   {BEA42FD8-91C7-4BF6-936E-726D78064F11}

   UNITS:

Abbreviation................. Neck Eval

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Neck Evaluation

Help Text...................

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

20. DECREASED ROM (Decr ROM)   {F3C533EE-4528-4164-9F66-F2D4D3F681D5}

30. THYROMENTAL DISTANCE LESS THAN 3 PB (T/D <3 PB)

                {D98AED3F-9583-4A86-9D32-13B0AD0A4614}

40. SHORT NECK (Short Neck)   {FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}

UNITS:

===

 ID: {D76459ED-8572-409E-85A4-F64228AE9A36}

===

Abbreviation................. NECK VEIN

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Neck Vein Condition

Display Name................. Neck Vein Condition

Help Text................... Condition of Neck Veins

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

 2. FLAT (Flat)   {EA4F1980-EDF3-82BC-B677-D747F48F1163}

 3. DISTENDED (DISTENDED)   {B5C529CA-2BE0-4698-A153-718F4D58E643}

UNITS:

==

 ID: {816D5DB3-7AEA-E73F-08D8-68C58D4FB4FE}

==

Abbreviation................. NFFTA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Need for Fluids/Toileting Assessed

Help Text.................... For documetation during patient

                rounding

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

10. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

20. YES, NO NEED IDENTIFIED (No Need ID)

                {5E2DE268-5916-4DDF-8727-4EEA81896484}

30. YES, NEED IDENTIFIED AND ADDRESSED (Need Addr)

                {832EC80D-302F-4E9F-AD60-2B63ACEC8623}

UNITS:

===

TERM: NIHSS - BEST GAZE   Page: 475

 ID: {163D9953-B227-46AB-838D-92414FCC982E}

===

Abbreviation................. Best Gaze

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. NIHSS - Best Gaze

Help Text....................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. 0 = NORMAL (0 = Normal)   {97C72AF0-FF56-48E0-A94E-528BB36D0AB9}

20. 1 = PARTIAL GAZE PALSY (1 = Part)

                {7644667F-2919-4A57-A3A6-EE709CA55960}

30. 2 = FORCED DEVIATION (2 = Forced)

                {FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}

40. UN = UNEXAMINABLE (UN = Unex)

                {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

===

  ID: {37841E3D-A4D2-4BA2-863B-366E22F7F010}

===

   Abbreviation................. Best Lang

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. NIHSS - Best Language

   Help Text....................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 5 entries

   ----

   10. 0 = NO APHASIA (No Aphasia)

                   {AD629099-6ED1-4DFE-9D02-075FFD67B083}

   20. 1 = MILD TO MODERATE APHASIA (Mod Aphasi)

                   {FFA529FF-EDC0-4768-B308-93656C75E382}

   30. 2 = SEVERE APHASIA (Sev Aphasi)

                   {82445D2A-6E9F-4574-B2D1-476E720B9113}

   40. 3 = MUTE, GLOBAL APHASIA (Mute)

                   {E357021D-2B57-4AC2-BDA5-73B61726D183}

   50. UN = UNEXAMINABLE (UN = Unex)

                   {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

   UNITS:

    Abbreviation................. Dysarthria

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description..................

    Display Name................. NIHSS - Dysarthria

    Help Text...................

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

    10. 0 = NORMAL (0 = Normal)   {405C2939-8BB2-4890-9548-D9956B297C79}

    20. 1 = MILD TO MODERATE DYSARTHRIA (1 = Mild)

                    {0EFCBA9C-36E4-4046-9A55-DAD58F08C516}

    30. 2 = SEVERE DYSARTHRIA (2 = Severe)

                    {D9864E04-1962-47AD-B3C5-58CD49CF30FD}

    40. UN = UNEXAMINABLE (UN = Unex)

                    {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

    UNITS:

    Abbreviation................. Ext/Inatt

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. NIHSS - Extinction and Inattention

    Help Text...................

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

    10. 0 = NO ABNORMALITY (0 = No abn)

                    {DE0BF57B-1322-4581-BB38-2A61562DC87F}

    20. 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (1 =

Inatt)   {BEBED217-91CA-47F8-A15D-A548648D09BF}

    30. 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (

2 = Profnd)   {1D3AA69E-2154-4F33-BFFF-42F06365079A}

    40. UN = UNEXAMINABLE (UN = Unex)

                    {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

    UNITS:

==

 ID: {C9692FC3-9FBE-4409-8235-23F713562672}

==

   Abbreviation................. Facial Pal

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. NIHSS - Facial Palsy

   Help Text....................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 5 entries

   ----

   10. 0 = NORMAL SYMMETRICAL MOVEMENT (0 = Normal)

                 {23267CFE-B306-477A-A8B2-60828C1234FA}

   20. 1 = MINOR PARALYSIS (1 = Minor)

                 {55A125E8-E83A-4163-AB50-0D3569B502D3}

   30. 2 = PARTIAL PARALYSIS (2 = Part)

                 {BC48CC51-609A-4E85-9029-8B4790E9E669}

   40. 3 = COMPLETE PARALYSIS (3 = comple)

                 {F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}

   50. UN = UNEXAMINABLE (UN = Unex)

                 {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

   UNITS:

Abbreviation................. Conscious

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. NIHSS - Level of Consciousness

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 = ALERT (0 = Alert)   {9F918315-BDE7-43D8-BD69-442D74F41C79}

20. 1 = NOT ALERT, MINOR STIMULATION RESPONSE (1 = Minor)

                {29268B78-0FF2-48EE-8EA1-4BDE6C39739E}

30. 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (2 = Strong)

                {0F5E13CC-211C-40D0-96CB-8F8D87564612}

40. 3 = UNRESPONSIVE (3 = Unresp)

                {A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}

50. UN = UNEXAMINABLE (UN = Unex)

                {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

===

 ID: {BE5E7FDB-CFDC-4B5B-A138-A205C53F2389}

===

Abbreviation................. Limb Ataxi

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. NIHSS - Limb Ataxia

Help Text....................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 4 entries

----

10. 0 = ABSENT (Absent)   {16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}

20. 1 = PRESENT IN ONE LIMB (One Limb)

                {D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}

30. 2 = PRESENT IN TWO LIMBS (Two Limbs)

                {ADA3074C-1E75-42BC-B7E6-425C2281FB05}

40. UN = UNEXAMINABLE (UN = Unex)

                {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

===

 ID: {C5A17B98-FBF2-4B5C-8692-FE5A1601FB1A}

===

   Abbreviation................. Loc Comm

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. NIHSS - LOC Commands

   Help Text...................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

   10. 0 = PEFORMS BOTH TASKS CORRECTLY (Both Tasks)

                  {08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}

   20. 1 = PERFORMS ONE TASK CORRECTLY (One Task)

                  {7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}

   30. 2 = PERFORMS NEITHER TASK CORRECTLY (Neither)

                  {8CE75E64-5A4A-45EA-9987-4112AAD54A55}

   UNITS:

Abbreviation................. LOC Ques

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. NIHSS - LOC Questions

Help Text...................

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

10. 0 = ANSWERS BOTH QUESTIONS CORRECTLY (Both)

               {A4380E5F-206A-40CF-B508-6CA61DE87ED2}

20. 1 = ANSWERS ONE QUESTION CORRECTLY (One Ques)

               {9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}

30. 2 - ANSWERS NEITHER QUESTION CORRECTLY (Neither)

               {181D8ACA-49D0-496E-B22A-2839D0718836}

UNITS:

===

 ID: {8321D970-A029-44B6-92F6-213E1ECF79CC}

===

   Abbreviation................. Motor Arm

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. NIHSS - Motor Arm

   Help Text...................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 6 entries

   ----

   10. 0 = NO DRIFT (No Drift)   {6DD3E839-D919-4C90-94F9-216B3268944D}

   20. 1 = DRIFT (Drift)   {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}

   30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)

                    {63885565-9ADC-4560-BC73-DEA084FB651A}

   40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)

                    {FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}

   50. 4 = NO MOVEMENT (No Movem)

                    {6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}

   60. UN = UNEXAMINABLE (UN = Unex)

                    {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

   LOCATION: 2 entries

----

10. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

20. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

UNITS:

   Abbreviation................. Motor Leg

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. NIHSS - Motor Leg

   Help Text...................

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 6 entries

   ----

   10. 0 = NO DRIFT (No Drift)   {6DD3E839-D919-4C90-94F9-216B3268944D}

   20. 1 = DRIFT (Drift)   {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}

   30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)

                  {63885565-9ADC-4560-BC73-DEA084FB651A}

   40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)

                  {FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}

   50. 4 = NO MOVEMENT (No Movem)

                  {6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}

   60. UN = UNEXAMINABLE (UN = Unex)

                  {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

   LOCATION: 2 entries

----

10. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

20. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

UNITS:

===

 ID: {F2F02471-5F1D-41D3-A599-932F1B67E7B1}

===

   Abbreviation................. Sensory

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. NIHSS - Sensory

   Help Text....................

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 4 entries

   ----

   10. 0 = NORMAL (Normal)   {7739B63B-8623-4ADB-8059-1A26B5A7BEBB}

   20. 1 = MILD TO MODERATE SENSORY LOSS (Moderate)

                  {1BF6BC0E-9A83-4589-B849-853585CF4E96}

   30. 2 = SEVERE TO TOTAL SENSORY LOSS (Severe)

                  {C3959DA5-9108-4E35-B81A-6F4FB135B3BD}

   40. UN = UNEXAMINABLE (UN = Unex)

                  {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

   UNITS:

===

 ID: {5B55992D-78A0-42C4-BACA-E88106607888}

===

Abbreviation................. NIHSS Tot

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. NIHSS - Total Score

Help Text.................... For computation of NIHSS Total

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

UNITS   0 > 0 * 42 < 42   Dec Prec: 0

Abbreviation................. Visual

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. NIHSS - Visual Field

Help Text...................

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. 0 = NO VISUAL LOSS (None)   {20347E7B-4A96-4000-B326-0B4B1797738A}

20. 1 = PARTIAL HEMIANOPIA (Partial)

                {0FDFE052-C438-48AD-A3F8-C3C53E963365}

30. 2 = COMPLETE HEMIANOPIA (Complete)

                {F995161E-39A0-4010-855D-EE86B1F707BB}

40. 3 = BILATERAL HEMIANOPIA (Bilateral)

                {89969DC1-30BA-494A-A8C8-4344C2C75D0E}

50. UN = UNEXAMINABLE (UN = Unex)

                {BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

```
================================================================================

TERM: NUMBER OF DAYS                          Page: 489

  ID: {C2D0AF1E-C88B-48ED-A8BE-E3C258B4317D}

================================================================================
```

Abbreviation................. # of Days

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. Number of Days

Help Text.................... Number of days since event or device

                  days

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

DAY   -1 > -1 * 9999 < 9999   Dec Prec: 0

```
===============================================================================

TERM: OBSERVATION REASON                        Page: 490

 ID: {1B131F5A-CD32-38CA-19A5-1038A07C9867}

===============================================================================
```

Abbreviation................. CO RFP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Observation Reason

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

 1. SUICIDAL (s)   {B104E9C7-A78E-82DC-49A4-19B94A639AFE}

 3. ASSAULTIVE (a)   {99ECD8C7-191A-3B9C-2A7A-803A921065FA}

 4. ELOPEMENT (e)   {EB030907-FB90-CA9D-CF50-E26C5D9FE671}

 5. MEDICAL DEVICE SAFETY (mds)

                 {1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

 6. MEDICAL (Medical)   {8B6301C3-2B52-41A8-B4FA-0A744919FFD3}

 7. BEHAVIORAL (Behavioral)   {A996A20C-2FD1-497B-857B-2728D18D51FB}

 8. DEVICE SAFETY (DeviceSfty)

                 {9F092E9D-3371-4EA5-A5E3-AA0C94A89A57}

 UNITS:

Abbreviation................. Observe St

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Observation Status

Help Text.................... Type of observation

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 3 entries

----

10. CLOSE OBSERVATION (co)   {2679BCAC-8753-FE73-56F8-3AB632161AF4}

20. 1:1 OBSERVATION (1o)   {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}

30. WITHIN SIGHT (Within St)   {261C4AAB-98F3-4503-BABF-D206CB1B0348}

UNITS:

===

 ID: {656AA278-6C1E-C1B8-6876-A85780A1608A}

===

   Abbreviation................. ORIENT

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Orientation

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 8 entries

   ----

    1. ORIENTED TO TIME (ott)   {C79EBE25-C51B-478C-CB39-25943792F191}

    2. ORIENTED TO PLACE (otp)   {8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}

    3. ORIENTED TO PERSON (otp)   {9912CFB9-AC55-6445-3EC1-0F1DF98C0561}

    4. ORIENTED TO SITUATION (ots)

                    {955A2F3B-E444-99DF-81DD-5E6BF9D22E49}

    5. DISORIENTED TO TIME (dtt)   {2AD1A28A-4121-4B82-CFB8-E5A8D3095704}

    6. DISORIENTED TO PLACE (dtp)

                    {00C98809-C0D0-C7B4-0615-8F7D31017FE8}

    7. DISORIENTED TO PERSON (DISOR TO P)

                    {E5D83C03-7EF5-770B-930F-7B3B3345048C}

    8. DISORIENTED TO SITUATION (dts)

                    {7143B3D7-5569-4378-D3AA-10C4675F0BA5}

UNITS:

   Abbreviation................. ORTHOTICS

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Devices which support or correct

                    human function

   Display Name................. Orthotics

   Help Text.................... Devices which support or correct

                    human function

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 6 entries

   ----

    1. ORTHOTIC BOOTS (ORTHO BOOT)

                 {D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}

    2. ORTHOTIC COLLAR (ORTHO COLL)

                 {A74E1C89-2304-0544-9A8B-A23E4E2C6B08}

    3. ORTHOTIC SPINE BRACE (ORTH SPINE)

                 {B47A3536-FEBC-802E-01A1-E909147D18C2}

    4. ORTHOTIC KNEE IMMOBILIZER (KNEE IMMOB)

                 {FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}

    5. ORTHOTIC WEDGE PILLOW (WEDG PILLO)

                 {20E58D21-399B-85E4-BDAB-93B371395BCF}

6. ORTHOTIC TED HOSE (TED HOSE)

{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

UNITS:

===

 ID: {BB127CE7-04B9-48BA-85CB-AD895D3DA32D}

===

Abbreviation................. Ostomy Car

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Ostomy Care

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. APPLIANCE CHANGED (app change)

            {CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}

20. BRIDGE PRESENT (bridge pre)

            {5C474C17-33C9-492D-833E-64F5EF049BF4}

30. CONNECTED TO DRAINAGE BAG (drain bag)

            {1901C4A7-671C-43BD-BEDD-1D48BCB43465}

40. PATIENT INSTRUCTED (pat instru)

            {D89A50A6-352D-4EB8-ABD7-5D732A060D9A}

50. FAMILY INSTRUCTED (fam instru)

            {0FD5988C-2C4D-4786-99B3-3287A355E813}

UNITS:

===

 ID: {CA5CC473-EE95-4E81-8E24-DC23B47A7F42}

===

   Abbreviation................. OSTOMY TYP

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Type of Ostomy

   Display Name................. OSTOMY TYPE

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. COLOSTOMY (COLOSTOMY)   {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}

    2. JEJUNOSTOMY (JEJUNOSTOM)   {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

    3. SIGMOIDOSTOMY (SIGMOIDOST)

                    {0C84B317-59B3-433B-A9AD-6588C1361E0C}

    4. ILEOSTOMY (ILEOSTOMY)   {D5DF49C8-C6BA-44C1-9840-7765907730A3}

   70. ILEAL-CONDUIT (Ileal-Con) {C91C4E4A-2D0D-438A-8EF5-8717D703A777}

   UNITS:

==

TERM: OUTPUT - BLOOD   Page: 496

 ID: {F90805CD-A0E1-4943-B871-D93B445EA639}

==

    Abbreviation................. OUT BLOOD

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Output of blood lost

    Display Name................. Output - Blood

    Help Text................... Output of blood lost

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

    CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

==

 ID: {08B2CC2A-AE5A-47C3-9FFE-CD0619F8B3BE}

==

   Abbreviation................. CBI Drain

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................

   Display Name................. Output - CBI Drainage

   Help Text...................

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   MILLILITER   0 > 0 * 99999 < 99999   Dec Prec: 0

==

TERM: OUTPUT - CHEST TUBE   Page: 498

 ID: {478FE098-139E-B9EB-9F87-C03A847B6789}

==

    Abbreviation................. OUT CHE TU

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. VOLUME OF CHEST TUBE DRAINAGE

    Display Name................ Chest Tube Drainage Volume (ml)

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLILITER   -1.0 > 0.0 * 9999.0 < 10000.0

                            Dec Prec: 1

    CUBIC CENTIMETER   -1.0 > 0.0 * 9999.0 < 10000.0

                            Dec Prec: 1

==

 ID: {5623F6F3-3A00-E63F-706E-C9561D206920}

==

    Abbreviation................. OUT CHTU E

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. AMOUNT OF CHEST TUBE DRAINAGE

    Display Name................ Chest Tube Drainage Amount Estimated

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

     1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

     2. SCANT (SCANT)   {8EF6C62D-0D94-37BB-60AD-86E306E8120D}

     3. SMALL (s)   {5991F892-B28C-3998-E733-D8FFA26D7E21}

     4. MODERATE (MODERATE)   {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

     5. LARGE (l)   {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

    UNITS:

==

 ID: {C7954A6C-4214-4CB2-B80E-8F4128D05847}

==

   Abbreviation................. OUT DIALYS

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. Dialysis Output

   Display Name................. Dialysis Output

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   METHOD: 4 entries

   ----

    1. HEMODIALYSIS (HEMODIALYS)   {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}

    2. PERITONEAL DIALYSIS (PERI DIALY)

                     {6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

    3. CVVHD (CVVHD)   {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

    4. CRRT (CRRT)   {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

   UNITS:

   MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

   CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

==

 ID: {56BD11AB-FE61-4785-B3CA-C528A5F4EBD6}

==

    Abbreviation................. OUT EMESIS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Emesis Output

    Display Name................ Emesis Output

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    PRODUCT: 1 entries

    ----

     1. EMESIS (EMESIS)   {A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

    UNITS:

    MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

    CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

```
================================================================================

TERM: OUTPUT - GI TUBE                        Page: 502

 ID: {CB54872E-CF17-4BA5-BF3B-80B0E6C745F8}

================================================================================
```

Abbreviation................. OUT GI TU

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. GI Tube Output

Display Name................. GI Tube Output

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

Abbreviation................. Out NG tu

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. Output - Nasogastric Tube

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

    Abbreviation................. OUT ST EST

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Stool Amount Estimated

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

     1. SMEAR (SMEAR)   {4B99BBD3-443E-4954-8ADE-5FB3EE50540A}

     2. SMALL (s)   {5991F892-B28C-3998-E733-D8FFA26D7E21}

     3. MODERATE (MODERATE)   {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

     4. LARGE (l)   {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

     5. COPIUS (COPIUS)   {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

    QUALITY: 1 entries

    ----

     1. ESTIMATED (E)   {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

    UNITS:

```
================================================================================
```

 ID: {F4998CFC-19CA-402A-AB0F-C32FA194DAA5}

```
================================================================================
```

   Abbreviation................. OUT URINE

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Urine Output

   Display Name................. Urine Output

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   METHOD: 10 entries

   ----

   10. VOIDED (Voided)   {432E7674-7F59-45AC-8BF6-D60B45F7250B}

   20. EXTERNAL CATHETER (Ext. Cathe)

                  {69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}

   30. INDWELLING CATHETER (Indw Cath)

                  {37577D2A-FAA2-4875-BFF8-09C2F53A2311}

   40. STRAIGHT CATHETER (Str. Cath)

                  {9076BBC9-3C76-4445-9F41-E4E59E84BED7}

   50. SUPRAPUBIC (Suprapubic)   {4BF7948A-0532-41A3-9C1E-171F11DA1056}

   60. UROSTOMY (Urostomy)   {746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}

   70. NEPHROSTOMY - LEFT (Neph Left)

                  {E655E1BA-4803-4E19-B387-65B5F4809970}

   80. NEPHROSTOMY - RIGHT (Neph Right)
```

{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}

90. ILEAL CONDUIT (Ileal Cond)

{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}

100. PVR (POST VOID RESIDUAL) - CATHED (PVR-Cathed)

{19DC72C9-FDAD-4F51-A0F7-63510A96829F}

UNITS:

MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

Abbreviation................. OUT UR EST

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Output - Urine Estimated

Display Name................. Output - Urine Estimated

Help Text................... Output - Urine Estimated

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. SLIGHT (SLIGHT)   {805549C1-5DC5-4A2D-BC1F-046E44928843}

 2. SMALL (s)   {5991F892-B28C-3998-E733-D8FFA26D7E21}

 3. MODERATE (MODERATE)   {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

 4. LARGE (l)   {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

Abbreviation................. OUTPUT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Output - Do Not Check Total or

                Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

PRODUCT: 9 entries

----

 2. EF RESIDUAL (EF RESID)   {35E269DF-F246-4DF6-9D68-7FD61F8FE088}

 3. NG RESIDUAL (NG RESID)   {B03C9557-84B5-4B05-B784-C87FA90D27A7}

 4. HEME (HEME)   {A0ADA229-E779-4562-84B5-67121B88C443}

 5. HEMODIALYSIS (HEMODIALYS)   {8409B357-C41E-4F4A-BB52-F09AD9704C30}

 6. MEDIASTINAL (MEDIASTINA)   {A0550B31-B937-4FC7-8F7E-071F75215311}

 7. BLADDER IRRIGATION (BLAD IRRIG)

                {BCBB106B-ECE4-4232-87C7-D90EDB47F80D}

 8. WOUND VACUUM (WOUND VAC)   {9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}

 9. GASTRIC DRAINAGE (GAST DRAIN)

                {C01D18F9-191A-4D34-B45D-D8D70ACA67BE}

10. WOUND DRAINAGE (WOUN DRAIN)

{73038CBA-1F31-47E2-A78E-50ED1067CBEA}

UNITS:

MILLILITER   0 > 0 * 9999 < 10000   Dec Prec: 0

OUNCE   0 > 0 * 338 < 339   Dec Prec: 0

CUBIC CENTIMETER   0 > 0 * 9999 < 10000   Dec Prec: 0

===

 ID: {B8FD2F72-FCDD-484A-98E1-14B3637B797A}

===

   Abbreviation................. OUT DRAIN

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Drain Output

   Display Name................. Drain Output

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   METHOD: 5 entries

   ----

    1. JP DRAIN (JP DRAIN)   {94A32247-6190-4047-B581-A212FE4C9453}

    2. HEMOVAC (HEMOVAC)   {79DA0646-B811-4954-8BE1-C133398CD574}

    3. PENROSE (PENROSE)   {CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}

    4. CHEST TUBE (CH TUBE M)   {F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}

    5. OTHER (OTHER)   {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

   UNITS:

   MILLILITER   -1 > 0 * 9999 < 10000   Dec Prec: 0

   CUBIC CENTIMETER   -1 > 0 * 9999 < 10000   Dec Prec: 0

===

 ID: {8B7CD3AF-5441-40A7-BBAA-11B822B529FD}

===

Abbreviation................. OUT STOOL

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Measured amount of stool

Display Name................ Stool Output

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   0 > 0 * 9999 < 9999   Dec Prec: 0

CUBIC CENTIMETER   0 > 0 * 9999 < 9999   Dec Prec: 0

==

TERM: OXYGEN CONSUMPTION   Page: 510

 ID: {5EC773D2-D17D-EE6B-5079-BED57318658D}

==

   Abbreviation................. V02

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Oxygen Consumption

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MILLILITERS PER MINUTE PER METER SQUARE

                   0 > 1 * 300 < 301   Dec Prec: 0

==

 ID: {8013084D-A35E-264A-23EE-8D3D5C5C8382}

==

   Abbreviation................. O2 SAT

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. Oxygen Saturation percentage

   Display Name................. Oxygen Saturation

   Help Text.................... Enter in the percentage of O2

              saturation

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................ 4500637

   UNITS:

   PERCENTAGE   0 > 92 * 100 < 101   Dec Prec: 0

===

 ID: {8129EB35-E85A-4C3B-86AF-34FB2ABE168C}

===

    Abbreviation................. PA ALARM O

    Active....................... Yes

    Boolean Value False.......... Off

    Boolean Value True........... On

    Data Type.................... Boolean

    Description.................. PA Catheter Alarms On

    Display Name................. PA Catheter Alarms On

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

    Abbreviation................. PA DRESSIN

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ PA Catheter Dressing Type

    Help Text................... Type of dressing on PA Catheter site

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. TRANSPARENT (TRANSPAREN)   {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

     2. PRESSURE DRESSING (PRESS DRES)

                    {6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

    UNITS:

===

 ID: {7ED7B728-5683-4660-B301-79E72C3FD1C9}

===

   Abbreviation................. PA CATH DR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. PA Catheter Dynamic Response Test

   Display Name................. PA Catheter Dynamic Response Test

   Help Text.................... PA Catheter Dynamic Response Test

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

    2. DAMPENED (DAMPENED)   {77C777B3-7E56-41E3-8E70-DE144E6A3424}

    3. HYPERDYNAMIC (HYPERDYNAM)   {818A8A99-04D9-4989-A9BA-ECFACED74605}

   UNITS:

==

TERM: PA CATHETER INSERTION MARK   Page: 515

 ID: {7E62F0A7-9233-4BD3-870B-189BC86A179E}

==

   Abbreviation................. PA INS MAR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. PA Catheter Insertion Mark

   Display Name................. PA Catheter Insertion Mark (cm)

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   CENTIMETER   0.0 > 0.0 * 20.0 < 20.0   Dec Prec: 1

Abbreviation................. PACATH INS

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. PA Catheter Insertion Technique

Display Name................ PA Catheter Insertion Technique

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

  1. NEW SITE (NEW SITE)   {10B1FF61-E58E-4608-9CCB-9232BC964418}

  2. OVER WIRE (OVER WIRE)   {157CD456-1020-43AE-9AAA-1686F1574B6F}

  3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)

              {20BC183A-197F-4464-A27C-47F63C5B842A}

  4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)

              {7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

Abbreviation................. PA CATH RE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. PA Catheter Repositioned/Discontinued

             Reason

Display Name................. PA Catheter Repositioned/Discontinued

             Reason

Help Text................... PA Catheter Repositioned/Discontinued

             Reason

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

  1. VENTRICULAR WHIP PRESENT (VENT WHIP)

              {15CB9645-690D-446B-A380-F14CEEC9C6AA}

  2. DAMPENED (DAMPENED)   {77C777B3-7E56-41E3-8E70-DE144E6A3424}

  3. WEDGED (WEDGED)   {03D7F6FD-399D-4A6B-9900-59655D76EE95}

  4. UNABLE TO WEDGE (UNABLE WED)

              {5D35F546-F1EA-49C6-8B1D-22D24526AF8B}

  5. WAVEFORM REFLECTS ATRIAL PLACEMENT (WAVE ATRIA)

              {A1249745-41C2-4A4F-A86D-7E5E17477B06}

  6. BY PROVIDER ORDER (BY ORDER)

{C038BC16-44CF-4933-BECC-B0F1A1B12603}

UNITS:

===

 ID: {F5F81475-6135-4B0C-A144-658AB8C075C7}

===

   Abbreviation................. PA SITE CA

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. PA Catheter Site Care

   Display Name................. PA Catheter Site Care

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

    Abbreviation................. PA CONDITI

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ PA Catheter Site Condition

    Help Text................... Condition of PA catheter

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 7 entries

    ----

     2. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

     3. SWOLLEN (SWOLLEN)   {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

     4. DISCOMFORT (DISCOMFORT)   {77D058C9-1EB4-96C0-C9E3-666C840B884C}

    50. PATENT (Patent)   {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

    60. CLEAN (Clean)   {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

    70. OCCLUDED (Occluded)   {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

    80. OOZING (Oozing)   {C23549D7-3238-4523-BA31-AB71609F01C2}

    UNITS:

==

 ID: {706045DE-B1D4-46DB-B6CE-A171BAFB0CB9}

==

   Abbreviation................. PA CATH SI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. PA Catheter Size

   Display Name................. PA Catheter Size

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   FRENCH   0.0 > 0.0 * 20.0 < 20.0   Dec Prec: 1

```
================================================================================

TERM: PA CATHETER TYPE                          Page: 521

 ID: {A1F96B2C-AA70-0D43-8F1E-8DD2BDDFA8F3}

================================================================================
```

Abbreviation................. PA TYPE

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ PA Catheter Type

Help Text................... Type of PA catheter

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. PLAIN (PLAIN)   {483EE48F-F72B-A917-DCD0-E8B69A3FA36F}

 2. OXIMETRIC (OXIMETRIC)   {DA1F5AAA-A349-C17B-74CD-1794492E0A13}

 3. PACER (PACER)   {79499460-ACAB-33B3-52CF-D2D2E5BCD0EE}

 4. VIP PORT (VIP PORT)   {3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

LOCATION: 8 entries

----

 1. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

 2. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

 3. L INTERNAL JUGULAR (L INT JUG)

             {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

 4. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

5. L EXTERNAL JUGULAR (L EXT JUGU)

              {6F7B331B-4F83-0B79-1755-F6F673D647D6}

6. R EXTERNAL JUGULAR (R EXT JUGU)

              {4D78F704-9E3B-907E-A792-4DC4F4CFF170}

7. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

    Abbreviation................. PA WAVEFOR

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. PA Catheter Waveform

    Display Name................ PA Catheter Waveform

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

     1. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

     2. DAMPENED (DAMPENED)   {77C777B3-7E56-41E3-8E70-DE144E6A3424}

     3. HYPERDYNAMIC (HYPERDYNAM)   {818A8A99-04D9-4989-A9BA-ECFACED74605}

     4. POSITIONAL (POSITIONAL)   {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}

     5. NOT MONITORED (NOT MONITO)

                    {0E6A8A07-48E0-428F-8D86-22572CABCF48}

    UNITS:

==

 ID: {E8B0247F-BD12-4902-87F7-012AA4C1D73D}

==

   Abbreviation................. PA ZEROED

   Active...................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type................... Boolean

   Description................. PA Catheter Zeroed

   Display Name................ PA Catheter Zeroed

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

Abbreviation................. PAmA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. No Description

Display Name................ Pacemaker Atrial mA

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

MILLIAMPS   -0.01 > 0.00 * 24.00 < 48.00

                      Dec Prec: 2

==

 ID: {118070EB-2F23-9C3D-68D1-B57D423449E1}

==

   Abbreviation................. PAVI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................. Pacemaker AV Interval

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   SECOND   0.01 > 0.12 * 0.20 < 0.50 Dec Prec: 2

===

TERM: PACEMAKER CAPTURE   Page: 526

 ID: {4D93B7C5-5302-085D-DFC5-EBEED03A6B31}

===

   Abbreviation................. PMC

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Pacemaker Capture

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

   1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

   2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   3. INTERMITTENT (INTERMITTE)   {DD09ED7C-B977-412F-A678-5130F77D239E}

   UNITS:

===

 ID: {AC25DEC8-680C-EDD4-1141-43F841651D2A}

===

   Abbreviation................. PMM

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Pacemaker Mode

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 13 entries

   ----

    1. AOO (AOO)   {86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}

    2. AAO (AAO)   {E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}

    3. AAI (AAI)   {2DD18ACA-B98E-24D3-E760-6D082A76074B}

    4. AAIR (AAIR)   {3B4B6F37-B631-BE32-F1C1-65B99D0C5018}

    5. AVO (AVO)   {02EA752A-D156-96E6-3D28-3D389FFC7B58}

    6. AVI (AVI)   {8BB49456-FB80-4916-6EBE-06837BF12B0C}

    7. VVI (VVI)   {2C87F8F3-2B99-80E7-04EB-E6FE88168627}

    8. VDD (VDD)   {E733E525-EF36-2F93-AECC-BAD1C3E2C633}

    9. DVI (DVI)   {4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}

   10. DOO (DOO)   {749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

   11. DDI (DDI)   {0C1E359F-B1F4-7994-D337-37622CB14BC8}

   12. DDD (DDD)   {7AA7152E-48F0-8550-AD0D-9F298E90B765}

13. DDDR (DDDR)   {A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

UNITS:

===

 ID: {A7D28B32-845F-0E16-FDAF-F654FA6EE8A4}

===

Abbreviation................. PMO

Active...................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type................... Boolean

Description.................. No Description

Display Name................. Pacemaker On

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 8 entries

----

 1. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

 2. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

 3. L BRACHIAL (L BRACH)   {75F6CE33-1AB3-A1DA-70B8-04825290B577}

 4. R BRACHIAL (R BRACH)   {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

 5. L INTERNAL JUGULAR (L INT JUG)

            {AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

 6. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

7. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

8. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

TERM: PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS   Page: 529

  ID: {FCA825C5-12A2-132D-8842-23D56ED6660B}

==

Abbreviation................. PMR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Pacemaker Rate - Do Not Check Total

              or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

BEATS PER MINUTE   0 > 45 * 100 < 200   Dec Prec: 0

Abbreviation................. PMS

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Pacemaker Sense

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

  ID: {6CBB234D-694E-CB88-3844-6B9E9E262320}

==

   Abbreviation................. PSA

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................ Pacemaker Sensitivity Atrial

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   MILLIVOLTS   0.01 > 0.05 * 2.00 < 6.00 Dec Prec: 2

===

 ID: {305A8823-01D3-F3FE-D66E-3CACE736CD30}

===

   Abbreviation................. PSV

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. No Description

   Display Name................. Pacemaker Sensitivity Ventricular

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MILLIVOLTS   0.01 > 0.05 * 2.00 < 6.00 Dec Prec: 2

```
================================================================================
```

 ID: {3B5B64D7-9091-8511-64CE-848456CAD2CD}

```
================================================================================
```

Abbreviation................. PACEM TYPE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................ Pacemaker Type

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 1. TRANSCUTANEOUS (t)   {F4315F92-8804-1CB4-4D03-CCFDC95C6E71}

 2. PERMANENT (p)   {A31FF319-F8C3-7AAC-D7FC-765C89732D09}

 3. TEMPORARY (TRANSVENOUS) (tt)

                {F6A74188-3D79-D749-540F-4EA32201B0E6}

 4. EPICARDIAL LEADS (el)   {2B551575-3D50-96BD-7BAA-50CC9796361E}

 5. ATRIAL (a)   {266D2FDA-5D6A-203D-6FF0-8282D49BFD67}

 6. VENTRICULAR (v)   {307A4572-3CF0-7875-7313-7FD4AB23F8E7}

LOCATION: 8 entries

----

 1. L BRACHIAL (L BRACH)   {75F6CE33-1AB3-A1DA-70B8-04825290B577}

 2. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}
```

3. L INTERNAL JUGULAR (L INT JUG)

{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

4. L SUBCLAVIAN (L SUBCLAVI)   {71B93594-15F9-AA4A-AEF2-E222EC28C00D}

5. R BRACHIAL (R BRACH)      {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

6. R FEMORAL (R FEM)         {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

7. R INTERNAL JUGULAR (RIJ)   {7ABF6916-D379-198D-6454-F0518A74844A}

8. R SUBCLAVIAN (R SUBCLAV)   {53DEAE83-93AE-123B-14E5-4DE38CD4F752}


UNITS:

---------------------------------------------------------------------

==============================================================================

 ID: {CDA2992F-349C-9904-45E3-20D01DC87917}

==============================================================================

　　Abbreviation................. PUID

　　Active....................... Yes

　　Boolean Value False..........

　　Boolean Value True...........

　　Data Type................... String

　　Description................. No Description

　　Display Name................. Pacemaker Unit ID

　　Help Text................... No Help Text

　　Multi Select Picklist........

　　Term Type................... OBSERVATION

　　Vuid........................


　　UNITS:

　　------------------------------------------------------------------

Abbreviation................. PVmA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. No Description

Display Name................. Pacemaker Ventricular mA

Help Text.................... Pacemaker Ventricular mA

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................


UNITS:

-----------------------------------------------------------------

MILLIAMPS              -0.01 > 0.00 * 24.00 < 48.00

                          Dec Prec:  2

===============================================================================

 ID: {AE7D2B1A-D1BA-E1E1-4E21-B1608F627411}

===============================================================================

   Abbreviation................. PMWI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. No Description

   Display Name................. Pacemaker Wires

   Help Text.................... Pacemaker Wires

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................


   DATA VALUE:                          7 entries

   ------------------------------------------------------------------

    1. 1A +1V (1+)           {31711946-9F1B-0AD9-BDBE-846EDBC86AE2}

    2. 1A + 2V (1+2)          {FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}

    3. 2A (2)                {C75BDC9F-C756-9051-CAA3-A27DDD94B35E}

    4. 2V (2)                {D24B5FA4-1DA6-36DE-49DB-627A9B82E968}

    5. 2A + 1V (2+1)          {1849AA0D-1572-55E0-A780-ACE602E2C72D}

    6. 2A + 2V (2+2)          {17203251-68E8-A00A-CF54-E2CC55B8EEDD}

    7. 1A + 3V (1+3)          {CEDF220D-E593-B8F9-DB08-D32800AF3F5E}


   UNITS:

   ------------------------------------------------------------------

===============================================================================

  ID: {D9E69897-BE8C-4A18-A490-A6FD2F2DE2E8}

===============================================================================

    Abbreviation................. P DIS C

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ PACU - Discharge Criteria

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                        22 entries

    ------------------------------------------------------------------

     1. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)

                  {E107F272-CD27-46B8-8C50-F9FF776DDCD9}

     2. ABLE TO AMBULATE (AMBULAT)

                  {4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}

     3. ALERT AND ORIENTED (AL AN OR)

                  {C031F776-36DF-4570-AFAF-A30B8BFA635B}

     4. PT DENIES NAUSEA / NO VOMITING (DEN NAUS)

                  {4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}

     5. ALDRETE SCORE 8 OR GREATER (ALD 8+)

                  {1FACE6D7-BC92-4579-8665-C5E1D3475461}

     6. AIRWAY REFLEXES INTACT / SECRETIONS (AIR REFL)

                  {88A7E7D3-6283-4640-A5FD-0F1E37FB8249}

7. PAIN CONTROLLED PER PT (PAIN CON)

{7EC1AF38-39B1-475E-B58C-E33404A47E96}

8. PT PAIN AT ACCEPTABLE LEVEL (PT PA OK)

{78489498-4A5B-41C5-98C5-95D56C4A0933}

9. VOIDED (VOIDED)        {7F23E601-A1E5-4016-8A12-06B1099041CF}

10. ABSENT TO MINIMAL BLEEDING (ABS BLEE)

{123460FB-1A8D-45AB-B0A2-489EAB482F67}

11. CMS INTACT DISTAL TO SURGICAL SITE (CMS INTA)

{CE2D2CDE-71C5-4993-8E46-C4799301A851}

12. SKIN WARM AND DRY COLOR APPROPRIATE (S W A DR)

{9637D510-C199-4969-8F2D-0A499151E22B}

13. MAINTAINING EFFECTIVE VENTILATION (EFF VENT)

{18774550-ECBD-412D-AD95-131FAA4CC549}

14. ALDRETE SCORE AT BASELINE (ALD BASE)

{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}

15. STABLE BP AND PULSE (Stable BP)

{F07C2F54-1182-4377-A33A-F529884013E8}

16. SaO2% AT ACCEPTABLE LEVEL BY ORDERS (SaO2 by Or)

{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}

17. SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (SaO2 w/Pre)

{8DE3440F-8049-4846-89D6-2E2DDEEA362C}

18. 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (20 Min Nar)

{FBDB50B7-19B5-472C-80E5-F4758E141BB1}

19. RESTING RESPIRATORY RATE BASELINE OR ABOVE (Rest Base)

{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}

20. MENTAL STATUS - AWAKE ORIENTED (M/S Awake)

{37818468-4798-4CBE-82ED-A793BDD10874}

21. MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (M/S Demen)

{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

22. 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (60 Min Rev)

{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}


UNITS:

-------------------------------------------------------------------

==============================================================================

 ID: {3B2F659B-ABA4-41E4-9861-B4B0FE3C873D}

==============================================================================

Abbreviation................. P DIS ME

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Discharge Criteria Met

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

-------------------------------------------------------------------

 1. YES (y)            {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

 2. NO (n)             {FC275445-1225-9912-18A3-DF36245893D3}


UNITS:

-------------------------------------------------------------------

    Abbreviation................. PAC DISP

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ PACU - Disposition

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                              12 entries

    -------------------------------------------------------------------

     1. ICU (ICU)               {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

     2. MICU (MICU)              {28244B62-644C-4DA0-A350-EAFE0D2FA7C0}

     3. SICU (SICU)              {EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}

     4. STEP DOWN (STEP DOW)      {F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}

     5. WARD (WARD)              {A16CB5CB-3401-4F6C-8467-7F78FC929872}

     6. AMBULATORY CARE UNIT (ACU)

                    {7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}

     7. PROCEDURE ROOM (PROC ROO)   {CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}

     8. IMAGING (IMAGING)        {791A322E-F45E-40EB-B95D-E5B62E1D0A75}

     9. OPERATING ROOM (OR)       {37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

     10. EMERGENCY DEPARTMENT (ER DEPT)

                    {D2E511F7-8B80-4928-A64B-3F1EE17395F7}

11. WAITING ROOM (WAIT ROOM)    {13476486-F895-4FFC-AB42-B274827B47DA}

12. HOME (HOME)             {C8E5E320-361B-421C-A6A9-13DC16125440}


UNITS:

----------------------------------------------------------------------

===============================================================================

 ID: {08A85E74-4365-41AA-8C26-4D712C9364DE}

===============================================================================

Abbreviation................. REV AGEN

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Patient Received Reversal Agent

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................


DATA VALUE:                        2 entries

------------------------------------------------------------------

  1. YES (y)            {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

  2. NO (n)             {FC275445-1225-9912-18A3-DF36245893D3}


UNITS:

------------------------------------------------------------------

====================================================================

TERM: PACU - TIME OF REVERSAL AGENT                    Page: 541

 ID: {43AD957E-55D2-44BA-B591-C4B31EB64E55}

====================================================================

   Abbreviation................. Time of Rv

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... String

   Description..................

   Display Name................. PACU - Time of Reversal Agent

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................


   UNITS:

   -------------------------------------------------------------------

===============================================================================

TERM: PAIN DURATION                    Page: 542

  ID: {DF714694-E547-4D39-9355-ADF3B419F9CD}

===============================================================================

   Abbreviation................. PAIN DURAT

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Pain Duration

   Display Name................. Pain Duration

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid.........................


   DATA VALUE:                         2 entries

   ------------------------------------------------------------------

    1. CONSTANT (CONSTANT)        {0FB8E43C-2106-4C37-9430-38675953A85B}

    2. INTERMITTENT (INTERMITTE)   {DD09ED7C-B977-412F-A678-5130F77D239E}


   UNITS:

   ------------------------------------------------------------------

    Abbreviation................. PAIN CHARA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Description of pain patient is

                   experiencing

    Display Name................. Pain: Character

    Help Text.................... No Help Text

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                        29 entries

    ------------------------------------------------------------------

     1. ACHING (ACHING)          {736BC1A4-2DA7-4A56-ACC0-28086EA103E0}

     2. AGONIZING (AGONIZING)     {F43DF9E7-555B-49FF-987C-35F083D547AA}

     3. ANGINAL (ANGINAL)        {ECF02415-4124-46D3-AA01-F21AC40FEFF7}

     4. ANNOYING (ANNOYING)       {53437530-57C9-4EA8-AC0D-36B5F2BD051D}

     5. BURNING (BURNING)        {D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}

     6. CONSTANT (CONSTANT)       {0FB8E43C-2106-4C37-9430-38675953A85B}

     7. CRAMPING (CRAMPING)       {3EC3E352-5469-4A85-80E4-3AFEB61224C4}

     8. CRUSHING (CRUSHING)       {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}

     9. DEEP (DEEP)              {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}

    10. DULL (DULL)              {F0F80976-F6A0-4363-9C75-AAAE9937DB49}

    11. ELECTRIC (ELECTRIC)      {0C221385-61AF-4660-A129-35E610EA71AB}

12. GNAWING (GNAWING)        {8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}

13. HEAVY (HEAVY)          {1F10CD98-03FA-4705-BF7D-941E881C4E3D}

14. INTERMITTENT (INTERMITTE)   {DD09ED7C-B977-412F-A678-5130F77D239E}

15. KNIFE-LIKE (KNIFE-LIKE)   {FBA0EE3F-134B-431B-879A-9B17D65CD464}

16. NUMB (NUMB)          {652634C0-5334-4D56-BE57-5F58F952FF0D}

17. POSITIONAL (POSITIONAL)   {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}

18. PRESSURE (PRESSURE)      {387AFB7F-3973-4D77-B2E6-0724F344D8F6}

19. RADIATING (RADIATING)     {B6807939-F809-45C1-912A-ADEF2E0DB0DC}

20. SHARP (SHARP)         {20608864-E5CF-4FE3-8B6D-AE2FEE086503}

21. SHOOTING (SHOOTING)     {73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}

22. SQUEEZING (SQUEEZING)    {A148587A-1B99-4D0D-B11E-87ADC3D2A811}

23. STABBING (STABBING)     {684640D5-B3AB-47DA-98D8-5434ABF22B7E}

24. STINGING (STINGING)     {DF235170-F501-4E8D-89DD-5A3C76F4B13B}

25. TENDER (TENDER)        {30486CC7-3097-4F95-9238-FD6C2126CD10}

26. THROBBING (THROBBING)    {3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}

27. TINGLING (t)         {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

28. UNBEARABLE (UNBEARABLE)   {96611993-45F3-4D1D-BF7F-5E5C46E5569E}

29. OTHER (OTHER)         {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}


UNITS:

-------------------------------------------------------------------------

```
================================================================================

TERM: PAIN: CONTROL                        Page: 544

  ID: {CBD6868D-1858-40FA-9F80-2EF4303E5817}

================================================================================
```

Abbreviation................. Pain Ctrl

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................

Display Name................. Pain: Control

Help Text.................... Select Yes if pain control measures

                have satisfied the patient's level of

                pain.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

    Abbreviation................. PAIN GOAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Pain: Goal

    Help Text.................... Patient's self-reported goal for pain

                    management

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 11 entries

    ----

     1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

     2. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

     3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

     4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

     5. 4 (4)   {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

     6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

     7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

     8. 7 (7)   {7A010324-D2C2-5D4B-848A-7B8878666D20}

     9. 8 (8)   {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

    10. 9 (9)   {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

    11. 10 (10)   {0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

Abbreviation................. PAIN LEVEL

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Standard pain scale

Display Name................. Pain: Level

Help Text................... Enter 0-10, 99 or Unable to respond

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................ 4500635

DATA VALUE: 12 entries

----

   1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

   2. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

   3. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

   4. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

   5. 4 (4)   {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

   6. 5 (5)   {188EDCE7-0726-4234-D8D2-92C8052CD221}

   7. 6 (6)   {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

   8. 7 (7)   {7A010324-D2C2-5D4B-848A-7B8878666D20}

   9. 8 (8)   {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

   10. 9 (9)   {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

   11. 10 (10)   {0C827160-18DB-816F-7FAA-A3C175C6D33B}

   12. 99 (99)   {B013C05B-1AF0-1547-4F03-378883F887C5}

LOCATION: 63 entries

----

 1. HEAD (Hd)   {C3209F44-90C6-FF1B-3169-265B294F276A}

 2. FACE (FACE)   {C638EA14-7903-6A94-496A-C6560D51BEE3}

 3. NECK (Ne)   {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

 4. STOMACH (STOMACH)   {613C20B9-CC9C-4F5D-B5B1-69B66A663540}

 5. ABDOMEN (ABDOMEN)   {109FE041-2521-6EF2-7F95-1FD1587796AB}

 6. BACK (BACK)   {22C26239-C692-4E93-B522-E5E8392BA3B1}

 7. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

 8. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

 9. L HAND (L HAND)   {639DF25A-19E3-B504-D323-4B3F6ED39A24}

10. R HAND (R HAND)   {A54D3A80-8537-D079-9CCE-7DC56346D132}

11. L HIP (L HIP)   {786CD881-27AD-4136-B9CC-8423CB38A431}

12. R HIP (R HIP)   {A48CBCAE-5404-4934-9321-ECEF660A5350}

13. L GROIN (L GROIN)   {5488E4EE-C1A2-4B02-8763-A53C412117A7}

14. R GROIN (R GROIN)   {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}

15. L THIGH (L THIGH)   {16C2312F-1E0E-45E0-B675-160F40C23F57}

16. R THIGH (R THIGH)   {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

17. L KNEE (L KNEE)   {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

18. R KNEE (R KNEE)   {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

19. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

20. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

21. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

22. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

23. COCCYX (COCCYX)   {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

24. GASTROINTESTINAL (GI)   {C27C66DB-3A6A-487E-9981-FA7FD323C0C3}

25. L EAR (L EAR)   {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

26. R EAR (R EAR)   {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

27. L SHOULDER (L SHOULDER)   {91CBD2FA-2743-42EB-946B-6933980D9337}

28. R SHOULDER (R SHOULDER)   {D27AE130-442E-4DD6-B391-8D7E8AD494A2}

29. L ELBOW (L ELBOW)   {BF4317E7-2024-47EF-9E5F-3D21D0547885}

30. R ELBOW (R ELBOW)   {5BAFF87B-6993-4E76-862F-9F386D9B71C5}

31. L ANKLE (L ANKLE)   {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

32. R ANKLE (R ANKLE)   {4E6DF352-F399-4CE9-908C-48132C3D856B}

33. PERINEAL (PERINEAL)   {1801441C-D5EF-4775-9E58-E4985496F7E0}

34. BLADDER (BLADDER)   {18E083F2-C4BB-407E-B0A3-20C4942FC97F}

35. L JAW (L JAW)   {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}

36. R JAW (R JAW)   {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}

37. TOOTH (TOOTH)   {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}

38. TEETH (TEETH)   {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

39. L NOSE (L NOSE)   {C7707847-5135-4749-B196-002E3E59BB54}

40. R NOSE (R NOSE)   {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}

41. NOSE (NOSE)   {85F7003E-6D4E-4A79-A534-8A57FBC2D106}

42. PENIS (PENIS)   {2D82CE55-83B6-4160-A754-07C71FD388E8}

43. ABDOMEN RUQ (ABD RUQ)   {F29C9FA1-717A-49B7-8000-95070E9AACA0}

44. ABDOMEN LUQ (ABD LUQ)   {3B31E1EC-CE74-4C76-BB61-10C678431FCA}

45. ABDOMEN RLQ (ABD RLQ)   {2C48394F-6877-4738-856C-E933644D8067}

46. ABDOMEN LLQ (ABD LLQ)   {39831F59-D7B0-4156-AC57-4C622A93CA58}

47. INCISIONAL SITE (INCISON SI)

                {EB36A66D-751D-4031-9F68-0BB03E267321}

48. CHEST (CHEST)   {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

49. L CHEST (L CHEST)   {E332E497-FE0C-47CB-A0A7-217FBF52DC97}

50. R CHEST (R CHEST)   {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

51. L SCAPULA (L SCAPULA)   {3381EC50-771B-41C8-85C8-6EB0D208D54E}

52. R SCAPULA (R SCAPULA)   {EA657261-4D72-40C2-B70D-2A2E27556A01}

53. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

54. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

55. SUBSTERNAL (SUBSTERN)   {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}

56. L LOWER ARM (L LOW ARM)   {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

57. R LOWER ARM (R LOW ARM)   {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

58. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

59. BUTTOCK (Buttock)   {7254A44D-91FA-40C7-B179-932AE08AD602}

60. CERVICAL SPINE (Cerv Spine)

                {6EBB5108-39A4-4A18-9AB3-E91329F469A3}

61. THORACIC SPINE (Thor Spine)

                {A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2}

62. LUMBAR SPINE (Lumb Spine)   {AEA5FA39-E58D-4382-9C33-EAF360395A60}

63. SACRAL SPINE (Sacr Spine)   {55FA6213-78BF-4349-B0A3-232191C659A3}

UNITS:

==

TERM: PAIN: NON-VERBAL CUES   Page: 547

 ID: {F875330C-D06C-41A7-877F-FBF07596EFF6}

==

   Abbreviation................. PAI NONVER

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Pain Non-Verbal Cues

   Display Name................. Pain: Non-Verbal Cues

   Help Text.................... No Help Text

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 11 entries

   ----

    1. CRYING (CRYING)   {D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}

    2. GRIMACING (GRIMACING)   {69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}

    3. MOANING (MOANING)   {A71E3515-AA20-4B0E-9CB8-1612F76BA406}

    4. RESTLESS (r)   {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

    5. SPLINTING (SPLINTING)   {D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}

    6. GUARDING (GUARDING)   {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}

    7. PAINFUL EXPRESSION (PAINFUL EX)

                   {608554F9-29F9-4B27-BE63-486AF81810BD}

    8. IRRITABLE (Irritable)   {10651C11-2736-4056-BA84-E544358BA877}

    9. SLEEPING (s)   {87338420-F351-F98C-7A80-4990B87ACE2B}

    10. NO SIGNS AND SYMPTOMS (NO SIG&SYM)

                   {91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

11. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

```
================================================================================
```

TERM: PAIN: RELIEVING FACTOR INTERVENTION   Page: 548

  ID: {325DB732-E996-4DF5-9F5F-EF3B55D80935}

```
================================================================================
```

    Abbreviation................. PN FACT IN

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Pain Relieving Factor Intervention

    Display Name................. Pain: Relieving Factor Intervention

    Help Text.................... No Help Text

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 10 entries

    ----

     1. COLD (COLD)   {B7B422BA-22EC-117D-0A0C-8419E9447D46}

     2. HEAT (HEAT)   {E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}

     3. QUIET ROOM (qr)   {CCD96D41-C273-F6F3-DA18-8818B1CC9980}

     4. REPOSITION (REPOSITION)   {DF3039CA-5977-4454-81D4-DB0AF966F85D}

     5. MEDICATION (MEDICATION)   {22E6DEBB-9662-466B-990C-8DA500C0A183}

     6. REFUSE MEDICATION (REFUSE MED)

                    {17D6956B-4CF6-492C-B113-B5A93D9E215E}

     7. REQUEST FOR MORE MEDICATION (REQ MOR ME)

                    {0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}

     8. PRE-MEDICATED FOR ACTIVITY (PRE-MED AC)

                    {D6DA772A-FA22-4170-B928-855A2F68711F}

     9. PHYSICIAN NOTIFIED (PHYS NOTIF)

{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}

10. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

Abbreviation................. Pain Scale

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Pain: Scale Used

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. NUMERIC (Numeric)   {5E16B4F7-6008-43A9-9AFA-523D98721F7C}

20. NON-VERBAL (Non-Verbal)   {575EC6EF-2546-40A4-80BD-D4263374AB50}

30. WONG-BAKER FACES (Wong-Baker)

                {A398DF93-DCC3-42A5-8790-5D8F8B35C90F}

50. PAINAD (PAINAD)   {C1E04374-2FAF-40AE-9108-772520BE7A39}

60. OTHER (ADD COMMENTS) (Other)

                {264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

70. UNABLE TO ASSESS (ENTER COMMENT) (Unable)

                {3B071C2E-4E07-4423-8FC3-EEBE9607CEE7}

UNITS:

==

 ID: {1D6FE4CE-27EC-495A-A077-EE5B001CEFF2}

==

   Abbreviation................. Pain: Type

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. Pain: Type

   Help Text....................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

   10. ACUTE (Acute)   {42CDCFCB-27F4-4511-AF23-D5DB2C6CBE16}

   20. CHRONIC (Chronic)   {6A1CBCF6-E407-4064-8C5F-6BDEB2A35363}

   UNITS:

   Abbreviation................. PAINAD BL

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ PAINAD Body Language

   Help Text................... Pain Assessment in Advanced Dementia

                  (PAINAD)

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. PAINAD BL 0 (PAINAD BL0)   {C77929DB-A59A-4A24-B57B-BF111770C2AB}

    2. PAINAD BL 1 (PAINAD BL1)   {CC1E1516-086D-4B79-8264-0C3BD67D8552}

    3. PAINAD BL 2 (PAINAD BL2)   {34C3E304-DF66-40A7-906F-22AEA3F76FAD}

   UNITS:

```
===============================================================================

TERM: PAINAD BREATHING                    Page: 552

 ID: {EBF3C2FD-5906-4FC8-8E75-CF998FA797C3}

===============================================================================
```

Abbreviation................. PAINAD BR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. PAINAD Breathing

Help Text.................... Pain Assessment in Advanced Dementia

                (PAINAD)

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. PAINAD BR 0 (PAINAD B0)   {58E71B2E-F5C3-419F-8B71-A9FD701E0202}

 2. PAINAD BR 1 (PAINAD BR1)   {727D1B04-A702-4806-857B-78BCBACB0FE1}

 3. PAINAD BR 2 (PAINAD BR2)   {37978012-ADAC-416C-8920-48CDAAA5D59D}

 UNITS:

Abbreviation................. PAINAD CO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. PAINAD Consolability

Help Text.................... Pain Assessment in Advanced Dementia

              (PAINAD)

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. PAINAD CO 0 (PAINAD CO0)   {06A89B55-5822-42F7-A689-DBD91B62979F}

 2. PAINAD CO 1 (PAINAD CO1)   {8E5DDB47-1955-40AD-A008-A9CE4646A707}

 3. PAINAD CO 2 (PAINAD CO2)   {1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

UNITS:

```
================================================================
TERM: PAINAD FACIAL EXPRESSION                    Page: 554

 ID: {CB17C4F3-2E4B-4355-9E63-DE165CE47A25}

================================================================
```

Abbreviation................. PAINAD FE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Pain Assessment in Advanced Dementia

              (PAINAD)

Display Name................. Painad Facial Expression

Help Text.................... Pain Assessment in Advanced Dementia

              (PAINAD)

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

  1. PAINAD FE 0 (PAINAD FE0)   {B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}

  2. PAINAD FE 1 (PAINAD FE1)   {66C01EE9-8F36-40B5-AED2-DBC2E94F860D}

  3. PAINAD FE 2 (PAINAD FE2)   {35688D06-94F2-4B36-8940-529803D4BC43}

UNITS:

===

TERM: PAINAD NEGATIVE VOCALIZATION   Page: 555

 ID: {815392EF-49E0-48D9-BCC0-39FD3333B255}

===

   Abbreviation................. PAINAD NV

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Pain Assessment in Advanced Dementia

                  (PAINAD)

   Display Name................. PAINAD Negative Vocalization

   Help Text................... Pain Assessment in Advanced Dementia

                  (PAINAD)

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. PAINAD NV 0 (PAINAD NV0)   {63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}

    2. PAINAD NV 1 (PAINAD NV1)   {D517E6C9-9D98-4D0F-A8F4-261BED4812D1}

    3. PAINAD NV 2 (PAINAD NV2)   {3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

   UNITS:

```
================================================================================
```

 ID: {4E35BBC8-DD3C-4EEA-A0BD-DADBD1252F28}

```
================================================================================
```

   Abbreviation................. PAINAD TO

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. PAINAD Total Score

   Help Text.................... Pain Assessment in Advanced Dementia

                 (PAINAD)

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   PAINAD SCALE   0 > 0 * 10 < 10   Dec Prec: 0

===

TERM: PASERO OPIOID-INDUCED SEDATION SCALE (POSS)   Page: 557

  ID: {2996AB91-A21C-4A49-BEF0-833AC074347F}

===

    Abbreviation................. POSS Scale

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description..................

    Display Name................. Pasero Opioid-Induced Sedation Scale

              (POSS)

    Help Text.................... Please follow local policy/protocol

              for decision support interventions

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

    10. S = SLEEP, EASY TO AROUSE (POSS Sleep)

              {9AB0CB97-1451-401E-9245-445132934C3B}

    20. 1 = AWAKE AND ALERT (POSS Awake)

              {6D0015F9-BDD1-422C-AD60-1DBE0247D46E}

    30. 2 = SLIGHTLY DROWSY, EASILY AROUSED (POSS 2)

              {3027CED1-70F2-4F2B-9DCC-C6CFCAFD1832}

    40. 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATI

ON (POSS 3)   {95111092-85B2-463A-8F97-F6E56AEC1730}

    50. 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION

 (POSS 4)   {7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}

UNITS:

```
================================================================================
```

 ID: {08A622B7-3939-427E-A532-7F12F8790EF7}

```
================================================================================
```

   Abbreviation................. PAT RESPON

   Active....................... Yes

   Boolean Value False.......... Unable to respond

   Boolean Value True........... Able to repond

   Data Type.................... Boolean

   Description.................. No Description

   Display Name................. Patient Able To Respond

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

Abbreviation................. Pat Ed Pro

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Patient Education Provided Prior to

              Sedation

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

   Abbreviation................. PS Rounds

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. Patient Safety Rounds Completed

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 22 entries

   ----

   10. Q5MIN (Q5Min)   {43D31DCC-0F94-4399-B744-0F65AA665029}

   20. Q10MIN (Q10Min)   {E651D12C-FE5E-439A-BA3C-DEA7FDBFEFED}

   30. Q15MIN (Q15Min)   {2494092E-F539-4FDD-90A5-0DA633D15275}

   40. Q30MIN (Q30Min)   {FFAA43F8-4464-438B-9C32-C3BDB5D00D59}

   50. Q45MIN (Q45Min)   {556A7278-1E5C-43A3-AF05-7BFECC155031}

   60. Q90MIN (Q90Min)   {6D026A43-1844-48AD-AD1A-EF29EC51BF36}

   70. Q1HR (Q1Hr)   {8199AC00-AD44-4DA3-A270-EC8800ED39FD}

   80. Q2HR (Q2Hr)   {C089A271-8DEF-404F-B48C-B701265854F8}

   90. Q4HR (Q4Hr)   {6EE8BF06-9A1F-420B-AD52-A7C0D53B7859}

   100. Q SHIFT (Q Shift)   {07BE9A54-C30D-48BA-972C-1395C656A767}

   110. MORSE FALL RISK SCORE > 45 (FallRsk>45)

                  {D2E28A82-0B4C-4C33-81FC-3A615D5F11F6}

120. CLOSE OBSERVATION (co)   {2679BCAC-8753-FE73-56F8-3AB632161AF4}

130. ELOPEMENT RISK (Elope Risk)

{4AFA7128-158F-4FAF-9090-FE1791B588D0}

140. SUICIDE RISK (SuicideRsk)

{F8C476DB-B671-405D-9CD0-B3F79ACA78EE}

150. CONFUSED (CONFUSED)   {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

160. DISORIENTED (DISORIENTE)   {A7D1F2EA-CD7C-4100-8552-44834684C6DE}

170. NON-COOERATIVE WITH PLAN OF CARE (NonCoopPOC)

{1806E6B4-E88E-42F5-B4D1-7A353BD05C1B}

180. NON-COOPERATIVE WITH ISOLATION PRECAUTIONS (NonCoopIso)

{63235927-E20C-43C8-80A7-7B10AA8F897C}

190. ANXIOUS ABOUT BEING LEFT ALONE (Anxious)

{1F3963C7-C0D7-4B8B-A5C1-5B391B938840}

200. PAIN MANAGEMENT ASSESSMENT (PainMgt)

{8E702786-31C2-478D-9BB9-017F7132CD9F}

210. PHYSIOLOGICAL ASSESSMENT (PhyAssess)

{4A9FB1A3-EC4D-4F7B-B667-5D950CB71109}

220. SEE COMMENT (SeeComment)   {52B28A5F-1913-463B-82C7-57DDBE85388A}

UNITS:

===

TERM: PCA - CLINICAL BOLUS DOSE   Page: 561

 ID: {3705805D-6ABB-412B-8DF2-648E634237F9}

===

   Abbreviation................. PCA BOL DO

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. PCA - Clinical Bolus Dose

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MICROGRAMS   -1.00 > 0.00 * 1000000.00 < 1001000.00

                            Dec Prec: 2

   MILLIGRAMS   -1.00 > 0.00 * 1000.00 < 1001.00

                            Dec Prec: 2

===

 ID: {3E22F87D-E696-4401-90D0-2BE623E75DE9}

===

   Abbreviation................. PCA - MCG

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description..................

   Display Name................. PCA - Continuous mcg/hr (Basal)

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MICROGRAMS PER HOUR   0.0 > 6.2 * 100.0 < 300.0 Dec Prec: 1

==

 ID: {39A3FFFD-8AB1-4691-A5CE-7FD268F6F5CB}

==

   Abbreviation................. PCA - MG

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description..................

   Display Name................. PCA - Continuous mg/hr (Basal)

   Help Text...................

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   MILLIGRAMS PER HOUR   0.0 > 0.1 * 8.0 < 20.0   Dec Prec: 1

Abbreviation................. PCA DEM DO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. PCA Demand Dose - Do Not Check Total

                or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MICROGRAMS   -1.00 > 0.00 * 1000000.00 < 1001000.00

                        Dec Prec: 2

MILLIGRAMS   -1.00 > 0.00 * 1000.00 < 1001.00

                        Dec Prec: 2

===

  ID: {BBD517C0-EDFE-452C-9B2C-5B21400E173A}

===

   Abbreviation................. PCA DAG DE

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................ PCA - Dosage Delivered

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   MICROGRAMS   -0.01 > 0.00 * 8000000.00 < 8001000.00

                              Dec Prec: 2

   MILLIGRAMS   -1.00 > 0.00 * 8000.00 < 8001.00

                              Dec Prec: 2

==

  ID: {2F9D23F2-B385-4028-A2F5-F33B83A2D137}

==

   Abbreviation................. PCA DO DEL

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. PCA - Doses Delivered

   Help Text.................... Number of times patient received

                    analgesia

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   EVENT(S)   -1 > 0 * 1000 < 1001   Dec Prec: 0

   Abbreviation................. Lev of Con

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. PCA - Level of Consciousness

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 9 entries

   ----

    1. ALERT (a)   {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

    2. AWAKE (Awake)   {D71412D4-5782-46BA-AE6C-24EDC586AE55}

    3. APPEARS ASLEEP (Asleep)   {245A1E78-B5E0-4440-963C-A6ABB416D9B9}

    4. EASY TO AROUSE (Easy to Ar)

                  {19BB5A04-F979-449C-AA93-D5A21BD368F6}

    5. DROWSY (d)   {6B350814-A88A-0F05-C382-9F27830FBC09}

    6. SEDATED (s)   {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

    7. STUPOROUS (Stuporous)   {4C25FF58-3346-4B06-ACE5-6ADB942877A8}

    8. DIFFICULT TO AROUSE (Diff to Ar)

                  {5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}

    9. UNABLE TO AROUSE (Un to Ar)

                  {05B32DD9-E634-4B60-A58B-2E915EA2834D}

UNITS:

Abbreviation................. PCA LIM DO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. PCA - Limit Dose - Do Not Check Total

             or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MICROGRAMS   -1.00 > 0.00 * 8000000.00 < 8001000.00

                    Dec Prec: 2

MILLIGRAMS   -1.00 > 0.00 * 8000.00 < 8001.00

                    Dec Prec: 2

   Abbreviation................. PCA LIM TI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. PCA - Limit Time

   Help Text.................... Once the max is reached the pt will

                    not be able to get any futher demand

                    doses until the appropriate time has

                    passed

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. 1 HOUR (1 HOUR)   {319BA174-1624-483C-B666-4998127B0800}

    2. 4 HOUR (4 HOUR)   {91B2A49D-0308-47C9-B220-63A0E318A201}

    3. 6 HOUR (6 HOUR)   {0D1F000A-01F0-422C-9CB8-2A04CD479444}

    4. 8 HOUR (8 HOUR)   {05E46D8F-C165-4552-8063-B735DECD4AF3}

    5. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

   UNITS:

    Abbreviation................. PCA LINE C

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ PCA Line Care

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 10 entries

    ----

     1. BAG CHANGED (BAG CHANGE)   {818990DE-4F95-4F8E-92D8-B4D3B975CB36}

     2. CENTRAL VENOUS CATHETER (CENT VEN C)

                    {EE91E841-C09B-4432-A121-8EBAB92E9CD2}

     3. DISCONTINUED (DISCONTINU)   {15E289FB-09DF-4731-9CF3-48A4E0031C31}

     4. DRESSING CHANGED (DRESS CHAN)

                    {E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}

     5. HEPLOCK (HEPLOCK)   {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}

     6. PATENT CLEAN (PAT CLEAN)   {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}

     7. SALINE LOCK (SALIN LOCK)   {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}

     8. STARTED (STARTED)   {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

     9. SYRINGE CHANGED (SYR CHANGE)

                    {BE84F060-7E03-49DD-A6BC-787375C8E1F1}

10. TUBING CHANGED/LABELED (TUBE CHANG)

{19BA337C-6E28-411E-9702-48B262C593FA}

UNITS:

===

  ID: {845BF472-0D5F-4B42-964D-8D8DBAD4B1D1}

===

    Abbreviation................. PCA LOCK

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. No Description

    Display Name................. PCA Lock Out - Do Not Check Total or

                    Subtotals

    Help Text.................... If the patient pushes the button to

                    get a dose of medication, a dose will

                    not be delivered unless the the last

                    dose has exceeded the lock out

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    MINUTE   -1 > 0 * 1440 < 1441   Dec Prec: 0

==

TERM: PCA - PUMP CLEARED   Page: 572

 ID: {9CD3B8C5-40C0-4EA4-8325-0B4399A91F53}

==

    Abbreviation................. PCA PUMP C

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ PCA - Pump Cleared

    Help Text................... PCA Pump Usage History Cleared

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

     2. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    UNITS:

    Abbreviation................. PCA REQUES

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. No Description

    Display Name................ PCA - Requests

    Help Text................... Number of times patient requested

                    analgesia

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    EVENT(S)   -1 > 0 * 1000 < 1001   Dec Prec: 0

Abbreviation................. Tot 24 hr

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description..................

Display Name................. PCA - Total Dose 24 hr

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

MICROGRAMS   -1.00 > -1.00 * 9999.00 < 9999.00

                              Dec Prec: 2

MILLIGRAMS   -1.00 > -1.00 * 9999.00 < 9999.00

                              Dec Prec: 2

===

 ID: {1FFE57C3-3A9F-4281-B949-8AABC67CBB99}

===

   Abbreviation................. Wasted

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description..................

   Display Name................. PCA - Total Dose Wasted

   Help Text.................... Enter a PCA Total Dose Wasted

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MILLILITER   0.00 > 0.00 * 1000.00 < 1000.00

                            Dec Prec: 2

==

 ID: {5EEA95D7-D6D8-4FA4-AD1F-C40303A145A5}

==

   Abbreviation................. PCA mcg sh

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Micrograms per Shift

   Display Name................. PCA - Total mcg Per Shift

   Help Text................... Micrograms per Shift

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   MICROGRAMS PER SHIFT   0.0 > 0.0 * 800.0 < 5000.0

                                Dec Prec: 1

==

  ID: {58CCC88B-404B-4D47-A131-472950622B2B}

==

    Abbreviation................. PCA mg shf

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Milligrams per Shift

    Display Name................ PCA - Total mg Per Shift

    Help Text................... Milligrams per Shift

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLIGRAMS PER SHIFT   0.0 > 0.0 * 64.0 < 300.0   Dec Prec: 1

Abbreviation................. PCA VOL RE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. PCA - Volume Remaining - Do Not Check

Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

MILLILITER   -1.00 > 0.00 * 8000.00 < 8001.00

Dec Prec: 2

Abbreviation................. PCA VOL ST

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. PCA - Volume Start - Do Not Check

                 Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

  MILLILITER   -1.00 > 0.00 * 8000.00 < 8001.00

                 Dec Prec: 2

    Abbreviation................. PCA2Verify

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. PCA 2nd Verifier

    Help Text.................... Enter 2nd nurse name in comments for

                    initial order, change in order,

                    loading dose, and/or bolus doses

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

```
================================================================================

TERM: PCA: ABILITY TO REPORT PAIN AND USE PCA WITHOUT REQUIRING CLUES? Page: 581

  ID: {9902F7A3-E3A2-4134-BDDF-54A99CF23D37}

================================================================================
```

Abbreviation................. PCA: Pain

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................

Display Name................. PCA: Ability to Report Pain and Use

                PCA without Requiring Clues?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. PCA:AOX3

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................

Display Name................. PCA: AOX3 for PCA Use?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

   Abbreviation................. PCA: cont

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................

   Display Name................. PCA: Continuous Rate

   Help Text...................

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   MICROGRAMS   -1.00 > 0.00 * 100.00 < 101.00

                          Dec Prec: 2

   MILLIGRAMS   -1.00 > 0.00 * 100.00 < 101.00

                          Dec Prec: 2

Abbreviation................. PCA:Load

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. PCA: Loading Dose Given

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

MICROGRAMS   -1.00 > 0.00 * 100.00 < 101.00

                        Dec Prec: 2

MILLIGRAMS   -1.00 > 0.00 * 100.00 < 101.00

                        Dec Prec: 2

    Abbreviation................. PCA:MedOrd

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description..................

    Display Name................. PCA: Medication Ordered

    Help Text...................

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

    10. FENTANYL (Fentanyl)   {C0740659-05FB-4513-BD0F-4F4111B32215}

    20. HYDROMORPHONE (Hydromorph)

                    {8E6E9DB1-C969-4274-9761-C9830A9FCF67}

    30. MORPHINE (Morphine)   {E2E532F2-C992-4987-A3F2-80F832D89373}

    UNITS:

===

 ID: {7CAE5B29-5855-4E16-85DF-4886AF9A75E6}

===

   Abbreviation................. PCA MODE

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. PCA: Mode

   Help Text.................... Patient Controlled Analgesia Mode

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. CONTINUOUS ONLY (Cont Only)

                    {4BFFF2BC-837C-4D62-B811-0E547247D4D0}

    2. PCA + CONTINUOUS (PCA+Cont)

                    {D711BB51-0662-4DD0-8654-C737F6A6686A}

    3. PCA ONLY (PCA ONLY)   {30E0441A-1098-4FE9-B277-BF2BBD6B1667}

   UNITS:

Abbreviation................. PCA: Range

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. PCA: Ordered Dose Range

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

MICROGRAMS   -1.00 > 0.00 * 100.00 < 101.00

                        Dec Prec: 2

MILLIGRAMS   -1.00 > 0.00 * 100.00 < 101.00

                        Dec Prec: 2

Abbreviation................. Dose Range

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... String

Description.................

Display Name................. PCA: Ordered Dose Range (Free Text)

Help Text.................... Enter the dosage range as ordered by

                  provider.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. PCA: Prof

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. PCA: Ordered Profile

Help Text.................... Select the PCA Profile ordered by the

                provider.

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED) (OP Naive)

               {0092A10D-CD6F-467F-BA67-4CD8F16107B2}

20. OPIOID TOLERANT (USE OF LONG ACTING ALLOWED; CONT RATE ALLOWED) (OpoidT

oler)   {53A60D70-8137-454A-B7FA-8B5193A07B66}

30. BREAKTHOUGH (SHORT ACTING ORAL OPIOIDS ARE PRIMARY ANALGESIC) (Breakthr

u)   {6A0E6D5C-F687-411E-8DDE-FA7958AF84D1}

40. COMFORT CARE (PALLIATIVE CARE CONSULT REQUIRED) (PallConRq)

               {9CFDF433-3F2A-4172-BD56-7EB055EC11E2}

50. COMFORT CARE SUBCUTANEOUS (CCSub)

               {78E50664-373F-4F55-8359-8BF98917C157}

UNITS:

     Abbreviation................. PCA:Orient

     Active....................... Yes

     Boolean Value False.......... No

     Boolean Value True........... Yes

     Data Type.................... Boolean

     Description..................

     Display Name................. PCA: Oriented to Person, Place, and

                    Time?

     Help Text....................

     Multi Select Picklist........

     Term Type.................... OBSERVATION

     Vuid.........................

     UNITS:

    Abbreviation................. PCA: Rass

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. PCA: Rass Score +1, 0, -1?

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

Abbreviation................. PCA: Resp

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. PCA: Respiratory Pattern

Help Text................... Respiratory pattern as per PCA

                  protocol.

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. NORMAL: NORMAL DEPTH, REGULAR, EFFORTLESS, CLEAR (PCA: Norm)

              {5695B505-985A-48E1-9B75-97BC53D31121}

20. PARTIALLY BLOCKED: SNORING/NOISY BREATHING (PCA: Part)

              {3E006C3C-CD4E-4B85-ACF5-BAE5D7348184}

30. OBSTRUCTED: BLOCKED AIRWAY, NO AIR MOVEMENT (PCA:Obstru)

              {6C3B00BE-ECFC-4D17-96F6-B5B52C51AB50}

40. SHALLOW: SHALLOW RESPIRATIONS (PCA:Shall)

              {CA1E7A66-F03D-4AF3-A36E-23EB45271E62}

50. DEEP: DEEP RESPIRATIONS (PCA: Deep)

                {E447C08C-786F-4686-AC7E-CB11625A5E3D}

60. LABORED: INCREASED EFFORT, ACCESSORY MUSCLES/NASAL FLARING (PCA:Labor)

{D2A21260-C746-4ACA-B738-A1AD838D66FD}

UNITS:

```
================================================================================
```

 ID: {F9169E31-5524-47E5-9E7B-0870F865CF80}

```
================================================================================
```

Abbreviation................. PCA:Depres

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. PCA: Risk for Respiratory Depression

Assessed?

Help Text.................... Increased risk if Opioid naive,

chronic high dose opioid use, sleep

apnea, CHF, COPD, obesity, receiving

drugs that potentiate opioids (i.e.

Benzodiazapines), older age, etc.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. PCA: R>11

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. PCA: RR >11Min or Greater?

Help Text.................... If RR is less than 11/min, follow PCA

                    protocol and contact provider.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

===

 ID: {86D637CB-00FC-4F7D-B504-0124FCB7C1A8}

===

Abbreviation................. PCA: Side

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................ PCA: Side Effects

Help Text...................

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 12 entries

----

 1. NAUSEA (NAUSEA)   {6BF33DC3-0300-4643-BB14-27C35692B806}

 2. VOMITING (VOMITING)   {921F463C-1639-4D13-8E4E-6D3A1B6927F9}

 3. URINARY RETENTION (Urinary Re)

                {959EBBDC-7F67-42EC-8CF0-295F709BB433}

 4. WEAKNESS (Weakness)   {E4C6D569-7961-4CB4-8E90-A02A31F98094}

 5. HYPOTENSION (Hypotensio)   {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}

 6. ITCHING (Itching)   {3A1FB47B-F274-458D-BDF6-E6882D6CB600}

 7. TINNITUS (Tinnitus)   {846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}

 8. CONFUSION (Confusion)   {4C1B8247-75C4-4C60-970B-3D7F07BD1164}

 9. SOMNOLENT (Somnolent)   {008A3F20-DD3D-4775-AA18-CCA7B817A77D}

 10. RESPIRATORY DEPRESSION (Resp Depr)

                {A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

11. CONSTIPATION (CONSTIPAT.)   {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

12. MYOCLONUS (Myoclonus)   {E2D85E93-CA92-4596-8772-153E890BD704}

UNITS:

===

  ID: {05BD86DC-10C3-C4EB-1359-C2406381F357}

===

    Abbreviation................. PK INSP PR

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. No Description

    Display Name................. Peak Inspiratory Pressure - Do Not

                    Check Total or Subtotals

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 2 entries

    ----

     1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

     2. BIPAP (BiPap)   {8DB1A535-646B-4A22-9627-DC67F352BBBC}

    UNITS:

    CENTIMETERS H2O   0 > 5 * 100 < 200   Dec Prec: 0

TERM: PERIPHERAL-VASCULAR: COLOR   Page: 597

 ID: {CDBE235C-8B82-4452-B4CA-394C5CF470FC}

==

Abbreviation................. PV: Color

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. PERIPHERAL-VASCULAR: Color

Help Text...................

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

10. PALLOR (Pallor)   {AB9133C6-DE43-4BEC-A307-1296CF834E0C}

20. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

30. CYANOTIC (c)   {06BD77DB-1849-D731-0F27-F8CE48755EA9}

LOCATION: 4 entries

----

10. ARM (Arm)   {19BD5170-8E49-4B83-85EA-D9BE3087D144}

20. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

30. LEG (Leg)   {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

40. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

==

  ID: {9AE58094-4614-4B3F-9517-881A5BCF133A}

==

   Abbreviation................. PV:Sensatn

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. PERIPHERAL-VASCULAR: Sensation

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 11 entries

   ----

   10. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

   20. IMPAIRED (Impaired)   {EEC3C3F6-BF3A-4103-B18F-C58D22D41552}

   30. INTACT (i)   {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

   40. NUMBNESS (n)   {037F2F79-36D9-A0B3-C23E-8EE525932AF3}

   50. BURNING (BURNING)   {D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}

   60. PHANTOM LIMB (PhanLimb)   {C2431341-5151-4EC3-B22E-C46E2448CC6B}

   70. PINS AND NEEDLES (Pins&Need)

                  {BCE9007D-31FC-4834-AF75-E84E09735CC7}

   80. TINGLING (t)   {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

   90. UNABLE TO ASSESS: PARALYTICS (UtA:Paraly)

                  {F69A0754-5DAE-44CF-888F-5A137206C46B}

   100. UNABLE TO ASSESS: SEDATED (UtA:Sedatd)

{EEA03C6D-73DE-4F22-882D-536FC99AD66F}

110. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

LOCATION: 4 entries

----

10. ARM (Arm)   {19BD5170-8E49-4B83-85EA-D9BE3087D144}

20. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

30. LEG (Leg)   {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

40. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

==

 ID: {64D756BB-0A6D-4518-8800-3B1A81B34F9A}

==

Abbreviation................. PV: Temp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. PERIPHERAL-VASCULAR: Temperature

Help Text....................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 2 entries

----

10. COOL (COOL)   {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}

20. WARM (WARM)   {E03BBEB4-5643-968F-190F-309A1293FCF9}

LOCATION: 4 entries

----

10. ARM (Arm)   {19BD5170-8E49-4B83-85EA-D9BE3087D144}

20. HAND (Hand)   {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

30. LEG (Leg)   {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

40. FOOT (Foot)   {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

===

TERM: PLAN OF CARE - REVISION INDICATED   Page: 600

  ID: {DE8BBB70-21B4-4955-BEC4-C1E71BBA3E31}

===

    Abbreviation................. POC REV I

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Plan Of Care Revision Indicated

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

Abbreviation................. PLANFL

Active....................... Yes

Boolean Value False.......... Absent

Boolean Value True........... Present

Data Type.................... Boolean

Description.................. No Description

Display Name................. Plantar Flexion

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. PR INTERVA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. The PR interval is measured from the

                             beginning of the P wave to the

                             beginning of the QRS complex

Display Name................. PR Interval

Help Text.................... The PR interval is measured from the

                             beginning of the P wave to the

                             beginning of the QRS complex

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

SECOND   0.00 > 0.12 * 0.20 < 1.00 Dec Prec: 2

Abbreviation................. Precaution

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Precautions

Help Text.................... Identify type of precaution(s)

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 14 entries

----

10. ASPIRATION (ASPIRATION)   {68B91085-8E3C-4B94-9F97-6305F5DFD900}

20. CHEMOTHERAPY (Chemo)   {4B0F2808-0090-4646-BE79-A745A9073F2C}

30. COMBATIVE (c)   {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}

40. ELOPEMENT RISK (Elope Risk)

                {4AFA7128-158F-4FAF-9090-FE1791B588D0}

50. HOMICIDAL (Homicidal)   {0EEDE139-7DBA-4FD3-BC49-F3ED0A5091BA}

60. RADIATION (Radiation)   {D417338D-3C28-4111-9112-C91761FE88EA}

70. RESTRICTED EXTREMITY (Res Extrem)

                {7BC82415-996E-46F2-B2BC-DF0705AD2AA3}

80. SEIZURE (Seizure)   {8B213452-8875-4607-8875-1EA5D8247C99}

90. SKIN RISK (Skin Risk)   {517CCC23-C401-41A2-999C-262458CC90FA}

100. SUICIDAL (s)   {B104E9C7-A78E-82DC-49A4-19B94A639AFE}

110. AIRBORNE (AIRBORNE)   {D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}

120. DROPLET (DROPLET)   {CE1DD314-8A30-4785-BD56-1540CDA85146}

130. CONTACT (CONTACT)   {958F2B5E-F980-47B6-A7F7-EE7D5520B61F}

140. NEUTROPENIC (NEUTROPENI)   {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}

UNITS:

===

 ID: {1203AE6E-7B36-4EF3-A36A-3B242DFA742A}

===

Abbreviation................. Prec:Spine

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Precautions: Spine

Help Text...................

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. FULL SPINAL PRECAUTIONS (FULL S P)

                {42ADB74D-12CC-4111-B181-626C0F01BC7C}

20. THORACIC SPINAL PRECAUTIONS (THOR S P)

                {D55AEF23-7F5E-45DD-A178-F217E6AF3873}

30. CERVICAL SPINAL PRECAUTIONS (CERV S P)

                {A15F7127-2367-464A-AB7D-1E6A7C09AA21}

40. LUMBAR SPINAL PRECAUTIONS (LUMB S P)

                {5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}

UNITS:

Abbreviation................. Pre-Prc 12

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: 12 lead EKG done?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

    Abbreviation................. Pre-Allerg

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................

    Display Name................. Preprocedure: Allergies Reassessed

                    and Documented

    Help Text...................

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

     1. PATIENT STATED (Pat Stated)

                    {843654E1-4BC9-4277-9EFC-0B388A70A907}

     2. FAMILY STATED (Fam Stated)

                    {07A4B749-65F2-48E8-AD93-D142B04055B4}

     3. CHART VERIFIED CORRECT (Chart Ver)

                    {319E702F-C7A9-409D-881F-3F4D1D9AF393}

     4. ALLERGY WRISTBAND (Wristband)

                    {BB7F6746-102D-4CBA-8E53-EA465176812B}

    UNITS:

     Abbreviation................. Pre-Prc Gv

     Active....................... Yes

     Boolean Value False.......... No

     Boolean Value True........... Yes

     Data Type.................... Boolean

     Description..................

     Display Name................. Preprocedure: Antibiotic given?

     Help Text....................

     Multi Select Picklist........

     Term Type.................... OBSERVATION

     Vuid.........................

     UNITS:

Abbreviation................. Pre-Prc An

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Antibiotic ordered?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

```
================================================================================

TERM: PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?          Page: 609

  ID: {9A3B98C0-9478-4BFA-9274-450D8DF363DC}

================================================================================

    Abbreviation................. Pre-Prc Bl

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. Preprocedure: Blood Transfusion

                    consent current?

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    UNITS:

    ------------------------------------------------------------------
```

TERM: PREPROCEDURE: BLOOD TRANSFUSION PREFERENCE?   Page: 610

 ID: {42BD0D96-88A9-44CB-94D7-BF43A7F86946}

==

Abbreviation................. Tran Pref

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. Preprocedure: Blood Transfusion

               Preference?

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

10. NO PREFERENCE (No Pref)   {CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}

20. AUTOLOGOUS (Autologous)   {666DDEC1-5D32-47F6-813C-09F50B4040D2}

30. KNOWN DONOR (Known)   {74BEA6F1-8FA5-49C7-9198-957838B1C971}

40. DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (Declines)

              {6956B7C1-5996-4ED0-91B7-040992E11DED}

UNITS:

==

 ID: {37CC251D-A494-4E4C-AECA-D90C4AEAEF4F}

==

Abbreviation................. Pre-Prc Xr

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Chest Xray done?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. Pre-Dentur

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Dentures removed?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. Clothing

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Preprocedure: Disposition of Clothing

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

 1. CLOTHING ROOM (Cloth Room)

                {8F116C60-10B1-4033-93F2-9121629CD608}

 2. LOCKER (Locker)   {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

 3. SPOUSE (Spouse)   {2C601365-23F9-4939-9B63-F73720A17199}

 4. FAMILY (FAMILY)   {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

 5. FRIEND (FRIEND)   {03902E48-AF86-432A-8372-37796A55F625}

 6. UNDER STRETCHER/BED (Stretcher)

                {0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}

 7. N/A (n)   {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

 UNITS:

Abbreviation................. Pre-Val

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Preprocedure: Disposition of Valuables

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. CLOTHING ROOM (Cloth Room)

                {8F116C60-10B1-4033-93F2-9121629CD608}

 2. AGENT CASHIER (Cashier)   {3849A887-F353-4215-88FD-DDD0188BE1BB}

 3. LOCKER (Locker)   {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

 4. SPOUSE (Spouse)   {2C601365-23F9-4939-9B63-F73720A17199}

 5. FAMILY (FAMILY)   {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

 6. FRIEND (FRIEND)   {03902E48-AF86-432A-8372-37796A55F625}

 7. LOCK BOX (Lock Box)   {974A2F44-C918-4E85-ABAF-03A21498F98B}

 8. N/A (n)   {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

 UNITS:

==

 ID: {5520FD8E-7B0B-45AD-A3BC-554CEBBC7109}

==

   Abbreviation................. Dr Bag Emp

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description..................

   Display Name................. Preprocedure: Drainage Bag Emptied?

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

    Abbreviation................. Pre-driver

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description..................

    Display Name................. Preprocedure: Driver/Escort to Home

                    Confirmed

    Help Text....................

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

     1. SPOUSE (Spouse)   {2C601365-23F9-4939-9B63-F73720A17199}

     2. FRIEND (FRIEND)   {03902E48-AF86-432A-8372-37796A55F625}

     3. RELATIVE (Relative)   {F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}

     4. VOLUNTEER (VOLUNTEE)   {F5406412-DE48-4F84-8A31-0B1D79DB576D}

    UNITS:

==

ID: {98B3541C-372E-4876-ABD2-74E04AF23DF0}

==

Abbreviation................. Pre-Finger

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Fingerstick Glucose done?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

===

TERM: PREPROCEDURE: GLASSES / CONTACTS REMOVED?   Page: 618

 ID: {FBE31829-FEFC-4C11-8D62-EDCF94EA28EF}

===

   Abbreviation................. Pre-Glass

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description..................

   Display Name................. Preprocedure: Glasses / Contacts

                    removed?

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

    Abbreviation................. Pre-Prc HP

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. Preprocedure: H and P current?

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

==

ID: {173DAC5E-4332-4D0B-A232-98DA65305234}

==

Abbreviation................. Pre-Hear

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Hearing Aids in place?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

```
================================================================================

TERM: PREPROCEDURE: HOME MEDICATIONS TAKEN/TIME          Page: 621

 ID: {9700CD4B-2EB1-4205-B88E-405A1F77A025}

================================================================================
```

Abbreviation................. Home Meds

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... String

Description..................

Display Name................. Preprocedure: Home Medications

                            taken/time

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. Pre-Gown

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................

Display Name................. Preprocedure: Hospital Gown on?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

   Abbreviation................. Pre-Prc In

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description..................

   Display Name................. Preprocedure: Informed Consent current?

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

==

 ID: {8220E017-8816-452A-B2E1-07209A167781}

==

    Abbreviation................. Pre-Jewel

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. Preprocedure: Jewelry Removed?

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

Abbreviation................. Pre-Prc La

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Labs Done?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

===

 ID: {64F57F8D-DDB7-4CB7-9C71-F9C6C334F717}

===

   Abbreviation................. Pre-NPO

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... String

   Description..................

   Display Name................. Preprocedure: NPO Since (Date/Time)

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

Abbreviation................. Plan Disp

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Preprocedure: Disposition Post

                 Procedure

Help Text....................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

10. ICU (ICU)   {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

20. WARD (WARD)   {A16CB5CB-3401-4F6C-8467-7F78FC929872}

30. OUTPATIENT (Outpatient)   {CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}

40. CONTRACT CARE FACILITY (Contr Care)

               {74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}

50. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

===

 ID: {696F0ABC-ADA5-4BDF-8EE6-CF9FCA84581C}

===

Abbreviation................. Pre-Prc Pl

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... String

Description..................

Display Name................. Preprocedure: Planned Procedure

Help Text.................... Enter name of procedure to be performed

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. Pre-Admin

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Premedication

                 Administered?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. Pre-Meds

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Premedication ordered?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

===

TERM: PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY   Page: 631

  ID: {A9CAE001-E29B-42AB-B353-63E255803169}

===

   Abbreviation................. Site Marke

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. Preprocedure: Procedure Site Marked

               Correctly

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    2. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    3. SITE UNABLE TO BE MARKED (Unable/Mar)

             {E7BA9E0F-1F12-4F74-B48E-B6212D217B30}

    4. PATIENT REFUSES MARKING (Pat Refuse)

             {93CE893B-AFE1-4047-9EE9-2AD6388C0086}

   UNITS:

Abbreviation................. Pre-Pros

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Prosthetics/Implants?

Help Text.................... This can be used for identifying

                  implants the patient possess and the

                  information captured from patient,

                  family or other source

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

===

  ID: {F818A685-84D0-450D-B81A-72F2EE4714D7}

===

    Abbreviation................. P/F Test?

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. Preprocedure: Pulmonary Function Test

                  Done?

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

===

TERM: PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP NIGHT BEFORE?   Page: 634

 ID: {6CA6D46F-D9A9-49F3-95C3-EE0F91CB852E}

===

Abbreviation................. Chlor PM?

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Shower/Bath W

                Chlorhexidine Soap Night Before?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

===

TERM: PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP THIS AM?   Page: 635

  ID: {E88314D8-0870-42E5-84CE-9A9A90151142}

===

    Abbreviation................. Chlor AM?

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. Preprocedure: Shower/Bath W

                  Chlorhexidine Soap this AM?

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

Abbreviation................. Pre-Prc Cr

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Type and Cross Match

                 done?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

==

 ID: {801BD31C-760C-41DD-BE7B-F55B5C7018AD}

==

   Abbreviation................. Pre-Prc TS

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description..................

   Display Name................. Preprocedure: Type and Screen done?

   Help Text...................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

Abbreviation................. Pre-Vitals

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Preprocedure: Vitals Signs done?

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

   Abbreviation................. Pre-Voided

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description..................

   Display Name................. Preprocedure: Voided?

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

Abbreviation................. PR UL COLO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. Pressure Ulcer Color

Display Name................. Pressure Ulcer Color

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 2. BLACK/NECROTIC (BLACK/NECR)

                {53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

 3. YELLOW/FIBRINOUS (YELLOW/FIB)

                {47CF52FE-0374-4690-ADA1-643E0954E035}

40. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

50. PINK / GRANULATING (Pink/Gran)

                {05245B27-3292-48B2-9F37-6AB9BB92395B}

60. SLOUGH (SLOUGH)   {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

70. OTHER (Other)   {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

===

TERM: PRESSURE ULCER DEPTH   Page: 641

  ID: {A829C7B5-B0E5-4B7B-882A-BA63337C65F8}

===

    Abbreviation................. PR UL DEPT

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Pressure Ulcer Depth

    Display Name................ Pressure Ulcer Depth

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    CENTIMETER   -1.00 > 0.00 * 20.00 < 40.00

                       Dec Prec: 2

==

 ID: {A1A771D4-AF2C-4023-9265-461975D995CF}

==

    Abbreviation................. PR UL DRAI

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Pressure Ulcer Drainage Character

    Display Name................ Pressure Ulcer Drainage

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 9 entries

    ----

     1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

     2. BLOODY (BLOODY)   {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

     3. SEROUS (SEROUS)   {9BDA347E-29E9-80C7-91FA-016192D4257E}

     4. SEROSANGUINOUS (SEROSANGUI)

                    {19A8D332-899D-177A-2247-ABCDAEE3BFA8}

     5. PURULENT (PURULENT)   {86C01494-743A-C6A2-8883-01CA5200C79B}

     6. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

     7. CLOUDY (CLOUDY)   {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

     8. VISCOUS (VISCOUS)   {0E8019D5-F2DB-46B8-B750-41568DD0179C}

     90. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

    UNITS:

===

 ID: {856A2512-422F-479E-A0D3-A9CF12923016}

===

    Abbreviation................. PR UL D P

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. Pressure Ulcer Dressing Prevents

                   Assessment

    Display Name................. Pressure Ulcer Dressing Prevents

                   Assessment

    Help Text.................... Does the pressure ulcer dressing

                   prevent a full assessment?

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

==

 ID: {B31F418F-99E1-4273-BB5B-3C56745B38C5}

==

   Abbreviation................. PR UL LENG

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Pressure Ulcer Length

   Display Name................. Pressure Ulcer Length

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   CENTIMETER   -1.00 > 0.00 * 50.00 < 100.00

                              Dec Prec: 2

```
================================================================
```

 ID: {48FE49CA-D1FE-4812-ACB2-D4540B0EC2B9}

```
================================================================
```

Abbreviation................. PR UL ODOR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Pressure Ulcer Odor

Display Name................. Pressure Ulcer Odor

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. FOUL SMELLING (FOUL SMELL)

                    {761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

===

 ID: {453C53C4-516D-4FE6-9032-496517880D3F}

===

   Abbreviation................. PR UL PHOT

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. Was the pressure ulcer photographed?

   Display Name................. Pressure Ulcer Photographed

   Help Text.................... Was the pressure ulcer photographed?

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

==

 ID: {4C16776B-B53E-441C-AA73-BA1083D9F626}

==

   Abbreviation................. PR ULC BOO

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Pressure Ulcer Prevention Boots

   Display Name................. Pressure Ulcer Prevention Devices

   Help Text.................... No Help Text

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 9 entries

   ----

   1. ELBOW PAD (ELBOW PAD)   {26942F81-1E33-4962-B772-A96FFBCED814}

   2. FOAM AIR HEEL ELEVATOR (FO AI HEEL)

                {4EC26AA3-4577-4808-8728-F360C5C5A0D4}

   3. HEEL LIFT (HEEL LIFT)   {974F90E6-382D-421A-A4CE-94A74CBEFC32}

   5. INFLATABLE HEEL LIFT (INF HEEL L)

                {793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}

   6. RIGID HEEL SPLINT (RIG HEEL S)

                {5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}

   7. MULTIPODOUS (MULTIPODOU)   {ED098F9D-B204-4310-813A-98D91FF9DD25}

   8. WAFFLE (WAFFLE)   {29A0FA73-CAA7-4660-9861-79A09F6DD98C}

   90. SPECIALTY MATTRESS/BED (Specialty)

                {6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}

100. OTHER (ADD COMMENTS) (Other)

{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

UNITS:

```
===============================================================================
```

TERM: PRESSURE ULCER RISK FACTORS   Page: 648

 ID: {A6658726-4361-4B3C-932D-AF2C0F9D6E54}

```
===============================================================================
```

Abbreviation................ PRE ULC RF

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Pressure Ulcer Risk Factors

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 9 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. BARIATRIC PATIENT (BARIAC PAT)

              {6F614334-685E-4533-A475-BDF5440855EA}

 3. DEVICE RELATED PRESSURE (DEV REL PR)

              {3AED6107-A173-4B53-8EB5-2FB2B3336FC5}

 4. END OF LIFE CARE (END LIFE)

              {047D8977-0567-4B90-AD6A-3AAF8DB35238}

 5. HYPOALBUMINEMIA (HYPOALBUM)

              {A3397F38-2491-48E7-8366-A6FA2D91E866}

 6. VASOPRESSOR (VASOPRESS)   {591FCB09-1287-48C6-8007-4CE961296BA9}

 7. REFUSE TO MOVE (REF TO MOV)

              {E14588CE-2498-4FE8-AB0B-E954DC1696AC}

8. UNSTABLE (UNSTABLE)   {5841C521-8070-4034-A69D-27DAB2990EB3}

9. VERY LOW BMI (LOW BMI)   {78B3A37B-938B-42E5-A403-75E206722BC3}

UNITS:

Abbreviation................. PR UL SINU

Active....................... Yes

Boolean Value False.......... Not Present

Boolean Value True........... Present

Data Type.................... Boolean

Description.................. Pressure Ulcer Sinus/Undermining

Display Name................. Pressure Ulcer Sinus/Undermining

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. PR UL STAG

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Pressure Ulcer Stage

Display Name................ Pressure Ulcer Stage

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 7. SUSPECTED DEEP TISSUE INJURY (SUS DEEP T)

                {E82B4082-646F-4B5A-B68E-BB0872A4F6D2}

 8. STAGE I (STAGE I)   {B376AAAF-7143-4422-BCA2-CACF1201817C}

 9. STAGE II (STAGE II)   {B520BEA3-841E-490A-A3CD-63D1027B561F}

 10. STAGE III (STAGE III)   {A2F0866C-ECEE-4FCD-A34B-498232662D7E}

 11. STAGE IV (STAGE IV)   {284334AA-E488-4D45-93EF-9B93B2086A63}

 12. UNSTAGEABLE (UNSTAGEABL)   {5C507F64-2EC0-4FD8-A786-94D76D90C0D1}

LOCATION: 51 entries

----

 1. COCCYX (COCCYX)   {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

 2. HEAD OCCIPITAL (HEAD OCCIP)

{2066CA47-5A16-447F-9919-24ED435B627F}

3. L ANKLE (L ANKLE)   {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

4. L ANTECUBITAL (L ANTECUBI)

{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

5. L EAR (L EAR)   {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

6. L ELBOW (L ELBOW)   {BF4317E7-2024-47EF-9E5F-3D21D0547885}

7. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

8. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

9. L GLUTEUS (L GLUTEUS)   {88C4E547-04CD-4D52-9416-CAEB6D898D21}

10. L HEAD (L HEAD)   {3737DC2D-DC9E-4FC8-839D-0355987B62D1}

11. L HEEL (L HEEL)   {C9154881-17C7-4921-A0EE-BFB962C59CEF}

12. L INNER KNEE (L INN KNEE)   {79853581-CCF0-49E9-9D91-D16DE02A836D}

13. L ISCHIAL (L ISCHIAL)   {DCDAD741-9599-4479-9D55-3279F800DBE6}

14. L LOWER ARM (L LOW ARM)   {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

15. L OUTER KNEE (L OUT KNEE)   {B143C935-2687-49C3-9F65-8D69C1775ABC}

16. L RIBS (L RIBS)   {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}

17. L SCAPULA (L SCAPULA)   {3381EC50-771B-41C8-85C8-6EB0D208D54E}

18. L SHOULDER (L SHOULDER)   {91CBD2FA-2743-42EB-946B-6933980D9337}

19. L TROCHANTER (L TROCHANT)   {C91647A4-255D-40E4-A24D-01274E5D799F}

20. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

21. PERINEAL (PERINEAL)   {1801441C-D5EF-4775-9E58-E4985496F7E0}

22. R ANKLE (R ANKLE)   {4E6DF352-F399-4CE9-908C-48132C3D856B}

23. R ANTECUBITAL (R ANTECUBI)

{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

24. R EAR (R EAR)   {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

25. R ELBOW (R ELBOW)   {5BAFF87B-6993-4E76-862F-9F386D9B71C5}

26. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

27. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

28. R GLUTEUS (R GLUTEUS)   {B4D32045-68D1-4457-9106-7937887FA6F6}

29. R HEAD (R HEAD)   {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}

30. R HEEL (R HEEL)   {0020DD20-2EA4-4362-ADF0-07BFA220C60E}

31. R INNER KNEE (R INN KNEE)   {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}

32. R ISCHIAL (R ISCHIAL)   {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}

33. R LOWER ARM (R LOW ARM)   {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

34. R OUTER KNEE (R OUT KNEE)   {330F1DF1-8C99-4984-9965-7404ABC9562D}

35. R RIBS (R RIBS)   {260FD564-5E58-419B-9F73-62B6037D1572}

36. R SCAPULA (R SCAPULA)   {EA657261-4D72-40C2-B70D-2A2E27556A01}

37. R SHOULDER (R SHOULDER)   {D27AE130-442E-4DD6-B391-8D7E8AD494A2}

38. R TROCHANTER (R TROCHANT)   {1A3E21B2-C391-40D2-8059-12290E667D9E}

39. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

40. SACRAL (SACRAL)   {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

41. FOREHEAD (FOREHEAD)   {5F892722-956E-474C-BA08-4074142D49F6}

42. L LATERAL HEEL (L LAT HEEL)

                {1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}

43. R LATERAL HEEL (R LAT HEEL)

                {A1896CF9-0246-4323-8DED-E4B5FB12CACE}

44. L MEDIAL HEEL (L MED HEEL)

                {47AD7BA6-4EBB-4A08-B03C-FE73EB240725}

45. R MEDIAL HEEL (R MED HEEL)

                {C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}

46. L LATERAL MALLEOLUS (L LAT MALL)

                {9A523B7C-64DD-4E47-9543-165788108D4C}

47. R LATERAL MALLEOLUS (R LAT MALL)

                {950FC45B-93E8-424F-A5D4-DE646166D7B0}

48. L MEDIAL MALLEOLUS (L MED MALL)

                {330E7682-407F-43CD-84FC-1CDA41F08C68}

49. R MEDIAL MALLEOLUS (R MED MALL)

                {C70FB4FA-6516-4567-8E26-46BA439F1DF4}

50. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

51. TRACHEOSTOMY (TRACHEOSTO)   {4D12329A-56C8-4175-986F-2F0B68EB7E6D}

UNITS:

TERM: PRESSURE ULCER TREATMENT   Page: 651

 ID: {669EE6DD-D4AA-417C-BB27-81F648BE25F3}

==

    Abbreviation................. PR UL TREA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Methods used for treatment of

               Pressure Ulcer

    Display Name................. Pressure Ulcer Treatment

    Help Text.................... Methods used for treatment of

               Pressure Ulcer

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 25 entries

    ----

   1. ANTIBIOTIC OINTMENT (AB OINTMEN)

             {352D9690-77BB-44DC-919E-5357876DEAC4}

   2. BACTERICIDAL (BACTERIOCI)   {680E4A3C-A40A-461E-818D-003AE8A1EFC8}

   3. BACTERIOSTATIC (BACTERIOST)

             {AB74D109-8ED7-4A6C-B028-7A041781DF67}

   4. CADEXOMER IODINE (CADEXO IOD)

             {C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}

   5. CALCIUM ALGINATE (CA ALGINAT)

             {2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

   6. COLLAGEN (COLLAGEN)   {8D734495-2FAF-41C0-9146-55B22583A830}

7. DILUTE DAKINS SOLUTION (DL DAKINS)

{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

8. ENZYMATIC OINTMENT (ENZY OINTM)

{E781DA75-8777-4884-A093-FB623774DB8F}

9. GAUZE (GAUZE)   {CF10C658-4334-4F3B-A38E-E98894458333}

10. GAUZE PACKING (GAUZE PACK)

{6C093717-82CB-4966-929E-C909310649C1}

11. GAUZE WRAP (GAUZE WRAP)   {040A9648-E6E1-4AC5-93C7-53A49537B15C}

12. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

13. HYDROFIBER (H-FIBER)   {42740A7F-A831-4FBD-9E59-88F315176674}

14. HYDROFIBER WITH SILVER (HYFIB W SI)

{04BD9512-DE5D-421A-9818-8A33D1F0693D}

15. HYDROGEL DRESSING (H-GEL DRES)

{F6192D10-D6EA-42C2-AB15-270659D9925C}

16. OPEN TO AIR (OPE TO AIR)   {EFB715D0-5666-4281-9034-A0326A14B2BB}

17. NEGATIVE PRESSURE THERAPY DEVICE (NEG PRE TH)

{8AF0A069-66AD-4114-99D8-238AD987F0FF}

18. SALINE MOIST DRESSING (SAL MOI DR)

{19F98514-8ABF-461C-9969-C31177FE7DE7}

19. TRANSPARENT DRESSING (TRANSP DRE)

{777C7722-AEA8-4A0B-9ADD-1157D37AE539}

20. PETROLATUM (PETROLATUM)   {DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}

21. PORCINE SUBMUCOSA (PORC SUBMU)

{6F3917DA-74BD-4790-9D4D-B284E27B7623}

22. SILVADENE (SILVADENE)   {0889134F-C419-4366-B12E-EAB775719410}

23. XENADERM (XENADERM)   {F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}

24. XEROFORM (XEROFORM)   {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}

30. OTHER (OTHER)   {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

   Abbreviation................. PRE ULC TU

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. No Description

   Display Name................. Pressure Ulcer Tunnelling

   Help Text.................... Is the Pressure Ulcer Tunnelling?

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

==

 ID: {D7FC23D9-8C2B-42F0-A545-5102AFC22335}

==

    Abbreviation................. PR UL TU L

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. No Description

    Display Name................ Pressure Ulcer Tunnel Length

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    CENTIMETER   -1.0 > 0.0 * 15.9 < 16.0   Dec Prec: 1

===

 ID: {CF9D2160-4E70-452C-B0D1-D14A4E5662CE}

===

Abbreviation................. PRE ULC UM

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Pressure Ulcer Undermining

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

TERM: PRESSURE ULCER WIDTH   Page: 655

 ID: {2C1FCC95-E9D1-40A6-ACD7-58E0D4324E4E}

==

    Abbreviation................. PR UL WIDT

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Pressure Ulcer Width

    Display Name................ Pressure Ulcer Width

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    CENTIMETER   -1.00 > 0.00 * 50.00 < 100.00

                              Dec Prec: 2

Abbreviation................. Proc Loc

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Procedure Location

Help Text................... Document physical environment in

                which the procedure is occurring.

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 12 entries

----

 1. PULMONARY PROCEDURE ROOM (Pul Prc Rm)

                {D082F661-EBA4-4EAA-987C-67E2BDFBE94D}

 2. CARDIOLOGY PROCEDURE ROOM (Cardio Rm)

                {744142F5-D301-4509-A96D-06AB8C1D2C81}

 3. SPECIAL PROCEDURE ROOM (Special Rm)

                {60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}

 4. EMERGENCY DEPT (Emer Dept)

                {E8490DF5-278C-4102-9675-C9B40D596A10}

 5. GI PROCEDURE ROOM (GI Proc Rm)

                {924532F4-B52F-4EA9-8C7D-59168B340118}

 6. GU PROCEDURE ROOM (GU Proc Rm)

{D4B6678F-C1DD-4A23-9045-574251F6CD74}

7. DENTAL (Dental)   {0A60F06A-ED63-4B06-8FF9-EEFB12567D65}

8. RADIOLOGY (Radiology)   {AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}

9. INTERVENTIONAL RADIOLOGY (Interv Rad)

                            {322B66E6-814F-43AF-B669-E503519DB72F}

10. ICU (ICU)   {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

11. BEDSIDE (Bedside)   {481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}

12. OTHER (Other)   {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

    Abbreviation................. Proc Pers

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................

    Display Name................. Procedure Personnel

    Help Text.................... Identify personnel present

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 17 entries

    ----

    10. PHYSICIAN (PHYSICIA)   {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}

    20. NP (NP)   {E7EA4017-4374-41A1-9D3D-54051CEDF63C}

    30. PA (PA)   {C057C47D-780A-4230-B577-2C528AD09DEB}

    40. DENTIST (Dentist)   {DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}

    50. CNS (CNS)   {487A4DE0-A822-437D-87A2-75FA86D7BBDE}

    60. ANESTHESIOLOGIST (Anesthesio)

                    {44BAD970-DD8F-4015-9C41-AC7868CEBE79}

    70. CRNA (CRNA)   {41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}

    80. LVN/LPN (LVN/LPN)   {DC89CD99-80C5-4455-A280-3A19E74DCE7D}

    90. HEALTH TECH (Health Tec)   {7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}

    100. RESP TECH (Resp Tech)   {8A7BA130-3EDC-4D07-A852-846B37399FC9}

    110. RAD TECH (Rad Tech)   {EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}

120. STUDENT (STUDENT)   {613AFF67-9121-4F6C-A44F-1ACFEF10E612}

130. RN (RN)   {A103E506-EAA5-4777-8126-268CD723AD87}

140. NSG ASSIST (Nsg Assist)   {14FA9638-3786-4FEA-BE8F-2345C1F455C3}

150. VENDOR REP (Vendor Rep)   {4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}

160. TECH (Tech)   {13AAF5D5-FEBC-4E09-B972-5D86BA02F307}

170. OTHER (SEE COMMENTS) (Other)

               {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

```
================================================================
TERM: PROCEDURE TIME                          Page: 658

 ID: {709E6959-A58C-454C-A2A4-2AF69483F21B}

================================================================

    Abbreviation................. Proc Time

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description..................

    Display Name................. Procedure Time

    Help Text.................... When entering data, make sure the

                    save date/time reflects the start or

                    stop time.

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                        2 entries

    -----------------------------------------------------------------

     1. START TIME: (Start Time)   {4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}

     2. STOP TIME: (Stop Time:)    {784CA4D8-988F-4A59-8AB5-48AFC9CA210B}


    UNITS:

    -----------------------------------------------------------------
```

Abbreviation................. Proc, Plan

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... String

Description..................

Display Name................. Procedure, Planned

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

```
================================================================================

TERM: PROSTHETIC DEVICES                          Page: 660

 ID: {B70836C4-3470-4731-B09F-D32F346241C3}

================================================================================
```

Abbreviation................. ProsDevice

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Prosthetic Devices

Help Text.................... Select all prosthetic devices in use

                by the patient

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 15 entries

----

10. EYE LENS (Eye Lens)   {9EA92925-0EA1-4E20-9B46-1848B03F72E9}

20. OCULAR PROSTHESIS (OcularPro)

                {6A4D5E59-FB7E-4D75-8F30-A30949DA9475}

30. EAR (Ear)   {2FCF5F1B-70ED-4994-B9E6-83FA29F1D088}

40. BREAST (Breast)   {31ABEC65-FAEE-44F9-8E1E-BD62E22E9AAE}

50. ED IMPLANT (ED Implant)   {A3BC0444-EDB8-4852-82A2-EA07B0C37D51}

60. FACIAL (Facial)   {7229B242-4C9B-4881-B7C8-A71351754DD7}

70. JOINT (SPECIFY IN COMMENTS) (Joint)

                {7EF927CA-073D-425B-B8A8-E400E0E3C468}

80. SPINE (Spine)   {8907E33B-B967-45F1-AB1F-1A4F79D1C506}

90. PACEMAKER (Pacemaker)   {8B0A1765-9D93-4A03-96A2-D8EC0CF487D9}

100. AICD (AICD)   {EDB0E730-A1DC-4639-888B-30E956CCA958}

110. MEDIPORT (Mediport)   {E223C221-A1ED-4FC0-969F-16E33E3A0897}

120. DIALYSIS ACCESS (Dialysis)

          {6465ED36-0818-48EC-AFE7-3BEE513770A2}

130. TENS (TENS)   {73D73BCF-D9C3-4154-8C5C-D11E62A2D328}

140. RADIATION SEEDS (RadSeeds)

          {9285EFB0-3DEA-4E2E-BD0D-C34248065F1F}

150. OTHER (ENTER COMMENT) (Other)

          {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

==

 ID: {A7126912-49DD-A952-8731-D06A323D2C3E}

==

   Abbreviation................. PAD

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Pulmonary Artery Diastolic Pressure

   Display Name................. Pulmonary Artery Diastolic Pressure

   Help Text................... Pulmonary Artery Diastolic Pressure

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   MILLIMETERS OF MERCURY   0 > 8 * 15 < 30   Dec Prec: 0

==

TERM: PULMONARY ARTERY MEAN PRESSURE   Page: 662

 ID: {BE486939-CA23-58EF-ADE2-A34D19C4F41F}

==

    Abbreviation................. PAM

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. No Description

    Display Name................. Pulmonary Artery Mean Pressure

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 1 entries

    ----

     1. CARDIAC OUTPUT MONITOR (COM)

                    {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

    UNITS:

    MILLIMETERS OF MERCURY   0 > 9 * 19 < 50   Dec Prec: 0

```
================================================================================

TERM: PULMONARY ARTERY SYSTOLIC                    Page: 663

 ID: {4DFDF10B-3501-87E1-0EB8-AD3772E60012}

================================================================================

    Abbreviation................. PAS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. No Description

    Display Name................. Pulmonary Artery Systolic

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................


    UNITS:

    ------------------------------------------------------------------

    MILLIMETERS OF MERCURY      0 > 15 * 25 < 50       Dec Prec:  0
```

Abbreviation................. PCWP WEDGE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. No Description

Display Name................. Pulmonary Capillary Wedge Pressure

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

                {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLIMETERS OF MERCURY   0 > 8 * 12 < 30   Dec Prec: 0

Abbreviation................. PUL CARE

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Pulmonary Care

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

```
================================================================================

TERM: PULMONARY SECRETION AMOUNT                        Page: 666

 ID: {FEED2CE3-F697-D1AB-AB1B-72A7968F0EB0}

================================================================================
```

Abbreviation................. PUL SEC AM

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. AMOUNT OF SPUTUM FROM PATIENT

Display Name................. Pulmonary Secretion Amount

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. SCANT (SCANT)   {8EF6C62D-0D94-37BB-60AD-86E306E8120D}

  2. SMALL (s)   {5991F892-B28C-3998-E733-D8FFA26D7E21}

  3. MODERATE (MODERATE)   {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

  4. LARGE (l)   {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

  5. COPIUS (COPIUS)   {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

UNITS:

Abbreviation................. SPUTUM COL

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Color of sputum

Display Name................ Pulmonary Secretion Color

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

   1. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

   2. WHITE (WHITE)   {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

   3. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

   4. TAN (TAN)   {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

   5. BROWN (BROWN)   {A1C32FBC-7B4D-707C-CA58-92A2E201368E}

   6. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

   7. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

   8. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

 UNITS:

==

TERM: PULMONARY SECRETION CONSISTENCY   Page: 668

 ID: {633A949F-FED1-7A86-5DEA-C62DAC802B7B}

==

    Abbreviation................. P SECR CON

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Sputum Consistency

    Display Name................ Pulmonary Secretion Consistency

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. THICK (THICK)   {1554A49E-1468-46B2-F851-531DDB1D1A98}

     2. TENACIOUS (TENACIOUS)   {EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}

     3. THIN (THIN)   {CB8D8B5C-E824-D030-1241-D8EB814671E9}

    UNITS:

```
================================================================================

TERM: PULMONARY SUCTIONING EVENT                    Page: 669

 ID: {6A5A8DA3-859F-4BE3-9673-EA26D463D5F7}

================================================================================
```

Abbreviation................. PUL SUC EV

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Patient needed and got Pulmonary

                    Suctioning

Display Name................. Pulmonary Suctioning Event

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

EVENT(S)   -1 > 0 * 30 < 100   Dec Prec: 0

Abbreviation................. PUL SUC FR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. FREQUENCY OF PATIENT'S PULMONARY

                   SUCTIONING

Display Name................. Pulmonary Suctioning Frequency

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

EVENTS PER HOUR   -1 > 0 * 100 < 101   Dec Prec: 0

EVENTS/2 HOURS   0 > 0 * 100 < 100   Dec Prec: 0

EVENTS/4 HOURS   0 > 0 * 100 < 100   Dec Prec: 0

===

 ID: {D011DC21-02E6-463B-DF02-6E4ADD94D703}

===

   Abbreviation................. PUL SUC SI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. SITE OF PATIENTS PULMONARY SUCTIONING

   Display Name................ Pulmonary Suctioning Site

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. ORAL (ORAL)   {BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}

    2. NASAL (NASAL)   {0F73F0CB-E25E-4611-9625-62E6F1596A9B}

    3. ARTIFICIAL AIRWAY (ART AIRWAY)

                  {8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}

    4. TRACHEOSTOMY (TRACHEOSTO)   {2B0B7599-847E-852F-D16F-091CAAA4B205}

   UNITS:

===

TERM: PULMONARY VASCULAR RESISTANCE   Page: 672

 ID: {56E4D7F3-EC49-B76A-B223-3C9E62E8B0ED}

===

   Abbreviation................. PVR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Pulmonary Vascular Resistance

   Display Name................. Pulmonary Vascular Resistance

   Help Text.................... Pulmonary Vascular Resistance

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   DYNE * SECONDS / CM(-5) * M2 50 > 150 * 250 < 500   Dec Prec: 0

===

 ID: {F98F291B-14F4-AA32-F218-E146364D9754}

===

Abbreviation................. PVRI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Pulmonary Vascular Resistance Index

Display Name................. Pulmonary Vascular Resistance Index

Help Text.................... Pulmonary Vascular Resistance Index

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

                {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

DYNE * SECONDS / CM(-5) / M2 20 > 80 * 240 < 350   Dec Prec: 0

Abbreviation................ P

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Beats per minute

Display Name................ Pulse - Do Not Check Total or Subtotals

Help Text................... Heart beats per minute,

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................ 4500636

LOCATION: 12 entries

----

 1. APICAL (Ap)   {C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}

 2. AV FISTULA (AVF)   {F977EEF6-EA6A-D56D-D1F7-29B91510A02F}

 3. BILATERAL PERIPHERALS (BILAT PERI)

               {7F134529-36C5-E9D4-ABD5-64B404F9E706}

 4. BRACHIAL (Bra)   {67426127-09E1-E566-F31E-15714A5B2B7C}

 5. CAROTID (Car)   {9536F203-1797-9336-6F69-604249E1B3A0}

 6. DORSALIS PEDIS (DP)   {9657D743-1632-2044-B4C5-9EF291A2F6D0}

 7. FEMORAL (Fem)   {E3442C9E-8677-7296-D314-7365319C3716}

 8. PERIPHERAL (Per)   {36B31698-E84A-5792-8EAE-F374DFD1B55A}

 9. POPLITEAL (Pop)   {77030DF2-CE06-D9E2-0684-EE70209CBE73}

10. POSTERIOR TIBIAL (PT)   {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}

11. RADIAL (RADIAL)   {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

12. ULNAR (Uln)   {81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

METHOD: 13 entries

----

 1. AFTER EXERCISE (AE)   {D129EF4B-3A99-9966-54F1-2C01A36814EE}

 2. AT REST (AR)   {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}

 3. AUSCULTATE (Aus)   {0C629C1F-92D3-C641-B02C-9EA43B401DC9}

 4. DOPPLER (Dop)   {52683C19-F9DC-876B-CA3F-53E7C864CF04}

 5. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

 6. LEAD (L)   {B628FDCE-05E0-DACF-E66E-0F8380AB465A}

 7. MONITOR (Mo)   {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

 8. NON-INVASIVE (N-I)   {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

 9. PALPATED (Pal)   {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}

10. WITH ACTIVITY (Act)   {544A262B-EA34-F82A-46A9-F80740515D65}

11. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

12. ELECTROCARDIOGRAM TRACE 1 (ECG TR 1)

          {E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}

13. ELECTROCARDIOGRAM TRACE 2 (ECG TR 2)

          {73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}

POSITION: 4 entries

----

 1. LYING (Ly)   {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

 2. SEMIFOWLERS (Sfl)   {C2F6A945-3829-AABA-3D67-54D1829D3EB9}

 3. SITTING (Sit)   {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

 4. STANDING (St)   {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

QUALITY: 2 entries

----

 1. ACTUAL (A)   {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. ESTIMATED (E)   {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

BEATS PER MINUTE   0 > 60 * 100 < 300   Dec Prec: 0

TERM: PULSE STRENGTH   Page: 675

  ID: {7C9FBF50-4417-8563-3570-9F9BA44BDF39}

==

   Abbreviation................. PULSE STR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Quality of pulse

   Display Name................. Pulse Strength

   Help Text................... Select one of the measurements for

                  pulse quality

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 8 entries

   ----

   10. 4+ - BOUNDING, SOMETIMES VISIBLE (4+)

                   {949B749E-E0D9-4C99-9091-EE950AFAEA51}

   20. 3+ - STRONG, EASILY PALPABLE (3+)

                   {724597F3-9347-4FCB-B3B0-AB57A0ACEAC8}

   30. 2+ - NORMAL, PALPABLE (2+)

                   {0EA80599-EE42-498F-BEF6-35CBD1BB003F}

   40. 1+ - WEAK, BARELY PALPABLE (1+)

                   {BBE0CCB0-2E46-4EF7-96C8-2E4A54181CB5}

   50. 0 - ABSENT (0)   {A40D0A56-825E-4A12-B0CF-1D4B10351426}

   60. D - DOPPLER AUDIBLE ONLY (DoppOnly)

                   {D106DE72-0D2E-48B9-A4F5-51FA6BBDF2FB}

70. AMPUTEE (AMPUTEE)   {5804286F-2B23-91BD-FCB5-6AD18C918203}

80. UNABLE TO ASSESS (ENTER COMMENT) (Unable)

        {3B071C2E-4E07-4423-8FC3-EEBE9607CEE7}

LOCATION: 6 entries

----

10. BRACHIAL (Bra)   {67426127-09E1-E566-F31E-15714A5B2B7C}

20. RADIAL (RADIAL)   {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

30. FEMORAL (Fem)   {E3442C9E-8677-7296-D314-7365319C3716}

40. POPLITEAL (Pop)   {77030DF2-CE06-D9E2-0684-EE70209CBE73}

50. DORSALIS PEDIS (DP)   {9657D743-1632-2044-B4C5-9EF291A2F6D0}

60. POSTERIOR TIBIAL (PT)   {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}

POSITION: 3 entries

----

10. LEFT (Left)   {5E827317-6BDE-409A-B29D-D8FE2AF118A4}

20. RIGHT (Right)   {B66EABF4-A800-40DD-869F-7423173989FB}

30. BILATERAL (Bilateral)   {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

===

 ID: {9FCBF7CF-39B8-9710-6F41-9B7DDDC3BDD2}

===

   Abbreviation................. PREA

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Pupil Reaction

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 9 entries

   ----

    1. FIXED (f)   {697D8C5A-976F-F423-30EC-A04102CF85F0}

    2. SLUGGISH (s)   {3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}

    3. EYE CLOSED (ec)   {140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}

    4. DRESSING (d)   {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

    5. REACTIVE (Reactive)   {31B44ADB-0000-A5B0-5F56-59D4A08C05D2}

    6. NONREACTIVE (nonreact)   {AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}

    7. BRISK (brisk)   {980AE687-0A78-458B-BA7B-5D646C38A5F5}

    8. PINPOINT (pinpoint)   {4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}

    9. DILATED (Dilated)   {BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

   LOCATION: 3 entries

   ----

1. L EYE (L EYE)   {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

2. R EYE (R EYE)   {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

3. BOTH EYES (Both Eyes)   {FF0ED136-502C-4CC9-94D0-991A50D738A0}

UNITS:

```
================================================================================

TERM: PUPIL SIZE                          Page: 677

 ID: {80D7541F-0EE5-D362-E781-F825A9848E8C}

================================================================================
```

Abbreviation................. PS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. No Description

Display Name................ Pupil Size

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

LOCATION: 3 entries

----

 1. L EYE (L EYE)   {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

 2. R EYE (R EYE)   {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

 3. BOTH EYES (Both Eyes)   {FF0ED136-502C-4CC9-94D0-991A50D738A0}

UNITS:

MILLIMETERS   0 > 1 * 9 < 11   Dec Prec: 0

==

 ID: {7E76309C-0486-40CC-B14F-0D9B042C1D83}

==

   Abbreviation................. QRS

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. The QRS complex is a structure on the

                    ECG that corresponds to the

                    depolarization of the ventricles.

   Display Name................. QRS Complex

   Help Text.................... The QRS complex is a structure on the

                    ECG that corresponds to the

                    depolarization of the ventricles.

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   SECOND   0.02 > 0.04 * 0.12 < 0.24 Dec Prec: 2

    Abbreviation................. QT

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. The QT interval is measured from the

                      beginning of the QRS complex to the

                      end of the T wave.

    Display Name................. QT Interval

    Help Text.................... The QT interval is measured from the

                      beginning of the QRS complex to the

                      end of the T wave.

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    SECOND   0.10 > 0.30 * 0.46 < 1.00 Dec Prec: 2

```
================================================================
TERM: RECTAL TUBE PRESENT                    Page: 680

 ID: {D05DB527-8EDD-4324-B7B5-989AC004486E}

================================================================

    Abbreviation................. REC TU PRE

    Active....................... Yes

    Boolean Value False.......... Not Present

    Boolean Value True........... Present

    Data Type.................... Boolean

    Description.................. Rectal Tube Present

    Display Name................. Rectal Tube Present

    Help Text.................... Rectal Tube Present

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                          2 entries

    ----------------------------------------------------------------

     1. NO (n)              {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)             {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


    UNITS:

    ----------------------------------------------------------------
```

    Abbreviation................. End-Tidal

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................

    Display Name................. Respiration: End-Tidal CO2

    Help Text................... The measurement of carbon dioxide

                    concentration in a patient's breath,

                    assumed to reflect arterial carbon

                    dioxide tension.

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLIMETERS OF MERCURY   0.0 > 0.0 * 120.0 < 120.0 Dec Prec: 1

==

 ID: {5E7469A0-F426-2342-DA03-7054F44D7614}

==

   Abbreviation................. RESP PATT

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Respiratory Pattern

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 11 entries

   ----

    1. REGULAR (REGULAR)   {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

    2. IRREGULAR (IRREGULAR)   {6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}

    3. DEEP (DEEP)   {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}

    4. SHALLOW (SHALLOW)   {CD205617-BF98-4177-971A-056AFECC823A}

    5. DYSPNEIC (DYSPENIC)   {4C6B42D9-694F-5EB2-6396-7ED85D5B154E}

    6. ORTHOPNEIC (ORTHOPNIC)   {FF373BD7-FD84-DF43-7A44-1B8E62917116}

    7. ABDOMINAL (ABDOMINAL)   {29E279F4-5D2E-4644-A2FA-CF85BEDFD480}

    8. CHEYNE-STOKES (CHEYNE-STO)

              {58DD2B80-B522-499C-2C60-C48A654BAD84}

    9. KUSSMAUL (KUSSMAUL)   {0C5ED066-F445-ABFE-F7B1-D158EC7C2976}

   10. AGONAL (a)   {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

   11. VENTILATOR (v)   {A5A647ED-A56D-5012-AD5B-788B3DCB3498}

UNITS:

TERM: RESPIRATORY RATE - DO NOT CHECK TOTAL OR SUBTOTALS   Page: 683

  ID: {973ED2C0-0625-7DF9-17DC-8FFF7E376F23}

Abbreviation................. RR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. RESPIRATIONS PER MINUTE

Display Name................. Respiratory Rate - Do Not Check Total

            or Subtotals

Help Text.................... Breaths per minute

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................ 4688725

METHOD: 8 entries

----

 1. AFTER EXERCISE (AE)   {D129EF4B-3A99-9966-54F1-2C01A36814EE}

 2. ASSISTED VENTILATOR (AV)   {A540F333-5A09-5F21-7B51-2B5DF05E32C0}

 3. AT REST (AR)   {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}

 4. CONTROLLED VENTILATOR (CV)

               {0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}

 5. MONITOR (Mo)   {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

 6. SPONTANEOUS (S)   {5E9463BC-C871-54FD-F800-DCFDEDB8A93B}

 7. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

 8. WITH ACTIVITY (Act)   {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION: 6 entries

----

   1. LYING (Ly)   {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

   2. SITTING (Sit)   {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

   3. STANDING (St)   {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

   4. SEMIFOWLERS (Sfl)   {C2F6A945-3829-AABA-3D67-54D1829D3EB9}

   5. SUPINE (SUPINE)   {DEA8A744-B445-4A9E-875D-485E060F2ACC}

   6. TRENDELENBURG (Tr)   {42F3353B-7041-EEE1-A87E-941D3BE1CBCD}

UNITS:

BREATHS PER MINUTE   -1 > 12 * 20 < 201   Dec Prec: 0

===

 ID: {7236F0B3-64D9-4D67-9C38-C9DC0D0B18B4}

===

   Abbreviation................. RC:AmpCare

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description..................

   Display Name................. RC: Amputation Care

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

   MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

TERM: RESTORATIVE CARE: BED MOBILITY SUPINE TO SITTING - LEGS IN BED   Page: 685

 ID: {A6443E58-2AFF-43D1-AC3E-17A73AEB7814}

===

Abbreviation................. RC:LegsBed

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Bed Sit - Legs in Bed

Help Text.................... Document # minutes; use qualifiers

                 for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

==

TERM: RESTORATIVE CARE: BED MOBILITY SUPINE TO SITTING - LEGS DANGLING Page: 686

  ID: {58AB686D-95AE-4F15-93A5-1BB6856BE864}

==

Abbreviation................. RC:LegsDan

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. RC: Bed Sit - Legs Dangling

Help Text................... Document # minutes; use qualifiers

                for additional details.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

Abbreviation................. RC:SidRolL

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description..................

Display Name................. RC: Bed Side Roll Left

Help Text.................... Document # minutes; use qualifiers

            for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

```
================================================================
```

TERM: RESTORATIVE CARE: BED MOBILITY SUPINE - SIDE ROLL RIGHT   Page: 688

  ID: {80EB8856-6139-42F2-912D-22BE9BFD3029}

```
================================================================
```

Abbreviation................. RC:SidRolR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................ RC: Bed Side Roll Right

Help Text................... Document # minutes; use qualifiers

              for additional details.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                    {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

Abbreviation................. RC:Communi

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. RC: Communication

Help Text...................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

               {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

Abbreviation................. RC:ComDev

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. RC: Communication Device

Help Text...................

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 9 entries

----

10. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

20. ELECTRONIC LARYNX (ElecLarynx)

          {6614E813-0FBB-4F5A-A89B-3C02FE906983}

30. VOICE AMPLIFIER (Voice Amp)

          {8BC8AE0B-5887-4581-87D7-5B0D8DB52275}

40. TRACH TALKING VALVE (TrachValve)

          {AB6632B0-B220-4608-978F-6F2084175377}

50. PICTURE BOARD (PictuBoard)

          {9BD2908F-C5FE-4866-A265-AAEB60A8E878}

60. ALPHABET BOARD (AlphaBoard)

          {FAB01262-6E11-4B09-9C23-58AE735E1DF2}

70. LAPTOP/TABLET (Laptop/Tab)

{F49B59C2-EEB5-4712-BF8C-9FCA32B68488}

80. ASSISTIVE LISTENING DEVICE (HEARING AID, HEARING AMPLIFIER) (AssistList

)   {5F2027AC-BAD1-4BD4-A729-6143FB7EEE4F}

90. OTHER (SEE COMMENTS) (Other)

{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation................. RC:Dressin

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description..................

Display Name................. RC: Dressing

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

 ID: {4BB71E3E-A375-4EAF-B84F-28BB13797774}

===

Abbreviation................. RC:Eating

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. RC: Eating

Help Text...................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

==

 ID: {E0C879AA-46CF-47AA-B952-AF0FB6A3D5DC}

==

Abbreviation................. RC:EatDev

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. RC: Eating Assist Device

Help Text.................... Use Comments if needed to add devices

                not in the list.

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

10. WEIGHTED UTENSILS (Weighted)

                {5B19B4CB-92F4-4AD3-AC93-C5840F37C938}

20. LONG-HANDLED UTENSILS (Long-Hand)

                {E7615F55-6520-4C95-9447-3BEBB725CAAD}

30. PLATE GUARD (PlateGuard)   {1B3015C1-B8BC-4482-AD5D-83ACA7CC7E70}

40. NOSE CUP OR NOSE CUTOUT CUP (Nose Cup)

                {F2057A75-0D06-40A8-AA7F-E716044C078A}

50. NO ASSISTIVE DEVICE (NoAsstDev)

                {F2A8CFD5-D67D-4A20-A860-6E622E715D22}

60. OTHER (SEE COMMENTS) (Other)

                {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation................. RC:Groomin

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. RC: Grooming

Help Text...................

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

              {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

              {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

              {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

              {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

              {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                   {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE LEFT UPPER EXTREMITY   Page: 695

   ID: {48FB5B7D-C359-4D48-A2C5-5E0E416C2671}

===

   Abbreviation................. RC:ROMLUE

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................

   Display Name................. RC: Active ROM LUE

   Help Text................... Document # minutes; use qualifiers

                  for additional details.

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   METHOD: 6 entries

   ----

   10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

   20. SUPERVISION-OVERSIGHT (Supervisio)

                  {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

   30. LIMITED ASSISTANCE (LimitAssis)

                  {4455B536-69D2-4E49-B1A3-927D58A25F1F}

   40. EXTENSIVE ASSISTANCE (ExtenAssis)

                  {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

   50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                  {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

   60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                  {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                  {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

  ID: {4929EF8E-A052-4E48-9214-8A8650FEFC09}

===

    Abbreviation................. RC:ROMRUE

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................

    Display Name................. RC: Active ROM RUE

    Help Text................... Document # minutes; use qualifiers

                    for additional details.

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    METHOD: 6 entries

    ----

    10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

    20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

    30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

    40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

    50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

    60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                 {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE LEFT LOWER EXTREMITY   Page: 697

  ID: {84A03E64-D48F-4F1A-BC2A-F30778729393}

===

    Abbreviation................. RC:ROMLLE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description..................

    Display Name................. RC: Active ROM LLE

    Help Text.................... Document # minutes; use qualifiers

                    for additional details.

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 6 entries

    ----

    10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

    20. SUPERVISION-OVERSIGHT (Supervisio)

                    {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

    30. LIMITED ASSISTANCE (LimitAssis)

                    {4455B536-69D2-4E49-B1A3-927D58A25F1F}

    40. EXTENSIVE ASSISTANCE (ExtenAssis)

                    {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

    50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                    {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

    60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                    {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

  ID: {B682FF57-DA65-45EE-B4C1-267D730912D3}

===

Abbreviation................. RC:ROMLRLE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description..................

Display Name................. RC: Active ROM RLE

Help Text.................... Document # minutes; use qualifiers

                for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                 {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE SIT AND STAND   Page: 699

  ID: {8CA4AED4-3FCE-43B3-9113-28D6FFAE45BC}

    Abbreviation................. RC:ROMSS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description..................

    Display Name................. RC: Active ROM Sit/Stand

    Help Text................... Document # minutes; use qualifiers

                    for additional details.

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 6 entries

    ----

    10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

    20. SUPERVISION-OVERSIGHT (Supervisio)

                    {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

    30. LIMITED ASSISTANCE (LimitAssis)

                    {4455B536-69D2-4E49-B1A3-927D58A25F1F}

    40. EXTENSIVE ASSISTANCE (ExtenAssis)

                    {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

    50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                    {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

    60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                    {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                    {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE LEFT UPPER EXTREMITY   Page: 700

 ID: {F37955DD-31E2-4DA0-9A52-71719FF8B9CC}

Abbreviation................. RC:PassLUE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Passive ROM LUE

Help Text.................... Document # minutes; use qualifiers

                for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE RIGHT UPPER EXTREMITY Page: 701

ID: {3D61A77D-C01E-43BE-8830-631717E1CC2E}

===

Abbreviation................. RC:PassRUE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description..................

Display Name................. RC: Passive ROM RUE

Help Text.................... Document # minutes; use qualifiers

for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

{4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

==

TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE LEFT LOWER EXTREMITY   Page: 702

  ID: {B91B253E-FE02-4712-A6BC-845F77BA84AC}

==

Abbreviation................. RC:PassLLE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Passive ROM LLE

Help Text.................... Document # minutes; use qualifiers

                for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                 {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

```
================================================================================

TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE RIGHT LOWER EXTREMITY  Page: 703

 ID: {FFFCBE6B-5116-48DD-B602-4912169171D3}

================================================================================
```

Abbreviation................. RC:PasLRLE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Passive ROM RLE

Help Text.................... Document # minutes; use qualifiers

            for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

            {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

            {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

            {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

            {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

            {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

Abbreviation................. RC:PassSS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. RC: Passive ROM Sit/Stand

Help Text................... Document # minutes; use qualifiers

           for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

              {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

              {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

              {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

              {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

              {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                    {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

TERM: RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE LEFT UPPER EXTREMITY   Page: 705

 ID: {ADC96BD5-70FF-4463-BD69-F9D68391000D}

===

     Abbreviation................. RC:S/B LUE

     Active....................... Yes

     Boolean Value False..........

     Boolean Value True...........

     Data Type................... Numeric

     Description.................

     Display Name................. RC: Splint/Brace LUE

     Help Text.................... Document # minutes; use qualifiers

                    for additional details.

     Multi Select Picklist........

     Term Type.................... OBSERVATION

     Vuid........................

     METHOD: 6 entries

     ----

     10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

     20. SUPERVISION-OVERSIGHT (Supervisio)

                    {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

     30. LIMITED ASSISTANCE (LimitAssis)

                    {4455B536-69D2-4E49-B1A3-927D58A25F1F}

     40. EXTENSIVE ASSISTANCE (ExtenAssis)

                    {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

     50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                    {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

     60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                    {CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

MINUTE   0 > 0 * 60 < 60 Dec Prec: 0

==

 ID: {A58979EB-4F71-4192-9073-4B45AE27474C}

==

Abbreviation................. RC:S/B RUE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Splint/Brace RUE

Help Text.................... Document # minutes; use qualifiers

                 for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

===

TERM: RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE LEFT LOWER EXTREMITY   Page: 707

  ID: {6CAEB07B-39CD-46F8-8F76-6C0C7D57AA89}

===

Abbreviation................. RC:S/B LLE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Splint/Brace LLE

Help Text.................... Document # minutes; use qualifiers

                 for additional details.

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

==

TERM: RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE RIGHT LOWER EXTREMITY Page: 708

 ID: {433F7D64-B483-40D7-8BA0-79E17E26A95F}

==

Abbreviation................. RC:S/B RLE

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................ RC: Splint/Brace RLE

Help Text................... Document # minutes; use qualifiers

                 for additional details.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

Abbreviation................. RC:Swallow

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. RC: Swallowing Precautions

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

10. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

20. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

Abbreviation................. RC:BowCont

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Bowel Continent

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

STOOL   0 > 0 * 25 < 25   Dec Prec: 0

===

TERM: RESTORATIVE CARE: TOILETING BOWEL INCONTINENT INCIDENTS   Page: 711

  ID: {75365160-0FA8-4F24-95E6-8D9A0D4E3886}

===

    Abbreviation................. RC:BowInco

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description..................

    Display Name................. RC: Bowel Incontinent

    Help Text...................

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    STOOL   0 > 0 * 25 < 25   Dec Prec: 0

Abbreviation................. RC:ToiPgUr

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................

Display Name................. RC: Toilet Urinary

Help Text.................... For use in Restorative Care

                 documentation

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

10. SCHEDULED TOILETING (Sched Toil)

                {8743BCF8-0EDC-40E6-B158-A62FCAAD559D}

20. PROMPTED VOIDING (PromptVoid)

                {5877FEC8-F348-440C-B19D-0D73DAC33253}

30. BLADDER TRAINING (Blad Train)

                {DB8DDD0C-C61F-4B40-93CE-A24759080974}

40. DECLINED TO PARTICIPATE (Declined)

                {B16DB033-15D2-41F6-9D2F-4D37BD3CADE5}

50. CONTINENT (CONTINENT)   {3B658506-F42E-BAF5-04C4-5AD49699E0D2}

60. INCONTINENT (INCONTINEN)   {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

70. DID NOT VOID THIS OBSERVATION PERIOD (NoVoid)

{C8DB4921-CE75-42D9-870C-62DB5FC9F45F}

80. MONITORED Q 1 HOUR (Mon 1 Hr)

{AA2C7F42-7088-40C0-93AE-79A3AB3F167B}

90. MONITORED Q 2 HOURS (Mon 2 Hrs)

{05FE2250-ED7F-4120-88D5-E069BA8A31FE}

100. OTHER (SEE COMMENTS) (Other)

{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation................. RC:ToiBow

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description..................

Display Name................. RC:Toilet Bowel

Help Text.................... For use in Restorative Care

                   documentation

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

10. SCHEDULED TOILETING (Sched Toil)

             {8743BCF8-0EDC-40E6-B158-A62FCAAD559D}

20. PROMPTED VOIDING (PromptVoid)

             {5877FEC8-F348-440C-B19D-0D73DAC33253}

30. BOWEL TRAINING (BowelTrain)

             {071E4311-63C0-4FA1-8AAE-4D54D5912E68}

40. DECLINED TO PARTICIPATE (Declined)

             {B16DB033-15D2-41F6-9D2F-4D37BD3CADE5}

50. CONTINENT (CONTINENT)   {3B658506-F42E-BAF5-04C4-5AD49699E0D2}

60. INCONTINENT (INCONTINEN)   {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

70. DID NOT MOVE BOWELS THIS OBSERVATION PERIOD (DidNotMove)

{BB562067-B313-4281-B75A-200FDF0EDE28}

80. MONITORED Q 1 HOUR (Mon 1 Hr)

{AA2C7F42-7088-40C0-93AE-79A3AB3F167B}

90. MONITORED Q 2 HOURS (Mon 2 Hrs)

{05FE2250-ED7F-4120-88D5-E069BA8A31FE}

100. OTHER (SEE COMMENTS) (Other)

{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

===

  ID: {A12774C3-E335-4C61-AD47-33039527DB6D}

===

    Abbreviation................. RC:UrCont

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................

    Display Name................. RC: Urinary Continent

    Help Text...................

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    VOID   0 > 0 * 50 < 50   Dec Prec: 0

```
================================================================================

TERM: RESTORATIVE CARE: TOILETING URINARY INCONTINENT INCIDENTS      Page: 715

  ID: {39D6E315-C809-4F99-848D-1CB00A022E95}

================================================================================
```

Abbreviation................. RC:UrIncon

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description..................

Display Name................. RC: Urinary Incontinent

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

VOID   0 > 0 * 50 < 50   Dec Prec: 0

==

 ID: {A3EF6132-18D2-47BB-92B0-55EE58D4EE43}

==

   Abbreviation................. RC:TrAssis

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................

   Display Name................. RC: Transfer Assist

   Help Text...................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 10 entries

   ----

   10. NO ASSISTIVE DEVICE (NoAsstDev)

                    {F2A8CFD5-D67D-4A20-A860-6E622E715D22}

   20. SIT TO STAND LIFT (SittoStand)

                    {A209ACE5-C6D7-48EA-A7F2-09E3B3657FDF}

   30. SLIDING BOARD (SlideBoard)

                    {53DC7B5B-CDA9-4A8C-B18E-670EB15036A4}

   40. CONTACT GLIDE (ContactGli)

                    {4AAB02A6-E90E-46D7-AE9D-A5F6E3865AF5}

   50. WALKER (WALKER)   {91247001-5E89-46A0-A841-B4FAE9226E63}

   60. PHYSICAL ASSIST (PhysAssist)

                    {DBB651FC-018D-40C6-BF11-441E8D8606F8}

   70. GAIT BELT (GAIT BELT)   {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

80. CEILING LIFT (CeilingLft)   {57DEDAC4-F6A4-481C-96BA-D943F4FAD886}

90. BARIATRIC EQUIPMENT (BariEquip)

{B13C27DC-2D7D-4ADE-AEBE-521B6F8EC871}

100. OTHER (SEE COMMENTS) (Other)

{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation................. RC:TrfTime

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. RC: Transfer Time

Help Text...................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 6 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)

                {3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

60. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

----

10. POOR (Poor)   {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

20. FAIR (Fair)   {6FA21296-0786-4C3C-8061-D8FEBF3E0292}

30. GOOD (Good)   {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

40. EXCELLENT (Excellent)   {69C28725-C59B-40D4-85FF-20F265E75356}

50. UNABLE TO TOLERATE (UnableTol)

                  {974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

Abbreviation................. RC:WalkDis

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................. RC: Walking Distance

Help Text................... Enter distance walked, in feet.

                   Select Assistive Devices for walking

                   from Products drop-down.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 5 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

                {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

                {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

                {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. ACTIVITY DID NOT OCCUR (DidNotOcc)

                {CD805D91-8575-4DD1-B17A-0E138331748A}

PRODUCT: 5 entries

----

10. NONE (None)   {F023B077-AFDB-46A1-9E1F-49B5C80A2D63}

20. CANE (Cane)   {5D669D6F-AE43-4A66-8A5F-0679B1E12FFD}

30. WALKER (Walker)   {BA1E31F8-ECC6-44EB-88D7-1578F96FE0B4}

40. WHEELCHAIR (Wheelchair)   {18D64450-A01F-4562-8C1B-AE7577A14890}

50. OTHER (USE COMMENTS) (Other)

                {23302A01-D187-43C9-A7AA-27AE87EF850E}

UNITS:

FEET   0 > 0 * 10000 < 10000   Dec Prec: 0

Abbreviation................. RC:WalkTim

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................

Display Name................ RC: Walking Time

Help Text................... Use Comments if needed to describe

                    walking locations. Select Assistive

                    Devices for walking from Products

                    drop-down.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 5 entries

----

10. INDEPENDENT (Independen)   {664D85CE-63C3-4234-901B-451588FD7367}

20. SUPERVISION-OVERSIGHT (Supervisio)

              {D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

30. LIMITED ASSISTANCE (LimitAssis)

              {4455B536-69D2-4E49-B1A3-927D58A25F1F}

40. EXTENSIVE ASSISTANCE (ExtenAssis)

              {81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

50. ACTIVITY DID NOT OCCUR (DidNotOcc)

              {CD805D91-8575-4DD1-B17A-0E138331748A}

PRODUCT: 5 entries

----

10. NONE (None)   {F023B077-AFDB-46A1-9E1F-49B5C80A2D63}

20. CANE (Cane)   {5D669D6F-AE43-4A66-8A5F-0679B1E12FFD}

30. WALKER (Walker)   {BA1E31F8-ECC6-44EB-88D7-1578F96FE0B4}

40. WHEELCHAIR (Wheelchair)   {18D64450-A01F-4562-8C1B-AE7577A14890}

50. OTHER (USE COMMENTS) (Other)

                  {23302A01-D187-43C9-A7AA-27AE87EF850E}

UNITS:

MINUTE   0 > 0 * 60 < 60   Dec Prec: 0

==

 ID: {8EC55F7A-AEAB-4734-86CA-7573FC938138}

==

   Abbreviation................. Res Cir Ck

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description..................

   Display Name................. Restraint Circulation Check

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   UNITS:

===

 ID: {4B4C42F3-0F9E-40BE-90AB-C744E91228B0}

===

Abbreviation................. RES CRITER

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Restraint Criteria

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

 1. LINES (R.C. LINE)   {27F545F2-5338-4BC8-B5CE-1D321D28F8D6}

 2. EQUIPMENT (R.C. EQUI)   {38C2C56C-6D57-4750-8E68-F1193B16190A}

 3. AMBULATE (R.C. AMBU)   {54B72608-2C13-46CD-8034-00179669762C}

 4. UNABLE TO FOLLOW DIRECTIONS (R.C. DIRE)

                {41358EAE-9912-48F8-8931-D3C635406D21}

 5. COMBATIVE (R.C. COMB)   {38DBF61A-D364-4215-B4AA-36B660F96462}

 6. AGGRESSIVE (R.C. AGGR)   {7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}

 7. HARM TO SELF (R.C. HARM)   {4DC33341-8F53-4D30-BC28-1E32DB54F30D}

 UNITS:

==

 ID: {90F7D38E-9E01-4907-8729-8ED436424CCC}

==

   Abbreviation................. Res Tr Rel

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description..................

   Display Name................. Restraint Device Trial Release

   Help Text....................

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

===

 ID: {08B0A919-200B-4874-993B-E9924E9A439F}

===

    Abbreviation................. RES EDUCAT

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Restraint Education

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. FAMILY INFORMED (FAM INFORM)

                {77135D32-9CDD-4D3F-9B62-6E8189B77844}

     2. PATIENT INFORMED (PAT INFORM)

                {074A1D19-3920-49F1-8958-2EB6F9CF05BA}

    UNITS:

===

 ID: {05693D33-977E-4089-988F-4FE029D64BE4}

===

   Abbreviation................. RES EDU

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. Restraint Education Type

   Help Text.................... No Help Text

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 5 entries

   ----

    1. RESTRAINTS EXPLAINED (RES EXPL)

                  {1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}

    2. RESTRAINT TYPE (RES ED TY)

                  {5560A332-C365-4DAF-BA33-610C4AE301F5}

    3. REMOVAL CRITERIA (RES ED REM)

                  {B19316C8-687B-48FB-9EBC-9857662B9F85}

    4. RESTRAINTS BROCHURE (RES BRO P)

                  {1E54C2A1-8B8D-4F0D-B247-91E19722CDED}

    5. RESTRAINTS TIME LIMIT (RES TIME L)

                  {513B483E-AD7B-4B1A-BD01-91133C605C3C}

   UNITS:

==

 ID: {6553B5FA-F6D5-4FE4-B2B6-E55723D11907}

==

Abbreviation................. R.E. ELIM

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Elimination Monitored

Help Text.................... Restraint Evaluation: Elimination

                 Monitored

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

 ID: {0695905D-42DC-4903-98E1-1C89CFAB2A08}

==

   Abbreviation................. R.E. INTA

   Active...................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type................... Boolean

   Description.................. No Description

   Display Name................. Fluid / Nutrition Intake Evaluated

   Help Text................... Restraint Evaluation: Fluid /

                    Nutrition Intake Evaluated

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

Abbreviation................. R.E. HYGI

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Hygiene / Comfort Evaluated

Help Text.................... Restraint Evaluation: Hygiene /

                    Comfort Evaluated

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. RES EV LRM

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Least Restrictive Measures Evaluated

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

 1. RESTRAINTS LIMIT SETTING (RES LIM SE)

                {F97BA57E-ED33-D6FE-5E35-E6EFB0625773}

 2. REDIRECT PATIENT ACTIVITY (REDIR ACT)

                {BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}

 3. REMOVE FROM STIM. SETTING (REM SET)

                {2010BA89-B399-4A30-9ACF-C65AB57B6351}

 4. OFFER PRN MEDS (OFFER PRN)

                {B7AF4903-913C-4848-A255-0B4767B81AE2}

 5. VERBAL DE-ESCALATION (VERB DE-ES)

                {8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}

 6. ONE TO ONE SUPERVISION (1 SUPERV)

                {CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}

7. FREQUENT VERBAL REMINDERS (FR VER RE)

{F30D791D-BB80-4AB3-B37F-22B6B547EA65}

8. PREVENT ACCESS TO DEVICE (PREV ACCE)

{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}

9. REORIENTED TO ENVIRONMENT (REORIENT)

{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}

10. REPOSITION (REPOSITION)   {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

==

  ID: {5F3119EB-85AC-4EC1-9B11-029B147D1FCE}

==

    Abbreviation................. R.E. MENT

    Active....................... No

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Mental Status Evaluated

    Help Text.................... Restraint Evaluation: Mental Status

                    Evaluated

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

===

TERM: RESTRAINT EVAL - PRIVACY/DIGNITY   Page: 730

 ID: {58C842E4-8A48-4DDD-8DEF-2C97F3314E40}

===

   Abbreviation................. R.E. DIGN

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. No Description

   Display Name................. Maintain Privacy and Dignity Evaluated

   Help Text.................... Restraint Evaluation: Maintain

                     Privacy and Dignity Evaluated

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

==

 ID: {54C82D71-B32F-48A2-87A9-683D6023D905}

==

    Abbreviation................. R.E. REPOS

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Reposition / Range of Motion Evaluated

    Help Text.................... Restraint Evaluation: Reposition /

                    Range of Motion Evaluated

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

Abbreviation................. R.E. ALT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Alternative Measures Attempted

Help Text.................... Restraint Evaluation: Alternative

                 Measures Attempted

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 11 entries

----

 1. DECREASE STIMULATION (R.E. DECR)

                {0841626E-994E-4346-B701-1662A00209EB}

 2. REALITY ORIENTATION (R.E. REALI)

                {221C363C-2261-40FC-8400-8B1D2E693F69}

 3. RELOCATE (R.E. RELO)   {D8165678-ECEF-4F4D-A1C4-C616349E1873}

 4. INVOLVEMENT WITH FAMILY (R.E. INVO)

                {0EF31047-70A5-4072-953A-B62E1ACDF84B}

 5. AMBULATION/EXERCISE (R.E. EXER)

                {46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

 6. EDUCATION (R.E. EDUC)   {76341E6E-7F0A-429C-B768-9CA83C452FD7}

 7. DIVERSIONAL ACTIVITIES (R.E. DIVER)

{569F6D49-C564-4910-835A-B05179086E1F}

8. MEDICATION REVIEW (R.E. REVI)

{914A0F82-5863-4C84-B3AB-D5A22BD340D8}

9. UNABLE TO ATTEMPT (R.E. UNAB)

{979B0477-5789-4319-9562-6752048C4005}

10. BED EXIT ALARM (BED EXIT A)

{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}

11. WHEELCHAIR EXIT ALARM (WHEEL EXIT)

{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

UNITS:

Abbreviation................. R.E. SKIN

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Skin Integrity Evaluated

Help Text.................... Restraint Evaluation: Assess Skin

                 Integrity Evaluated

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

TERM: RESTRAINT FAMILY ED. UNDERSTANDING   Page: 734

 ID: {5EE7B156-51FF-4819-A0F4-8796D518B092}

==

   Abbreviation................. RES FM U

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. No Description

   Display Name................. Family Understanding Of Restraints

                   Education

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. INDICATES UNDERSTANDING (UNDERSTAND)

              {C4AEFE5F-C388-4E00-9663-6B308934284B}

    2. NEEDS REINFORCEMENT (NEED REINF)

              {B6171F65-4530-418D-A63B-65DFFF522786}

    3. UNSUCCESSFUL (UNSUCCESSF)   {54DC58A1-7585-4A32-B810-90B586ED9332}

   UNITS:

==

 ID: {6939E11B-F414-435F-93B2-D69334A50FA1}

==

    Abbreviation................. RES INIT

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Seclusion/Restraint Initiated By

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. REGISTERED NURSE (RN)   {524F344F-FDCD-423F-AD34-291D5DB4271B}

     2. PHYSICIAN ORDER (PHY ORDER)

                    {AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}

    UNITS:

Abbreviation................. RES LRME

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Least Restrictive Measures Evaluated

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

 1. RES LRM: LIMIT SETTING (RLRM SETT)

                {96417DDF-8562-4EFF-B4F6-0933FD91CD36}

 2. RES LRM: REDIRECT (RLRM REDI)

                {07DE67AF-E226-4794-ADF5-17E9C56C9FDF}

 3. RES LRM: REMOVE FROM SETTING (RLRM REMO)

                {857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}

 4. RES LRM: PRN MEDS (RLRM: MEDS)

                {CDF02FA3-FC72-4CCC-8197-41710A69A2CB}

 5. RES LRM: VERBAL DE-ESCALATION (RLRM VERB)

                {CE8618C8-CAD7-4C74-8566-ACB5E66B082C}

 6. RES LRM: SUPERVISION (RLRM SUPR)

                {18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

7. RES LRM: VERBAL REMINDERS (RLRM REMI)

{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}

8. RES LRM: DEVICE ACCESS (RLRM ACCE)

{1662F5E1-30E7-4E8A-BCC5-1738868435B8}

9. RES LRM: REORIENT (RLRM REOR)

{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

10. REPOSITION (REPOSITION)   {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

    Abbreviation................. RES MENTAL

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Mental Assessment Patient Evaluation

    Display Name................ Mental Assessment

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 7 entries

    ----

     1. ORIENTED (ORIENTED)   {B8DC9245-6D81-40E4-8B47-B6413E49F152}

     2. DISORIENTED (DISORIENTE)   {A7D1F2EA-CD7C-4100-8552-44834684C6DE}

     3. RESTLESS (r)   {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

     4. SLEEPING (s)   {87338420-F351-F98C-7A80-4990B87ACE2B}

     5. SEDATED (s)   {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

     6. CALM (c)   {E206C3F5-6977-302C-51FB-AF2155B5FFD9}

     7. AGITATED/HOSTILE (Agita/Host)

                {B690A9D1-2686-465B-A0AA-12C04E80B210}

    UNITS:

    Abbreviation................. RES ORD TY

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Order Type

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. SECLUSION (SECLUSION)   {65B57F6C-C849-4BF7-8705-175361BC900F}

     2. RESTRAINT (RESTRAINT)   {0429322D-A987-4913-B64D-A6414645B214}

    UNITS:

===

TERM: RESTRAINT PATIENT ED. UNDERSTANDING   Page: 739

 ID: {5002371C-E683-459E-A4B0-3CC914081E78}

===

    Abbreviation................. RES PT U

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Patient Understanding Of Restraints

                        Education

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

    1. INDICATES UNDERSTANDING (UNDERSTAND)

             {C4AEFE5F-C388-4E00-9663-6B308934284B}

    2. NEEDS REINFORCEMENT (NEED REINF)

             {B6171F65-4530-418D-A63B-65DFFF522786}

    3. UNSUCCESSFUL (UNSUCCESSF)   {54DC58A1-7585-4A32-B810-90B586ED9332}

    UNITS:

===

 ID: {1450E52B-CBF3-BA02-F4E0-4AE793AE9614}

===

   Abbreviation................. RESSC

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................. Restraint Safety Care

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. CIRCULATION CHECK (ccq)   {BA32C2A8-F15C-84EF-4859-6277EFA6463A}

    2. DEVICE RELEASE (drq)   {9F97947F-CFFE-3285-F4C3-A8DF294DA46C}

   UNITS:

==

 ID: {696245B7-717E-4CF4-3C92-7E0F4DFDEDDE}

==

   Abbreviation................. RES TYPE A

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description.................. No Description

   Display Name................. Restraint Type

   Help Text.................... Location and type of restraint used

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 19 entries

   ----

    1. RESTRAINT SOFT (RESTR SOFT)

                    {C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

    2. RESTRAINT SOFT 2 POINT (RES S2POIN)

                    {66B71CFE-2603-40C9-9625-24448012BAB5}

    3. RESTRAINT SOFT 4 POINT (RES S4POIN)

                    {6820E997-60A0-4802-BE26-CA29B4F48F32}

    4. RESTRAINT SOFT ARMS + WAIST (RES S A+W)

                    {4A322BB6-0F63-4BB7-9290-C0655BD7D772}

    5. RESTRAINT SOFT ARMS + LOCKED WAIST (RES S A+LW)

                    {C480D67C-958C-42F9-9203-98E2F2BDBEC8}

    6. RESTRAINT SINGLE HAND MITT (RES S HA M)

                    {A5F1D037-FB5E-402B-9F25-22DE48404D57}

7. RESTRAINT BILATERAL HAND MITT (RES BI H M)

{5E293110-1235-4307-80C2-0FFFA007E1DA}

8. RESTRAINT VEST (RES VEST)   {643378B2-86D7-4DB7-93ED-9DCE16D85E27}

9. RESTRAINT BILATERAL ANKLE (RES BI ANK)

{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}

10. RESTRAINT WRIST (RES WRIST)

{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}

11. RESTRAINT GERI CHAIR (RES GERI C)

{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}

12. RESTRAINT HARD PLASTIC/LEATHER 2 POINT (RES P/L 2P)

{17CB8739-612A-4319-946A-2062C5245C90}

13. RESTRAINT HARD PLASTIC/LEATHER 4 POINT (RES P/L 4P)

{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}

14. RESTRAINT ONE ARM (RES ONE AR)

{839914DA-6D63-43EB-961E-70DA56737A92}

15. RESTRAINT ONE LEG (RES ONE LE)

{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}

16. RESTRAINT WAIST LOCKED (RES WAI LO)

{1EE7AB42-CE17-4D49-849B-CA550966E58C}

17. RESTRAINT WAIST (RES WAIST)

{253E2757-5A57-4410-9C0E-F4A907A1EC16}

18. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)

{9BB528F4-7016-4030-B73F-4037ADF2621D}

19. RESTRAINT STRAP (RES STRAP)

{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION: 11 entries

----

1. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

2. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

3. L WRIST (L WRIST)   {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

4. BILATERAL WRIST (BILAT WRIS)

                {89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

5. BILATERAL LEG (BILAT LEG)   {0713761D-E0FC-DA03-02A1-F20EFEB99F45}

6. BILATERAL ANKLES (BILA ANKLE)

                {E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

7. CHEST (CHEST)   {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

8. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

9. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

10. R WRIST (R WRIST)   {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

11. WAIST (WAIST)   {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

==

 ID: {0A2CB443-AA1A-4526-9BF0-9C63B49D7603}

==

    Abbreviation................. RES TY ARM

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Arm Restraints

    Display Name................ Arm Restraints

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. RESTRAINT SINGLE HAND MITT (RES S HA M)

                    {A5F1D037-FB5E-402B-9F25-22DE48404D57}

     2. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)

                    {9BB528F4-7016-4030-B73F-4037ADF2621D}

     3. RESTRAINT SOFT (RESTR SOFT)

                    {C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

    LOCATION: 6 entries

    ----

     1. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

     2. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

     3. BOTH ARMS (BOTH ARMS)   {A493AB32-9DE9-40AC-8C46-7EFF395B63B5}

4. L WRIST (L WRIST)   {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

5. R WRIST (R WRIST)   {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

6. BILATERAL WRIST (BILAT WRIS)

                {89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

==

 ID: {C3B1D18A-FF73-4362-8FCF-7AFB5304A4CF}

==

    Abbreviation................. RES TY LEG

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Leg Restraints

    Display Name................ Leg Restraints

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

   1. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)

              {9BB528F4-7016-4030-B73F-4037ADF2621D}

   2. RESTRAINT SOFT (RESTR SOFT)

              {C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

   3. RESTRAINT STRAP (RES STRAP)

              {642FDACE-B320-42BC-9514-F5FCD6583B19}

    LOCATION: 6 entries

    ----

   1. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

   2. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

   3. BOTH LEGS (BOTH LEGS)   {5A15A231-4695-4CF3-AD0F-2E7950208967}

4. L ANKLE (L ANKLE)   {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

5. R ANKLE (R ANKLE)   {4E6DF352-F399-4CE9-908C-48132C3D856B}

6. BILATERAL ANKLES (BILA ANKLE)

               {E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

UNITS:

==

 ID: {40448F75-66C2-4FA1-AA02-6B827C9A06F8}

==

    Abbreviation................. RES TYP OT

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Restraint Type Other

    Display Name................ Restraint Type Other

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. GERI-CHAIR (g)   {167F9786-8F24-054F-020A-658A6EE5B0B4}

     2. RESTRAINT VEST (RES VEST)   {643378B2-86D7-4DB7-93ED-9DCE16D85E27}

     3. RESTRAINT WAIST (RES WAIST)

                      {253E2757-5A57-4410-9C0E-F4A907A1EC16}

    LOCATION: 3 entries

    ----

     1. TORSO (TORSO)   {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}

     2. CHEST (CHEST)   {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

     3. WAIST (WAIST)   {784DD311-8B48-4FE3-96B6-471CCE453CD5}

    UNITS:

    Abbreviation................. Restraint

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. Restraint- Active Order

    Help Text.................... Is there an Active Order for

                    restraints?

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

Abbreviation................. Res Discon

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Restraint/Seclusion Discontinued

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

===

  ID: {C74C9527-37B3-42EB-BCA2-AAC6FAA20ADE}

===

    Abbreviation................. Restr/Beha

    Active....................... Yes

    Boolean Value False.......... Unmet

    Boolean Value True........... Met

    Data Type.................... Boolean

    Description..................

    Display Name................. Restraints: Behavior criteria for

                     discontinue

    Help Text.................... Refer to local policy for list of

                     behaviors that meet discontinuation

                     criteria or as specified in order

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

```
================================================================
```

ID: {3A72DA75-5112-7980-4F4F-E1E34FFCD1A6}

```
================================================================
```

Abbreviation................. RVSW

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Right Ventricular Stroke Work

Display Name................. Right Ventricular Stroke Work

Help Text................... Right Ventricular Stroke Work

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

                {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT   0.0 > 5.0 * 30.0 < 50.0   Dec Prec: 1

```
================================================================================
```

TERM: RIGHT VENTRICULAR STROKE WORK INDEX   Page: 749

 ID: {EE450A40-E87C-1F5C-FDEF-BAAD030B8149}

```
================================================================================
```

Abbreviation................. RVSWI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Right Ventricular Stroke Work Index

Display Name................. Right Ventricular Stroke Work Index

Help Text.................... Right Ventricular Stroke Work Index

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

                {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT PER M2   1.9 > 2.0 * 18.0 < 18.1   Dec Prec: 1

GM-M/M2/BEAT   3.9 > 4.0 * 18.0 < 18.1   Dec Prec: 1

==

 ID: {D4E10994-81D6-45D8-9466-8C8F572DAF4F}

==

   Abbreviation................. Rounding

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description..................

   Display Name................. Rounding

   Help Text....................

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 5 entries

   ----

   10. FALL PREVENTION REVIEWED (FallPrevRw)

                    {ECA5757D-40DF-485E-A660-5600F73D6EDC}

   20. FLUIDS OFFERED (Fluids)   {F204692B-41E8-44F4-BEDA-909FE29ACA8E}

   30. SAFETY CHECK (SafetyChec)   {E9945D8D-A4D6-4A48-8CB0-1812707B150A}

   40. TOILETING (Toileting)   {7C5F5DC9-5A03-42A7-91B0-9491D9D00A20}

   50. PAIN (PAIN)   {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

   UNITS:

TERM: SAFETY DEVICE WAIST BELT APPLIED   Page: 751

 ID: {27E75399-989F-4598-A972-646FBFF51A20}

==

    Abbreviation................. WAIST BE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. No Description

    Display Name................. Safety Device Waist Belt Applied

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

     2. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    UNITS:

Abbreviation................. Seclu/Cri

Active....................... Yes

Boolean Value False.......... Unmet

Boolean Value True........... Met

Data Type.................... Boolean

Description..................

Display Name................. Seclusion: Behavior criteria for

                                discontinuation

Help Text.................... Refer to local policy for list of

                                behaviors that meet discontinuation

                                criteria or as specified in order

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. 2nd Verf

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................

Display Name................. Second Verifier

Help Text...................

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

10. RN (RN)   {A103E506-EAA5-4777-8126-268CD723AD87}

20. LVN (LVN)   {8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}

30. NA (NA)   {1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}

40. MD (MD)   {9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}

50. DO (DO)   {F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}

60. RT (RT)   {6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}

70. NP (NP)   {E7EA4017-4374-41A1-9D3D-54051CEDF63C}

80. PA (PA)   {C057C47D-780A-4230-B577-2C528AD09DEB}

UNITS:

===

 ID: {CF2E7E29-8C96-461B-9074-CA94455F62D6}

===

    Abbreviation................. SED RAMSAY

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. Ramsay Sedation Scale

    Display Name................. RAMSAY

    Help Text................... Ramsay Sedation Scale

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 6 entries

    ----

     1. RAMSAY ANXIOUS (RAM ANXIOU)

                    {88205A0C-7065-4616-8FCF-75059462DD15}

     2. RAMSAY COOPERATIVE (RAM COOPER)

                    {56846ADA-0F0E-44AA-9779-A567B9D24C4F}

     3. RAMSAY SEDATED (RAM SEDATE)

                    {CC12405F-60DB-485F-94E5-78C1EB32AB74}

     4. RAMSAY ASLEEP BRISK RESPONSE (RAM ASL BR)

                    {00F4A117-F9E7-4B60-A521-F2E8725AECD3}

     5. RAMSAY ASLEEP SLUGGISH (RAM ASL SL)

                    {AA61604F-00F9-4103-B27F-E817FBC9577B}

     6. RAMSAY ASLEEP NO RESPONSE (RAM ASL NO)

                    {3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}

UNITS:

===

 ID: {F4900650-2584-4A5B-9F97-171A9552C7BA}

===

    Abbreviation................. RASS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Richmond Agitation Sedation Scale

    Display Name................. RASS

    Help Text.................... Richmond Agitation Sedation Scale

                    with numeric scores

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 10 entries

    ----

     1. +4 = COMBATIVE (RASS COMBA)

                    {A97E064A-7709-42F9-9A88-4AAFF1020883}

     2. +3 = VERY AGITATED (RASS V AGI)

                    {7528CA1D-A9A4-4F4E-8943-E69F3B42E189}

     3. +2 = AGITATED (RASS AGITA)

                    {D81A5D5D-E7FC-445A-A814-495731ABA0F8}

     4. +1 = RESTLESS (RASS RESTL)

                    {2CCFC1ED-D807-45F0-AE69-980E214AD5C3}

     5. 0 = ALERT AND CALM (RASS AL CA)

                    {F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}

     6. -1 = DROWSY (RASS DROWS)   {5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

7. -2 = LIGHT SEDATION (RASS LT SE)

{FDEEC084-3922-4065-A863-4893E42F8F93}

8. -3 = MODERATE SEDATION (RASS MD SE)

{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

9. -4 = DEEP SEDATION (RASS DP SE)

{83CB4E64-3581-452F-987A-D31CB3AB38D2}

10. -5 = UNAROUSABLE (RASS UNARO)

{1578E147-7D2C-4469-828E-FCA97109B27C}

UNITS:

===

TERM: SEDATION SCALE - SAS   Page: 756

 ID: {8281E806-CEC9-4236-B984-495B8A3973E5}

===

    Abbreviation................. SED SC SAS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Riker Sedation-Agitation Scale

    Display Name................. SAS

    Help Text.................... Riker Sedation-Agitation Scale with

                     numeric scores

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 7 entries

    ----

     1. 7 = DANGEROUS AGITATION (SAS DA AGI)

                  {0701FB25-1DF0-4771-8C81-AC19A985A3B6}

     2. 6 = VERY AGITATED (SAS VY AGI)

                  {B501606A-EEA7-470E-81BE-F51D422272F1}

     3. 5 = AGITATED (SAS AGITAT)   {107143D4-9527-4A26-8CB7-EEBB656B68B3}

     4. 4 = CALM AND COOPERATIVE (SAS C COOP)

                  {F0633778-280C-43C3-9E6E-9C35C18179F6}

     5. 3 = SEDATED (SAS SEDATE)   {AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}

     6. 2 = VERY SEDATED (SAS VY SED)

                  {4B13529B-61C5-4B68-857A-3A5351DC4BE2}

     7. 1 = UNAROUSABLE (SAS UNAROU)

{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

UNITS:

==

TERM: SEE CPRS PROGRESS NOTE FOR ADDITIONAL DATA AND ASSESSMENTS   Page: 757

  ID: {5B11E0C7-C95C-440B-BA16-EEA0B8AED008}

==

    Abbreviation................. CPRS note

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... String

    Description..................

    Display Name................. See CPRS Progress Note for Additional

                    Data and Assessments

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

===

TERM: SEIZURE CHARACTER   Page: 758

 ID: {15B23878-6E4C-4FCE-9F49-1C728A4A65D2}

===

   Abbreviation................. SEIZU CHAR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Seizure Character

   Display Name................ Seizure Character

   Help Text................... Character of Seizure

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. TONIC/CLONIC (TON/CLON)   {81932BAA-6C79-47A3-85B3-592824B6C09C}

    2. PARTIAL IMPAIRED (PART IMPAI)

                   {2F1B8C52-1C94-4EA7-AB82-117694FD4D52}

    3. PARTIAL SIMPLE (PART SIMP)

                   {F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

   UNITS:

===

TERM: SEIZURE DURATION   Page: 759

 ID: {DAABDF54-F64C-6306-87EA-B8F5DE034DA0}

===

   Abbreviation................. SEID

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. No Description

   Display Name................. Seizure Duration

   Help Text.................... Value in minutes

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   MINUTE   0 > 0 * 30 < 9999   Dec Prec: 0

```
================================================================
```

 ID: {719641C6-BA10-0BA3-65F1-17DC4B1B92E0}

```
================================================================
```

Abbreviation................. SEIF

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Seizure FOCI

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. STARTED ON LEFT (sol)   {AA6767EE-57F6-F565-76E9-EB219644492F}

 2. STARTED ON RIGHT (sor)   {0C690E36-E710-244D-44FC-5DB5BCC0FF7E}

 3. UNKNOWN (u)   {1F872397-8635-18A3-E252-AE9B20B88C7D}

UNITS:

Abbreviation................. SEI PREC

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Seizure Precautions

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

 ID: {BB006255-D69A-E29C-1286-D71E6FF15830}

==

   Abbreviation................. SEI

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. No Description

   Display Name................. Seizures

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

===

TERM: SENSATION FOOT   Page: 763

 ID: {CCF961DC-8590-2498-3836-0F010461F69A}

===

   Abbreviation................. SENSF

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Sensation Foot

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. INTACT (i)   {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

    2. NUMBNESS (n)   {037F2F79-36D9-A0B3-C23E-8EE525932AF3}

    3. TINGLING (t)   {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

    4. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

   LOCATION: 2 entries

   ----

    1. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

    2. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

   UNITS:

   Abbreviation................. SENSH

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. Sensation Hand

   Help Text.................... No Help Text

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 4 entries

   ----

    1. INTACT (i)   {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

    2. NUMBNESS (n)   {037F2F79-36D9-A0B3-C23E-8EE525932AF3}

    3. TINGLING (t)   {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

    4. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

   LOCATION: 2 entries

   ----

    1. L HAND (L HAND)   {639DF25A-19E3-B504-D323-4B3F6ED39A24}

    2. R HAND (R HAND)   {A54D3A80-8537-D079-9CCE-7DC56346D132}

   UNITS:

TERM: SENSATION LOWER EXTREMITY   Page: 765

 ID: {EB69E23D-9C3B-F2AB-B7F6-CAE402C87DE9}

===

   Abbreviation................. SLEX

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................. Sensation Lower Extremity

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. INTACT (i)   {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

    2. NUMBNESS (n)   {037F2F79-36D9-A0B3-C23E-8EE525932AF3}

    3. TINGLING (t)   {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

    4. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

   LOCATION: 2 entries

   ----

    1. L LOWER EXTREMITY (LLEX)   {FC6F5056-779A-BF76-86D0-A237936C1ECC}

    2. R LOWER EXTREMITY (R LOW EXTR)

               {7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

   UNITS:

   Abbreviation................. SUEX

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Sensation Upper Extremity

   Help Text................... No Help Text

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. INTACT (i)   {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

    2. NUMBNESS (n)   {037F2F79-36D9-A0B3-C23E-8EE525932AF3}

    3. TINGLING (t)   {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

    4. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

   LOCATION: 2 entries

   ----

    1. L UPPER EXTREMITY (LUEX)   {48806E79-B1DA-129B-EB52-453292A3DDC6}

    2. R UPPER EXTREMITY (R UPP EXTR)

                  {C65BA269-8F05-6FB9-62CB-466A286CF2C0}

   UNITS:

TERM: SEQUENTIAL COMPRESSION DEVICE APPLICATION   Page: 767

 ID: {1D7F207B-7808-4280-8CA6-8A59478DAB7B}

Abbreviation................. SEQ DEV AP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Sequential Compression Device

               Application

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. INITIATED (INITIATED)   {562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}

 2. CONTINUOUS (CONTINUOUS)   {676CD2DA-F882-4BE5-99BB-510EA7669749}

 3. INTERRUPTED (INTERRUPTE)   {AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}

 4. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}

 5. REPOSITION (REPOSITION)   {DF3039CA-5977-4454-81D4-DB0AF966F85D}

 6. OFF WHILE AMBULATORY (OFF AMBULA)

              {FF4610BF-8C92-408F-882A-1D6B2C2F146F}

 7. ON WHILE SITTING IN CHAIR (ON IN CHAI)

              {4139F4C3-BB68-4477-BF63-9BE7813AADA7}

 8. OFF DURING BATHING (OFF BATHIN)

              {5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

UNITS:

===

 ID: {A6E459CA-ADEF-4EA5-8B24-11300836DE9A}

===

Abbreviation................. SEWS N PL

Active....................... No

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Severity Of Ethanol Withdrawl Scale

Display Name................. Disorientation: Knows Name and Place

Help Text.................... Disorientation: Knows name and place

                    but not date

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

 2. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

    Abbreviation................. SEWS HAL A

    Active....................... No

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Severity Of Ethanol Withdrawl Scale

    Display Name................ Hallucination: Auditory Only

    Help Text................... Auditory Only (Check for major

                    psychotic disorder)

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

    1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

    2. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

    UNITS:

   Abbreviation................. SEWS N ONL

   Active....................... No

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Severity Of Ethanol Withdrawl Scale

   Display Name................. Disorientation: Knows Name Only

   Help Text................... Disorientation: Knows Name Only

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

    2. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

   UNITS:

    Abbreviation................. SEWS AGITA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Severity Of Ethanol Withdrawl Scale

    Display Name................. Agitation

    Help Text.................... Agitation: fidgety, restless, pacing?

                    Score = 3

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

     2. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

    UNITS:

==

TERM: SEWS: ANXIETY   Page: 772

 ID: {1F7184F3-45F0-4D93-808C-FB797589814F}

==

     Abbreviation................. SEWS ANXIE

     Active....................... Yes

     Boolean Value False..........

     Boolean Value True...........

     Data Type................... PickList

     Description................. Severity of Ethanol Withdrawl Scale

     Display Name................ Anxiety

     Help Text................... Do you feel that something bad is

                          about to happen to you right now?

                          Score = 3

     Multi Select Picklist........ No

     Term Type................... OBSERVATION

     Vuid........................

     DATA VALUE: 2 entries

     ----

      1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

      2. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

     UNITS:

```
================================================================================
```

 ID: {4CDA775D-987A-442E-A260-82DE115FC127}

```
================================================================================
```

   Abbreviation................. SEWS H ANY

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Severity Of Ethanol Withdrawl Scale

   Display Name................. Hallucinations Visual, Tactile,

                  Olfactory, Gustatory (any)

   Help Text.................... Hallucinations: Any Visual, Tactile,

                  Olfactory, Gustatory. Score = 3

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

    2. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

   UNITS:

    Abbreviation................. SEWS NAUSE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. Severity Of Ethanol Withdrawl Scale

    Display Name................. Nausea and Dry Heaves or Vomitting?

    Help Text................... "Severity of Ethanol Withdrawal

                    Scale. Nausea AND Dry Heaves or

                    Vomitting? Score = 3."

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

     2. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

    UNITS:

Abbreviation................. SEWSOrient

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. SEWS: Orientation

Help Text.................... Severity of Ethanol Withdrawal Scale.

Orientation to Name, Place, Date:

All 3 Score =

0; Any two Score = 1; Only one or

none Score = 3.

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

10. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

20. 1 (1)   {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

30. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

===

TERM: SEWS: SWEATING   Page: 776

 ID: {4B7D9035-79F8-4736-9A20-87671D76E12B}

===

    Abbreviation................. SEWS SWEAT

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Severity Of Ethanol Withdrawl Scale

    Display Name................ Sweating

    Help Text................... Severity of Ethanol Withdrawal Scale.

                  Sweating: Includes moist palms,

                   sweating now? Score = 2.

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

     2. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

    UNITS:

    Abbreviation................. SEWS TOTAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. Severity Of Ethanol Withdrawl Scale

                   Total

    Display Name................. SEWS: TOTAL

    Help Text.................... Severity of Ethanol Withdrawal Scale.

                   Total Score Withdrawal Risk: 0-6

                   Mild, 7-12 Moderate, 13 or greater

                   Severe.

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

    SEWS SCALE   0 > 0 * 6 < 22   Dec Prec: 0

Abbreviation................. SEWS TREMO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Severity Of Ethanol Withdrawl Scale

Display Name................. Tremor

Help Text................... Severity of Ethanol Withdrawal Scale.

Tremor: with arms extended, eyes

closed? Score = 2.

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

 2. 2 (2)   {38E22B79-A2B6-3401-B195-C955F24E1278}

UNITS:

    Abbreviation................. SEWS VITAL

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Severity Of Ethanol Withdrawl Scale

    Display Name................ Vitals: Pulse > 110, Diastolic BP >

                90, Temp > 99.6

    Help Text................... Severity of Ethanol Withdrawal Scale.

                Vitals: Pulse > 110, Diastolic BP >

                90, Temp > 99.6 F Score = 3.

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. 0 (0)   {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

     2. 3 (3)   {E714454D-6A67-91F6-2FB7-D8F24F184328}

    UNITS:

===

 ID: {1BE3FF8D-BC95-CE9E-ABFB-9C94CF591F24}

===

   Abbreviation................. SD RAIL

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Side Rails

   Help Text................... Side Rail Positions

   Multi Select Picklist........ Yes

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 14 entries

   ----

    1. ALL UP (ALL UP)   {48199083-ACC2-408C-9242-7A6313CD7A7F}

    2. ALL DOWN (ALL DOWN)   {76C14E79-95E2-49B7-B847-3B114653E98C}

    3. HEAD UP (hu)   {BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}

    4. R HEAD UP (R HEAD UP)   {D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}

    5. L HEAD UP (L HEAD UP)   {BB39792D-B572-4A10-BA81-8685809E7437}

    6. HEAD DOWN (hd)   {80BF3425-D252-F917-052E-DC54D39E464E}

    7. R HEAD DOWN (R HEAD DOW)   {FDFE0638-444C-4023-B586-985E84EEA1FA}

    8. L HEAD DOWN (L HEAD DOW)   {3C919CB8-1C0A-498D-95A6-C46D25744CEC}

    9. FOOT UP (fu)   {49CCC59E-002E-8387-E8D6-D57AAC089EF3}

    10. R FOOT UP (R FOOT UP)   {5928B710-6EB1-4183-93CB-6C72B37A97C3}

    11. L FOOT UP (L FOOT UP)   {A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}

    12. FOOT DOWN (fd)   {13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}

13. R FOOT DOWN (R FOOT DOW)   {DBCC0BA2-3097-42C7-AE9E-DF71FA779162}

14. L FOOT DOWN (L FOOT DOW)   {5B18895B-DAD5-4874-87DB-DACFFF88B170}

UNITS:

Abbreviation................ se

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... String

Description................. No Description

Display Name................ Significant Event

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. SIN DRA CH

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Sinus Drainage Character

Help Text................... Describe The Sinus Drainage

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. SEROUS (SEROUS)   {9BDA347E-29E9-80C7-91FA-016192D4257E}

 2. SEROSANGUINOUS (SEROSANGUI)

                  {19A8D332-899D-177A-2247-ABCDAEE3BFA8}

 3. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

 4. CLOUDY (CLOUDY)   {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

UNITS:

    Abbreviation................. SIN DRAI P

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Sinus Drainage Present

    Help Text.................... Is Sinus Drainage Present?

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

Abbreviation................. SNEC TI AP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. No Description

Display Name................. Sinus Necrotic Tissue Appearance

Help Text.................... Sinus Necrotic Tissue Appearance

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. SOFT (SOFT)   {E68B4D4B-B86B-4004-A861-986645267F6E}

 2. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

 3. HARD (HARD)   {7934B543-7028-4CBC-9308-99F5A952A1DE}

 4. DRY (d)   {D8F4F0FD-1B19-2515-3815-EC88D175B305}

UNITS:

===

TERM: SINUS NECROTIC TISSUE PRESENT   Page: 785

 ID: {299921C9-5A13-4D9E-BC0D-8F777ED490D4}

===

    Abbreviation................. SIN NEC TI

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. No Description

    Display Name................. Sinus Necrotic Tissue Present

    Help Text.................... Is Sinus Necrotic Tissue Present?

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    DATA VALUE: 2 entries

    ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

==

 ID: {59D298AC-1BE0-4C13-B75B-1CE331454151}

==

   Abbreviation................. SIN TI CHA

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. Sinus Tract Surrounding Tissue

                    Character

   Help Text.................... Sinus Tract Surrounding Tissue

                    Character

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. ERYTHEMA (ERYTHEMA)   {0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}

    2. DISCOLORATION (DISCOLORAT)

                    {BBE3E910-CC49-430C-BD90-FB0A97F1B183}

    3. INDURATION (INDURAITON)   {A1669576-45D9-435C-87B9-488E9CF6BBA4}

    4. MACERATION (MACERATION)   {B7C63E05-E193-40AA-A572-F1ACA0162B8B}

   UNITS:

Abbreviation................. SIN TRA UL

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. No Description

Display Name................. Sinus Tract Ulcer

Help Text.................... Is a Sinus Tract Ulcer Present?

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

==

 ID: {63375C18-43BF-4969-989F-8239440E4040}

==

   Abbreviation................. SIN ULC EP

   Active...................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type................... Boolean

   Description.................. No Description

   Display Name................. Sinus Tract Ulcer Epithelialization

   Help Text................... Is Sinus Tract Ulcer

               Epithelialization Present?

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

TERM: SINUS TRACT ULCER GRANULIZATION   Page: 789

 ID: {64BE9437-2EAB-40F2-93BC-2D0C9DBDC1EB}

===

   Abbreviation................. SIN ULC GR

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................. No Description

   Display Name................. Sinus Tract Ulcer Granulization

   Help Text.................... Is Sinus Tract Ulcer Granulization

                    Present?

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 2 entries

   ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

   UNITS:

    Abbreviation................. SKIN ALTER

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Skin Alteration

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

     2. WOUND (WOUND)   {1EC40149-051E-4750-8651-2B2D0DD2DEAC}

    UNITS:

TERM: SKIN COLOR   Page: 791

  ID: {8D3A8036-39B5-AA2B-BF62-CC1EB134BB19}

Abbreviation................. SKIN COLOR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Observation of Patients Skin Color

Display Name................ Skin Color

Help Text................... Observation of Patients Skin Color

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 13 entries

----

  1. PALE (p)   {0EB39D28-7ABE-A4AB-D334-3F795E65618D}

  2. MOTTLED (m)   {4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}

  3. ICTERIC (ICTERIC)   {274ED5BB-5A34-20EE-A9B0-81AB7803780E}

  4. JAUNDICE (j)   {B17F4603-7C68-660D-96A7-119140A998D3}

  5. FLUSHED (nt)   {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

  6. DUSKY (d)   {2ABF845E-4E2F-883F-3FCC-F72B8507FF85}

  7. CYANOTIC (c)   {06BD77DB-1849-D731-0F27-F8CE48755EA9}

  8. ASHEN (ASHEN)   {7431E4EC-DCF1-4966-85CB-29BF65311855}

  9. NORMAL FOR ETHNIC GROUP (ETH. NORM.)

                        {3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

  10. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

  11. BRUISED (BRUISED)   {FA5B38A7-7744-186F-055A-8458D696AF33}

12. HEMATOMA (HEMATOMA)   {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}

13. ECCHYMOSIS (ECCHYMOSIS)   {DF076906-CC17-6AD1-76E7-B07678A126DE}

UNITS:

    Abbreviation................. SKIN COND.

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Skin Condition

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. INTACT (i)   {935C9CAF-6C88-6610-C6E9-4C1B822923AF}

     2. BREAKDOWN (BREAKDOWN)   {9CFD21C0-A805-47C4-E559-8033C754DE80}

    UNITS:

Abbreviation................. SKI DRA AM

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................. Skin Device Drainage Amount

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. SCANT (SCANT)   {8EF6C62D-0D94-37BB-60AD-86E306E8120D}

 3. SMALL (s)   {5991F892-B28C-3998-E733-D8FFA26D7E21}

 4. MODERATE (MODERATE)   {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

 5. HEAVY (HEAVY)   {1F10CD98-03FA-4705-BF7D-941E881C4E3D}

UNITS:

==

TERM: SKIN ERYTHEMA EXTENDS AROUND INCISION

  ID: {A88D0DBE-7CC6-4983-B9AC-AF9CCF9653AB}

==

    Abbreviation................. ER EXI

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Skin Erythema Extension Around Incision

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

   1. EXTENDS AROUND INCISION NONE (ER EXI NON)

         {91F1A7C5-885C-4B13-9F7F-189C93E505CC}

   2. EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (ER EXI <

1)   {095709D0-6190-49A3-AB08-BF4575DC8396}

   3. EXTENDS AROUND INCISION MORE THAN 1 CM (ER EXI >1)

         {11F13A1F-7AC2-4629-A960-CD92655EE101}

   4. LIMITED TO INCISION (ER EXI LIM)

         {C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}

    UNITS:

==

 ID: {6BABCF71-2C62-41A7-83E2-F5F4B5ACE087}

==

Abbreviation................. ERY EX

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Skin Erythema Extension Around Wound

Display Name................ Erythema Extension Around Wound

Help Text................... Skin Erythema Extension Around Wound

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

 1. EXTENSION AROUND WOUND NONE (ERY EX NON)

                {815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}

 2. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (ERY EX >1

)   {175B2505-C596-4036-8FC3-DFEA8EFB76F9}

 3. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (ERY EX <1

)   {48C7FA69-D31A-4AAA-84F3-79AC863B71FD}

 4. EXTENSION AROUND WOUND LIMITED TO WOUND (ERY EX LIM)

                {2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

UNITS:

Abbreviation................. INCI CLOSU

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Skin Incision Closure

Help Text................... Type of material used to close incision

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. SKIN INCISION WOUND CLOSURE SUTURES (INC CL SUT)

            {DED8DEDA-82C9-4D3A-A81E-641583314919}

 2. INCISION WOUND CLOSURE GLUE (IN CL GLU)

            {9EEB436E-2991-4E9A-9F8A-BFEC196784CB}

 3. SKIN INCISION WOUND CLOSURE STAPLES (INC CL STA)

            {4F48D42D-C206-423C-970B-02C03B2EE0B6}

 4. SKIN INCISION WOUND CLOSURE STERI-STRIPS (INC CL STE)

            {DF52B6F3-54EE-46B3-AFDF-4A701B065E04}

 5. INCISION WOUND CLOSURE NOT CLOSED (INC CL)

            {D63A05BF-1205-45F6-A78D-15D198BCB1C6}

 6. SKIN INCISION WOUND CLOSURE OPEN WOUND (INC CL OPE)

            {AD018B6F-13E5-41C0-BDBC-306CA0B1B475}

7. INCISION WOUND CLOSURE APPROXIMATED (INC CL APP)

{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

8. INCISION WOUND CLOSURE DEHISCENCE (INC CL DEH)

{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

UNITS:

Abbreviation................. INC IN

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Induration Extension Around Incision

Display Name................ Induration Extension Around Incision

Help Text................... Induration Extension Around Incision

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

  1. SKIN INDURATION AROUND INCISION NONE (INC IN NON)

                {A9B95680-F9A0-44C0-929C-70C00B9AA5B7}

  2. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (

INC IN <1)   {2A5097BF-955C-4F79-B483-7EE14AF05786}

  3. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (

INC IN >1)   {D8EE448D-00EB-412D-95AC-2E2E92C53EEB}

  4. SKIN INDURATION AROUND INCISION LIMITED TO INCISION (INC IN LIM)

                {88BCE7F9-F21F-427A-A50B-C1BA831639AB}

  UNITS:

```
================================================================
```

  ID: {20391515-609B-4D18-AE79-533E47AFCAA8}

```
================================================================
```

    Abbreviation................. WOU IN

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Skin Induration Extension Around Wound

    Help Text.................... No Help Text

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

     1. SKIN INDURATION EXTENSION AROUND WOUND NONE (WOU IN NON)

                    {2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

     2. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (W

OU IN <1)   {3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

     3. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (W

OU IN >1)   {7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

     4. SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (WOU IN LIM)

                    {1828A9EA-FF9D-4A49-9543-15B85FBF211E}

    UNITS:

===

 ID: {BE934424-A7CF-EEF0-8098-26B3AFC4B2FE}

===

   Abbreviation................. SKIN MOIST

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Skin Moisture

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 4 entries

   ----

    1. DRY (d)   {D8F4F0FD-1B19-2515-3815-EC88D175B305}

    2. MOIST (m)   {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}

    3. DIAPHORETIC (d)   {F5F1E644-A1BD-0137-54B5-1C02678C1D5A}

    4. NORMAL (n)   {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

   UNITS:

    Abbreviation................. SKIN PAT P

    Active...................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type................... Boolean

    Description................. Are Skin Patches Present

    Display Name................ Skin Patches Present

    Help Text................... Are Skin Patches Present? (EKG,

                    Medication...)

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

    Abbreviation................. SK RISK PR

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. Are Skin Risk Factors Present?

    Display Name................. Skin Risk Factors Present

    Help Text.................... Does The Patient Have Spinal Cord

                      Injury, Paralysis, Or Neurological

                      Disease?

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

Abbreviation................. INC SW

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Skin Swelling Extension Around Incision

Display Name................. Skin Swelling Extension Around Incision

Help Text................... Skin Swelling Extension Around Incision

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. SKIN SWELLING EXTENSION AROUND INCISION NONE (INC SW NON)

              {54C9FC46-899C-460B-9524-D6F196B9FF31}

 2. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (

INC SW <1)   {ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}

 3. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (

INC SW >1)   {106A2AD3-F482-4DEE-967E-6F06C6026944}

 4. SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (INC SW LIM)

              {B8503D54-6925-430E-8AB6-692412347D5D}

 5. SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (INC SW FLU)

              {5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

UNITS:

==

TERM: SKIN SWELLING EXTENSION AROUND WOUND   Page: 803

 ID: {FE9F8966-B828-473C-9285-E189A448E304}

==

Abbreviation................. WOU SW

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Skin Swelling Extension Around Wound

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. SKIN SWELLING EXTENSION AROUND WOUND NONE (WOU SW NON)

                {550E3B92-2C69-403B-A997-2DBE61374ABF}

  2. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (WOU

SW <1)   {15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}

  3. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (WOU

SW >1)   {EA6AC933-0737-4C28-9F31-D36F3452DA96}

  4. SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (WOU SW LIM)

                {413CD1EC-309C-45D0-A1E0-E829EA615E2A}

  5. SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (WOU SW FLU)

                {DB5077E7-D339-4C87-B8CA-D16269DB2935}

UNITS:

==

 ID: {7E791776-2C73-E8F3-64A6-D965319D79BA}

==

   Abbreviation................. SKIN TEMP

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. Skin Temperature

   Display Name................. Skin Temperature

   Help Text.................... Skin Temperature

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................

   DATA VALUE: 9 entries

   ----

     1. COOL (COOL)   {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}

     2. WARM (WARM)   {E03BBEB4-5643-968F-190F-309A1293FCF9}

     3. COLD (COLD)   {B7B422BA-22EC-117D-0A0C-8419E9447D46}

     4. HOT (HOT)   {401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}

     5. CONSISTENT WITH BODY TEMPERATURE (CON W TEMP)

                  {941FC5EF-6AF8-4DA1-A43C-95575AC74B57}

     6. WARMER THAN GENERAL BODY TEMP (WARM B TEM)

                  {AE43F2B4-B585-43F4-9E97-D61E225A803B}

     7. WARMER THAN OPPOSITE BODY PART (WARM OPP P)

                  {5DBF8614-5067-49C5-BD02-C1B21C9DFECC}

     8. COOLER THAN OPPOSITE BODY PART (COOL OPP P)

                  {AFA2635C-8E80-4C71-A1B4-4AB117096FD2}

9. COOLER THAN GENERAL BODY TEMPERATURE (CoolGenT)

{03D7D4CF-9B3C-49CA-9650-213E9BABE064}

LOCATION: 49 entries

----

 1. HEAD (Hd)   {C3209F44-90C6-FF1B-3169-265B294F276A}

 2. FACE (FACE)   {C638EA14-7903-6A94-496A-C6560D51BEE3}

 3. NECK (Ne)   {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

 4. ABDOMEN (ABDOMEN)   {109FE041-2521-6EF2-7F95-1FD1587796AB}

 5. BACK (BACK)   {22C26239-C692-4E93-B522-E5E8392BA3B1}

 6. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

 7. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

 8. L HAND (L HAND)   {639DF25A-19E3-B504-D323-4B3F6ED39A24}

 9. R HAND (R HAND)   {A54D3A80-8537-D079-9CCE-7DC56346D132}

10. L HIP (L HIP)   {786CD881-27AD-4136-B9CC-8423CB38A431}

11. R HIP (R HIP)   {A48CBCAE-5404-4934-9321-ECEF660A5350}

12. L GROIN (L GROIN)   {5488E4EE-C1A2-4B02-8763-A53C412117A7}

13. R GROIN (R GROIN)   {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}

14. L THIGH (L THIGH)   {16C2312F-1E0E-45E0-B675-160F40C23F57}

15. R THIGH (R THIGH)   {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

16. L KNEE (L KNEE)   {3A9E30B4-09A9-967A-58EF-69A01EC4F859}

17. R KNEE (R KNEE)   {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

18. L FOOT (L FOOT)   {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

19. R FOOT (R FOOT)   {7D9F5FF6-232C-2488-4504-A721FF06928F}

20. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

21. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

22. L EAR (L EAR)   {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

23. L SHOULDER (L SHOULDER)   {91CBD2FA-2743-42EB-946B-6933980D9337}

24. R SHOULDER (R SHOULDER)   {D27AE130-442E-4DD6-B391-8D7E8AD494A2}

25. L ELBOW (L ELBOW)   {BF4317E7-2024-47EF-9E5F-3D21D0547885}

26. R ELBOW (R ELBOW)   {5BAFF87B-6993-4E76-862F-9F386D9B71C5}

27. L ANKLE (L ANKLE)   {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

28. R ANKLE (R ANKLE)   {4E6DF352-F399-4CE9-908C-48132C3D856B}

29. COCCYX (COCCYX)   {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

30. L JAW (L JAW)   {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}

31. R JAW (R JAW)   {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}

32. L NOSE (L NOSE)   {C7707847-5135-4749-B196-002E3E59BB54}

33. R NOSE (R NOSE)   {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}

34. NOSE (NOSE)   {85F7003E-6D4E-4A79-A534-8A57FBC2D106}

35. PENIS (PENIS)   {2D82CE55-83B6-4160-A754-07C71FD388E8}

36. ABDOMEN LUQ (ABD LUQ)   {3B31E1EC-CE74-4C76-BB61-10C678431FCA}

37. ABDOMEN RUQ (ABD RUQ)   {F29C9FA1-717A-49B7-8000-95070E9AACA0}

38. ABDOMEN LLQ (ABD LLQ)   {39831F59-D7B0-4156-AC57-4C622A93CA58}

39. ABDOMEN RLQ (ABD RLQ)   {2C48394F-6877-4738-856C-E933644D8067}

40. L CHEST (L CHEST)   {E332E497-FE0C-47CB-A0A7-217FBF52DC97}

41. R CHEST (R CHEST)   {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

42. CHEST (CHEST)   {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

43. L SCAPULA (L SCAPULA)   {3381EC50-771B-41C8-85C8-6EB0D208D54E}

44. R SCAPULA (R SCAPULA)   {EA657261-4D72-40C2-B70D-2A2E27556A01}

45. L UPPER ARM (L UPP ARM)   {5F915696-1B08-32E9-6B95-49246117D660}

46. R UPPER ARM (R UPP ARM)   {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

47. L LOWER ARM (L LOW ARM)   {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

48. R LOWER ARM (R LOW ARM)   {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

49. SCROTUM (SCROTUM)   {BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

    Abbreviation................. INC TP

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. Skin Temperature at Incision Site

    Display Name................. Skin Temperature at Incision Site

    Help Text.................... Skin Temperature at Incision Site

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 5 entries

    ----

    1. SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (INC

TP CON)   {D349175A-4B20-4243-BE40-E01E50C5583F}

    2. SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE

(WARM BD OP)   {5F888E9D-8F65-49ED-BC5D-F6F287A9D478}

    3. SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (WARME

R OP)   {F518787A-325A-45F3-82B4-73C856802073}

    4. SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE

(INC TP CBT)   {D357C975-857D-4293-B3EF-EFA7A4586357}

    5. SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (INC T

P COP)   {85307AD8-F730-43F0-BCB3-882594D9DDF8}

    UNITS:

Abbreviation................. WOU TP

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Skin Temperature at Wound Site

Display Name................ Skin Temperature at Wound Site

Help Text................... Skin Temperature at Wound Site

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

  1. SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (WOU TP

CBT)   {672D56C1-D1A3-4DDF-8815-F05DEE197061}

  2. SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (WO

U TP WGB)   {03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}

  3. SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (WOU TP W

OB)   {6290BD23-24BF-4A3A-8555-DCE52D2274B3}

  4. SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (WOU TP C

OB)   {A904C666-2810-4211-B53A-2961DCE6894E}

  5. SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (WO

U TP CGB)   {7203993E-3334-44EC-9FD9-14224253283D}

  UNITS:

```
================================================================
```

 ID: {4D90E9F2-5E61-67AA-1ACA-874AED4E6C79}

```
================================================================
```

   Abbreviation................. SKIN TURG

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................ Skin Turgor

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................

   DATA VALUE: 3 entries

   ----

    1. GOOD (GOOD)   {39ECA304-49F9-44B7-9735-B33CEC9D8119}

    2. DECREASED (DECREASED)   {D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}

    3. POOR (POOR)   {A3D75A12-A791-446D-AF63-9435054DFC4C}

   UNITS:

```

Abbreviation................. WOU CLOSUR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Wound Closure

Help Text................... Type of material used to close wound

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

 1. SKIN WOUND CLOSURE APPROXIMATED (WOU CL APP)

                {83D48E0F-8643-436B-9ECC-80795857C322}

 2. SKIN WOUND CLOSURE DEHISCENCE (WOU CL DEH)

                {425A460F-19C0-4A4A-8E4E-712C66968C38}

 3. SKIN WOUND CLOSURE GLUE (WOU CL GLU)

                {29FE4AF7-39EE-400A-BB3D-E07786F11BFD}

 4. SKIN WOUND CLOSURE NOT CLOSED (WOU CL NOT)

                {0E69F1FA-35F6-4F34-8547-CC3602670A7B}

 5. SKIN WOUND CLOSURE OPEN WOUND (WOU CL OPE)

                {C6F2AD2C-932F-434A-8A7A-513029092FFD}

 6. SKIN WOUND CLOSURE STAPLES (WOU CL STA)

                {FE04BFE3-DF81-48E7-9FA1-1CFCF4ECAD71}

7. SKIN WOUND CLOSURE STERI-STRIPS (WOU CL STE)

{AD451791-6B49-4A51-ABC3-796D08BEF910}

8. SKIN WOUND CLOSURE SUTURES (WOU CL SUT)

{F2840AE4-216B-477C-9FE6-DC91E8CE5364}

UNITS:

===

 ID: {E68F85F4-35A1-4FAC-BA86-90BF1FD5D63F}

===

   Abbreviation................. SLEEP AMOU

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Sleep Amount

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   HOUR   -0.1 > 0.0 * 24.0 < 24.1   Dec Prec: 1

===

ID: {7727D9C8-C3F2-4676-A2B8-23F4DAC72B90}

===

Abbreviation................. SLEEP QUAL

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Sleep Qualifiers

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 1. NAPS ONLY (NAPS ONLY)   {CF749F5C-2E4B-419A-B020-C81B30A7E482}

 2. HAS NOT SLEPT (NO SLEEP)   {3BF9DB54-5D1E-422D-90AF-918F81C9EA85}

 3. ASLEEP AT ROUNDS (SLEEP ROUN)

                {24E1D9F0-D8F1-4DC8-911F-6170F343C087}

 4. DENIES HAVING SLEPT (DENIES SL)

                {1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}

 5. SLEPT WELL (SLEPT WELL)   {18573E82-568F-4D2E-B9E1-6E4589EBEE2D}

 6. INTERMITTENT SLEEP (INT SLEEP)

                {5005C433-5892-4F4D-A64D-4C94AD1853E2}

UNITS:

TERM: SPECIALTY BED/MATTRESS   Page: 811

 ID: {274B7CFD-D091-47F2-9F35-602F14D75340}

===

    Abbreviation................. SPEC BED/M

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Type of specialty Bed or Mattress

    Display Name................ Specialty Bed/Mattress

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 9 entries

    ----

     1. BARIATRIC FRAME (BARI FRAME)

                    {CF95B426-F280-451B-86F2-CEF7A1A2B967}

     2. BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (BAR L AIR)

                    {220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}

     3. LOW AIRLOSS/ALTERNATING PRESSURE COMBO (L AIRL ALT)

                    {ADDD1260-C95B-4D7B-AB89-3749D76A3700}

     4. LOW AIRLOSS OVERLAY (L AIR OVRL)

                    {282C439C-A697-43E6-85C1-786352EB56BC}

     5. PERCUSSION BED (PERC BED)   {BE0B086B-A2F3-446A-ADE0-9589E92689FE}

     6. ROTATIONAL THERAPY (ROT THERAP)

                    {BB795594-720C-40D7-9B7C-6792BC849DA0}

     7. STANDARD PRESSURE REDUCTION (STAN P RED)

{556537CD-A84D-4493-81F6-51CBD844B5B7}

8. STRYKER FRAME (STRYKER FR)

{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

9. FLOTATION BED (FLOT BED)   {FA6329AB-85A6-4301-BC14-D0D089249356}

UNITS:

==

TERM: SPECIFIC GRAVITY   Page: 812

 ID: {CFB61154-54BD-4DE2-B83B-BC497AEC0F33}

==

   Abbreviation................. SPEC GRAVI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Specific Gravity

   Display Name................. Specific Gravity

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   PRODUCT: 1 entries

   ----

    1. URINE (u)   {1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

   UNITS:

   SI UNIT   0.500 > 1.000 * 1.030 < 2.000

                                Dec Prec: 3

Abbreviation................. Speech

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Speech

Help Text.................... Assessment of Speech (especially in

                             Behavioral Health settings). Speech

                             Method = Rate; Quality = Volume

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 13 entries

----

10. ARTICULATE (Articulate)   {BB0EB19F-896F-4792-BA28-5D040DD029E2}

20. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

30. DISORGANIZED (Disorganiz)   {E8382FF8-BC64-415D-9142-CEEA707CF77C}

40. FRAGMENTED (Fragmented)   {EB6A8E89-8D25-4ED6-AE53-225134603381}

50. MONOTONE (Monotone)   {67E54F45-C750-4357-B616-ED1CF6FD9203}

60. POVERTY OF CONTENT (PovofCont)

                {E0DAF10C-AC3D-4E63-9045-4507D09F01BE}

70. POVERTY OF SPEECH (PovofSpeec)

                {85D68BCC-93EF-4F62-A8A4-333B3D90B1BD}

80. PRESSURED (Pressured)   {A2167296-ECE0-405A-A11D-A1C66D58F219}

90. REPETITIVE (Repetitive)   {49B13886-E18C-42A8-90AD-31A6844CD473}

100. SLURRED (Slurred)   {4C31C626-B013-48EA-AD2C-70EBBE945AA3}

110. SPONTANEOUS (SPONTANEOU)   {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

120. STAMMERING (Stammering)   {D01420BA-5B54-4F1D-B532-8A647D909948}

130. TALKATIVE (Talkative)   {E9BF2028-E7A7-4B16-B1E6-411856997A14}

METHOD: 3 entries

----

10. SLOW (Slow)   {651F65B1-E939-47B8-8153-5BDEF2DF8CF6}

20. RAPID (Rapid)   {3F1B14F1-67B1-4325-862F-7345F921A8F1}

30. NORMAL (Normal)   {B6023DE3-081D-473C-81F1-03E22757E648}

QUALITY: 4 entries

----

10. MUTE (Mute)   {BE487084-2C18-48DE-B23F-7C704804AB6C}

20. SOFT (Soft)   {56901AD6-57B1-40CD-AF35-E0562EF0EEEB}

30. NORMAL (Normal)   {266B7051-608B-4AA9-8CC0-220CE6FDFDF1}

40. LOUD (Loud)   {47D5B61A-25DE-4CCB-A1F8-1B554719B4D1}

UNITS:

Abbreviation................. STAVF

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. ST Segment Average Vector Foot

Display Name................ ST Segment AVF

Help Text................... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                             Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                             Dec Prec: 2

==

TERM: ST SEGMENT AVL   Page: 815

 ID: {BB728DEB-4928-4714-9D0D-051EBC0187D2}

==

    Abbreviation................. STAVL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. ST Segment Average Vector Left

    Display Name................ ST Segment AVL

    Help Text................... The part of an electrocardiogram

                    immediately following the QRS complex

                    and merging into the T wave

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    METHOD: 1 entries

    ----

     1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

    UNITS:

    MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                            Dec Prec: 2

    MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                            Dec Prec: 2

==

 ID: {AE4E7CCA-2453-99B2-B345-6A03580214AD}

==

Abbreviation................. STAVR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. ST Segment Average Vector Right

Display Name................. ST Segment AVR

Help Text................... The part of an electrocardiogram

                  immediately following the QRS complex

                  and merging into the T wave

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                  Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                  Dec Prec: 2

===

 ID: {6D678028-BDCB-65D9-6F76-455102C8B05A}

===

 Abbreviation................. ST1

 Active....................... Yes

 Boolean Value False..........

 Boolean Value True...........

 Data Type.................... Numeric

 Description.................. ST Segment 1

 Display Name................. ST Segment 1

 Help Text.................... The part of an electrocardiogram

                immediately following the QRS complex

                and merging into the T wave

 Multi Select Picklist........

 Term Type.................... OBSERVATION

 Vuid........................

 METHOD: 1 entries

 ----

  1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

 UNITS:

 MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                         Dec Prec: 2

 MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                         Dec Prec: 2

    Abbreviation................. ST2

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. ST Segment 2

    Display Name................. ST Segment 2

    Help Text.................... The part of an electrocardiogram

                        immediately following the QRS complex

                        and merging into the T wave

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    METHOD: 1 entries

    ----

     1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

    UNITS:

    MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                              Dec Prec: 2

    MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                              Dec Prec: 2

 ID: {C2D177EB-A435-9EAA-E518-2039E8592E69}

===

   Abbreviation................. ST 3

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. ST Segment 3

   Display Name................. ST Segment 3

   Help Text.................... The part of an electrocardiogram

                    immediately following the QRS complex

                    and merging into the T wave

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

    1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

   UNITS:

   MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                            Dec Prec: 2

   MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                            Dec Prec: 2

Abbreviation................. STV1

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. ST Segment from Lead V1

Display Name................ ST Segment V1

Help Text................... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V1

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                          Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                          Dec Prec: 2

===

TERM: ST SEGMENT V2   Page: 821

 ID: {BA2FE2E9-D587-5F6C-66D4-B046A3746ADE}

===

Abbreviation................. STV2

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. ST Segment from Lead V2

Display Name................. ST Segment V2

Help Text.................... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V2

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

Abbreviation................. STV3

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. ST Segment from Lead v3

Display Name................. ST Segment V3

Help Text.................... The part of an electrocardiogram

                  immediately following the QRS complex

                  and merging into the T wave from Lead

                  V3

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                           Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                           Dec Prec: 2

```
================================================================
TERM: ST SEGMENT V4                        Page: 823

 ID: {A48D67C4-49D9-4EFD-DF99-7088D8E2DFBA}

================================================================
```

Abbreviation................. STV4

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. ST Segment from Lead 4

Display Name................ ST Segment V4

Help Text................... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V4

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                         Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                         Dec Prec: 2

===

 ID: {0B6F3CF6-9DDB-17EC-EFC0-37610387E274}

===

   Abbreviation................. STV5

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. ST Segment from Lead 5

   Display Name................ ST Segment V5

   Help Text................... The part of an electrocardiogram

                   immediately following the QRS complex

                   and merging into the T wave from Lead

                   V5

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

    1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

   UNITS:

   MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                       Dec Prec: 2

   MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                       Dec Prec: 2

Abbreviation................. STV6

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. ST Segment from Lead 6

Display Name................ ST Segment V6

Help Text................... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave from Lead

V6

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                              Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                              Dec Prec: 2

    Abbreviation................. ST/T measu

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description..................

    Display Name................. ST/T Wave Measurement

    Help Text....................

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid.........................

    UNITS:

    MILLIMETERS   -9.0 > -9.0 * 9.0 < 9.0   Dec Prec: 1

Abbreviation................. STOOL CHAR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Stool Characteristics

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

  1. NORMAL STOOL (NORM STOOL)   {486B0693-CAC5-48EE-B2E6-1F73C651418A}

  2. LOOSE (LOOSE)   {1346A74E-3AA1-4D81-876B-91201F9717A5}

  3. SOFT (SOFT)   {E68B4D4B-B86B-4004-A861-986645267F6E}

  4. DIARRHEA (DIARRHEA)   {353472EF-3499-46B1-AD7C-554FE01D8CE2}

  5. CONSTIPATION (CONSTIPAT.)   {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

  6. TARRY (TARRY)   {09364271-6307-471F-A334-A8F7E051EF46}

  7. MUCOID (MUCOID)   {073E5514-DACE-4F43-ADE5-91A1A87D6601}

  8. BLOODY (BLOODY)   {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

  9. FRANK BLOOD (FRANK BLD)   {CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}

  10. CLOTS (CLOTS)   {B52B88E0-6D23-4657-97CD-81E3EF64991B}

UNITS:

    Abbreviation................. STOOL COLO

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Stool Color

    Display Name................ Stool Color

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 8 entries

    ----

     1. BROWN (BROWN)   {A1C32FBC-7B4D-707C-CA58-92A2E201368E}

     2. YELLOW/GREEN (YELLOW/GRN)   {1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}

     3. BLACK (BLACK)   {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

     4. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

     5. MAROON (MAROON)   {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}

     6. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

     7. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

     9. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

    UNITS:

Abbreviation................. NUM STOOLS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Number of stools

Display Name................. Number of stools

Help Text.................... Number of stools

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

STOOL   0 > 0 * 15 < 30   Dec Prec: 0

===

  ID: {14D70939-EDAB-9318-200B-D71EF2F38570}

===

   Abbreviation................. SI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Stroke Index

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   MILLILITERS PER BEAT   10 > 25 * 45 < 100   Dec Prec: 0

   Abbreviation................. SV

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................. Stroke Volume

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

    1. CARDIAC OUTPUT MONITOR (COM)

                  {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

   UNITS:

   MILLILITERS PER BEAT   30 > 60 * 130 < 200   Dec Prec: 0

==

TERM: STROKE VOLUME INDEX   Page: 832

 ID: {0FFED66D-43F3-E4CA-18B7-DBFCAA2F5EC5}

==

Abbreviation................. SVI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. No Description

Display Name................. Stroke Volume Index

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

                {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

MILLILITERS PER BEAT PER METER SQUARE (BSA)

            20 > 41 * 51 < 100   Dec Prec: 0

    Abbreviation................. FIO2

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. This is the level of O2 that is set

                    on the machine to be delivered to the

                    patient

    Display Name................. FiO2

    Help Text.................... Fraction of Inspired Oxygen

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 8 entries

    ----

     1. AEROSOL/HUMIDIFIED MASK (AM)

                    {CAF54B28-D5D2-8481-FAE3-9C74C2D51551}

     2. ASSISTED VENTILATOR (AV)   {A540F333-5A09-5F21-7B51-2B5DF05E32C0}

     3. FACE TENT (FT)   {1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

     4. LARYNGEAL MASK (LARYNGMASK)

                    {DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}

     5. MASK (M)   {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}

     6. T-PIECE (TP)   {27FC4BC6-2F25-2154-553C-2B452E28A91C}

     7. TRACHEOSTOMY COLLAR (TC)   {CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}

     8. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

PERCENTAGE   0 > 21 * 100 < 101   Dec Prec: 0

===

 ID: {3BB314E8-9BBB-480E-B34E-B56EDE43BAC4}

===

   Abbreviation................. O2FLOWRATE

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Supplemental Oxygen Flow Rate

   Display Name................ Supplemental Oxygen Flow Rate

   Help Text................... Supplemental Oxygen Flow Rate

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   METHOD: 12 entries

   ----

    1. AMBU BAG (AB)   {E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}

    2. BIPAP (BIP)   {3CFD1D11-EF8D-58BA-6381-B24956344D2E}

    3. BIPAP-CPAP (PAP)   {2BCBE562-8F44-662F-469B-13AC0E863A3D}

    4. CPAP (CP)   {A041FB71-08EF-F3FE-82FA-051FF74C824F}

    5. MASK (M)   {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}

    6. NASAL CANNULA (NC)   {EFFD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}

    7. NEBULIZER (NEBULIZER)   {3CF184A3-2688-4988-B956-D5B0F303E8E8}

    8. NON RE-BREATHER (NRB)   {1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}

    9. PARTIAL RE-BREATHER (PRB) {6F1DF170-5128-2E3F-1831-12FB0BB5E95C}

   10. PENDANT CANNULA (PC)   {A1451228-4ABB-DBCB-31AD-578BCD93012F}

   11. RESERVOIR CANNULA (RC) {B332C44D-29BE-765C-932C-63EBFC9631FC}

   12. VENTURI MASK (VM)   {E0401675-9C4E-2AFA-2B93-F352B781E963}

UNITS:

LITERS PER MINUTE   -1 > 0 * 20 < 21   Dec Prec: 0

==

 ID: {BD2C3F43-186B-A312-2514-186EFE223B65}

==

   Abbreviation................. SVR

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................. Systemic Vascular Resistance

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   DYNE * SECONDS / CM(-5) * M2 400 > 800 * 1200 < 3000   Dec Prec: 0

Abbreviation................. SVRI

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Systemic Vascular Resistance Index

Display Name................. Systemic Vascular Resistance Index

Help Text................... Systemic Vascular Resistance Index

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. CARDIAC OUTPUT MONITOR (COM)

              {CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

DYNE * SECONDS / CM(-5) / M2 1500 > 1760 * 2600 < 4000 Dec Prec: 0

===

 ID: {D66590AE-5D02-A206-A7CD-7EFB22AE591D}

===

Abbreviation................. SYSTOL PRE

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Systolic Pressure

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

LOCATION: 4 entries

----

 1. L ARM (LA)   {567F552F-54B5-A8BB-596F-291001746E31}

 2. L LEG (LL)   {B088C809-E528-B785-21C2-14E45E1FD8AF}

 3. R ARM (RA)   {1C09017A-F10A-543D-A7EA-F13790D78692}

 4. R LEG (RL)   {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

----

 1. CUFF (Cu)   {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

 2. DOPPLER (Dop)   {52683C19-F9DC-876B-CA3F-53E7C864CF04}

 3. ARTERIAL LINE (AL)   {D4B3F4ED-8B33-431E-4164-BD165E823776}

 4. INVASIVE (I)   {5DB8746E-5446-F47A-883C-A44B91275A6E}

 5. NON-INVASIVE (N-I)   {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

POSITION: 3 entries

----

  1. LYING (Ly)   {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

  2. SITTING (Sit)   {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

  3. STANDING (St)   {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY   0 > 80 * 150 < 300   Dec Prec: 0

Abbreviation................. SaO2

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Arterial Oxygen Saturation

Display Name................. SaO2%

Help Text.................... Arterial Oxygen Saturation

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

PERCENTAGE   50 > 92 * 100 < 101   Dec Prec: 0

==

 ID: {5F84DD55-3CCF-094C-2536-B51EB7FAD999}

==

   Abbreviation................. SpO2

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Spot Oxygen Saturation

   Display Name................. SpO2%

   Help Text.................... Oxygen Saturation

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid......................... 4500637

   METHOD: 2 entries

   ----

   13. MONITOR (Mo)   {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

   19. PULSE OX MONITOR (POM)   {A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

   UNITS:

   PERCENTAGE   50 > 92 * 100 < 101   Dec Prec: 0

==

TERM: SvO2%   Page: 840

 ID: {A7862F66-E515-838A-6F71-2099DCC02C9E}

==

   Abbreviation................. SvO2%

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. Venous Oxygen Saturation

   Display Name................. SvO2%

   Help Text................... Venous Oxygen Saturation

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   PERCENTAGE   30 > 60 * 75 < 100   Dec Prec: 0

Abbreviation................. T

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Internal body temperature of a patient.

Display Name................ Temperature

Help Text................... Enter in the numeric value of the

                  patients temperature with up to one

                  decimal.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................ 4500638

LOCATION: 7 entries

----

 1. AXILLARY (Ax)   {135AA5F4-A1C7-978D-E9AB-6873841AEB57}

 2. CORE (C)   {5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}

 3. ORAL (O)   {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}

 4. RECTAL (RECTAL)   {0E7069F4-D3E6-67A1-E821-EF1879C3C267}

 5. SKIN (SKIN)   {0803BC59-1582-AEC8-3DA2-A81363038210}

 6. TEMPORAL (TEMPORAL)   {E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}

 7. TYMPANIC (Tym)   {0A58C14C-E447-E034-AA93-D41E6E0D2F69}

QUALITY: 2 entries

----

1. ACTUAL (A)   {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. ESTIMATED (E)   {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

DEGREES F   70.0 > 95.0 * 100.9 < 108.0

                    Dec Prec: 1

DEGREES C   21.1 > 35.0 * 38.3 < 42.2 Dec Prec: 1

    Abbreviation................. THRILL

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Thrill

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

     2. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

    LOCATION: 10 entries

    ----

     1. R FEMORAL (R FEM)   {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

     2. L FEMORAL (L FEMORAL)   {50AF6A08-CE37-6859-F4E6-762660A982F7}

     3. R CAROTID (R CAROTID)   {8280ACD2-72D6-202A-89AF-86BCA7736427}

     4. L CAROTID (L CAROTID)   {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}

     5. R TEMPORAL (R TEMPOR)   {1F50461D-5ECF-25B2-A29A-E02803CB7814}

     6. L TEMPORAL (L TEMPO)   {375E65CF-A59E-A1E9-EB6D-D53CD818939E}

     7. ABDOMINAL AORTA (ABD AORTA)

{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

8. HEART (HEART)   {F7D48A36-B512-42DD-B92F-07ACF2B95E08}

9. GRAFT SITE (Graft Site)   {56ABE088-8047-4335-9F61-4FF69B9B81D8}

10. FISTULA SITE (Fist Site)   {9959E3F8-D744-45F0-BB6B-4A132F8D87A0}

UNITS:

Abbreviation................. ID Method

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Time Out: Patient Identification Method

Help Text.................... Method of Patient Identification

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 3 entries

----

 1. VERBALIZED BY PATIENT (Verbal)

                    {6AF901B8-A19D-4C89-869F-2ECBF2D105A7}

 2. ID BAND (ID Band)   {5526C5AB-64C8-4AB1-B77F-DAF45D26B439}

 3. ID CARD (ID Card)   {CFD540F0-3D73-498F-B590-CCEF11499078}

UNITS:

Abbreviation................. T/O Confir

Active...................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type................... Boolean

Description.................

Display Name................. Time Out: Verbal confirmation by team

of procedure to be performed

Help Text...................

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

===

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY

ID: {C90F1CBF-5CC7-49DB-8643-D220B20D954C}

===

Abbreviation................. T/O Lat

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. Time Out: Verbal confirmation by team

of procedure and laterality

Help Text....................

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

```
================================================================================

TERM: TONGUE POSITION                          Page: 846

 ID: {1A1007C3-2485-483F-8CBF-D6153DE4DEAF}

================================================================================

    Abbreviation................. Tongue Pos

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description..................

    Display Name................. Tongue Position

    Help Text.................... Neurological Testing

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                            3 entries

    ---------------------------------------------------------------------

    10. MIDLINE (Midline)        {3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}

    20. DEVIATION RIGHT (DeviationR)

                    {D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}

    30. DEVIATION LEFT (DeviationL)

                    {B8F53B29-9BE7-4681-8AFF-DE5D3F962755}


    UNITS:

    ---------------------------------------------------------------------
```

===

  ID: {C06989EF-4B0F-4941-B1A7-FA9D81A480FF}

===

    Abbreviation................. TON

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. No Description

    Display Name................. Tonometry

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid......................... 4688726

    UNITS:

    MILLIMETERS OF MERCURY   0 > 0 * 80 < 80   Dec Prec: 0

    Abbreviation................. TSS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. Electrocardiogram Reading

    Display Name................. Trace ST Segment

    Help Text.................... The part of an electrocardiogram

                    immediately following the QRS complex

                    and merging into the T wave

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    METHOD: 1 entries

    ----

     1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

    UNITS:

    MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

                         Dec Prec: 2

    MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

                         Dec Prec: 2

Abbreviation................. TSS2

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. ECG Reading

Display Name................. Trace ST Segment 2

Help Text................... The part of an electrocardiogram

immediately following the QRS complex

and merging into the T wave

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. ELECTROCARDIOGRAM (ECG)   {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS   -0.50 > -0.05 * 0.10 < 1.00

Dec Prec: 2

MILLIMETERS   -5.00 > -0.50 * 1.00 < 10.00

Dec Prec: 2

Abbreviation................. TRACH MIDL

Active...................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type................... Boolean

Description.................. No Description

Display Name................ Trachea Midline Deviated

Help Text................... No Help Text

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

 2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. TrchAssess

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description..................

Display Name................. Tracheostomy Assessment

Help Text.................... Documentation of Trach Site or Stoma

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

10. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

20. ERYTHEMATOUS (Erythemato)   {99C72386-619A-4CB4-BEB2-6F0BFF9283FC}

30. BLEEDING (Bleeding)   {B04CC38B-CB59-4E71-A3E0-1DBF11D152CD}

40. MOIST (m)   {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}

50. DRY (d)   {D8F4F0FD-1B19-2515-3815-EC88D175B305}

60. MUCUS (Mucus)   {FDD0A5FD-9C87-47F0-AC2A-AD49ABB492BA}

70. OTHER (ENTER COMMENT) (Other)

              {7BBBFCF8-B8DB-44EC-830A-7894242D219F}

 UNITS:

    Abbreviation................. TrachCare

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description..................

    Display Name................. Tracheostomy Care

    Help Text.................... Documentation of trach interventions

    Multi Select Picklist........ Yes

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 15 entries

    ----

    10. DONE AS PER POLICY (PerPolicy)

                    {9D246DC9-B054-4AB2-9D72-C2E3C3A12FC1}

    20. SUCTIONED (Suctioned)   {D1EA37C9-C8F1-4306-8A86-3B839638712C}

    30. PRE-SUCTIONING OXYGENATION (PreSuct)

                    {8C41E387-F15A-4DDD-BC04-259F8F403C2B}

    40. POST-SUCTIONING OXYGENATION (PostSuct)

                    {EF142F10-335F-4B47-9F3D-195D7E508D72}

    50. INNER CANNULA CHANGED (InnerCann)

                    {4C0CA35F-2B7F-47C1-91E0-9159383BC17C}

    60. STOMA CARE (Stoma Care)   {700D1811-5B1C-47DE-B0A7-EBF560B598FF}

    70. TRACH DRESSING (TrachDress)

                    {778C9378-071D-44F6-8306-705D5D2F19D7}

80. TRACH TIES/HOLDER CHANGED (Trach Ties)

{B49A3A50-8516-4423-896A-67643822E674}

90. OBTURATOR AT BEDSIDE (Obturator)

{65D0889C-3987-48AA-9E63-C9878ADE1DDD}

100. TOLERATED WELL (TolerWell)

{E1846192-BB56-463F-A112-6E3DD649D3C3}

110. TOLERATED FAIR (TolerFair)

{341FC827-1B34-4836-A74F-1C8C466DD4F0}

120. TOLERATED POOR (TolerPoor)

{C3EE2266-1EBE-4113-8C87-BC1049B3B1DE}

130. TRACH COLLAR O2 (TrachColl)

{8189D676-B602-4A29-A7AF-1A8FD7F4B50B}

140. HUMIDIFIED AIR (HumidAir)

{4FC8D9E9-9638-48E9-82F9-2FC144185569}

150. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

Abbreviation................. TrachType

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................

Display Name................. Tracheostomy Type

Help Text.................... Identify the type of trach patient has

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid.........................

DATA VALUE: 13 entries

----

   10. STOMA ONLY (StomaOnly)   {34B3AEE4-2B03-4B14-846D-C00FDA3415FC}

   20. SHILEY (Shiley)   {F639982A-8BA6-4381-AACD-3310C8400135}

   30. PLASTIC (Plastic)   {65AFD48A-137C-4539-8C9E-40F2D0547AF6}

   40. SILICONE (Silicone)   {C50E8765-2850-4C40-A8BE-346B55544AFB}

   50. METAL (Metal)   {817B2544-725A-4B92-93AC-49650A5C1009}

   60. FENESTRATED (Fenestratd)   {B17FE19B-D8B9-4DAA-A2D1-4ED9C8E6591D}

   70. CUFFED (Cuffed)   {C8C62FC0-BEC5-4880-9568-157E35C89CDF}

   80. UNCUFFED (Uncuffed)   {2AAD702B-570C-4BEA-8F33-6527F0DF9CEB}

   90. STOMA BUTTON (StoButton)   {8F01105E-AB8C-44F0-8F2C-A37D423C9310}

   100. SPEAKING VALVE (SpeakValve)

                  {DB3DE301-C965-4566-B43C-7CC8D8F04252}

   110. DUAL CANNULA (DualCannul)

{BEAA57AB-9C9E-47F9-B942-DD6730CB559C}

120. SINGLE CANNULA (SingleCann)

{DDA5F6C8-F26E-47EF-9C91-E94C539AF967}

130. OTHER (ENTER COMMENT) (Other)

{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

    Abbreviation................. TRACT TYPE

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Traction Type

    Display Name................ Traction Type

    Help Text................... Type of traction used

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 3 entries

    ----

     1. BUCKS TRACTION (BUCK TRACT)

                    {5E63F920-02D7-4729-8F30-A53A0A6E1EA0}

     2. SLING TRACTION (SLING TRAC)

                    {304E924C-C95A-4DBE-B30B-191BC4D26EF7}

     3. PIN TRACTION (PIN TRACT)   {C75104A5-3B6B-4CFE-8E2E-05877522C811}

    UNITS:

===

  ID: {0C913807-C678-4E94-BD20-B8B2EBE697BE}

===

   Abbreviation................. TRACT WEIG

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. Weight used in traction

   Display Name................. Traction Weight - Do Not Check Total

               or Subtotals

   Help Text.................... Weight used in traction

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

   POUND   0 > 0 * 30 < 30   Dec Prec: 0

Abbreviation................. TOF RESP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... PickList

Description.................. Train of Four response

Display Name................. Train of Four Response

Help Text.................... Record the number of responses

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 4 entries

----

  1. 1:4 (1:4)   {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

  2. 2:4 (2:4)   {7D423C9A-42B3-4FDD-999B-889193492F5C}

  3. 3:4 (3:4)   {E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2}

  4. 4:4 (4:4)   {E9FCD5A0-995A-401D-8E85-6F0C753609B6}

UNITS:

==

 ID: {63E1D230-3238-4D03-95C5-24BF51FD0CEF}

==

    Abbreviation................. TOF SMS

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Train of Four sms

    Display Name................ Train of Four SMS

    Help Text................... Record current setting in milliamps

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    UNITS:

    MILLIAMPS   -1.0 > 10.0 * 100.0 < 1000.0

                              Dec Prec: 1

Abbreviation................. TRANS FA

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Transport Facilitator

Help Text.................... No Help Text

Multi Select Picklist........ Yes

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. VOLUNTEER (VOLUNTEE)   {F5406412-DE48-4F84-8A31-0B1D79DB576D}

 2. STAFF (STAFF)   {BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}

 3. PHYSICIAN (PHYSICIA)   {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}

 4. STUDENT (STUDENT)   {613AFF67-9121-4F6C-A44F-1ACFEF10E612}

 5. FAMILY/FRIEND (FAM/FRIE)   {FA8FE272-E659-41EF-A394-F907A5F55ED8}

UNITS:

    Abbreviation................. TRANS MO

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Transportation Mode/Device

    Help Text................... No Help Text

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 10 entries

    ----

     1. ABLE TO AMBULATE (AMBULAT)

                    {4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}

     2. CRUTCH (CRUTCH)   {2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}

     3. CRUTCHES (CRUTCHES)   {DDA81269-B25C-4F7D-A059-BB1602B2B179}

     4. CANE (CANE)   {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}

     5. CANES (CANES)   {DF37C541-1C7D-4527-A4D2-31867B5ED438}

     6. MOTORIZED WHEELCHAIR (MO WH CH)

                    {4CA9CF41-F52C-41A8-B8A7-100A56097FDE}

     7. WHEELCHAIR (WH CHAIR)   {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}

     8. STRETCHER (STRETCHE)   {93CB521A-3A67-41FB-A59C-3DD54D810B11}

     9. WALKER (WALKER)   {91247001-5E89-46A0-A841-B4FAE9226E63}

     10. CHAIR (CHAIR)   {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

UNITS:

```
================================================================
```

 ID: {72BADC86-F225-A686-F5E6-F395AEC2D5B6}

```
================================================================
```

Abbreviation................. TREM

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Tremulous

Help Text.................... characterized by or affected with

                 trembling or tremors

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

 2. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

Abbreviation................. TUBE POS V

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description.................. Was the tube position verified

Display Name................. Tube Position Verified

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. TURN SKIN

Active....................... Yes

Boolean Value False.......... Not Done

Boolean Value True........... Done

Data Type.................... Boolean

Description.................. Turn and Skin Care

Display Name................. Turn and Skin Care

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

  1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

  2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation................. ULDT

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Ulnar Drift

Help Text................... position of the metacarpophalangeal

                joints

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

 2. PRESENT (p)   {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

Abbreviation................. UP. LIM. S

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................. Upper Limb Extremities Strength

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 6 entries

----

 1. ABSENT (a)   {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

 2. WEAK (w)   {BE2D9305-E2DA-F492-66CF-164EE58B8179}

 3. STRONG (s)   {A12154E1-544E-F372-3839-0D44E5BC476B}

 4. REFLEX INTACT (r)   {F21585F9-5206-A6B3-2BF6-F416E5842366}

 5. EQUAL (Equal)   {AC079584-158D-EBF2-E13A-C2E919375E4D}

 6. UNEQUAL (Unequal)   {73319200-164F-B39F-649C-B7FB1AFBDBB8}

LOCATION: 3 entries

----

 1. L UPPER LIMB (L Upp Limb)   {E6453716-62D3-DFCB-F84D-F6F2FDFC20B7}

 2. R UPPER LIMB (R UPP LIMB)   {5E028BFF-ED9B-014F-74F0-C4137DB074FB}

 3. BILATERAL WRIST (BILAT WRIS)

{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

    Abbreviation................. URINE COLO

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description.................. Color of urine

    Display Name................. Urine Color

    Help Text................... Color of urine

    Multi Select Picklist........ Yes

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 14 entries

    ----

     1. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

     2. WHITE (WHITE)   {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

     3. BROWN (BROWN)   {A1C32FBC-7B4D-707C-CA58-92A2E201368E}

     4. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

     5. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

     6. TAN (TAN)   {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

     7. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

     8. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

     9. AMBER (AMBER)   {90A13048-4C35-E01D-3482-64D782001D4A}

    10. BLACK (BLACK)   {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

    11. CLAY (CLAY)   {A4E4D16C-B45C-0934-ED22-8BF640080108}

    12. ORANGE (ORANGE)   {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}

13. DYE PRESENT (DYE PRESEN)   {E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}

14. TEA (TEA)   {E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

UNITS:

Abbreviation................. URINE CHAR

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................ Urine: Characteristics

Help Text................... No Help Text

Multi Select Picklist........ Yes

Term Type................... OBSERVATION

Vuid........................

DATA VALUE: 9 entries

----

 1. ANURIC (ANURIC)   {0CCA4B44-7A59-4042-BAB9-EB2395A63C51}

 2. CLEAR (c)   {8981C365-2B46-704F-C9F4-975DF1C23C2D}

 3. CLOUDY (CLOUDY)   {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

 4. HEMATURIA (HEMATURIA)   {ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}

 5. PURULENT (PURULENT)   {86C01494-743A-C6A2-8883-01CA5200C79B}

 6. SEDIMENT (SEDIMENT)   {4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}

 7. CLOTS (CLOTS)   {B52B88E0-6D23-4657-97CD-81E3EF64991B}

 8. THREADS (Threads)   {029BB303-B428-41D0-978B-6A8176108D7D}

 9. ODOROUS (Odorous)   {1900B8A2-67A4-40CB-B0AA-94E914E343C7}

 UNITS:

Abbreviation................. URINE VOID

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Urine Voids

Help Text.................... Number of urine voids since last entry

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

VOID   0 > 0 * 15 < 60   Dec Prec: 0

   Abbreviation................. VOIDING

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. Urine Voiding Method

   Help Text.................... No Help Text

   Multi Select Picklist........ Yes

   Term Type.................... OBSERVATION

   Vuid.........................

   DATA VALUE: 15 entries

   ----

    1. CONTINENT (CONTINENT)   {3B658506-F42E-BAF5-04C4-5AD49699E0D2}

    2. DYSURIA (DYSURIA)   {75AC5ECD-8975-406A-30C7-E2EB23F10F84}

    3. INCONTINENT (INCONTINEN   {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

    4. DIVERSION (DIVERSION)   {087AAE9F-7FE1-5717-6423-07574C637875}

    5. INDWELLING CATHETER (INDW CATH)

                  {EC16724C-D1EA-5650-58D4-38A89D4456F9}

    6. EXTERNAL CATHETER (EXT. CATHE)

                  {C8AEE936-DD91-FE91-4DD6-6F210FB59726}

    7. STRAIGHT CATHETER (STR. CATH)

                  {5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

    8. ILEAL CONDUIT (ILEAL COND)

                  {032CB6FE-77D2-702E-A0AE-46176F5CAA57}

9. SUPRAPUBIC (SUPRAPUBIC)   {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

10. L NEPHROSTOMY (L NEPHROST)

                {D8FC4C18-081E-A7B9-E394-25F194BE9757}

11. R NEPHROSTOMY (R NEPHROST)

                {33661137-688D-5611-4368-B1DFD8DB1469}

12. REPORTED (REPORTED)   {1D13BAC5-D8F9-455C-B815-8E256943492E}

13. BEDPAN (Bedpan)   {9DA7CF44-CB93-40E9-8505-CB2DAB4357DC}

14. URINAL (Urinal)   {304CF5C4-1DDD-4E09-A0C1-679B012C7872}

15. TOILET (Toilet)   {0E749B59-5D37-415F-8563-642DD488A57C}

QUALITY: 2 entries

----

 1. ACTUAL (A)   {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

 2. STATED (Sta)   {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

Abbreviation................. VENT AU PE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Ventilator Auto Peep

Display Name................. Ventilator Auto Peep - Do Not Check

                  Total or Subtotals

Help Text.................... Ventilator Auto Peep

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

  1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O   -1.00 > 0.00 * 10.00 < 100.00

                       Dec Prec: 2

    Abbreviation................. VENT CIR C

    Active...................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type................... Boolean

    Description................. Ventilator Circuit Change

    Display Name................ Ventilator Circuit Change

    Help Text................... Ventilator Circuit Change

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    METHOD: 1 entries

    ----

     1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

    UNITS:

```
================================================================================

TERM: VENTILATOR EXHALED VOLUME                    Page: 871

 ID: {404A3850-382D-4E86-B7F3-29DDAF1616BC}

================================================================================

    Abbreviation................. VENT EXHAL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. Ventilator Exhaled Volume

    Display Name................. Ventilator Exhaled Volume

    Help Text.................... Ventilator Exhaled Volume

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    METHOD:                          1 entries

    ------------------------------------------------------------------

     1. VENTILATOR (Ven)        {416FCBD3-5370-15B9-C480-48855ED486D9}


    UNITS:

    ------------------------------------------------------------------

    LITER              0.0 > 1.0 * 99.0 < 100.0   Dec Prec:  1
```

Abbreviation................. VENT EXP T

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Ventilator Expiratory Time

Display Name................. Ventilator Expiratory Time

Help Text................... Ventilator Expiratory Time

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

SECOND   0.00 > 0.01 * 9.99 < 10.00

                            Dec Prec: 2

==

TERM: VENTILATOR FLOW RATE   Page: 873

 ID: {548E1F72-B501-49DD-B22B-1366CE06C2BE}

==

    Abbreviation................. VENT FL RA

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. Ventilator Flow Rate

    Display Name................. Ventilator Flow Rate

    Help Text.................... Ventilator Flow Rate

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 1 entries

    ----

    1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

    UNITS:

    LITERS PER MINUTE   -1 > 0 * 150 < 151   Dec Prec: 0

==

 ID: {35948B65-6D8F-4BD4-8F4E-CE785D8D829D}

==

    Abbreviation................. VENT INS T

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description.................. Ventilator Inspiratory Time

    Display Name................. Ventilator Inspiratory Time

    Help Text.................... Ventilator Inspiratory Time

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    METHOD: 1 entries

    ----

     1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

    UNITS:

    SECOND   0.00 > 0.01 * 9.99 < 10.00

                              Dec Prec: 2

===

 ID: {BD28B791-7E79-4116-8DF1-6296B60FCC57}

===

Abbreviation................. VENT MAP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Ventilator Mean Air Pressure

Display Name................. Ventilator Mean Air Pressure

Help Text.................... Ventilator Mean Air Pressure

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O   0 > 1 * 99 < 100   Dec Prec: 0

MILLIBAR   0 > 20 * 80 < 100   Dec Prec: 0

==

 ID: {1C718F1D-EE59-4743-888D-7767864C4EB0}

==

   Abbreviation................. VENT MIN V

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Ventilator Minute Volume

   Display Name................. Ventilator Minute Volume

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

   1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

   UNITS:

   LITERS PER MINUTE   -1 > -1 * 30 < 30   Dec Prec: 0

```
===============================================================================
```

 ID: {21CF6705-7597-53D0-F5EA-CBB704128A4B}

```
===============================================================================
```

Abbreviation................. VENT MODE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Ventilator Mode

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 7 entries

----

 1. CONTROL MODE VENTILATION (CMV)

                {2E79351C-BA31-FC04-B636-F39728B23EA6}

 2. ASSIST CONTROL (AC)   {862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}

 3. SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (SIMV)

                {A606BB2B-5C00-FEA1-127F-1D3455AE5996}

 4. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)

                {387B42F0-F587-AAFC-ECA0-66067F18BEC6}

 5. PRESSURE CONTROL (PRESS CONT)

                {C3CDF756-484F-1483-9883-9B63DEF3B012}

 6. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)

                {4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

 7. SPONTANEOUS (SPONTANEOU)   {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

Abbreviation................. VT PT EX V

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Exhale Volume that the patient

actually achieved

Display Name................. Ventilator Patient Exhale Volume - Do

Not Check Total or Subtotals

Help Text................... Exhale Volume that the patient

actually achieved

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CUBIC CENTIMETER   0 > 1 * 499 < 500   Dec Prec: 0

===

TERM: VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 879

 ID: {0E7E1130-0CC0-4D61-9BA4-7E88B18A7A77}

===

   Abbreviation................. VT PT MN V

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Minute Volume that the patient

                    actually achieved

   Display Name................. Ventilator Patient Minute Volume - Do

                    Not Check Total or Subtotals

   Help Text................... Minute Volume that the patient

                    actually achieved

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

    1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

   UNITS:

   LITERS PER MINUTE   -0.1 > 0.0 * 4.9 < 5.0   Dec Prec: 1

Abbreviation................. VT PT RATE

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. Rate that the patient actually achieved

Display Name................. Ventilator Patient Rate - Do Not

                 Check Total or Subtotals

Help Text.................... Value that is determined by taking

                 the number of breaths total per

                 minute minus the breaths set to be

                 delivered by the machine

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE   0 > 1 * 119 < 120   Dec Prec: 0

Abbreviation................. VT PT R TO

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Total rate that the patient actually

achieved

Display Name................. Ventilator Patient Rate Total - Do

Not Check Total or Subtotals

Help Text................... Value of breaths delivered by the

machine plus any additional breaths

that the patient takes on their own

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE   0 > 1 * 119 < 120   Dec Prec: 0

===

 ID: {BC521E68-B7AA-4B6E-AAC1-0594EE27D94E}

===

Abbreviation................. VENT PCV S

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. Pressure Control Ventilator Pressure

Display Name................. Ventilator PCV Set Pressure

Help Text.................... Pressure Control Ventilator Pressure

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O   0 > 1 * 99 < 100   Dec Prec: 0

```
================================================================
```

  ID: {F955312E-79E0-A72D-1F93-533B1B6EAD04}

```
================================================================
```

Abbreviation................. PEAK PRESS

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Ventilator Peak Pressure - Do Not

                  Check Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O   0 > 1 * 99 < 100   Dec Prec: 0

===

 ID: {4847847A-7EB7-9A8F-D565-1DF26438A616}

===

   Abbreviation................. VENT PEEP

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. PEEP: Positive End Expiratory Pressure

   Display Name................. Ventilator PEEP

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid.........................

   METHOD: 1 entries

   ----

    1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

   UNITS:

   CENTIMETERS H2O   -1 > 0 * 20 < 21   Dec Prec: 0

Abbreviation................. V PRES SUP

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Ventilator Pressure Support

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O   -1 > 0 * 20 < 40   Dec Prec: 0

Abbreviation................. VENT PSV S

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Pressure Support Ventilator Pressure

Display Name................ Ventilator PSV Set Pressure

Help Text................... Pressure Support Ventilator Pressure

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O   0 > 1 * 99 < 100   Dec Prec: 0

==

 ID: {001D591B-6CE7-F51F-098C-79AC6B3E0E09}

==

   Abbreviation................. VENT RATE

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Ventilator Rate Set

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

    1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

   UNITS:

   BREATHS PER MINUTE   0 > 8 * 40 < 120   Dec Prec: 0

==

 ID: {52F9AF8D-CF31-430B-8A11-A8115BFF4B2E}

==

   Abbreviation................. VENT SENSI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. Ventilator Sensitivity

   Display Name................. Ventilator Sensitivity

   Help Text................... Ventilator Sensitivity

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

    1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

   UNITS:

   CENTIMETERS H2O   -10.0 > -9.9 * -0.1 < 0.0 Dec Prec: 1

Abbreviation................. TIDL VOL A

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description.................. No Description

Display Name................. Tidal Volume Actual - Do Not Check

                  Total or Subtotals

Help Text.................... No Help Text

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

MILLILITER   0 > 400 * 1200 < 5000   Dec Prec: 0

LITER   0.000 > 0.400 * 1.200 < 5.000

                        Dec Prec: 3

===

 ID: {90D4A5CA-E21B-06F6-7AAC-FC6D4B11E7AC}

===

   Abbreviation................. TIDL VOL S

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Tidal Volume Set

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   METHOD: 1 entries

   ----

    1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

   UNITS:

   MILLILITER   0 > 800 * 1200 < 5000   Dec Prec: 0

   LITER   0.000 > 0.800 * 1.200 < 5.000

                              Dec Prec: 3

    Abbreviation................. VENT TYPE

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Type of Ventilator

    Display Name................ Ventilator Type

    Help Text................... Type of Ventilator

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 13 entries

    ----

     1. VENTILATOR PB 840 (PB 840)

                 {25A7B0DA-E437-4201-B8F3-3663B1B91C1A}

     2. VENTILATOR ACHIEVA P5O2 (ACHIEVA P5)

                 {1690EEA5-3C3B-4D30-AC5C-214C94626699}

     3. VENTILATOR ADULT STAR (ADULT STAR)

                 {879B13DA-4874-42D4-99EC-8E4ADB31B14E}

     4. VENTILATOR BEAR 1000 (BEAR 1000)

                 {03C30F99-A27C-427C-B0ED-872F0DE646BD}

     5. VENTILATOR DRAEGER (DRAEGER)

                 {DD18C42F-EF13-460B-8676-9ED1E429B54B}

     6. VENTILATOR PB 7200ae (PB7200ae)

                 {86AE485F-ECD1-4B8E-820F-71CF159F318B}

7. VENTILATOR SERVO (SERVO)   {D6F06715-1ADD-4941-B026-B9A5E463943E}

8. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)

{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

9. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)

{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

10. VENTILATOR OTHER (VENT OTHER)

{138B7B3D-9F8B-447A-9785-12AB396AE6DE}

11. BIPAP - RESPIRONICS (BIPAP RESP)

{AA94A723-4C68-489F-88AC-2C6F276EAB76}

12. BIPAP - VISION (BIPAP VISI)

{AA39C765-BA1F-4289-B459-200A57C07FFF}

13. BIPAP/CPAP (BIPAP/CPAP)   {8D767C67-3712-410F-A96B-69C731E03C5D}

METHOD: 1 entries

----

 1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

===

TERM: VENTILATOR WAVE FORM   Page: 892

 ID: {17F52B3E-B4C9-483A-B02F-0F4DD809E673}

===

  Abbreviation................. VENT WA FO

  Active....................... Yes

  Boolean Value False..........

  Boolean Value True...........

  Data Type.................... PickList

  Description.................. Ventilator Wave Form Setting

  Display Name................. Ventilator Wave Form

  Help Text.................... Ventilator Wave Form Setting

  Multi Select Picklist........ No

  Term Type.................... OBSERVATION

  Vuid........................

  DATA VALUE: 3 entries

  ----

   1. SQUARE (SQUARE)   {63F70678-2CAF-48E8-964D-2805D8B9A43B}

   2. ACCELERATING (ACCELERATI)   {514FE300-87EE-4C2C-AC70-5E57DBECAFF7}

   3. DECELERATING (DECELERATI)   {B259D4D4-82B8-454A-B53D-F12F4952BB61}

  METHOD: 1 entries

  ----

   1. VENTILATOR (Ven)   {416FCBD3-5370-15B9-C480-48855ED486D9}

  UNITS:

===

 ID: {21EB0485-9590-4C54-B821-E7C2AE300D8B}

===

   Abbreviation................. Verify

   Active....................... Yes

   Boolean Value False.......... No

   Boolean Value True........... Yes

   Data Type.................... Boolean

   Description.................

   Display Name................. Verify Time Range

   Help Text.................... Change time range to view data

                   accordingly

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................

   UNITS:

```
================================================================================
```

TERM: VISION CORRECTED   Page: 894

 ID: {ED022AC1-EBE4-E708-684D-63D00628A94C}

```
================================================================================
```

Abbreviation................. VC

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type.................... Numeric

Description.................. No Description

Display Name................. Vision Corrected

Help Text.................... Enter Acuity value XX/20

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid......................... 4688727

LOCATION: 2 entries

----

 1. L EYE (L EYE)   {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

 2. R EYE (R EYE)   {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

FOOT   -1 > 0 * 200 < 201   Dec Prec: 0

===

 ID: {BEA5E565-D728-F5B3-0A3A-0528C42A45C4}

===

   Abbreviation................. VU

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. No Description

   Display Name................. Vision Uncorrected

   Help Text.................... Enter Acuity value XX/20

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid......................... 4688728

   UNITS:

   FOOT   -1 > 0 * 200 < 201   Dec Prec: 0

    Abbreviation................. ADL VISITO

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type................... Boolean

    Description................. Visitors

    Display Name................. Visitors

    Help Text................... Has the patient had any visitors today.

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

    1. NO (n)   {FC275445-1225-9912-18A3-DF36245893D3}

    2. YES (y)   {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

    UNITS:

Abbreviation................. VT/VC

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Tidal Volume / Vital Capacity

Display Name................. Vt/VC - Do Not Check Total or Subtotals

Help Text................... Tidal Volume / Vital Capacity

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................

UNITS:

LITER   0.00 > 1.00 * 99.00 < 100.00

                          Dec Prec: 2

Abbreviation................. WM CL DEV

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Warming, Cooling Device

Help Text.................... Warming or Cooling Device

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 11 entries

----

 1. AIR FLOW DEVICE (AIR FLOW D)

                  {60AF6215-CE2A-4EEE-9596-909E3E50BE71}

 2. K-PAD (K-PAD)   {10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}

 3. WARMING BLANKET (WARM BLANK)

                  {23D20AE5-DE25-4456-8F77-BF0411FB19A6}

 4. HUMIDIFIER (HUMIDIFIER)   {A4CE67D1-F885-423B-B914-392D8CAC697E}

 5. HEAT LAMP (HEAT LAMP)   {4E9DE229-F810-4AB0-9FD7-4596759CEA11}

 6. HEAT CHEM PACK (HT CHEM PA)

                  {D759F891-2535-40C2-A68C-678170E56F7A}

 7. COOL CHEM PACK (CO CHEM PA)

                  {6DE5E644-28C2-4190-A2EF-1A766E014A65}

 8. ICE PACK (ICE PACK)   {E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}

9. WARMING BOTTLE (WARM BOTTL)

                    {AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}

10. WARM HUMIDITY WITH O2 (WM HUM O2)

                    {E62E07C3-4CA2-426B-8EBA-48C406837D9C}

11. COOLING BLANKET (COOL BLANK)

                    {13A42B12-4959-4674-AF97-2D1242CFD934}

UNITS:

===

 ID: {17908A29-AF84-4217-A035-1CE6CA0F7316}

===

    Abbreviation................. WM CL APPL

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... PickList

    Description.................. No Description

    Display Name................. Warming/Cooling Device Application

    Help Text.................... Current State of Warming/Cooling Device

    Multi Select Picklist........ No

    Term Type.................... OBSERVATION

    Vuid........................

    DATA VALUE: 4 entries

    ----

     1. WARMING ON (WARMING ON)   {6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}

     2. WARMING OFF (WARMING OF)   {98FAC977-8E2E-406A-9217-A77E1DDCDF50}

     3. COOLING ON (COOLING ON)   {911CA17D-614E-445A-969E-4F5220E469EB}

     4. COOLING OFF (COOLING OF)   {14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

    UNITS:

Abbreviation................. WT

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... Numeric

Description................. Weight of patient

Display Name................ Weight

Help Text................... Patients weight in lb or kg.

Multi Select Picklist........

Term Type................... OBSERVATION

Vuid........................ 4500639

METHOD: 8 entries

----

 1. BED (B)   {20188D9F-3815-1F7F-34EC-BA77F75B310E}

 2. CHAIR (Ch)   {BBF5C05C-220D-D052-C7E8-236E791A4FC9}

 3. LIFT SCALE (LS)   {8D741461-25C5-3955-BE2C-CBD27317CBA1}

 4. STANDING WEIGHT (SW)   {BE16FA09-16DA-510B-D235-B7F0F93AB105}

 5. WHEELCHAIR SCALE (WcS)   {8C496753-9F42-2A36-E5CA-750188306ED4}

 6. WITH CAST OR BRACE (WCB)   {47709C05-DF21-FB7D-DE7F-0699D1B7E457}

 7. WITH PROSTHESIS (WP)   {73C93D2D-934B-CA55-3557-E756A89710F5}

 8. WITHOUT PROSTHESIS (WOP)   {9AACA852-E70D-1048-FCE7-112D46C12619}

POSITION: 3 entries

----

 1. STANDING (St)   {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

2. SITTING (Sit)   {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

3. LYING (Ly)   {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

QUALITY: 4 entries

----

1. ACTUAL (A)   {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

2. DRY (D)   {B319EFF4-BA4A-85B1-2617-E00E46A54ABE}

3. ESTIMATED (E)   {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

4. STATED (Sta)   {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

POUND   0.0 > 1.0 * 1499.0 < 1500.0

                    Dec Prec: 1

KILOGRAM   0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

==

 ID: {F9C859E2-ACD7-44F5-8E0D-3166C3D0A61F}

==

   Abbreviation................. WT AT ADMI

   Active...................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description................. No Description

   Display Name................. Weight at Admission

   Help Text................... Weight of patient at admission time

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   POUND   0.0 > 1.0 * 1499.0 < 1500.0

                              Dec Prec: 1

   KILOGRAM   0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

    Abbreviation................. WEIGHT DRY

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type.................... Numeric

    Description.................. No Description

    Display Name................. Dry Weight

    Help Text.................... Patient Dry Weight

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    QUALITY: 3 entries

    ----

     1. ACTUAL (A)   {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

     2. ESTIMATED (E)   {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

     3. STATED (Sta)   {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

    UNITS:

    POUND   0.0 > 1.0 * 1499.0 < 1500.0

                          Dec Prec: 1

    KILOGRAM   0.0 > 0.5 * 680.3 < 680.4 Dec Prec: 1

Abbreviation................. Cardio WNL

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. WNL: Cardiovascular

Help Text.................... Yes if Cardio system is within normal

                    limits; No if cardio is not WNL and

                    describe or follow facility policy

                    for documentation

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

Abbreviation................. GI WNL

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. WNL: Gastrointestinal

Help Text.................... Yes if GI is WNL; No if GI is not WNL

                 & describe variance in comments

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. GU WNL

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. WNL: Genitourinary

Help Text.................... Yes if the GU system is WNL; No if

                the GU system is not WNL and describe

                variance in comments

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid.........................

UNITS:

==

TERM: WNL: MUSCULAR   Page: 906

 ID: {21A99720-EFF5-4287-8E24-C1CF23C7AFB5}

==

Abbreviation................. Muscle WNL

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. WNL: Muscular

Help Text.................... Yes if WNL; No if not WNL and

                 document abnormal observations

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

    Abbreviation................. Neuro WNL

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description..................

    Display Name................. WNL: Neuro

    Help Text.................... Yes if neurological system is within

                        normal limits; No if neuro system is

                        not WNL and describe or follow

                        facility policy for documentation

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................

    UNITS:

===

 ID: {EF7CB575-50F3-4FB9-BBF1-275D7F77A54E}

===

Abbreviation................. Resp WNL

Active....................... Yes

Boolean Value False.......... No

Boolean Value True........... Yes

Data Type.................... Boolean

Description..................

Display Name................. WNL: Respiratory

Help Text.................... Yes if RESP system WNL; No if RESP

                    not WNL and describe or follow

                    facility policy for documentation

Multi Select Picklist........

Term Type.................... OBSERVATION

Vuid........................

UNITS:

Abbreviation................. WOU BED CO

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Wound Bed Color

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 8 entries

----

  1. BLACK (BLACK)   {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

  2. GRAY (GRAY)   {D38ABEE0-52D7-4316-A713-40ACF4250599}

  3. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

  4. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

  5. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

  6. TAN (TAN)   {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

  7. WHITE (WHITE)   {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

  8. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

  UNITS:

===

 ID: {09114B46-DF13-431B-B9F3-C15667811A2C}

===

    Abbreviation................. WOU CARE T

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Wound Care Type

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 2 entries

    ----

     1. TOPICAL TREATMENT (TOPICAL T)

                  {4E995342-8A6F-4B21-8013-F8C6A9FC7658}

     2. DRESSING (d)   {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

    UNITS:

===

TERM: WOUND DEPTH   Page: 911

  ID: {B8FDF2BE-E6ED-49E3-8F42-4CEF94E29C47}

===

   Abbreviation................. WOU DEPTH

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... Numeric

   Description.................. Wound Depth

   Display Name................. Wound Depth

   Help Text................... No Help Text

   Multi Select Picklist........

   Term Type................... OBSERVATION

   Vuid........................

   UNITS:

   CENTIMETER   -1.00 > 0.00 * 200.00 < 400.00

                             Dec Prec: 2

    Abbreviation................. WOU DR CHA

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Wound Drainage

    Display Name................ Wound Discharge Characteristics

    Help Text................... Wound Discharge Characteristics Pick

                   One

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 7 entries

    ----

     1. WOUND DISCHARGE CHARACTERISTICS NONE (WOU DI NON)

                {929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}

     2. WOUND DISCHARGE CHARACTERISTICS BLOODY (WOU DI BLO)

                {628DBFBC-9B77-48EA-99FE-0DF000376506}

     3. WOUND DISCHARGE CHARACTERISTICS CLOUDY (WOU DI CLO)

                {159C9993-A2E1-4133-9D5F-315EF9985EC4}

     4. WOUND DISCHARGE CHARACTERISTICS PURULENT (WOU DI PUR)

                {C1E10410-B6D8-4429-BD94-0B179992EAAB}

     5. WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (WOU DI SSA)

                {B431D8EF-5B53-4DCF-A390-431EB5ED3704}

     6. WOUND DISCHARGE CHARACTERISTICS SEROUS (WOU DI SER)

{2124005E-5C36-48AC-AA6B-03E06510D70A}

7. WOUND DISCHARGE CHARACTERISTICS VISCOUS (WOU DI VIS)

{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

UNITS:

    Abbreviation................. WOU DIS CO

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Wound Discharge Color

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................

    DATA VALUE: 15 entries

    ----

     1. AMBER (AMBER)   {90A13048-4C35-E01D-3482-64D782001D4A}

     2. BLACK (BLACK)   {7A55AFB9-6861-4918-0746-3D67D47FE5C3}

     3. BLUE (BLUE)   {8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}

     4. BROWN (BROWN)   {A1C32FBC-7B4D-707C-CA58-92A2E201368E}

     5. COLORLESS (COLORLESS)   {D093D8C5-E284-47D4-8FA6-DCD5B030B10E}

     6. CLAY (CLAY)   {A4E4D16C-B45C-0934-ED22-8BF640080108}

     7. GREEN (GREEN)   {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

     8. MAROON (MAROON)   {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}

     9. ORANGE (ORANGE)   {77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}

    10. PINK (PINK)   {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

    11. RED (RED)   {515D7CFB-3527-30E7-EC4B-B607C272DFA0}

    12. TAN (TAN)   {AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

13. VIOLET (VIOLET)   {1249AE97-CF1F-4604-A17A-5FC85F6D0185}

14. WHITE (WHITE)   {AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

15. YELLOW (YELLOW)   {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

Abbreviation................. WOU DIS OD

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. No Description

Display Name................. Wound Discharge Odor

Help Text.................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 2 entries

----

 1. NONE (NONE)   {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

 2. FOUL SMELLING (FOUL SMELL)

              {761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

===

ID: {8EC56666-A337-AA7F-5109-A10155D4FD58}

===

Abbreviation................. WOU DR TY

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Type of drain used

Display Name................ Wound Drain Type

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 10 entries

----

 1. BULB SUCTION (Bulb Sucti)   {B0839A82-BB79-BB9F-5E4E-0ED67F716A50}

 2. HEMOVAC (HEMOVAC)   {82DA2DA7-E20B-E571-659C-457DF42472C2}

 3. JP DRAIN (JP Drain)   {20F3B3D5-D3A4-96FD-5446-253FD031DF2B}

 4. LUMBAR DRAIN (LUM DRAIN)   {FF36A046-1799-0734-286B-2272C34E3056}

 5. PENROSE DRAIN (Penrose D)   {DE508E95-D044-ACCA-EE69-33B9A8454E6C}

 6. SUMP (Sump)   {DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}

 7. TWILL TAPE (Twill Tape)   {C52BE250-732D-03BB-B8F9-72BE4D546807}

 8. VENTRICULOSTOMY (Ventriculo)

               {ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}

 9. WOUND VAC DEVICE (WOUND VAC)

               {A03F4978-969D-DCB8-DCE2-26EB33F097B3}

10. VACUUM ASSISTED CLOSURE (VAC ASS CL)

{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

UNITS:

```
================================================================
```

 ID: {3BABF5D4-BD30-4814-A397-EEEAE0EE1D13}

```
================================================================
```

Abbreviation................. WOU DRA AM

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Amount of drainage from wound

Display Name................. Wound Drainage Amount

Help Text................... Amount of drainage from wound

Multi Select Picklist........ No

Term Type.................... OBSERVATION

Vuid........................

DATA VALUE: 5 entries

----

 1. WOUND DRAINAGE AMOUNT NONE (WOU DR A N)

              {92910398-311F-D4D7-8BD5-AB66C3DC5E72}

 2. WOUND DRAINAGE AMOUNT SCANT (W DR SCANT)

              {9C3CD0BD-F960-4098-B14C-17B20703B242}

 3. WOUND DRAINAGE AMOUNT SMALL (W DR A SMA)

              {3D8EDF1A-EC4B-41EF-A194-73FF60074A57}

 4. WOUND DRAINAGE AMOUNT MODERATE (W DR A MOD)

              {E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}

 5. WOUND DRAINAGE AMOUNT HEAVY (W DR A HEA)

              {BF959172-6672-4FEB-8FB7-0568405F3C83}

 UNITS:
```

--------------------------------------------------------------

    Abbreviation................. WOU DR CHA

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. Has Wound Dressing Been Changed?

    Display Name................. Wound Dressing Changed

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                         2 entries

    -----------------------------------------------------------------

     1. NO (n)           {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)          {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


    UNITS:

    -----------------------------------------------------------------

==============================================================================

 ID: {4C47F5C1-BA38-4FDC-A334-32EA297D8A16}

==============================================================================

    Abbreviation................. WOU DR TY

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. No Description

    Display Name................ Wound Dressing Type

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                          15 entries

    ------------------------------------------------------------------

     1. NONE (NONE)          {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

     2. ANTI-MICROBIAL DRESSING (AB DRESSIN)

                  {9734C5E9-D099-47EB-93B1-D82201F64331}

     3. ANTIMICROBIAL DISK (WOU DR ADI)

                  {1F1745EA-D763-4AFD-9CED-82E974E57692}

     4. BALSAM OF PERU (WOU DR PER)

                  {DD412BB1-B1C1-4A48-A38F-832629448E06}

     5. BISMUTH GAUZE (WOU DR BIS)

                  {010DED59-C808-4D92-A7F8-87AEB86B4439}

     6. CALCIUM ALGINATE (CA ALGINAT)

                  {2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

     7. FOAM DRESSING (WOU DR FOA)

{D18A5EDD-0EF6-470E-8370-4EDB6D322477}

8. GAUZE (GAUZE)          {CF10C658-4334-4F3B-A38E-E98894458333}

9. GAUZE PACKING (GAUZE PACK)

          {6C093717-82CB-4966-929E-C909310649C1}

10. GAUZE WRAP (GAUZE WRAP)     {040A9648-E6E1-4AC5-93C7-53A49537B15C}

11. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

          {D85741EF-0DB3-48CF-BC9A-88C834A72F36}

12. HYDROGEL DRESSING (H-GEL DRES)

          {F6192D10-D6EA-42C2-AB15-270659D9925C}

13. HYPERTONIC HYDROGEL (WOU DR HYP)

          {533D6FC3-5183-4417-AB89-9FAD9BAD0F44}

14. PRESSURE (PRESSURE)       {387AFB7F-3973-4D77-B2E6-0724F344D8F6}

15. TRANSPARENT (TRANSPAREN)    {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}


UNITS:

-------------------------------------------------------------------

===============================================================================

 ID: {BC1B996C-35E6-4A05-BDF6-00DF84EA90EF}

===============================================================================

   Abbreviation................. WOU ED

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... PickList

   Description.................. No Description

   Display Name................. Wound Edge

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................


   DATA VALUE:                          5 entries

   ---------------------------------------------------------------

    1. WOUND EDGE INDISTINCT/ATTACHED (WOU ED IND)

               {C899235C-4A07-4420-92BC-8F818B8E0A7F}

    2. WOUND EDGE NON-ATTACHED (WOU ED NON)

               {1D5C1317-B4FF-421C-96A0-C20C1089E672}

    3. WOUND EDGE TUNNELING (WOU ED TUN)

               {97425206-5261-46C1-905F-E03E2F071381}

    4. WOUND EDGE UNDERMINING (WOU ED UND)

               {AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}

    5. WOUND EDGE ROLLED (WOU ED ROL)

               {24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}


   UNITS:

---

Abbreviation................. WOU HEA ST

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. No Description

Display Name................. Wound Healing Status

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                          8 entries

-------------------------------------------------------------------

 1. EPITHELIALIZATION (EPITHELIAL)

                {5FC43A6D-921D-4736-A234-9993DB6499B7}

 2. ESCHAR (ESCHAR)          {555E03C5-FBFE-4EB9-816F-25CE34476B3C}

 3. FIBRINOUS (FIBRINOUS)      {D286EAE2-6902-4B7E-845D-BBB316941B2C}

 4. GRANULATING (GRANULATI)    {F8930276-3954-4BFE-82B0-6C44A8E9CAE0}

 5. HYPERGRANULIZATION (HYPERGRANU)

                {C14B9FB0-6F33-4ACB-88B3-4B799594F845}

 6. NECROTIC (NECROTIC)       {86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}

 7. SLOUGH (SLOUGH)          {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

 8. SMOOTH (SMOOTH)          {5D71A0D5-52ED-4B8D-B359-AC7D500660D8}


 UNITS:

---

===============================================================================

 ID: {7DDD37DD-4323-4704-BC23-7722732D9B32}

===============================================================================

   Abbreviation................. WOU IDENTI

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. Wound Identified

   Display Name................ Wound Identified

   Help Text................... No Help Text

   Multi Select Picklist........ No

   Term Type................... OBSERVATION

   Vuid........................


   DATA VALUE:                        5 entries

   ------------------------------------------------------------------

    1. ADMISSION (ADMISSION)      {483C2830-813A-46C3-A012-CCD70044B2A2}

    2. DISCHARGE (DISCHARGE)      {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

    3. TRANSFER (TRANSFER)        {DFDB4783-25BE-485B-A9BA-621F1004AAF2}

    4. POST-OPERATIVE (POST-OP)   {9FA19656-849F-4A65-92FC-755A4C9E8056}

    5. POST-FALL (POST-FALL)      {9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}


   LOCATION:                          70 entries

   ------------------------------------------------------------------

    1. R WRIST (R WRIST)          {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

    2. L WRIST (L WRIST)          {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

    3. R TESTICLE (R TESTICLE)    {0947D277-50AD-47F8-A76D-0EC34EB3B168}

    4. L TESTICLE (L TESTICLE)    {1E376539-E89F-4472-8274-CFD11275E11F}

5. R SHOULDER (R SHOULDER)     {D27AE130-442E-4DD6-B391-8D7E8AD494A2}

6. L SHOULDER (L SHOULDER)     {91CBD2FA-2743-42EB-946B-6933980D9337}

7. RECTAL (RECTAL)          {0E7069F4-D3E6-67A1-E821-EF1879C3C267}

8. NECK (Ne)            {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

9. ORAL (O)            {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}

10. R UPPER LEG (R UPPER LE)   {113BD5ED-5A0A-47CA-B100-91B244BFD04A}

11. L UPPER LEG (L UPPER LE)   {1DB35895-F74C-4B88-A3EE-3E556CB6559A}

12. R LOWER LEG (R LOW LEG)    {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}

13. L LOWER LEG (L LOW LEG)    {7B8E92FA-E065-4D06-9FB6-4234656CFD61}

14. R INNER KNEE (R INN KNEE)   {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}

15. R OUTER KNEE (R OUT KNEE)   {330F1DF1-8C99-4984-9965-7404ABC9562D}

16. L INNER KNEE (L INN KNEE)   {79853581-CCF0-49E9-9D91-D16DE02A836D}

17. L OUTER KNEE (L OUT KNEE)   {B143C935-2687-49C3-9F65-8D69C1775ABC}

18. R HIP (R HIP)          {A48CBCAE-5404-4934-9321-ECEF660A5350}

19. L HIP (L HIP)          {786CD881-27AD-4136-B9CC-8423CB38A431}

20. L HEAD (L HEAD)         {3737DC2D-DC9E-4FC8-839D-0355987B62D1}

21. R HEAD (R HEAD)         {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}

22. R HAND (R HAND)         {A54D3A80-8537-D079-9CCE-7DC56346D132}

23. L HAND (L HAND)         {639DF25A-19E3-B504-D323-4B3F6ED39A24}

24. GENITALS (GENITALS)       {83437106-3336-4925-92C8-F959561687FC}

25. GENERALIZED (GENERIZED)     {17073C6C-8691-CADC-2238-CBAAB0A5C648}

26. R FOOT (R FOOT)         {7D9F5FF6-232C-2488-4504-A721FF06928F}

27. L FOOT (L FOOT)         {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

28. R FACE (R FACE)         {D1B15677-EF6F-0125-3601-68C1FE6386CE}

29. L FACE (L FACE)         {06F00A70-F475-CD40-665D-AF0569A1E75F}

30. R EYE (R EYE)          {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

31. L EYE (L EYE)          {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

32. R ELBOW (R ELBOW)        {5BAFF87B-6993-4E76-862F-9F386D9B71C5}

33. L ELBOW (L ELBOW)        {BF4317E7-2024-47EF-9E5F-3D21D0547885}

34. R EAR (R EAR)          {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

35. L EAR (L EAR)          {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

36. R CHEST (R CHEST)        {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

37. L CHEST (L CHEST)        {E332E497-FE0C-47CB-A0A7-217FBF52DC97}

38. R GLUTEUS (R GLUTEUS)      {B4D32045-68D1-4457-9106-7937887FA6F6}

39. L GLUTEUS (L GLUTEUS)      {88C4E547-04CD-4D52-9416-CAEB6D898D21}

40. UPPER BACK (UPPER BACK)     {C1DA4294-E0DC-438B-810D-7F91E170244A}

41. MID BACK (MID BACK)       {F8C515E0-F437-4596-B030-DA1811038CDF}

42. LOWER BACK (LOWER BACK)     {7E761680-61BC-450F-9905-C45CE760EC45}

43. R UPPER ARM (R UPP ARM)     {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

44. L UPPER ARM (L UPP ARM)     {5F915696-1B08-32E9-6B95-49246117D660}

45. R LOWER ARM (R LOW ARM)     {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

46. L LOWER ARM (L LOW ARM)     {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

47. R ANKLE (R ANKLE)        {4E6DF352-F399-4CE9-908C-48132C3D856B}

48. L ANKLE (L ANKLE)        {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

49. UPPER ABDOMEN (UP ABDOM)    {234C677B-1CE6-498B-9375-BB5DC3958842}

50. R ABDOMEN (R ABDOMEN)      {5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}

51. LOWER ABDOMEN (LO ABDOM)    {077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}

52. L ABDOMEN (L ABDOMEN)      {46B37481-4105-492D-96F0-E2D3895379C1}

53. COCCYX (COCCYX)         {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

54. HEAD OCCIPITAL (HEAD OCCIP)

             {2066CA47-5A16-447F-9919-24ED435B627F}

55. L ANTECUBITAL (L ANTECUBI)

             {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

56. R ANTECUBITAL (R ANTECUBI)

             {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

57. L FEMORAL (L FEMORAL)      {50AF6A08-CE37-6859-F4E6-762660A982F7}

58. R FEMORAL (R FEM)        {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

59. L HEEL (L HEEL)         {C9154881-17C7-4921-A0EE-BFB962C59CEF}

60. R HEEL (R HEEL)         {0020DD20-2EA4-4362-ADF0-07BFA220C60E}

61. L ISCHIAL (L ISCHIAL)      {DCDAD741-9599-4479-9D55-3279F800DBE6}

62. R ISCHIAL (R ISCHIAL)      {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}

63. L RIBS (L RIBS)          {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}

64. R RIBS (R RIBS)          {260FD564-5E58-419B-9F73-62B6037D1572}

65. L SCAPULA (L SCAPULA)      {3381EC50-771B-41C8-85C8-6EB0D208D54E}

66. R SCAPULA (R SCAPULA)      {EA657261-4D72-40C2-B70D-2A2E27556A01}

67. L TROCHANTER (L TROCHANT)   {C91647A4-255D-40E4-A24D-01274E5D799F}

68. R TROCHANTER (R TROCHANT)   {1A3E21B2-C391-40D2-8059-12290E667D9E}

69. PERINEAL (PERINEAL)       {1801441C-D5EF-4775-9E58-E4985496F7E0}

70. SACRAL (SACRAL)          {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}


UNITS:

-----------------------------------------------------------------------

=================================================================

TERM: WOUND LENGTH                          Page: 922

 ID: {B43EAD3E-A282-4351-B83A-1A4F9ADD0B46}

=================================================================

    Abbreviation................. WOU LEN

    Active....................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... Numeric

    Description................. Wound Length

    Display Name................ Wound Length

    Help Text................... No Help Text

    Multi Select Picklist........

    Term Type................... OBSERVATION

    Vuid........................


    UNITS:

    ----------------------------------------------------------------

    CENTIMETER        -1.00 > 0.00 * 200.00 < 400.00

                    Dec Prec:  2

Abbreviation................. WOU ODOR

Active....................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description.................. Wound Odor

Display Name................. Wound Odor

Help Text................... Wound Odor

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                          2 entries

-------------------------------------------------------------------

 1. WOUND ODOR NONE (WOU OD NON)

               {D2E388F7-B531-4D60-A2BE-830F11B9AA75}

 2. WOUND ODOR FOUL (WOU OD FOU)

               {99A74112-EA71-4896-A4DD-911379E5B453}


UNITS:

-------------------------------------------------------------------

    Abbreviation................. WOU PHOTOG

    Active....................... Yes

    Boolean Value False.......... No

    Boolean Value True........... Yes

    Data Type.................... Boolean

    Description.................. Has Wound Been Photographed

    Display Name................. Wound Photographed

    Help Text.................... No Help Text

    Multi Select Picklist........

    Term Type.................... OBSERVATION

    Vuid........................


    DATA VALUE:                         2 entries

    ------------------------------------------------------------------

     1. NO (n)           {FC275445-1225-9912-18A3-DF36245893D3}

     2. YES (y)          {483DE806-2EDB-34B0-FE11-C29EEEA649CD}


    UNITS:

    ------------------------------------------------------------------

    Abbreviation................. WOU TREATM

    Active...................... Yes

    Boolean Value False..........

    Boolean Value True...........

    Data Type................... PickList

    Description................. Wound Treatment

    Display Name................ Wound Treatment

    Help Text................... No Help Text

    Multi Select Picklist........ No

    Term Type................... OBSERVATION

    Vuid........................


    DATA VALUE:                          5 entries

    -------------------------------------------------------------------

    1. HYDROCOLLOIDAL DRESSING (HCOLL DRES)

                    {D85741EF-0DB3-48CF-BC9A-88C834A72F36}

    2. TRANSPARENT DRESSING (TRANSP DRE)

                    {777C7722-AEA8-4A0B-9ADD-1157D37AE539}

    3. SALINE MOIST DRESSING (SAL MOI DR)

                    {19F98514-8ABF-461C-9969-C31177FE7DE7}

    4. OPEN TO AIR (OPE TO AIR)    {EFB715D0-5666-4281-9034-A0326A14B2BB}

    5. XEROFORM (XEROFORM)        {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}


    UNITS:

    -------------------------------------------------------------------

Abbreviation................. WOU TYPE

Active...................... Yes

Boolean Value False..........

Boolean Value True...........

Data Type................... PickList

Description................. Type of wound

Display Name................ Wound Type

Help Text................... No Help Text

Multi Select Picklist........ No

Term Type................... OBSERVATION

Vuid........................


DATA VALUE:                           29 entries

----------------------------------------------------------------

 1. ABRASION (ABRASION)        {7E962B43-24B1-46D2-A79A-54811117271A}

 2. BLISTERING (BLISTERING)    {3A4212D5-F2A8-4636-BB7F-F36FA8CED192}

 3. BRUISED (BRUISED)          {FA5B38A7-7744-186F-055A-8458D696AF33}

 4. BURN (BURN)                {97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}

 5. CELLULITIS (CELLULITIS)    {709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}

 6. CRUSHING (CRUSHING)        {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}

 7. DIABETIC/VASCULAR ULCER (DIA/VAS UL)

                {E209E53E-EFF1-48F5-9581-75236C89D9B9}

 8. HEMATOMA (HEMATOMA)        {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}

 9. PREVIOUS PERCUTANEOUS SITE (PRE PER SI)

                {F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}

 10. RASH/EXFOLIATION (RASH/EXFOL)

{AB83ABA9-28A7-6484-67E7-4E66B5526942}

11. SKIN TEAR (SKIN TEAR)     {2E230C6E-119F-4F9F-8797-2FFA9D76F337}

12. SKIN TRAUMA (SKIN TRAUM)    {91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

13. SURGICAL DONOR (SURG DONOR)

{F3EE10EA-5776-479B-A58C-F59D6526F90B}

14. SURGICAL GRAFT (SURG GRAFT)

{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}

15. SURGICAL (SURGICAL)     {2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}

16. VASCULAR (VASCULAR)     {60523BF8-6372-4760-881C-A62F85D2A0F6}

17. VASCULAR/NEUROPATHIC (VASC/NEURO)

{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}

18. BITE (Bite)          {FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}

19. BULLET (BULLET)         {1570D8E2-D936-494D-AF6E-13838EA34EFD}

20. CONTUSION (Contusion)     {5285197A-CC0A-4D12-A1F8-966765C687F1}

21. INCONTENENCE DERMATITIS (INCON DERM)

{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}

22. LACERATION (LACERATION)    {F4548BB2-39AF-4E0D-B52F-472EA080D6FF}

23. PENETRATING (PENETRATIN)    {00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

24. PRESSURE ULCER (PRE ULCER)

{7279639E-498D-4EA3-A3FA-4A6D611E6F48}

25. PUNCTURE (PUNCTURE)       {28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

26. TAPE BURN (TAPE BURN)     {DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}

27. VASCULAR LESION ARTERIAL (VASLES ART)

{EA565D3F-D984-4553-B597-DFE844554CE9}

28. VASCULAR LESION MIXED (VASLES MIX)

{8684AB2D-9162-4DC2-A5FA-A14558678689}

29. VASCULAR LESION VENOUS (VASLES VEN)

{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}

UNITS:

---------------------------------------------------------------

===============================================================================

 ID: {04748983-B61B-4121-AF49-FA1FDA1D9646}

===============================================================================

   Abbreviation................. WOU VAC AS

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type................... PickList

   Description................. No Description

   Display Name................. Vacuum Assisted Closure Type

   Help Text.................... No Help Text

   Multi Select Picklist........ No

   Term Type.................... OBSERVATION

   Vuid........................


   DATA VALUE:                          2 entries

   ------------------------------------------------------------------

    1. INTERMITTENT (INTERMITTE)   {DD09ED7C-B977-412F-A678-5130F77D239E}

    2. CONSTANT (CONSTANT)       {0FB8E43C-2106-4C37-9430-38675953A85B}


   UNITS:

   ------------------------------------------------------------------

===============================================================================

 ID: {7EED882C-3CAE-4A54-88FA-D0B380D81658}

===============================================================================

   Abbreviation................. WOU WIDTH

   Active....................... Yes

   Boolean Value False..........

   Boolean Value True...........

   Data Type.................... Numeric

   Description.................. Wound Width

   Display Name................. Wound Width

   Help Text.................... No Help Text

   Multi Select Picklist........

   Term Type.................... OBSERVATION

   Vuid........................


   UNITS:

   ------------------------------------------------------------------

   CENTIMETER            -1.00 > 0.00 * 200.00 < 400.00

                           Dec Prec:  2

DATA VALUE: 0

-----------------------------------------------------------------

ABBREVIATION........0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0

HELP_TEXT...........No Help Text

ID..................{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}

TERM................0


DATA VALUE: 1

-----------------------------------------------------------------

ABBREVIATION........1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1

HELP_TEXT...........No Help Text

ID..................{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

TERM................1


DATA VALUE: 2

-----------------------------------------------------------------

ABBREVIATION........2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2

HELP_TEXT...........No Help Text

ID..................{38E22B79-A2B6-3401-B195-C955F24E1278}

TERM................2


DATA VALUE: 3

-------------------------------------------------------------------

ABBREVIATION........3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3

HELP_TEXT...........No Help Text

ID..................{E714454D-6A67-91F6-2FB7-D8F24F184328}

TERM................3


DATA VALUE: 4

-------------------------------------------------------------------

ABBREVIATION........4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4

HELP_TEXT...........No Help Text

ID..................{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}

TERM................4

DATA VALUE: 4.5

-----------------------------------------------------------------

ABBREVIATION........4.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4.5

HELP_TEXT...........No Help Text

ID.................{EC6C0C72-8C49-4535-92B2-7E543007EE32}

TERM................4.5


DATA VALUE: 5

-----------------------------------------------------------------

ABBREVIATION........5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5

HELP_TEXT...........No Help Text

ID.................{188EDCE7-0726-4234-D8D2-92C8052CD221}

TERM................5


DATA VALUE: 5.5

-----------------------------------------------------------------

ABBREVIATION........5.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5.5

HELP_TEXT...........No Help Text

ID.................{4878F059-EC9D-44FC-9A61-734C291530E7}

TERM................5.5


DATA VALUE: 6

---------------------------------------------------------------------

ABBREVIATION........6

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6

HELP_TEXT...........No Help Text

ID.................{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}

TERM...............6


DATA VALUE: 6.5

---------------------------------------------------------------------

ABBREVIATION........6.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6.5

HELP_TEXT...........No Help Text

ID.................{CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}

TERM...............6.5

DATA VALUE: 7

-------------------------------------------------------------------

ABBREVIATION........7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7

HELP_TEXT...........No Help Text

ID.................{7A010324-D2C2-5D4B-848A-7B8878666D20}

TERM................7


DATA VALUE: 7.5

-------------------------------------------------------------------

ABBREVIATION........7.5

ACTIVE..............Yes

DESCRIPTION.........7.5

DISPLAY_NAME........7.5

HELP_TEXT...........No Help Text

ID.................{7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}

TERM................7.5


DATA VALUE: 8

-------------------------------------------------------------------

ABBREVIATION........8

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........8

HELP_TEXT...........No Help Text

ID.................{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}

TERM................8

DATA VALUE: 8.5

-----------------------------------------------------------------

ABBREVIATION........8.5

ACTIVE..............Yes

DESCRIPTION.........8.5

DISPLAY_NAME........8.5

HELP_TEXT...........8.5

ID.................{96723567-151D-4B5C-9C65-B3EB6D584272}

TERM................8.5

DATA VALUE: 9

-----------------------------------------------------------------

ABBREVIATION........9

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........9

HELP_TEXT...........No Help Text

ID.................{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}

TERM................9

DATA VALUE: 9.5

------------------------------------------------------------------

ABBREVIATION........9.5

ACTIVE..............Yes

DESCRIPTION.........9.5

DISPLAY_NAME........9.5

HELP_TEXT...........9.5

ID.................{252555A1-ADB2-4948-8764-C952F2587DC5}

TERM................9.5


DATA VALUE: 10

------------------------------------------------------------------

ABBREVIATION........10

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........10

HELP_TEXT...........No Help-Text

ID.................{0C827160-18DB-816F-7FAA-A3C175C6D33B}

TERM................10


DATA VALUE: 11

------------------------------------------------------------------

ABBREVIATION........11

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........11

HELP_TEXT...........11

ID.................{BD51A7B3-FACF-890C-472E-E3B28519CC16}

TERM................11


DATA VALUE: 12

-------------------------------------------------------------------

ABBREVIATION........12

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........12

HELP_TEXT...........No Help Text

ID..................{ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

TERM................12


DATA VALUE: 12.5

-------------------------------------------------------------------

ABBREVIATION........12.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........12.5

HELP_TEXT...........No Help Text

ID..................{97A947AE-2BCC-F75D-1794-6AF9BAC1497B}

TERM................12.5

DATA VALUE: 13

-------------------------------------------------------------------

ABBREVIATION........13

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........13

HELP_TEXT...........No Help Text

ID.................{030242DB-3F82-7517-3DEE-4D50E3E8AE23}

TERM................13

DATA VALUE: 13.5

-------------------------------------------------------------------

ABBREVIATION........13.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........13.5

HELP_TEXT...........No Help Text

ID.................{34D24648-B2D9-9C6C-6D71-F80E977CE185}

TERM................13.5

DATA VALUE: 14

-------------------------------------------------------------------

ABBREVIATION........14

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........14

HELP_TEXT...........No Help Text

ID.................{EDF1C2B1-123B-011F-9B02-7D71088971C1}

TERM................14

DATA VALUE: 14.5

------------------------------------------------------------------

ABBREVIATION........14.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........14.5

HELP_TEXT...........No Help Text

ID.................{373C8F8C-5D36-4AD6-6A76-513064669CB5}

TERM................14.5

DATA VALUE: 15

------------------------------------------------------------------

ABBREVIATION........15

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........15

HELP_TEXT...........No Help Text

ID.................{FE8C049F-B64C-4991-2F50-3C561BA4825C}

TERM................15

DATA VALUE: 15.5

----------------------------------------------------------------

ABBREVIATION........15.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........15.5

HELP_TEXT...........No Help Text

ID.................{1BBF5122-2FFA-6B27-445B-3291C3F83A36}

TERM................15.5


DATA VALUE: 16

----------------------------------------------------------------

ABBREVIATION........16

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........16

HELP_TEXT...........No Help Text

ID.................{9E4B84FF-430A-39FB-E6AA-E1031814796D}

TERM................16


DATA VALUE: 16.5

----------------------------------------------------------------

ABBREVIATION........16.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........16.5

HELP_TEXT...........No Help Text

ID.................{7D4EA1D4-5233-760F-FD2B-A70FB0969815}

TERM................16.5


DATA VALUE: 17

----------------------------------------------------------------

ABBREVIATION........17

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........17

HELP_TEXT...........No Help Text

ID.................{2E89B9C8-5E80-F3C9-FE66-4396CB63201A}

TERM................17


DATA VALUE: 17.5

----------------------------------------------------------------

ABBREVIATION........17.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........17.5

HELP_TEXT...........No Help Text

ID.................{FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}

TERM................17.5

DATA VALUE: 18

----------------------------------------------------------------

ABBREVIATION........18

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........18

HELP_TEXT...........No Help Text

ID.................{F2815231-0FCE-4988-95E9-D9AF46C57086}

TERM................18


DATA VALUE: 18.5

----------------------------------------------------------------

ABBREVIATION........18.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........18.5

HELP_TEXT...........No Help Text

ID.................{75ABCB85-4D6E-0BBC-157F-CA69B7737402}

TERM................18.5


DATA VALUE: 19

----------------------------------------------------------------

ABBREVIATION........19

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........19

HELP_TEXT...........No Help Text

ID.................{478FFB89-4941-1474-04E1-C838B2467439}

TERM................19

DATA VALUE: 19.5

------------------------------------------------------------------

ABBREVIATION........19.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........19.5

HELP_TEXT...........No Help Text

ID.................{58F0F98D-299A-8C4E-F50F-AE21B6E696D6}

TERM................19.5

DATA VALUE: 20

------------------------------------------------------------------

ABBREVIATION........20

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........20

HELP_TEXT...........No Help Text

ID.................{532FBDF8-7F7B-9551-300C-F2CFEF656163}

TERM................20

DATA VALUE: 20.5

------------------------------------------------------------------

ABBREVIATION........20.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........20.5

HELP_TEXT...........No Help Text

ID.................{DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}

TERM................20.5


DATA VALUE: 21

------------------------------------------------------------------

ABBREVIATION........21

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........21

HELP_TEXT...........No Help Text

ID.................{C6188159-9EF1-DA5C-C015-2142A1205C4C}

TERM................21


DATA VALUE: 21.5

------------------------------------------------------------------

ABBREVIATION........21.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........21.5

HELP_TEXT...........No Help Text

ID.................{A259E466-773F-519C-7B5B-1570D1B03B70}

TERM................21.5


DATA VALUE: 22

-------------------------------------------------------------------

ABBREVIATION........22

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........22

HELP_TEXT...........No Help Text

ID.................{DA839156-C7A9-76D7-58CD-7EC2B016EF40}

TERM................22


DATA VALUE: 22.5

-------------------------------------------------------------------

ABBREVIATION........22.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........22.5

HELP_TEXT...........No Help Text

ID.................{D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}

TERM................22.5

DATA VALUE: 23

------------------------------------------------------------------

ABBREVIATION........23

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........23

HELP_TEXT...........No Help Text

ID.................{8FB6A8B1-B692-BDC7-43B9-0332F33D826A}

TERM................23


DATA VALUE: 23.5

------------------------------------------------------------------

ABBREVIATION........23.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........23.5

HELP_TEXT...........No Help Text

ID.................{DDB76295-7E4A-FEAC-324D-37878F62771A}

TERM................23.5


DATA VALUE: 24

------------------------------------------------------------------

ABBREVIATION........24

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........24

HELP_TEXT...........No Help Text

ID.................{2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}

TERM................24

DATA VALUE: 24.5

----------------------------------------------------------------

ABBREVIATION........24.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........24.5

HELP_TEXT...........No Help Text

ID.................{D815830B-5D94-0975-D007-E4FDD966155B}

TERM................24.5

DATA VALUE: 25

----------------------------------------------------------------

ABBREVIATION........25

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........25

HELP_TEXT...........No Help Text

ID.................{42DD0655-142D-6901-D3FE-66D295BBFCD1}

TERM................25

DATA VALUE: 25.5

------------------------------------------------------------------

ABBREVIATION........25.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........25.5

HELP_TEXT...........No Help Text

ID.................{9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}

TERM................25.5


DATA VALUE: 26

------------------------------------------------------------------

ABBREVIATION........26

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........26

HELP_TEXT...........No Help Text

ID.................{181395F6-29FD-5A41-5AD7-BFC9CF564F3B}

TERM................26


DATA VALUE: 26.5

------------------------------------------------------------------

ABBREVIATION........26.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........26.6

HELP_TEXT...........No Help Text

ID.................{1D464967-6CFA-E29E-548D-EF68AFCDEC61}

TERM................26.5


DATA VALUE: 27

-------------------------------------------------------------------

ABBREVIATION........27

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........27

HELP_TEXT...........No Help Text

ID.................{64D25A86-6516-0910-B4B5-644B85378876}

TERM................27


DATA VALUE: 27.5

-------------------------------------------------------------------

ABBREVIATION........27.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........27.5

HELP_TEXT...........No Help Text

ID.................{8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}

TERM................27.5

DATA VALUE: 28

------------------------------------------------------------------

ABBREVIATION........28

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........28

HELP_TEXT...........No Help Text

ID.................{66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}

TERM................28


DATA VALUE: 28.5

------------------------------------------------------------------

ABBREVIATION........28.5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........28.5

HELP_TEXT...........No Help Text

ID.................{C99C9298-D4D2-BC02-36D3-F612B6080A87}

TERM................28.5


DATA VALUE: 29

------------------------------------------------------------------

ABBREVIATION........29

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........29

HELP_TEXT...........29

ID.................{93F62F6F-5EFE-C451-5908-47C895B7177C}

TERM................29


DATA VALUE: 30

------------------------------------------------------------------

ABBREVIATION........30

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........30

HELP_TEXT...........30

ID.................{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

TERM................30


DATA VALUE: 31

------------------------------------------------------------------

ABBREVIATION........31

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........31

HELP_TEXT...........31

ID.................{5EEDDCF5-7D59-1526-2522-FA59099C8C21}

TERM................31

DATA VALUE: 99

----------------------------------------------------------------

ABBREVIATION........99

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........99

HELP_TEXT...........No Help Text

ID.................{B013C05B-1AF0-1547-4F03-378883F887C5}

TERM................99


DATA VALUE:  +1 = RESTLESS

----------------------------------------------------------------

ABBREVIATION........RASS RESTL

ACTIVE..............Yes

DESCRIPTION.........Anxious but movements not aggressive

            vigorous

DISPLAY_NAME........ +1 = Restless

HELP_TEXT...........Anxious but movements not aggressive

            vigorous

ID.................{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}

TERM................ +1 = RESTLESS


DATA VALUE:  +2 = AGITATED

----------------------------------------------------------------

ABBREVIATION........RASS AGITA

ACTIVE..............Yes

DESCRIPTION.........Frequent non-purposeful movement,

            fights ventilator

DISPLAY_NAME........  +2 = Agitated

HELP_TEXT...........Frequent non-purposeful movement,

           fights ventilator

ID..................{D81A5D5D-E7FC-445A-A814-495731ABA0F8}

TERM............... +2 = AGITATED


DATA VALUE:  +3 = VERY AGITATED

----------------------------------------------------------------------

ABBREVIATION........RASS V AGI

ACTIVE..............Yes

DESCRIPTION.........Pulls or removes tube(s) or

           catheter(s); aggressive

DISPLAY_NAME........ +3 = Very Agitated

HELP_TEXT...........Pulls or removes tube(s) or

           catheter(s); aggressive

ID..................{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}

TERM............... +3 = VERY AGITATED


DATA VALUE:  +4 = COMBATIVE

----------------------------------------------------------------------

ABBREVIATION........RASS COMBA

ACTIVE..............Yes

DESCRIPTION.........Overtly combative, violent, immediate

           danger to staff

DISPLAY_NAME........ +4 = Combative

HELP_TEXT...........Overtly combative, violent, immediate

           danger to staff

ID..................{A97E064A-7709-42F9-9A88-4AAFF1020883}

TERM............... +4 = COMBATIVE

DATA VALUE:  -1 = DROWSY

---------------------------------------------------------------------

ABBREVIATION........RASS DROWS

ACTIVE..............Yes

DESCRIPTION.........Not fully alert, but has sustained

awakening (eye-opening/eye contact)

to voice (>10 seconds)

DISPLAY_NAME........ -1 = Drowsy

HELP_TEXT...........Not fully alert, but has sustained

awakening (eye-opening/eye contact)

to voice (>10 seconds)

ID..................{5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}

TERM................ -1 = DROWSY


DATA VALUE:  -2 = LIGHT SEDATION

---------------------------------------------------------------------

ABBREVIATION........RASS LT SE

ACTIVE..............Yes

DESCRIPTION.........Briefly awakens with eye contact to

voice (<10 seconds)

DISPLAY_NAME........ -2 = Light Sedation

HELP_TEXT...........Briefly awakens with eye contact to

voice (<10 seconds)

ID..................{FDEEC084-3922-4065-A863-4893E42F8F93}

TERM................ -2 = LIGHT SEDATION


DATA VALUE:  -3 = MODERATE SEDATION

---------------------------------------------------------------------

ABBREVIATION........RASS MD SE

ACTIVE..............Yes

DESCRIPTION.........Movement or eye opening to voice (but

no eye contact)

DISPLAY_NAME........ -3 = Moderate Sedation

HELP_TEXT...........Movement or eye opening to voice (but

no eye contact)

ID.................{D12B0A3E-B80E-494F-B89F-A79E8B81B080}

TERM................ -3 = MODERATE SEDATION


DATA VALUE:  -4 = DEEP SEDATION

--------------------------------------------------------------------

ABBREVIATION........RASS DP SE

ACTIVE..............Yes

DESCRIPTION.........No response to voice, but movement or

eye opening to physical stimulation

DISPLAY_NAME........ -4 = Deep Sedation

HELP_TEXT...........No response to voice, but movement or

eye opening to physical stimulation

ID.................{83CB4E64-3581-452F-987A-D31CB3AB38D2}

TERM................ -4 = DEEP SEDATION


DATA VALUE:  0 = ALERT AND CALM

--------------------------------------------------------------------

ABBREVIATION........RASS AL CA

ACTIVE..............Yes

DESCRIPTION.........Alert and Calm

DISPLAY_NAME........ 0 = Alert and Calm

HELP_TEXT...........Alert and Calm

ID.................{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}

TERM............... 0 = ALERT AND CALM

DATA VALUE:  4+ - BOUNDING, SOMETIMES VISIBLE

----------------------------------------------------------------

ABBREVIATION........4+

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4+ - Bounding, Sometimes Visible

HELP_TEXT...........

ID.................{949B749E-E0D9-4C99-9091-EE950AFAEA51}

TERM................ 4+ - BOUNDING, SOMETIMES VISIBLE


DATA VALUE:  LARYNGEAL MASK AIRWAY

----------------------------------------------------------------

ABBREVIATION........La Mask AW

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Laryngeal Mask Airway

HELP_TEXT...........

ID.................{B5902B8C-F1C9-4376-A9A9-3013F4DFF1F7}

TERM................ LARYNGEAL MASK AIRWAY


DATA VALUE: +1 = SLIGHT

----------------------------------------------------------------

ABBREVIATION........+1 SLIGHT

ACTIVE..............Yes

DESCRIPTION.........+1 = Slight

DISPLAY_NAME........+1 = Slight

HELP_TEXT...........No Help Text

ID.................{7C0245BA-B261-4B68-A84C-D737CA634230}

TERM................+1 = SLIGHT

DATA VALUE: +2 = MODERATE

----------------------------------------------------------------

ABBREVIATION........+2 = MODER

ACTIVE..............Yes

DESCRIPTION.........+2 = Moderate

DISPLAY_NAME........+2 = Moderate

HELP_TEXT...........No Help Text

ID.................{CCF23A60-068C-443F-AFD0-2D56EEE0446C}

TERM................+2 = MODERATE

DATA VALUE: +3 = MARKED

----------------------------------------------------------------

ABBREVIATION........+3 = MARKE

ACTIVE..............Yes

DESCRIPTION.........+3 = Marked

DISPLAY_NAME........+3 = Marked

HELP_TEXT...........No Help Text

ID.................{41ACC586-0C68-4780-8B2D-F36B21FCEDB2}

TERM................+3 = MARKED

DATA VALUE: +4 = VERY MARKED

-----------------------------------------------------------------

ABBREVIATION........+4 = VY MA

ACTIVE..............Yes

DESCRIPTION.........+4 = Very Marked

DISPLAY_NAME........+4 = Very Marked

HELP_TEXT...........No Help Text

ID.................{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

TERM................+4 = VERY MARKED


DATA VALUE: -5 = UNAROUSABLE

-----------------------------------------------------------------

ABBREVIATION........RASS UNARO

ACTIVE..............Yes

DESCRIPTION.........No response to voice or physical

          stimulation

DISPLAY_NAME........-5 = Unarousable

HELP_TEXT...........No response to voice or physical

          stimulation

ID.................{1578E147-7D2C-4469-828E-FCA97109B27C}

TERM................-5 = UNAROUSABLE


DATA VALUE: 0 - ABLE TO SIT STILL

-----------------------------------------------------------------

ABBREVIATION........COWS:Rest0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Able to Sit Still

HELP_TEXT...........

ID..................{3183B1D3-BD5D-4756-86CA-74C2739F4A3A}

TERM................0 - ABLE TO SIT STILL


DATA VALUE: 0 - ABSENT

-------------------------------------------------------------------

ABBREVIATION........0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Absent

HELP_TEXT...........

ID..................{A40D0A56-825E-4A12-B0CF-1D4B10351426}

TERM................0 - ABSENT


DATA VALUE: 0 - ALERT

-------------------------------------------------------------------

ABBREVIATION........Alert

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Alert

HELP_TEXT...........

ID..................{A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}

TERM................0 - ALERT

DATA VALUE: 0 - HR 51-100

-------------------------------------------------------------------

ABBREVIATION........HR 51-100

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - HR 51-100

HELP_TEXT...........

ID.................{6A262124-7FE8-4520-9762-87D0A3DB8AE9}

TERM................0 - HR 51-100


DATA VALUE: 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT

-------------------------------------------------------------------

ABBREVIATION........0 Ind

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Independent - No Help or Staff

             Oversight

HELP_TEXT...........

ID.................{4A125BF9-A2C1-4503-9182-BF3E2A708547}

TERM................0 - INDEPENDENT - NO HELP OR STAFF

             OVERSIGHT


DATA VALUE: 0 - INDEPENDENT - NO HELP PROVIDED

-------------------------------------------------------------------

ABBREVIATION........0 ind

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Independent - No Help Provided

HELP_TEXT...........

ID..................{07AB4004-1793-410A-9872-00BB0B322DFE}

TERM................0 - INDEPENDENT - NO HELP PROVIDED


DATA VALUE: 0 - NO ANXIETY AT EASE

--------------------------------------------------------------------

ABBREVIATION........CIWA AX 0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 - No Anxiety, At Ease

HELP_TEXT...........No Help Text

ID..................{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}

TERM................0 - NO ANXIETY AT EASE


DATA VALUE: 0 - NO GI SYMPTOMS

--------------------------------------------------------------------

ABBREVIATION........COWS:GIUp0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - No GI Symptoms

HELP_TEXT...........

ID..................{2EB125DC-DDFE-478D-ACB6-05472259E967}

TERM................0 - NO GI SYMPTOMS

DATA VALUE: 0 - NO NAUSEA/VOMITING

----------------------------------------------------------------------

ABBREVIATION........CIWA NV 0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 - No Nausea / Vomiting

HELP_TEXT...........No Help Text

ID.................{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}

TERM................0 - NO NAUSEA/VOMITING


DATA VALUE: 0 - NO REPORT OF CHILLS OR FLUSHING

----------------------------------------------------------------------

ABBREVIATION........0-NoChills

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - No Report of Chills or Flushing

HELP_TEXT...........

ID.................{94FBB3F8-36F1-480F-A0E2-4F724F9BCD01}

TERM................0 - NO REPORT OF CHILLS OR FLUSHING


DATA VALUE: 0 - NO SETUP OR PHYSICAL HELP FROM STAFF

----------------------------------------------------------------------

ABBREVIATION........0 No Setup

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - No Setup or Physical Help from

            Staff

HELP_TEXT...........

ID..................{730049CC-4CD5-449E-A0E8-389AB61A02BD}

TERM................0 - NO SETUP OR PHYSICAL HELP FROM

               STAFF


DATA VALUE: 0 - NO SWEAT VISIBLE

-----------------------------------------------------------------

ABBREVIATION........CIWA PS 0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 - No Sweat Visible

HELP_TEXT...........No Help Text

ID..................{7C83E616-4414-4766-AAF5-5F5442FFBF09}

TERM................0 - NO SWEAT VISIBLE


DATA VALUE: 0 - NO TREMOR

-----------------------------------------------------------------

ABBREVIATION........COWS:Trem0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - No Tremor

HELP_TEXT...........

ID..................{25CCF5BE-1D1F-4FE7-8040-17ADFD9724A5}

TERM................0 - NO TREMOR

DATA VALUE: 0 - NO YAWNING

----------------------------------------------------------------

ABBREVIATION........COWS:Yawn0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - No Yawning

HELP_TEXT...........

ID.................{A13697C7-5B22-4DC6-92E9-8CBDF056C08E}

TERM................0 - NO YAWNING


DATA VALUE: 0 - NONE

----------------------------------------------------------------

ABBREVIATION........COWS:Anx0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0- None

HELP_TEXT...........

ID.................{4B20FAC9-9597-41D5-9B06-5ED5805E4367}

TERM................0 - NONE


DATA VALUE: 0 - NORMAL ACTIVITY

----------------------------------------------------------------

ABBREVIATION........CIWA AG 0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 - Normal Activity

HELP_TEXT...........No Help Text

ID.................{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}

TERM................0 - NORMAL ACTIVITY

DATA VALUE: 0 - NOT PRESENT

---------------------------------------------------------------------

ABBREVIATION........COWS:Run0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Not Present

HELP_TEXT...........

ID.................{1BA6AA6E-21A7-42CF-9079-685357BEB0BF}

TERM................0 - NOT PRESENT

DATA VALUE: 0 - ORIENTED AND CAN DO SERIAL ADDITIONS

---------------------------------------------------------------------

ABBREVIATION........CIWA OR 0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 - Oriented And Can Do Serial

        Additions

HELP_TEXT...........No Help Text

ID.................{D8015F54-6E9E-457A-955C-38565BDDDBB6}

TERM................0 - ORIENTED AND CAN DO SERIAL

        ADDITIONS

DATA VALUE: 0 - PULSE RATE 80 OR BELOW

-----------------------------------------------------------------

ABBREVIATION........0-80/Below

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Pulse Rate 80 or Below

HELP_TEXT...........

ID.................{60BC905C-8235-493A-B0A5-9E0DF72AFE09}

TERM................0 - PULSE RATE 80 OR BELOW


DATA VALUE: 0 - PUPILS PINNED OR NORMAL SIZE FOR ROOM LIGHT

-----------------------------------------------------------------

ABBREVIATION........COWS:Pupi0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Pupils Pinned or Normal Size for

            Room Light

HELP_TEXT...........

ID.................{636C3F4E-49EA-4525-AAD1-11C2F922FA64}

TERM................0 - PUPILS PINNED OR NORMAL SIZE FOR

            ROOM LIGHT


DATA VALUE: 0 - RR 9-14

-----------------------------------------------------------------

ABBREVIATION........RR 9-14

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - RR 9-14

HELP_TEXT...........

ID..................{F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}

TERM................0 - RR 9-14


DATA VALUE: 0 - SBP 101-199

--------------------------------------------------------------------

ABBREVIATION........SBP101-199

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - SBP 101-199

HELP_TEXT...........

ID..................{ED9B73BA-8B9E-49C0-83A2-5B2397028564}

TERM................0 - SBP 101-199


DATA VALUE: 0 - SKIN IS SMOOTH

--------------------------------------------------------------------

ABBREVIATION........COWS:Goos0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Skin is Smooth

HELP_TEXT...........

ID..................{4B6290C2-BCC7-45B0-A861-30BB65BFB887}

TERM................0 - SKIN IS SMOOTH

DATA VALUE: 0 - TEMP 36.1-38 C

--------------------------------------------------------------------

ABBREVIATION........36.1-38 C

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 - Temp 36.1-38 C

HELP_TEXT...........

ID.................{87CCCC92-0761-47FC-BD44-C37590832EA7}

TERM................0 - TEMP 36.1-38 C


DATA VALUE: 0 = 0 EXTREMITIES

--------------------------------------------------------------------

ABBREVIATION........ALD ACT 0

ACTIVE..............Yes

DESCRIPTION.........0 = 0 Extremities

DISPLAY_NAME........0 = Moves 0 Extremities

HELP_TEXT...........0 = 0 Extremities

ID.................{6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}

TERM................0 = 0 EXTREMITIES


DATA VALUE: 0 = <90%

--------------------------------------------------------------------

ABBREVIATION........ALD O2 0

ACTIVE..............Yes

DESCRIPTION.........0 = <90% with O2

DISPLAY_NAME........0 = <90% with O2

HELP_TEXT...........0 = <90% with O2

ID.................{30042730-F600-44FD-A3D0-53172B70082B}

TERM................0 = <90%


DATA VALUE: 0 = ABSENT

----------------------------------------------------------------------

ABBREVIATION........Absent

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = Absent

HELP_TEXT...........

ID.................{16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}

TERM................0 = ABSENT


DATA VALUE: 0 = ABSENT PULSE

----------------------------------------------------------------------

ABBREVIATION........0p

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 = Absent Pulse

HELP_TEXT...........No Help Text

ID.................{4253CB74-51AE-BBFA-214F-937762F7638C}

TERM................0 = ABSENT PULSE

DATA VALUE: 0 = ALERT

---------------------------------------------------------------------

ABBREVIATION........0 = Alert

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = Alert

HELP_TEXT...........

ID.................{9F918315-BDE7-43D8-BD69-442D74F41C79}

TERM................0 = ALERT


DATA VALUE: 0 = ANSWERS BOTH QUESTIONS CORRECTLY

---------------------------------------------------------------------

ABBREVIATION........Both

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = Answers Both Questions Correctly

HELP_TEXT...........

ID.................{A4380E5F-206A-40CF-B508-6CA61DE87ED2}

TERM................0 = ANSWERS BOTH QUESTIONS CORRECTLY


DATA VALUE: 0 = APNEIC

---------------------------------------------------------------------

ABBREVIATION........ALD RESP 0

ACTIVE..............Yes

DESCRIPTION.........0 = Apneic

DISPLAY_NAME........0 = Apneic

HELP_TEXT...........0 = Apneic

ID.................{649C42B0-6E0A-4E86-AAC5-70A8C20EC511}

TERM................0 = APNEIC

DATA VALUE: 0 = BP +/- 50% PREOP

----------------------------------------------------------------------

ABBREVIATION........ALD CIR 0

ACTIVE..............Yes

DESCRIPTION.........0 = BP +/- 50% Preop

DISPLAY_NAME........0 = BP +/- 50% Preop

HELP_TEXT...........0 = BP +/- 50% Preop

ID.................{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}

TERM...............0 = BP +/- 50% PREOP

DATA VALUE: 0 = NO ABNORMALITY

----------------------------------------------------------------------

ABBREVIATION........0 = No abn

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = No Abnormality

HELP_TEXT...........

ID.................{DE0BF57B-1322-4581-BB38-2A61562DC87F}

TERM...............0 = NO ABNORMALITY

DATA VALUE: 0 = NO APHASIA

----------------------------------------------------------------------

ABBREVIATION........No Aphasia

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = No Aphasia

HELP_TEXT...........

ID.................{AD629099-6ED1-4DFE-9D02-075FFD67B083}

TERM................0 = NO APHASIA


DATA VALUE: 0 = NO DRIFT

----------------------------------------------------------------------

ABBREVIATION........No Drift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = No Drift

HELP_TEXT...........

ID.................{6DD3E839-D919-4C90-94F9-216B3268944D}

TERM................0 = NO DRIFT


DATA VALUE: 0 = NO VISUAL LOSS

----------------------------------------------------------------------

ABBREVIATION........None

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = No Visual Loss

HELP_TEXT...........

ID.................{20347E7B-4A96-4000-B326-0B4B1797738A}

TERM................0 = NO VISUAL LOSS

DATA VALUE: 0 = NORMAL

------------------------------------------------------------------

ABBREVIATION........Normal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = Normal

HELP_TEXT...........

ID.................{7739B63B-8623-4ADB-8059-1A26B5A7BEBB}

TERM................0 = NORMAL

DATA VALUE: 0 = NORMAL SYMMETRICAL MOVEMENT

------------------------------------------------------------------

ABBREVIATION........0 = Normal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = Normal Symmetrical Movement

HELP_TEXT...........

ID.................{23267CFE-B306-477A-A8B2-60828C1234FA}

TERM................0 = NORMAL SYMMETRICAL MOVEMENT

DATA VALUE: 0 = NOT RESPONDING

-----------------------------------------------------------------

ABBREVIATION........ALD CON 0

ACTIVE..............Yes

DESCRIPTION.........0 = Not Responding

DISPLAY_NAME........0 = Not Responding

HELP_TEXT...........0 = Not Responding

ID.................{E8765215-B0B0-430C-8C89-AB969A6AD12E}

TERM...............0 = NOT RESPONDING


DATA VALUE: 0 = PEFORMS BOTH TASKS CORRECTLY

-----------------------------------------------------------------

ABBREVIATION........Both Tasks

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........0 = Performs Both Tasks Correctly

HELP_TEXT...........

ID.................{08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}

TERM...............0 = PEFORMS BOTH TASKS CORRECTLY


DATA VALUE: 1 -  HR 101-110

-----------------------------------------------------------------

ABBREVIATION........HR 101-110

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - HR 101-110

HELP_TEXT...........

ID.................{FCB6C37E-1BB4-418F-8203-0916B4056DEB}

TERM................1 -  HR 101-110


DATA VALUE: 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST

----------------------------------------------------------------------

ABBREVIATION........CIWA PS 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Barely Perceptible Sweating /

            Palms Moist

HELP_TEXT...........No Help Text

ID.................{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}

TERM................1 - BARELY PERCEPTIBLE SWEATING /

            PALMS MOIST


DATA VALUE: 1 - CANNOT DO SERIAL ADDITIONS

----------------------------------------------------------------------

ABBREVIATION........CIWA OR 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Cannot Do Serial Additions Or Is

            Uncertain About Date

HELP_TEXT...........No Help Text

ID.................{F4446E01-E326-420E-8EA8-04451AA9D963}

TERM................1 - CANNOT DO SERIAL ADDITIONS

DATA VALUE: 1 - HR 40-50

----------------------------------------------------------------

ABBREVIATION........HR 40-50

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - HR 40-50

HELP_TEXT...........

ID.................{EC915B1F-BED1-497D-AD10-4FD0C2ADEDCE}

TERM................1 - HR 40-50


DATA VALUE: 1 - LESS THAN 45MLS/HR

----------------------------------------------------------------

ABBREVIATION........< 45mls/hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Less than 45mls/hr

HELP_TEXT...........

ID.................{3AED380E-00F9-4C29-B303-52E08F8911B3}

TERM................1 - LESS THAN 45MLS/HR


DATA VALUE: 1 - MILD DIFFUSE DISCOMFORT

----------------------------------------------------------------

ABBREVIATION........COWS:Ache1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Mild Diffuse Discomfort

HELP_TEXT...........

ID.................{78E68AC6-2325-4A04-989E-C3C8B624EEF7}

TERM................1 - MILD DIFFUSE DISCOMFORT


DATA VALUE: 1 - MILD NAUSEA / NO VOMITING

----------------------------------------------------------------------

ABBREVIATION........CIWA NV 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Mild Nausea / No Vomiting

HELP_TEXT...........No Help Text

ID.................{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}

TERM................1 - MILD NAUSEA / NO VOMITING


DATA VALUE: 1 - MILDLY ANXIOUS

----------------------------------------------------------------------

ABBREVIATION........CIWA AX 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Mildy Anxious

HELP_TEXT...........No Help Text

ID.................{401113EE-5CE7-4AE9-80C1-1C3252E706D0}

TERM................1 - MILDLY ANXIOUS

DATA VALUE: 1 - NASAL STUFFINESS OR UNUSUALLY MOIST EYES

---------------------------------------------------------------------

ABBREVIATION........COWS:Run1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Nasal Stuffiness or Unusually

           Moist Eyes

HELP_TEXT...........

ID.................{18CCB8C9-D1CD-4228-A01A-4E74D405A493}

TERM................1 - NASAL STUFFINESS OR UNUSUALLY

           MOIST EYES


DATA VALUE: 1 - NEW AGITATION CONFUSION

---------------------------------------------------------------------

ABBREVIATION........New Agitat

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - New Agitation Confusion

HELP_TEXT...........

ID.................{F458199B-A547-419B-A691-F15E7CD61F8C}

TERM................1 - NEW AGITATION CONFUSION


DATA VALUE: 1 - NO RESPONSE

---------------------------------------------------------------------

ABBREVIATION........1-nr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - No Response

HELP_TEXT...........No Help Text

ID..................{26D3168D-40EA-C918-D321-54BED4837311}

TERM................1 - NO RESPONSE


DATA VALUE: 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP

----------------------------------------------------------------------

ABBREVIATION........CIWA TR 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Not Visible But Can Be Felt

           Fingertip To Fingertip

HELP_TEXT...........No Help Text

ID..................{31833D55-9018-47EE-8341-A0863744CEF8}

TERM................1 - NOT VISIBLE BUT CAN BE FELT

           FINGERTIP


DATA VALUE: 1 - PATIENT REPORTS INCREASING IRRITABILITY OR ANXIOUSNESS

----------------------------------------------------------------------

ABBREVIATION........COWS:Anx1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Patient Reports Increasing

           Irritability or Anxiousness

HELP_TEXT...........

ID..................{808C7811-ED7E-48D0-8BB7-72C3E8034648}

TERM................1 - PATIENT REPORTS INCREASING

           IRRITABILITY OR ANXIOUSNESS

DATA VALUE: 1 - PULSE RATE 81-100

-----------------------------------------------------------------------

ABBREVIATION........1 - 80-100

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Pulse Rate 81-100

HELP_TEXT...........

ID.................{0051037D-F6FA-4295-820A-456095AB5E1F}

TERM................1 - PULSE RATE 81-100


DATA VALUE: 1 - REPORTS DIFFICULTY SITTING STILL, BUT IS ABLE TO DO SO

-----------------------------------------------------------------------

ABBREVIATION........COWS:Rest1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Reports Difficulty Sitting Still,

          but is able to do so

HELP_TEXT...........

ID.................{12A7E70F-C76A-4AFA-82C2-1C4A40AB6CAC}

TERM................1 - REPORTS DIFFICULTY SITTING STILL,

          BUT IS ABLE TO DO SO


DATA VALUE: 1 - RESPONDS TO VOICE

-----------------------------------------------------------------------

ABBREVIATION........Voice

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Responds to Voice

HELP_TEXT...........

ID..................{69C7DA2C-893A-40AB-969C-E003B5D2F05D}

TERM................1 - RESPONDS TO VOICE


DATA VALUE: 1 - RR 15-20

--------------------------------------------------------------------

ABBREVIATION........RR 15-20

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - RR 15-20

HELP_TEXT...........

ID..................{1CF2487B-30C6-46AB-A051-B4499F825DC2}

TERM................1 - RR 15-20


DATA VALUE: 1 - SBP 81-100

--------------------------------------------------------------------

ABBREVIATION........SBP 81-100

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - SBP 81-100

HELP_TEXT...........

ID..................{93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}

TERM................1 - SBP 81-100

DATA VALUE: 1 - SETUP HELP ONLY

-------------------------------------------------------------------

ABBREVIATION........1 Setup

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Setup Help Only

HELP_TEXT...........

ID.................{5494773C-99FE-4A96-B12E-D734188517CE}

TERM................1 - SETUP HELP ONLY


DATA VALUE: 1 - STOMACH CRAMPS

-------------------------------------------------------------------

ABBREVIATION........COWS:GIUp1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Stomach Cramps

HELP_TEXT...........

ID.................{B874B32F-E106-49F6-8BA0-73637FAEB54E}

TERM................1 - STOMACH CRAMPS


DATA VALUE: 1 - SUBJECTIVE REPORT OF CHILLS OR FLUSHING

-------------------------------------------------------------------

ABBREVIATION........1-SubChill

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Subjective Report of Chills or

            Flushing

HELP_TEXT...........

ID..................{7603511C-234D-4578-8B7A-4976C715BD87}

TERM................1 - SUBJECTIVE REPORT OF CHILLS OR

              FLUSHING


DATA VALUE: 1 - SUPERVISION - OVERSIGHT

-----------------------------------------------------------------------

ABBREVIATION........1 Superv

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Supervision - Oversight

HELP_TEXT...........

ID..................{7400DA9E-E89A-44F4-8516-CB6D5931D97D}

TERM................1 - SUPERVISION - OVERSIGHT


DATA VALUE: 1 - SUPERVISION - OVERSIGHT HELP ONLY

-----------------------------------------------------------------------

ABBREVIATION........1 Supervi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Supervision - Oversight Help Only

HELP_TEXT...........

ID..................{F7DFB6E8-F550-4072-B693-93BF96A23834}

TERM................1 - SUPERVISION - OVERSIGHT HELP ONLY

DATA VALUE: 1 - TEMP 35.1-36 C

-------------------------------------------------------------------

ABBREVIATION........35.1-36 C

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Temp 35.1-36 C

HELP_TEXT...........

ID.................{AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}

TERM................1 - TEMP 35.1-36 C


DATA VALUE: 1 - TEMP 38.1-38.5 C

-------------------------------------------------------------------

ABBREVIATION........38.1-38.5C

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Temp 38.1-38.5 C

HELP_TEXT...........

ID.................{21326CB3-A848-4984-BB34-5594AD7E5D32}

TERM................1 - TEMP 38.1-38.5 C


DATA VALUE: 1 - TREMOR CAN BE FELT, BUT NOT OBSERVED

-------------------------------------------------------------------

ABBREVIATION........COWS:Trem1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Tremor can be Felt, but not

            Observed

HELP_TEXT...........

ID.................{D0051619-DA7A-451F-AE6B-EF1AC7BCA36E}

TERM................1 - TREMOR CAN BE FELT, BUT NOT

OBSERVED

DATA VALUE: 1 - VERY MILD

---------------------------------------------------------------------

ABBREVIATION........CIWA HA 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Very Mild

HELP_TEXT...........No Help Text

ID.................{F789C1EA-CC7A-4368-87BA-08AFFE492EE6}

TERM................1 - VERY MILD

DATA VALUE: 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN

---------------------------------------------------------------------

ABBREVIATION........CIWA AU 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Very Mild Harshness Or Ability To

Frighten

HELP_TEXT...........No Help Text

ID.................{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}

TERM................1 - VERY MILD HARSHNESS OR ABILITY TO

FRIGHTEN

DATA VALUE: 1 - VERY MILD ITCHING PINS/NEEDLES BURNING

----------------------------------------------------------------------

ABBREVIATION........CIWA TC 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Very Mild Itching, Pins/Needles,

             Burning, Numbness

HELP_TEXT...........No Help Text

ID.................{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}

TERM................1 - VERY MILD ITCHING PINS/NEEDLES

             BURNING


DATA VALUE: 1 - VERY MILD SENSITIVITY

----------------------------------------------------------------------

ABBREVIATION........CIWA VS 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Very Mild Sensitivity

HELP_TEXT...........No Help Text

ID.................{8BF96CF1-3EA7-468C-838A-284430EA850D}

TERM................1 - VERY MILD SENSITIVITY


DATA VALUE: 1 - WEAK

----------------------------------------------------------------------

ABBREVIATION........1 - WEAK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Weak

HELP_TEXT...........No Help Text

ID.................{A41570DC-2F35-DDF6-977B-7C262150DFA2}

TERM................1 - WEAK


DATA VALUE: 1 - YAWNING ONCE OR TWICE DURING ASSESSMENT

---------------------------------------------------------------------

ABBREVIATION........COWS:Yawn1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Yawning Once or Twice During

            Assessment

HELP_TEXT...........

ID.................{0D44EECB-D75E-4F0B-B784-6F727143F9AD}

TERM................1 - YAWNING ONCE OR TWICE DURING

            ASSESSMENT


DATA VALUE: 1 = 2 EXTREMITIES

---------------------------------------------------------------------

ABBREVIATION........ALD ACT 1

ACTIVE..............Yes

DESCRIPTION.........1 = 2 Extremities

DISPLAY_NAME........1 = Moves 2 Extremities

HELP_TEXT...........1 = 2 Extremities

ID.................{6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}

TERM................1 = 2 EXTREMITIES

DATA VALUE: 1 = ANSWERS ONE QUESTION CORRECTLY

----------------------------------------------------------------------

ABBREVIATION........One Ques

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Answers One Question Correctly

HELP_TEXT...........

ID.................{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}

TERM................1 = ANSWERS ONE QUESTION CORRECTLY


DATA VALUE: 1 = AROUSABLE

----------------------------------------------------------------------

ABBREVIATION........ALD CON 1

ACTIVE..............Yes

DESCRIPTION.........1 = Arousable with minimal stimulation

DISPLAY_NAME........1 = Arousable with minimal stimulation

HELP_TEXT...........1 = Arousable with minimal stimulation

ID.................{B2A07804-9829-42D0-9C49-A61FD51EEAA0}

TERM................1 = AROUSABLE


DATA VALUE: 1 = AWAKE AND ALERT

----------------------------------------------------------------------

ABBREVIATION........POSS Awake

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Awake and Alert

HELP_TEXT...........

ID.................{6D0015F9-BDD1-422C-AD60-1DBE0247D46E}

TERM................1 = AWAKE AND ALERT


DATA VALUE: 1 = BP +/- 20-49% PREOP

------------------------------------------------------------------

ABBREVIATION........ALD CIR 1

ACTIVE..............Yes

DESCRIPTION.........1 = BP +/- 20-49% Preop

DISPLAY_NAME........1 = BP +/- 20-49% Preop

HELP_TEXT...........1 = BP +/- 20-49% Preop

ID.................{D4A6100D-1228-4860-9BD6-B43F30D4FF94}

TERM................1 = BP +/- 20-49% PREOP


DATA VALUE: 1 = DRIFT

------------------------------------------------------------------

ABBREVIATION........Drift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Drift

HELP_TEXT...........

ID.................{7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}

TERM................1 = DRIFT

DATA VALUE: 1 = DYSPNEA

----------------------------------------------------------------

ABBREVIATION........ALD RESP 1

ACTIVE..............Yes

DESCRIPTION.........1 = Dyspnea, shallow or limited

DISPLAY_NAME........1 = Dyspnea, shallow or limited

HELP_TEXT...........1 = Dyspnea, shallow or limited

ID.................{3DAE60A2-57DA-4121-A507-BC43497C7B67}

TERM................1 = DYSPNEA


DATA VALUE: 1 = MILD TO MODERATE APHASIA

----------------------------------------------------------------

ABBREVIATION........Mod Aphasi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Mild to Moderate Aphasia

HELP_TEXT...........

ID.................{FFA529FF-EDC0-4768-B308-93656C75E382}

TERM................1 = MILD TO MODERATE APHASIA


DATA VALUE: 1 = MILD TO MODERATE DYSARTHRIA

----------------------------------------------------------------

ABBREVIATION........1 = Mild

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Mild to Moderate Dysarthria

HELP_TEXT...........

ID.................{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}

TERM................1 = MILD TO MODERATE DYSARTHRIA


DATA VALUE: 1 = MILD TO MODERATE SENSORY LOSS

---------------------------------------------------------------------

ABBREVIATION........Moderate

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Mild to Moderate Sensory Loss

HELP_TEXT...........

ID.................{1BF6BC0E-9A83-4589-B849-853585CF4E96}

TERM................1 = MILD TO MODERATE SENSORY LOSS


DATA VALUE: 1 = MINOR PARALYSIS

---------------------------------------------------------------------

ABBREVIATION........1 = Minor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Minor Paralysis

HELP_TEXT...........

ID.................{55A125E8-E83A-4163-AB50-0D3569B502D3}

TERM................1 = MINOR PARALYSIS

DATA VALUE: 1 = NEEDS O2

-----------------------------------------------------------------

ABBREVIATION........ALD O2 1

ACTIVE..............Yes

DESCRIPTION.........1 = Needs O2 to maintain >90%

DISPLAY_NAME........1 = Needs O2 to maintain >90%

HELP_TEXT...........1 = Needs O2 to maintain >90%

ID.................{5D97F6BB-7B02-4644-8CE5-014C89826731}

TERM................1 = NEEDS O2


DATA VALUE: 1 = NOT ALERT, MINOR STIMULATION RESPONSE

-----------------------------------------------------------------

ABBREVIATION........1 = Minor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Not Alert, Minor Stimulation

              Response

HELP_TEXT...........

ID.................{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}

TERM................1 = NOT ALERT, MINOR STIMULATION

              RESPONSE


DATA VALUE: 1 = PARTIAL GAZE PALSY

-----------------------------------------------------------------

ABBREVIATION........1 = Part

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Partial Gaze Palsy

HELP_TEXT...........

ID..................{7644667F-2919-4A57-A3A6-EE709CA55960}

TERM................1 = PARTIAL GAZE PALSY


DATA VALUE: 1 = PARTIAL HEMIANOPIA

---------------------------------------------------------------------

ABBREVIATION........Partial

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Partial Hemianopia

HELP_TEXT...........

ID..................{0FDFE052-C438-48AD-A3F8-C3C53E963365}

TERM................1 = PARTIAL HEMIANOPIA


DATA VALUE: 1 = PERFORMS ONE TASK CORRECTLY

---------------------------------------------------------------------

ABBREVIATION........One Task

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Performs One Task Correctly

HELP_TEXT...........

ID..................{7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}

TERM................1 = PERFORMS ONE TASK CORRECTLY

DATA VALUE: 1 = PRESENT IN ONE LIMB

----------------------------------------------------------------------

ABBREVIATION........One Limb

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1= Present in One Limb

HELP_TEXT...........

ID.................{D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}

TERM................1 = PRESENT IN ONE LIMB


DATA VALUE: 1 = UNAROUSABLE

----------------------------------------------------------------------

ABBREVIATION........SAS UNAROU

ACTIVE..............Yes

DESCRIPTION.........Minimal or no response to noxious

            stimuli, does not communicate or

            follow commands

DISPLAY_NAME........1 = Unarousable

HELP_TEXT...........Minimal or no response to noxious

            stimuli, does not communicate or

            follow commands

ID.................{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

TERM................1 = UNAROUSABLE


DATA VALUE: 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTI

ON

----------------------------------------------------------------------

ABBREVIATION........1 = Inatt

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 = Visual, Tactile, Auditory,

Spatial, or 2 Personal Inattention

HELP_TEXT...........

ID.................{BEBED217-91CA-47F8-A15D-A548648D09BF}

TERM................1 = VISUAL, TACTILE, AUDITORY,

SPATIAL, OR 2 PERSONAL INATTENTION


DATA VALUE: 1 HOUR

--------------------------------------------------------------------

ABBREVIATION........1 HOUR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 Hour

HELP_TEXT...........No Help Text

ID.................{319BA174-1624-483C-B666-4998127B0800}

TERM................1 HOUR


DATA VALUE: 1+ - WEAK, BARELY PALPABLE

--------------------------------------------------------------------

ABBREVIATION........1+

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1+ - Weak, Barely Palpable

HELP_TEXT...........

ID.................{BBE0CCB0-2E46-4EF7-96C8-2E4A54181CB5}

TERM................1+ - WEAK, BARELY PALPABLE

DATA VALUE: 1+=PALPABLE, THREADY, EASILY OBLITERATED

----------------------------------------------------------------------

ABBREVIATION........1teo

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1+=Palpable, Thready, Easily

      Obliterated

HELP_TEXT...........No Help Text

ID.................{3AE92556-1337-BFE2-C3EE-9676327935C3}

TERM................1+=PALPABLE, THREADY, EASILY

      OBLITERATED


DATA VALUE: 1- MILD ANXIOUS

----------------------------------------------------------------------

ABBREVIATION........CIWA AX 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Mild Anxious

HELP_TEXT...........No Help Text

ID.................{CAB6FB3A-4088-4D2C-AE1E-623352511D73}

TERM................1- MILD ANXIOUS


DATA VALUE: 1- PUPILS POSSIBLY LARGER THAN NORMAL FOR ROOM LIGHT

----------------------------------------------------------------------

ABBREVIATION........COWS:Pupi1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1 - Pupils Possibly Larger than

Normal for Room Light

HELP_TEXT...........

ID.................{9D4BFC0A-804D-46A1-A8E7-D3E2FA22A5BD}

TERM................1- PUPILS POSSIBLY LARGER THAN NORMAL

FOR ROOM LIGHT


DATA VALUE: 1- SOMEWHAT MORE THAN NORMAL ACTIVITY

----------------------------------------------------------------------

ABBREVIATION........CIWA AG 1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 - Somewhat More Than Normal Activity

HELP_TEXT...........No Help Text

ID.................{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}

TERM................1- SOMEWHAT MORE THAN NORMAL ACTIVITY


DATA VALUE: 1. DRY

----------------------------------------------------------------------

ABBREVIATION........1. Dry

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........1. Dry

HELP_TEXT...........

ID.................{E6C8E56E-DFC8-42FE-9D49-BED30EC37491}

TERM................1. DRY

DATA VALUE: 1800 CALORIE CONTROLLED

--------------------------------------------------------------------

ABBREVIATION........1800 CAL C

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1800 Calorie Controlled Diet

HELP_TEXT...........No Help Text

ID..................{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}

TERM................1800 CALORIE CONTROLLED


DATA VALUE: 1800 DIABETIC

--------------------------------------------------------------------

ABBREVIATION........1800 DIAB

ACTIVE..............Yes

DESCRIPTION.........1800 Calorie Diabetic Diet

DISPLAY_NAME........1800 Diabetic

HELP_TEXT...........No Help Text

ID..................{FC71C7D7-F24E-4316-A455-8674804BE092}

TERM................1800 DIABETIC


DATA VALUE: 1:1

--------------------------------------------------------------------

ABBREVIATION........1:1

ACTIVE..............Yes

DESCRIPTION.........1 to 1 ratio

DISPLAY_NAME........1:1

HELP_TEXT...........No Help Text

ID..................{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}

TERM................1:1


DATA VALUE: 1:1 OBSERVATION

-------------------------------------------------------------------

ABBREVIATION........1o

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1:1 Observation

HELP_TEXT...........No Help Text

ID..................{B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}

TERM................1:1 OBSERVATION


DATA VALUE: 1:2

-------------------------------------------------------------------

ABBREVIATION........1:2

ACTIVE..............Yes

DESCRIPTION.........1 to 2 ratio

DISPLAY_NAME........1:2

HELP_TEXT...........No Help Text

ID..................{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}

TERM................1:2

DATA VALUE: 1:3

-------------------------------------------------------------------

ABBREVIATION........1:3

ACTIVE..............Yes

DESCRIPTION.........1 to 3 ratio

DISPLAY_NAME........1:3

HELP_TEXT...........No Help Text

ID.................{062B4F93-8F48-7373-F679-11F57CE98BB3}

TERM................1:3


DATA VALUE: 1:4

-------------------------------------------------------------------

ABBREVIATION........1:4

ACTIVE..............Yes

DESCRIPTION.........1 to 4 ratio

DISPLAY_NAME........1:4

HELP_TEXT...........No Help Text

ID.................{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}

TERM................1:4


DATA VALUE: 1:8

-------------------------------------------------------------------

ABBREVIATION........1:8

ACTIVE..............Yes

DESCRIPTION.........1 to 8 ratio

DISPLAY_NAME........1:8

HELP_TEXT...........No Help Text

ID.................{94790C4C-3AF2-6F4C-58B8-87021CA97A53}

TERM................1:8

DATA VALUE: 1A + 2V

----------------------------------------------------------------

ABBREVIATION........1+2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1A + 2V

HELP_TEXT...........No Help Text

ID.................{FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}

TERM................1A + 2V

DATA VALUE: 1A + 3V

----------------------------------------------------------------

ABBREVIATION........1+3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1A + 3V

HELP_TEXT...........No Help Text

ID.................{CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

TERM................1A + 3V

DATA VALUE: 1A +1V

----------------------------------------------------------------

ABBREVIATION........1+

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1A +1V

HELP_TEXT...........No Help Text

ID.................{31711946-9F1B-0AD9-BDBE-846EDBC86AE2}

TERM................1A +1V


DATA VALUE: 2 - ABNORMAL EXTENSION FROM PAIN

----------------------------------------------------------------

ABBREVIATION........2-aefp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Abnormal Extension From Pain

HELP_TEXT...........No Help Text

ID.................{9B4951D8-B271-DFC3-0A00-1DC9984039E3}

TERM................2 - ABNORMAL EXTENSION FROM PAIN


DATA VALUE: 2 - ANSWERS NEITHER QUESTION CORRECTLY

----------------------------------------------------------------

ABBREVIATION........Neither

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........2 = Answers Neither Question Correctly

HELP_TEXT...........

ID.................{181D8ACA-49D0-496E-B22A-2839D0718836}

TERM................2 - ANSWERS NEITHER QUESTION CORRECTLY


DATA VALUE: 2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----------------------------------------------------------------------

ABBREVIATION........CIWA PS 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Beads Of Sweat Obvious On Forehead

HELP_TEXT...........No Help Text

ID.................{38EA4194-F5F4-42CB-8DE2-715167888F86}

TERM................2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD


DATA VALUE: 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS

-----------------------------------------------------------------------

ABBREVIATION........CIWA OR 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Disoriented For Date By No More

                Than 2 Calendar Days

HELP_TEXT...........No Help Text

ID.................{01B894B0-3E70-47FA-820A-83CA48B93EF9}

TERM................2 - DISORIENTED FOR DATE < 2 CALENDAR

                DAYS

DATA VALUE: 2 - HR 0-39

--------------------------------------------------------------------

ABBREVIATION........HR 0-39

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - HR 0-39

HELP_TEXT...........

ID.................{1243C1C9-C72F-4765-8D19-D689E1FC44F5}

TERM................2 - HR 0-39


DATA VALUE: 2 - HR 111-129

--------------------------------------------------------------------

ABBREVIATION........HR 111-129

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - HR 111-129

HELP_TEXT...........

ID.................{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}

TERM................2 - HR 111-129


DATA VALUE: 2 - INCOMPREHENSIBLE SOUNDS

--------------------------------------------------------------------

ABBREVIATION........2-is

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Incomprehensible Sounds

HELP_TEXT...........No Help Text

ID.................{F2261C3D-79A3-055B-702D-446B7A6A3113}

TERM................2 - INCOMPREHENSIBLE SOUNDS


DATA VALUE: 2 - INTERMITTENT NAUSEA WITH DRY HEAVES

---------------------------------------------------------------------

ABBREVIATION........CIWA NV 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Intermittent Nausea With Dry Heaves

HELP_TEXT...........No Help Text

ID.................{E92221EE-1298-4D9D-9EFD-35F615118C96}

TERM................2 - INTERMITTENT NAUSEA WITH DRY HEAVES


DATA VALUE: 2 - LESS THAN 30MLS/HR

---------------------------------------------------------------------

ABBREVIATION........< 30mls/hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Less than 30mls/hr

HELP_TEXT...........

ID.................{A85A05F7-3443-4E62-ACF4-3334E3EF5675}

TERM................2 - LESS THAN 30MLS/HR

DATA VALUE: 2 - LIMITED ASSISTANCE

----------------------------------------------------------------

ABBREVIATION........2 Limited

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Limited Assistance

HELP_TEXT...........

ID.................{35934E53-08EB-46E0-8136-96FD6174ACF1}

TERM................2 - LIMITED ASSISTANCE


DATA VALUE: 2 - MILD

----------------------------------------------------------------

ABBREVIATION........CIWA HA 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Mild

HELP_TEXT...........No Help Text

ID.................{6B752397-0A4F-4176-90E7-E220DB2BF1C4}

TERM................2 - MILD


DATA VALUE: 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN

----------------------------------------------------------------

ABBREVIATION........CIWA AU 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Mild Harshness Or Ability To

            Frighten

HELP_TEXT...........No Help-Text

ID..................{71204969-E614-46A4-ADA5-39FAF81A79B5}

TERM................2 - MILD HARSHNESS OR ABILITY TO

FRIGHTEN


DATA VALUE: 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS

----------------------------------------------------------------------

ABBREVIATION........CIWA TC 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Mild Itching, Pins/Needles,

Burning, Numbness

HELP_TEXT...........No Help Text

ID..................{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}

TERM................2 - MILD ITCHING PINS/NEEDLES BURNING

NUMBNESS


DATA VALUE: 2 - MILD SENSITIVITY

----------------------------------------------------------------------

ABBREVIATION........CIWA VS 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Mild Sensitivity

HELP_TEXT...........No Help Text

ID..................{ED600249-E5E8-4020-955E-A5CDA18B5DE9}

TERM................2 - MILD SENSITIVITY

DATA VALUE: 2 - MODERATE WITH PATIENTS ARMS EXTENDED

----------------------------------------------------------------------

ABBREVIATION........CIWA TR 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Moderate With Patient's Arms

           Extended

HELP_TEXT...........No Help Text

ID.................{B4E7B7FB-B88E-435A-904E-C613AC937323}

TERM................2 - MODERATE WITH PATIENTS ARMS

           EXTENDED


DATA VALUE: 2 - NAUSEA OR LOOSE STOOL

----------------------------------------------------------------------

ABBREVIATION........COWS:GIUp2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Nausea or Loose Stool

HELP_TEXT...........

ID.................{D8B05449-84E2-431F-AC62-16DD978F8D4F}

TERM................2 - NAUSEA OR LOOSE STOOL


DATA VALUE: 2 - NORMAL

----------------------------------------------------------------------

ABBREVIATION........2-n

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Normal

HELP_TEXT...........No Help Text

ID.................{25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}

TERM...............2 - NORMAL


DATA VALUE: 2 - NOSE RUNNING OR TEARING

--------------------------------------------------------------------

ABBREVIATION........COWS:Run2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Nose Running or Tearing

HELP_TEXT...........

ID.................{DBF3F0B8-57A8-41F1-BE5B-05EA607A8458}

TERM...............2 - NOSE RUNNING OR TEARING


DATA VALUE: 2 - ONE PERSON PHYSICAL ASSIST

--------------------------------------------------------------------

ABBREVIATION........2 one asst

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - One Person Physical Assist

HELP_TEXT...........

ID.................{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}

TERM...............2 - ONE PERSON PHYSICAL ASSIST

DATA VALUE: 2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS

----------------------------------------------------------------------

ABBREVIATION........COWS:Anx2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Patient Obviously Irritable/Anxious

HELP_TEXT...........

ID.................{39ED63B3-B00F-4BD9-8DBB-399AB8136360}

TERM................2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS

DATA VALUE: 2 - PATIENT REPORTS SEVERE DIFFUSE ACHING OF JOINT/MUSCLES

----------------------------------------------------------------------

ABBREVIATION........COWS:Ache2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Patient Reports Severe Diffuse

        Aching of Joint/Muscles

HELP_TEXT...........

ID.................{56FA2033-6F45-45F8-81D3-76D655F33C71}

TERM................2 - PATIENT REPORTS SEVERE DIFFUSE

        ACHING OF JOINT/MUSCLES

DATA VALUE: 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY

----------------------------------------------------------------------

ABBREVIATION........2 Phys Tra

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Physical Help Limited to Transfer

Only

HELP_TEXT...........

ID.................{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}

TERM...............2 - PHYSICAL HELP LIMITED TO TRANSFER

ONLY


DATA VALUE: 2 - PULSE RATE 101-120

--------------------------------------------------------------------

ABBREVIATION........2 -101-120

ACTIVE.............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Pulse Rate 101-120

HELP_TEXT...........

ID.................{10AF1ABF-1F86-4DC3-B194-D3AFECFBF909}

TERM...............2 - PULSE RATE 101-120


DATA VALUE: 2 - PUPILS MODERATELY DILATED

--------------------------------------------------------------------

ABBREVIATION........COWS:Pupi2

ACTIVE.............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Pupils Moderately Dilated

HELP_TEXT...........

ID.................{56E7BD48-810D-4AB4-8EC5-846309C96F4D}

TERM...............2 - PUPILS MODERATELY DILATED

DATA VALUE: 2 - RESPONDS TO PAIN

-------------------------------------------------------------------

ABBREVIATION........Pain

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Responds to Pain

HELP_TEXT...........

ID.................{AE6B5DEC-6510-4FEE-8461-D2E930534ACE}

TERM................2 - RESPONDS TO PAIN


DATA VALUE: 2 - RR 0-8

-------------------------------------------------------------------

ABBREVIATION........RR 0-8

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - RR 0-8

HELP_TEXT...........

ID.................{73DC19E6-865C-4161-9CBE-3A8D44BC4D84}

TERM................2 - RR 0-8


DATA VALUE: 2 - RR 21-29

-------------------------------------------------------------------

ABBREVIATION........RR 21-29

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - RR 21-29

HELP_TEXT...........

ID.................{72DF48C2-B8F3-4ED4-91D1-87157707C3EC}

TERM................2 - RR 21-29


DATA VALUE: 2 - SBP 200 OR MORE

--------------------------------------------------------------------

ABBREVIATION........SBP 200+

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - SBP 200 or more

HELP_TEXT...........

ID.................{C3B80866-749C-402A-B7CA-A1B797D36885}

TERM................2 - SBP 200 OR MORE


DATA VALUE: 2 - SBP 71-80

--------------------------------------------------------------------

ABBREVIATION........SBP 71-80

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - SBP 71-80

HELP_TEXT...........

ID.................{063CE20D-435C-4176-9A8B-3FC3DB16FF11}

TERM................2 - SBP 71-80

DATA VALUE: 2 - SLIGHT TREMOR OBSERVABLE

----------------------------------------------------------------

ABBREVIATION........COWS:Trem2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Slight Tremor Observable

HELP_TEXT...........

ID.................{195BF393-2B78-4BFB-9304-B5778B65D1F3}

TERM................2 - SLIGHT TREMOR OBSERVABLE


DATA VALUE: 2 - TEMP 35.0 C OR LESS

----------------------------------------------------------------

ABBREVIATION........35.0 C or<

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Temp 35.0 C or less

HELP_TEXT...........

ID.................{D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}

TERM................2 - TEMP 35.0 C OR LESS


DATA VALUE: 2 - TEMP MORE THAN 38.6 C

----------------------------------------------------------------

ABBREVIATION........> 38.6 C

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Temp more than 38.6 C

HELP_TEXT...........

ID.................{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}

TERM................2 - TEMP MORE THAN 38.6 C


DATA VALUE: 2 - TO PAIN

-------------------------------------------------------------------

ABBREVIATION........2-tp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - To Pain

HELP_TEXT...........No Help Text

ID.................{49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}

TERM................2 - TO PAIN


DATA VALUE: 2 - YAWNING THREE OR MORE TIMES DURING ASSESSMENT

-------------------------------------------------------------------

ABBREVIATION........COWS:Yawn2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 - Yawning Three or More Times
            During Assessment

HELP_TEXT...........

ID.................{5C5A7A3F-C439-4DE2-AB52-59D613B92669}

TERM................2 - YAWNING THREE OR MORE TIMES
            DURING ASSESSMENT

DATA VALUE: 2 = 4 EXTREMITIES

----------------------------------------------------------------------

ABBREVIATION........ALD ACT 2

ACTIVE..............Yes

DESCRIPTION.........2 = 4 Extremities

DISPLAY_NAME........2 = Moves 4 Extremities

HELP_TEXT...........2 = 4 Extremities

ID.................{3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}

TERM................2 = 4 EXTREMITIES


DATA VALUE: 2 = BP +/- 20% PREOP

----------------------------------------------------------------------

ABBREVIATION........ALD CIR 2

ACTIVE..............Yes

DESCRIPTION.........2 = BP +/- 20% Preop

DISPLAY_NAME........2 = BP +/- 20% Preop

HELP_TEXT...........2 = BP +/- 20% Preop

ID.................{04B67413-7A88-409B-8005-471A7C84B879}

TERM................2 = BP +/- 20% PREOP


DATA VALUE: 2 = BREATHES FREELY

----------------------------------------------------------------------

ABBREVIATION........ALD RESP 2

ACTIVE..............Yes

DESCRIPTION.........2 = Breathes freely, coughs freely

DISPLAY_NAME........2 = Breathes freely, coughs freely

HELP_TEXT...........2 = Breathes freely, coughs freely

ID.................{278CD44C-538E-4015-9D98-D9312A7039BA}

TERM................2 = BREATHES FREELY

DATA VALUE: 2 = COMPLETE HEMIANOPIA

----------------------------------------------------------------------

ABBREVIATION........Complete

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Complete Hemianopia

HELP_TEXT...........

ID.................{F995161E-39A0-4010-855D-EE86B1F707BB}

TERM................2 = COMPLETE HEMIANOPIA

DATA VALUE: 2 = FORCED DEVIATION

----------------------------------------------------------------------

ABBREVIATION........2 = Forced

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Forced Deviation

HELP_TEXT...........

ID.................{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}

TERM................2 = FORCED DEVIATION

DATA VALUE: 2 = FULLY AWAKE

-------------------------------------------------------------------

ABBREVIATION........ALD CON 2

ACTIVE..............Yes

DESCRIPTION.........2 = Fully awake

DISPLAY_NAME........2 = Fully awake

HELP_TEXT...........2 = Fully awake

ID.................{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}

TERM................2 = FULLY AWAKE


DATA VALUE: 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE

-------------------------------------------------------------------

ABBREVIATION........2 = Strong

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Not Alert, repeat/strong

           stimulation response

HELP_TEXT...........

ID.................{0F5E13CC-211C-40D0-96CB-8F8D87564612}

TERM................2 = NOT ALERT, REPEAT/STRONG

           STIMULATION RESPONSE


DATA VALUE: 2 = ON ROOM AIR

-------------------------------------------------------------------

ABBREVIATION........ALD O2 2

ACTIVE..............Yes

DESCRIPTION.........2 = On room air

DISPLAY_NAME........2 = >92% on room air

HELP_TEXT...........2 = On room air

ID..................{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

TERM................2 = ON ROOM AIR


DATA VALUE: 2 = PARTIAL PARALYSIS

---------------------------------------------------------------------

ABBREVIATION........2 = Part

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Partial Paralysis

HELP_TEXT...........

ID..................{BC48CC51-609A-4E85-9029-8B4790E9E669}

TERM................2 = PARTIAL PARALYSIS


DATA VALUE: 2 = PERFORMS NEITHER TASK CORRECTLY

---------------------------------------------------------------------

ABBREVIATION........Neither

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Performs Neither Task Correctly

HELP_TEXT...........

ID..................{8CE75E64-5A4A-45EA-9987-4112AAD54A55}

TERM................2 = PERFORMS NEITHER TASK CORRECTLY

DATA VALUE: 2 = PRESENT IN TWO LIMBS

----------------------------------------------------------------

ABBREVIATION........Two Limbs

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Present in Two Limbs

HELP_TEXT...........

ID.................{ADA3074C-1E75-42BC-B7E6-425C2281FB05}

TERM................2 = PRESENT IN TWO LIMBS


DATA VALUE: 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MO

DALITY

----------------------------------------------------------------

ABBREVIATION........2 = Profnd

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Profound Hemi-Inattention or

Extinction to More than One Modality

HELP_TEXT...........

ID.................{1D3AA69E-2154-4F33-BFFF-42F06365079A}

TERM................2 = PROFOUND HEMI-INATTENTION OR

EXTINCTION TO MORE THAN ONE MODALITY


DATA VALUE: 2 = SEVERE APHASIA

----------------------------------------------------------------

ABBREVIATION........Sev Aphasi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Severe Aphasia

HELP_TEXT...........

ID..................{82445D2A-6E9F-4574-B2D1-476E720B9113}

TERM................2 = SEVERE APHASIA


DATA VALUE: 2 = SEVERE DYSARTHRIA

--------------------------------------------------------------------

ABBREVIATION........2 = Severe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Severe Dysarthria

HELP_TEXT...........

ID..................{D9864E04-1962-47AD-B3C5-58CD49CF30FD}

TERM................2 = SEVERE DYSARTHRIA


DATA VALUE: 2 = SEVERE TO TOTAL SENSORY LOSS

--------------------------------------------------------------------

ABBREVIATION........Severe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Severe to Total Sensory Loss

HELP_TEXT...........

ID..................{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}

TERM................2 = SEVERE TO TOTAL SENSORY LOSS

DATA VALUE: 2 = SLIGHTLY DROWSY, EASILY AROUSED

----------------------------------------------------------------------

ABBREVIATION........POSS 2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Slightly Drowsy, Easily Aroused

HELP_TEXT...........

ID.................{3027CED1-70F2-4F2B-9DCC-C6CFCAFD1832}

TERM................2 = SLIGHTLY DROWSY, EASILY AROUSED


DATA VALUE: 2 = SOME EFFORT AGAINST GRAVITY

----------------------------------------------------------------------

ABBREVIATION........Some Effor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2 = Some Effort Against Gravity

HELP_TEXT...........

ID.................{63885565-9ADC-4560-BC73-DEA084FB651A}

TERM................2 = SOME EFFORT AGAINST GRAVITY


DATA VALUE: 2 = VERY SEDATED

----------------------------------------------------------------------

ABBREVIATION........SAS VY SED

ACTIVE..............Yes

DESCRIPTION.........Arouses to physical stimuli but does

              not communicate or follow commands,

              may move spontaneously

DISPLAY_NAME........2 = Very Sedated

HELP_TEXT...........Arouses to physical stimuli but does

not communicate or follow commands,

may move spontaneously

ID.................{4B13529B-61C5-4B68-857A-3A5351DC4BE2}

TERM...............2 = VERY SEDATED


DATA VALUE: 2+ - NORMAL, PALPABLE

----------------------------------------------------------------------

ABBREVIATION........2+

ACTIVE.............Yes

DESCRIPTION.........

DISPLAY_NAME........2+ - Normal, Palpable

HELP_TEXT...........

ID.................{0EA80599-EE42-498F-BEF6-35CBD1BB003F}

TERM...............2+ - NORMAL, PALPABLE


DATA VALUE: 2+=NORMAL, NOT EASILY OBLITERATED

----------------------------------------------------------------------

ABBREVIATION........2neo

ACTIVE.............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2+=Normal, Not Easily Obliterated

HELP_TEXT...........No Help Text

ID.................{50484DA4-EC15-47E5-3923-268C4B5D6428}

TERM...............2+=NORMAL, NOT EASILY OBLITERATED

DATA VALUE: 2- MILD HARSHNESS OR ABILITY TO FRIGHTEN

----------------------------------------------------------------

ABBREVIATION........CIWA AU 2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 - Mild Harshness Or Ability To

          Frighten

HELP_TEXT...........No Help Text

ID.................{42DAFBBB-E9AF-4558-95D4-2FFF7BE779F1}

TERM................2- MILD HARSHNESS OR ABILITY TO

          FRIGHTEN


DATA VALUE: 2. INTACT

----------------------------------------------------------------

ABBREVIATION........2. Intact

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........2. Intact

HELP_TEXT...........

ID.................{6F977B33-94E0-4F40-A5B2-9D1EBFBE8433}

TERM................2. INTACT


DATA VALUE: 2.0 CAL FORMULA

----------------------------------------------------------------

ABBREVIATION........2.0 C FORM

ACTIVE..............Yes

DESCRIPTION.........2.0 Cal  Enteral Nutritrion Formula

DISPLAY_NAME........2.0 Cal Formula

HELP_TEXT...........No Help Text

ID..................{4A595230-45D1-40F0-AEF3-11E75DF418CB}

TERM................2.0 CAL FORMULA


DATA VALUE: 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE

---------------------------------------------------------------------

ABBREVIATION........20 Min Nar

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20 Minutes Since Last IV

              Narcotic/Sedative

HELP_TEXT...........

ID..................{FBDB50B7-19B5-472C-80E5-F4758E141BB1}

TERM................20 MINUTES SINCE LAST IV

              NARCOTIC/SEDATIVE


DATA VALUE: 20/100

---------------------------------------------------------------------

ABBREVIATION........20/100

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/100

HELP_TEXT...........

ID..................{ECB85701-8B21-407A-9E0B-C015834E984B}

TERM................20/100

DATA VALUE: 20/15

-------------------------------------------------------------------

ABBREVIATION........20/15

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/15

HELP_TEXT...........

ID.................{0DB4E45B-A96C-4D11-B59E-A89C9F531146}

TERM................20/15


DATA VALUE: 20/20

-------------------------------------------------------------------

ABBREVIATION........20/20

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/20

HELP_TEXT...........

ID.................{FE086353-09B2-4314-84E9-FA909253AAED}

TERM................20/20


DATA VALUE: 20/200

-------------------------------------------------------------------

ABBREVIATION........20/200

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/200

HELP_TEXT...........

ID.................{C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}

TERM................20/200

DATA VALUE: 20/25

-------------------------------------------------------------------

ABBREVIATION........20/25

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/25

HELP_TEXT...........

ID.................{4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}

TERM................20/25

DATA VALUE: 20/30

-------------------------------------------------------------------

ABBREVIATION........20/30

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/30

HELP_TEXT...........

ID.................{667B5FCD-A85D-4054-BFA9-3DA9DDD21306}

TERM................20/30

DATA VALUE: 20/300

----------------------------------------------------------------

ABBREVIATION........20/300

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/300

HELP_TEXT...........

ID.................{E6976753-667B-418B-A6E3-0A7CD010CAC0}

TERM................20/300

DATA VALUE: 20/40

----------------------------------------------------------------

ABBREVIATION........20/40

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/40

HELP_TEXT...........

ID.................{048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}

TERM................20/40

DATA VALUE: 20/400

----------------------------------------------------------------

ABBREVIATION........20/400

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/400

HELP_TEXT...........

ID.................{AE8E4C3E-D031-4047-B44E-06F4EB29C73B}

TERM................20/400

DATA VALUE: 20/50

----------------------------------------------------------------

ABBREVIATION........20/50

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/50

HELP_TEXT...........

ID.................{C679C160-D93A-431C-8F28-800D64A019D5}

TERM................20/50

DATA VALUE: 20/60

----------------------------------------------------------------

ABBREVIATION........20/60

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/60

HELP_TEXT...........

ID.................{AEAA52C2-1450-45B4-A512-73E339718B02}

TERM................20/60

DATA VALUE: 20/70

-------------------------------------------------------------------

ABBREVIATION........20/70

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/70

HELP_TEXT...........

ID.................{B0279832-605C-4441-B568-C131636EB634}

TERM................20/70


DATA VALUE: 20/80

-------------------------------------------------------------------

ABBREVIATION........20/80

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/80

HELP_TEXT...........

ID.................{60F51F22-C739-4BD1-A77E-D224517F861F}

TERM................20/80


DATA VALUE: 20/800

-------------------------------------------------------------------

ABBREVIATION........20/800

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........20/800

HELP_TEXT...........

ID.................{1303A571-B57C-4757-AC5B-286E6B09343A}

TERM................20/800


DATA VALUE: 2000 CALORIE CONTROLLED

----------------------------------------------------------------------

ABBREVIATION........2000 CAL C

ACTIVE..............Yes

DESCRIPTION.........2000 Calorie Controlled Diet

DISPLAY_NAME........2000 Calorie Controlled Diet

HELP_TEXT...........No Help Text

ID..................{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}

TERM................2000 CALORIE CONTROLLED


DATA VALUE: 2000 DIABETIC

----------------------------------------------------------------------

ABBREVIATION........2000 DIAB

ACTIVE..............Yes

DESCRIPTION.........2000 Diabetic Diet

DISPLAY_NAME........2000 Diabetic Diet

HELP_TEXT...........No Help Text

ID..................{DF3056C9-3AEA-4F4E-B758-E35590080AFB}

TERM................2000 DIABETIC

DATA VALUE: 2200 CALORIE CONTROLLED

--------------------------------------------------------------------

ABBREVIATION........2200 CAL C

ACTIVE..............Yes

DESCRIPTION.........2200 Calorie Controlled Diet

DISPLAY_NAME........2200 Calorie Controlled Diet

HELP_TEXT...........No Help Text

ID.................{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}

TERM................2200 CALORIE CONTROLLED


DATA VALUE: 2200 DIABETIC

--------------------------------------------------------------------

ABBREVIATION........2200 DIAB

ACTIVE..............Yes

DESCRIPTION.........2200 Diabetic Diet

DISPLAY_NAME........2200 Diabetic Diet

HELP_TEXT...........No Help Text

ID.................{1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}

TERM................2200 DIABETIC


DATA VALUE: 2400 CALORIE CONTROLLED

--------------------------------------------------------------------

ABBREVIATION........2400 CAL C

ACTIVE..............Yes

DESCRIPTION.........2400 Calorie Controlled Diet

DISPLAY_NAME........2400 Calorie Controlled Diet

HELP_TEXT...........No Help Text

ID.................{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}

TERM................2400 CALORIE CONTROLLED

DATA VALUE: 2400 DIABETIC

---------------------------------------------------------------------

ABBREVIATION........2400 DIAB

ACTIVE..............Yes

DESCRIPTION.........2400 Diabetic Diet

DISPLAY_NAME........2400 Diabetic Diet

HELP_TEXT...........No Help Text

ID.................{2018FB65-3D4E-47E0-90E9-205A45EDF130}

TERM................2400 DIABETIC

DATA VALUE: 25 PERCENT ALBUMIN

---------------------------------------------------------------------

ABBREVIATION........25 PERC AL

ACTIVE..............Yes

DESCRIPTION.........25 Percent Albumin

DISPLAY_NAME........25 Percent Albumin

HELP_TEXT...........No Help Text

ID.................{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}

TERM................25 PERCENT ALBUMIN

DATA VALUE: 2:4

----------------------------------------------------------------

ABBREVIATION........2:4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2:4

HELP_TEXT...........No Help Text

ID.................{7D423C9A-42B3-4FDD-999B-889193492F5C}

TERM................2:4


DATA VALUE: 2A

----------------------------------------------------------------

ABBREVIATION........2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2A

HELP_TEXT...........No Help Text

ID.................{C75BDC9F-C756-9051-CAA3-A27DDD94B35E}

TERM................2A


DATA VALUE: 2A + 1V

----------------------------------------------------------------

ABBREVIATION........2+1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2A + 1V

HELP_TEXT...........No Help Text

ID.................{1849AA0D-1572-55E0-A780-ACE602E2C72D}

TERM................2A + 1V


DATA VALUE: 2A + 2V

--------------------------------------------------------------------

ABBREVIATION........2+2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2A + 2V

HELP_TEXT...........No Help Text

ID.................{17203251-68E8-A00A-CF54-E2CC55B8EEDD}

TERM................2A + 2V


DATA VALUE: 2V

--------------------------------------------------------------------

ABBREVIATION........2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2V

HELP_TEXT...........No Help Text

ID.................{D24B5FA4-1DA6-36DE-49DB-627A9B82E968}

TERM................2V

DATA VALUE: 3  - HR 130 OR MORE

--------------------------------------------------------------------

ABBREVIATION........HR 130 +

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - HR 130 or More

HELP_TEXT...........

ID.................{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

TERM................3  - HR 130 OR MORE


DATA VALUE: 3 - ABNORMAL FLEXION FROM PAIN

--------------------------------------------------------------------

ABBREVIATION........3-affp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Abnormal Flexion From Pain

HELP_TEXT...........No Help Text

ID.................{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}

TERM................3 - ABNORMAL FLEXION FROM PAIN


DATA VALUE: 3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

--------------------------------------------------------------------

ABBREVIATION........CIWA PS 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Beads Of Sweat Obvious On Forehead

HELP_TEXT...........No Help Text

ID.................{663591B6-3FB4-4060-8A49-18747F857B16}

TERM................3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD


DATA VALUE: 3 - BEADS OF SWEAT ON BROW OR FACE

----------------------------------------------------------------------

ABBREVIATION........3-BeadsSwe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Beads of Sweat on Brow or Face

HELP_TEXT...........

ID.................{482938DF-E2F4-441A-9FD9-A09A2544FD24}

TERM................3 - BEADS OF SWEAT ON BROW OR FACE


DATA VALUE: 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS

----------------------------------------------------------------------

ABBREVIATION........CIWA OR 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Disoriented For Date By More Than

          2 Calendar Days

HELP_TEXT...........No Help Text

ID.................{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}

TERM................3 - DISORIENTED FOR DATE > 2 CALENDAR

          DAYS

DATA VALUE: 3 - EXTENSIVE ASSISTANCE

----------------------------------------------------------------------

ABBREVIATION........3 Extensiv

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Extensive Assistance

HELP_TEXT...........

ID.................{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}

TERM................3 - EXTENSIVE ASSISTANCE


DATA VALUE: 3 - FREQUENT SHIFTING OR EXTRANEOUS MOVEMENTS OF LEGS/ARMS

----------------------------------------------------------------------

ABBREVIATION........COWS:Rest3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Frequent Shifting or Extraneous

                Movements of Legs/Arms

HELP_TEXT...........

ID.................{18FBB2C6-DB3E-4E9D-83DA-7CFD702A1465}

TERM................3 - FREQUENT SHIFTING OR EXTRANEOUS

                MOVEMENTS OF LEGS/ARMS


DATA VALUE: 3 - INAPPROPRIATE WORDS

----------------------------------------------------------------------

ABBREVIATION........3-iw

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Inappropriate Words

HELP_TEXT...........No Help Text

ID..................{FE000191-243E-4D32-1E1E-546EE2CF88A5}

TERM................3 - INAPPROPRIATE WORDS


DATA VALUE: 3 - INTERMITTENT NAUSEA WITH DRY HEAVES

---------------------------------------------------------------------

ABBREVIATION........CIWA NV 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Intermittent Nausea With Dry Heaves

HELP_TEXT...........No Help Text

ID..................{D299B4E1-0FF4-474D-BECD-5537391EEE7A}

TERM................3 - INTERMITTENT NAUSEA WITH DRY HEAVES


DATA VALUE: 3 - LESS THAN 10MLS/HR

---------------------------------------------------------------------

ABBREVIATION........< 10mls/hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Less than 10mls/hr

HELP_TEXT...........

ID..................{E013F8AC-7DBE-4F13-BF48-0317A46332CC}

TERM................3 - LESS THAN 10MLS/HR

DATA VALUE: 3 - MODERATE

----------------------------------------------------------------

ABBREVIATION........CIWA HA 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Moderate

HELP_TEXT...........No Help Text

ID.................{F26EB828-6864-4384-9EBB-35A6CDCACC59}

TERM................3 - MODERATE


DATA VALUE: 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN

----------------------------------------------------------------

ABBREVIATION........CIWA AU 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Moderate Harshness Or Ability To

             Frighten

HELP_TEXT...........No Help Text

ID.................{77F59277-6CE4-4323-8531-3CA26E13C9C4}

TERM................3 - MODERATE HARSHNESS OR ABILITY TO

             FRIGHTEN


DATA VALUE: 3 - MODERATE ITCHING PINS/NEEDLES BURNING

----------------------------------------------------------------

ABBREVIATION........CIWA TC 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 -  Moderate Itching, Pins/Needles,

Burning, Numbness

HELP_TEXT...........No Help Text

ID..................{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}

TERM................3 - MODERATE ITCHING PINS/NEEDLES

BURNING


DATA VALUE: 3 - MODERATE SENSITIVITY

----------------------------------------------------------------------

ABBREVIATION........CIWA VS 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Moderate Sensitivity

HELP_TEXT...........No Help Text

ID..................{D673A630-1F1E-4734-AADE-17586C48E8B9}

TERM................3 - MODERATE SENSITIVITY


DATA VALUE: 3 - MODERATE WITH PATIENTS ARMS EXTENDED

----------------------------------------------------------------------

ABBREVIATION........CIWA TR 3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Moderate With Patient's Arms

Extended

HELP_TEXT...........No Help Text

ID..................{36FF0AB3-F5ED-4CBA-A6F3-110DFCB65244}

TERM................3 - MODERATE WITH PATIENTS ARMS

EXTENDED

DATA VALUE: 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY

--------------------------------------------------------------------

ABBREVIATION........3 Phys Bat

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Physical Help in Part of Bathing

       Activity

HELP_TEXT...........

ID.................{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}

TERM................3 - PHYSICAL HELP IN PART OF BATHING

       ACTIVITY


DATA VALUE: 3 - PILOERECTION OF SKIN CAN BE FELT OR HAIRS STANDING UP ON AR

MS

--------------------------------------------------------------------

ABBREVIATION........COWS:Goos3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Piloerection of Skin can be Felt

       or Hairs Standing Up on Arms

HELP_TEXT...........

ID.................{F2766A37-D6A1-4453-8205-1EE4B04FD051}

TERM................3 - PILOERECTION OF SKIN CAN BE FELT

       OR HAIRS STANDING UP ON ARMS


DATA VALUE: 3 - PULSE RATE GREATER THAN 120

--------------------------------------------------------------------

ABBREVIATION........3 - >120

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Pulse Rate Greater Than 120

HELP_TEXT...........

ID.................{DBADEF02-6F98-435D-87A8-E369F331BA48}

TERM................3 - PULSE RATE GREATER THAN 120


DATA VALUE: 3 - RR 30 OR MORE

-------------------------------------------------------------------

ABBREVIATION........RR 30 or +

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - RR 30 or More

HELP_TEXT...........

ID.................{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}

TERM................3 - RR 30 OR MORE


DATA VALUE: 3 - SBP 70 OR LESS

-------------------------------------------------------------------

ABBREVIATION........SBP 70 or<

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - SBP 70 or less

HELP_TEXT...........

ID.................{84DE09CE-FCB0-4E07-A72F-C1064CECF094}

TERM................3 - SBP 70 OR LESS

DATA VALUE: 3 - STRONG

----------------------------------------------------------------

ABBREVIATION........3-s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - Strong

HELP_TEXT...........No Help Text

ID.................{C55EAB72-7816-5440-84E9-6E7E190ED197}

TERM................3 - STRONG

DATA VALUE: 3 - TO VERBAL COMMAND

----------------------------------------------------------------

ABBREVIATION........3-tvc

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 - To Verbal Command

HELP_TEXT...........No Help Text

ID.................{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}

TERM................3 - TO VERBAL COMMAND

DATA VALUE: 3 - TWO + PERSONS PHYSICAL ASSIST

----------------------------------------------------------------

ABBREVIATION........3 + asst

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Two + Persons Physical Assist

HELP_TEXT...........

ID.................{AE401096-DF23-4A6E-8842-E1F58829902A}

TERM................3 - TWO + PERSONS PHYSICAL ASSIST


DATA VALUE: 3 - UNRESPONSIVE

--------------------------------------------------------------------

ABBREVIATION........Unrespondi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Unresponsive

HELP_TEXT...........

ID.................{F40F8A1E-ED15-424A-9481-3527B0E69DF1}

TERM................3 - UNRESPONSIVE


DATA VALUE: 3 - VOMITING OR DIARRHEA

--------------------------------------------------------------------

ABBREVIATION........COWS:GIUp3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 - Vomiting or Diarrhea

HELP_TEXT...........

ID.................{B500439E-CF24-4F47-9AC5-2C88330EAE6D}

TERM................3 - VOMITING OR DIARRHEA

DATA VALUE: 3 = BILATERAL HEMIANOPIA

--------------------------------------------------------------------

ABBREVIATION........Bilateral

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 = Bilateral Hemianopia

HELP_TEXT...........

ID.................{89969DC1-30BA-494A-A8C8-4344C2C75D0E}

TERM................3 = BILATERAL HEMIANOPIA


DATA VALUE: 3 = COMPLETE PARALYSIS

--------------------------------------------------------------------

ABBREVIATION........3 = comple

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 = Complete Paralysis

HELP_TEXT...........

ID.................{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}

TERM................3 = COMPLETE PARALYSIS


DATA VALUE: 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CO

NVERSATION

--------------------------------------------------------------------

ABBREVIATION........POSS 3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 = Frequently Drowsy, Arousable,

             Drifts Off to Sleep During

Conversation

HELP_TEXT...........

ID.................{95111092-85B2-463A-8F97-F6E56AEC1730}

TERM...............3 = FREQUENTLY DROWSY, AROUSABLE,

DRIFTS OFF TO SLEEP DURING

CONVERSATION


DATA VALUE: 3 = MUTE, GLOBAL APHASIA

----------------------------------------------------------------------

ABBREVIATION........Mute

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 = Mute, Global Aphasia

HELP_TEXT...........

ID.................{E357021D-2B57-4AC2-BDA5-73B61726D183}

TERM...............3 = MUTE, GLOBAL APHASIA


DATA VALUE: 3 = NO EFFORT AGAINST GRAVITY

----------------------------------------------------------------------

ABBREVIATION........No Effort

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 = No Effort Against Gravity

HELP_TEXT...........

ID.................{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}

TERM...............3 = NO EFFORT AGAINST GRAVITY

DATA VALUE: 3 = SEDATED

-----------------------------------------------------------------

ABBREVIATION........SAS SEDATE

ACTIVE..............Yes

DESCRIPTION.........Difficult to arouse but awakens to

verbal stimuli or gentle shaking,

follows simple commands but drifts

off again

DISPLAY_NAME........3 = Sedated

HELP_TEXT...........Difficult to arouse but awakens to

verbal stimuli or gentle shaking,

follows simple commands but drifts

off again

ID.................{AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}

TERM................3 = SEDATED


DATA VALUE: 3 = UNRESPONSIVE

-----------------------------------------------------------------

ABBREVIATION........3 = Unresp

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3 = Unresponsive

HELP_TEXT...........

ID.................{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}

TERM................3 = UNRESPONSIVE


DATA VALUE: 3 WAY FOLEY

-----------------------------------------------------------------

ABBREVIATION........3WAY FOLEY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3 Way Foley

HELP_TEXT...........No Help Text

ID.................{32408760-F517-4530-AEC0-54FE0A6A062B}

TERM................3 WAY FOLEY


DATA VALUE: 3+ - STRONG, EASILY PALPABLE

---------------------------------------------------------------------

ABBREVIATION........3+

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3+ - Strong, Easily Palpable

HELP_TEXT...........

ID.................{724597F3-9347-4FCB-B3B0-AB57A0ACEAC8}

TERM................3+ - STRONG, EASILY PALPABLE


DATA VALUE: 3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED

---------------------------------------------------------------------

ABBREVIATION........3epcbo

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........3+=Bounding, Easily Palpable, Cannot

        Be Obliterated

HELP_TEXT...........No Help Text

ID.................{7A7A07ED-26B6-A3BF-C564-94BD4F6D4E1C}

TERM................3+=BOUNDING, EASILY PALPABLE, CANNOT

        BE OBLITERATED

DATA VALUE: 3. CHANGED

----------------------------------------------------------------

ABBREVIATION........3. Changed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........3. Changed

HELP_TEXT...........

ID.................{1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}

TERM................3. CHANGED


DATA VALUE: 34 ml

----------------------------------------------------------------

ABBREVIATION........34 ml

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........34 ml

HELP_TEXT...........No Help Text

ID.................{25952BB5-50B1-4CC0-9483-8AF891767045}

TERM................34 ml


DATA VALUE: 3:4

----------------------------------------------------------------

ABBREVIATION........3:4

ACTIVE..............Yes

DESCRIPTION.........3:4

DISPLAY_NAME........3:4

HELP_TEXT...........No Help Text

ID.................{E4EBD0E2-FE8C-40FA-9DCA-475DCE43B1A2}

TERM................3:4


DATA VALUE: 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

---------------------------------------------------------------------

ABBREVIATION........CIWA PS 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Beads Of Sweat Obvious On Forehead

HELP_TEXT...........No Help Text

ID.................{8388B1A0-46EA-4003-A32B-A2C708A6F056}

TERM................4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD


DATA VALUE: 4 - DISORIENTED AND CONVERSES

---------------------------------------------------------------------

ABBREVIATION........4-dac

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Disoriented And Converses

HELP_TEXT...........No Help Text

ID.................{D43F646D-A130-5D06-6DC6-DDB971027231}

TERM................4 - DISORIENTED AND CONVERSES

DATA VALUE: 4 - DISORIENTED FOR PLACE OR PERSON

----------------------------------------------------------------------

ABBREVIATION........CIWA OR 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Disoriented For Place/Or Person

HELP_TEXT...........No Help Text

ID.................{03BBFFA2-233A-41A1-8212-F988889C5E72}

TERM................4 - DISORIENTED FOR PLACE OR PERSON


DATA VALUE: 4 - GROSS TREMOR OR MUSCLE TWITCHING

----------------------------------------------------------------------

ABBREVIATION........COWS:Trem4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - Gross Tremor or Muscle Twitching

HELP_TEXT...........

ID.................{38150DB0-0B35-49EE-8919-3DED4B3B24BC}

TERM................4 - GROSS TREMOR OR MUSCLE TWITCHING


DATA VALUE: 4 - INTERMITTENT NAUSEA WITH DRY HEAVES

----------------------------------------------------------------------

ABBREVIATION........CIWA NV 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Intermittent Nausea With Dry Heaves

HELP_TEXT...........No Help Text

ID.................{7FBE10F0-472F-4F21-BE55-0892259141B5}

TERM................4 - INTERMITTENT NAUSEA WITH DRY HEAVES


DATA VALUE: 4 - MODERATE WITH PATIENTS ARMS EXTENDED

----------------------------------------------------------------------

ABBREVIATION........CIWA TR 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Moderate With Patient's Arms

        Extended

HELP_TEXT...........No Help Text

ID..................{79CE1486-151C-4492-AFD2-7845DD69DA9E}

TERM................4 - MODERATE WITH PATIENTS ARMS

        EXTENDED


DATA VALUE: 4 - MODERATELY ANXIOUS

----------------------------------------------------------------------

ABBREVIATION........CIWA AX 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Moderately Anxious, Or Guarded,

        Anxiety Is Inferred

HELP_TEXT...........No Help Text

ID..................{9A01FEFD-844C-4FAB-BEC3-96333495FA62}

TERM................4 - MODERATELY ANXIOUS

DATA VALUE: 4 - MODERATELY FIDGETY AND RESTLESS

---------------------------------------------------------------------

ABBREVIATION........CIWA AG 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Moderately Fidgety And Restless

HELP_TEXT...........No Help Text

ID.................{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}

TERM................4 - MODERATELY FIDGETY AND RESTLESS


DATA VALUE: 4 - MODERATELY SEVERE

---------------------------------------------------------------------

ABBREVIATION........CIWA HA 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Moderately Severe

HELP_TEXT...........No Help Text

ID.................{83B3DE0F-3BA4-4B0A-A222-F372BD403094}

TERM................4 - MODERATELY SEVERE


DATA VALUE: 4 - MODERATELY SEVERE HALLUCINATIONS

---------------------------------------------------------------------

ABBREVIATION........CIWA 4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Moderately Severe Hallucinations

HELP_TEXT...........No Help Text

ID.................{13FCDA97-A967-4993-AED5-13EBA61F3102}

TERM................4 - MODERATELY SEVERE HALLUCINATIONS

DATA VALUE: 4 - NOSE CONSTANLY RUNNING OR TEARS STREAMING DOWN FACE

-------------------------------------------------------------------

ABBREVIATION........COWS:Run4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - Nose Constantly Running or Tears

　　　　　　Streaming Down Face

HELP_TEXT...........

ID..................{6CDC87E9-57DD-4333-ADD4-AAB311C897C5}

TERM................4 - NOSE CONSTANLY RUNNING OR TEARS

　　　　　　STREAMING DOWN FACE

DATA VALUE: 4 - PT. RUBBING JOINTS/MUSCLES & UNABLE TO SIT STILL BECAUSE OF

DISCOMFORT

-------------------------------------------------------------------

ABBREVIATION........COWS:Ache4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - pt. rubbing joints/muscles &

　　　　　　unable to sit still because of

　　　　　　discomfort

HELP_TEXT...........

ID..................{E216254A-E09E-4134-BEF2-E34711EE8A7F}

TERM................4 - PT. RUBBING JOINTS/MUSCLES &

　　　　　　UNABLE TO SIT STILL BECAUSE OF

　　　　　　DISCOMFORT

DATA VALUE: 4 - PT. SO IRRITABLE/ANXIOUS THAT PARTICIPATION IN ASSESSMENT I

S DIFFICULT

-------------------------------------------------------------------

ABBREVIATION........COWS:Anx4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - pt. so irritable/anxious that

                    participation in assessment is

                    difficult

HELP_TEXT...........

ID..................{952B2616-AC6B-41E4-805A-FDEE24C01285}

TERM................4 - PT. SO IRRITABLE/ANXIOUS THAT

                    PARTICIPATION IN ASSESSMENT IS

                    DIFFICULT


DATA VALUE: 4 - SPONTANEOUSLY

-------------------------------------------------------------------

ABBREVIATION........4-s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Spontaneously

HELP_TEXT...........No Help Text

ID..................{4612FC84-FCA8-8C85-50DC-A9A42C195F51}

TERM................4 - SPONTANEOUSLY


DATA VALUE: 4 - SWEAT STREAMING OFF FACE

-------------------------------------------------------------------

ABBREVIATION........4-SweatStr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - Sweat Streaming Off Face

HELP_TEXT...........

ID.................{FD040160-5AD6-4C12-B36F-A2B23D1ED95D}

TERM................4 - SWEAT STREAMING OFF FACE


DATA VALUE: 4 - TOTAL DEPENDENCE

----------------------------------------------------------------------

ABBREVIATION........4 Tot Dep

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - Total Dependence

HELP_TEXT...........

ID.................{062C8F50-294A-48CF-8E81-0C6D7787A4B1}

TERM................4 - TOTAL DEPENDENCE


DATA VALUE: 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE

----------------------------------------------------------------------

ABBREVIATION........4 Full Stf

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - Total Dependence - Full Staff

　　　　　　　Performance

HELP_TEXT...........

ID.................{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}

TERM................4 - TOTAL DEPENDENCE - FULL STAFF

　　　　　　　PERFORMANCE

DATA VALUE: 4 - WITHDRAWS FROM PAIN

----------------------------------------------------------------

ABBREVIATION........4-wfp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 - Withdraws From Pain

HELP_TEXT...........No Help Text

ID.................{D808ACF1-30CB-29AB-4957-E91D63C4DF18}

TERM................4 - WITHDRAWS FROM PAIN


DATA VALUE: 4 - YAWNING SEVERAL TIMES/MINUTE

----------------------------------------------------------------

ABBREVIATION........COWS:Yawn4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 - Yawning Several Times/Minute

HELP_TEXT...........

ID.................{35BA9653-A2EA-49F1-911D-97B966BFB1B5}

TERM................4 - YAWNING SEVERAL TIMES/MINUTE


DATA VALUE: 4 = CALM AND COOPERATIVE

----------------------------------------------------------------

ABBREVIATION........SAS C COOP

ACTIVE..............Yes

DESCRIPTION.........Calm, easily arousable, follows

               commands

DISPLAY_NAME........4 = Calm and Cooperative

HELP_TEXT...........Calm, easily arousable, follows

commands

ID..................{F0633778-280C-43C3-9E6E-9C35C18179F6}

TERM................4 = CALM AND COOPERATIVE


DATA VALUE: 4 = NO MOVEMENT

---------------------------------------------------------------------

ABBREVIATION........No Movem

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 = No Movement

HELP_TEXT...........

ID..................{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}

TERM................4 = NO MOVEMENT


DATA VALUE: 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STI

MULATION

---------------------------------------------------------------------

ABBREVIATION........POSS 4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4 = Somnolent, Minimal or No Response

                    to Verbal or Physical Stimulation

HELP_TEXT...........

ID..................{7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}

TERM................4 = SOMNOLENT, MINIMAL OR NO RESPONSE

                    TO VERBAL OR PHYSICAL STIMULATION

DATA VALUE: 4 HOUR

-------------------------------------------------------------------

ABBREVIATION........4 HOUR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........4 Hour

HELP_TEXT...........No Help Text

ID.................{91B2A49D-0308-47C9-B220-63A0E318A201}

TERM................4 HOUR


DATA VALUE: 4. REINFORCED

-------------------------------------------------------------------

ABBREVIATION........4. Reinfor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........4. Reinforced

HELP_TEXT...........

ID.................{5D06DC53-DB40-47B2-9257-8FD206463014}

TERM................4. REINFORCED


DATA VALUE: 40 ml

-------------------------------------------------------------------

ABBREVIATION........40 ml

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........40 ml

HELP_TEXT...........No Help Text

ID.................{37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

TERM................40 ml

DATA VALUE: 4:4

------------------------------------------------------------------

ABBREVIATION........4:4

ACTIVE..............Yes

DESCRIPTION.........4:4

DISPLAY_NAME........4:4

HELP_TEXT...........No Help Text

ID.................{E9FCD5A0-995A-401D-8E85-6F0C753609B6}

TERM................4:4

DATA VALUE: 5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

------------------------------------------------------------------

ABBREVIATION........CIWA NV 5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5 - Constant Nausea W Frequent Heaves

             and Vomiting

HELP_TEXT...........No Help Text

ID.................{3A90064F-0B58-48AB-ABEE-188F215F4E33}

TERM................5 - CONSTANT NAUSEA W FREQUENT HEAVES

             AND VOMITING

DATA VALUE: 5 - DRENCHING SWEAT

----------------------------------------------------------------

ABBREVIATION........CIWA PS 5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5 - Drenching Sweat

HELP_TEXT...........No Help Text

ID.................{4CAA2CFF-6DA5-4238-A25B-4D3A960808A9}

TERM................5 - DRENCHING SWEAT


DATA VALUE: 5 - LOCALIZES PAIN

----------------------------------------------------------------

ABBREVIATION........5-lp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5 - Localizes Pain

HELP_TEXT...........No Help Text

ID.................{CF13650F-899B-6AE1-5913-DC1F4776E5E4}

TERM................5 - LOCALIZES PAIN


DATA VALUE: 5 - MULTIPLE EPISODES OF DIARRHEA OR VOMITING

----------------------------------------------------------------

ABBREVIATION........COWS:GIUp5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........5 - Multiple Episodes of Diarrhea or

               Vomiting

HELP_TEXT...........

ID.................{1A589930-ABF3-4CDE-8753-29A0B150EBD2}

TERM................5 - MULTIPLE EPISODES OF DIARRHEA OR

                VOMITING


DATA VALUE: 5 - ORIENTED AND CONVERSES

----------------------------------------------------------------------

ABBREVIATION........5-oac

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5 - Oriented And Converses

HELP_TEXT...........No Help Text

ID.................{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}

TERM................5 - ORIENTED AND CONVERSES


DATA VALUE: 5 - PROMINENT PILOERECTION

----------------------------------------------------------------------

ABBREVIATION........COWS:Goos5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........5 - Prominent Piloerection

HELP_TEXT...........

ID.................{1762037D-1982-40C9-8AB7-9CE7B5F5ACDC}

TERM................5 - PROMINENT PILOERECTION

DATA VALUE: 5 - PUPILS SO DILATED THAT ONLY THE RIM OF THE IRIS IS VISIBLE

------------------------------------------------------------------

ABBREVIATION........COWS:Pupi5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........5 - Pupils so Dilated that only the

     Rim of the Iris is Visible

HELP_TEXT...........

ID.................{1FB3D558-AFCD-44AB-A0EB-B10220BBDCF3}

TERM................5 - PUPILS SO DILATED THAT ONLY THE

     RIM OF THE IRIS IS VISIBLE


DATA VALUE: 5 - SEVERE

------------------------------------------------------------------

ABBREVIATION........CIWA HA 5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5 - Severe

HELP_TEXT...........No Help Text

ID.................{7BD7B91F-DF6F-47B9-BAA6-3EF249340578}

TERM................5 - SEVERE


DATA VALUE: 5 - SEVERE EVEN WITH ARMS NOT EXTENDED

------------------------------------------------------------------

ABBREVIATION........CIWA TR 5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5 - Severe Even With Arms Not Extended

HELP_TEXT...........No Help Text

ID..................{611A344A-C540-4861-81D7-681DAF1AA473}

TERM................5 - SEVERE EVEN WITH ARMS NOT EXTENDED


DATA VALUE: 5 - SEVERE HALLUCINATIONS

---------------------------------------------------------------------

ABBREVIATION........CIWA 5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........5 - Severe Hallucinations

HELP_TEXT...........No Help Text

ID..................{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}

TERM................5 - SEVERE HALLUCINATIONS


DATA VALUE: 5 - UNABLE TO SIT STILL FOR MORE THAN A FEW SECONDS

---------------------------------------------------------------------

ABBREVIATION........COWS:Rest5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........5 - Unable to Sit Still for more than

          a few seconds

HELP_TEXT...........

ID..................{ED0F4C4E-10F6-4576-9393-7D296D0F21AC}

TERM................5 - UNABLE TO SIT STILL FOR MORE THAN

          A FEW SECONDS

DATA VALUE: 5 = AGITATED

-----------------------------------------------------------------

ABBREVIATION........SAS AGITAT

ACTIVE..............Yes

DESCRIPTION.........Anxious or physically agitated, calms

            to verbal instructions

DISPLAY_NAME........5 = Agitated

HELP_TEXT...........Anxious or physically agitated, calms

            to verbal instructions

ID..................{107143D4-9527-4A26-8CB7-EEBB656B68B3}

TERM................5 = AGITATED


DATA VALUE: 5 PERCENT ALBUMIN

-----------------------------------------------------------------

ABBREVIATION........5 PERC ALB

ACTIVE..............Yes

DESCRIPTION.........5 Percent Albumin

DISPLAY_NAME........5 Percent Albumin

HELP_TEXT...........No Help Text

ID..................{38CE47CB-736B-475E-8E89-C4C13F2DF184}

TERM................5 PERCENT ALBUMIN


DATA VALUE: 6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----------------------------------------------------------------

ABBREVIATION........CIWA NV 6

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6 - Constant Nausea W Frequent Heaves

and Vomiting

HELP_TEXT...........No Help Text

ID.................{446FE39A-EB53-4D6B-B5B8-1370A5D55EEB}

TERM...............6 - CONSTANT NAUSEA W FREQUENT HEAVES

AND VOMITING


DATA VALUE: 6 - DRENCHING SWEAT

----------------------------------------------------------------------

ABBREVIATION........CIWA PS 6

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6 - Drenching Sweat

HELP_TEXT...........No Help Text

ID.................{7294B311-9032-4FE1-9779-363D19FD1FD3}

TERM...............6 - DRENCHING SWEAT


DATA VALUE: 6 - EXTREMELY SEVERE HALLUCINATIONS

----------------------------------------------------------------------

ABBREVIATION........CIWA 6

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6 - Extremely Severe Hallucinations

HELP_TEXT...........No Help Text

ID.................{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}

TERM...............6 - EXTREMELY SEVERE HALLUCINATIONS

DATA VALUE: 6 - OBEYS COMMANDS

--------------------------------------------------------------------

ABBREVIATION........6-oc

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6 - Obeys Commands

HELP_TEXT...........No Help Text

ID.................{0D4956F4-7E79-8D17-EDF3-274B96BBC89A}

TERM................6 - OBEYS COMMANDS


DATA VALUE: 6 - SEVERE EVEN WITH ARMS NOT EXTENDED

--------------------------------------------------------------------

ABBREVIATION........CIWA TR 6

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6 - Severe Even With Arms Not Extended

HELP_TEXT...........No Help Text

ID.................{9BCF893C-76D0-4A3E-80D0-281A917F1A08}

TERM................6 - SEVERE EVEN WITH ARMS NOT EXTENDED


DATA VALUE: 6 - VERY SEVERE

--------------------------------------------------------------------

ABBREVIATION........CIWA HA 6

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6 - Very Severe

HELP_TEXT...........No Help Text

ID.................{241C1EF4-2E2A-4D65-9991-607BB6B29E01}

TERM................6 - VERY SEVERE

DATA VALUE: 6 = VERY AGITATED

--------------------------------------------------------------------

ABBREVIATION........SAS VY AGI

ACTIVE..............Yes

DESCRIPTION.........Requiring restraint and frequent

verbal reminding of limits, biting

ETT

DISPLAY_NAME........6 = Very Agitated

HELP_TEXT...........Requiring restraint and frequent

verbal reminding of limits, biting

ETT

ID..................{B501606A-EEA7-470E-81BE-F51D422272F1}

TERM................6 = VERY AGITATED

DATA VALUE: 6 HOUR

--------------------------------------------------------------------

ABBREVIATION........6 HOUR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........6 Hour

HELP_TEXT...........No Help Text

ID..................{0D1F000A-01F0-422C-9CB8-2A04CD479444}

TERM................6 HOUR

DATA VALUE: 6 PERCENT HETASTARCH

----------------------------------------------------------------------

ABBREVIATION........6 PERC HET

ACTIVE..............Yes

DESCRIPTION.........6 Percent Hetastarch

DISPLAY_NAME........6 Percent Hetastarch

HELP_TEXT...........No Help Text

ID.................{D94072C9-87E8-46CA-929F-4904F3BD964C}

TERM...............6 PERCENT HETASTARCH


DATA VALUE: 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT

----------------------------------------------------------------------

ABBREVIATION........60 Min Rev

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........60 Minutes Since Administration of

            Reversal Agent

HELP_TEXT...........

ID.................{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}

TERM...............60 MINUTES SINCE ADMINISTRATION OF

            REVERSAL AGENT


DATA VALUE: 7 - ACUTE PANIC

----------------------------------------------------------------------

ABBREVIATION........CIWA AX 7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7 - Equivalent To Acute Panic States

HELP_TEXT...........No Help Text

ID..................{3F5E6786-FD67-405F-A535-EC1609910F14}

TERM................7 - ACUTE PANIC


DATA VALUE: 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

---------------------------------------------------------------------

ABBREVIATION........CIWA NV 7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7 - Constant Nausea W Frequent Heaves

          and Vomiting

HELP_TEXT...........No Help Text

ID..................{7F1076C4-C655-4BF2-8BB1-036F5169B619}

TERM................7 - CONSTANT NAUSEA W FREQUENT HEAVES

          AND VOMITING


DATA VALUE: 7 - CONTINUOUS HALLUCINATIONS

---------------------------------------------------------------------

ABBREVIATION........CIWA 7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7 - Continuous Hallucinations

HELP_TEXT...........No Help Text

ID..................{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

TERM................7 - CONTINUOUS HALLUCINATIONS

DATA VALUE: 7 - DRENCHING SWEAT

----------------------------------------------------------------------

ABBREVIATION........CIWA PS 7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7 - Drenching Sweat

HELP_TEXT...........No Help Text

ID.................{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}

TERM................7 - DRENCHING SWEAT


DATA VALUE: 7 - EXTREMELY SEVERE

----------------------------------------------------------------------

ABBREVIATION........CIWA HA 7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7 - Extremely Severe

HELP_TEXT...........No Help Text

ID.................{F8DCC910-D36D-480E-867E-B45221170C49}

TERM................7 - EXTREMELY SEVERE


DATA VALUE: 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW

----------------------------------------------------------------------

ABBREVIATION........CIWA AG 7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7 - Pacing Back And Forth The

        Interview/Thrashing

HELP_TEXT...........No Help Text

ID..................{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

TERM................7 - PACING BACK AND FORTH MOST OF THE

INTERVIEW

DATA VALUE: 7 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----------------------------------------------------------------------

ABBREVIATION........CIWA TR 7

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........7 - Severe Even With Arms Not Extended

HELP_TEXT...........No Help Text

ID..................{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

TERM................7 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 7 = DANGEROUS AGITATION

-----------------------------------------------------------------------

ABBREVIATION........SAS DA AGI

ACTIVE..............Yes

DESCRIPTION.........Pulling at ET tube, trying to remove

catheters, climbing over bedrail,

striking at staff, thrashing

side-to-side

DISPLAY_NAME........7 = Dangerous Agitation

HELP_TEXT...........Pulling at ET tube, trying to remove

catheters, climbing over bedrail,

striking at staff, thrashing

side-to-side

ID..................{0701FB25-1DF0-4771-8C81-AC19A985A3B6}

TERM................7 = DANGEROUS AGITATION

DATA VALUE: 8 - ACTIVITY DID NOT OCCUR

---------------------------------------------------------------

ABBREVIATION........8 d/n occ

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........8 - Activity Did Not Occur

HELP_TEXT...........

ID.................{8B586CC9-2360-4060-B660-021C25E28F0F}

TERM................8 - ACTIVITY DID NOT OCCUR


DATA VALUE: 8 HOUR

---------------------------------------------------------------

ABBREVIATION........8 HOUR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........8 Hour

HELP_TEXT...........No Help Text

ID.................{05E46D8F-C165-4552-8063-B735DECD4AF3}

TERM................8 HOUR


DATA VALUE: AAI

---------------------------------------------------------------

ABBREVIATION........AAI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AAI

HELP_TEXT...........No Help Text

ID.................{2DD18ACA-B98E-24D3-E760-6D082A76074B}

TERM................AAI


DATA VALUE: AAIR

--------------------------------------------------------------------

ABBREVIATION........AAIR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AAIR

HELP_TEXT...........No Help Text

ID..................{3B4B6F37-B631-BE32-F1C1-65B99D0C5018}

TERM................AAIR


DATA VALUE: AAO

--------------------------------------------------------------------

ABBREVIATION........AAO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AAO

HELP_TEXT...........No Help Text

ID..................{E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}

TERM................AAO

DATA VALUE: ABDOMINAL

----------------------------------------------------------------

ABBREVIATION........ABDOMINAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Abdominal

HELP_TEXT...........No Help Text

ID.................{29E279F4-5D2E-4644-A2FA-CF85BEDFD480}

TERM................ABDOMINAL


DATA VALUE: ABDUCTION PILLOW

----------------------------------------------------------------

ABBREVIATION........AbPillow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Abduction Pillow

HELP_TEXT...........

ID.................{9D42476C-E777-4D4C-89CF-8FACFEEE19C2}

TERM................ABDUCTION PILLOW


DATA VALUE: ABDUCTION-DECREASED

----------------------------------------------------------------

ABBREVIATION........Abduct-Dec

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Abduction-Decreased

HELP_TEXT...........

ID.................{3BFD5DE7-A6F8-4850-A17F-55A05CB2FE7A}

TERM................ABDUCTION-DECREASED


DATA VALUE: ABDUCTION-WNL

---------------------------------------------------------------------

ABBREVIATION........Abduct-WNL

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Abduction-WNL

HELP_TEXT...........

ID.................{68993B64-576D-4C71-B19C-D035532F20B3}

TERM................ABDUCTION-WNL


DATA VALUE: ABLE TO AMBULATE

---------------------------------------------------------------------

ABBREVIATION........AMBULAT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Able to Ambulate

HELP_TEXT...........No Help Text

ID.................{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}

TERM................ABLE TO AMBULATE

DATA VALUE: ABLE TO FOLLOW DIRECTION

----------------------------------------------------------------

ABBREVIATION........Follow Dir

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Able to Follow Direction

HELP_TEXT...........

ID.................{72621E3E-A350-4321-8A9C-EFCB0F614D36}

TERM................ABLE TO FOLLOW DIRECTION


DATA VALUE: ABNORMAL

----------------------------------------------------------------

ABBREVIATION........Abnormal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Abnormal

HELP_TEXT...........

ID.................{2469E391-60C5-4FF8-BEF7-809CD0F6E7F2}

TERM................ABNORMAL


DATA VALUE: ABOVE THE ELBOW

----------------------------------------------------------------

ABBREVIATION........AboveElbow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Above the Elbow

HELP_TEXT...........

ID.................{5149095F-3993-44B7-893F-7A89FB862EDB}

TERM................ABOVE THE ELBOW

DATA VALUE: ABOVE THE KNEE

----------------------------------------------------------------------

ABBREVIATION........AboveKnee

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Above the Knee

HELP_TEXT...........

ID.................{ED6B70A1-46A8-4C4D-A2E6-5B6DC6733D2F}

TERM................ABOVE THE KNEE

DATA VALUE: ABRASION

----------------------------------------------------------------------

ABBREVIATION........ABRASION

ACTIVE..............Yes

DESCRIPTION.........Abrasion

DISPLAY_NAME........Abrasion

HELP_TEXT...........No Help Text

ID.................{7E962B43-24B1-46D2-A79A-54811117271A}

TERM................ABRASION

DATA VALUE: ABSENT

--------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Absent

HELP_TEXT...........No Help Text

ID.................{6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

TERM................ABSENT


DATA VALUE: ABSENT TO MINIMAL BLEEDING

--------------------------------------------------------------------

ABBREVIATION........ABS BLEE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Absent to Minimal Bleeding

HELP_TEXT...........No Help Text

ID.................{123460FB-1A8D-45AB-B0A2-489EAB482F67}

TERM................ABSENT TO MINIMAL BLEEDING


DATA VALUE: ACCELERATING

--------------------------------------------------------------------

ABBREVIATION........ACCELERATI

ACTIVE..............Yes

DESCRIPTION.........Accelerating

DISPLAY_NAME........Accelerating

HELP_TEXT...........Accelerating

ID.................{514FE300-87EE-4C2C-AC70-5E57DBECAFF7}

TERM................ACCELERATING


DATA VALUE: ACHING

-------------------------------------------------------------------

ABBREVIATION........ACHING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Aching

HELP_TEXT...........No Help Text

ID.................{736BC1A4-2DA7-4A56-ACC0-28086EA103E0}

TERM................ACHING


DATA VALUE: ACID REFLUX

-------------------------------------------------------------------

ABBREVIATION........AcidReflux

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Acid Reflux

HELP_TEXT...........

ID.................{B27EE895-8D22-408D-A436-0A249CCADF22}

TERM................ACID REFLUX

DATA VALUE: ACTIVE RANGE OF MOTION

--------------------------------------------------------------------

ABBREVIATION........ACTIVE ROM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Active Range Of Motion

HELP_TEXT...........No Help Text

ID.................{F55E68F3-6788-47AE-B962-119413B4A089}

TERM................ACTIVE RANGE OF MOTION


DATA VALUE: ACTIVITIES OF DAILY LIVING

--------------------------------------------------------------------

ABBREVIATION........ADL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Activities of Daily Living

HELP_TEXT...........No Help Text

ID.................{12F2CA66-3DCE-443D-883C-119CE4838B4A}

TERM................ACTIVITIES OF DAILY LIVING


DATA VALUE: ACUTE

--------------------------------------------------------------------

ABBREVIATION........Acute

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Acute

HELP_TEXT...........

ID.................{42CDCFCB-27F4-4511-AF23-D5DB2C6CBE16}

TERM................ACUTE


DATA VALUE: ADMINISTRATION OF MEDS/FLUIDS/ENTERAL FEEDINGS

---------------------------------------------------------------------

ABBREVIATION........Adm M/F/EF

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Administration of Meds/Fluids/Enteral

       Feedings

HELP_TEXT...........

ID..................{17B15FC3-59D8-4897-A330-BC20382A6A47}

TERM................ADMINISTRATION OF MEDS/FLUIDS/ENTERAL

       FEEDINGS


DATA VALUE: ADMISSION

---------------------------------------------------------------------

ABBREVIATION........ADMISSION

ACTIVE..............Yes

DESCRIPTION.........Admission

DISPLAY_NAME........Admission

HELP_TEXT...........No Help Text

ID..................{483C2830-813A-46C3-A012-CCD70044B2A2}

TERM................ADMISSION

DATA VALUE: ADMISSION DIAGNOSIS

---------------------------------------------------------------------

ABBREVIATION........ADM DIAG

ACTIVE..............Yes

DESCRIPTION.........Admission Diagnosis

DISPLAY_NAME........Admission Diagnosis

HELP_TEXT...........Admission Diagnosis

ID.................{2EEC3F2F-9802-46C5-AB47-008AFA093A7F}

TERM................ADMISSION DIAGNOSIS


DATA VALUE: ADULT

---------------------------------------------------------------------

ABBREVIATION........ADULT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Adult

HELP_TEXT...........No Help Text

ID.................{37B557BE-B932-4757-8E08-5EA315E8AD1F}

TERM................ADULT


DATA VALUE: ADULT LARGE

---------------------------------------------------------------------

ABBREVIATION........AD LARGE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Adult Large

HELP_TEXT...........No Help Text

ID.................{38E64D72-2806-47FA-B82F-51844574F850}

TERM................ADULT LARGE


DATA VALUE: ADULT SMALL

------------------------------------------------------------------

ABBREVIATION........AD SMALL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Adult Small

HELP_TEXT...........No Help Text

ID.................{0161A4E5-713A-406B-B3FD-9ED13BEB5366}

TERM................ADULT SMALL


DATA VALUE: ADVANCED CARE PLANNING

------------------------------------------------------------------

ABBREVIATION........ADV CAR PL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Advanced Care Planning

HELP_TEXT...........No Help Text

ID.................{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}

TERM................ADVANCED CARE PLANNING

DATA VALUE: AGENT CASHIER

--------------------------------------------------------------------

ABBREVIATION........Cashier

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Agent Cashier

HELP_TEXT...........

ID.................{3849A887-F353-4215-88FD-DDD0188BE1BB}

TERM................AGENT CASHIER


DATA VALUE: AGGRESSIVE

--------------------------------------------------------------------

ABBREVIATION........R.C. AGGR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Aggressive

HELP_TEXT...........No Help Text

ID.................{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}

TERM................AGGRESSIVE


DATA VALUE: AGITATED

--------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Agitated

HELP_TEXT...........No Help Text

ID.................{BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}

TERM................AGITATED


DATA VALUE: AGITATED/HOSTILE

------------------------------------------------------------------

ABBREVIATION........Agita/Host

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Agitated/Hostile

HELP_TEXT...........

ID.................{B690A9D1-2686-465B-A0AA-12C04E80B210}

TERM................AGITATED/HOSTILE


DATA VALUE: AGONAL

------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Agonal

HELP_TEXT...........No Help Text

ID.................{1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}

TERM................AGONAL

DATA VALUE: AGONIZING

--------------------------------------------------------------------

ABBREVIATION........AGONIZING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Agonizing

HELP_TEXT...........No Help Text

ID.................{F43DF9E7-555B-49FF-987C-35F083D547AA}

TERM................AGONIZING


DATA VALUE: AICD

--------------------------------------------------------------------

ABBREVIATION........AICD

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........AICD

HELP_TEXT...........

ID.................{EDB0E730-A1DC-4639-888B-30E956CCA958}

TERM................AICD


DATA VALUE: AIR FLOW DEVICE

--------------------------------------------------------------------

ABBREVIATION........AIR FLOW D

ACTIVE..............Yes

DESCRIPTION.........Air Flow Device

DISPLAY_NAME........Air Flow Device

HELP_TEXT...........Air Flow Device

ID.................{60AF6215-CE2A-4EEE-9596-909E3E50BE71}

TERM................AIR FLOW DEVICE


DATA VALUE: AIR LEAK

---------------------------------------------------------------------

ABBREVIATION........AIR LEAK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Air Leak

HELP_TEXT...........No Help Text

ID.................{52E40E25-6D28-53EC-BC05-D1FEAA4616EF}

TERM................AIR LEAK


DATA VALUE: AIRBORNE

---------------------------------------------------------------------

ABBREVIATION........AIRBORNE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Airborne

HELP_TEXT...........No Help Text

ID.................{D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}

TERM................AIRBORNE

DATA VALUE: AIRWAY REFLEXES INTACT / SECRETIONS

-------------------------------------------------------------------

ABBREVIATION........AIR REFL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Airway Reflexes Intact Manages

          Secretions

HELP_TEXT...........No Help Text

ID.................{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}

TERM................AIRWAY REFLEXES INTACT / SECRETIONS


DATA VALUE: ALARMS ON

-------------------------------------------------------------------

ABBREVIATION........Alarms On

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Alarms On

HELP_TEXT...........

ID.................{A07F739F-3E78-405D-9012-E43CD84B2CBC}

TERM...............ALARMS ON


DATA VALUE: ALBUMIN

-------------------------------------------------------------------

ABBREVIATION........ALBUMIN

ACTIVE..............Yes

DESCRIPTION.........Albumin

DISPLAY_NAME........Albumin

HELP_TEXT...........No Help Text

ID.................{4CC265EE-F506-4752-8309-E569A25B40E5}

TERM................ALBUMIN


DATA VALUE: ALCOHOL PORT PROTECTOR

---------------------------------------------------------------------

ABBREVIATION........Al Port Pr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Alcohol Port Protector

HELP_TEXT...........

ID.................{785F47CF-A279-46F9-9073-B6A6A70E8888}

TERM................ALCOHOL PORT PROTECTOR


DATA VALUE: ALDRETE SCORE 8 OR GREATER

---------------------------------------------------------------------

ABBREVIATION........ALD 8+

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Aldrete Score 8 or Greater

HELP_TEXT...........No Help Text

ID.................{1FACE6D7-BC92-4579-8665-C5E1D3475461}

TERM................ALDRETE SCORE 8 OR GREATER

DATA VALUE: ALDRETE SCORE AT BASELINE

--------------------------------------------------------------------

ABBREVIATION........ALD BASE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Aldrete Score at Baseline

HELP_TEXT...........No Help Text

ID.................{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}

TERM................ALDRETE SCORE AT BASELINE


DATA VALUE: ALERT

--------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Alert

HELP_TEXT...........No Help Text

ID.................{BC7E2630-179A-5C80-E6C7-598D42F0BFD6}

TERM................ALERT


DATA VALUE: ALERT AND ORIENTED

--------------------------------------------------------------------

ABBREVIATION........AL AN OR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Alert and Oriented

HELP_TEXT...........No Help Text

ID.................{C031F776-36DF-4570-AFAF-A30B8BFA635B}

TERM................ALERT AND ORIENTED


DATA VALUE: ALL DOWN

---------------------------------------------------------------------

ABBREVIATION........ALL DOWN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........All Down

HELP_TEXT...........No Help Text

ID.................{76C14E79-95E2-49B7-B847-3B114653E98C}

TERM................ALL DOWN


DATA VALUE: ALL UP

---------------------------------------------------------------------

ABBREVIATION........ALL UP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........All Up

HELP_TEXT...........No Help Text

ID.................{48199083-ACC2-408C-9242-7A6313CD7A7F}

TERM................ALL UP

DATA VALUE: ALLERGY

--------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Allergy

HELP_TEXT...........No Help Text

ID.................{EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}

TERM................ALLERGY


DATA VALUE: ALLERGY WRISTBAND

--------------------------------------------------------------------

ABBREVIATION........Wristband

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Allergy Wristband

HELP_TEXT...........

ID.................{BB7F6746-102D-4CBA-8E53-EA465176812B}

TERM................ALLERGY WRISTBAND


DATA VALUE: ALOPECIA PARTIAL

--------------------------------------------------------------------

ABBREVIATION........ALOPE PART

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Alopecia Partial

HELP_TEXT...........No Help Text

ID.................{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}

TERM................ALOPECIA PARTIAL


DATA VALUE: ALOPECIA TOTAL

---------------------------------------------------------------------

ABBREVIATION........ALOPE TOTA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Alopecia Total

HELP_TEXT...........No Help Text

ID.................{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}

TERM................ALOPECIA TOTAL


DATA VALUE: ALPHABET BOARD

---------------------------------------------------------------------

ABBREVIATION........AlphaBoard

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Alphabet Board

HELP_TEXT...........

ID.................{FAB01262-6E11-4B09-9C23-58AE735E1DF2}

TERM................ALPHABET BOARD

DATA VALUE: AMBER

----------------------------------------------------------------

ABBREVIATION........AMBER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Amber

HELP_TEXT...........No Help Text

ID.................{90A13048-4C35-E01D-3482-64D782001D4A}

TERM...............AMBER


DATA VALUE: AMBULATE

----------------------------------------------------------------

ABBREVIATION........R.C. AMBU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Attempting To Ambulate When

          Unable/High Injury Risk

HELP_TEXT...........No Help Text

ID.................{54B72608-2C13-46CD-8034-00179669762C}

TERM...............AMBULATE


DATA VALUE: AMBULATE AND ASSIST

----------------------------------------------------------------

ABBREVIATION........AMB ASSIS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ambulate and Assist

HELP_TEXT...........No Help Text

ID.................{EB53ADD9-B5B0-4174-95C7-C4B33E80DBDC}

TERM................AMBULATE AND ASSIST


DATA VALUE: AMBULATED

----------------------------------------------------------------

ABBREVIATION........AMBULATED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ambulated

HELP_TEXT...........No Help Text

ID.................{017D99FE-91D5-49F1-AC15-50620879C466}

TERM................AMBULATED


DATA VALUE: AMBULATION/EXERCISE

----------------------------------------------------------------

ABBREVIATION........R.E. EXER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ambulation / Exercise

HELP_TEXT...........No Help Text

ID.................{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}

TERM...............AMBULATION/EXERCISE

DATA VALUE: AMBULATORY CARE UNIT

----------------------------------------------------------------------

ABBREVIATION........ACU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ambulatory Care Unit

HELP_TEXT...........No Help Text

ID.................{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}

TERM................AMBULATORY CARE UNIT


DATA VALUE: AMPUTEE

----------------------------------------------------------------------

ABBREVIATION........AMPUTEE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Amputee

HELP_TEXT...........No Help-Text

ID.................{5804286F-2B23-91BD-FCB5-6AD18C918203}

TERM................AMPUTEE


DATA VALUE: ANALGESIA

----------------------------------------------------------------------

ABBREVIATION........ANALGESIA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Analgesia

HELP_TEXT...........No Help Text

ID.................{5452ED11-25E1-437B-8048-3BB3E03BE3B9}

TERM................ANALGESIA


DATA VALUE: ANESTHESIOLOGIST

---------------------------------------------------------------------

ABBREVIATION........Anesthesio

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Anesthesiologist

HELP_TEXT...........

ID.................{44BAD970-DD8F-4015-9C41-AC7868CEBE79}

TERM................ANESTHESIOLOGIST


DATA VALUE: ANGINAL

---------------------------------------------------------------------

ABBREVIATION........ANGINAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Anginal

HELP_TEXT...........No Help Text

ID.................{ECF02415-4124-46D3-AA01-F21AC40FEFF7}

TERM................ANGINAL

DATA VALUE: ANGRY

--------------------------------------------------------------------

ABBREVIATION........Angry

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Angry

HELP_TEXT...........

ID.................{73D509EF-1B12-4985-A6A2-EC3656282C22}

TERM................ANGRY


DATA VALUE: ANNOYING

--------------------------------------------------------------------

ABBREVIATION........ANNOYING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Annoying

HELP_TEXT...........No Help Text

ID.................{53437530-57C9-4EA8-AC0D-36B5F2BD051D}

TERM................ANNOYING


DATA VALUE: ANTI-EMBOLUS STOCKINGS KNEE HIGH

--------------------------------------------------------------------

ABBREVIATION........ANT EMB KN

ACTIVE..............Yes

DESCRIPTION.........ANTI-EMBOLUS STOCKINGS KNEE HIGH

DISPLAY_NAME........Anti-Embolus Stockings Knee High

HELP_TEXT...........ANTI-EMBOLUS STOCKINGS KNEE HIGH

ID.................{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}

TERM................ANTI-EMBOLUS STOCKINGS KNEE HIGH


DATA VALUE: ANTI-EMBOLUS STOCKINGS THIGH HIGH

----------------------------------------------------------------------

ABBREVIATION........ANT EMB ST

ACTIVE..............Yes

DESCRIPTION.........ANTI-EMBOLUS STOCKINGS THIGH HIGH

DISPLAY_NAME........Anti-Embolus Stockings Thigh High

HELP_TEXT...........ANTI-EMBOLUS STOCKINGS THIGH HIGH

ID.................{9B32D3F3-47F1-886F-A59A-D8AB38A34754}

TERM................ANTI-EMBOLUS STOCKINGS THIGH HIGH


DATA VALUE: ANTI-MICROBIAL DRESSING

----------------------------------------------------------------------

ABBREVIATION........AB DRESSIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Anti-Microbial Dressing

HELP_TEXT...........No Help Text

ID.................{9734C5E9-D099-47EB-93B1-D82201F64331}

TERM................ANTI-MICROBIAL DRESSING

DATA VALUE: ANTIBIOTIC OINTMENT

---------------------------------------------------------------------

ABBREVIATION........AB OINTMEN

ACTIVE..............Yes

DESCRIPTION.........Antibiotic Ointment

DISPLAY_NAME........Antibiotic Ointment

HELP_TEXT...........No Help Text

ID.................{352D9690-77BB-44DC-919E-5357876DEAC4}

TERM................ANTIBIOTIC OINTMENT


DATA VALUE: ANTIMICROBIAL DISK

---------------------------------------------------------------------

ABBREVIATION........WOU DR ADI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Antimicrobial Disk

HELP_TEXT...........No Help-Text

ID.................{1F1745EA-D763-4AFD-9CED-82E974E57692}

TERM................ANTIMICROBIAL DISK


DATA VALUE: ANURIC

---------------------------------------------------------------------

ABBREVIATION........ANURIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Anuric

HELP_TEXT...........No Help Text

ID.................{0CCA4B44-7A59-4042-BAB9-EB2395A63C51}

TERM................ANURIC


DATA VALUE: ANXIOUS

--------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Anxious

HELP_TEXT...........No Help Text

ID.................{381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}

TERM................ANXIOUS


DATA VALUE: ANXIOUS ABOUT BEING LEFT ALONE

--------------------------------------------------------------------

ABBREVIATION........Anxious

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Anxious About Being Left Alone

HELP_TEXT...........

ID.................{1F3963C7-C0D7-4B8B-A5C1-5B391B938840}

TERM................ANXIOUS ABOUT BEING LEFT ALONE

DATA VALUE: AOO

--------------------------------------------------------------------

ABBREVIATION........AOO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AOO

HELP_TEXT...........No Help Text

ID.................{86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}

TERM................AOO


DATA VALUE: APATHETIC

--------------------------------------------------------------------

ABBREVIATION........Apathetic

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Apathetic

HELP_TEXT...........

ID.................{6942F95A-112E-4FF8-86DD-2108823015BC}

TERM................APATHETIC


DATA VALUE: APNEA

--------------------------------------------------------------------

ABBREVIATION........Apnea

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Apnea

HELP_TEXT...........

ID.................{BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}

TERM................APNEA


DATA VALUE: APPEARS ASLEEP

---------------------------------------------------------------------

ABBREVIATION........App Asleep

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Appears Asleep

HELP_TEXT...........

ID.................{8D1436B8-ADB0-4092-A0CE-383D74131AA8}

TERM...............APPEARS ASLEEP


DATA VALUE: APPLIANCE CHANGED

---------------------------------------------------------------------

ABBREVIATION........app change

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Appliance Changed

HELP_TEXT...........

ID.................{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}

TERM...............APPLIANCE CHANGED

DATA VALUE: APPROPRIATE

----------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Appropriate

HELP_TEXT...........No Help Text

ID.................{1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}

TERM................APPROPRIATE


DATA VALUE: ARGUMENTATIVE

----------------------------------------------------------------------

ABBREVIATION........Argumenta

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Argumentative

HELP_TEXT...........

ID.................{C47051A5-653A-4B5E-9019-52A33BF9CED7}

TERM................ARGUMENTATIVE


DATA VALUE: ARRHYTHMIA

----------------------------------------------------------------------

ABBREVIATION........Arrhythmi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Arrhythmia

HELP_TEXT...........

ID.................{F12E4852-27E7-4C2C-989F-E973EBDF2C62}

TERM................ARRHYTHMIA

DATA VALUE: ARTERIAL LINE

--------------------------------------------------------------------

ABBREVIATION........Art Line

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Arterial Line

HELP_TEXT...........

ID..................{03E84782-4771-4412-8686-8E368AF29B34}

TERM................ARTERIAL LINE

DATA VALUE: ARTERIAL LINE CARE

--------------------------------------------------------------------

ABBREVIATION........ART LINE C

ACTIVE..............Yes

DESCRIPTION.........Arterial Line Care

DISPLAY_NAME........Arterial Line Care

HELP_TEXT...........No Help Text

ID..................{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}

TERM................ARTERIAL LINE CARE

DATA VALUE: ARTICULATE

----------------------------------------------------------------

ABBREVIATION........Articulate

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Articulate

HELP_TEXT...........

ID.................{BB0EB19F-896F-4792-BA28-5D040DD029E2}

TERM................ARTICULATE


DATA VALUE: ARTIFICIAL AIRWAY

----------------------------------------------------------------

ABBREVIATION........ART AIRWAY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Artificial Airway

HELP_TEXT...........No Help Text

ID.................{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}

TERM................ARTIFICIAL AIRWAY


DATA VALUE: ARTIFICIAL VALVES

----------------------------------------------------------------

ABBREVIATION........Art Valves

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Artificial Valves

HELP_TEXT...........

ID.................{088BB4A5-A93E-47E2-B21F-BC2957D52693}

TERM................ARTIFICIAL VALVES


DATA VALUE: ASA PS 1

---------------------------------------------------------------------

ABBREVIATION........ASA PS 1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ASA PS 1

HELP_TEXT...........

ID.................{BAF1730E-C358-17F1-8DB8-4B6097AFF066}

TERM................ASA PS 1


DATA VALUE: ASA PS 2

---------------------------------------------------------------------

ABBREVIATION........ASA PS 2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ASA PS 2

HELP_TEXT...........

ID.................{070C0F56-3D9C-5430-EF9E-BF3B96DFB595}

TERM................ASA PS 2

DATA VALUE: ASA PS 3

----------------------------------------------------------------

ABBREVIATION........ASA PS 3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ASA PS 3

HELP_TEXT...........

ID.................{B041CE25-82D0-EDAD-C673-A64BCD6647F4}

TERM................ASA PS 3


DATA VALUE: ASA PS 4

----------------------------------------------------------------

ABBREVIATION........ASA PS 4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ASA PS 4

HELP_TEXT...........

ID.................{040841C3-D933-E687-C7E0-29F439C08778}

TERM................ASA PS 4


DATA VALUE: ASA PS 5

----------------------------------------------------------------

ABBREVIATION........ASA PS 5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ASA PS 5

HELP_TEXT...........

ID.................{1F7B73A6-3F8E-E230-1C23-C7DF92032E58}

TERM................ASA PS 5


DATA VALUE: ASEPTIC TECHNIQUE FOLLOWED

--------------------------------------------------------------------

ABBREVIATION........Aseptic

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Aseptic Technique Followed

HELP_TEXT...........

ID.................{2DE69DDB-F455-4570-A821-C81F39FD2574}

TERM................ASEPTIC TECHNIQUE FOLLOWED


DATA VALUE: ASHEN

--------------------------------------------------------------------

ABBREVIATION........ASHEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ashen

HELP_TEXT...........No Help-Text

ID.................{7431E4EC-DCF1-4966-85CB-29BF65311855}

TERM................ASHEN

DATA VALUE: ASLEEP AT ROUNDS

----------------------------------------------------------------

ABBREVIATION........SLEEP ROUN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Appeared Asleep At All Rounds

HELP_TEXT...........No Help Text

ID.................{24E1D9F0-D8F1-4DC8-911F-6170F343C087}

TERM................ASLEEP AT ROUNDS


DATA VALUE: ASPIRATION

----------------------------------------------------------------

ABBREVIATION........ASPIRATION

ACTIVE..............Yes

DESCRIPTION.........Aspiration

DISPLAY_NAME........Aspiration

HELP_TEXT...........No Help Text

ID.................{68B91085-8E3C-4B94-9F97-6305F5DFD900}

TERM................ASPIRATION


DATA VALUE: ASPIRATION OF GASTRIC CONTENTS FOR SPECIMEN

----------------------------------------------------------------

ABBREVIATION........AspofGastr

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Aspiration of Gastric Contents for

Specimen

HELP_TEXT..........

ID.................{67DD42D8-E1D9-4A06-A49C-E331CBC4EA8D}

TERM...............ASPIRATION OF GASTRIC CONTENTS FOR

SPECIMEN


DATA VALUE: ASSAULTIVE

--------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Assaultive

HELP_TEXT...........No Help Text

ID.................{99ECD8C7-191A-3B9C-2A7A-803A921065FA}

TERM...............ASSAULTIVE


DATA VALUE: ASSESS FOR CONTINUING NEED FOR DEVICE

--------------------------------------------------------------------

ABBREVIATION........AssessNeed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Assess for Continuing Need for Device

HELP_TEXT...........

ID.................{C6407B93-3747-4A0F-9158-C2EC75FB896B}

TERM...............ASSESS FOR CONTINUING NEED FOR DEVICE

DATA VALUE: ASSIGNED ONE TO ONE SITTER

-----------------------------------------------------------------

ABBREVIATION........One to One

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Assigned One to One Sitter

HELP_TEXT...........

ID.................{07D48368-101F-4974-9EC5-7CB182A39281}

TERM...............ASSIGNED ONE TO ONE SITTER


DATA VALUE: ASSIST CONTROL

-----------------------------------------------------------------

ABBREVIATION........AC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Assist Control

HELP_TEXT...........No Help Text

ID.................{862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}

TERM...............ASSIST CONTROL


DATA VALUE: ASSISTED

-----------------------------------------------------------------

ABBREVIATION........ASSISTED

ACTIVE..............Yes

DESCRIPTION.........Assisted

DISPLAY_NAME........Assisted

HELP_TEXT...........No Help Text

ID.................{65069804-39BF-41ED-9EA3-BF2C41389F10}

TERM................ASSISTED


DATA VALUE: ASSISTIVE LISTENING DEVICE (HEARING AID, HEARING AMPLIFIER)

-----------------------------------------------------------------------

ABBREVIATION........AssistList

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Assistive Listening Device (Hearing

       Aid, Hearing Amplifier)

HELP_TEXT...........

ID.................{5F2027AC-BAD1-4BD4-A729-6143FB7EEE4F}

TERM................ASSISTIVE LISTENING DEVICE (HEARING

       AID, HEARING AMPLIFIER)


DATA VALUE: ASYSTOLE

-----------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Asystole

HELP_TEXT...........No Help Text

ID.................{6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}

TERM................ASYSTOLE

DATA VALUE: ATRIAL

-------------------------------------------------------------------

ABBREVIATION........a

ACTIVE..............Yes

DESCRIPTION.........ATRIAL

DISPLAY_NAME........Atrial

HELP_TEXT...........No Help Text

ID.................{266D2FDA-5D6A-203D-6FF0-8282D49BFD67}

TERM................ATRIAL


DATA VALUE: ATRIAL FIB/FLUTTER

-------------------------------------------------------------------

ABBREVIATION........af

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Atrial Fib/Flutter

HELP_TEXT...........No Help Text

ID.................{9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}

TERM................ATRIAL FIB/FLUTTER


DATA VALUE: ATRIAL FIBRILLATION

-------------------------------------------------------------------

ABBREVIATION........a fib

ACTIVE..............Yes

DESCRIPTION.........Atrial Fibrillation

DISPLAY_NAME........Atrial Fibrillation

HELP_TEXT...........Atrial Fibrillation

ID.................{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}

TERM................ATRIAL FIBRILLATION


DATA VALUE: ATRIAL FLUTTER

--------------------------------------------------------------------

ABBREVIATION........af

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Atrial Flutter

HELP_TEXT...........No Help Text

ID.................{9CB8D413-6762-D78E-F40E-25DB66CD23B3}

TERM................ATRIAL FLUTTER


DATA VALUE: ATTENDS/BRIEFS

--------------------------------------------------------------------

ABBREVIATION........Briefs

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Attends/Briefs

HELP_TEXT...........

ID.................{6F05A79D-CF1C-49AD-90F5-F000F200183B}

TERM................ATTENDS/BRIEFS

DATA VALUE: ATTENTIVE

--------------------------------------------------------------------

ABBREVIATION........Attentive

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Attentive

HELP_TEXT...........

ID.................{F7A62675-3DD8-4CE3-A541-24F7D5F9CCF7}

TERM................ATTENTIVE


DATA VALUE: ATTIRE APPROPRIATE

--------------------------------------------------------------------

ABBREVIATION........Attire App

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Attire Appropriate

HELP_TEXT...........

ID.................{92C2EEFD-DAE4-4DC6-89C0-D21E2B8C1545}

TERM................ATTIRE APPROPRIATE


DATA VALUE: ATTIRE IN APPROPRIATE

--------------------------------------------------------------------

ABBREVIATION........Attire In

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Attire Inappropriate

HELP_TEXT...........

ID.................{51A9920F-B920-4E62-BF5F-5EAC9324007A}

TERM................ATTIRE IN APPROPRIATE


DATA VALUE: AUDIBLE "SCUFFING TOE"

----------------------------------------------------------------------

ABBREVIATION........Scuff Toe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Audible "Scuffing Toe"

HELP_TEXT...........

ID.................{FF11D53C-0251-43D6-9CA4-D669A62C1EC6}

TERM...............AUDIBLE "SCUFFING TOE"


DATA VALUE: AUSCULTATION

----------------------------------------------------------------------

ABBREVIATION........AUSCULTATI

ACTIVE..............Yes

DESCRIPTION.........Auscultation

DISPLAY_NAME........Auscultation

HELP_TEXT...........Auscultation

ID.................{B9D756DF-74F5-4604-B781-D7BC512FC453}

TERM...............AUSCULTATION

DATA VALUE: AUTOLOGOUS

----------------------------------------------------------------

ABBREVIATION........Autologous

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Autologous

HELP_TEXT...........

ID.................{666DDEC1-5D32-47F6-813C-09F50B4040D2}

TERM...............AUTOLOGOUS


DATA VALUE: AVF

----------------------------------------------------------------

ABBREVIATION........AVF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AVF

HELP_TEXT...........No Help Text

ID.................{C8E97206-58AA-47C0-BD2E-7A30E56DB46A}

TERM...............AVF


DATA VALUE: AVI

----------------------------------------------------------------

ABBREVIATION........AVI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AVI

HELP_TEXT...........No Help Text

ID.................{8BB49456-FB80-4916-6EBE-06837BF12B0C}

TERM................AVI


DATA VALUE: AVL

------------------------------------------------------------------

ABBREVIATION........AVL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AVL

HELP_TEXT...........No Help Text

ID.................{9124A193-5F50-448D-9E60-C5869EC4029C}

TERM................AVL


DATA VALUE: AVO

------------------------------------------------------------------

ABBREVIATION........AVO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AVO

HELP_TEXT...........No Help Text

ID.................{02EA752A-D156-96E6-3D28-3D389FFC7B58}

TERM................AVO

DATA VALUE: AVOIDANT

--------------------------------------------------------------------

ABBREVIATION........Avoidant

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Avoidant

HELP_TEXT...........

ID.................{4979C5A5-C03B-4893-8155-40CDC1833C05}

TERM................AVOIDANT


DATA VALUE: AVOIDED LIGHT AND NOISE OVERSTIMULATION

--------------------------------------------------------------------

ABBREVIATION........Avoid Lght

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Avoided Light and Noise Overstimulation

HELP_TEXT...........

ID.................{135BE5DC-B93B-4A72-97AC-B423A6E81538}

TERM................AVOIDED LIGHT AND NOISE OVERSTIMULATION


DATA VALUE: AVR

--------------------------------------------------------------------

ABBREVIATION........AVR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AVR

HELP_TEXT...........No Help Text

ID.................{04AF2551-1185-4BA9-AEED-977D562D188A}

TERM................AVR


DATA VALUE: AWAKE

----------------------------------------------------------------

ABBREVIATION........Awake

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Awake

HELP_TEXT...........

ID.................{D71412D4-5782-46BA-AE6C-24EDC586AE55}

TERM................AWAKE


DATA VALUE: BACK BRACE

----------------------------------------------------------------

ABBREVIATION........Back Brace

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Back Brace

HELP_TEXT...........

ID.................{59B795E9-3010-46FB-B42F-B2907F2FABFB}

TERM................BACK BRACE

DATA VALUE: BACTERICIDAL

-----------------------------------------------------------------

ABBREVIATION........BACTERIOCI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bactericidal

HELP_TEXT...........No Help-Text

ID.................{680E4A3C-A40A-461E-818D-003AE8A1EFC8}

TERM................BACTERICIDAL


DATA VALUE: BACTERIOSTATIC

-----------------------------------------------------------------

ABBREVIATION........BACTERIOST

ACTIVE..............Yes

DESCRIPTION.........Bacteriostatic

DISPLAY_NAME........Bacteriostatic

HELP_TEXT...........No Help Text

ID.................{AB74D109-8ED7-4A6C-B028-7A041781DF67}

TERM................BACTERIOSTATIC


DATA VALUE: BAG - CONTINUOUS

-----------------------------------------------------------------

ABBREVIATION........Bag - cont

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Bag - Continuous

HELP_TEXT...........

ID.................{F072EF8A-B38B-4D75-82BF-D5EF851784B0}

TERM................BAG - CONTINUOUS


DATA VALUE: BAG - INTERMITTENT

---------------------------------------------------------------------

ABBREVIATION........Bag - inte

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bag - Intermittent

HELP_TEXT...........

ID.................{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}

TERM................BAG - INTERMITTENT


DATA VALUE: BAG CHANGE

---------------------------------------------------------------------

ABBREVIATION........Bag Chg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bag Change

HELP_TEXT...........

ID.................{BC58D518-A742-410B-BE33-732C04D303BD}

TERM................BAG CHANGE

DATA VALUE: BAG CHANGED

----------------------------------------------------------------------

ABBREVIATION........BAG CHANGE

ACTIVE..............Yes

DESCRIPTION.........Changed Bag

DISPLAY_NAME........Bag Changed

HELP_TEXT...........No Help Text

ID.................{818990DE-4F95-4F8E-92D8-B4D3B975CB36}

TERM................BAG CHANGED


DATA VALUE: BAG/MASK & O2 SET UP

----------------------------------------------------------------------

ABBREVIATION........Bag/Mask

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bag/Mask & O2 Set Up

HELP_TEXT...........

ID.................{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}

TERM................BAG/MASK & O2 SET UP


DATA VALUE: BALANCE IMPAIRMENT

----------------------------------------------------------------------

ABBREVIATION........Balance

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Balance Impairment

HELP_TEXT...........

ID.................{412DDCDD-4CB0-4AE4-A591-E11419EB9AF0}

TERM................BALANCE IMPAIRMENT


DATA VALUE: BALSAM OF PERU

--------------------------------------------------------------------

ABBREVIATION........WOU DR PER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Balsam Of Peru

HELP_TEXT...........No Help-Text

ID.................{DD412BB1-B1C1-4A48-A38F-832629448E06}

TERM................BALSAM OF PERU


DATA VALUE: BARIATRIC EQUIPMENT

--------------------------------------------------------------------

ABBREVIATION........Bariatric

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bariatric Equipment

HELP_TEXT...........

ID.................{D50E0B3F-39A8-4CC5-9FE8-E11EF3386CFC}

TERM................BARIATRIC EQUIPMENT

DATA VALUE: BARIATRIC FRAME

--------------------------------------------------------------------

ABBREVIATION........BARI FRAME

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bariatric Frame

HELP_TEXT...........No Help Text

ID.................{CF95B426-F280-451B-86F2-CEF7A1A2B967}

TERM................BARIATRIC FRAME


DATA VALUE: BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT

--------------------------------------------------------------------

ABBREVIATION........BAR L AIR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bariatric Low Airloss Mattress

            Replacement

HELP_TEXT...........No Help Text

ID.................{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}

TERM................BARIATRIC LOW AIRLOSS MATTRESS

            REPLACEMENT


DATA VALUE: BARIATRIC PATIENT

--------------------------------------------------------------------

ABBREVIATION........BARIAC PAT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bariatric Patient

HELP_TEXT...........No Help Text

ID..................{6F614334-685E-4533-A475-BDF5440855EA}

TERM................BARIATRIC PATIENT


DATA VALUE: BATHING LIFTS

------------------------------------------------------------------

ABBREVIATION........BathLift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bathing Lifts

HELP_TEXT...........

ID..................{BD0E8173-171B-4F8E-AA83-5C4B0E39FD10}

TERM................BATHING LIFTS


DATA VALUE: BATHROOM

------------------------------------------------------------------

ABBREVIATION........b

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bathroom

HELP_TEXT...........No Help Text

ID..................{D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}

TERM................BATHROOM

DATA VALUE: BATHROOM PRIVILEGES

-------------------------------------------------------------------

ABBREVIATION........BATHR PRIV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bathroom Privileges

HELP_TEXT...........No Help Text

ID.................{29C1B6DD-3308-4DED-9970-1322A97C633B}

TERM................BATHROOM PRIVILEGES


DATA VALUE: BED

-------------------------------------------------------------------

ABBREVIATION........BED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bed

HELP_TEXT...........No Help Text

ID.................{7E447C9C-41A0-43C9-AF63-38D6EA68279C}

TERM................BED


DATA VALUE: BED EXIT ALARM

-------------------------------------------------------------------

ABBREVIATION........BED EXIT A

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bed Exit Alarm

HELP_TEXT...........No Help Text

ID.................{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}

TERM................BED EXIT ALARM

DATA VALUE: BEDPAN

---------------------------------------------------------------------

ABBREVIATION........Bedpan

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bedpan

HELP_TEXT...........

ID.................{9DA7CF44-CB93-40E9-8505-CB2DAB4357DC}

TERM................BEDPAN

DATA VALUE: BEDREST

---------------------------------------------------------------------

ABBREVIATION........BEDREST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bedrest

HELP_TEXT...........No Help Text

ID.................{8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}

TERM................BEDREST

DATA VALUE: BEDSIDE

-------------------------------------------------------------------

ABBREVIATION........Bedside

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bedside

HELP_TEXT...........

ID.................{481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}

TERM................BEDSIDE


DATA VALUE: BEDSIDE COMMODE

-------------------------------------------------------------------

ABBREVIATION........Bedside Cm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bedside Commode

HELP_TEXT...........

ID.................{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}

TERM................BEDSIDE COMMODE


DATA VALUE: BEHAVIORAL

-------------------------------------------------------------------

ABBREVIATION........Behavioral

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Behavioral

HELP_TEXT...........

ID.................{A996A20C-2FD1-497B-857B-2728D18D51FB}

TERM................BEHAVIORAL


DATA VALUE: BELCHING

----------------------------------------------------------------------

ABBREVIATION........Belching

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Belching

HELP_TEXT...........

ID.................{F0BF9D4D-F89E-41A1-A99F-90089FC619BD}

TERM................BELCHING


DATA VALUE: BELOW THE ELBOW

----------------------------------------------------------------------

ABBREVIATION........BelowElbow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Below the Elbow

HELP_TEXT...........

ID.................{D897F561-6488-401E-B8DD-BD04CBF3B6F5}

TERM................BELOW THE ELBOW

DATA VALUE: BELOW THE KNEE

----------------------------------------------------------------------

ABBREVIATION........Belowknee

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Below the Knee

HELP_TEXT...........

ID.................{BCFFF8CC-7E7D-44AE-B5CA-A6F2254106C1}

TERM................BELOW THE KNEE


DATA VALUE: BIER BLOCK

----------------------------------------------------------------------

ABBREVIATION........Bier Blk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bier Block

HELP_TEXT...........

ID.................{241C28E7-6040-4ABC-B76C-4255452C66FD}

TERM................BIER BLOCK


DATA VALUE: BIGEMINY

----------------------------------------------------------------------

ABBREVIATION........Bigeminy

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bigeminy

HELP_TEXT...........

ID.................{729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}

TERM................BIGEMINY


DATA VALUE: BILATERAL

-------------------------------------------------------------------

ABBREVIATION........Bilateral

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bilateral

HELP_TEXT...........No Help Text

ID.................{FCD5361B-C674-473C-8F29-7B08650BA338}

TERM................BILATERAL


DATA VALUE: BIPAP - RESPIRONICS

-------------------------------------------------------------------

ABBREVIATION........BIPAP RESP

ACTIVE..............Yes

DESCRIPTION.........BiPap machine by Respironics

DISPLAY_NAME........Bipap - Respironics

HELP_TEXT...........No Help Text

ID.................{AA94A723-4C68-489F-88AC-2C6F276EAB76}

TERM................BIPAP - RESPIRONICS

DATA VALUE: BIPAP - VISION

-----------------------------------------------------------------

ABBREVIATION........BIPAP VISI

ACTIVE..............Yes

DESCRIPTION.........BiPap ventilator made by Vision

DISPLAY_NAME........Bipap - Vision

HELP_TEXT...........No Help Text

ID.................{AA39C765-BA1F-4289-B459-200A57C07FFF}

TERM................BIPAP - VISION


DATA VALUE: BIPAP/CPAP

-----------------------------------------------------------------

ABBREVIATION........BIPAP/CPAP

ACTIVE..............Yes

DESCRIPTION.........BiPap / CPAP machine

DISPLAY_NAME........BiPap / CPAP machine

HELP_TEXT...........No Help Text

ID.................{8D767C67-3712-410F-A96B-69C731E03C5D}

TERM................BIPAP/CPAP


DATA VALUE: BIPHASIC POSITIVE AIRWAY PRESSURE

-----------------------------------------------------------------

ABBREVIATION........BiPAP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........BiPap

HELP_TEXT...........No Help Text

ID.................{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}

TERM...............BIPHASIC POSITIVE AIRWAY PRESSURE


DATA VALUE: BISMUTH GAUZE

---------------------------------------------------------------------

ABBREVIATION........WOU DR BIS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bismuth Gauze

HELP_TEXT...........No Help-Text

ID.................{010DED59-C808-4D92-A7F8-87AEB86B4439}

TERM...............BISMUTH GAUZE


DATA VALUE: BITE

---------------------------------------------------------------------

ABBREVIATION........Bite

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bite

HELP_TEXT...........No Help Text

ID.................{FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}

TERM...............BITE

DATA VALUE: BITE BLOCK

--------------------------------------------------------------------

ABBREVIATION........BITE BLOCK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bite Block

HELP_TEXT...........No Help Text

ID.................{E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}

TERM................BITE BLOCK


DATA VALUE: BIZARRE

--------------------------------------------------------------------

ABBREVIATION........Bizarre

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bizarre

HELP_TEXT...........

ID.................{1B03F376-6BD7-4FD3-BD43-26B1A95B4F57}

TERM................BIZARRE


DATA VALUE: BLACK

--------------------------------------------------------------------

ABBREVIATION........BLACK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Black

HELP_TEXT...........No Help Text

ID.................{7A55AFB9-6861-4918-0746-3D67D47FE5C3}

TERM................BLACK

DATA VALUE: BLACK/NECROTIC

--------------------------------------------------------------------

ABBREVIATION........BLACK/NECR

ACTIVE..............Yes

DESCRIPTION.........Black / Necrotic

DISPLAY_NAME........Black / Necrotic

HELP_TEXT...........No Help Text

ID.................{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}

TERM................BLACK/NECROTIC

DATA VALUE: BLADDER SCAN

--------------------------------------------------------------------

ABBREVIATION........Blad Scan

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bladder Scan

HELP_TEXT...........

ID.................{6C66BC97-1042-4E53-A49F-69AB7ABEE551}

TERM................BLADDER SCAN

DATA VALUE: BLADDER TRAINING

----------------------------------------------------------------

ABBREVIATION........Blad Train

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bladder Training

HELP_TEXT...........

ID.................{DB8DDD0C-C61F-4B40-93CE-A24759080974}

TERM................BLADDER TRAINING


DATA VALUE: BLANCHED

----------------------------------------------------------------

ABBREVIATION........Blanched

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Blanched

HELP_TEXT...........

ID.................{EBB2EA8D-04BC-49E7-812A-62B46F0F4678}

TERM................BLANCHED


DATA VALUE: BLAND

----------------------------------------------------------------

ABBREVIATION........BLAND

ACTIVE..............Yes

DESCRIPTION.........BLAND DIET

DISPLAY_NAME........BLAND

HELP_TEXT...........No Help Text

ID.................{38930AFE-ECF7-4548-857C-854E1B5BE148}

TERM................BLAND


DATA VALUE: BLEEDING

----------------------------------------------------------------------

ABBREVIATION........Bleeding

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bleeding

HELP_TEXT...........

ID..................{B04CC38B-CB59-4E71-A3E0-1DBF11D152CD}

TERM................BLEEDING


DATA VALUE: BLISTERING

----------------------------------------------------------------------

ABBREVIATION........BLISTERING

ACTIVE..............Yes

DESCRIPTION.........Blistering

DISPLAY_NAME........Blistering

HELP_TEXT...........No Help Text

ID..................{3A4212D5-F2A8-4636-BB7F-F36FA8CED192}

TERM................BLISTERING

DATA VALUE: BLOATING

-----------------------------------------------------------------

ABBREVIATION........Bloating

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bloating

HELP_TEXT...........

ID.................{5B8258C5-9C46-4071-B4A6-E94632252A88}

TERM................BLOATING


DATA VALUE: BLOCKING

-----------------------------------------------------------------

ABBREVIATION........Blocking

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Blocking

HELP_TEXT...........

ID.................{031E84F8-95F8-4B2B-93A1-DEACB4A702BA}

TERM................BLOCKING


DATA VALUE: BLOOD GLUCOSE MONITORING

-----------------------------------------------------------------

ABBREVIATION........Bl Glu Mon

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Blood Glucose Monitoring

HELP_TEXT...........

ID.................{525C8F3C-F8F5-4158-9CDE-3A7B306BADC5}

TERM................BLOOD GLUCOSE MONITORING


DATA VALUE: BLOOD PRESSURE

---------------------------------------------------------------------

ABBREVIATION........Blood Pres

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Blood Pressure

HELP_TEXT...........

ID.................{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}

TERM................BLOOD PRESSURE


DATA VALUE: BLOOD STREAKED

---------------------------------------------------------------------

ABBREVIATION........BLOOD STRE

ACTIVE..............Yes

DESCRIPTION.........Blood Streaked

DISPLAY_NAME........Blood Streaked

HELP_TEXT...........Blood Streaked

ID.................{AEC5607D-806F-49AE-8436-DC47F49F39BC}

TERM................BLOOD STREAKED

DATA VALUE: BLOOD TRANSFUSION IV

---------------------------------------------------------------

ABBREVIATION........Bl TRAN IV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Blood Transfusion IV

HELP_TEXT...........No Help Text

ID.................{27A0BE4C-433C-F920-BAC2-066F304BDF59}

TERM................BLOOD TRANSFUSION IV


DATA VALUE: BLOODY

---------------------------------------------------------------

ABBREVIATION........BLOODY

ACTIVE..............Yes

DESCRIPTION.........Containing blood

DISPLAY_NAME........Bloody

HELP_TEXT...........No Help Text

ID.................{D7904E84-8331-D6DD-F2C0-7F3039C5746A}

TERM................BLOODY


DATA VALUE: BLUE

---------------------------------------------------------------

ABBREVIATION........BLUE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Blue

HELP_TEXT...........No Help Text

ID.................{8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}

TERM................BLUE


DATA VALUE: BLUNTED

---------------------------------------------------------------------

ABBREVIATION........Blunted

ACTIVE..............Yes

DESCRIPTION.........Blunted

DISPLAY_NAME........Blunted

HELP_TEXT...........No Help Text

ID.................{F119F2DA-9182-2480-BA75-02D39F4FF69B}

TERM................BLUNTED


DATA VALUE: BLURRED VISION

---------------------------------------------------------------------

ABBREVIATION........Blurred Vi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Blurred Vision

HELP_TEXT...........

ID.................{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}

TERM................BLURRED VISION

DATA VALUE: BMI>35KG/M2

----------------------------------------------------------------

ABBREVIATION........BMI>35KG/M

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........BMI > 35kg/m2

HELP_TEXT...........

ID.................{FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}

TERM................BMI>35KG/M2


DATA VALUE: BODY ODOR

----------------------------------------------------------------

ABBREVIATION........Body Odor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Body Odor

HELP_TEXT...........

ID.................{4EBF01BA-0BBF-4DDD-828F-01489D95B41E}

TERM................BODY ODOR


DATA VALUE: BONE

----------------------------------------------------------------

ABBREVIATION........BONE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bone

HELP_TEXT...........No Help Text

ID.................{3729DEB9-0967-4B32-86B7-409CF27C8625}

TERM................BONE


DATA VALUE: BOOST

----------------------------------------------------------------

ABBREVIATION........Boost

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Boost

HELP_TEXT...........

ID.................{2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}

TERM................BOOST


DATA VALUE: BOOST PLUS

----------------------------------------------------------------

ABBREVIATION........Boost Plus

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Boost Plus

HELP_TEXT...........

ID.................{432C8151-10CE-4804-939D-6B6B609BE54A}

TERM................BOOST PLUS

DATA VALUE: BORDERLINE REDUCED

---------------------------------------------------------------------

ABBREVIATION........BORD REDUC

ACTIVE..............Yes

DESCRIPTION.........Borderline Reduced

DISPLAY_NAME........Borderline Reduced

HELP_TEXT...........No Help Text

ID.................{63703AB1-6249-403B-BDE8-FECA9FA36CF5}

TERM................BORDERLINE REDUCED

DATA VALUE: BOWEL TRAINING

---------------------------------------------------------------------

ABBREVIATION........BowelTrain

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bowel Training

HELP_TEXT...........

ID.................{071E4311-63C0-4FA1-8AAE-4D54D5912E68}

TERM................BOWEL TRAINING

DATA VALUE: BRADEN FRICTION AND SHEAR 1  PROBLEM

---------------------------------------------------------------------

ABBREVIATION........BS F/S 1

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Friction and Shear 1

            Problem

DISPLAY_NAME........1 - Problem

HELP_TEXT...........Requires moderate to maximum

assistance in moving. Complete

lifting without sliding against

sheets is impossible. Frequently

slides down in bed or chair,

requiring frequent repositioning with

maximum assistance.

ID.................{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}

TERM................BRADEN FRICTION AND SHEAR 1  PROBLEM


DATA VALUE: BRADEN SCALE ACTIVITY 1 BEDFAST

---------------------------------------------------------------------

ABBREVIATION........BS ACT 1

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Activity 1 Bedfast

DISPLAY_NAME........1 - Bedfast

HELP_TEXT...........Confined to bed

ID.................{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}

TERM................BRADEN SCALE ACTIVITY 1 BEDFAST


DATA VALUE: BRADEN SCALE ACTIVITY 2 CHAIRFAST

---------------------------------------------------------------------

ABBREVIATION........BS ACT 2

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Activity 2 Chairfast

DISPLAY_NAME........2 - Chairfast

HELP_TEXT...........Ability to walk severely limited or

non-existent. Cannot bear own weight

and/or must be assisted into chair or

wheelchair.

ID.................{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}

TERM................BRADEN SCALE ACTIVITY 2 CHAIRFAST

DATA VALUE: BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY

----------------------------------------------------------------

ABBREVIATION........BS ACT 3

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Activity 3 Walks

Occasionally

DISPLAY_NAME........3 - Walks Occasionally

HELP_TEXT...........Walks occasionally during day, but

for very short distances, with or

without assistance. Spends majority

of each shift in bed or chair.

ID..................{E47B47BC-6097-4602-9184-BF5A4F6D686A}

TERM................BRADEN SCALE ACTIVITY 3 WALKS

OCCASIONALLY

DATA VALUE: BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY

----------------------------------------------------------------

ABBREVIATION........BS ACT 4

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Activity 4 Walks

Frequently

DISPLAY_NAME........4 - Walks Frequently

HELP_TEXT...........Walks outside room at least twice a

day and inside room at least once

every two hours during waking hours.

ID..................{C5A8C2EA-E042-4804-9812-77603C47FC6A}

TERM................BRADEN SCALE ACTIVITY 4 WALKS

FREQUENTLY

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM

------------------------------------------------------------------------

ABBREVIATION........BS F/S 2

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Friction and Shear 2

Potential Problem

DISPLAY_NAME........2 - Potential Problem

HELP_TEXT...........Moves feebly or requires minimum

assistance. During a move skin

probably slides to some extent

against sheets, chair, restraints or

other devices. Maintains relatively

good position in chair or bed most of

the time but occasionally slides down

ID.................{B56338A9-8956-4D27-8BA0-DA50E07359E0}

TERM................BRADEN SCALE FRICTION AND SHEAR 2

POTENTIAL PROBLEM


DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM

------------------------------------------------------------------------

ABBREVIATION........BS F/S 3

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Friction and Shear 3 No

Apparent Problem

DISPLAY_NAME........3 - No Apparent Problem

HELP_TEXT...........No Apparent Problem

ID.................{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

TERM................BRADEN SCALE FRICTION AND SHEAR 3 NO

APPARENT PROBLEM

DATA VALUE: BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE

------------------------------------------------------------------------

ABBREVIATION........BS MOB 1

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Mobility 1 Completely

          Immobile

DISPLAY_NAME........1 - Completely Immobile

HELP_TEXT...........Does not make even slight changes in

          body or extremity position without

          assistance

ID..................{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}

TERM................BRADEN SCALE MOBILITY 1 COMPLETELY

          IMMOBILE

DATA VALUE: BRADEN SCALE MOBILITY 2 VERY LIMITED

-----------------------------------------------------------------

ABBREVIATION........BS MOB 2

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Mobility 2 Very Limited

DISPLAY_NAME........2 - Very Limited

HELP_TEXT...........Makes occasional slight changes in

body or extremity position but unable

to make frequent or significant

changes independently

ID..................{868EFA33-877E-4B91-B4FD-9655F66A7160}

TERM................BRADEN SCALE MOBILITY 2 VERY LIMITED


DATA VALUE: BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED

-----------------------------------------------------------------

ABBREVIATION........BS MOB 3

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Mobility 3 Slightly

Limited

DISPLAY_NAME........3 - Slightly Limited

HELP_TEXT...........Makes frequent though slight changes

in body or extremity position

independently

ID..................{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}

TERM................BRADEN SCALE MOBILITY 3 SLIGHTLY

LIMITED


DATA VALUE: BRADEN SCALE MOBILITY 4 NO LIMITATION

---------------------------------------------------------------------

ABBREVIATION........BS MOB 4

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Mobility 4 No Limitation

DISPLAY_NAME........4 - No Limitation

HELP_TEXT...........Makes major and frequent changes in

            position without assistance

ID.................{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

TERM................BRADEN SCALE MOBILITY 4 NO LIMITATION


DATA VALUE: BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST

---------------------------------------------------------------------

ABBREVIATION........BS MOI 1

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Moisture 1 Constantly

            Moist

DISPLAY_NAME........1 - Constantly Moist

HELP_TEXT...........Skin is kept moist almost constantly

            by perspiration, urine, etc. Dampness

            is detected every time patient is

            moved or turned

ID.................{3E2569BA-ECF0-4622-8F4A-26378A2CB466}

TERM................BRADEN SCALE MOISTURE 1 CONSTANTLY

            MOIST


DATA VALUE: BRADEN SCALE MOISTURE 2 VERY MOIST

---------------------------------------------------------------------

ABBREVIATION........BS MOI 2

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Moisture 2 Very Moist

DISPLAY_NAME........2 - Very Moist

HELP_TEXT...........Skin is often, but not always moist.

Linen must be changed at least once a

shift

ID.................{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}

TERM................BRADEN SCALE MOISTURE 2 VERY MOIST

DATA VALUE: BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST

-------------------------------------------------------------------

ABBREVIATION........BS MOI 3

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Moisture 3 Occasionally

Moist

DISPLAY_NAME........3 - Occasionally Moist

HELP_TEXT...........Skin is occasionally moist, requiring

an extra linen change approximately

once a day

ID..................{D7F2714B-B0C7-4000-8588-8582C1B32ECE}

TERM................BRADEN SCALE MOISTURE 3 OCCASIONALLY

MOIST

DATA VALUE: BRADEN SCALE MOISTURE 4 RARELY MOIST

-------------------------------------------------------------------

ABBREVIATION........BS MOI 4

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Moisture 4 Rarely Moist

DISPLAY_NAME........4 - Rarely Moist

HELP_TEXT...........Skin is usually dry, linen only

requires changing at routine

intervals

ID..................{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

TERM................BRADEN SCALE MOISTURE 4 RARELY MOIST

DATA VALUE: BRADEN SCALE NUTRITION 1 VERY POOR

-------------------------------------------------------------------

ABBREVIATION........BS NUT 1

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Nutrition 1 Very Poor

DISPLAY_NAME........1 - Very Poor

HELP_TEXT...........Never eats a complete meal. Rarely

eats more than 1/2 of any food

offered. Eats 2 servings or less of

protein per day. Takes fluids poorly,

does not take a liquid supplement. OR

is NPO maintained on clear liquids or

IV's for more than 5 days

ID..................{28A86074-A6B2-455E-ABA4-19195C2E3679}

TERM................BRADEN SCALE NUTRITION 1 VERY POOR


DATA VALUE: BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE

---------------------------------------------------------------------

ABBREVIATION........BS NUT 2

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Nutrition 2 Probably

Inadequate

DISPLAY_NAME........2 - Probably Inadequate

HELP_TEXT...........Rarely eats a complete meal and

generally eats only about 2 of any

food offered. Protein intake includes

only 3 servings of meat or dairy

products per day. Occasionally will

take a dietary supplement. OR

receives less than optimum amount of

liquid.

ID..................{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}

TERM................BRADEN SCALE NUTRITION 2 PROBABLY

INADEQUATE


DATA VALUE: BRADEN SCALE NUTRITION 3 ADEQUATE

----------------------------------------------------------------------

ABBREVIATION........BS NUT 3

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Nutrition 3 Adequate

DISPLAY_NAME........3 - Adequate

HELP_TEXT...........Eats over half of most meals. Eats a

total of 4 servings of protein (meat,

dairy products) per day. Occasionally

will refuse a meal, but will usually

take a supplement when offered. OR is

on a tube feeding or TPN regimen.

ID.................{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}

TERM................BRADEN SCALE NUTRITION 3 ADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 4 EXCELLENT

----------------------------------------------------------------------

ABBREVIATION........BS NUT 4

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Nutrition 4 Excellent

DISPLAY_NAME........4 - Excellent

HELP_TEXT...........Eats most of every meal. Never

refuses a meal. Usually eats a total

of 4 or more servings of meat and

dairy products. Occasionally eats

between meals. Does NOT require

supplements

ID..................{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

TERM................BRADEN SCALE NUTRITION 4 EXCELLENT


DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED

----------------------------------------------------------------------

ABBREVIATION........BS SENC 1

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Sensory Perception 1

Completely Limited

DISPLAY_NAME........1 - Completely Limited

HELP_TEXT...........Unresponsive (does not moan, flinch

or grasp) to painful stimuli, due to

diminished level of consciousness or

sedation. OR limited ability to feel

pain over most of body

ID..................{60F646B3-790F-4C5A-B2A0-845915E120E6}

TERM................BRADEN SCALE SENSORY PERCEPTION 1

COMPLETELY LIMITED


DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED

---------------------------------------------------------------------

ABBREVIATION........BS SENC 2

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Sensory Perception 2

Very Limited

DISPLAY_NAME........2 - Very Limited

HELP_TEXT...........Responds only to painful stimuli.

Cannot Communicate discomfort except

by moaning or restlessness. OR has a

sensory impairment which limits the

ability to feel pain or discomfort

over 1/2 of the body

ID.................{98362E63-7245-4E7F-8C30-896A9B923199}

TERM................BRADEN SCALE SENSORY PERCEPTION 2

VERY LIMITED


DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED

---------------------------------------------------------------------

ABBREVIATION........BS SENC 3

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Sensory Perception 3

Slightly Limited

DISPLAY_NAME........3 - Slightly Limited

HELP_TEXT...........Responds to verbal commands, but

cannot always communicate discomfort

or the need to be turned. OR has some

sensory impairment which limits

ability to feel pain or discomfort in

one or two extremities.

ID..................{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}

TERM................BRADEN SCALE SENSORY PERCEPTION 3

SLIGHTLY LIMITED


DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT

----------------------------------------------------------------------

ABBREVIATION........BS SENC 4

ACTIVE..............Yes

DESCRIPTION.........Braden Scale Sensory Perception 4 No

Impairment

DISPLAY_NAME........4 - No Impairment

HELP_TEXT...........Responds to verbal commands. Has no

sensory deficit which would limit

ability to feel or voice pain or

discomfort.

ID..................{10304656-E5E8-4F32-8358-A9F80511EFDA}

TERM................BRADEN SCALE SENSORY PERCEPTION 4 NO

IMPAIRMENT

DATA VALUE: BRAWNY (CHRONIC DISCOLORED)

----------------------------------------------------------------

ABBREVIATION........Brawny

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Brawny (Chronic Discolored)

HELP_TEXT...........

ID.................{1EF19911-1556-42D0-BDF7-37858BD40E24}

TERM................BRAWNY (CHRONIC DISCOLORED)


DATA VALUE: BREAKDOWN

----------------------------------------------------------------

ABBREVIATION........BREAKDOWN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Breakdown

HELP_TEXT...........Use comment to describe breakdown

ID.................{9CFD21C0-A805-47C4-E559-8033C754DE80}

TERM................BREAKDOWN


DATA VALUE: BREAKFAST

----------------------------------------------------------------

ABBREVIATION........Breakfast

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Breakfast

HELP_TEXT...........

ID.................{59166132-625E-4E1E-9D97-13BF678EA726}

TERM................BREAKFAST

DATA VALUE: BREAKTHOUGH (SHORT ACTING ORAL OPIOIDS ARE PRIMARY ANALGESIC)

--------------------------------------------------------------------

ABBREVIATION........Breakthru

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Breakthrough (Short Acting Oral

          Opioids are Primary analgesic)

HELP_TEXT...........

ID.................{6A0E6D5C-F687-411E-8DDE-FA7958AF84D1}

TERM................BREAKTHOUGH (SHORT ACTING ORAL

          OPIOIDS ARE PRIMARY ANALGESIC)

DATA VALUE: BREAST

--------------------------------------------------------------------

ABBREVIATION........Breast

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Breast

HELP_TEXT...........

ID.................{31ABEC65-FAEE-44F9-8E1E-BD62E22E9AAE}

TERM................BREAST

DATA VALUE: BRIDGE PRESENT

-------------------------------------------------------------------

ABBREVIATION........bridge pre

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bridge Present

HELP_TEXT...........

ID.................{5C474C17-33C9-492D-833E-64F5EF049BF4}

TERM................BRIDGE PRESENT


DATA VALUE: BRIDLE

-------------------------------------------------------------------

ABBREVIATION........Bridle

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bridle

HELP_TEXT...........

ID.................{A9E6BF67-D674-4764-9E4C-153270872CEA}

TERM................BRIDLE


DATA VALUE: BRIGHT

-------------------------------------------------------------------

ABBREVIATION........Bright

ACTIVE..............Yes

DESCRIPTION.........Bright

DISPLAY_NAME........Bright

HELP_TEXT...........No Help Text

ID.................{D16542CE-0403-2C68-A361-125CB3C75ABA}

TERM................BRIGHT

DATA VALUE: BRISK

-----------------------------------------------------------------

ABBREVIATION........brisk

ACTIVE..............Yes

DESCRIPTION.........Brisk

DISPLAY_NAME........Brisk

HELP_TEXT...........No Help Text

ID.................{980AE687-0A78-458B-BA7B-5D646C38A5F5}

TERM................BRISK

DATA VALUE: BROWN

-----------------------------------------------------------------

ABBREVIATION........BROWN

ACTIVE..............Yes

DESCRIPTION.........The color brown

DISPLAY_NAME........Brown

HELP_TEXT...........The color brown

ID.................{A1C32FBC-7B4D-707C-CA58-92A2E201368E}

TERM................BROWN

DATA VALUE: BRUISED

----------------------------------------------------------------

ABBREVIATION........BRUISED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bruised

HELP_TEXT...........No Help Text

ID.................{FA5B38A7-7744-186F-055A-8458D696AF33}

TERM................BRUISED


DATA VALUE: BRUIT

----------------------------------------------------------------

ABBREVIATION........BRUIT

ACTIVE..............Yes

DESCRIPTION.........Bruit

DISPLAY_NAME........Bruit

HELP_TEXT...........No Help Text

ID.................{2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

TERM................BRUIT


DATA VALUE: BUCKS TRACTION

----------------------------------------------------------------

ABBREVIATION........BUCK TRACT

ACTIVE..............Yes

DESCRIPTION.........Buck's Traction

DISPLAY_NAME........Buck's Traction

HELP_TEXT...........Buck's Traction

ID.................{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}

TERM................BUCKS TRACTION


DATA VALUE: BULB

---------------------------------------------------------------------

ABBREVIATION........Bulb

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bulb

HELP_TEXT...........

ID.................{2390453E-3353-40EB-B2D7-EF770B67F037}

TERM................BULB


DATA VALUE: BULB SUCTION

---------------------------------------------------------------------

ABBREVIATION........Bulb Sucti

ACTIVE..............Yes

DESCRIPTION.........Bulb Suction Drain

DISPLAY_NAME........Bulb Suction Drain

HELP_TEXT...........No Help Text

ID.................{B0839A82-BB79-BB9F-5E4E-0ED67F716A50}

TERM................BULB SUCTION

DATA VALUE: BULLET

----------------------------------------------------------------

ABBREVIATION........BULLET

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bullet

HELP_TEXT...........No Help Text

ID.................{1570D8E2-D936-494D-AF6E-13838EA34EFD}

TERM................BULLET


DATA VALUE: BUPIVICAINE

----------------------------------------------------------------

ABBREVIATION........Bupivicain

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bupivicaine

HELP_TEXT...........

ID.................{03B908B3-365A-47F6-8D71-8F8FE1D2C16B}

TERM................BUPIVICAINE


DATA VALUE: BURN

----------------------------------------------------------------

ABBREVIATION........BURN

ACTIVE..............Yes

DESCRIPTION.........Burn

DISPLAY_NAME........Burn

HELP_TEXT...........No Help Text

ID.................{97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}

TERM................BURN

DATA VALUE: BURNING

------------------------------------------------------------------

ABBREVIATION........BURNING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Burning

HELP_TEXT...........No Help Text

ID.................{D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}

TERM................BURNING

DATA VALUE: BY PROVIDER ORDER

------------------------------------------------------------------

ABBREVIATION........BY ORDER

ACTIVE..............Yes

DESCRIPTION.........By Provider Order

DISPLAY_NAME........By Provider Order

HELP_TEXT...........No Help Text

ID.................{C038BC16-44CF-4933-BECC-B0F1A1B12603}

TERM................BY PROVIDER ORDER

DATA VALUE: C1

----------------------------------------------------------------

ABBREVIATION........C1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........C1

HELP_TEXT...........

ID.................{F942693D-F272-4A70-81FF-E750BAF082B9}

TERM...............C1


DATA VALUE: C2

----------------------------------------------------------------

ABBREVIATION........C2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........C2

HELP_TEXT...........

ID.................{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}

TERM...............C2


DATA VALUE: C3

----------------------------------------------------------------

ABBREVIATION........C3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........C3

HELP_TEXT...........

ID.................{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}

TERM................C3

DATA VALUE: C4

---------------------------------------------------------------

ABBREVIATION........C4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........C4

HELP_TEXT...........

ID.................{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}

TERM................C4

DATA VALUE: C5

---------------------------------------------------------------

ABBREVIATION........C5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........C5

HELP_TEXT...........

ID.................{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}

TERM................C5

DATA VALUE: CADEXOMER IODINE

--------------------------------------------------------------------

ABBREVIATION........CADEXO IOD

ACTIVE..............Yes

DESCRIPTION.........Cadexomer Iodine

DISPLAY_NAME........Cadexomer Iodine

HELP_TEXT...........No Help Text

ID.................{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}

TERM................CADEXOMER IODINE


DATA VALUE: CALCIUM ALGINATE

--------------------------------------------------------------------

ABBREVIATION........CA ALGINAT

ACTIVE..............Yes

DESCRIPTION.........Calcium Alginate

DISPLAY_NAME........Calcium Alginate

HELP_TEXT...........No Help Text

ID.................{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}

TERM................CALCIUM ALGINATE


DATA VALUE: CALM

--------------------------------------------------------------------

ABBREVIATION........c

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Calm

HELP_TEXT...........No Help Text

ID.................{E206C3F5-6977-302C-51FB-AF2155B5FFD9}

TERM................CALM


DATA VALUE: CAMERA NOT IN USE

--------------------------------------------------------------------

ABBREVIATION........Not in Use

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Camera Not in Use

HELP_TEXT...........

ID.................{F385A6A7-F0EB-4E4A-84E7-A87AD31BA2E2}

TERM...............CAMERA NOT IN USE


DATA VALUE: CANE

--------------------------------------------------------------------

ABBREVIATION........CANE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cane

HELP_TEXT...........No Help Text

ID.................{562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}

TERM...............CANE

DATA VALUE: CANES

--------------------------------------------------------------------

ABBREVIATION........CANES

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Canes

HELP_TEXT...........No Help Text

ID.................{DF37C541-1C7D-4527-A4D2-31867B5ED438}

TERM................CANES


DATA VALUE: CARDIAC

--------------------------------------------------------------------

ABBREVIATION........Cardiac

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cardiac

HELP_TEXT...........

ID.................{2A4308E5-C843-4844-B908-32DA0A0B50E3}

TERM................CARDIAC


DATA VALUE: CARDIAC CHAIR

--------------------------------------------------------------------

ABBREVIATION........cc

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cardiac Chair

HELP_TEXT...........No Help Text

ID.................{D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

TERM................CARDIAC CHAIR


DATA VALUE: CARDIAC DIET

--------------------------------------------------------------------

ABBREVIATION........CARD DIET

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........CARDIAC DIET

HELP_TEXT...........No Help Text

ID.................{218A883D-32A0-438D-B453-7CBCE02693A3}

TERM................CARDIAC DIET


DATA VALUE: CARDIAC OUTPUT INJECTATE

--------------------------------------------------------------------

ABBREVIATION........CARD OUT I

ACTIVE..............Yes

DESCRIPTION.........Cardiac Output Injectate

DISPLAY_NAME........Cardiac Output Injectate

HELP_TEXT...........No Help Text

ID.................{19605CAB-8D54-4704-819B-20ABDAB6C604}

TERM................CARDIAC OUTPUT INJECTATE

DATA VALUE: CARDIAC REPOSITION

----------------------------------------------------------------------

ABBREVIATION........CARD REPOS

ACTIVE..............Yes

DESCRIPTION.........Cardiac Reposition

DISPLAY_NAME........Cardiac Reposition

HELP_TEXT...........No Help Text

ID.................{E133FE5A-20E1-418F-BD90-D2DFE14908C0}

TERM................CARDIAC REPOSITION


DATA VALUE: CARDIAC/HEMODYNAMIC INSTABILITY

----------------------------------------------------------------------

ABBREVIATION........CarHemInst

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cardiac/Hemodynamic Instability

HELP_TEXT...........

ID.................{312130CF-224F-435B-8A9F-D3C2F6795A0A}

TERM................CARDIAC/HEMODYNAMIC INSTABILITY


DATA VALUE: CARDIO-RESP MONITOR

----------------------------------------------------------------------

ABBREVIATION........Cardio-Re

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cardio-Resp Monitor

HELP_TEXT...........

ID.................{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}

TERM................CARDIO-RESP MONITOR


DATA VALUE: CARDIOLOGY PROCEDURE ROOM

---------------------------------------------------------------------

ABBREVIATION........Cardio Rm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cardiology Procedure Room

HELP_TEXT...........

ID.................{744142F5-D301-4509-A96D-06AB8C1D2C81}

TERM................CARDIOLOGY PROCEDURE ROOM


DATA VALUE: CAREGIVER

---------------------------------------------------------------------

ABBREVIATION........CAREGIVER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Caregiver

HELP_TEXT...........No Help Text

ID.................{F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

TERM................CAREGIVER

DATA VALUE: CAREGIVER STRESS

----------------------------------------------------------------

ABBREVIATION........Care Stres

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Caregiver Stress

HELP_TEXT...........

ID.................{A6A201E7-259C-485E-A35E-9F2F3489B24F}

TERM................CAREGIVER STRESS


DATA VALUE: CASS ENDOTRACHEAL TUBE

----------------------------------------------------------------

ABBREVIATION........CASS

ACTIVE..............Yes

DESCRIPTION.........CASS Endotracheal Tube

DISPLAY_NAME........CASS Endotracheal Tube

HELP_TEXT...........Mucous Slurping Endotracheal Tube

ID.................{02BF805C-DF35-4DAB-A99F-2ED673174E49}

TERM................CASS ENDOTRACHEAL TUBE


DATA VALUE: CAST BOOT

----------------------------------------------------------------

ABBREVIATION........Cast Boot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cast Boot

HELP_TEXT...........

ID.................{CE9C92F0-8312-49BB-ABAF-BA91A3468664}

TERM...............CAST BOOT

DATA VALUE: CAST SHOE

--------------------------------------------------------------------

ABBREVIATION........Cast Shoe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cast Shoe

HELP_TEXT...........

ID.................{1E8397A4-E079-4AB1-B59C-4BA4E3D03DB8}

TERM...............CAST SHOE

DATA VALUE: CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL

--------------------------------------------------------------------

ABBREVIATION........Cath Secur

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cath Secured with Drain Bag Below

          Pt`s Bladder Level

HELP_TEXT...........

ID.................{A2D2ABF1-88D4-46A2-B935-33211292FF25}

TERM...............CATH SECURED WITH DRAIN BAG BELOW

          PT'S BLADDER LEVEL

DATA VALUE: CATH SIZE DOCUMENTED

----------------------------------------------------------------------

ABBREVIATION........Cath Size

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cath Size Documented

HELP_TEXT...........

ID.................{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}

TERM................CATH SIZE DOCUMENTED


DATA VALUE: CATHETER

----------------------------------------------------------------------

ABBREVIATION........CATHETER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Catheter

HELP_TEXT...........No Help Text

ID.................{B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

TERM................CATHETER


DATA VALUE: CATHETERIZATION TIME DOCUMENTED

----------------------------------------------------------------------

ABBREVIATION........Cath Time

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ Catheterization Time Documented

HELP_TEXT...........

ID.................{4EF58FCA-A5E1-454C-B435-5BFB487618F4}

TERM................CATHETERIZATION TIME DOCUMENTED

DATA VALUE: CEILING LIFT

--------------------------------------------------------------------

ABBREVIATION........CeilLift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ceiling Lift

HELP_TEXT...........

ID.................{D6D56490-CDFB-4EEA-A372-E590B93F7A6F}

TERM................CEILING LIFT

DATA VALUE: CELLULITIS

--------------------------------------------------------------------

ABBREVIATION........CELLULITIS

ACTIVE..............Yes

DESCRIPTION.........Cellulitis

DISPLAY_NAME........Cellulitis

HELP_TEXT...........No Help Text

ID.................{709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}

TERM................CELLULITIS

DATA VALUE: CENTRAL ECG

--------------------------------------------------------------------

ABBREVIATION........cecg

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Central ECG

HELP_TEXT...........No Help Text

ID.................{26D36175-E4E3-C364-3018-1B0DB4DC4793}

TERM................CENTRAL ECG


DATA VALUE: CENTRAL VENOUS CATHETER

--------------------------------------------------------------------

ABBREVIATION........CENT VEN C

ACTIVE..............Yes

DESCRIPTION.........Central Venous Catheter

DISPLAY_NAME........Central Venous Catheter

HELP_TEXT...........No Help Text

ID.................{EE91E841-C09B-4432-A121-8EBAB92E9CD2}

TERM................CENTRAL VENOUS CATHETER


DATA VALUE: CERVICAL COLLAR

--------------------------------------------------------------------

ABBREVIATION........CervCollar

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cervical Collar

HELP_TEXT...........

ID.................{200D3589-1C0A-480F-956A-BC2F175C2AF9}

TERM................CERVICAL COLLAR

DATA VALUE: CERVICAL SPINAL PRECAUTIONS

----------------------------------------------------------------------

ABBREVIATION........CERV S P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cervical Spinal Precautions

HELP_TEXT...........No Help Text

ID.................{A15F7127-2367-464A-AB7D-1E6A7C09AA21}

TERM................CERVICAL SPINAL PRECAUTIONS

DATA VALUE: CF: COUNTING FINGERS

----------------------------------------------------------------------

ABBREVIATION........CF

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........CF: Counting Fingers

HELP_TEXT...........

ID.................{3AFD9EDB-98A2-498A-AD95-F5285130CC03}

TERM................CF: COUNTING FINGERS

DATA VALUE: CHAIR

--------------------------------------------------------------------

ABBREVIATION........CHAIR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Chair

HELP_TEXT...........No Help Text

ID.................{5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

TERM................CHAIR


DATA VALUE: CHANGED

--------------------------------------------------------------------

ABBREVIATION........CHANGED

ACTIVE..............Yes

DESCRIPTION.........Changed

DISPLAY_NAME........Changed

HELP_TEXT...........No Help Text

ID.................{74B14023-D74D-41F6-AA48-B0E5137623CD}

TERM................CHANGED


DATA VALUE: CHART VERIFIED CORRECT

--------------------------------------------------------------------

ABBREVIATION........Chart Ver

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Chart Verified Correct

HELP_TEXT..........

ID.................{319E702F-C7A9-409D-881F-3F4D1D9AF393}

TERM................CHART VERIFIED CORRECT


DATA VALUE: CHEMOTHERAPY

---------------------------------------------------------------------

ABBREVIATION........Chemo

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Chemotherapy

HELP_TEXT...........

ID.................{4B0F2808-0090-4646-BE79-A745A9073F2C}

TERM................CHEMOTHERAPY


DATA VALUE: CHEYNE-STOKES

---------------------------------------------------------------------

ABBREVIATION........CHEYNE-STO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cheyne-Stokes

HELP_TEXT...........No Help Text

ID.................{58DD2B80-B522-499C-2C60-C48A654BAD84}

TERM................CHEYNE-STOKES

DATA VALUE: CHRONIC

--------------------------------------------------------------------

ABBREVIATION........Chronic

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Chronic

HELP_TEXT...........

ID.................{6A1CBCF6-E407-4064-8C5F-6BDEB2A35363}

TERM................CHRONIC


DATA VALUE: CIRCULATION CHECK

--------------------------------------------------------------------

ABBREVIATION........ccq

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Circulation Check

HELP_TEXT...........No Help Text

ID.................{BA32C2A8-F15C-84EF-4859-6277EFA6463A}

TERM................CIRCULATION CHECK


DATA VALUE: CIRCUMDUCTION

--------------------------------------------------------------------

ABBREVIATION........Circumduct

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Circumduction

HELP_TEXT...........

ID.................{1CB99F8A-CEBE-492D-A963-A676A333DA59}

TERM................CIRCUMDUCTION

DATA VALUE: CLAMPED

-----------------------------------------------------------------

ABBREVIATION........CLAMPED

ACTIVE..............Yes

DESCRIPTION.........Clamped

DISPLAY_NAME........Clamped

HELP_TEXT...........No Help Text

ID.................{B86865B8-078A-4996-B5EC-46A4A99D5A7D}

TERM................CLAMPED

DATA VALUE: CLASS I

-----------------------------------------------------------------

ABBREVIATION........Class I

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Class I

HELP_TEXT...........

ID.................{4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}

TERM................CLASS I

DATA VALUE: CLASS II

----------------------------------------------------------------

ABBREVIATION........Class II

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Class II

HELP_TEXT...........

ID.................{2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}

TERM................CLASS II


DATA VALUE: CLASS III

----------------------------------------------------------------

ABBREVIATION........Class III

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Class III

HELP_TEXT...........

ID.................{C0FFDE12-241C-4087-9404-DB128F6B793A}

TERM................CLASS III


DATA VALUE: CLASS IV

----------------------------------------------------------------

ABBREVIATION........Class IV

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Class IV

HELP_TEXT...........

ID.................{176030D0-2576-4D2D-A5AB-E5DA38DADEB5}

TERM................CLASS IV


DATA VALUE: CLAY

-------------------------------------------------------------------

ABBREVIATION........CLAY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Clay

HELP_TEXT...........No Help Text

ID.................{A4E4D16C-B45C-0934-ED22-8BF640080108}

TERM................CLAY


DATA VALUE: CLEAN

-------------------------------------------------------------------

ABBREVIATION........Clean

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Clean

HELP_TEXT...........

ID.................{1F187B99-9963-4AD5-98F6-D8D24D2DDD30}

TERM................CLEAN

DATA VALUE: CLEAR

---------------------------------------------------------------------

ABBREVIATION........c

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Clear

HELP_TEXT...........No Help Text

ID.................{8981C365-2B46-704F-C9F4-975DF1C23C2D}

TERM................CLEAR


DATA VALUE: CLEAR LIQUID

---------------------------------------------------------------------

ABBREVIATION........Clr Liquid

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Clear Liquid

HELP_TEXT...........

ID.................{390666D6-6371-4E0A-B475-C730C134CC95}

TERM................CLEAR LIQUID


DATA VALUE: CLEAR LIQUID DIET

---------------------------------------------------------------------

ABBREVIATION........CL LI DIET

ACTIVE..............Yes

DESCRIPTION.........Clear Liquid Diet

DISPLAY_NAME........Clear Liquid Diet

HELP_TEXT...........No Help Text

ID.................{D540348D-3E1D-4E42-9EDC-43C56CF56206}

TERM................CLEAR LIQUID DIET


DATA VALUE: CLICK

--------------------------------------------------------------------

ABBREVIATION........c

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Click

HELP_TEXT...........No Help Text

ID.................{F1F3A1A8-35E1-61B4-C783-3314C8247380}

TERM................CLICK


DATA VALUE: CLINICAL ASSESSMENT

--------------------------------------------------------------------

ABBREVIATION........CLIN ASSME

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Clinical Assessment

HELP_TEXT...........No Help Text

ID.................{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}

TERM................CLINICAL ASSESSMENT

DATA VALUE: CLOSE OBSERVATION

----------------------------------------------------------------

ABBREVIATION........co

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Close Observation

HELP_TEXT...........No Help Text

ID.................{2679BCAC-8753-FE73-56F8-3AB632161AF4}

TERM................CLOSE OBSERVATION


DATA VALUE: CLOSED

----------------------------------------------------------------

ABBREVIATION........CLOSED

ACTIVE..............Yes

DESCRIPTION.........CLOSED

DISPLAY_NAME........CLOSED

HELP_TEXT...........No Help Text

ID.................{9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}

TERM................CLOSED


DATA VALUE: CLOSED DRAINAGE SYSTEM

----------------------------------------------------------------

ABBREVIATION........Closed Drn

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Closed Drainage System

HELP_TEXT...........

ID.................{98A38592-89A5-4ADE-B81C-1FEA9D2CAC0D}

TERM................CLOSED DRAINAGE SYSTEM


DATA VALUE: CLOSED SYSTEM

-----------------------------------------------------------------

ABBREVIATION........Closed sys

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Closed System

HELP_TEXT...........

ID.................{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

TERM................CLOSED SYSTEM


DATA VALUE: CLOTHED SELF

-----------------------------------------------------------------

ABBREVIATION........CLOTH S

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Clothed Self

HELP_TEXT...........No Help Text

ID.................{33802A30-FAA7-426B-ADAC-5297818DA7DE}

TERM................CLOTHED SELF

DATA VALUE: CLOTHING ROOM

------------------------------------------------------------------

ABBREVIATION........Cloth Room

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Clothing Room

HELP_TEXT...........

ID.................{8F116C60-10B1-4033-93F2-9121629CD608}

TERM................CLOTHING ROOM


DATA VALUE: CLOTS

------------------------------------------------------------------

ABBREVIATION........CLOTS

ACTIVE..............Yes

DESCRIPTION.........Clots Present

DISPLAY_NAME........Clots

HELP_TEXT...........No Help Text

ID.................{B52B88E0-6D23-4657-97CD-81E3EF64991B}

TERM................CLOTS


DATA VALUE: CLOUDY

------------------------------------------------------------------

ABBREVIATION........CLOUDY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cloudy

HELP_TEXT...........No Help Text

ID.................{3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

TERM................CLOUDY


DATA VALUE: CLUBBING

--------------------------------------------------------------------

ABBREVIATION........CLUBBING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Clubbing

HELP_TEXT...........No Help Text

ID.................{AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}

TERM................CLUBBING


DATA VALUE: CMS INTACT DISTAL TO SURGICAL SITE

--------------------------------------------------------------------

ABBREVIATION........CMS INTA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........CMS Intact Distal to Surgical Site

HELP_TEXT...........No Help Text

ID.................{CE2D2CDE-71C5-4993-8E46-C4799301A851}

TERM................CMS INTACT DISTAL TO SURGICAL SITE

DATA VALUE: CNS

-------------------------------------------------------------------

ABBREVIATION........CNS

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........CNS

HELP_TEXT...........

ID.................{487A4DE0-A822-437D-87A2-75FA86D7BBDE}

TERM................CNS


DATA VALUE: CNS DEPRESSION

-------------------------------------------------------------------

ABBREVIATION........CNS Depres

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........CNS Depression

HELP_TEXT...........

ID.................{EE349460-8B60-427B-AE98-72007DFD2F6A}

TERM................CNS DEPRESSION


DATA VALUE: CODE CART IS ASSESSIBLE

-------------------------------------------------------------------

ABBREVIATION........Code Cart

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Code Cart is Accessible

HELP_TEXT...........

ID.................{DB670E39-CF90-4068-8E38-44DCA5F365B5}

TERM...............CODE CART IS ASSESSIBLE


DATA VALUE: COFFEE GROUND

---------------------------------------------------------------------

ABBREVIATION........COFFEE GRO

ACTIVE..............Yes

DESCRIPTION.........Coffee Ground

DISPLAY_NAME........Coffee Ground

HELP_TEXT...........Coffee Ground

ID.................{A5B3119A-C739-4B8D-87C2-7D858B94F380}

TERM...............COFFEE GROUND


DATA VALUE: COGNITIVE IMPAIRMENT

---------------------------------------------------------------------

ABBREVIATION........Cog Impair

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cognitive Impairment

HELP_TEXT...........

ID.................{6D051F44-2124-4914-A415-B98B2AC516E9}

TERM...............COGNITIVE IMPAIRMENT

DATA VALUE: COGNITIVELY IMPAIRED

-------------------------------------------------------------------

ABBREVIATION........Cog Impair

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cognitively Impaired

HELP_TEXT...........

ID.................{E469C3D0-8BF7-4E20-8CF2-61120DDA0ACB}

TERM................COGNITIVELY IMPAIRED


DATA VALUE: COLD

-------------------------------------------------------------------

ABBREVIATION........COLD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cold

HELP_TEXT...........No Help Text

ID.................{B7B422BA-22EC-117D-0A0C-8419E9447D46}

TERM................COLD


DATA VALUE: COLLAGEN

-------------------------------------------------------------------

ABBREVIATION........COLLAGEN

ACTIVE..............Yes

DESCRIPTION.........Collagen

DISPLAY_NAME........Collagen

HELP_TEXT...........No Help Text

ID.................{8D734495-2FAF-41C0-9146-55B22583A830}

TERM................COLLAGEN


DATA VALUE: COLOR AND CONSISTENCY OF ASPIRATED SECRETIONS

---------------------------------------------------------------------

ABBREVIATION........Color/Con

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Color and consistency of aspirated

            secretions

HELP_TEXT...........

ID.................{02E87CEB-DCD2-4AC0-A753-984C0C54CD16}

TERM................COLOR AND CONSISTENCY OF ASPIRATED

            SECRETIONS


DATA VALUE: COLOR APPROPRIATE FOR ETHNICITY

---------------------------------------------------------------------

ABBREVIATION........Color Appr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Color Appropriate for Ethnicity

HELP_TEXT...........

ID.................{C4128AA9-AC26-45CA-8D42-0764AB327C7F}

TERM................COLOR APPROPRIATE FOR ETHNICITY

DATA VALUE: COLORLESS

------------------------------------------------------------------

ABBREVIATION........COLORLESS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Colorless

HELP_TEXT...........No Help Text

ID.................{D093D8C5-E284-47D4-8FA6-DCD5B030B10E}

TERM................COLORLESS


DATA VALUE: COLOSTOMY

------------------------------------------------------------------

ABBREVIATION........COLOSTOMY

ACTIVE..............Yes

DESCRIPTION.........Colostomy

DISPLAY_NAME........Colostomy

HELP_TEXT...........No Help Text

ID.................{53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}

TERM................COLOSTOMY


DATA VALUE: COMATOSE

------------------------------------------------------------------

ABBREVIATION........Comatose

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Comatose

HELP_TEXT...........

ID.................{BCADA53A-1186-4B73-932B-1BBCB9937308}

TERM................COMATOSE


DATA VALUE: COMBATIVE

-------------------------------------------------------------------

ABBREVIATION........R.C. COMB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Combative

HELP_TEXT...........No Help Text

ID.................{38DBF61A-D364-4215-B4AA-36B660F96462}

TERM...............COMBATIVE


DATA VALUE: COMFORT CARE

-------------------------------------------------------------------

ABBREVIATION........Comfort Ca

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Comfort Care

HELP_TEXT...........

ID.................{51669E41-DF78-4E49-BA5F-DE6F1B5F1148}

TERM...............COMFORT CARE

DATA VALUE: COMFORT CARE (PALLIATIVE CARE CONSULT REQUIRED)

-------------------------------------------------------------------

ABBREVIATION........PallConRq

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Comfort Care (Palliative Care Consult

          Required)

HELP_TEXT...........

ID.................{9CFDF433-3F2A-4172-BD56-7EB055EC11E2}

TERM................COMFORT CARE (PALLIATIVE CARE CONSULT

          REQUIRED)


DATA VALUE: COMFORT CARE SUBCUTANEOUS

-------------------------------------------------------------------

ABBREVIATION........CCSub

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Comfort Care Subcutaneous

HELP_TEXT...........

ID.................{78E50664-373F-4F55-8359-8BF98917C157}

TERM................COMFORT CARE SUBCUTANEOUS


DATA VALUE: COMFORT MEASURES

-------------------------------------------------------------------

ABBREVIATION........Com Measu

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Comfort Measures

HELP_TEXT...........

ID.................{A5F09A1F-921E-4469-9652-0A136BCD9C07}

TERM................COMFORT MEASURES


DATA VALUE: COMMODE

----------------------------------------------------------------------

ABBREVIATION........COMMODE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Commode

HELP_TEXT...........No Help-Text

ID.................{75C896CA-F105-4EF0-B641-3F2B1F984F1B}

TERM................COMMODE


DATA VALUE: COMMUNCATION BARRIER

----------------------------------------------------------------------

ABBREVIATION........COMM BARRI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Communication Barrier

HELP_TEXT...........No Help Text

ID.................{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}

TERM................COMMUNCATION BARRIER

DATA VALUE: COMMUNITY RESOURCES

-----------------------------------------------------------------

ABBREVIATION........Comm Res

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Community Resources

HELP_TEXT...........

ID.................{0088604F-6A99-4D99-B451-5262734E0D17}

TERM................COMMUNITY RESOURCES


DATA VALUE: COMPLETE BATH

-----------------------------------------------------------------

ABBREVIATION........COMP BATH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Complete Bath

HELP_TEXT...........No Help Text

ID.................{A7CB1F56-F88E-403B-AABC-105BE129FBB0}

TERM................COMPLETE BATH


DATA VALUE: COMPLIANCE

-----------------------------------------------------------------

ABBREVIATION........COMPLIANC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Compliance

HELP_TEXT...........No Help Text

ID.................{EF43367E-9898-44C3-8AC8-F5BD28051F1D}

TERM................COMPLIANCE

DATA VALUE: COMPULSIVE

--------------------------------------------------------------------

ABBREVIATION........Compulsive

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Compulsive

HELP_TEXT...........

ID.................{2A94E47E-A62B-4B17-98B6-275FBC343EAE}

TERM................COMPULSIVE

DATA VALUE: CONFUSED

--------------------------------------------------------------------

ABBREVIATION........CONFUSED

ACTIVE..............Yes

DESCRIPTION.........Confused

DISPLAY_NAME........Confused

HELP_TEXT...........No Help Text

ID.................{31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}

TERM................CONFUSED

DATA VALUE: CONFUSION

--------------------------------------------------------------------

ABBREVIATION........Confusion

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Confusion

HELP_TEXT...........

ID.................{4C1B8247-75C4-4C60-970B-3D7F07BD1164}

TERM................CONFUSION


DATA VALUE: CONNECTED TO DRAINAGE BAG

--------------------------------------------------------------------

ABBREVIATION........drain bag

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Connected to Drainage Bag

HELP_TEXT...........

ID.................{1901C4A7-671C-43BD-BEDD-1D48BCB43465}

TERM................CONNECTED TO DRAINAGE BAG


DATA VALUE: CONSISTENT WITH BODY TEMPERATURE

--------------------------------------------------------------------

ABBREVIATION........CON W TEMP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Consistent With Body Temperature

HELP_TEXT...........No Help Text

ID.................{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}

TERM................CONSISTENT WITH BODY TEMPERATURE


DATA VALUE: CONSTANT

---------------------------------------------------------------------

ABBREVIATION........CONSTANT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Constant

HELP_TEXT...........No Help Text

ID.................{0FB8E43C-2106-4C37-9430-38675953A85B}

TERM................CONSTANT


DATA VALUE: CONSTANT CARBOHYDRATE

---------------------------------------------------------------------

ABBREVIATION........Con Carbs

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Constant Carbohydrate

HELP_TEXT...........

ID.................{D6A8AA11-BCB1-40E8-B63D-167864EE2537}

TERM................CONSTANT CARBOHYDRATE

DATA VALUE: CONSTIPATION

--------------------------------------------------------------------

ABBREVIATION........CONSTIPAT.

ACTIVE..............Yes

DESCRIPTION.........Constipation

DISPLAY_NAME........Constipation

HELP_TEXT...........No Help Text

ID.................{4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}

TERM................CONSTIPATION


DATA VALUE: CONSTRICTED

--------------------------------------------------------------------

ABBREVIATION........Constricte

ACTIVE..............Yes

DESCRIPTION.........Constricted

DISPLAY_NAME........Constricted

HELP_TEXT...........No Help Text

ID.................{A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}

TERM................CONSTRICTED


DATA VALUE: CONTACT

--------------------------------------------------------------------

ABBREVIATION........CONTACT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Contact

HELP_TEXT...........No Help Text

ID.................{958F2B5E-F980-47B6-A7F7-EE7D5520B61F}

TERM................CONTACT

DATA VALUE: CONTACT GLIDE

----------------------------------------------------------------------

ABBREVIATION........ContactGli

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Contact Glide

HELP_TEXT...........

ID.................{4AAB02A6-E90E-46D7-AE9D-A5F6E3865AF5}

TERM................CONTACT GLIDE

DATA VALUE: CONTACTS

----------------------------------------------------------------------

ABBREVIATION........Contacts

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Contacts

HELP_TEXT...........

ID.................{6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}

TERM................CONTACTS

DATA VALUE: CONTEMPLATIVE

----------------------------------------------------------------------

ABBREVIATION........CONTEMPLAT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Contemplative

HELP_TEXT...........No Help Text

ID.................{5194DB04-7A68-491E-B117-BD089C912DFB}

TERM................CONTEMPLATIVE


DATA VALUE: CONTINENT

----------------------------------------------------------------------

ABBREVIATION........CONTINENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Continent

HELP_TEXT...........No Help Text

ID.................{3B658506-F42E-BAF5-04C4-5AD49699E0D2}

TERM................CONTINENT


DATA VALUE: CONTINUOUS

----------------------------------------------------------------------

ABBREVIATION........CONTINUOUS

ACTIVE..............Yes

DESCRIPTION.........Continuous

DISPLAY_NAME........Continuous

HELP_TEXT...........No Help Text

ID.................{676CD2DA-F882-4BE5-99BB-510EA7669749}

TERM...............CONTINUOUS

DATA VALUE: CONTINUOUS ONLY

---------------------------------------------------------------------

ABBREVIATION........Cont Only

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Continuous Only

HELP_TEXT...........No Help Text

ID.................{4BFFF2BC-837C-4D62-B811-0E547247D4D0}

TERM...............CONTINUOUS ONLY

DATA VALUE: CONTINUOUS POSITIVE AIR PRESSURE

---------------------------------------------------------------------

ABBREVIATION........CPAP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........CPAP

HELP_TEXT...........No Help Text

ID.................{387B42F0-F587-AAFC-ECA0-66067F18BEC6}

TERM...............CONTINUOUS POSITIVE AIR PRESSURE

DATA VALUE: CONTINUOUS SUCTION

----------------------------------------------------------------------

ABBREVIATION........CONT SUCTI

ACTIVE..............Yes

DESCRIPTION.........Continuous Suction

DISPLAY_NAME........Continuous Suction

HELP_TEXT...........No Help Text

ID.................{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}

TERM................CONTINUOUS SUCTION


DATA VALUE: CONTRACT CARE FACILITY

----------------------------------------------------------------------

ABBREVIATION........Contr Care

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Contract Care Facility

HELP_TEXT...........

ID.................{74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}

TERM................CONTRACT CARE FACILITY


DATA VALUE: CONTRACTURE

----------------------------------------------------------------------

ABBREVIATION........Contractur

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Contracture

HELP_TEXT...........

ID.................{7C8E8122-10BE-4650-91DF-8BAE66102D98}

TERM................CONTRACTURE


DATA VALUE: CONTRACTURES/SPASMS

---------------------------------------------------------------------

ABBREVIATION........Contractur

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Contractures/Spasms

HELP_TEXT...........

ID.................{E3251324-1B36-4F83-8E0A-005401A034CE}

TERM...............CONTRACTURES/SPASMS


DATA VALUE: CONTROL MODE VENTILATION

---------------------------------------------------------------------

ABBREVIATION........CMV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Control Mode Ventilation

HELP_TEXT...........No Help Text

ID.................{2E79351C-BA31-FC04-B636-F39728B23EA6}

TERM...............CONTROL MODE VENTILATION

DATA VALUE: CONTUSION

-----------------------------------------------------------------

ABBREVIATION........Contusion

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Contusion

HELP_TEXT...........No Help Text

ID.................{5285197A-CC0A-4D12-A1F8-966765C687F1}

TERM................CONTUSION


DATA VALUE: COOL

-----------------------------------------------------------------

ABBREVIATION........COOL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cool

HELP_TEXT...........No Help Text

ID.................{48A1FEA8-FD75-DAF8-174A-9C6AB2044439}

TERM................COOL


DATA VALUE: COOL CHEM PACK

-----------------------------------------------------------------

ABBREVIATION........CO CHEM PA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cool Chem Pack

HELP_TEXT...........No Help Text

ID.................{6DE5E644-28C2-4190-A2EF-1A766E014A65}

TERM................COOL CHEM PACK


DATA VALUE: COOLER THAN GENERAL BODY TEMPERATURE

----------------------------------------------------------------------

ABBREVIATION........CoolGenT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cooler Than General Body Temperature

HELP_TEXT...........No Help Text

ID.................{03D7D4CF-9B3C-49CA-9650-213E9BABE064}

TERM................COOLER THAN GENERAL BODY TEMPERATURE


DATA VALUE: COOLER THAN OPPOSITE BODY PART

----------------------------------------------------------------------

ABBREVIATION........COOL OPP P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cooler Than Opposite Body Part

HELP_TEXT...........No Help Text

ID.................{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}

TERM................COOLER THAN OPPOSITE BODY PART

DATA VALUE: COOLING BLANKET

----------------------------------------------------------------------

ABBREVIATION........COOL BLANK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cooling Blanket

HELP_TEXT...........No Help Text

ID.................{13A42B12-4959-4674-AF97-2D1242CFD934}

TERM................COOLING BLANKET


DATA VALUE: COOLING OFF

----------------------------------------------------------------------

ABBREVIATION........COOLING OF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cooling Off

HELP_TEXT...........No Help Text

ID.................{14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

TERM................COOLING OFF


DATA VALUE: COOLING ON

----------------------------------------------------------------------

ABBREVIATION........COOLING ON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cooling On

HELP_TEXT...........No Help Text

ID.................{911CA17D-614E-445A-969E-4F5220E469EB}

TERM...............COOLING ON

DATA VALUE: COOPERATIVE

-------------------------------------------------------------------

ABBREVIATION........c

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cooperative

HELP_TEXT...........No Help Text

ID.................{C176406E-EBDE-4ADE-53DE-CF191D8AFC85}

TERM...............COOPERATIVE

DATA VALUE: COPIUS

-------------------------------------------------------------------

ABBREVIATION........COPIUS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Copius

HELP_TEXT...........No Help Text

ID.................{C74A6979-0E35-AA12-F992-69ACA3B0FA23}

TERM...............COPIUS

DATA VALUE: CRACKLES

----------------------------------------------------------------

ABBREVIATION........c

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Crackles

HELP_TEXT...........No Help Text

ID.................{6B64C108-4424-00D9-525F-D89D549476D6}

TERM................CRACKLES


DATA VALUE: CRAMPING

----------------------------------------------------------------

ABBREVIATION........CRAMPING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cramping

HELP_TEXT...........No Help Text

ID.................{3EC3E352-5469-4A85-80E4-3AFEB61224C4}

TERM................CRAMPING


DATA VALUE: CREPITUS

----------------------------------------------------------------

ABBREVIATION........CREPITUS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Crepitus

HELP_TEXT...........No Help Text

ID.................{56A97506-05F0-4F37-8FD9-3AA82191408A}

TERM...............CREPITUS


DATA VALUE: CRNA

-----------------------------------------------------------------

ABBREVIATION........CRNA

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........CRNA

HELP_TEXT...........

ID.................{41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}

TERM...............CRNA


DATA VALUE: CRUSHING

-----------------------------------------------------------------

ABBREVIATION........CRUSHING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Crushing

HELP_TEXT...........No Help Text

ID.................{92D4BAF1-63E3-4FC0-B096-B5CBC4736245}

TERM...............CRUSHING

DATA VALUE: CRUTCH

-------------------------------------------------------------------

ABBREVIATION........CRUTCH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Crutch

HELP_TEXT...........No Help Text

ID.................{2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}

TERM................CRUTCH


DATA VALUE: CRUTCHES

-------------------------------------------------------------------

ABBREVIATION........CRUTCHES

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Crutches

HELP_TEXT...........No Help Text

ID.................{DDA81269-B25C-4F7D-A059-BB1602B2B179}

TERM................CRUTCHES


DATA VALUE: CRYING

-------------------------------------------------------------------

ABBREVIATION........CRYING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Crying

HELP_TEXT...........No Help Text

ID.................{D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}

TERM................CRYING

DATA VALUE: CRYSTALLOID

---------------------------------------------------------------------

ABBREVIATION........CRYSTALLOI

ACTIVE..............Yes

DESCRIPTION.........Crystalloid

DISPLAY_NAME........Crystalloid

HELP_TEXT...........No Help Text

ID.................{4EC07E19-88B2-4C13-99B6-8233DF612997}

TERM................CRYSTALLOID

DATA VALUE: CSM: CENTRAL STEADY MAINTAINED

---------------------------------------------------------------------

ABBREVIATION........CSM

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........CSM: Central Steady Maintained

HELP_TEXT...........

ID.................{43085BCB-4264-4E4A-BC17-A9C252A89BA8}

TERM................CSM: CENTRAL STEADY MAINTAINED

DATA VALUE: CUFFED

--------------------------------------------------------------------

ABBREVIATION........Cuffed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cuffed

HELP_TEXT...........

ID.................{C8C62FC0-BEC5-4880-9568-157E35C89CDF}

TERM...............CUFFED


DATA VALUE: CULTURAL

--------------------------------------------------------------------

ABBREVIATION........CULTURAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cultural

HELP_TEXT...........No Help Text

ID.................{530D166D-D7C1-4204-94DC-83F4E140F11C}

TERM...............CULTURAL


DATA VALUE: CYANOTIC

--------------------------------------------------------------------

ABBREVIATION........c

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cyanotic

HELP_TEXT...........No Help Text

ID.................{06BD77DB-1849-D731-0F27-F8CE48755EA9}

TERM................CYANOTIC


DATA VALUE: D - DOPPLER

-------------------------------------------------------------------

ABBREVIATION........d-d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........D - Doppler

HELP_TEXT...........No Help Text

ID.................{2B77F099-0520-474D-A4BC-22BF824C8364}

TERM................D - DOPPLER


DATA VALUE: D - DOPPLER AUDIBLE ONLY

-------------------------------------------------------------------

ABBREVIATION........DoppOnly

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........D - Doppler Audible Only

HELP_TEXT...........

ID.................{D106DE72-0D2E-48B9-A4F5-51FA6BBDF2FB}

TERM................D - DOPPLER AUDIBLE ONLY

DATA VALUE: D10W ENTERAL NUTRITION

---------------------------------------------------------------------

ABBREVIATION........D10W ENT N

ACTIVE..............Yes

DESCRIPTION.........D10W Enteral Nutrition Type

DISPLAY_NAME........D10W Enteral Nutrition

HELP_TEXT...........No Help Text

ID.................{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}

TERM................D10W ENTERAL NUTRITION


DATA VALUE: D50W ENTERAL NUTRITION

---------------------------------------------------------------------

ABBREVIATION........D50W ENT N

ACTIVE..............Yes

DESCRIPTION.........D50W Enteral Nutrition Type

DISPLAY_NAME........D50W Enteral Nutrition

HELP_TEXT...........No Help Text

ID.................{528A4339-0261-4EC5-821C-7CE5592666DC}

TERM................D50W ENTERAL NUTRITION


DATA VALUE: D5W ENTERAL NUTRITION

---------------------------------------------------------------------

ABBREVIATION........D5W

ACTIVE..............Yes

DESCRIPTION.........D5W Enteral Nutrition Type

DISPLAY_NAME........D5W Enteral Nutrition

HELP_TEXT...........No Help Text

ID.................{D6664641-BF43-4157-9A30-8AD8CFE96518}

TERM................D5W ENTERAL NUTRITION


DATA VALUE: D=DOPPLER

--------------------------------------------------------------------

ABBREVIATION........d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........D=Doppler

HELP_TEXT...........No Help Text

ID.................{BCF37855-1E6E-9544-B316-D80A651697E4}

TERM................D=DOPPLER


DATA VALUE: DAILY ASSESSMENT OF NEED

--------------------------------------------------------------------

ABBREVIATION........Dly Assess

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Daily Assessment of Need

HELP_TEXT...........

ID.................{3A47013F-0027-4D8F-8142-6DBD57787D6C}

TERM................DAILY ASSESSMENT OF NEED

DATA VALUE: DAILY HYGIENE

----------------------------------------------------------------

ABBREVIATION........Dly Hyg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Daily Hygiene

HELP_TEXT...........

ID.................{12D42549-58A5-4079-A226-99928B93A306}

TERM................DAILY HYGIENE


DATA VALUE: DAILY PLAN

----------------------------------------------------------------

ABBREVIATION........DAILY PLAN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Daily Plan

HELP_TEXT...........No Help Text

ID.................{B29357A5-4294-4EA0-A0D3-59182F3C94FB}

TERM................DAILY PLAN


DATA VALUE: DAMPENED

----------------------------------------------------------------

ABBREVIATION........DAMPENED

ACTIVE..............Yes

DESCRIPTION.........Dampened

DISPLAY_NAME........Dampened

HELP_TEXT...........No Help Text

ID.................{77C777B3-7E56-41E3-8E70-DE144E6A3424}

TERM................DAMPENED


DATA VALUE: DANGLED

-----------------------------------------------------------------------

ABBREVIATION........DANGLED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dangled

HELP_TEXT...........No Help Text

ID.................{40665750-112F-401D-AEFA-8E19F45EC0C9}

TERM................DANGLED


DATA VALUE: DATE OF BIRTH

-----------------------------------------------------------------------

ABBREVIATION........DOB

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Date of Birth

HELP_TEXT...........

ID.................{F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

TERM................DATE OF BIRTH

DATA VALUE: DAY ROOM

--------------------------------------------------------------------

ABBREVIATION........dr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Day Room

HELP_TEXT...........No Help Text

ID.................{269125EF-FA82-B17A-6B56-0CEAB4788899}

TERM................DAY ROOM


DATA VALUE: DDD

--------------------------------------------------------------------

ABBREVIATION........DDD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........DDD

HELP_TEXT...........No Help Text

ID.................{7AA7152E-48F0-8550-AD0D-9F298E90B765}

TERM................DDD


DATA VALUE: DDDR

--------------------------------------------------------------------

ABBREVIATION........DDDR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........DDDR

HELP_TEXT...........No Help Text

ID.................{A3CC0D9D-D329-1A52-2DD1-911A1E04B871}

TERM................DDDR


DATA VALUE: DDI

-------------------------------------------------------------------

ABBREVIATION........DDI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........DDI

HELP_TEXT...........No Help Text

ID.................{0C1E359F-B1F4-7994-D337-37622CB14BC8}

TERM................DDI


DATA VALUE: DECELERATING

-------------------------------------------------------------------

ABBREVIATION........DECELERATI

ACTIVE..............Yes

DESCRIPTION.........Decelerating

DISPLAY_NAME........Decelerating

HELP_TEXT...........Decelerating

ID.................{B259D4D4-82B8-454A-B53D-F12F4952BB61}

TERM................DECELERATING

DATA VALUE: DECLINED TO PARTICIPATE

---------------------------------------------------------------------

ABBREVIATION........Declined

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Declined to Participate

HELP_TEXT...........

ID.................{B16DB033-15D2-41F6-9D2F-4D37BD3CADE5}

TERM................DECLINED TO PARTICIPATE


DATA VALUE: DECLINES BLOOD PRODUCT(S) - SEE COMMENTS

---------------------------------------------------------------------

ABBREVIATION........Declines

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Declines Blood Product(s) - See

          Comments

HELP_TEXT...........

ID.................{6956B7C1-5996-4ED0-91B7-040992E11DED}

TERM................DECLINES BLOOD PRODUCT(S) - SEE

          COMMENTS


DATA VALUE: DECREASE STIMULATION

---------------------------------------------------------------------

ABBREVIATION........R.E. DECR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Decrease Stimulation

HELP_TEXT...........No Description

ID.................{0841626E-994E-4346-B701-1662A00209EB}

TERM...............DECREASE STIMULATION


DATA VALUE: DECREASED

-------------------------------------------------------------------

ABBREVIATION........DECREASED

ACTIVE..............Yes

DESCRIPTION.........Decreased

DISPLAY_NAME........Decreased

HELP_TEXT...........No Help Text

ID.................{D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}

TERM...............DECREASED


DATA VALUE: DECREASED ROM

-------------------------------------------------------------------

ABBREVIATION........Decr ROM

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Decreased ROM

HELP_TEXT...........

ID.................{F3C533EE-4528-4164-9F66-F2D4D3F681D5}

TERM...............DECREASED ROM

DATA VALUE: DEEP

------------------------------------------------------------------

ABBREVIATION........DEEP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Deep

HELP_TEXT...........No Help Text

ID.................{78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}

TERM................DEEP


DATA VALUE: DEEP: DEEP RESPIRATIONS

------------------------------------------------------------------

ABBREVIATION........PCA: Deep

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Deep: Deep Respirations

HELP_TEXT...........

ID.................{E447C08C-786F-4686-AC7E-CB11625A5E3D}

TERM................DEEP: DEEP RESPIRATIONS


DATA VALUE: DEFLATE BALLOON

------------------------------------------------------------------

ABBREVIATION........Deflate Ba

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Deflate Balloon

HELP_TEXT...........

ID.................{35425FEE-DEF6-4880-8F56-6A6745E76604}

TERM................DEFLATE BALLOON


DATA VALUE: DEFORMITY

--------------------------------------------------------------------

ABBREVIATION........Deformity

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Deformity

HELP_TEXT...........

ID.................{65563058-DD1A-41D4-89EF-D3C2A6B578BB}

TERM................DEFORMITY


DATA VALUE: DELIRIOUS

--------------------------------------------------------------------

ABBREVIATION........Delirious

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Delirious

HELP_TEXT...........

ID.................{6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}

TERM................DELIRIOUS

DATA VALUE: DELUSIONS

----------------------------------------------------------------

ABBREVIATION........Delusions

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Delusions

HELP_TEXT...........

ID.................{C0945F9A-3F8B-4202-A177-AADCBA93831C}

TERM................DELUSIONS


DATA VALUE: DEMANDING

----------------------------------------------------------------

ABBREVIATION........Demanding

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Demanding

HELP_TEXT...........

ID.................{F9C0729C-9168-4585-8E9A-33F9964F0F43}

TERM................DEMANDING


DATA VALUE: DEMENTIA

----------------------------------------------------------------

ABBREVIATION........Dementia

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dementia

HELP_TEXT...........

ID.................{CA24B020-15E7-4888-83DC-7203C5630D28}

TERM................DEMENTIA


DATA VALUE: DENIES HAVING SLEPT

--------------------------------------------------------------------

ABBREVIATION........DENIES SL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Denies Having Slept

HELP_TEXT...........No Help Text

ID.................{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}

TERM................DENIES HAVING SLEPT


DATA VALUE: DENIES NEED

--------------------------------------------------------------------

ABBREVIATION........DENIES NE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Denies Need

HELP_TEXT...........No Help Text

ID.................{28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}

TERM................DENIES NEED

DATA VALUE: DENTAL

-------------------------------------------------------------------

ABBREVIATION........Dental

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dental

HELP_TEXT...........

ID.................{0A60F06A-ED63-4B06-8FF9-EEFB12567D65}

TERM................DENTAL


DATA VALUE: DENTAL IMPLANTS

-------------------------------------------------------------------

ABBREVIATION........Implants

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dental Implants

HELP_TEXT...........

ID.................{D3AF96DE-6920-4C93-8105-99EE574FC092}

TERM................DENTAL IMPLANTS


DATA VALUE: DENTIST

-------------------------------------------------------------------

ABBREVIATION........Dentist

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dentist

HELP_TEXT...........

ID.................{DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}

TERM................DENTIST


DATA VALUE: DENTURES

---------------------------------------------------------------------

ABBREVIATION........Dentures

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dentures

HELP_TEXT...........

ID.................{ECABE4D0-97BE-418D-AC7D-29E40D166581}

TERM................DENTURES


DATA VALUE: DEPRESSED ST

---------------------------------------------------------------------

ABBREVIATION........Depress ST

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Depressed ST

HELP_TEXT...........

ID.................{5A1DBEF1-F1C5-4674-91B9-691A3D5D0BA9}

TERM................DEPRESSED ST

DATA VALUE: DESCRIP

----------------------------------------------------------------

ABBREVIATION........N

ACTIVE..............Yes

DESCRIPTION.........1.5 Cal Enteral Nutritrion Formula

DISPLAY_NAME........N

HELP_TEXT...........No Help Text

ID.................{47FD2D75-2C45-476F-82AF-7B40108E9C07}

TERM................DESCRIP

DATA VALUE: DEVIATION LEFT

----------------------------------------------------------------

ABBREVIATION........DeviationL

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Deviation Left

HELP_TEXT...........

ID.................{B8F53B29-9BE7-4681-8AFF-DE5D3F962755}

TERM................DEVIATION LEFT

DATA VALUE: DEVIATION RIGHT

----------------------------------------------------------------

ABBREVIATION........DeviationR

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Deviation Right

HELP_TEXT...........

ID.................{D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}

TERM................DEVIATION RIGHT


DATA VALUE: DEVICE RELATED PRESSURE

--------------------------------------------------------------------

ABBREVIATION........DEV REL PR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Device Related Pressure

HELP_TEXT...........No Help Text

ID.................{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}

TERM................DEVICE RELATED PRESSURE


DATA VALUE: DEVICE RELEASE

--------------------------------------------------------------------

ABBREVIATION........drq

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Device Release

HELP_TEXT...........No Help Text

ID.................{9F97947F-CFFE-3285-F4C3-A8DF294DA46C}

TERM................DEVICE RELEASE

DATA VALUE: DEVICE SAFETY

----------------------------------------------------------------

ABBREVIATION........DeviceSfty

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Device Safety

HELP_TEXT...........

ID.................{9F092E9D-3371-4EA5-A5E3-AA0C94A89A57}

TERM................DEVICE SAFETY


DATA VALUE: DIABETES

----------------------------------------------------------------

ABBREVIATION........Diabetes

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Diabetes

HELP_TEXT...........

ID.................{E295E970-759D-44CD-AD43-6047382A790D}

TERM................DIABETES


DATA VALUE: DIABETIC/VASCULAR ULCER

----------------------------------------------------------------

ABBREVIATION........DIA/VAS UL

ACTIVE..............Yes

DESCRIPTION.........Type of wound

DISPLAY_NAME........Diabetic / Vascular Ulcer

HELP_TEXT...........No Help Text

ID.................{E209E53E-EFF1-48F5-9581-75236C89D9B9}

TERM................DIABETIC/VASCULAR ULCER


DATA VALUE: DIAGNOSIS/HEALTH STATUS

---------------------------------------------------------------------

ABBREVIATION........Diag/Healt

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Diagnosis/Health Status

HELP_TEXT...........

ID.................{42F128CE-63B7-4AA9-A121-B08C507F9941}

TERM................DIAGNOSIS/HEALTH STATUS


DATA VALUE: DIALYSIS ACCESS

---------------------------------------------------------------------

ABBREVIATION........Dialysis

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dialysis Access

HELP_TEXT...........

ID.................{6465ED36-0818-48EC-AFE7-3BEE513770A2}

TERM................DIALYSIS ACCESS

DATA VALUE: DIALYSIS LINE

-------------------------------------------------------------------

ABBREVIATION........DialLine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dialysis Line

HELP_TEXT...........

ID.................{0371E9EE-D643-4104-BC36-94C0B8F06052}

TERM................DIALYSIS LINE


DATA VALUE: DIAPHORETIC

-------------------------------------------------------------------

ABBREVIATION........d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Diaphoretic

HELP_TEXT...........No Help Text

ID.................{F5F1E644-A1BD-0137-54B5-1C02678C1D5A}

TERM................DIAPHORETIC


DATA VALUE: DIARRHEA

-------------------------------------------------------------------

ABBREVIATION........DIARRHEA

ACTIVE..............Yes

DESCRIPTION.........Diarrhea

DISPLAY_NAME........Diarrhea

HELP_TEXT...........No Help Text

ID.................{353472EF-3499-46B1-AD7C-554FE01D8CE2}

TERM................DIARRHEA

DATA VALUE: DIASTOLIC

-------------------------------------------------------------------

ABBREVIATION........DIASTOLIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Diastolic

HELP_TEXT...........No Help Text

ID.................{3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}

TERM................DIASTOLIC

DATA VALUE: DID NOT MOVE BOWELS THIS OBSERVATION PERIOD

-------------------------------------------------------------------

ABBREVIATION........DidNotMove

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Did Not Move Bowels this Observation

           Period

HELP_TEXT...........

ID.................{BB562067-B313-4281-B75A-200FDF0EDE28}

TERM................DID NOT MOVE BOWELS THIS OBSERVATION

           PERIOD

DATA VALUE: DID NOT VOID THIS OBSERVATION PERIOD

-----------------------------------------------------------------

ABBREVIATION........NoVoid

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Did Not Void this Observation Period

HELP_TEXT...........

ID.................{C8DB4921-CE75-42D9-870C-62DB5FC9F45F}

TERM...............DID NOT VOID THIS OBSERVATION PERIOD


DATA VALUE: DIFFICULT TO AROUSE

-----------------------------------------------------------------

ABBREVIATION........Diff to Ar

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Difficult to Arouse

HELP_TEXT...........

ID.................{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}

TERM...............DIFFICULT TO AROUSE


DATA VALUE: DIGITAL STIMULATION

-----------------------------------------------------------------

ABBREVIATION........Dig Stim

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Digital Stimulation

HELP_TEXT...........

ID.................{44F30BAF-C8E2-484B-8572-66B86BBBC868}

TERM................DIGITAL STIMULATION


DATA VALUE: DILATED

---------------------------------------------------------------------

ABBREVIATION........Dilated

ACTIVE..............Yes

DESCRIPTION.........Dilated

DISPLAY_NAME........Dilated

HELP_TEXT...........No Help Text

ID.................{BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}

TERM................DILATED


DATA VALUE: DILUTE DAKINS SOLUTION

---------------------------------------------------------------------

ABBREVIATION........DL  DAKINS

ACTIVE..............Yes

DESCRIPTION.........Dilute Dakins Solution

DISPLAY_NAME........Dilute Dakins Solution

HELP_TEXT...........No Help Text

ID.................{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}

TERM................DILUTE DAKINS SOLUTION

DATA VALUE: DILUTE SODIUM HYPOCHLORITE SOLUTION

--------------------------------------------------------------------

ABBREVIATION........D NA HYPO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dilute Sodium Hypochlorite Solution

HELP_TEXT...........No Help Text

ID.................{14D2B1FB-1A5D-42AA-ACCF-A5033741DB61}

TERM................DILUTE SODIUM HYPOCHLORITE SOLUTION


DATA VALUE: DIMINISHED

--------------------------------------------------------------------

ABBREVIATION........d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Diminished

HELP_TEXT...........No Help Text

ID.................{49DE419E-DC3C-F7CD-771D-742031E0DEBC}

TERM................DIMINISHED


DATA VALUE: DINING ROOM

--------------------------------------------------------------------

ABBREVIATION........Dining Rm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dining Room

HELP_TEXT...........

ID.................{9E120E65-9968-4083-961C-D741FCFB420B}

TERM................DINING ROOM


DATA VALUE: DISCHARGE

----------------------------------------------------------------------

ABBREVIATION........DISCHARGE

ACTIVE..............Yes

DESCRIPTION.........Discharge

DISPLAY_NAME........Discharge

HELP_TEXT...........No Help Text

ID.................{ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}

TERM................DISCHARGE


DATA VALUE: DISCHARGE MEDS PLANNED

----------------------------------------------------------------------

ABBREVIATION........DI ME PL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Discharge Meds Planned

HELP_TEXT...........No Help Text

ID.................{04E9DF8B-8807-47A5-AE88-180F431F3BDE}

TERM................DISCHARGE MEDS PLANNED

DATA VALUE: DISCHARGE ORDER ON CHART

----------------------------------------------------------------

ABBREVIATION........DI OR CH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Discharge Order On Chart

HELP_TEXT...........No Help Text

ID.................{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}

TERM................DISCHARGE ORDER ON CHART


DATA VALUE: DISCOLORATION

----------------------------------------------------------------

ABBREVIATION........DISCOLORAT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Discoloration

HELP_TEXT...........No Help Text

ID.................{BBE3E910-CC49-430C-BD90-FB0A97F1B183}

TERM................DISCOLORATION


DATA VALUE: DISCOMFORT

----------------------------------------------------------------

ABBREVIATION........DISCOMFORT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Discomfort

HELP_TEXT...........No Help Text

ID.................{77D058C9-1EB4-96C0-C9E3-666C840B884C}

TERM................DISCOMFORT


DATA VALUE: DISCONTINUED

----------------------------------------------------------------------

ABBREVIATION........DISCONTINU

ACTIVE..............Yes

DESCRIPTION.........Discontinued

DISPLAY_NAME........Discontinued

HELP_TEXT...........No Help Text

ID..................{15E289FB-09DF-4731-9CF3-48A4E0031C31}

TERM................DISCONTINUED


DATA VALUE: DISEASE PROCESS

----------------------------------------------------------------------

ABBREVIATION........DISEA PROC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Disease Process

HELP_TEXT...........No Help Text

ID..................{E80807AE-6208-421D-BE4C-445C470D32FA}

TERM................DISEASE PROCESS

DATA VALUE: DISHEVELED

----------------------------------------------------------------

ABBREVIATION........DISHEVEL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Disheveled

HELP_TEXT...........No Help Text

ID.................{0455549E-5CCB-470D-9D7F-F3959E6D55FE}

TERM................DISHEVELED


DATA VALUE: DISORGANIZED

----------------------------------------------------------------

ABBREVIATION........Disorganiz

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Disorganized

HELP_TEXT...........

ID.................{E8382FF8-BC64-415D-9142-CEEA707CF77C}

TERM................DISORGANIZED


DATA VALUE: DISORIENTED

----------------------------------------------------------------

ABBREVIATION........DISORIENTE

ACTIVE..............Yes

DESCRIPTION.........Disoriented

DISPLAY_NAME........Disoriented

HELP_TEXT...........No Help Text

ID.................{A7D1F2EA-CD7C-4100-8552-44834684C6DE}

TERM................DISORIENTED


DATA VALUE: DISORIENTED TO PERSON

--------------------------------------------------------------------

ABBREVIATION........DISOR TO P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Disoriented To Person

HELP_TEXT...........No Help Text

ID.................{E5D83C03-7EF5-770B-930F-7B3B3345048C}

TERM................DISORIENTED TO PERSON


DATA VALUE: DISORIENTED TO PLACE

--------------------------------------------------------------------

ABBREVIATION........dtp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Disoriented To Place

HELP_TEXT...........No Help Text

ID.................{00C98809-C0D0-C7B4-0615-8F7D31017FE8}

TERM................DISORIENTED TO PLACE

DATA VALUE: DISORIENTED TO SITUATION

----------------------------------------------------------------

ABBREVIATION........dts

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Disoriented To Situation

HELP_TEXT...........No Help Text

ID.................{7143B3D7-5569-4378-D3AA-10C4675F0BA5}

TERM................DISORIENTED TO SITUATION


DATA VALUE: DISORIENTED TO TIME

----------------------------------------------------------------

ABBREVIATION........dtt

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Disoriented To Time

HELP_TEXT...........No Help Text

ID.................{2AD1A28A-4121-4B82-CFB8-E5A8D3095704}

TERM................DISORIENTED TO TIME


DATA VALUE: DISTAL PORT

----------------------------------------------------------------

ABBREVIATION........DIST PORT

ACTIVE..............Yes

DESCRIPTION.........Distal Port

DISPLAY_NAME........Distal Port

HELP_TEXT...........No Help Text

ID.................{E493DF34-AD0E-4951-9715-5AD4EFA14036}

TERM................DISTAL PORT

DATA VALUE: DISTENDED

----------------------------------------------------------------------

ABBREVIATION........DISTENDED

ACTIVE..............Yes

DESCRIPTION.........Distended

DISPLAY_NAME........Distended

HELP_TEXT...........No Help Text

ID.................{B5C529CA-2BE0-4698-A153-718F4D58E643}

TERM................DISTENDED

DATA VALUE: DIVERSION

----------------------------------------------------------------------

ABBREVIATION........DIVERSION

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Diversion

HELP_TEXT...........No Help Text

ID.................{087AAE9F-7FE1-5717-6423-07574C637875}

TERM................DIVERSION

DATA VALUE: DIVERSIONAL ACTIVITIES

-------------------------------------------------------------------

ABBREVIATION........R.E. DIVER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Diversonal Activities

HELP_TEXT...........No Help Text

ID.................{569F6D49-C564-4910-835A-B05179086E1F}

TERM................DIVERSIONAL ACTIVITIES


DATA VALUE: DIVIATION TO ONE SIDE

-------------------------------------------------------------------

ABBREVIATION........Diviation

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Diviation to One Side

HELP_TEXT...........

ID.................{49BC09BA-73B8-4FD4-8FBD-79D2EBAC7B82}

TERM................DIVIATION TO ONE SIDE


DATA VALUE: DO

-------------------------------------------------------------------

ABBREVIATION........DO

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........DO

HELP_TEXT...........

ID.................{F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}

TERM................DO

DATA VALUE: DO NOT INTUBATE

---------------------------------------------------------------------

ABBREVIATION........Do Not Int

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Do Not Intubate

HELP_TEXT...........

ID.................{88F9A76A-43BC-4BD9-A567-C8FE5A868544}

TERM................DO NOT INTUBATE


DATA VALUE: DO NOT RESUSCITATE

---------------------------------------------------------------------

ABBREVIATION........dnr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Do Not Resuscitate

HELP_TEXT...........No Help Text

ID.................{0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}

TERM................DO NOT RESUSCITATE

DATA VALUE: DONE

------------------------------------------------------------------

ABBREVIATION........DONE

ACTIVE..............Yes

DESCRIPTION.........Done

DISPLAY_NAME........Done

HELP_TEXT...........No Help Text

ID.................{60412C8D-132F-46EA-8DDF-FCC282C4CC8B}

TERM................DONE


DATA VALUE: DONE AS PER POLICY

------------------------------------------------------------------

ABBREVIATION........PerPolicy

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Done as per Policy

HELP_TEXT...........

ID.................{9D246DC9-B054-4AB2-9D72-C2E3C3A12FC1}

TERM................DONE AS PER POLICY


DATA VALUE: DOO

------------------------------------------------------------------

ABBREVIATION........DOO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........DOO

HELP_TEXT...........No Help Text

ID.................{749BCE3D-FF09-B796-FF2A-ECD2D116C96F}

TERM................DOO


DATA VALUE: DORSIFLEXION BOOT

---------------------------------------------------------------------

ABBREVIATION........DorsifBoot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dorsiflexion Boot

HELP_TEXT...........

ID.................{6913D726-62AD-4B8A-A9CE-37F476E8F064}

TERM................DORSIFLEXION BOOT


DATA VALUE: DOUBLE

---------------------------------------------------------------------

ABBREVIATION........DOUBLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Double

HELP_TEXT...........No Help Text

ID.................{A486852F-150B-24E3-8EB3-8CAABB3D0520}

TERM................DOUBLE

DATA VALUE: DOWN

------------------------------------------------------------------

ABBREVIATION........d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Down

HELP_TEXT...........No Help Text

ID.................{36ECC86E-2D73-D4A9-5E13-9972E2ECF2E2}

TERM................DOWN


DATA VALUE: DRAINAGE FLOW IS UNOBSTRUCTED

------------------------------------------------------------------

ABBREVIATION........Unobstruct

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Drainage Flow is Unobstructed

HELP_TEXT...........

ID.................{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}

TERM................DRAINAGE FLOW IS UNOBSTRUCTED


DATA VALUE: DRAINING POORLY

------------------------------------------------------------------

ABBREVIATION........DrainPoor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Draining Poorly

HELP_TEXT...........

ID.................{C3EF5A17-30FC-49B6-9F9E-51A34F45F295}

TERM................DRAINING POORLY

DATA VALUE: DRAINING WELL

----------------------------------------------------------------

ABBREVIATION........DrainWell

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Draining Well

HELP_TEXT...........

ID.................{594713DB-C44A-4B57-8B1C-784C7763F80B}

TERM................DRAINING WELL

DATA VALUE: DRESSING

----------------------------------------------------------------

ABBREVIATION........d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dressing

HELP_TEXT...........No Help Text

ID.................{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

TERM................DRESSING

DATA VALUE: DRESSING CHANGED

----------------------------------------------------------------------

ABBREVIATION........DRESS CHAN

ACTIVE..............Yes

DESCRIPTION.........Changed Dressing

DISPLAY_NAME........Dressing Changed

HELP_TEXT...........No Help Text

ID..................{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}

TERM................DRESSING CHANGED

DATA VALUE: DRESSING WITH PRESCRIPTION RX

----------------------------------------------------------------------

ABBREVIATION........DR W RX

ACTIVE..............Yes

DESCRIPTION.........Dressing With Prescription Rx

DISPLAY_NAME........Dressing With Prescription Rx

HELP_TEXT...........No Help Text

ID..................{AD5F9FDC-F280-4F1C-99E9-2BE0F9FFB15C}

TERM................DRESSING WITH PRESCRIPTION RX

DATA VALUE: DRESSINGS CHECKED

----------------------------------------------------------------------

ABBREVIATION........DRESS CH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dressings Checked

HELP_TEXT...........No Help Text

ID..................{21014F53-29CE-4914-8760-6976D8DBA742}

TERM................DRESSINGS CHECKED


DATA VALUE: DROPLET

---------------------------------------------------------------------

ABBREVIATION........DROPLET

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Droplet

HELP_TEXT...........No Help Text

ID.................{CE1DD314-8A30-4785-BD56-1540CDA85146}

TERM................DROPLET


DATA VALUE: DROPPING FOOT

---------------------------------------------------------------------

ABBREVIATION........Drop Foot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dropping Foot

HELP_TEXT...........

ID.................{973DF7B5-4845-46F8-BD5F-D20BB7FF708F}

TERM................DROPPING FOOT

DATA VALUE: DROWSY

-------------------------------------------------------------------

ABBREVIATION........Drowsy

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Drowsy

HELP_TEXT...........

ID.................{837DDD3A-DE8F-41E2-82C9-9533052F7B05}

TERM................DROWSY


DATA VALUE: DRY

-------------------------------------------------------------------

ABBREVIATION........d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dry

HELP_TEXT...........No Help Text

ID.................{D8F4F0FD-1B19-2515-3815-EC88D175B305}

TERM................DRY


DATA VALUE: DRY AND INTACT

-------------------------------------------------------------------

ABBREVIATION........DRY INTACT

ACTIVE..............Yes

DESCRIPTION.........Dry and Intact

DISPLAY_NAME........Dry and Intact

HELP_TEXT...........No Help Text

ID.................{77B62A18-F098-4764-86FA-66373E08E8C3}

TERM................DRY AND INTACT

DATA VALUE: DRY HEAVES

--------------------------------------------------------------------

ABBREVIATION........Dry Heaves

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dry Heaves

HELP_TEXT...........

ID..................{340B9BAD-5F37-42D1-843B-A4AB9908DFDD}

TERM................DRY HEAVES

DATA VALUE: DRY SHAMPOO

--------------------------------------------------------------------

ABBREVIATION........DRY SHAMP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dry Shampoo

HELP_TEXT...........No Help Text

ID..................{8910A186-2590-4352-A884-7D692A9D2B3C}

TERM................DRY SHAMPOO

DATA VALUE: DRY STERILE DRESSING

--------------------------------------------------------------------

ABBREVIATION........DRY ST DRE

ACTIVE..............Yes

DESCRIPTION.........Dry Sterile Dressing

DISPLAY_NAME........Dry Sterile Dressing

HELP_TEXT...........No Help Text

ID.................{3069DFCE-1B59-467C-97CE-9DBAF9AF42CC}

TERM................DRY STERILE DRESSING


DATA VALUE: DUAL CANNULA

--------------------------------------------------------------------

ABBREVIATION........DualCannul

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dual Cannula

HELP_TEXT...........

ID.................{BEAA57AB-9C9E-47F9-B942-DD6730CB559C}

TERM................DUAL CANNULA


DATA VALUE: DULL

--------------------------------------------------------------------

ABBREVIATION........DULL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dull

HELP_TEXT...........No Help Text

ID.................{F0F80976-F6A0-4363-9C75-AAAE9937DB49}

TERM................DULL


DATA VALUE: DUMPING SYNDROME

----------------------------------------------------------------------

ABBREVIATION........DUMP SYND

ACTIVE..............Yes

DESCRIPTION.........Dumping Syndrome Diet

DISPLAY_NAME........Dumping Syndrome Diet

HELP_TEXT...........No Help Text

ID.................{0173C971-63CB-45A5-9E93-D966EB3B957D}

TERM................DUMPING SYNDROME


DATA VALUE: DUODENOSTOMY

----------------------------------------------------------------------

ABBREVIATION........DUODENOSTO

ACTIVE..............Yes

DESCRIPTION.........Duodenostomy

DISPLAY_NAME........Duodenostomy

HELP_TEXT...........No Help Text

ID.................{FA44135D-6806-42E7-B371-8C3912B3582E}

TERM................DUODENOSTOMY

DATA VALUE: DUSKY

-------------------------------------------------------------------

ABBREVIATION........d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dusky

HELP_TEXT...........No Help Text

ID.................{2ABF845E-4E2F-883F-3FCC-F72B8507FF85}

TERM................DUSKY


DATA VALUE: DVI

-------------------------------------------------------------------

ABBREVIATION........DVI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........DVI

HELP_TEXT...........No Help Text

ID.................{4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}

TERM................DVI


DATA VALUE: DYE PRESENT

-------------------------------------------------------------------

ABBREVIATION........DYE PRESEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dye Present

HELP_TEXT...........No Help Text

ID.................{E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}

TERM................DYE PRESENT


DATA VALUE: DYSPHAGIA

-----------------------------------------------------------------

ABBREVIATION........Dysphagia

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dysphagia

HELP_TEXT...........

ID.................{CC69271C-B4DF-42D1-BA91-0832DBC45E31}

TERM................DYSPHAGIA


DATA VALUE: DYSPHAGIA PHASE I

-----------------------------------------------------------------

ABBREVIATION........DYSP PH I

ACTIVE..............Yes

DESCRIPTION.........Dysphagia Stage I Diet

DISPLAY_NAME........Dysphagia Stage I Diet

HELP_TEXT...........No Help Text

ID.................{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}

TERM................DYSPHAGIA PHASE I

DATA VALUE: DYSPHAGIA STAGE II

---------------------------------------------------------------------

ABBREVIATION........DYSP ST II

ACTIVE..............Yes

DESCRIPTION.........Dysphagia Stage II Diet

DISPLAY_NAME........Dysphagia Stage II Diet

HELP_TEXT...........No Help Text

ID.................{294BF58A-47FD-43A1-8A1E-9E348987B004}

TERM................DYSPHAGIA STAGE II


DATA VALUE: DYSPHAGIA STAGE III

---------------------------------------------------------------------

ABBREVIATION........DYS ST III

ACTIVE..............Yes

DESCRIPTION.........Dysphagia Stage III Diet

DISPLAY_NAME........Dysphagia Stage III Diet

HELP_TEXT...........No Help Text

ID.................{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}

TERM................DYSPHAGIA STAGE III


DATA VALUE: DYSPHAGIA STAGE IV

---------------------------------------------------------------------

ABBREVIATION........DYSP ST IV

ACTIVE..............Yes

DESCRIPTION.........Dysphagia Stage IV Diet

DISPLAY_NAME........Dysphagia Stage IV Diet

HELP_TEXT...........No Help Text

ID.................{E738569A-5104-4C93-8EFC-47D80765F739}

TERM................DYSPHAGIA STAGE IV


DATA VALUE: DYSPHAGIA STAGE V

----------------------------------------------------------------------

ABBREVIATION........DYSPH ST V

ACTIVE..............Yes

DESCRIPTION.........Dysphagia Stage V Diet

DISPLAY_NAME........Dysphagia Stage V Diet

HELP_TEXT...........No Help Text

ID.................{ABE7D85D-1821-4592-B4E8-84670EE484E4}

TERM................DYSPHAGIA STAGE V


DATA VALUE: DYSPNEIC

----------------------------------------------------------------------

ABBREVIATION........DYSPENIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dyspenic

HELP_TEXT...........No Help Text

ID.................{4C6B42D9-694F-5EB2-6396-7ED85D5B154E}

TERM................DYSPNEIC

DATA VALUE: DYSURIA

----------------------------------------------------------------

ABBREVIATION........DYSURIA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dysuria

HELP_TEXT...........No Help Text

ID.................{75AC5ECD-8975-406A-30C7-E2EB23F10F84}

TERM................DYSURIA


DATA VALUE: EAGER TO LEARN

----------------------------------------------------------------

ABBREVIATION........EAGER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Eager To Learn

HELP_TEXT...........No Help Text

ID.................{A20AF51B-C89C-4308-AE17-C66144FE68BE}

TERM................EAGER TO LEARN


DATA VALUE: EAR

----------------------------------------------------------------

ABBREVIATION........Ear

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ear

HELP_TEXT...........

ID.................{2FCF5F1B-70ED-4994-B9E6-83FA29F1D088}

TERM................EAR


DATA VALUE: EASY TO AROUSE

--------------------------------------------------------------------

ABBREVIATION........Easy to Ar

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Easy to Arouse

HELP_TEXT...........

ID.................{19BB5A04-F979-449C-AA93-D5A21BD368F6}

TERM................EASY TO AROUSE


DATA VALUE: ECCHYMOSIS

--------------------------------------------------------------------

ABBREVIATION........ECCHYMOSIS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ecchymosis

HELP_TEXT...........No Help Text

ID.................{DF076906-CC17-6AD1-76E7-B07678A126DE}

TERM................ECCHYMOSIS

DATA VALUE: ED IMPLANT

--------------------------------------------------------------------

ABBREVIATION........ED Implant

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ED Implant

HELP_TEXT...........

ID.................{A3BC0444-EDB8-4852-82A2-EA07B0C37D51}

TERM................ED IMPLANT


DATA VALUE: EDEMA (NON-PITTING)

--------------------------------------------------------------------

ABBREVIATION........EdemNonPit

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Edema (Non-pitting)

HELP_TEXT...........

ID.................{A11E7C74-1876-4677-B1D2-062074E85921}

TERM................EDEMA (NON-PITTING)


DATA VALUE: EDUCATION

--------------------------------------------------------------------

ABBREVIATION........R.E. EDUC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Education

HELP_TEXT...........No Help Text

ID.................{76341E6E-7F0A-429C-B768-9CA83C452FD7}

TERM................EDUCATION


DATA VALUE: ELASTIC WRAP

----------------------------------------------------------------------

ABBREVIATION........ELAST WRAP

ACTIVE..............Yes

DESCRIPTION.........ELASTIC WRAP

DISPLAY_NAME........Elastic Wrap

HELP_TEXT...........ELASTIC WRAP

ID.................{9EB52FA5-32D8-823F-2E3C-83375DA62342}

TERM................ELASTIC WRAP


DATA VALUE: ELBOW PAD

----------------------------------------------------------------------

ABBREVIATION........ELBOW PAD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Elbow Pad

HELP_TEXT...........No Help Text

ID.................{26942F81-1E33-4962-B772-A96FFBCED814}

TERM................ELBOW PAD

DATA VALUE: ELECTRIC

-------------------------------------------------------------------

ABBREVIATION........ELECTRIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Electric

HELP_TEXT...........No Help Text

ID.................{0C221385-61AF-4660-A129-35E610EA71AB}

TERM................ELECTRIC


DATA VALUE: ELECTRONIC LARYNX

-------------------------------------------------------------------

ABBREVIATION........ElecLarynx

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Electronic Larynx

HELP_TEXT...........

ID.................{6614E813-0FBB-4F5A-A89B-3C02FE906983}

TERM................ELECTRONIC LARYNX


DATA VALUE: ELEMENTAL FORMULA

-------------------------------------------------------------------

ABBREVIATION........ELE FORM

ACTIVE..............Yes

DESCRIPTION.........Elemental  Enteral Nutrition Formula

DISPLAY_NAME........Elemental Enteral Nutrition Formula

HELP_TEXT...........No Help Text

ID.................{DCE1E81C-1AC7-48F4-97AA-F1FC4D0601D8}

TERM................ELEMENTAL FORMULA


DATA VALUE: ELEVATED ST

---------------------------------------------------------------------

ABBREVIATION........Elevate ST

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Elevated ST

HELP_TEXT...........

ID.................{7663CF04-7A89-4228-9DB4-80504A417EA8}

TERM................ELEVATED ST


DATA VALUE: ELIMINATED ENVIRONMENTAL HAZARDS

---------------------------------------------------------------------

ABBREVIATION........Eli Env Hz

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Eliminated Environmental Hazards

HELP_TEXT...........

ID.................{78E77129-F53F-491D-8C86-36AE948FCCC6}

TERM................ELIMINATED ENVIRONMENTAL HAZARDS

DATA VALUE: ELOPEMENT

----------------------------------------------------------------------

ABBREVIATION........e

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Elopement

HELP_TEXT...........No Help Text

ID.................{EB030907-FB90-CA9D-CF50-E26C5D9FE671}

TERM................ELOPEMENT


DATA VALUE: ELOPEMENT RISK

----------------------------------------------------------------------

ABBREVIATION........Elope Risk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Elopement Risk

HELP_TEXT...........

ID.................{4AFA7128-158F-4FAF-9090-FE1791B588D0}

TERM................ELOPEMENT RISK


DATA VALUE: EMERGENCY

----------------------------------------------------------------------

ABBREVIATION........Emergency

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Emergency

HELP_TEXT...........

ID.................{3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

TERM................EMERGENCY


DATA VALUE: EMERGENCY DEPARTMENT

----------------------------------------------------------------------

ABBREVIATION........ER DEPT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Emergency Department

HELP_TEXT...........No Help Text

ID.................{D2E511F7-8B80-4928-A64B-3F1EE17395F7}

TERM................EMERGENCY DEPARTMENT


DATA VALUE: EMERGENCY DEPT

----------------------------------------------------------------------

ABBREVIATION........Emer Dept

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Emergency Dept

HELP_TEXT...........

ID.................{E8490DF5-278C-4102-9675-C9B40D596A10}

TERM................EMERGENCY DEPT

DATA VALUE: EMOTIONAL

----------------------------------------------------------------------

ABBREVIATION........EMOTIONAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Emotional

HELP_TEXT...........No Help Text

ID.................{626C22E6-EF2A-489F-AA79-D27541A0BC45}

TERM................EMOTIONAL


DATA VALUE: END OF LIFE CARE

----------------------------------------------------------------------

ABBREVIATION........END LIFE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........End Of Life Care

HELP_TEXT...........No Help Text

ID.................{047D8977-0567-4B90-AD6A-3AAF8DB35238}

TERM................END OF LIFE CARE


DATA VALUE: END-TIDAL CO2 MONITOR

----------------------------------------------------------------------

ABBREVIATION........End-Tidal

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........End-Tidal CO2 Monitor

HELP_TEXT...........

ID.................{609E3607-E441-465D-B1FC-C6986C58C11C}

TERM................END-TIDAL CO2 MONITOR


DATA VALUE: ENEMA

---------------------------------------------------------------------

ABBREVIATION........Enema

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Enema

HELP_TEXT...........

ID.................{34E6D2F2-9A36-45EC-83DA-37B8266065D5}

TERM................ENEMA


DATA VALUE: ENSURE PLUS

---------------------------------------------------------------------

ABBREVIATION........Ensure Plu

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ensure Plus

HELP_TEXT...........

ID.................{519D1249-B6C0-49ED-BA86-1B27C0F964C9}

TERM................ENSURE PLUS

DATA VALUE: ENTERAL FEEDING FORMULA/WATER ADMINISTRATION

----------------------------------------------------------------------

ABBREVIATION........Feed Form

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Enteral Feeding Formula/Water

              Administration

HELP_TEXT...........

ID.................{D2EA8840-1123-4660-AD25-587458BF1E89}

TERM................ENTERAL FEEDING FORMULA/WATER

              ADMINISTRATION

DATA VALUE: ENTERAL FEEDING PUMP

----------------------------------------------------------------------

ABBREVIATION........Feed Pump

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Enteral Feeding Pump

HELP_TEXT...........

ID.................{31FF069C-0060-45C3-898F-20F1A9D1552B}

TERM................ENTERAL FEEDING PUMP

DATA VALUE: ENTERAL TUBE MEDICATION ADMINISTRATION

----------------------------------------------------------------------

ABBREVIATION........Med Admin

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Enteral Tube Medication Administration

HELP_TEXT...........

ID..................{68D124A7-69CF-414B-8A47-BC666A373E24}

TERM................ENTERAL TUBE MEDICATION ADMINISTRATION


DATA VALUE: ENTERAL TUBE/STOMA CARE

--------------------------------------------------------------------

ABBREVIATION........Tube/Stoma

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Enteral Tube/Stoma Care

HELP_TEXT...........

ID..................{B91B94EF-CFE6-4628-BEF2-D06E5870D574}

TERM................ENTERAL TUBE/STOMA CARE


DATA VALUE: ENVIRONMENT

--------------------------------------------------------------------

ABBREVIATION........ENVIRO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Environment

HELP_TEXT...........No Help Text

ID..................{C61AA262-F6AF-46AC-A215-0D56FD01B234}

TERM................ENVIRONMENT

DATA VALUE: ENZYMATIC OINTMENT

---------------------------------------------------------------------

ABBREVIATION........ENZY OINTM

ACTIVE..............Yes

DESCRIPTION.........Enzymatic Ointment

DISPLAY_NAME........Enzymatic Ointment

HELP_TEXT...........No Help Text

ID.................{E781DA75-8777-4884-A093-FB623774DB8F}

TERM................ENZYMATIC OINTMENT


DATA VALUE: EPICARDIAL LEADS

---------------------------------------------------------------------

ABBREVIATION........el

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Epicardial Leads

HELP_TEXT...........No Help Text

ID.................{2B551575-3D50-96BD-7BAA-50CC9796361E}

TERM................EPICARDIAL LEADS


DATA VALUE: EPIDURAL

---------------------------------------------------------------------

ABBREVIATION........Epidural

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Epidural

HELP_TEXT...........

ID.................{63317A63-16FF-4D55-A034-420C65B17AEB}

TERM................EPIDURAL


DATA VALUE: EPIDURAL PUMP

----------------------------------------------------------------------

ABBREVIATION........Epid Pump

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Epidural Pump

HELP_TEXT...........

ID.................{26C83111-5FA8-4398-8D3E-787B31A2A9E9}

TERM................EPIDURAL PUMP


DATA VALUE: EPITHELIALIZATION

----------------------------------------------------------------------

ABBREVIATION........EPITHELIAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Epithelialization

HELP_TEXT...........No Help Text

ID.................{5FC43A6D-921D-4736-A234-9993DB6499B7}

TERM................EPITHELIALIZATION

DATA VALUE: EQUAL

--------------------------------------------------------------------

ABBREVIATION........Equal

ACTIVE..............Yes

DESCRIPTION.........Equal

DISPLAY_NAME........Equal

HELP_TEXT...........No Help Text

ID.................{AC079584-158D-EBF2-E13A-C2E919375E4D}

TERM................EQUAL


DATA VALUE: EQUIPMENT

--------------------------------------------------------------------

ABBREVIATION........EQUIPMENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Equipment

HELP_TEXT...........No Help Text

ID.................{04C0F805-C7B3-4A9A-91D8-0F32F3265874}

TERM................EQUIPMENT


DATA VALUE: ERYTHEMA

--------------------------------------------------------------------

ABBREVIATION........ERYTHEMA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Erythema

HELP_TEXT...........No Help Text

ID.................{0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}

TERM................ERYTHEMA

DATA VALUE: ERYTHEMATOUS

----------------------------------------------------------------------

ABBREVIATION........Erythemato

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Erythematous

HELP_TEXT...........

ID.................{99C72386-619A-4CB4-BEB2-6F0BFF9283FC}

TERM...............ERYTHEMATOUS

DATA VALUE: ESCAPE

----------------------------------------------------------------------

ABBREVIATION........e

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Escape

HELP_TEXT...........No Help Text

ID.................{965F3201-9D63-66AB-FA25-99479AE7145A}

TERM...............ESCAPE

DATA VALUE: ESCHAR

----------------------------------------------------------------

ABBREVIATION........ESCHAR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Eschar

HELP_TEXT...........No Help Text

ID.................{555E03C5-FBFE-4EB9-816F-25CE34476B3C}

TERM................ESCHAR


DATA VALUE: ESTABLISHED ROUTINE TOILETING SCHEDULE

----------------------------------------------------------------

ABBREVIATION........Toil Sched

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Established Routine Toileting Schedule

HELP_TEXT...........

ID.................{A66F5259-5C01-4597-B881-9267DEBC017C}

TERM................ESTABLISHED ROUTINE TOILETING SCHEDULE


DATA VALUE: ETT REPOSITIONED

----------------------------------------------------------------

ABBREVIATION........ETT REPOSI

ACTIVE..............Yes

DESCRIPTION.........ETT Repositioned

DISPLAY_NAME........ETT Repositioned

HELP_TEXT...........No Help Text

ID.................{95B35EDB-76B6-433E-B526-01C543A7CCEA}

TERM................ETT REPOSITIONED


DATA VALUE: ETT RETAPED/SECURED

----------------------------------------------------------------------

ABBREVIATION........ETT RETAPE

ACTIVE..............Yes

DESCRIPTION.........ETT Retaped / Secured

DISPLAY_NAME........ETT Retaped / Secured

HELP_TEXT...........No Help Text

ID.................{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}

TERM...............ETT RETAPED/SECURED


DATA VALUE: EUPHORIC

----------------------------------------------------------------------

ABBREVIATION........Euphoric

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Euphoric

HELP_TEXT...........

ID.................{581BBFEE-B167-446A-A6DF-536D9B832421}

TERM...............EUPHORIC

DATA VALUE: EWALD TUBE

-----------------------------------------------------------------

ABBREVIATION........EWALD TUBE

ACTIVE..............Yes

DESCRIPTION.........Ewald Tube

DISPLAY_NAME........Ewald Tube

HELP_TEXT...........No Help Text

ID.................{B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

TERM................EWALD TUBE


DATA VALUE: EXPIRATORY WHEEZES

-----------------------------------------------------------------

ABBREVIATION........EXP WHEEZE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Expiratory Wheezes

HELP_TEXT...........No Help Text

ID.................{CFC103A8-8B02-4942-BBDD-8D24C930883E}

TERM................EXPIRATORY WHEEZES


DATA VALUE: EXTENDED PERIOD OF IMMOBILITY

-----------------------------------------------------------------

ABBREVIATION........Ex Pd Immo

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Extended Period of Immobility

HELP_TEXT...........

ID.................{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAF0A}

TERM................EXTENDED PERIOD OF IMMOBILITY


DATA VALUE: EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM

---------------------------------------------------------------------

ABBREVIATION........ER EXI <1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Less Than 1 cm

HELP_TEXT...........No Help-Text

ID.................{095709D0-6190-49A3-AB08-BF4575DC8396}

TERM................EXTENDS AROUND INCISION EXTENDS INTO

       PERIWOUND LESS THAN 1 CM


DATA VALUE: EXTENDS AROUND INCISION MORE THAN 1 CM

---------------------------------------------------------------------

ABBREVIATION........ER EXI >1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Extends Into Periwound More Than 1 cm

HELP_TEXT...........No Help-Text

ID.................{11F13A1F-7AC2-4629-A960-CD92655EE101}

TERM................EXTENDS AROUND INCISION MORE THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION NONE

------------------------------------------------------------------

ABBREVIATION........ER EXI NON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........None

HELP_TEXT...........No Help-Text

ID.................{91F1A7C5-885C-4B13-9F7F-189C93E505CC}

TERM................EXTENDS AROUND INCISION NONE


DATA VALUE: EXTENDS INTO PERIWOUND <1CM

------------------------------------------------------------------

ABBREVIATION........EX IN PER<

ACTIVE..............Yes

DESCRIPTION.........Extends Into Periwound <1cm

DISPLAY_NAME........Extends Into Periwound <1cm

HELP_TEXT...........No Help Text

ID.................{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}

TERM................EXTENDS INTO PERIWOUND <1CM


DATA VALUE: EXTENDS INTO PERIWOUND>1CM

------------------------------------------------------------------

ABBREVIATION........EX IN PER>

ACTIVE..............Yes

DESCRIPTION.........Extends Into Periwound > 1cm

DISPLAY_NAME........Extends Into Periwound > 1cm

HELP_TEXT...........No Help Text

ID.................{1F31FEBB-DA19-434C-8C58-67CDC5385231}

TERM................EXTENDS INTO PERIWOUND>1CM


DATA VALUE: EXTENDS TO PAIN

-------------------------------------------------------------------

ABBREVIATION........EXT TO PAI

ACTIVE..............Yes

DESCRIPTION.........Extends To Pain

DISPLAY_NAME........Extends To Pain

HELP_TEXT...........No Help Text

ID.................{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}

TERM................EXTENDS TO PAIN


DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM

-------------------------------------------------------------------

ABBREVIATION........ERY EX <1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Extends Into Periwound Less Than 1 cm

HELP_TEXT...........No Help-Text

ID.................{48C7FA69-D31A-4AAA-84F3-79AC863B71FD}

TERM................EXTENSION AROUND WOUND EXTENDS INTO

                PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM

------------------------------------------------------------------

ABBREVIATION........ERY EX >1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Extends Into Periwound Greater Than 1

        cm

HELP_TEXT...........No Help-Text

ID.................{175B2505-C596-4036-8FC3-DFEA8EFB76F9}

TERM................EXTENSION AROUND WOUND EXTENDS INTO

        PERIWOUND MORE THAN 1 CM


DATA VALUE: EXTENSION AROUND WOUND LIMITED TO WOUND

------------------------------------------------------------------

ABBREVIATION........ERY EX LIM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Limited To Wound

HELP_TEXT...........No Help-Text

ID.................{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

TERM................EXTENSION AROUND WOUND LIMITED TO WOUND


DATA VALUE: EXTENSION AROUND WOUND NONE

------------------------------------------------------------------

ABBREVIATION........ERY EX NON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........None

HELP_TEXT...........No Help-Text

ID..................{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}

TERM................EXTENSION AROUND WOUND NONE


DATA VALUE: EXTENSION-ABNORMAL

----------------------------------------------------------------------

ABBREVIATION........Exten-Abnl

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Extension-Abnormal

HELP_TEXT...........

ID..................{4EACD15C-1CB5-4D23-A166-88F50C33C725}

TERM................EXTENSION-ABNORMAL


DATA VALUE: EXTENSION-WNL

----------------------------------------------------------------------

ABBREVIATION........Exten-WNL

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Extension-WNL

HELP_TEXT...........

ID..................{85694137-C7B1-40D0-BB35-323734235BB4}

TERM................EXTENSION-WNL

DATA VALUE: EXTENSIVE ASSISTANCE

----------------------------------------------------------------------

ABBREVIATION........EXT ASSIST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Extensive Assistance

HELP_TEXT...........No Help Text

ID.................{C402B659-E880-4070-8345-13E5508B4D29}

TERM................EXTENSIVE ASSISTANCE


DATA VALUE: EXTERNAL CATHETER

----------------------------------------------------------------------

ABBREVIATION........EXT. CATHE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........External Catheter

HELP_TEXT...........No Help Text

ID.................{C8AEE936-DD91-FE91-4DD6-6F210FB59726}

TERM................EXTERNAL CATHETER


DATA VALUE: EXTERNAL CONDOM CATH

----------------------------------------------------------------------

ABBREVIATION........Ex Con Cat

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........External Condom Cath

HELP_TEXT...........

ID.................{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}

TERM................EXTERNAL CONDOM CATH

DATA VALUE: EXTERNAL FECAL INCONTINENCE DEVICE

----------------------------------------------------------------------

ABBREVIATION........FID Ext

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........External Fecal Incontinence Device

HELP_TEXT...........

ID.................{6FD2A67E-5CDD-4654-8C2A-7BD851D032EF}

TERM................EXTERNAL FECAL INCONTINENCE DEVICE

DATA VALUE: EXTERNAL ORTHOPEDIC HARDWARE

----------------------------------------------------------------------

ABBREVIATION........ExOrtho

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........External Orthopedic Hardware

HELP_TEXT...........

ID.................{7E6D78DE-2CE0-4FCA-BF31-5BC9C8BD2CA6}

TERM................EXTERNAL ORTHOPEDIC HARDWARE

DATA VALUE: EXTERNAL ROTATION

---------------------------------------------------------------------

ABBREVIATION........Ext Rotate

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........External Rotation

HELP_TEXT...........

ID.................{F06FCEAA-D457-472B-81D1-E0079764BFB2}

TERM................EXTERNAL ROTATION


DATA VALUE: EXTRA MOVEMENTS THAT AFFECT GAIT

---------------------------------------------------------------------

ABBREVIATION........Extra Move

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Extra Movements that Affect Gait

HELP_TEXT...........

ID.................{DB1191F0-540F-4E62-B4D9-03DE316E4B5A}

TERM................EXTRA MOVEMENTS THAT AFFECT GAIT


DATA VALUE: EXTREMELY DRY

---------------------------------------------------------------------

ABBREVIATION........EXTR DRY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Extremely Dry

HELP_TEXT...........No Help Text

ID.................{51677B19-80B9-4787-B6E2-E0BCF6601AA1}

TERM................EXTREMELY DRY

DATA VALUE: EXTREMITY BRACE

----------------------------------------------------------------------

ABBREVIATION........ExtremBrac

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Extremity Brace

HELP_TEXT...........

ID.................{83E9AD29-633A-4EE3-8179-3402649310FE}

TERM................EXTREMITY BRACE

DATA VALUE: EXTREMITY IMMOBILIZER

----------------------------------------------------------------------

ABBREVIATION........ExtremImmo

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Extremity Immobilizer

HELP_TEXT...........

ID.................{25C6E52B-527D-4F9F-A137-3D1E9D7B744A}

TERM................EXTREMITY IMMOBILIZER

DATA VALUE: EYE CLOSED

------------------------------------------------------------------

ABBREVIATION........ec

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Eye Closed

HELP_TEXT...........No Help Text

ID.................{140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}

TERM................EYE CLOSED


DATA VALUE: EYE LENS

------------------------------------------------------------------

ABBREVIATION........Eye Lens

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Eye Lens

HELP_TEXT...........

ID.................{9EA92925-0EA1-4E20-9B46-1848B03F72E9}

TERM................EYE LENS


DATA VALUE: EYEGLASSES

------------------------------------------------------------------

ABBREVIATION........Eyeglasses

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Eyeglasses

HELP_TEXT...........

ID.................{E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}

TERM................EYEGLASSES

DATA VALUE: FACE WASH

-------------------------------------------------------------------

ABBREVIATION........FACE WASH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Face Wash

HELP_TEXT...........No Help Text

ID.................{E1162A8B-D26D-4EB3-988F-50583B1849EA}

TERM................FACE WASH

DATA VALUE: FACIAL

-------------------------------------------------------------------

ABBREVIATION........Facial

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Facial

HELP_TEXT...........

ID.................{7229B242-4C9B-4881-B7C8-A71351754DD7}

TERM................FACIAL

DATA VALUE: FACIAL GRIMACES

----------------------------------------------------------------------

ABBREVIATION........Grimaces

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Facial Grimaces

HELP_TEXT...........

ID.................{FEE509E1-5B2F-49C5-A57D-C9D42744037F}

TERM................FACIAL GRIMACES


DATA VALUE: FALL PREVENTION REVIEWED

----------------------------------------------------------------------

ABBREVIATION........FallPrevRw

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fall Prevention Reviewed

HELP_TEXT...........

ID.................{ECA5757D-40DF-485E-A660-5600F73D6EDC}

TERM................FALL PREVENTION REVIEWED


DATA VALUE: FALL RISK ID

----------------------------------------------------------------------

ABBREVIATION........Fall Risk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fall Risk ID

HELP_TEXT...........

ID.................{EF1BE81B-656B-474C-B19E-CCDAD8BB4100}

TERM................FALL RISK ID

DATA VALUE: FALL RISK SIGN

---------------------------------------------------------------------

ABBREVIATION........Fall Sign

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fall Risk Sign

HELP_TEXT...........

ID.................{E9670720-957E-487E-B0F0-7F7A8AEF69DE}

TERM................FALL RISK SIGN

DATA VALUE: FAMILY

---------------------------------------------------------------------

ABBREVIATION........FAMILY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Family

HELP_TEXT...........No Help Text

ID.................{1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}

TERM................FAMILY

DATA VALUE: FAMILY INFORMED

--------------------------------------------------------------------

ABBREVIATION........FAM INFORM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Family Informed

HELP_TEXT...........No Help Text

ID.................{77135D32-9CDD-4D3F-9B62-6E8189B77844}

TERM................FAMILY INFORMED


DATA VALUE: FAMILY INSTRUCTED

--------------------------------------------------------------------

ABBREVIATION........fam instru

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Family Instructed

HELP_TEXT...........

ID.................{0FD5988C-2C4D-4786-99B3-3287A355E813}

TERM................FAMILY INSTRUCTED


DATA VALUE: FAMILY NEEDS

--------------------------------------------------------------------

ABBREVIATION........Fam Needs

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Family Needs

HELP_TEXT...........

ID.................{CEB07929-0A6E-47E9-99CD-BD9333304C9C}

TERM................FAMILY NEEDS


DATA VALUE: FAMILY STATED

----------------------------------------------------------------------

ABBREVIATION........Fam Stated

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Family Stated

HELP_TEXT...........

ID.................{07A4B749-65F2-48E8-AD93-D142B04055B4}

TERM................FAMILY STATED


DATA VALUE: FAMILY/FRIEND

----------------------------------------------------------------------

ABBREVIATION........FAM/FRIE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Family/Friend

HELP_TEXT...........No Help Text

ID.................{FA8FE272-E659-41EF-A394-F907A5F55ED8}

TERM................FAMILY/FRIEND

DATA VALUE: FASCIA

--------------------------------------------------------------------

ABBREVIATION........FASCIA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Fascia

HELP_TEXT...........No Help Text

ID.................{EEE8535C-B887-4A34-A93F-C1C4AFC1296F}

TERM................FASCIA


DATA VALUE: FAT RESTRICTED 50 GM DIET

--------------------------------------------------------------------

ABBREVIATION........F RES 50gm

ACTIVE..............Yes

DESCRIPTION.........Fat Restricted 50 gm Diet

DISPLAY_NAME........Fat Restricted 50 gm Diet

HELP_TEXT...........No Help Text

ID.................{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}

TERM................FAT RESTRICTED 50 GM DIET


DATA VALUE: FECAL FAT TEST DIET

--------------------------------------------------------------------

ABBREVIATION........FEC F TEST

ACTIVE..............Yes

DESCRIPTION.........Fecal Fat Test Diet

DISPLAY_NAME........Fecal Fat Test Diet

HELP_TEXT...........No Help Text

ID.................{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}

TERM................FECAL FAT TEST DIET


DATA VALUE: FENESTRATED

-------------------------------------------------------------------

ABBREVIATION........Fenestratd

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fenestrated

HELP_TEXT...........

ID.................{B17FE19B-D8B9-4DAA-A2D1-4ED9C8E6591D}

TERM................FENESTRATED


DATA VALUE: FENTANYL

-------------------------------------------------------------------

ABBREVIATION........Fentanyl

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fentanyl

HELP_TEXT...........

ID.................{C0740659-05FB-4513-BD0F-4F4111B32215}

TERM................FENTANYL

DATA VALUE: FHWN1

-------------------------------------------------------------------

ABBREVIATION........FHWN1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........FHWN1

HELP_TEXT...........No Help Text

ID.................{93B28875-51BF-4294-B2F9-58BE9365DC81}

TERM................FHWN1


DATA VALUE: FIBER FORMULA

-------------------------------------------------------------------

ABBREVIATION........FIBER FORM

ACTIVE..............Yes

DESCRIPTION.........Fiber Enteral Nutrition Formula

DISPLAY_NAME........Fiber Enteral Nutrition Formula

HELP_TEXT...........No Help Text

ID.................{1AF14DA4-8D59-420B-9895-4256E7A818BE}

TERM................FIBER FORMULA


DATA VALUE: FIBER STAT

-------------------------------------------------------------------

ABBREVIATION........Fiber Stat

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fiber Stat

HELP_TEXT...........

ID.................{201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}

TERM................FIBER STAT

DATA VALUE: FIBERSOURCE

---------------------------------------------------------------------

ABBREVIATION........FiberSrc

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fibersource

HELP_TEXT...........

ID.................{0BD55DE7-8524-4A21-A694-218A19EF0CE6}

TERM...............FIBERSOURCE

DATA VALUE: FIBRINOUS

---------------------------------------------------------------------

ABBREVIATION........FIBRINOUS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Fibrinous

HELP_TEXT...........No Help Text

ID.................{D286EAE2-6902-4B7E-845D-BBB316941B2C}

TERM...............FIBRINOUS

DATA VALUE: FINANCIAL CONCERNS

--------------------------------------------------------------------

ABBREVIATION........Fin Concer

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Financial Concerns

HELP_TEXT...........

ID.................{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}

TERM................FINANCIAL CONCERNS


DATA VALUE: FINGER

--------------------------------------------------------------------

ABBREVIATION........Finger

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Finger

HELP_TEXT...........

ID.................{4116E518-D7DC-4419-B663-728F683DD237}

TERM................FINGER


DATA VALUE: FIRM

--------------------------------------------------------------------

ABBREVIATION........FIRM

ACTIVE..............Yes

DESCRIPTION.........Firm

DISPLAY_NAME........Firm

HELP_TEXT...........No Help Text

ID.................{11E23F20-39A0-4A6D-B198-04BB36B0C909}

TERM................FIRM

DATA VALUE: FIRST DEGREE AV BLOCK

--------------------------------------------------------------------

ABBREVIATION........fdab

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........First Degree Av Block

HELP_TEXT...........No Help Text

ID.................{4FF046C9-B638-F86C-5D51-006B3D5225E3}

TERM................FIRST DEGREE AV BLOCK

DATA VALUE: FIXED

--------------------------------------------------------------------

ABBREVIATION........f

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Fixed

HELP_TEXT...........No Help Text

ID.................{697D8C5A-976F-F423-30EC-A04102CF85F0}

TERM................FIXED

DATA VALUE: FLAT

-------------------------------------------------------------------

ABBREVIATION........Flat

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Flat

HELP_TEXT...........No Help Text

ID.................{EA4F1980-EDF3-82BC-B677-D747F48F1163}

TERM................FLAT


DATA VALUE: FLATTENED T WAVE

-------------------------------------------------------------------

ABBREVIATION........Flat T

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Flattened T Wave

HELP_TEXT...........

ID.................{8CAEE4C4-895C-4FC2-95A9-1C84D5305586}

TERM................FLATTENED T WAVE


DATA VALUE: FLATULENCE

-------------------------------------------------------------------

ABBREVIATION........FLATULENCE

ACTIVE..............Yes

DESCRIPTION.........Flatulence

DISPLAY_NAME........Flatulence

HELP_TEXT...........No Help Text

ID.................{F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}

TERM................FLATULENCE


DATA VALUE: FLATUS

--------------------------------------------------------------------

ABBREVIATION........Flatus

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Flatus

HELP_TEXT...........

ID.................{F3FE38C4-CB0B-4141-ACFB-57326B0B2746}

TERM................FLATUS


DATA VALUE: FLEXION TO PAIN

--------------------------------------------------------------------

ABBREVIATION........FLEX TO PA

ACTIVE..............Yes

DESCRIPTION.........Flexion To Pain

DISPLAY_NAME........Flexion To Pain

HELP_TEXT...........No Help Text

ID.................{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}

TERM................FLEXION TO PAIN

DATA VALUE: FLEXION-ABNORMAL

----------------------------------------------------------------

ABBREVIATION........Flex-Abnl

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Flexion-Abnormal

HELP_TEXT...........

ID.................{FE8F1090-BD69-46EC-A4F7-9E40542F60F7}

TERM................FLEXION-ABNORMAL


DATA VALUE: FLEXION-WNL

----------------------------------------------------------------

ABBREVIATION........Flex-WNL

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Flexion-WNL

HELP_TEXT...........

ID.................{1DA99A69-8F5C-4345-9190-A62839101AEA}

TERM................FLEXION-WNL


DATA VALUE: FLICKER OF CONTRACTION

----------------------------------------------------------------

ABBREVIATION........foc

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Flicker Of Contraction

HELP_TEXT...........No Help Text

ID.................{218B322B-84AA-F6F6-5207-D86F9A4311F0}

TERM................FLICKER OF CONTRACTION


DATA VALUE: FLIGHT OF IDEAS

----------------------------------------------------------------------

ABBREVIATION........Fl of Idea

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Flight of Ideas

HELP_TEXT...........

ID.................{23048412-DE2D-4493-8BA5-EC1EB523A9FC}

TERM...............FLIGHT OF IDEAS


DATA VALUE: FLOOR LIFT (TOTAL LIFT)

----------------------------------------------------------------------

ABBREVIATION........FloorLift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Floor Lift (Total Lift)

HELP_TEXT...........

ID.................{12B1B494-1AF0-428E-8F3F-ADAA18AF5BAA}

TERM...............FLOOR LIFT (TOTAL LIFT)

DATA VALUE: FLOTATION BED

--------------------------------------------------------------------

ABBREVIATION........FLOT BED

ACTIVE..............Yes

DESCRIPTION.........Flotation Bed

DISPLAY_NAME........Flotation Bed

HELP_TEXT...........No Help Text

ID.................{FA6329AB-85A6-4301-BC14-D0D089249356}

TERM................FLOTATION BED


DATA VALUE: FLUCTUANCE

--------------------------------------------------------------------

ABBREVIATION........FLUCTUANCE

ACTIVE..............Yes

DESCRIPTION.........Fluctuance

DISPLAY_NAME........Fluctuance

HELP_TEXT...........No Help Text

ID.................{A6AD2660-621D-4F39-8485-A013D7491566}

TERM................FLUCTUANCE


DATA VALUE: FLUCTUATES

--------------------------------------------------------------------

ABBREVIATION........Fluctuates

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Fluctuates

HELP_TEXT...........No Help Text

ID.................{C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}

TERM................FLUCTUATES


DATA VALUE: FLUIDS OFFERED

----------------------------------------------------------------------

ABBREVIATION........Fluids

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fluids Offered

HELP_TEXT...........

ID.................{F204692B-41E8-44F4-BEDA-909FE29ACA8E}

TERM................FLUIDS OFFERED


DATA VALUE: FLUSHED

----------------------------------------------------------------------

ABBREVIATION........nt

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Flushed

HELP_TEXT...........No Help Text

ID.................{C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}

TERM................FLUSHED

DATA VALUE: FOAM AIR HEEL ELEVATOR

--------------------------------------------------------------------

ABBREVIATION........FO AI HEEL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Foam Air Heel Elevator

HELP_TEXT...........No Help Text

ID.................{4EC26AA3-4577-4808-8728-F360C5C5A0D4}

TERM................FOAM AIR HEEL ELEVATOR


DATA VALUE: FOAM DRESSING

--------------------------------------------------------------------

ABBREVIATION........WOU DR FOA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Foam Dressing

HELP_TEXT...........No Help-Text

ID.................{D18A5EDD-0EF6-470E-8370-4EDB6D322477}

TERM................FOAM DRESSING


DATA VALUE: FOLEY

--------------------------------------------------------------------

ABBREVIATION........FOLEY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Foley

HELP_TEXT...........No Help Text

ID.................{9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}

TERM................FOLEY


DATA VALUE: FOLLOWS COMMANDS

---------------------------------------------------------------------

ABBREVIATION........Follow Cmd

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Follows Commands

HELP_TEXT...........

ID.................{D5722341-ACC1-4F69-B537-1D3126ADA249}

TERM................FOLLOWS COMMANDS


DATA VALUE: FOOT

---------------------------------------------------------------------

ABBREVIATION........Foot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Foot

HELP_TEXT...........

ID.................{6ECAC533-2F5A-4361-AFDF-6A69BA1B6820}

TERM................FOOT

DATA VALUE: FOOT CARE

-----------------------------------------------------------------

ABBREVIATION........FOOT CARE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Foot Care

HELP_TEXT...........No Help Text

ID.................{332E8338-6DAE-4BC9-B195-63DAD57937D0}

TERM................FOOT CARE


DATA VALUE: FOOT DOWN

-----------------------------------------------------------------

ABBREVIATION........fd

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Foot Down

HELP_TEXT...........No Help Text

ID.................{13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}

TERM................FOOT DOWN


DATA VALUE: FOOT DRAGGING

-----------------------------------------------------------------

ABBREVIATION........Foot Drag

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Foot Dragging

HELP_TEXT...........

ID.................{6545B9D2-143C-4551-9D93-5D93AD79C65E}

TERM................FOOT DRAGGING


DATA VALUE: FOOT UP

-------------------------------------------------------------------

ABBREVIATION........fu

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Foot Up

HELP_TEXT...........No Help Text

ID.................{49CCC59E-002E-8387-E8D6-D57AAC089EF3}

TERM................FOOT UP


DATA VALUE: FOUL SMELLING

-------------------------------------------------------------------

ABBREVIATION........FOUL SMELL

ACTIVE..............Yes

DESCRIPTION.........Foul Smelling

DISPLAY_NAME........Foul Smelling

HELP_TEXT...........No Help Text

ID.................{761346A9-329D-4F42-8D80-0E9D8D40653C}

TERM................FOUL SMELLING

DATA VALUE: FOWLER'S

----------------------------------------------------------------

ABBREVIATION........FOWLER'S

ACTIVE..............Yes

DESCRIPTION.........Fowler's

DISPLAY_NAME........Fowler's

HELP_TEXT...........No Help Text

ID.................{8E691813-A9AC-48BE-9401-528A7D762A32}

TERM................FOWLER'S

DATA VALUE: FRACTURES

----------------------------------------------------------------

ABBREVIATION........Fractures

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fractures

HELP_TEXT...........

ID.................{1C3CD0BC-5B3C-4664-885C-C5BD01E5E664}

TERM................FRACTURES

DATA VALUE: FRAGMENTED

----------------------------------------------------------------

ABBREVIATION........Fragmented

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fragmented

HELP_TEXT...........

ID.................{EB6A8E89-8D25-4ED6-AE53-225134603381}

TERM................FRAGMENTED


DATA VALUE: FRANK BLOOD

--------------------------------------------------------------------

ABBREVIATION........FRANK BLD

ACTIVE..............Yes

DESCRIPTION.........Frank Blood

DISPLAY_NAME........Frank Blood

HELP_TEXT...........No Help Text

ID.................{CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}

TERM................FRANK BLOOD


DATA VALUE: FREQUENT VERBAL REMINDERS

--------------------------------------------------------------------

ABBREVIATION........FR VER RE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Frequent Verbal Reminders

HELP_TEXT...........No Help Text

ID.................{F30D791D-BB80-4AB3-B37F-22B6B547EA65}

TERM................FREQUENT VERBAL REMINDERS

DATA VALUE: FRIEND

--------------------------------------------------------------------

ABBREVIATION........FRIEND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Friend

HELP_TEXT...........No Help Text

ID.................{03902E48-AF86-432A-8372-37796A55F625}

TERM................FRIEND


DATA VALUE: FROM A NON-VA OUTSIDE FACILITY

--------------------------------------------------------------------

ABBREVIATION........Fr Non-VA

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From a Non-VA Outside Facility

HELP_TEXT...........

ID.................{8090F49E-5056-4F7C-932C-538581996F8F}

TERM................FROM A NON-VA OUTSIDE FACILITY


DATA VALUE: FROM ANOTHER UNIT

--------------------------------------------------------------------

ABBREVIATION........Fr An Unit

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From Another Unit

HELP_TEXT...........

ID.................{D94B5252-7E8A-48EB-A481-0B18C68CAEF7}

TERM...............FROM ANOTHER UNIT


DATA VALUE: FROM ANOTHER VA FACILITY

-------------------------------------------------------------------

ABBREVIATION........Fr Oth VA

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From Another VA Facility

HELP_TEXT...........

ID.................{66AF9A88-6404-4E05-9640-4FB0C6513BAF}

TERM...............FROM ANOTHER VA FACILITY


DATA VALUE: FROM CLC

-------------------------------------------------------------------

ABBREVIATION........From CLC

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From CLC

HELP_TEXT...........

ID.................{8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}

TERM...............FROM CLC

DATA VALUE: FROM EMERGENCY DEPARTMENT

-----------------------------------------------------------------

ABBREVIATION........Fr Emergen

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From Emergency Department

HELP_TEXT...........

ID.................{9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}

TERM................FROM EMERGENCY DEPARTMENT


DATA VALUE: FROM HOME

-----------------------------------------------------------------

ABBREVIATION........From Home

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From Home

HELP_TEXT...........

ID.................{2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

TERM................FROM HOME


DATA VALUE: FROM INTERVENTIONAL RADIOLOGY

-----------------------------------------------------------------

ABBREVIATION........Fr Int Rad

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From Interventional Radiology

HELP_TEXT...........

ID.................{617DA086-B121-4E2F-8B02-41133EEDD50D}

TERM................FROM INTERVENTIONAL RADIOLOGY


DATA VALUE: FROM MICU

--------------------------------------------------------------------

ABBREVIATION........From MICU

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From MICU

HELP_TEXT...........

ID.................{971D83AE-B75C-420B-B23D-844397CEE968}

TERM................FROM MICU


DATA VALUE: FROM OPERATING ROOM

--------------------------------------------------------------------

ABBREVIATION........From Op Rm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From Operating Room

HELP_TEXT...........

ID.................{2B26BD84-3D4D-4931-99C7-8204E9D49827}

TERM................FROM OPERATING ROOM

DATA VALUE: FROM SICU

--------------------------------------------------------------------

ABBREVIATION........From SICU

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........From SICU

HELP_TEXT...........

ID.................{892002CC-E07A-49A5-B909-1F88665B3D65}

TERM................FROM SICU


DATA VALUE: FULL CODE

--------------------------------------------------------------------

ABBREVIATION........fc

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Full Code

HELP_TEXT...........No Help Text

ID.................{1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}

TERM................FULL CODE


DATA VALUE: FULL LIQUID

--------------------------------------------------------------------

ABBREVIATION........Ful Liquid

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Full Liquid

HELP_TEXT...........

ID.................{6D075973-CE7E-49CA-9A3E-8EE0F3CC1003}

TERM................FULL LIQUID

DATA VALUE: FULL LIQUID DIABETIC

----------------------------------------------------------------------

ABBREVIATION........FULL L DIA

ACTIVE..............Yes

DESCRIPTION.........Full Liquid Diabetic

DISPLAY_NAME........Full Liquid Diabetic

HELP_TEXT...........No Help Text

ID.................{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}

TERM................FULL LIQUID DIABETIC

DATA VALUE: FULL LIQUID DIET

----------------------------------------------------------------------

ABBREVIATION........FULL LIQ D

ACTIVE..............Yes

DESCRIPTION.........Full Liquid Diet

DISPLAY_NAME........Full Liquid Diet

HELP_TEXT...........No Help Text

ID.................{CAC22234-7B69-44C3-8A0E-9A84A684E429}

TERM................FULL LIQUID DIET

DATA VALUE: FULL LOWER

-------------------------------------------------------------------

ABBREVIATION........Full Low

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Full Lower

HELP_TEXT...........

ID.................{D38022EF-F4F0-44A7-82FE-B277A2A0A165}

TERM................FULL LOWER


DATA VALUE: FULL NAME

-------------------------------------------------------------------

ABBREVIATION........Full Name

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Full Name

HELP_TEXT...........

ID.................{A915EA98-D18D-4887-8C50-4B6C0DF44D1D}

TERM................FULL NAME


DATA VALUE: FULL SPINAL PRECAUTIONS

-------------------------------------------------------------------

ABBREVIATION........FULL S P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Full Spinal Precautions

HELP_TEXT...........No Help Text

ID.................{42ADB74D-12CC-4111-B181-626C0F01BC7C}

TERM................FULL SPINAL PRECAUTIONS


DATA VALUE: FULL SSN

--------------------------------------------------------------------

ABBREVIATION........Full SSN

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Full SSN

HELP_TEXT...........

ID.................{3E2887AF-2DC5-40FA-9052-7B04347CC802}

TERM................FULL SSN


DATA VALUE: FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO

--------------------------------------------------------------------

ABBREVIATION........F SK L MBS

ACTIVE..............Yes

DESCRIPTION.........Full Thickness Skin Loss Involving

             Muscle, Bone, or Supporting Tissue

DISPLAY_NAME........Full Thickness Skin Loss Involving

             Muscle, Bone, or Supporting Tissue

HELP_TEXT...........No Help Text

ID.................{E027FBEF-1C83-41B7-B848-26D9D62F4266}

TERM................FULL THICK SKIN LOSS INVOLVING

             MUSCLE, BONE, SUPPO

DATA VALUE: FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE

----------------------------------------------------------------------

ABBREVIATION........FULL SKINL

ACTIVE..............Yes

DESCRIPTION.........Full Thickness Skin Loss Involving

              Subcutaneous Tissue

DISPLAY_NAME........Full Thickness Skin Loss Involving

              Subcutaneous Tissue

HELP_TEXT...........No Help Text

ID..................{14C31B14-1D35-4CCB-81A3-C6E30801950D}

TERM................FULL THICK SKIN LOSS INVOLVING

              SUBCUTANEOUS TISSUE


DATA VALUE: FULL UPPER

----------------------------------------------------------------------

ABBREVIATION........Full Up

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Full Upper

HELP_TEXT...........

ID..................{1808E638-62BB-4978-8706-34BD74B427DE}

TERM................FULL UPPER


DATA VALUE: FUNCTIONAL SECTION SET UP

----------------------------------------------------------------------

ABBREVIATION........Func Sect

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Functional Suction Set Up

HELP_TEXT...........

ID.................{E156C048-11D5-4F62-8B1A-0CEA931E03EF}

TERM...............FUNCTIONAL SECTION SET UP


DATA VALUE: FUSED

-------------------------------------------------------------------

ABBREVIATION........Fused

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fused

HELP_TEXT...........

ID.................{80EB6D38-649E-4114-AA66-44228A99B1F4}

TERM...............FUSED


DATA VALUE: GAIT BELT

-------------------------------------------------------------------

ABBREVIATION........GAIT BELT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Gait Belt

HELP_TEXT...........No Help Text

ID.................{AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

TERM...............GAIT BELT

DATA VALUE: GASTRIC BYPASS CLEAR LIQUID

-------------------------------------------------------------------

ABBREVIATION........GAS BYP LI

ACTIVE..............Yes

DESCRIPTION.........Gastric Bypass Clear Liquid

DISPLAY_NAME........Gastric Bypass Clear Liquid

HELP_TEXT...........No Help Text

ID.................{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}

TERM................GASTRIC BYPASS CLEAR LIQUID


DATA VALUE: GASTRIC BYPASS PUREED

-------------------------------------------------------------------

ABBREVIATION........GAS BY PUR

ACTIVE..............Yes

DESCRIPTION.........Gastric Bypass Pureed

DISPLAY_NAME........Gastric Bypass Pureed

HELP_TEXT...........No Help Text

ID.................{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}

TERM................GASTRIC BYPASS PUREED


DATA VALUE: GASTRIC BYPASS REGULAR

-------------------------------------------------------------------

ABBREVIATION........GAS BY REG

ACTIVE..............Yes

DESCRIPTION.........Gastric Bypass Regular

DISPLAY_NAME........Gastric Bypass Regular

HELP_TEXT...........No Help Text

ID.................{EE831906-EA51-4EE4-AAF2-583DF366A942}

TERM................GASTRIC BYPASS REGULAR


DATA VALUE: GASTRIC DECOMPRESSION

----------------------------------------------------------------------

ABBREVIATION........GastrDecom

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Gastric Decompression

HELP_TEXT...........

ID.................{EFFD3462-0384-46F1-A072-31C6ACF6E8C4}

TERM................GASTRIC DECOMPRESSION


DATA VALUE: GASTRIC IRRIGATION

----------------------------------------------------------------------

ABBREVIATION........GastricIrr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Gastric Irrigation

HELP_TEXT...........

ID.................{6AA2256B-A212-4205-85D7-1FD34E928941}

TERM................GASTRIC IRRIGATION

DATA VALUE: GASTRIC LAVAGE

----------------------------------------------------------------

ABBREVIATION........GastricLav

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Gastric Lavage

HELP_TEXT...........

ID.................{77C3A1C6-73DD-43D4-B5FA-568BE9544218}

TERM................GASTRIC LAVAGE


DATA VALUE: GASTRIC TUBE

----------------------------------------------------------------

ABBREVIATION........G TUBE

ACTIVE..............Yes

DESCRIPTION.........Gastric Feeding Tube

DISPLAY_NAME........G Tube

HELP_TEXT...........No Help Text

ID.................{65F774BA-F977-46D3-AE41-7F7C74CFF47E}

TERM................GASTRIC TUBE


DATA VALUE: GASTROSTOMY FEEDING BUTTON

----------------------------------------------------------------

ABBREVIATION........GAST F BUT

ACTIVE..............Yes

DESCRIPTION.........Gastrostomy Feeding Button

DISPLAY_NAME........Gastrostomy Feeding Button

HELP_TEXT...........No Help Text

ID.................{1627B53B-374B-42B4-BBFE-463EE37B6110}

TERM................GASTROSTOMY FEEDING BUTTON


DATA VALUE: GASTROSTOMY TUBE

----------------------------------------------------------------------

ABBREVIATION........GAST TUBE

ACTIVE..............Yes

DESCRIPTION.........Gastrostomy Tube

DISPLAY_NAME........Gastrostomy Tube

HELP_TEXT...........No Help Text

ID.................{EF017A39-745E-4C29-821A-5B25F103DF99}

TERM................GASTROSTOMY TUBE


DATA VALUE: GAUZE

----------------------------------------------------------------------

ABBREVIATION........GAUZE

ACTIVE..............Yes

DESCRIPTION.........Gauze

DISPLAY_NAME........Gauze

HELP_TEXT...........No Help Text

ID.................{CF10C658-4334-4F3B-A38E-E98894458333}

TERM................GAUZE

DATA VALUE: GAUZE AND TAPE

--------------------------------------------------------------------

ABBREVIATION........GAU & TAPE

ACTIVE..............Yes

DESCRIPTION.........Gauze And Tape Dressing

DISPLAY_NAME........Gauze and Tape

HELP_TEXT...........No Help Text

ID.................{5BC40405-B5C4-47CF-81C3-520732E100AC}

TERM................GAUZE AND TAPE


DATA VALUE: GAUZE PACKING

--------------------------------------------------------------------

ABBREVIATION........GAUZE PACK

ACTIVE..............Yes

DESCRIPTION.........Gauze Packing

DISPLAY_NAME........Gauze Packing

HELP_TEXT...........No Help Text

ID.................{6C093717-82CB-4966-929E-C909310649C1}

TERM................GAUZE PACKING


DATA VALUE: GAUZE WRAP

--------------------------------------------------------------------

ABBREVIATION........GAUZE WRAP

ACTIVE..............Yes

DESCRIPTION.........Gauze Wrap

DISPLAY_NAME........Gauze Wrap

HELP_TEXT...........No Help Text

ID.................{040A9648-E6E1-4AC5-93C7-53A49537B15C}

TERM................GAUZE WRAP

DATA VALUE: GENERAL

--------------------------------------------------------------------

ABBREVIATION........General

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........General

HELP_TEXT...........

ID.................{6ED377F7-55E4-4743-B781-124267567200}

TERM................GENERAL

DATA VALUE: GENERAL HEALTH

--------------------------------------------------------------------

ABBREVIATION........Gen Healt

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........General Health

HELP_TEXT...........

ID.................{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}

TERM................GENERAL HEALTH

DATA VALUE: GERI-CHAIR

--------------------------------------------------------------------

ABBREVIATION........g

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Geri-Chair

HELP_TEXT...........No Help Text

ID.................{167F9786-8F24-054F-020A-658A6EE5B0B4}

TERM................GERI-CHAIR


DATA VALUE: GI PROCEDURE ROOM

--------------------------------------------------------------------

ABBREVIATION........GI Proc Rm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........GI Procedure Room

HELP_TEXT...........

ID.................{924532F4-B52F-4EA9-8C7D-59168B340118}

TERM................GI PROCEDURE ROOM


DATA VALUE: GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING

--------------------------------------------------------------------

ABBREVIATION........DI IN UN

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Given Discharge Instructions and

                Verbalizes Understanding

HELP_TEXT...........No Help Text

ID..................{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}

TERM................GIVEN DISCHARGE INSTRUCTION AND

VERBALIZES UNDERSTANDING


DATA VALUE: GLUCERNA 1.0

---------------------------------------------------------------------

ABBREVIATION........Glu 1.0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Glucerna 1.0

HELP_TEXT...........

ID..................{1C465710-80F2-4C13-B8D5-B1D084151104}

TERM................GLUCERNA 1.0


DATA VALUE: GLUCERNA 1.2

---------------------------------------------------------------------

ABBREVIATION........Glu 1.2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Glucerna 1.2

HELP_TEXT...........

ID..................{F58F1014-D1C4-44EB-9B01-FB88F2B3D751}

TERM................GLUCERNA 1.2

DATA VALUE: GLUTEN RESTRICTED

--------------------------------------------------------------------

ABBREVIATION........GLUT RESTR

ACTIVE..............Yes

DESCRIPTION.........Gluten Restricted

DISPLAY_NAME........Gluten Restricted

HELP_TEXT...........No Help Text

ID.................{0805A164-D387-4E67-9D42-BAF1F2543337}

TERM................GLUTEN RESTRICTED


DATA VALUE: GNAWING

--------------------------------------------------------------------

ABBREVIATION........GNAWING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Gnawing

HELP_TEXT...........No Help Text

ID.................{8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}

TERM................GNAWING


DATA VALUE: GOLD

--------------------------------------------------------------------

ABBREVIATION........Gold

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Gold

HELP_TEXT...........

ID.................{1D1A2586-C13C-41FA-A3AD-39294BEBA83E}

TERM................GOLD


DATA VALUE: GOOD

--------------------------------------------------------------------

ABBREVIATION........GOOD

ACTIVE..............Yes

DESCRIPTION.........Good

DISPLAY_NAME........Good

HELP_TEXT...........No Help Text

ID.................{39ECA304-49F9-44B7-9735-B33CEC9D8119}

TERM................GOOD


DATA VALUE: GRAFTS

--------------------------------------------------------------------

ABBREVIATION........Grafts

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Grafts

HELP_TEXT...........

ID.................{E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}

TERM................GRAFTS

DATA VALUE: GRANULATING

--------------------------------------------------------------------

ABBREVIATION........GRANULATI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Granulating

HELP_TEXT...........No Help Text

ID.................{F8930276-3954-4BFE-82B0-6C44A8E9CAE0}

TERM................GRANULATING

DATA VALUE: GRAVITY

--------------------------------------------------------------------

ABBREVIATION........GRAVITY

ACTIVE..............Yes

DESCRIPTION.........Gravity

DISPLAY_NAME........Gravity

HELP_TEXT...........No Help Text

ID.................{C0233F70-376D-41CE-9F14-714C7B35244F}

TERM................GRAVITY

DATA VALUE: GRAY

--------------------------------------------------------------------

ABBREVIATION........GRAY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Gray

HELP_TEXT...........No Help Text

ID.................{D38ABEE0-52D7-4316-A713-40ACF4250599}

TERM................GRAY


DATA VALUE: GREEN

--------------------------------------------------------------------

ABBREVIATION........GREEN

ACTIVE..............Yes

DESCRIPTION.........The color green

DISPLAY_NAME........Green

HELP_TEXT...........The color green

ID.................{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}

TERM................GREEN


DATA VALUE: GRIMACING

--------------------------------------------------------------------

ABBREVIATION........GRIMACING

ACTIVE..............Yes

DESCRIPTION.........Grimacing

DISPLAY_NAME........Grimacing

HELP_TEXT...........No Help Text

ID.................{69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}

TERM................GRIMACING

DATA VALUE: GROUP ROOM

--------------------------------------------------------------------

ABBREVIATION........gr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Group Room

HELP_TEXT...........No Help Text

ID.................{D41C3D9F-8F10-1A0F-D571-20DE0EA36328}

TERM................GROUP ROOM


DATA VALUE: GU PROCEDURE ROOM

--------------------------------------------------------------------

ABBREVIATION........GU Proc Rm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........GU Procedure Room

HELP_TEXT...........

ID.................{D4B6678F-C1DD-4A23-9045-574251F6CD74}

TERM................GU PROCEDURE ROOM


DATA VALUE: GUARDED

--------------------------------------------------------------------

ABBREVIATION........Guarded

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Guarded

HELP_TEXT...........

ID.................{E777731C-F6E0-4C77-86B0-6494A4F4D37F}

TERM................GUARDED


DATA VALUE: GUARDING

---------------------------------------------------------------------

ABBREVIATION........GUARDING

ACTIVE..............Yes

DESCRIPTION.........Guarding

DISPLAY_NAME........Guarding

HELP_TEXT...........No Help Text

ID.................{9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}

TERM................GUARDING


DATA VALUE: GURNEY CHAIR

---------------------------------------------------------------------

ABBREVIATION........GURN CHAIR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Gurney Chair

HELP_TEXT...........No Help Text

ID.................{B6EA0944-8414-42FD-88C0-50155DE82896}

TERM................GURNEY CHAIR

DATA VALUE: HALL

-------------------------------------------------------------------

ABBREVIATION........h

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hall

HELP_TEXT...........No Help Text

ID.................{BFCEA10F-2663-199E-88D8-E263122D7D26}

TERM................HALL


DATA VALUE: HAND

-------------------------------------------------------------------

ABBREVIATION........Hand

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hand

HELP_TEXT...........

ID.................{C061465A-7547-4835-9C28-C6BD72843A4A}

TERM................HAND


DATA VALUE: HAND HYGIENE BEFORE AND AFTER

-------------------------------------------------------------------

ABBREVIATION........Hand Hyg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hand Hygiene Before and After

HELP_TEXT...........

ID.................{6005023D-3C02-4C93-99E8-2A8167574E93}

TERM................HAND HYGIENE BEFORE AND AFTER


DATA VALUE: HARD

---------------------------------------------------------------------

ABBREVIATION........HARD

ACTIVE..............Yes

DESCRIPTION.........Hard

DISPLAY_NAME........Hard

HELP_TEXT...........No Help Text

ID.................{7934B543-7028-4CBC-9308-99F5A952A1DE}

TERM................HARD


DATA VALUE: HARM TO SELF

---------------------------------------------------------------------

ABBREVIATION........R.C. HARM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Risk of Physical Harm To Self

HELP_TEXT...........No Help Text

ID.................{4DC33341-8F53-4D30-BC28-1E32DB54F30D}

TERM................HARM TO SELF

DATA VALUE: HAS NOT SLEPT

----------------------------------------------------------------

ABBREVIATION........NO SLEEP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Has Not Slept

HELP_TEXT...........No Help Text

ID.................{3BF9DB54-5D1E-422D-90AF-918F81C9EA85}

TERM................HAS NOT SLEPT


DATA VALUE: HEAD DOWN

----------------------------------------------------------------

ABBREVIATION........hd

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Head Down

HELP_TEXT...........No Help Text

ID.................{80BF3425-D252-F917-052E-DC54D39E464E}

TERM................HEAD DOWN


DATA VALUE: HEAD UP

----------------------------------------------------------------

ABBREVIATION........hu

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Head Up

HELP_TEXT...........No Help Text

ID.................{BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}

TERM................HEAD UP


DATA VALUE: HEADACHE

--------------------------------------------------------------------

ABBREVIATION........Headache

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Headache

HELP_TEXT...........

ID.................{9338E67C-201C-4066-A734-8BD4B47462BD}

TERM................HEADACHE


DATA VALUE: HEALTH TECH

--------------------------------------------------------------------

ABBREVIATION........Health Tec

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Health Tech

HELP_TEXT...........

ID.................{7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}

TERM................HEALTH TECH

DATA VALUE: HEARING

--------------------------------------------------------------------

ABBREVIATION........HEARING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hearing

HELP_TEXT...........No Help Text

ID.................{D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}

TERM................HEARING


DATA VALUE: HEARING AIDS

--------------------------------------------------------------------

ABBREVIATION........Hear Aids

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hearing Aids

HELP_TEXT...........

ID.................{504FF149-8889-444E-925B-C952314FDF98}

TERM................HEARING AIDS


DATA VALUE: HEARTBURN

--------------------------------------------------------------------

ABBREVIATION........HEARTBURN

ACTIVE..............Yes

DESCRIPTION.........Heartburn

DISPLAY_NAME........Heartburn

HELP_TEXT...........Heartburn

ID.................{5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}

TERM................HEARTBURN


DATA VALUE: HEAT

-------------------------------------------------------------------

ABBREVIATION........HEAT

ACTIVE..............Yes

DESCRIPTION.........Heat

DISPLAY_NAME........Heat

HELP_TEXT...........No Help Text

ID.................{E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}

TERM................HEAT


DATA VALUE: HEAT CHEM PACK

-------------------------------------------------------------------

ABBREVIATION........HT CHEM PA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Heat Chemi Pack

HELP_TEXT...........No Help Text

ID.................{D759F891-2535-40C2-A68C-678170E56F7A}

TERM................HEAT CHEM PACK

DATA VALUE: HEAT LAMP

--------------------------------------------------------------------

ABBREVIATION........HEAT LAMP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Heat Lamp

HELP_TEXT...........Heat Lamp

ID.................{4E9DE229-F810-4AB0-9FD7-4596759CEA11}

TERM................HEAT LAMP


DATA VALUE: HEAT/WARMTH

--------------------------------------------------------------------

ABBREVIATION........Heat/Warm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Heat/Warmth

HELP_TEXT...........

ID.................{BAF70C58-2C8D-4CB5-BF68-012E43C6D2D1}

TERM................HEAT/WARMTH


DATA VALUE: HEAVY

--------------------------------------------------------------------

ABBREVIATION........HEAVY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Heavy

HELP_TEXT...........No Help Text

ID.................{1F10CD98-03FA-4705-BF7D-941E881C4E3D}

TERM................HEAVY


DATA VALUE: HEEL LIFT

--------------------------------------------------------------------

ABBREVIATION........HEEL LIFT

ACTIVE..............Yes

DESCRIPTION.........Heel Lift

DISPLAY_NAME........Heel Lift

HELP_TEXT...........No Help Text

ID.................{974F90E6-382D-421A-A4CE-94A74CBEFC32}

TERM................HEEL LIFT


DATA VALUE: HEEL PILLOW

--------------------------------------------------------------------

ABBREVIATION........HEEL PILLO

ACTIVE..............Yes

DESCRIPTION.........Heel Pillow

DISPLAY_NAME........Heel Pillow

HELP_TEXT...........No Help Text

ID.................{F0F1D997-C780-40BF-AA88-78262E81BFAA}

TERM................HEEL PILLOW

DATA VALUE: HEIMLICH VALVE

--------------------------------------------------------------------

ABBREVIATION........Heim Valve

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Heimlich Valve

HELP_TEXT...........

ID.................{8140240C-8068-4BF2-BE26-4E2C2BE041A7}

TERM................HEIMLICH VALVE


DATA VALUE: HELMET

--------------------------------------------------------------------

ABBREVIATION........Helmet

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Helmet

HELP_TEXT...........

ID.................{E65974F8-BCE7-4361-868D-C0B4D780EA21}

TERM................HELMET


DATA VALUE: HEMATEMESIS

--------------------------------------------------------------------

ABBREVIATION........Hematemesi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hematemesis

HELP_TEXT...........

ID.................{7BAB8FEB-1B77-450D-88A0-F59E3D3C4DA8}

TERM................HEMATEMESIS


DATA VALUE: HEMATOMA

---------------------------------------------------------------------

ABBREVIATION........HEMATOMA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hematoma

HELP_TEXT...........No Help Text

ID..................{6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}

TERM................HEMATOMA


DATA VALUE: HEMATURIA

---------------------------------------------------------------------

ABBREVIATION........HEMATURIA

ACTIVE..............Yes

DESCRIPTION.........Blood present in urine

DISPLAY_NAME........Hematuria

HELP_TEXT...........Blood present in urine

ID..................{ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}

TERM................HEMATURIA

DATA VALUE: HEMODYNAMIC

----------------------------------------------------------------

ABBREVIATION........Hemodynam

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hemodynamic

HELP_TEXT...........

ID.................{2E9AF889-0AE6-493A-AED3-F2AD9E6CE988}

TERM................HEMODYNAMIC


DATA VALUE: HEMORRHAGE

----------------------------------------------------------------

ABBREVIATION........HEMORRHAGE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hemorrhage

HELP_TEXT...........No Help Text

ID.................{E00AC828-83F3-4F69-B97B-D6AD1D87A440}

TERM................HEMORRHAGE


DATA VALUE: HEMOVAC

----------------------------------------------------------------

ABBREVIATION........HEMOVAC

ACTIVE..............Yes

DESCRIPTION.........Hemovac

DISPLAY_NAME........Hemovac

HELP_TEXT...........No Help Text

ID.................{82DA2DA7-E20B-E571-659C-457DF42472C2}

TERM................HEMOVAC


DATA VALUE: HEPATIC FORMULA

---------------------------------------------------------------------

ABBREVIATION........HEPAT FORM

ACTIVE..............Yes

DESCRIPTION.........Hepatic  Enteral Nutrition Formula

DISPLAY_NAME........Hepatic  Enteral Nutrition Formula

HELP_TEXT...........No Help Text

ID.................{1BC0A09A-CCD7-457F-BC08-9B6FC5144BF3}

TERM................HEPATIC FORMULA


DATA VALUE: HEPLOCK

---------------------------------------------------------------------

ABBREVIATION........HEPLOCK

ACTIVE..............Yes

DESCRIPTION.........Heplock

DISPLAY_NAME........Heplock

HELP_TEXT...........No Help Text

ID.................{C827FEDE-59D6-4C45-BDDA-4884FA0882F3}

TERM................HEPLOCK

DATA VALUE: HESITATION AND FREEZING

--------------------------------------------------------------------

ABBREVIATION........Hesitate

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hesitation and Freezing

HELP_TEXT...........

ID.................{01295D78-9305-4D6B-B1BC-53CBDDA17956}

TERM................HESITATION AND FREEZING


DATA VALUE: HICCUPS

--------------------------------------------------------------------

ABBREVIATION........Hiccups

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hiccups

HELP_TEXT...........

ID.................{2FCEC774-3E4A-4A65-919C-02221E890EA3}

TERM................HICCUPS


DATA VALUE: HIGH

--------------------------------------------------------------------

ABBREVIATION........h

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........High

HELP_TEXT...........No Help Text

ID.................{D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}

TERM................HIGH


DATA VALUE: HIGH CALORIE

--------------------------------------------------------------------

ABBREVIATION........HIGH CALOR

ACTIVE..............Yes

DESCRIPTION.........High Calorie

DISPLAY_NAME........High Calorie

HELP_TEXT...........No Help Text

ID.................{FC453BF0-1E7E-4733-9605-AC3425F16205}

TERM................HIGH CALORIE


DATA VALUE: HIGH FALL RISK

--------------------------------------------------------------------

ABBREVIATION........hfr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........High Fall Risk

HELP_TEXT...........No Help Text

ID.................{276C15F3-5BED-0FE0-5649-337A23AB1386}

TERM................HIGH FALL RISK

DATA VALUE: HIGH FIBER

----------------------------------------------------------------

ABBREVIATION........HIGH FIBER

ACTIVE..............Yes

DESCRIPTION.........High Fiber

DISPLAY_NAME........High Fiber

HELP_TEXT...........No Help Text

ID.................{3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}

TERM................HIGH FIBER


DATA VALUE: HIGH FOWLER'S

----------------------------------------------------------------

ABBREVIATION........HIGH FOWLE

ACTIVE..............Yes

DESCRIPTION.........High Fowler's

DISPLAY_NAME........High Fowler's

HELP_TEXT...........No Help Text

ID.................{EA23C94D-EE91-4552-9F74-E051FAF3E194}

TERM................HIGH FOWLER'S


DATA VALUE: HIGH PROTEIN

----------------------------------------------------------------

ABBREVIATION........HIGH PROTE

ACTIVE..............Yes

DESCRIPTION.........High Protein

DISPLAY_NAME........High Protein

HELP_TEXT...........No Help Text

ID.................{1595A29D-CA91-45AE-893B-856EB909E4DD}

TERM................HIGH PROTEIN

DATA VALUE: HIGH STEPPAGE

----------------------------------------------------------------------

ABBREVIATION........High Step

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........High Steppage

HELP_TEXT...........

ID.................{69B697DB-695F-4ACE-A55B-5B2890CC86CE}

TERM................HIGH STEPPAGE

DATA VALUE: HIP-PROTECTORS

----------------------------------------------------------------------

ABBREVIATION........Hip-Prot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hip-Protectors

HELP_TEXT...........

ID.................{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}

TERM................HIP-PROTECTORS

DATA VALUE: HIP/KNEE/SHOULDER REPLACEMENTS

----------------------------------------------------------------

ABBREVIATION........Replacemn

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hip/Knee/Shoulder Replacements

HELP_TEXT...........

ID.................{91A7211C-DCB6-47A7-AF15-F64C565AB321}

TERM................HIP/KNEE/SHOULDER REPLACEMENTS


DATA VALUE: HIRSUTISM

----------------------------------------------------------------

ABBREVIATION........HIRSUTISM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hirsutism

HELP_TEXT...........No Help Text

ID.................{A909A4FC-080A-4E9A-867A-0B30D4633602}

TERM................HIRSUTISM


DATA VALUE: HISTORY OF FALLS

----------------------------------------------------------------

ABBREVIATION........FallHistry

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........History of Falls

HELP_TEXT...........

ID.................{61CC4EBE-2D33-498E-92E0-2BA98429F84C}

TERM...............HISTORY OF FALLS

DATA VALUE: HM: HAND MOTIONS

--------------------------------------------------------------------

ABBREVIATION........HM

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........HM: Hand Motions

HELP_TEXT...........

ID.................{5180AD3D-4377-435B-9F47-FE59F3E3501B}

TERM...............HM: HAND MOTIONS

DATA VALUE: HOME

--------------------------------------------------------------------

ABBREVIATION........HOME

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Home

HELP_TEXT...........No Help Text

ID.................{C8E5E320-361B-421C-A6A9-13DC16125440}

TERM...............HOME

DATA VALUE: HOME HEALTH

-------------------------------------------------------------------

ABBREVIATION........HOME HEALT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Home Health

HELP_TEXT...........No Help Text

ID.................{F94FB70A-AFFD-4A5E-A829-0AF933B044BB}

TERM................HOME HEALTH


DATA VALUE: HOMICIDAL

-------------------------------------------------------------------

ABBREVIATION........Homicidal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Homicidal

HELP_TEXT...........

ID.................{0EEDE139-7DBA-4FD3-BC49-F3ED0A5091BA}

TERM................HOMICIDAL


DATA VALUE: HOSTILE

-------------------------------------------------------------------

ABBREVIATION........h

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hostile

HELP_TEXT...........No Help Text

ID.................{29EF2C04-7DB0-4491-2B5E-D92A6A558721}

TERM................HOSTILE


DATA VALUE: HOT

--------------------------------------------------------------------

ABBREVIATION........HOT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hot

HELP_TEXT...........No Help Text

ID.................{401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}

TERM................HOT


DATA VALUE: HUMIDIFIED AIR

--------------------------------------------------------------------

ABBREVIATION........HumidAir

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Humidified Air

HELP_TEXT...........

ID.................{4FC8D9E9-9638-48E9-82F9-2FC144185569}

TERM................HUMIDIFIED AIR

DATA VALUE: HUMIDIFIER

-----------------------------------------------------------------

ABBREVIATION........HUMIDIFIER

ACTIVE..............Yes

DESCRIPTION.........Humidifier

DISPLAY_NAME........Humidifier

HELP_TEXT...........Humidifier

ID.................{A4CE67D1-F885-423B-B914-392D8CAC697E}

TERM................HUMIDIFIER


DATA VALUE: HYDROCOLLOIDAL DRESSING

-----------------------------------------------------------------

ABBREVIATION........HCOLL DRES

ACTIVE..............Yes

DESCRIPTION.........Hydrocolloidal Dressing

DISPLAY_NAME........Hydrocolloidal Dressing

HELP_TEXT...........No Help Text

ID.................{D85741EF-0DB3-48CF-BC9A-88C834A72F36}

TERM................HYDROCOLLOIDAL DRESSING


DATA VALUE: HYDROFIBER

-----------------------------------------------------------------

ABBREVIATION........H-FIBER

ACTIVE..............Yes

DESCRIPTION.........Hydrofiber

DISPLAY_NAME........Hydrofiber

HELP_TEXT...........No Help Text

ID.................{42740A7F-A831-4FBD-9E59-88F315176674}

TERM................HYDROFIBER


DATA VALUE: HYDROFIBER WITH SILVER

----------------------------------------------------------------------

ABBREVIATION........HYFIB W SI

ACTIVE..............Yes

DESCRIPTION.........Hydrofiber With Silver

DISPLAY_NAME........Hydrofiber With Silver

HELP_TEXT...........No Help Text

ID.................{04BD9512-DE5D-421A-9818-8A33D1F0693D}

TERM................HYDROFIBER WITH SILVER


DATA VALUE: HYDROGEL DRESSING

----------------------------------------------------------------------

ABBREVIATION........H-GEL DRES

ACTIVE..............Yes

DESCRIPTION.........Hydrogel Dressing

DISPLAY_NAME........Hydrogel Dressing

HELP_TEXT...........No Help Text

ID.................{F6192D10-D6EA-42C2-AB15-270659D9925C}

TERM................HYDROGEL DRESSING

DATA VALUE: HYDROMORPHONE

--------------------------------------------------------------------

ABBREVIATION........Hydromorph

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hydromorphone

HELP_TEXT...........

ID.................{8E6E9DB1-C969-4274-9761-C9830A9FCF67}

TERM................HYDROMORPHONE


DATA VALUE: HYPERACTIVE

--------------------------------------------------------------------

ABBREVIATION........HYPERACTIV

ACTIVE..............Yes

DESCRIPTION.........Hyperactive

DISPLAY_NAME........Hyperactive

HELP_TEXT...........No Help Text

ID.................{1A548FFE-8645-4C0D-899D-5D91430CC1B1}

TERM................HYPERACTIVE


DATA VALUE: HYPERACTIVITY

--------------------------------------------------------------------

ABBREVIATION........Hyperactiv

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hyperactivity

HELP_TEXT...........

ID.................{56D44F75-08D4-4B1E-8AD1-7E43A756AB2E}

TERM................HYPERACTIVITY


DATA VALUE: HYPERACTIVITY (PSYCHOMOTOR AGITATION)

---------------------------------------------------------------------

ABBREVIATION........Hyperactiv

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hyperactivity (Phychomotor Agitation)

HELP_TEXT...........

ID.................{AFA25449-696C-49A8-A9F1-6862062819FC}

TERM................HYPERACTIVITY (PSYCHOMOTOR AGITATION)


DATA VALUE: HYPERDYNAMIC

---------------------------------------------------------------------

ABBREVIATION........HYPERDYNAM

ACTIVE..............Yes

DESCRIPTION.........Hyperdynamic

DISPLAY_NAME........Hyperdynamic

HELP_TEXT...........No Help Text

ID.................{818A8A99-04D9-4989-A9BA-ECFACED74605}

TERM................HYPERDYNAMIC

DATA VALUE: HYPEREXTENSION

----------------------------------------------------------------

ABBREVIATION........Hyperexten

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hyperextension

HELP_TEXT...........

ID.................{83A1863C-8DD5-4020-AB0C-73DEE6A33D09}

TERM................HYPEREXTENSION

DATA VALUE: HYPERGRANULIZATION

----------------------------------------------------------------

ABBREVIATION........HYPERGRANU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hypergranulization

HELP_TEXT...........No Help Text

ID.................{C14B9FB0-6F33-4ACB-88B3-4B799594F845}

TERM................HYPERGRANULIZATION

DATA VALUE: HYPERTONIC HYDROGEL

----------------------------------------------------------------

ABBREVIATION........WOU DR HYP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hypertonic Hydrogel

HELP_TEXT...........No Help-Text

ID.................{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}

TERM................HYPERTONIC HYDROGEL

DATA VALUE: HYPOACTIVE

---------------------------------------------------------------------

ABBREVIATION........HYPOACTIVE

ACTIVE..............Yes

DESCRIPTION.........Hypoactive

DISPLAY_NAME........Hypoactive

HELP_TEXT...........No Help Text

ID.................{2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}

TERM................HYPOACTIVE

DATA VALUE: HYPOACTIVITY

---------------------------------------------------------------------

ABBREVIATION........Hypoactive

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hypoactivitry

HELP_TEXT...........

ID.................{AE242A17-D9F0-4A94-B836-B292D5D20FB7}

TERM................HYPOACTIVITY

DATA VALUE: HYPOACTIVITY (PSYCHOMOTOR RETARDATION)

---------------------------------------------------------------------

ABBREVIATION........Hypoactive

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hypoactivity (Psychomotor Retardation)

HELP_TEXT...........

ID.................{0A5A49FB-DD28-4C24-A04F-93D92692CCD3}

TERM................HYPOACTIVITY (PSYCHOMOTOR RETARDATION)


DATA VALUE: HYPOALBUMINEMIA

---------------------------------------------------------------------

ABBREVIATION........HYPOALBUM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hypoalbuminemia

HELP_TEXT...........No Help Text

ID.................{A3397F38-2491-48E7-8366-A6FA2D91E866}

TERM................HYPOALBUMINEMIA


DATA VALUE: HYPOALLERGENIC TAPE

---------------------------------------------------------------------

ABBREVIATION........HypoTape

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hypoallergenic Tape

HELP_TEXT...........

ID.................{7169C252-192C-4F36-8553-3B3C8DA8123F}

TERM................HYPOALLERGENIC TAPE


DATA VALUE: HYPOTENSION

----------------------------------------------------------------------

ABBREVIATION........Hypotensio

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hypotension

HELP_TEXT...........

ID.................{1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}

TERM................HYPOTENSION


DATA VALUE: HYPOXIA

----------------------------------------------------------------------

ABBREVIATION........Hypoxia

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hypoxia

HELP_TEXT...........

ID.................{7599629D-1206-4A1A-9D02-EEE384E5FE51}

TERM................HYPOXIA

DATA VALUE: I

-------------------------------------------------------------------

ABBREVIATION........I

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........I

HELP_TEXT...........No Help Text

ID.................{BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}

TERM................I


DATA VALUE: IABP

-------------------------------------------------------------------

ABBREVIATION........IABP

ACTIVE..............Yes

DESCRIPTION.........Intra-Aortic Balloon Pump

DISPLAY_NAME........IABP

HELP_TEXT...........No Help Text

ID.................{763FE975-F5E5-80A6-AB16-E903A829E665}

TERM................IABP


DATA VALUE: ICE PACK

-------------------------------------------------------------------

ABBREVIATION........ICE PACK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ice Pack

HELP_TEXT...........No Help Text

ID.................{E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}

TERM................ICE PACK


DATA VALUE: ICTERIC

-------------------------------------------------------------------

ABBREVIATION........ICTERIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Icteric

HELP_TEXT...........Relating to or affected with jaundice

ID.................{274ED5BB-5A34-20EE-A9B0-81AB7803780E}

TERM................ICTERIC


DATA VALUE: ICU

-------------------------------------------------------------------

ABBREVIATION........ICU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........ICU

HELP_TEXT...........No Help Text

ID.................{E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}

TERM................ICU

DATA VALUE: ID BAND

--------------------------------------------------------------------

ABBREVIATION........ID Band

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ID Band

HELP_TEXT...........

ID.................{5526C5AB-64C8-4AB1-B77F-DAF45D26B439}

TERM................ID BAND


DATA VALUE: ID CARD

--------------------------------------------------------------------

ABBREVIATION........ID Card

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........ID Card

HELP_TEXT...........

ID.................{CFD540F0-3D73-498F-B590-CCEF11499078}

TERM................ID CARD


DATA VALUE: IDENTIFICATION

--------------------------------------------------------------------

ABBREVIATION........i

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Identification

HELP_TEXT...........No Help Text

ID.................{39274F69-556C-7F05-6D17-CE8A03D1867D}

TERM................IDENTIFICATION


DATA VALUE: IDIOVENTRICULAR

---------------------------------------------------------------------

ABBREVIATION........i

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Idioventricular

HELP_TEXT...........No Help Text

ID.................{8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}

TERM................IDIOVENTRICULAR


DATA VALUE: II

---------------------------------------------------------------------

ABBREVIATION........II

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........II

HELP_TEXT...........No Help Text

ID.................{F165C13B-397E-4182-8D72-BD1D74CFBA00}

TERM................II

DATA VALUE: III

-------------------------------------------------------------------

ABBREVIATION........III

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........III

HELP_TEXT...........No Help Text

ID.................{D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}

TERM................III


DATA VALUE: ILEAL CONDUIT

-------------------------------------------------------------------

ABBREVIATION........ILEAL COND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ileal Conduit

HELP_TEXT...........No Help Text

ID.................{032CB6FE-77D2-702E-A0AE-46176F5CAA57}

TERM................ILEAL CONDUIT


DATA VALUE: ILEAL-CONDUIT

-------------------------------------------------------------------

ABBREVIATION........Ileal-Con

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ileal-Conduit

HELP_TEXT...........

ID.................{C91C4E4A-2D0D-438A-8EF5-8717D703A777}

TERM................ILEAL-CONDUIT

DATA VALUE: ILEOSTOMY

--------------------------------------------------------------------

ABBREVIATION........ILEOSTOMY

ACTIVE..............Yes

DESCRIPTION.........Ileostomy

DISPLAY_NAME........Ileostomy

HELP_TEXT...........No Help Text

ID.................{D5DF49C8-C6BA-44C1-9840-7765907730A3}

TERM................ILEOSTOMY

DATA VALUE: ILLOGICAL

--------------------------------------------------------------------

ABBREVIATION........Illogical

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Illogical

HELP_TEXT...........

ID.................{79A0885E-115B-4D12-A018-3829CB7DFB1F}

TERM................ILLOGICAL

DATA VALUE: IMAGING

-------------------------------------------------------------------

ABBREVIATION........IMAGING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Imaging

HELP_TEXT...........No Help Text

ID.................{791A322E-F45E-40EB-B95D-E5B62E1D0A75}

TERM................IMAGING


DATA VALUE: IMPACTION

-------------------------------------------------------------------

ABBREVIATION........Impaction

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Impaction

HELP_TEXT...........

ID.................{6F4370A1-03FE-488F-9F95-EF36321270A1}

TERM................IMPACTION


DATA VALUE: IMPAIRED

-------------------------------------------------------------------

ABBREVIATION........Impaired

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Impaired

HELP_TEXT...........

ID.................{EEC3C3F6-BF3A-4103-B18F-C58D22D41552}

TERM................IMPAIRED


DATA VALUE: IMPAIRED JUDGEMENT/INSIGHT

---------------------------------------------------------------------

ABBREVIATION........ImpairJdmt

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Impaired Judgement/Insight

HELP_TEXT...........

ID.................{A500511F-24DC-4AF1-A0B2-1AC5A40BE258}

TERM...............IMPAIRED JUDGEMENT/INSIGHT


DATA VALUE: IMPAIRED LISTENING SKILLS

---------------------------------------------------------------------

ABBREVIATION........IMP LIS SK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Impaired Listening Skills

HELP_TEXT...........No Help Text

ID.................{9CE0E7E7-79E5-4910-918C-2022C9830171}

TERM...............IMPAIRED LISTENING SKILLS

DATA VALUE: IMPLANTS

----------------------------------------------------------------

ABBREVIATION........Implants

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Implants

HELP_TEXT...........

ID.................{14998852-14FD-4C6A-BB8A-5073D6094B11}

TERM................IMPLANTS


DATA VALUE: IMPULSIVE

----------------------------------------------------------------

ABBREVIATION........Impulsive

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Impulsive

HELP_TEXT...........

ID.................{EBBDB9DE-B190-4CFF-885D-758A98C4CAE3}

TERM................IMPULSIVE


DATA VALUE: IN HEARING

----------------------------------------------------------------

ABBREVIATION........In Hearing

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........In Hearing

HELP_TEXT...........

ID.................{1D72DFE6-3090-4A2C-B234-6885E794C842}

TERM................IN HEARING


DATA VALUE: INAPPROPRIATE

-----------------------------------------------------------------

ABBREVIATION........Inappropri

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Inappropriate

HELP_TEXT...........No Help Text

ID.................{7E3B54C2-8A49-28EC-055E-FEA87599421C}

TERM................INAPPROPRIATE


DATA VALUE: INAPPROPRIATE OR BIZARRE FOOT PLACEMENT

-----------------------------------------------------------------

ABBREVIATION........Foot Place

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Inappropriate or Bizarre Foot Placement

HELP_TEXT...........

ID.................{9B943C60-F11A-46FC-843B-275837644CDB}

TERM................INAPPROPRIATE OR BIZARRE FOOT PLACEMENT

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS BLOODY

-----------------------------------------------------------------

ABBREVIATION........INC DI BLO

ACTIVE..............Yes

DESCRIPTION.........Incision Discharge Characteristics

          Bloody

DISPLAY_NAME........Bloody

HELP_TEXT...........Incision Discharge Characteristics

          Bloody

ID..................{D185E55B-EC21-49B6-A040-5422382C3B90}

TERM................INCISION DISCHARGE CHARACTERISTICS

          BLOODY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS CLOUDY

-----------------------------------------------------------------

ABBREVIATION........INC DI CLO

ACTIVE..............Yes

DESCRIPTION.........Incision Discharge Characteristics

          Cloudy

DISPLAY_NAME........Cloudy

HELP_TEXT...........Incision Discharge Characteristics

          Cloudy

ID..................{3EBBB25E-1B90-415B-BCB5-3C3DAC33C118}

TERM................INCISION DISCHARGE CHARACTERISTICS

          CLOUDY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS NONE

-----------------------------------------------------------------

ABBREVIATION........INC DI NON

ACTIVE..............Yes

DESCRIPTION.........Incision Discharge Characteristics None

DISPLAY_NAME........None

HELP_TEXT...........Incision Discharge Characteristics None

ID..................{4F118F41-8C09-400E-A303-0955DFDF54E2}

TERM................INCISION DISCHARGE CHARACTERISTICS NONE


DATA VALUE: INCISION DISCHARGE CHARACTERISTICS PURULENT

----------------------------------------------------------------------

ABBREVIATION........INC DI PUR

ACTIVE..............Yes

DESCRIPTION.........Incision Discharge Characteristics

            Purulent

DISPLAY_NAME........Purulent

HELP_TEXT...........Incision Discharge Characteristics

            Purulent

ID..................{B2D71BDF-41AB-4F10-ABE3-A9D9F338F6F1}

TERM................INCISION DISCHARGE CHARACTERISTICS

            PURULENT


DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS

----------------------------------------------------------------------

ABBREVIATION........INC DI SSA

ACTIVE..............Yes

DESCRIPTION.........Incision Discharge Characteristics

            Serosanguinous

DISPLAY_NAME........Serosanguinous

HELP_TEXT...........Incision Discharge Characteristics

            Serosanguinous

ID.................{102F19A9-CC28-4156-88DE-1B4C8A682AC2}

TERM...............INCISION DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROUS

---------------------------------------------------------------------

ABBREVIATION........INC DI SER

ACTIVE..............Yes

DESCRIPTION.........Incision Discharge Characteristics

Serous

DISPLAY_NAME........Serous

HELP_TEXT...........Incision Discharge Characteristics

Serous

ID..................{CC4F3BA1-AD0D-42BA-9D76-1FE66F864FC8}

TERM................INCISION DISCHARGE CHARACTERISTICS

SEROUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS VISCOUS

---------------------------------------------------------------------

ABBREVIATION........INC DI VIS

ACTIVE..............Yes

DESCRIPTION.........Incision Discharge Characteristics

Viscous

DISPLAY_NAME........Viscous

HELP_TEXT...........Incision Discharge Characteristics

Viscous

ID..................{A38C2D8C-25B1-41E5-A69F-7A5C439C6EB9}

TERM................INCISION DISCHARGE CHARACTERISTICS

VISCOUS

DATA VALUE: INCISION DRAINAGE AMOUNT HEAVY

---------------------------------------------------------------------

ABBREVIATION........I DR A HEA

ACTIVE..............Yes

DESCRIPTION.........Incision Drainage Amount Heavy

DISPLAY_NAME........Heavy

HELP_TEXT...........Incision Drainage Amount Heavy

ID..................{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

TERM................INCISION DRAINAGE AMOUNT HEAVY


DATA VALUE: INCISION DRAINAGE AMOUNT MODERATE

---------------------------------------------------------------------

ABBREVIATION........I DR A MOD

ACTIVE..............Yes

DESCRIPTION.........Incision Drainage Amount Moderate

DISPLAY_NAME........Moderate

HELP_TEXT...........Incision Drainage Amount Moderate

ID..................{9B0487A9-DCB4-42D3-92E6-805C412B5D34}

TERM................INCISION DRAINAGE AMOUNT MODERATE


DATA VALUE: INCISION DRAINAGE AMOUNT NONE

---------------------------------------------------------------------

ABBREVIATION........I DR A NON

ACTIVE..............Yes

DESCRIPTION.........Incision Drainage Amount None

DISPLAY_NAME........None

HELP_TEXT...........Incision Drainage Amount None

ID..................{5D0D9027-4B20-43A4-B437-EA7B77CB2105}

TERM................INCISION DRAINAGE AMOUNT NONE

DATA VALUE: INCISION DRAINAGE AMOUNT SCANT

----------------------------------------------------------------------

ABBREVIATION........I DR A SCA

ACTIVE..............Yes

DESCRIPTION.........Incision Drainage Amount Scant

DISPLAY_NAME........Scant

HELP_TEXT...........Incision Drainage Amount Scant

ID.................{A476E395-46AA-44E7-8A00-CE22C7066BB1}

TERM................INCISION DRAINAGE AMOUNT SCANT


DATA VALUE: INCISION DRAINAGE AMOUNT SMALL

----------------------------------------------------------------------

ABBREVIATION........I DR A SMA

ACTIVE..............Yes

DESCRIPTION.........Incision Drainage Amount Small

DISPLAY_NAME........Small

HELP_TEXT...........Incision Drainage Amount Small

ID.................{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}

TERM................INCISION DRAINAGE AMOUNT SMALL


DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL

----------------------------------------------------------------------

ABBREVIATION........INC DR ANT

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Antimicrobial

DISPLAY_NAME........Antimicrobial

HELP_TEXT...........Incision Dressing Type Antimicrobial

ID.................{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}

TERM................INCISION DRESSING TYPE ANTIMICROBIAL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL DISK

----------------------------------------------------------------------

ABBREVIATION........INC DR ADI

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Antimicrobial
        Disk

DISPLAY_NAME........Antimicrobial Disk

HELP_TEXT...........Incision Dressing Type Antimicrobial
        Disk

ID..................{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}

TERM................INCISION DRESSING TYPE ANTIMICROBIAL
        DISK

DATA VALUE: INCISION DRESSING TYPE BALSAM OF PERU

----------------------------------------------------------------------

ABBREVIATION........INC DR BAL

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Balsam of Peru

DISPLAY_NAME........Balsam Of Peru

HELP_TEXT...........Incision Dressing Type Balsam of Peru

ID..................{A1FB45C6-6315-4282-8D89-DCB0C018E357}

TERM................INCISION DRESSING TYPE BALSAM OF PERU

DATA VALUE: INCISION DRESSING TYPE BISMUTH GAUZE

-----------------------------------------------------------------

ABBREVIATION........INC DR BIS

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Bismuth Gauze

DISPLAY_NAME........Bismuth Gauze

HELP_TEXT...........Incision Dressing Type Bismuth Gauze

ID.................{CA88C5DC-3890-49A2-800A-0528CE194BA8}

TERM................INCISION DRESSING TYPE BISMUTH GAUZE


DATA VALUE: INCISION DRESSING TYPE CALCIUM ALGINATE

-----------------------------------------------------------------

ABBREVIATION........INC DR CAL

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Calcium Alginate

DISPLAY_NAME........Calcium Alginate

HELP_TEXT...........Incision Dressing Type Calcium Alginate

ID.................{B20558BA-FB9E-499E-82DF-49616ACE9375}

TERM................INCISION DRESSING TYPE CALCIUM ALGINATE


DATA VALUE: INCISION DRESSING TYPE FOAM DRESSING

-----------------------------------------------------------------

ABBREVIATION........INC DR FOA

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Foam dressing

DISPLAY_NAME........Foam Dressing

HELP_TEXT...........Incision Dressing Type Foam dressing

ID.................{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}

TERM................INCISION DRESSING TYPE FOAM DRESSING

DATA VALUE: INCISION DRESSING TYPE GAUZE

----------------------------------------------------------------------

ABBREVIATION........INC DR GAU

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Gauze

DISPLAY_NAME........Gauze

HELP_TEXT...........Incision Dressing Type Gauze

ID.................{E4AC9307-0512-4F9D-A254-FE19E654461F}

TERM................INCISION DRESSING TYPE GAUZE

DATA VALUE: INCISION DRESSING TYPE GAUZE PACKING

----------------------------------------------------------------------

ABBREVIATION........INC DR GPA

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Gauze Packing

DISPLAY_NAME........Gauze Packing

HELP_TEXT...........Incision Dressing Type Gauze Packing

ID.................{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}

TERM................INCISION DRESSING TYPE GAUZE PACKING

DATA VALUE: INCISION DRESSING TYPE GAUZE WRAP

------------------------------------------------------------------

ABBREVIATION........INC DR GWR

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Gauze Wrap

DISPLAY_NAME........Gauze Wrap

HELP_TEXT...........Incision Dressing Type Gauze Wrap

ID.................{E1DBEC29-1430-4DA0-99DC-49B9389D2440}

TERM................INCISION DRESSING TYPE GAUZE WRAP


DATA VALUE: INCISION DRESSING TYPE HYDROCOLLOIDAL

------------------------------------------------------------------

ABBREVIATION........INC DR HYD

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Hydrocolloidal

DISPLAY_NAME........Hydrocolloidal

HELP_TEXT...........Incision Dressing Type Hydrocolloidal

ID.................{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}

TERM................INCISION DRESSING TYPE HYDROCOLLOIDAL


DATA VALUE: INCISION DRESSING TYPE HYDROGEL

------------------------------------------------------------------

ABBREVIATION........INC DR HYD

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Hydrogel

DISPLAY_NAME........Hydrogel

HELP_TEXT...........Incision Dressing Type Hydrogel

ID.................{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}

TERM................INCISION DRESSING TYPE HYDROGEL


DATA VALUE: INCISION DRESSING TYPE HYPERTONIC HYDROGEL

----------------------------------------------------------------------

ABBREVIATION........INC DR HYP

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Hypertonic

          Hydrogel

DISPLAY_NAME........Hypertonic Hydrogel

HELP_TEXT...........Incision Dressing Type Hypertonic

          Hydrogel

ID..................{25820A63-AD76-4198-BEB1-EF95DDEC5B35}

TERM................INCISION DRESSING TYPE HYPERTONIC

          HYDROGEL


DATA VALUE: INCISION DRESSING TYPE NONE

----------------------------------------------------------------------

ABBREVIATION........INC DR NON

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type None

DISPLAY_NAME........None

HELP_TEXT...........Incision Dressing Type None

ID..................{81F07C8D-A463-48A0-A64A-A143CECB5DD6}

TERM................INCISION DRESSING TYPE NONE

DATA VALUE: INCISION DRESSING TYPE PRESSURE

----------------------------------------------------------------------

ABBREVIATION........INC DR PRE

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Pressure

DISPLAY_NAME........Pressure

HELP_TEXT...........Incision Dressing Type Pressure

ID.................{B5823373-E5D8-40A5-954C-6A193D7E7511}

TERM...............INCISION DRESSING TYPE PRESSURE


DATA VALUE: INCISION DRESSING TYPE TRANSPARENT

----------------------------------------------------------------------

ABBREVIATION........INC DR TRA

ACTIVE..............Yes

DESCRIPTION.........Incision Dressing Type Gauze

DISPLAY_NAME........Transparent

HELP_TEXT...........Incision Dressing Type Gauze

ID.................{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}

TERM...............INCISION DRESSING TYPE TRANSPARENT


DATA VALUE: INCISION EDGE INDISTINCT/ATTACHED

----------------------------------------------------------------------

ABBREVIATION........INC ED ATT

ACTIVE..............Yes

DESCRIPTION.........Incision Edge Indistinct, Attached

DISPLAY_NAME........Indistinct, Attached

HELP_TEXT...........Incision Edge Indistinct, Attached

ID.................{AF7E7150-525E-49A4-AC23-042B788E8805}

TERM................INCISION EDGE INDISTINCT/ATTACHED


DATA VALUE: INCISION EDGE NON-ATTACHED

----------------------------------------------------------------------

ABBREVIATION........INC ED NON

ACTIVE..............Yes

DESCRIPTION.........Incision Edge Non Attached

DISPLAY_NAME........Non-Attached

HELP_TEXT...........Incision Edge Non Attached

ID.................{F457F951-F1DC-47AC-9336-AC093E149862}

TERM................INCISION EDGE NON-ATTACHED


DATA VALUE: INCISION EDGE ROLLED

----------------------------------------------------------------------

ABBREVIATION........INC ED ROL

ACTIVE..............Yes

DESCRIPTION.........Incision Edge Rolled

DISPLAY_NAME........Rolled

HELP_TEXT...........Incision Edge Rolled

ID.................{FFA33CAE-5D8B-4501-8120-A536BE53296F}

TERM................INCISION EDGE ROLLED

DATA VALUE: INCISION EDGE TUNNELING

-----------------------------------------------------------------

ABBREVIATION........INC ED TUN

ACTIVE..............Yes

DESCRIPTION.........Incision Edge Tunneling

DISPLAY_NAME........Tunneling

HELP_TEXT...........Incision Edge Tunneling

ID.................{492CD783-3C32-40F0-AE35-5A89E90409A7}

TERM................INCISION EDGE TUNNELING


DATA VALUE: INCISION EDGE UNDERMINING

-----------------------------------------------------------------

ABBREVIATION........INC ED UND

ACTIVE..............Yes

DESCRIPTION.........Incision Edge Undermining

DISPLAY_NAME........Undermining

HELP_TEXT...........Incision Edge Undermining

ID.................{0F3E968A-B867-4123-8C05-ED6B12D364CD}

TERM................INCISION EDGE UNDERMINING


DATA VALUE: INCISION ODOR FOUL

-----------------------------------------------------------------

ABBREVIATION........INC OD FOU

ACTIVE..............Yes

DESCRIPTION.........Incision Odor Foul

DISPLAY_NAME........Foul

HELP_TEXT...........Incision Odor Foul

ID.................{ECDC0988-BE82-41E3-8104-A66A5F8A1093}

TERM................INCISION ODOR FOUL

DATA VALUE: INCISION ODOR NONE

--------------------------------------------------------------------

ABBREVIATION........INC OD NON

ACTIVE..............Yes

DESCRIPTION.........Incision Odor None

DISPLAY_NAME........None

HELP_TEXT...........Incision Odor None

ID.................{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}

TERM................INCISION ODOR NONE

DATA VALUE: INCISION WOUND CLOSURE APPROXIMATED

--------------------------------------------------------------------

ABBREVIATION........INC CL APP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Approximated

HELP_TEXT...........No Help-Text

ID.................{2DD5713E-D81C-484B-A0DF-6A5730B396DF}

TERM................INCISION WOUND CLOSURE APPROXIMATED

DATA VALUE: INCISION WOUND CLOSURE DEHISCENCE

-----------------------------------------------------------------

ABBREVIATION........INC CL DEH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dehiscence

HELP_TEXT...........No Help-Text

ID.................{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

TERM................INCISION WOUND CLOSURE DEHISCENCE


DATA VALUE: INCISION WOUND CLOSURE GLUE

-----------------------------------------------------------------

ABBREVIATION........IN CL GLU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Glue

HELP_TEXT...........No Help-Text

ID.................{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}

TERM................INCISION WOUND CLOSURE GLUE


DATA VALUE: INCISION WOUND CLOSURE NOT CLOSED

-----------------------------------------------------------------

ABBREVIATION........INC CL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Not Closed

HELP_TEXT...........No Help-Text

ID.................{D63A05BF-1205-45F6-A78D-15D198BCB1C6}

TERM................INCISION WOUND CLOSURE NOT CLOSED


DATA VALUE: INCISIONAL SITE

---------------------------------------------------------------------

ABBREVIATION........INCIS SITE

ACTIVE..............Yes

DESCRIPTION.........INCISIONAL SITE

DISPLAY_NAME........Incisional Site

HELP_TEXT...........INCISIONAL SITE

ID.................{19E69DE2-097B-0FA5-449D-B2E9161A3E05}

TERM................INCISIONAL SITE


DATA VALUE: INCOMPREHENSIBLE

---------------------------------------------------------------------

ABBREVIATION........INCOMPREHE

ACTIVE..............Yes

DESCRIPTION.........Incomprehensible

DISPLAY_NAME........Incomprehensible

HELP_TEXT...........No Help Text

ID.................{916CD781-563D-4F54-8752-800D37BFAA3B}

TERM................INCOMPREHENSIBLE

DATA VALUE: INCONTENENCE DERMATITIS

----------------------------------------------------------------------

ABBREVIATION........INCON DERM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Incontenence Dermatitis

HELP_TEXT...........No Help Text

ID.................{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}

TERM................INCONTENENCE DERMATITIS


DATA VALUE: INCONTINENT

----------------------------------------------------------------------

ABBREVIATION........INCONTINEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Incontinent

HELP_TEXT...........No Help Text

ID.................{BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}

TERM................INCONTINENT


DATA VALUE: INCREASE ROUNDS

----------------------------------------------------------------------

ABBREVIATION........Inc Rds

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Increase Rounds

HELP_TEXT...........

ID.................{873180AF-9BB9-44F4-B9E4-80F8BBDF9769}

TERM................INCREASE ROUNDS


DATA VALUE: INDEPENDENT

--------------------------------------------------------------------

ABBREVIATION........INDEPENDEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Independent

HELP_TEXT...........No Help-Text

ID.................{11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}

TERM................INDEPENDENT


DATA VALUE: INDICATES UNDERSTANDING

--------------------------------------------------------------------

ABBREVIATION........UNDERSTAND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Indicates Understanding

HELP_TEXT...........No Help Text

ID.................{C4AEFE5F-C388-4E00-9663-6B308934284B}

TERM................INDICATES UNDERSTANDING

DATA VALUE: INDIFFERENT

-------------------------------------------------------------------

ABBREVIATION........INDIFF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Indifferent

HELP_TEXT...........No Help Text

ID.................{7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}

TERM................INDIFFERENT


DATA VALUE: INDIGESTION

-------------------------------------------------------------------

ABBREVIATION........Indigestio

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Indigestion

HELP_TEXT...........

ID.................{D60E1A18-8BB6-4B09-93CC-A663833C2D6D}

TERM................INDIGESTION


DATA VALUE: INDURATION

-------------------------------------------------------------------

ABBREVIATION........INDURAITON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Induration (Hardness)

HELP_TEXT...........No Help Text

ID.................{A1669576-45D9-435C-87B9-488E9CF6BBA4}

TERM................INDURATION


DATA VALUE: INDWELLING CATHETER

----------------------------------------------------------------------

ABBREVIATION........INDW CATH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Indwelling Catheter

HELP_TEXT...........No Help Text

ID.................{EC16724C-D1EA-5650-58D4-38A89D4456F9}

TERM................INDWELLING CATHETER


DATA VALUE: INEFFECTIVE COPING

----------------------------------------------------------------------

ABBREVIATION........ic

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ineffective Coping

HELP_TEXT...........No Help Text

ID.................{704B1A55-B639-60F4-E3A5-16F942ABC259}

TERM................INEFFECTIVE COPING

DATA VALUE: INFECTION

-------------------------------------------------------------------

ABBREVIATION........INFECTION

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Infection

HELP_TEXT...........No Help Text

ID.................{DA00DB58-640D-4294-9468-EEF070DBAE8E}

TERM................INFECTION


DATA VALUE: INFECTION PREVENTION AND SCREENING

-------------------------------------------------------------------

ABBREVIATION........INF PRE SC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Infection Prevention and Screening

HELP_TEXT...........No Help Text

ID.................{BA58329F-59EC-49F0-BACE-75AA5EC57F52}

TERM................INFECTION PREVENTION AND SCREENING


DATA VALUE: INFLATABLE HEEL LIFT

-------------------------------------------------------------------

ABBREVIATION........INF HEEL L

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Inflatable Heel Lift

HELP_TEXT...........No Help Text

ID.................{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}

TERM................INFLATABLE HEEL LIFT


DATA VALUE: INFLATE BALLOON

-------------------------------------------------------------------

ABBREVIATION........Inflate Ba

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Inflate Balloon

HELP_TEXT...........

ID.................{8E43AC94-F91F-498A-AEFA-2D754A24AE35}

TERM................INFLATE BALLOON


DATA VALUE: INITIATED

-------------------------------------------------------------------

ABBREVIATION........INITIATED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Initiated

HELP_TEXT...........No Help Text

ID.................{562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}

TERM................INITIATED

DATA VALUE: INNER CANNULA CHANGED

-----------------------------------------------------------------------

ABBREVIATION........InnerCann

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Inner Cannula Changed

HELP_TEXT...........

ID.................{4C0CA35F-2B7F-47C1-91E0-9159383BC17C}

TERM................INNER CANNULA CHANGED


DATA VALUE: INSERTED THROUGH EXISTING INTRODUCER

-----------------------------------------------------------------------

ABBREVIATION........INS EXS IN

ACTIVE..............Yes

DESCRIPTION.........Inserted Through Existing Introducer

DISPLAY_NAME........Inserted Through Existing Introducer

HELP_TEXT...........No Help Text

ID.................{20BC183A-197F-4464-A27C-47F63C5B842A}

TERM................INSERTED THROUGH EXISTING INTRODUCER


DATA VALUE: INSERTED THROUGH NEW INTRODUCER

-----------------------------------------------------------------------

ABBREVIATION........INS NEW IN

ACTIVE..............Yes

DESCRIPTION.........Inserted Through New Introducer

DISPLAY_NAME........Inserted Through New Introducer

HELP_TEXT...........No Help Text

ID.................{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

TERM................INSERTED THROUGH NEW INTRODUCER

DATA VALUE: INSERTION

--------------------------------------------------------------------

ABBREVIATION........Insertion

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Insertion

HELP_TEXT...........

ID.................{FF33CDE9-5CF7-46F7-8E3C-DBEC99CBC8BF}

TERM................INSERTION

DATA VALUE: INSPIRATORY WHEEZES

--------------------------------------------------------------------

ABBREVIATION........INSP WHEEZ

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Inspiratory Wheezes

HELP_TEXT...........No Help Text

ID.................{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}

TERM................INSPIRATORY WHEEZES

DATA VALUE: INSTRUCTED ON SELF-CARE INCLUDING HAND AND CATH HYGIENE

----------------------------------------------------------------------

ABBREVIATION........Self-Care

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Instructed on Self-Care Including

        Hand and Cath Hygiene

HELP_TEXT...........

ID.................{C52DF898-9A84-4885-AC67-49673ECFA756}

TERM................INSTRUCTED ON SELF-CARE INCLUDING

        HAND AND CATH HYGIENE


DATA VALUE: INTACT

----------------------------------------------------------------------

ABBREVIATION........i

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Intact

HELP_TEXT...........No apparent breakdown

ID.................{935C9CAF-6C88-6610-C6E9-4C1B822923AF}

TERM................INTACT


DATA VALUE: INTENTIONAL

----------------------------------------------------------------------

ABBREVIATION........i

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Intentional

HELP_TEXT...........No Help Text

ID.................{D5BBBFFC-F739-1E69-FED4-288D8E803D04}

TERM...............INTENTIONAL


DATA VALUE: INTERMITTENT

--------------------------------------------------------------------

ABBREVIATION........INTERMITTE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Intermittent

HELP_TEXT...........No Help Text

ID.................{DD09ED7C-B977-412F-A678-5130F77D239E}

TERM...............INTERMITTENT


DATA VALUE: INTERMITTENT SLEEP

--------------------------------------------------------------------

ABBREVIATION........INT SLEEP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........States Has Slept Intermittently

HELP_TEXT...........No Help Text

ID.................{5005C433-5892-4F4D-A64D-4C94AD1853E2}

TERM...............INTERMITTENT SLEEP

DATA VALUE: INTERNAL FECAL INCONTINENCE SYSTEM

----------------------------------------------------------------------

ABBREVIATION........FID Int

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Internal Fecal Incontinence System

HELP_TEXT...........

ID.................{3E01B153-8BBF-4EB3-B680-AD22E53531F1}

TERM................INTERNAL FECAL INCONTINENCE SYSTEM

DATA VALUE: INTERNAL ROTATION

----------------------------------------------------------------------

ABBREVIATION........Int Rotate

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Internal Rotation

HELP_TEXT...........

ID.................{B1FE489B-D82F-49F5-87B9-8645157F23A2}

TERM................INTERNAL ROTATION

DATA VALUE: INTERRUPTED

----------------------------------------------------------------------

ABBREVIATION........INTERRUPTE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Interrupted

HELP_TEXT...........No Help Text

ID.................{AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}

TERM................INTERRUPTED

DATA VALUE: INTERVENTIONAL RADIOLOGY

---------------------------------------------------------------------

ABBREVIATION........Interv Rad

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Interventional Radiology

HELP_TEXT...........

ID.................{322B66E6-814F-43AF-B669-E503519DB72F}

TERM................INTERVENTIONAL RADIOLOGY

DATA VALUE: INTIMIDATING

---------------------------------------------------------------------

ABBREVIATION........Intimidat

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Intimidating

HELP_TEXT...........

ID.................{37ACE461-DF89-489D-82DC-1719C3327B29}

TERM................INTIMIDATING

DATA VALUE: INTRODUCER

--------------------------------------------------------------------

ABBREVIATION........INTRODUCER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Introducer

HELP_TEXT...........No Help Text

ID.................{B46F7CA4-C94E-68FD-2892-52866763B5A0}

TERM................INTRODUCER


DATA VALUE: INVERTED T WAVE

--------------------------------------------------------------------

ABBREVIATION........Inverted T

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Inverted T Wave

HELP_TEXT...........

ID.................{74E92116-CC0C-496E-93D4-F1BB004CB4F7}

TERM................INVERTED T WAVE


DATA VALUE: INVOLVEMENT WITH FAMILY

--------------------------------------------------------------------

ABBREVIATION........R.E. INVO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Involvement With Family And Others

HELP_TEXT...........No Help Text

ID.................{0EF31047-70A5-4072-953A-B62E1ACDF84B}

TERM................INVOLVEMENT WITH FAMILY

DATA VALUE: IRREGULAR

--------------------------------------------------------------------

ABBREVIATION........IRREGULAR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Irregular

HELP_TEXT...........No Help Text

ID.................{6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}

TERM................IRREGULAR

DATA VALUE: IRRIGATION

--------------------------------------------------------------------

ABBREVIATION........Irrigation

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Irrigation

HELP_TEXT...........

ID.................{FEC41E5A-D214-48A0-953B-EF75B6414BE3}

TERM................IRRIGATION

DATA VALUE: IRRITABLE

----------------------------------------------------------------

ABBREVIATION........Irritable

ACTIVE..............Yes

DESCRIPTION.........Irritable

DISPLAY_NAME........Irritable

HELP_TEXT...........No Help Text

ID.................{10651C11-2736-4056-BA84-E544358BA877}

TERM................IRRITABLE


DATA VALUE: ISOLATING

----------------------------------------------------------------

ABBREVIATION........Isolating

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Isolating

HELP_TEXT...........

ID.................{4E1CD1C0-6D27-4760-8230-657A2966A786}

TERM................ISOLATING


DATA VALUE: ISOLATION

----------------------------------------------------------------

ABBREVIATION........Isolation

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Isolation

HELP_TEXT...........

ID.................{BD993BAD-087B-4C88-9EEC-DC1B84F9A642}

TERM................ISOLATION


DATA VALUE: ISOSOURCE 1.5

--------------------------------------------------------------------

ABBREVIATION........Iso 1.5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Isosource 1.5

HELP_TEXT...........

ID.................{A93C075F-A1FB-4B84-A8E3-9CE81089A462}

TERM................ISOSOURCE 1.5


DATA VALUE: ISOSOURCE VHN

--------------------------------------------------------------------

ABBREVIATION........Iso VHN

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Isosource VHN

HELP_TEXT...........

ID.................{D68525BF-F922-464E-97DE-1AB767974483}

TERM................ISOSOURCE VHN

DATA VALUE: ITCHING

----------------------------------------------------------------

ABBREVIATION........Itching

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Itching

HELP_TEXT...........

ID.................{3A1FB47B-F274-458D-BDF6-E6882D6CB600}

TERM................ITCHING


DATA VALUE: IV DISCONTINUED

----------------------------------------------------------------

ABBREVIATION........IV DISC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........IV Discontinued

HELP_TEXT...........No Help Text

ID.................{FDF951E7-5B72-4166-969B-073D5EC74800}

TERM................IV DISCONTINUED


DATA VALUE: IV PUMP

----------------------------------------------------------------

ABBREVIATION........IV PUMP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........IV Pump

HELP_TEXT...........No Help Text

ID.................{EFB92C16-CFA3-18BB-9D54-590089DA3962}

TERM...............IV PUMP


DATA VALUE: IV SEDATION

-------------------------------------------------------------------

ABBREVIATION........IV Sed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........IV Sedation

HELP_TEXT...........

ID.................{789B61EB-5E83-4024-850D-D92370C4EC9A}

TERM...............IV SEDATION


DATA VALUE: IVPB

-------------------------------------------------------------------

ABBREVIATION........IVPB

ACTIVE..............Yes

DESCRIPTION.........IV Piggy Back

DISPLAY_NAME........IV Piggy Back

HELP_TEXT...........No Help Text

ID.................{50EE76CF-5A9C-4EEB-9201-37CD90509355}

TERM...............IVPB

DATA VALUE: JAUNDICE

--------------------------------------------------------------------

ABBREVIATION........j

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Jaundice

HELP_TEXT...........No Help Text

ID.................{B17F4603-7C68-660D-96A7-119140A998D3}

TERM................JAUNDICE


DATA VALUE: JEJUNOSTOMY

--------------------------------------------------------------------

ABBREVIATION........JEJUNOSTOM

ACTIVE..............Yes

DESCRIPTION.........Jejunostomy EF Tube

DISPLAY_NAME........Jejunostomy

HELP_TEXT...........No Help Text

ID.................{1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}

TERM................JEJUNOSTOMY


DATA VALUE: JEVITY 1.0

--------------------------------------------------------------------

ABBREVIATION........Jevity 1.0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Jevity 1.0

HELP_TEXT...........

ID.................{637F4523-0417-4EA4-9991-379C8362EC00}

TERM................JEVITY 1.0


DATA VALUE: JEVITY 1.2

---------------------------------------------------------------------

ABBREVIATION........Jevity 1.2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Jevity 1.2

HELP_TEXT...........

ID.................{0B3ADECE-FC19-4D90-912B-6EDC3D35C845}

TERM................JEVITY 1.2


DATA VALUE: JEVITY 1.5

---------------------------------------------------------------------

ABBREVIATION........Jevity 1.5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Jevity 1.5

HELP_TEXT...........

ID.................{ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}

TERM................JEVITY 1.5

DATA VALUE: JOINT (SPECIFY IN COMMENTS)

----------------------------------------------------------------

ABBREVIATION........Joint

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Joint (Specify in Comments)

HELP_TEXT...........

ID.................{7EF927CA-073D-425B-B8A8-E400E0E3C468}

TERM................JOINT (SPECIFY IN COMMENTS)


DATA VALUE: JOINT CAPSULE

----------------------------------------------------------------

ABBREVIATION........JOINT CAPS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Joint Capsule

HELP_TEXT...........No Help Text

ID.................{F10E4DA8-DF84-4625-A317-724E7C9E028C}

TERM................JOINT CAPSULE


DATA VALUE: JP DRAIN

----------------------------------------------------------------

ABBREVIATION........JP Drain

ACTIVE..............Yes

DESCRIPTION.........Jackson Pratt Drain

DISPLAY_NAME........JP Drain

HELP_TEXT...........No Help Text

ID.................{20F3B3D5-D3A4-96FD-5446-253FD031DF2B}

TERM................JP DRAIN

DATA VALUE: JUNCTIONAL

----------------------------------------------------------------

ABBREVIATION........j

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Junctional

HELP_TEXT...........No Help Text

ID.................{4A339D84-7051-1258-877D-85AFC1CA20FE}

TERM................JUNCTIONAL

DATA VALUE: JUNCTIONAL ESCAPE BEAT

----------------------------------------------------------------

ABBREVIATION........Junctional

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Junctional Escape Beat

HELP_TEXT...........

ID.................{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}

TERM................JUNCTIONAL ESCAPE BEAT

DATA VALUE: JUNCTIONAL TACHYCARDIA

----------------------------------------------------------------

ABBREVIATION........jt

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Junctional Tachycardia

HELP_TEXT...........

ID.................{D6EF01C1-A8F9-40FD-AE24-785041526041}

TERM................JUNCTIONAL TACHYCARDIA


DATA VALUE: JUVEN

----------------------------------------------------------------

ABBREVIATION........Juven

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Juven

HELP_TEXT...........

ID.................{2112F76A-D581-4C55-94CA-4B4CC68813AD}

TERM................JUVEN


DATA VALUE: K-PAD

----------------------------------------------------------------

ABBREVIATION........K-PAD

ACTIVE..............Yes

DESCRIPTION.........K-pad

DISPLAY_NAME........K-pad

HELP_TEXT...........K-pad

ID.................{10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}

TERM................K-PAD


DATA VALUE: KINETIC BED THERAPY

----------------------------------------------------------------------

ABBREVIATION........Kin Bed Th

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Kinetic Bed Therapy

HELP_TEXT...........

ID.................{876D8CCD-74EF-449F-B417-A1E719694292}

TERM...............KINETIC BED THERAPY


DATA VALUE: KNIFE-LIKE

----------------------------------------------------------------------

ABBREVIATION........KNIFE-LIKE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Knife-Like

HELP_TEXT...........No Help Text

ID.................{FBA0EE3F-134B-431B-879A-9B17D65CD464}

TERM...............KNIFE-LIKE

DATA VALUE: KNOWN DONOR

----------------------------------------------------------------

ABBREVIATION........Known

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Known Donor

HELP_TEXT...........

ID.................{74BEA6F1-8FA5-49C7-9198-957838B1C971}

TERM................KNOWN DONOR


DATA VALUE: KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

----------------------------------------------------------------

ABBREVIATION........Known/Susp

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Known/Suspected Obstructive Sleep Apnea

HELP_TEXT...........

ID.................{BD47DD8C-7057-403B-B393-EBCBF9907B68}

TERM................KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA


DATA VALUE: KUSSMAUL

----------------------------------------------------------------

ABBREVIATION........KUSSMAUL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Kussmaul

HELP_TEXT...........No Help Text

ID.................{0C5ED066-F445-ABFE-F7B1-D158EC7C2976}

TERM................KUSSMAUL


DATA VALUE: KYPHOSIS

----------------------------------------------------------------------

ABBREVIATION........Kyphosis

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Kyphosis

HELP_TEXT...........

ID.................{216EFBCA-A523-4F8F-9C23-CAE8349E16A2}

TERM................KYPHOSIS


DATA VALUE: L BUNDLE BRANCH BLOCK

----------------------------------------------------------------------

ABBREVIATION........lbbb

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Bundle Branch Block

HELP_TEXT...........No Help Text

ID.................{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}

TERM................L BUNDLE BRANCH BLOCK

DATA VALUE: L FOOT DOWN

--------------------------------------------------------------------

ABBREVIATION........L FOOT DOW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Foot Down

HELP_TEXT...........No Help Text

ID.................{5B18895B-DAD5-4874-87DB-DACFFF88B170}

TERM................L FOOT DOWN


DATA VALUE: L FOOT UP

--------------------------------------------------------------------

ABBREVIATION........L FOOT UP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Foot Up

HELP_TEXT...........No Help Text

ID.................{A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}

TERM................L FOOT UP


DATA VALUE: L HEAD DOWN

--------------------------------------------------------------------

ABBREVIATION........L HEAD DOW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Head Down

HELP_TEXT...........No Help Text

ID.................{3C919CB8-1C0A-498D-95A6-C46D25744CEC}

TERM................L HEAD DOWN


DATA VALUE: L HEAD UP

--------------------------------------------------------------------

ABBREVIATION........L HEAD UP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Head Up

HELP_TEXT...........No Help Text

ID.................{BB39792D-B572-4A10-BA81-8685809E7437}

TERM................L HEAD UP


DATA VALUE: L NECK

--------------------------------------------------------------------

ABBREVIATION........LEFT NECK

ACTIVE..............Yes

DESCRIPTION.........Left Neck

DISPLAY_NAME........L Neck

HELP_TEXT...........Left Neck

ID.................{6A53228A-5BD1-6AAF-029F-701C7EFE7C48}

TERM................L NECK

DATA VALUE: L NEPHROSTOMY

---------------------------------------------------------------------

ABBREVIATION........L NEPHROST

ACTIVE..............Yes

DESCRIPTION.........Left Nephrostomy

DISPLAY_NAME........L Nephrostomy

HELP_TEXT...........Left Nephrostomy

ID.................{D8FC4C18-081E-A7B9-E394-25F194BE9757}

TERM................L NEPHROSTOMY


DATA VALUE: L STENT

---------------------------------------------------------------------

ABBREVIATION........LEFT STENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Stent

HELP_TEXT...........No Help Text

ID.................{FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}

TERM................L STENT


DATA VALUE: L1

---------------------------------------------------------------------

ABBREVIATION........L1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........L1

HELP_TEXT...........

ID.................{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}

TERM...............L1

DATA VALUE: L2

-------------------------------------------------------------------

ABBREVIATION........L2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........L2

HELP_TEXT...........

ID.................{0E5E7F8E-BA82-499B-A57A-8D32C2113006}

TERM...............L2

DATA VALUE: L3

-------------------------------------------------------------------

ABBREVIATION........L3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........L3

HELP_TEXT...........

ID.................{0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}

TERM...............L3

DATA VALUE: L4

----------------------------------------------------------------

ABBREVIATION........L4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........L4

HELP_TEXT...........

ID.................{94632F85-0152-47C2-9D82-B49C36ABF495}

TERM................L4


DATA VALUE: L5

----------------------------------------------------------------

ABBREVIATION........L5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........L5

HELP_TEXT...........

ID.................{87E93C0D-B607-4DD2-83EC-71131C072019}

TERM................L5


DATA VALUE: LABILE

----------------------------------------------------------------

ABBREVIATION........Labile

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Labile

HELP_TEXT...........

ID.................{EAFDAC1F-BEA0-497B-AA03-732CEF08D76D}

TERM................LABILE


DATA VALUE: LABORED: INCREASED EFFORT, ACCESSORY MUSCLES/NASAL FLARING

---------------------------------------------------------------------

ABBREVIATION........PCA:Labor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Labored: Increased Effort, Accessory

       Muscles/Nasal Flaring

HELP_TEXT...........

ID.................{D2A21260-C746-4ACA-B738-A1AD838D66FD}

TERM................LABORED: INCREASED EFFORT, ACCESSORY

       MUSCLES/NASAL FLARING


DATA VALUE: LACERATION

--------------------------------------------------------------------

ABBREVIATION........LACERATION

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Laceration

HELP_TEXT...........No Help Text

ID.................{F4548BB2-39AF-4E0D-B52F-472EA080D6FF}

TERM................LACERATION

DATA VALUE: LACKS INTEREST

--------------------------------------------------------------------

ABBREVIATION........LACKS INT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lacks Interest

HELP_TEXT...........No Help Text

ID.................{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}

TERM................LACKS INTEREST


DATA VALUE: LACTOSE RESTRICTED

--------------------------------------------------------------------

ABBREVIATION........LACT RESTR

ACTIVE..............Yes

DESCRIPTION.........Lactose Restricted

DISPLAY_NAME........Lactose Restricted

HELP_TEXT...........No Help Text

ID.................{78A9066A-48E2-4285-88E3-A180CE771B5A}

TERM................LACTOSE RESTRICTED


DATA VALUE: LANGUAGE

--------------------------------------------------------------------

ABBREVIATION........LANGUAGE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Language

HELP_TEXT...........No Help-Text

ID.................{0666538E-4F44-4D34-A5EA-69CF2F1F86FA}

TERM................LANGUAGE


DATA VALUE: LAPTOP/TABLET

---------------------------------------------------------------------

ABBREVIATION........Laptop/Tab

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Laptop/Tablet

HELP_TEXT...........

ID.................{F49B59C2-EEB5-4712-BF8C-9FCA32B68488}

TERM................LAPTOP/TABLET


DATA VALUE: LARGE

---------------------------------------------------------------------

ABBREVIATION........I

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Large

HELP_TEXT...........No Help Text

ID.................{E60D5CF9-920D-44E2-8A83-136DAB1FE251}

TERM................LARGE

DATA VALUE: LARYNGECTOMY

--------------------------------------------------------------------

ABBREVIATION........LARYNGECTO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Laryngectomy

HELP_TEXT...........No Help Text

ID.................{225CB76A-BAF5-827E-729B-C3D60AD5B50A}

TERM................LARYNGECTOMY


DATA VALUE: LATERAL TRANSFER DEVICE - AIR ASSISTED

--------------------------------------------------------------------

ABBREVIATION........LatDevAir

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lateral Transfer Device - air assisted

HELP_TEXT...........

ID.................{9770E288-F7DB-45DE-8480-4D5BF51FDC46}

TERM................LATERAL TRANSFER DEVICE - AIR ASSISTED


DATA VALUE: LATERAL TRANSFER DEVICE - NON-AIR ASSISTED

--------------------------------------------------------------------

ABBREVIATION........LatDevNon

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lateral Transfer Device - non-air

           assisted

HELP_TEXT...........

ID.................{51151B27-56B9-4C8F-8F6E-925C5583AA8B}

TERM................LATERAL TRANSFER DEVICE - NON-AIR

　　　　　　　ASSISTED


DATA VALUE: LATEX ALLERGY

--------------------------------------------------------------------

ABBREVIATION........Latex Alle

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Latex Allergy

HELP_TEXT...........

ID.................{3E7326AA-8CA4-448C-802A-111C232B2F1C}

TERM................LATEX ALLERGY


DATA VALUE: LEAKAGE

--------------------------------------------------------------------

ABBREVIATION........Leakage

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Leakage

HELP_TEXT...........

ID.................{E6D33143-415D-493D-8AD3-1028D61E26F0}

TERM................LEAKAGE

DATA VALUE: LEFT

-------------------------------------------------------------------

ABBREVIATION........LEFT

ACTIVE..............Yes

DESCRIPTION.........Left

DISPLAY_NAME........Left

HELP_TEXT...........No Help Text

ID.................{81063CEE-2E83-4C95-AAEE-76B7DCB828D4}

TERM................LEFT


DATA VALUE: LEFT NARIS

-------------------------------------------------------------------

ABBREVIATION........LeftNaris

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Naris

HELP_TEXT...........

ID.................{666BDEE6-4B12-4D95-A534-8E68949A34BD}

TERM................LEFT NARIS


DATA VALUE: LESION PRESENT

-------------------------------------------------------------------

ABBREVIATION........Lesion

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lesion Present

HELP_TEXT...........

ID.................{6AA9A82F-917E-45BB-9601-9E53A559006D}

TERM................LESION PRESENT


DATA VALUE: LESS THAN 30

--------------------------------------------------------------------

ABBREVIATION........<30

ACTIVE..............Yes

DESCRIPTION.........Less Than 30

DISPLAY_NAME........<30

HELP_TEXT...........No Help Text

ID.................{5AA98A0D-9B05-425D-97CA-B8B12425AACA}

TERM................LESS THAN 30


DATA VALUE: LETHARGIC

--------------------------------------------------------------------

ABBREVIATION........l

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lethargic

HELP_TEXT...........No Help Text

ID.................{4ECA2E44-093A-9354-848E-CDC72B165072}

TERM................LETHARGIC

DATA VALUE: LEVELED

----------------------------------------------------------------

ABBREVIATION........LEVELED

ACTIVE..............Yes

DESCRIPTION.........Leveled

DISPLAY_NAME........Leveled

HELP_TEXT...........No Help Text

ID.................{D72523B2-E0CD-40E1-AC14-2FA43636A456}

TERM................LEVELED


DATA VALUE: LIBERAL DIABETIC

----------------------------------------------------------------

ABBREVIATION........LIBRL DIAB

ACTIVE..............Yes

DESCRIPTION.........Liberal Diabetic

DISPLAY_NAME........Liberal Diabetic

HELP_TEXT...........No Help Text

ID.................{9B66B47B-E77E-4F69-BDFA-5323B28A283D}

TERM................LIBERAL DIABETIC


DATA VALUE: LIFT SEAT COMMODE

----------------------------------------------------------------

ABBREVIATION........LiftSeatCo

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lift Seat Commode

HELP_TEXT...........

ID.................{5D8A7A79-B5A7-40F1-A6A5-26B5AC084D7A}

TERM................LIFT SEAT COMMODE

DATA VALUE: LIMITED ASSISTANCE

----------------------------------------------------------------------

ABBREVIATION........LIM ASSIST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Limited Assistance

HELP_TEXT...........No Help Text

ID.................{9A8C1310-C840-431E-BA21-065B7EA7B768}

TERM................LIMITED ASSISTANCE

DATA VALUE: LIMITED ATTENION SPAN

----------------------------------------------------------------------

ABBREVIATION........LIM ATT S

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Limited Attention Span

HELP_TEXT...........No Help Text

ID.................{51553020-0CB9-483E-AC1C-15CA6D9380A3}

TERM................LIMITED ATTENION SPAN

DATA VALUE: LIMITED TO INCISION

----------------------------------------------------------------------

ABBREVIATION........ER EXI LIM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Limited to Incision

HELP_TEXT...........No Help-Text

ID.................{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}

TERM................LIMITED TO INCISION


DATA VALUE: LIMPING

----------------------------------------------------------------------

ABBREVIATION........Limping

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Limping

HELP_TEXT...........

ID.................{9D3CD08A-9DA7-4CFA-86FA-585D1FBA47DA}

TERM................LIMPING


DATA VALUE: LINE FLUSH

----------------------------------------------------------------------

ABBREVIATION........LINE FLUSH

ACTIVE..............Yes

DESCRIPTION.........Fluid flushed from line

DISPLAY_NAME........Line Flush

HELP_TEXT...........No Help Text

ID.................{8DDD63BE-CF28-4C83-93FF-C81609FFDE51}

TERM................LINE FLUSH


DATA VALUE: LINEN CHANGE

--------------------------------------------------------------------

ABBREVIATION........Lin Change

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Linen Change

HELP_TEXT...........

ID.................{AE30A510-112B-4F43-830E-E27FD994550A}

TERM................LINEN CHANGE


DATA VALUE: LINES

--------------------------------------------------------------------

ABBREVIATION........R.C. LINE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Attempting To Pull Lines

HELP_TEXT...........No Help Text

ID.................{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}

TERM................LINES

DATA VALUE: LIP SALVE

-----------------------------------------------------------------

ABBREVIATION........LIP SALVE

ACTIVE..............Yes

DESCRIPTION.........Lip Salve

DISPLAY_NAME........Lip Salve

HELP_TEXT...........No Help Text

ID.................{612F78AB-7386-4176-9896-02DE5A8E836D}

TERM................LIP SALVE


DATA VALUE: LIST PER SME

-----------------------------------------------------------------

ABBREVIATION........Lst pr SME

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........List per SME

HELP_TEXT...........

ID.................{8C2014C9-2CE0-4D9D-8FD6-8C0A42A82CDB}

TERM................LIST PER SME


DATA VALUE: LISTED

-----------------------------------------------------------------

ABBREVIATION........Listed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Listed

HELP_TEXT...........

ID.................{C5F6F925-0239-4173-A5A9-515B6F83629A}

TERM................LISTED

DATA VALUE: LISTED DIET

---------------------------------------------------------------------

ABBREVIATION........LIST DIET

ACTIVE..............Yes

DESCRIPTION.........Listed Diet

DISPLAY_NAME........Listed Diet

HELP_TEXT...........No Help Text

ID.................{24FBBFD9-B426-4DD9-9843-3428A1C91676}

TERM................LISTED DIET

DATA VALUE: LOCAL

---------------------------------------------------------------------

ABBREVIATION........Local

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Local

HELP_TEXT...........

ID.................{64A0FD20-4584-446C-8A2A-57F2FEF3DD10}

TERM................LOCAL

DATA VALUE: LOCALIZES TO PAIN

-------------------------------------------------------------------

ABBREVIATION........LOC TO PAI

ACTIVE..............Yes

DESCRIPTION.........Localizes To Pain

DISPLAY_NAME........Localizes To Pain

HELP_TEXT...........No Help Text

ID.................{4072DFF9-2D90-423F-B6F0-0F2B924025D9}

TERM................LOCALIZES TO PAIN


DATA VALUE: LOCK BOX

-------------------------------------------------------------------

ABBREVIATION........Lock Box

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lock Box

HELP_TEXT...........

ID.................{974A2F44-C918-4E85-ABAF-03A21498F98B}

TERM................LOCK BOX


DATA VALUE: LOCKER

-------------------------------------------------------------------

ABBREVIATION........Locker

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Locker

HELP_TEXT...........

ID.................{36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}

TERM................LOCKER


DATA VALUE: LOGICAL

----------------------------------------------------------------------

ABBREVIATION........logical

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........logical

HELP_TEXT...........

ID.................{B758A5A0-73CA-436E-A476-DC56EB153842}

TERM................LOGICAL


DATA VALUE: LONG HANDLED TRANSFER SHEET

----------------------------------------------------------------------

ABBREVIATION........LongHandle

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Long Handled Transfer Sheet

HELP_TEXT...........

ID.................{A38E905C-A9C9-4592-8E2E-BE2D0DB01052}

TERM................LONG HANDLED TRANSFER SHEET

DATA VALUE: LONG-HANDLED UTENSILS

-----------------------------------------------------------------

ABBREVIATION........Long-Hand

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Long-Handled Utensils

HELP_TEXT...........

ID.................{E7615F55-6520-4C95-9447-3BEBB725CAAD}

TERM................LONG-HANDLED UTENSILS


DATA VALUE: LOOSE

-----------------------------------------------------------------

ABBREVIATION........LOOSE

ACTIVE..............Yes

DESCRIPTION.........Loose

DISPLAY_NAME........Loose

HELP_TEXT...........No Help Text

ID.................{1346A74E-3AA1-4D81-876B-91201F9717A5}

TERM................LOOSE


DATA VALUE: LOOSE ASSOCIATIONS

-----------------------------------------------------------------

ABBREVIATION........Lse Assoc

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Loose Associations

HELP_TEXT...........

ID.................{FF172A39-B03F-44E1-A042-AB5AE2F570BC}

TERM................LOOSE ASSOCIATIONS


DATA VALUE: LORDOSIS

---------------------------------------------------------------------

ABBREVIATION........Lordosis

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lordosis

HELP_TEXT...........

ID.................{DC470CE3-6F6D-4363-B570-DE1A6E73AD48}

TERM................LORDOSIS


DATA VALUE: LOW

---------------------------------------------------------------------

ABBREVIATION........I

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Low

HELP_TEXT...........No Help Text

ID.................{B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}

TERM................LOW

DATA VALUE: LOW AIRLOSS OVERLAY

----------------------------------------------------------------------

ABBREVIATION........L AIR OVRL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Low Airloss Overlay

HELP_TEXT...........No Help Text

ID.................{282C439C-A697-43E6-85C1-786352EB56BC}

TERM................LOW AIRLOSS OVERLAY


DATA VALUE: LOW AIRLOSS/ALTERNATING PRESSURE COMBO

----------------------------------------------------------------------

ABBREVIATION........L AIRL ALT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Low Airloss/Alternating Pressure Combo

HELP_TEXT...........No Help Text

ID.................{ADDD1260-C95B-4D7B-AB89-3749D76A3700}

TERM................LOW AIRLOSS/ALTERNATING PRESSURE COMBO


DATA VALUE: LOW CHOLESTEROL

----------------------------------------------------------------------

ABBREVIATION........LOW CHOLES

ACTIVE..............Yes

DESCRIPTION.........Low Cholesterol

DISPLAY_NAME........Low Cholesterol

HELP_TEXT...........No Help Text

ID.................{88F0170A-2560-48C6-9604-982453BCFC3B}

TERM................LOW CHOLESTEROL

DATA VALUE: LOW CONTINUOUS

---------------------------------------------------------------------

ABBREVIATION........LowCont

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Low Continuous

HELP_TEXT...........

ID.................{7B0A1CE9-382D-4E6E-AE5C-C3C36C32385A}

TERM...............LOW CONTINUOUS

DATA VALUE: LOW FIBER

---------------------------------------------------------------------

ABBREVIATION........LOW FIBER

ACTIVE..............Yes

DESCRIPTION.........Low Fiber

DISPLAY_NAME........Low Fiber

HELP_TEXT...........No Help Text

ID.................{2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}

TERM...............LOW FIBER

DATA VALUE: LOW INTERMITTENT

-------------------------------------------------------------------

ABBREVIATION........LowInterm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Low Intermittent

HELP_TEXT...........

ID.................{19BC559B-858E-4975-8005-FC9406394EB2}

TERM................LOW INTERMITTENT


DATA VALUE: LOW PROTEIN 60 GM

-------------------------------------------------------------------

ABBREVIATION........L PROT 60g

ACTIVE..............Yes

DESCRIPTION.........Low Protein 60 GM

DISPLAY_NAME........Low Protein 60 GM

HELP_TEXT...........No Help Text

ID.................{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}

TERM................LOW PROTEIN 60 GM


DATA VALUE: LOW TYRAMINE

-------------------------------------------------------------------

ABBREVIATION........LOW TYRAMI

ACTIVE..............Yes

DESCRIPTION.........Low Tyramine

DISPLAY_NAME........Low Tyramine

HELP_TEXT...........No Help Text

ID.................{DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}

TERM................LOW TYRAMINE


DATA VALUE: LP: LIGHT PERCEPTION

----------------------------------------------------------------------

ABBREVIATION........LP

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........LP: Light Perception

HELP_TEXT...........

ID.................{3B5C4FA1-6770-4347-B5FB-2B0554D71339}

TERM................LP: LIGHT PERCEPTION


DATA VALUE: LPP: LIGHT PERCEPTION WITH PROJECTION

----------------------------------------------------------------------

ABBREVIATION........LPP

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........LPP: Light Perception with Projection

HELP_TEXT...........

ID.................{29ED35AA-49C5-4835-AF43-17173333A2BB}

TERM................LPP: LIGHT PERCEPTION WITH PROJECTION

DATA VALUE: LUMBAR

----------------------------------------------------------------

ABBREVIATION........Lumbar

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lumbar

HELP_TEXT...........

ID.................{29729E2C-3650-4E81-B7EB-72052EBA3D48}

TERM................LUMBAR


DATA VALUE: LUMBAR DRAIN

----------------------------------------------------------------

ABBREVIATION........LUM DRAIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lumbar Drain

HELP_TEXT...........No Help Text

ID.................{FF36A046-1799-0734-286B-2272C34E3056}

TERM................LUMBAR DRAIN


DATA VALUE: LUMBAR SPINAL PRECAUTIONS

----------------------------------------------------------------

ABBREVIATION........LUMB S P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lumbar Spinal Precautions

HELP_TEXT...........No Help Text

ID.................{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}

TERM................LUMBAR SPINAL PRECAUTIONS


DATA VALUE: LUNCH

---------------------------------------------------------------------

ABBREVIATION........Lunch

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lunch

HELP_TEXT...........

ID.................{9CF74807-8CA5-491F-98C4-97A5476FCE30}

TERM................LUNCH


DATA VALUE: LVN

---------------------------------------------------------------------

ABBREVIATION........LVN

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........LVN

HELP_TEXT...........

ID.................{8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}

TERM................LVN

DATA VALUE: LVN/LPN

---------------------------------------------------------------------

ABBREVIATION........LVN/LPN

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........LVN/LPN

HELP_TEXT...........

ID.................{DC89CD99-80C5-4455-A280-3A19E74DCE7D}

TERM................LVN/LPN


DATA VALUE: LYING OR SITTING

---------------------------------------------------------------------

ABBREVIATION........los

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lying Or Sitting

HELP_TEXT...........No Help Text

ID.................{52A940B1-55AF-AB4E-9E59-F93515A1296C}

TERM................LYING OR SITTING


DATA VALUE: MACERATION

---------------------------------------------------------------------

ABBREVIATION........MACERATION

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........MACERATION

HELP_TEXT...........No Help Text

ID.................{B7C63E05-E193-40AA-A572-F1ACA0162B8B}

TERM................MACERATION


DATA VALUE: MAGNACAL

----------------------------------------------------------------------

ABBREVIATION........MAGNACAL

ACTIVE..............Yes

DESCRIPTION.........Enteral Nutrition Type

DISPLAY_NAME........Magnacal

HELP_TEXT...........No Help Text

ID.................{C810A618-FB1A-45BB-A540-EADF1414E343}

TERM................MAGNACAL


DATA VALUE: MAINTAINING EFFECTIVE VENTILATION

----------------------------------------------------------------------

ABBREVIATION........EFF VENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Maintaining Effective Ventilation

HELP_TEXT...........No Help Text

ID.................{18774550-ECBD-412D-AD95-131FAA4CC549}

TERM................MAINTAINING EFFECTIVE VENTILATION

DATA VALUE: MAROON

-------------------------------------------------------------------

ABBREVIATION........MAROON

ACTIVE..............Yes

DESCRIPTION.........Maroon in appearance

DISPLAY_NAME........Maroon

HELP_TEXT...........No Help Text

ID.................{1F518B23-C79F-4F06-9DF3-ADC5C96D3029}

TERM................MAROON


DATA VALUE: MD

-------------------------------------------------------------------

ABBREVIATION........MD

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........MD

HELP_TEXT...........

ID.................{9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}

TERM................MD


DATA VALUE: MEAL

-------------------------------------------------------------------

ABBREVIATION........MEAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Meal

HELP_TEXT...........No Help Text

ID.................{85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}

TERM................MEAL


DATA VALUE: MECHANICAL

----------------------------------------------------------------------

ABBREVIATION........MECHANICAL

ACTIVE..............Yes

DESCRIPTION.........Mechanical

DISPLAY_NAME........Mechanical

HELP_TEXT...........No Help Text

ID.................{01EA793C-B524-4685-A3EC-60A317CBACC5}

TERM...............MECHANICAL


DATA VALUE: MED RECONCILLIATION DOCUMENTED

----------------------------------------------------------------------

ABBREVIATION........ME RE DO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Med Reconcilliation Documented

HELP_TEXT...........No Help Text

ID.................{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}

TERM...............MED RECONCILLIATION DOCUMENTED

DATA VALUE: MEDIAL PORT

--------------------------------------------------------------------

ABBREVIATION........MEDI PORT

ACTIVE..............Yes

DESCRIPTION.........Medial Port

DISPLAY_NAME........Medial Port

HELP_TEXT...........No Help Text

ID.................{D1734D73-2E1A-4538-8884-05D8A78CF556}

TERM................MEDIAL PORT


DATA VALUE: MEDICAL

--------------------------------------------------------------------

ABBREVIATION........Medical

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Medical

HELP_TEXT...........

ID.................{8B6301C3-2B52-41A8-B4FA-0A744919FFD3}

TERM................MEDICAL


DATA VALUE: MEDICAL DEVICE SAFETY

--------------------------------------------------------------------

ABBREVIATION........mds

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Medical Device Safety

HELP_TEXT...........No Help Text

ID.................{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

TERM................MEDICAL DEVICE SAFETY

DATA VALUE: MEDICAL NECESSITY CONFIRMED

---------------------------------------------------------------------

ABBREVIATION........med nec

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Medical Necessity Confirmed

HELP_TEXT...........

ID.................{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}

TERM...............MEDICAL NECESSITY CONFIRMED

DATA VALUE: MEDICATION

---------------------------------------------------------------------

ABBREVIATION........MEDICATION

ACTIVE..............Yes

DESCRIPTION.........Medication

DISPLAY_NAME........Medication

HELP_TEXT...........No Help Text

ID.................{22E6DEBB-9662-466B-990C-8DA500C0A183}

TERM...............MEDICATION

DATA VALUE: MEDICATION PROPHYLAXIS

----------------------------------------------------------------

ABBREVIATION........Med Prophy

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Medication Prophylaxis

HELP_TEXT...........

ID.................{40D79227-A4DB-4E1E-81C6-6F4E4F243964}

TERM...............MEDICATION PROPHYLAXIS


DATA VALUE: MEDICATION REVIEW

----------------------------------------------------------------

ABBREVIATION........R.E. REVI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Medication Review

HELP_TEXT...........No Help Text

ID.................{914A0F82-5863-4C84-B3AB-D5A22BD340D8}

TERM...............MEDICATION REVIEW


DATA VALUE: MEDICATION ROOM

----------------------------------------------------------------

ABBREVIATION........mr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Medication Room

HELP_TEXT...........No Help Text

ID.................{9571AA9F-F538-55EC-37F6-99FE5677B970}

TERM...............MEDICATION ROOM


DATA VALUE: MEDIPORT

-------------------------------------------------------------------

ABBREVIATION........Mediport

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Mediport

HELP_TEXT...........

ID.................{E223C221-A1ED-4FC0-969F-16E33E3A0897}

TERM...............MEDIPORT


DATA VALUE: MEDIUM

-------------------------------------------------------------------

ABBREVIATION........MEDIUM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Medium

HELP_TEXT...........No Help Text

ID.................{62C94066-A7B6-CAA8-064B-2AF7C0DA6323}

TERM...............MEDIUM

DATA VALUE: MEMORY

----------------------------------------------------------------

ABBREVIATION........MEMORY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Memory

HELP_TEXT...........No Help Text

ID.................{E30C1930-B98B-4382-B892-34E9C6008D1F}

TERM................MEMORY


DATA VALUE: MENTAL HEALTH

----------------------------------------------------------------

ABBREVIATION........MEN HEAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mental Health

HELP_TEXT...........No Help Text

ID.................{ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}

TERM................MENTAL HEALTH


DATA VALUE: MENTAL HEALTH HOLD

----------------------------------------------------------------

ABBREVIATION........MEN HEA HO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mental Health Hold

HELP_TEXT...........No Help Text

ID.................{31560285-7BD5-4E53-BB77-93B244367F42}

TERM................MENTAL HEALTH HOLD

DATA VALUE: MENTAL STATUS - AWAKE ORIENTED

----------------------------------------------------------------------

ABBREVIATION........M/S Awake

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Mental Status - Awake Oriented

HELP_TEXT...........

ID.................{37818468-4798-4CBE-82ED-A793BDD10874}

TERM................MENTAL STATUS - AWAKE ORIENTED

DATA VALUE: MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA

----------------------------------------------------------------------

ABBREVIATION........M/S Demen

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Mental Status - Baseline for Dementia

HELP_TEXT...........

ID.................{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}

TERM................MENTAL STATUS - BASELINE FOR KNOWN

          DEMENTIA

DATA VALUE: METAL

----------------------------------------------------------------

ABBREVIATION........Metal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Metal

HELP_TEXT...........

ID.................{817B2544-725A-4B92-93AC-49650A5C1009}

TERM................METAL


DATA VALUE: METAL IMPLANTS

----------------------------------------------------------------

ABBREVIATION........Metal Impl

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Metal Implants

HELP_TEXT...........

ID.................{E7424C97-0A81-4C4E-916E-0AE812FFDB96}

TERM................METAL IMPLANTS


DATA VALUE: MICU

----------------------------------------------------------------

ABBREVIATION........MICU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........MICU

HELP_TEXT...........No Help Text

ID.................{28244B62-644C-4DA0-A350-EAFE0D2FA7C0}

TERM................MICU


DATA VALUE: MIDLINE

----------------------------------------------------------------------

ABBREVIATION........Midline

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Midline

HELP_TEXT...........

ID.................{3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}

TERM................MIDLINE


DATA VALUE: MILD-MODERATELY REDUCED

----------------------------------------------------------------------

ABBREVIATION........MI-MOD-RED

ACTIVE..............Yes

DESCRIPTION.........Mild-Moderately Reduced

DISPLAY_NAME........Mild-Moderately Reduced

HELP_TEXT...........No Help Text

ID.................{41DA2518-0E49-4E92-A733-3ACF3D2E8199}

TERM................MILD-MODERATELY REDUCED

DATA VALUE: MILD: 5-12

----------------------------------------------------------------

ABBREVIATION........COWS:5-12

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Mild: 5-12

HELP_TEXT...........

ID.................{4FE0FF3B-E4F1-48C0-9025-E464DDBBC91F}

TERM................MILD: 5-12


DATA VALUE: MILLIGRAMS PER KILOGRAM PER HOUR

----------------------------------------------------------------

ABBREVIATION........mg/kg/hr

ACTIVE..............Yes

DESCRIPTION.........Milligrams per Kilogram per Hour

DISPLAY_NAME........mg/kg/hr

HELP_TEXT...........Milligrams per Kilogram per Hour

ID.................{731B270D-C8C5-4910-B4B0-AC101555108A}

TERM................MILLIGRAMS PER KILOGRAM PER HOUR


DATA VALUE: MISSING

----------------------------------------------------------------

ABBREVIATION........MISSING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Missing

HELP_TEXT...........No Help Text

ID.................{80019911-11DA-6569-751E-ECAE0D1BC7DF}

TERM...............MISSING


DATA VALUE: MOANING

----------------------------------------------------------------------

ABBREVIATION........MOANING

ACTIVE..............Yes

DESCRIPTION.........Moaning

DISPLAY_NAME........Moaning

HELP_TEXT...........No Help Text

ID.................{A71E3515-AA20-4B0E-9CB8-1612F76BA406}

TERM...............MOANING


DATA VALUE: MODERATE

----------------------------------------------------------------------

ABBREVIATION........MODERATE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Moderate

HELP_TEXT...........No Help Text

ID.................{C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}

TERM...............MODERATE

DATA VALUE: MODERATE SEDATION

-----------------------------------------------------------------

ABBREVIATION........Mod Sed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Moderate Sedation

HELP_TEXT...........

ID.................{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}

TERM...............MODERATE SEDATION


DATA VALUE: MODERATE-SEVERELY REDUCED

-----------------------------------------------------------------

ABBREVIATION........MO-SEV RED

ACTIVE..............Yes

DESCRIPTION.........Moderate-Severely Reduced

DISPLAY_NAME........Moderate-Severely Reduced

HELP_TEXT...........No Help Text

ID.................{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}

TERM...............MODERATE-SEVERELY REDUCED


DATA VALUE: MODERATE: 13-24

-----------------------------------------------------------------

ABBREVIATION........COWS:13-24

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Moderate: 13-24

HELP_TEXT...........

ID.................{C20579F8-1570-43EF-801F-1CA8BCDC3BCD}

TERM...............MODERATE: 13-24

DATA VALUE: MODERATELY REDUCED

---------------------------------------------------------------------

ABBREVIATION........MOD REDUCE

ACTIVE..............Yes

DESCRIPTION.........Moderately Reduced

DISPLAY_NAME........Moderately Reduced

HELP_TEXT...........No Help Text

ID.................{91F73300-7EE0-428C-A838-5B3BE062D8BC}

TERM...............MODERATELY REDUCED

DATA VALUE: MODERATELY SEVERE: 25-36

---------------------------------------------------------------------

ABBREVIATION........COWS:25-36

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Moderately Severe: 25-36

HELP_TEXT...........

ID.................{5C58804E-2356-45CD-8743-87541E175B2F}

TERM...............MODERATELY SEVERE: 25-36

DATA VALUE: MOIST

-----------------------------------------------------------------

ABBREVIATION........m

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Moist

HELP_TEXT...........No Help Text

ID.................{AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}

TERM................MOIST


DATA VALUE: MONITORED Q 1 HOUR

-----------------------------------------------------------------

ABBREVIATION........Mon 1 Hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Monitored Q 1 Hour

HELP_TEXT...........

ID.................{AA2C7F42-7088-40C0-93AE-79A3AB3F167B}

TERM................MONITORED Q 1 HOUR


DATA VALUE: MONITORED Q 2 HOURS

-----------------------------------------------------------------

ABBREVIATION........Mon 2 Hrs

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Monitored Q 2 Hours

HELP_TEXT...........

ID.................{05FE2250-ED7F-4120-88D5-E069BA8A31FE}

TERM................MONITORED Q 2 HOURS

DATA VALUE: MONOTONE

-----------------------------------------------------------------

ABBREVIATION........Monotone

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Monotone

HELP_TEXT...........

ID.................{67E54F45-C750-4357-B616-ED1CF6FD9203}

TERM................MONOTONE

DATA VALUE: MORPHINE

-----------------------------------------------------------------

ABBREVIATION........Morphine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Morphine

HELP_TEXT...........

ID.................{E2E532F2-C992-4987-A3F2-80F832D89373}

TERM................MORPHINE

DATA VALUE: MORSE FALL RISK SCORE > 45

------------------------------------------------------------------

ABBREVIATION........FallRsk>45

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Morse Fall Risk Score > 45

HELP_TEXT...........

ID.................{D2E28A82-0B4C-4C33-81FC-3A615D5F11F6}

TERM...............MORSE FALL RISK SCORE > 45


DATA VALUE: MOTORIZED WHEELCHAIR

------------------------------------------------------------------

ABBREVIATION........MO WH CH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Motorized Wheelchair

HELP_TEXT...........No Help Text

ID.................{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}

TERM...............MOTORIZED WHEELCHAIR


DATA VALUE: MOTTLED

------------------------------------------------------------------

ABBREVIATION........m

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mottled

HELP_TEXT...........No Help Text

ID.................{4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}

TERM................MOTTLED


DATA VALUE: MOUTH

---------------------------------------------------------------------

ABBREVIATION........Mouth

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Mouth

HELP_TEXT...........

ID.................{809D32CF-BBF7-4787-B0E6-E20539655F88}

TERM................MOUTH


DATA VALUE: MOUTHWASH USED

---------------------------------------------------------------------

ABBREVIATION........MOUTHWASH

ACTIVE..............Yes

DESCRIPTION.........Mouthwash Used

DISPLAY_NAME........Mouthwash Used

HELP_TEXT...........No Help Text

ID.................{9F7EF355-12A4-4EBA-92ED-0F38273E411B}

TERM................MOUTHWASH USED

DATA VALUE: MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXA

MINER

--------------------------------------------------------------------

ABBREVIATION........magareobte

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Movement Against Gravity And

                  Resistance, Easily Overcome By The

                  Examiner

HELP_TEXT...........No Help Text

ID..................{2ECCC197-4A81-025F-3EF3-6214004887A9}

TERM................MOVE AGAINST GRAVITY AND RESISTANCE,

                  EASILY OVERCOME BY THE EXAMINER


DATA VALUE: MOVE AGAINST GRAVITY BUT NO RESISTANCE

--------------------------------------------------------------------

ABBREVIATION........magbnr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Movement Against Gravity But No

                Resistance

HELP_TEXT...........No Help Text

ID..................{F995A165-8536-C493-2269-286E8EFF5E43}

TERM................MOVE AGAINST GRAVITY BUT NO RESISTANCE


DATA VALUE: MOVEMENT WITH GRAVITY ELIMINATED

--------------------------------------------------------------------

ABBREVIATION........mwge

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Movement With Gravity Eliminated

HELP_TEXT...........No Help Text

ID.................{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}

TERM................MOVEMENT WITH GRAVITY ELIMINATED


DATA VALUE: MUCOID

------------------------------------------------------------------

ABBREVIATION........MUCOID

ACTIVE..............Yes

DESCRIPTION.........Mucoid in appearance

DISPLAY_NAME........Mucoid

HELP_TEXT...........No Help Text

ID.................{073E5514-DACE-4F43-ADE5-91A1A87D6601}

TERM...............MUCOID


DATA VALUE: MUCUS

------------------------------------------------------------------

ABBREVIATION........Mucus

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Mucus

HELP_TEXT...........

ID.................{FDD0A5FD-9C87-47F0-AC2A-AD49ABB492BA}

TERM...............MUCUS

DATA VALUE: MULTIFOCAL PVC

--------------------------------------------------------------------

ABBREVIATION........Mult PVC

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Multifocal PVC

HELP_TEXT...........

ID.................{34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}

TERM................MULTIFOCAL PVC


DATA VALUE: MULTIPODOUS

--------------------------------------------------------------------

ABBREVIATION........MULTIPODOU

ACTIVE..............Yes

DESCRIPTION.........Multipodous

DISPLAY_NAME........Multipodous

HELP_TEXT...........No Help Text

ID.................{ED098F9D-B204-4310-813A-98D91FF9DD25}

TERM................MULTIPODOUS


DATA VALUE: MURMUR

--------------------------------------------------------------------

ABBREVIATION........MURMUR

ACTIVE..............Yes

DESCRIPTION.........MURMUR

DISPLAY_NAME........Murmur

HELP_TEXT...........MURMUR

ID.................{591058E0-4B71-E432-B7D7-EBD42A8C4225}

TERM................MURMUR


DATA VALUE: MUSHROOM CATHETER

----------------------------------------------------------------------

ABBREVIATION........MUSH CATHE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mushroom Catheter

HELP_TEXT...........No Help Text

ID.................{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

TERM................MUSHROOM CATHETER


DATA VALUE: MUTIFOCAL ATRIAL TACHYCARDIA

----------------------------------------------------------------------

ABBREVIATION........mat

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Multifocal Atrial Tachycardia

HELP_TEXT...........

ID.................{562C6BBD-C210-4467-93B3-8E50640E7CCE}

TERM................MUTIFOCAL ATRIAL TACHYCARDIA

DATA VALUE: MYOCLONUS

------------------------------------------------------------------

ABBREVIATION........Myoclonus

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Myoclonus

HELP_TEXT...........

ID.................{E2D85E93-CA92-4596-8772-153E890BD704}

TERM................MYOCLONUS


DATA VALUE: N/A

------------------------------------------------------------------

ABBREVIATION........n

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........N/A

HELP_TEXT...........No Help Text

ID.................{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

TERM................N/A


DATA VALUE: NA

------------------------------------------------------------------

ABBREVIATION........NA

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........NA

HELP_TEXT...........

ID.................{1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}

TERM................NA

DATA VALUE: NAIL CARE

-------------------------------------------------------------------

ABBREVIATION........NAIL CARE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nail Care

HELP_TEXT...........No Help Text

ID.................{B783A171-1F0A-4135-8535-85776B81AB68}

TERM................NAIL CARE

DATA VALUE: NAPS ONLY

-------------------------------------------------------------------

ABBREVIATION........NAPS ONLY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Naps Only

HELP_TEXT...........No Help Text

ID.................{CF749F5C-2E4B-419A-B020-C81B30A7E482}

TERM................NAPS ONLY

DATA VALUE: NASAL

----------------------------------------------------------------

ABBREVIATION........NASAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nasal

HELP_TEXT...........No Help Text

ID.................{0F73F0CB-E25E-4611-9625-62E6F1596A9B}

TERM................NASAL


DATA VALUE: NASAL ENDOTRACHEAL

----------------------------------------------------------------

ABBREVIATION........Nasal Endo

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nasal Endotracheal

HELP_TEXT...........No Help Text

ID.................{C631352E-CAB5-0409-6133-E5D11ECC3293}

TERM................NASAL ENDOTRACHEAL


DATA VALUE: NASAL INTESTINAL SMALL BORE

----------------------------------------------------------------

ABBREVIATION........N INT SM B

ACTIVE..............Yes

DESCRIPTION.........Nasal Intestinal Small Bore EF Tube

DISPLAY_NAME........Nasal Intestinal Small Bore

HELP_TEXT...........No Help Text

ID.................{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}

TERM................NASAL INTESTINAL SMALL BORE


DATA VALUE: NASAL SMALL BOWEL FEEDING TUBE

---------------------------------------------------------------------

ABBREVIATION........NAS SM BOW

ACTIVE..............Yes

DESCRIPTION.........Nasal Small Bowel Feeding Tube

DISPLAY_NAME........Nasal Small Bowel Feeding Tube

HELP_TEXT...........No Help Text

ID.................{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}

TERM................NASAL SMALL BOWEL FEEDING TUBE


DATA VALUE: NASAL TRUMPET

---------------------------------------------------------------------

ABBREVIATION........NASAL TRUM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nasal Trumpet

HELP_TEXT...........No Help Text

ID.................{2FFB8510-793C-D6A4-838E-20FF7CD26533}

TERM................NASAL TRUMPET

DATA VALUE: NASOGASTRIC LARGE BORE TUBE

-----------------------------------------------------------------

ABBREVIATION........NG LG BORE

ACTIVE..............Yes

DESCRIPTION.........Nasogastric Large Bore EF Tube

DISPLAY_NAME........Nasogastric Large Bore

HELP_TEXT...........No Help Text

ID.................{C3FEE16A-9998-455B-BEB8-CC55AF890202}

TERM................NASOGASTRIC LARGE BORE TUBE


DATA VALUE: NASOGASTRIC TUBE

-----------------------------------------------------------------

ABBREVIATION........NG TUBE

ACTIVE..............Yes

DESCRIPTION.........Nasogastric Tube

DISPLAY_NAME........Nasogastric Tube

HELP_TEXT...........No Help Text

ID.................{6475E343-A310-48A5-B543-D29573E7684D}

TERM................NASOGASTRIC TUBE


DATA VALUE: NASOGASTRIC TUBE SMALL BORE

-----------------------------------------------------------------

ABBREVIATION........NGT SMALL

ACTIVE..............Yes

DESCRIPTION.........NGT Small Bore Tube

DISPLAY_NAME........Nasal Gastric Tube Small Bore

HELP_TEXT...........No Help Text

ID.................{D9FDAD80-9BE2-4B96-87C6-1D25D26D2959}

TERM................NASOGASTRIC TUBE SMALL BORE

DATA VALUE: NAUSEA

---------------------------------------------------------------------

ABBREVIATION........NAUSEA

ACTIVE..............Yes

DESCRIPTION.........Nausea

DISPLAY_NAME........Nausea

HELP_TEXT...........Nausea

ID.................{6BF33DC3-0300-4643-BB14-27C35692B806}

TERM................NAUSEA

DATA VALUE: NEAT

---------------------------------------------------------------------

ABBREVIATION........NEAT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Neat

HELP_TEXT...........No Help Text

ID.................{8B01F7B8-B626-4143-A092-1E732EEB4A05}

TERM................NEAT

DATA VALUE: NECROTIC

--------------------------------------------------------------------

ABBREVIATION........NECROTIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Necrotic

HELP_TEXT...........No Help Text

ID.................{86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}

TERM................NECROTIC


DATA VALUE: NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY

--------------------------------------------------------------------

ABBREVIATION........Needleless

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Needleless Hub Disinfected and

            Accessed per Policy

HELP_TEXT...........

ID.................{5D9D8D90-9B39-4DF3-8095-755235687F45}

TERM................NEEDLELESS HUB DISINFECTED AND

            ACCESSED PER POLICY


DATA VALUE: NEEDS REINFORCEMENT

--------------------------------------------------------------------

ABBREVIATION........NEED REINF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Needs Reinforcement

HELP_TEXT...........No Help Text

ID..................{B6171F65-4530-418D-A63B-65DFFF522786}

TERM................NEEDS REINFORCEMENT


DATA VALUE: NEGATIVE PRESSURE

---------------------------------------------------------------------

ABBREVIATION........NEG PRESSU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Negative Pressure

HELP_TEXT...........No Help Text

ID..................{6D6CB4BB-96B0-4978-97CC-116A03479DAD}

TERM................NEGATIVE PRESSURE


DATA VALUE: NEGATIVE PRESSURE THERAPY DEVICE

---------------------------------------------------------------------

ABBREVIATION........NEG PRE TH

ACTIVE..............Yes

DESCRIPTION.........Negative Pressure Therapy Device

DISPLAY_NAME........Negative Pressure Therapy Device

HELP_TEXT...........No Help Text

ID..................{8AF0A069-66AD-4114-99D8-238AD987F0FF}

TERM................NEGATIVE PRESSURE THERAPY DEVICE

DATA VALUE: NEPRO

---------------------------------------------------------------

ABBREVIATION........Nepro

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nepro

HELP_TEXT...........

ID.................{00FFC7A1-5CDA-45AF-BD50-D77666A23851}

TERM................NEPRO


DATA VALUE: NEPRO CARB STEADY

---------------------------------------------------------------

ABBREVIATION........Nepro Car

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nepro Carb Steady

HELP_TEXT...........

ID.................{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}

TERM................NEPRO CARB STEADY


DATA VALUE: NEPRO RENAL FORMULA

---------------------------------------------------------------

ABBREVIATION........NEP RENAL

ACTIVE..............Yes

DESCRIPTION.........Nepro Renal Enteral Nutrition Formula

DISPLAY_NAME........Nepro Renal  Enteral Nutrition Formula

HELP_TEXT...........No Help Text

ID.................{B8F28816-BC81-443F-AEC5-DBAE4D435998}

TERM................NEPRO RENAL FORMULA


DATA VALUE: NEUROGENIC BLADDER

----------------------------------------------------------------------

ABBREVIATION........Neuro Blad

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Neurogenic Bladder

HELP_TEXT...........

ID.................{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}

TERM................NEUROGENIC BLADDER


DATA VALUE: NEUTRAL PRESSURE CONNECTOR

----------------------------------------------------------------------

ABBREVIATION........N Pres Con

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Neutral Pressure Connector

HELP_TEXT...........

ID.................{263F1A2C-4384-4B6A-B930-B9AF85B7F965}

TERM................NEUTRAL PRESSURE CONNECTOR

DATA VALUE: NEUTROPENIC

----------------------------------------------------------------------

ABBREVIATION........NEUTROPENI

ACTIVE..............Yes

DESCRIPTION.........Neutropenic Diet

DISPLAY_NAME........Neutropenic

HELP_TEXT...........No Help Text

ID.................{5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}

TERM................NEUTROPENIC


DATA VALUE: NEW ADMISSION EDUCATION

----------------------------------------------------------------------

ABBREVIATION........N ADM EDU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........New Admission Education

HELP_TEXT...........No Help Text

ID.................{1890BC97-FEEB-4BED-A054-3C754C01817B}

TERM................NEW ADMISSION EDUCATION


DATA VALUE: NEW SITE

----------------------------------------------------------------------

ABBREVIATION........NEW SITE

ACTIVE..............Yes

DESCRIPTION.........New Site

DISPLAY_NAME........New Site

HELP_TEXT...........No Help Text

ID.................{10B1FF61-E58E-4608-9CCB-9232BC964418}

TERM................NEW SITE


DATA VALUE: NG STRIP

-------------------------------------------------------------------

ABBREVIATION........NG Strip

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........NG Strip

HELP_TEXT...........

ID.................{B94CD60C-2D10-4CE8-A176-A900CF0B9611}

TERM................NG STRIP


DATA VALUE: NIGHT LIGHT PROVIDED

-------------------------------------------------------------------

ABBREVIATION........Night Lite

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Night Light Provided

HELP_TEXT...........

ID.................{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}

TERM................NIGHT LIGHT PROVIDED

DATA VALUE: NLP: NO LIGHT PERCEPTION

--------------------------------------------------------------------

ABBREVIATION........NLP

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........NLP: No Light Perception

HELP_TEXT...........

ID.................{F710E3C5-9B5A-4826-876D-B5675F9AA67E}

TERM................NLP: NO LIGHT PERCEPTION


DATA VALUE: NO

--------------------------------------------------------------------

ABBREVIATION........n

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........No

HELP_TEXT...........No Help Text

ID.................{FC275445-1225-9912-18A3-DF36245893D3}

TERM................NO


DATA VALUE: NO ASSISTIVE DEVICE

--------------------------------------------------------------------

ABBREVIATION........NoAsstDev

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........No Assistive Device

HELP_TEXT...........

ID.................{F2A8CFD5-D67D-4A20-A860-6E622E715D22}

TERM................NO ASSISTIVE DEVICE


DATA VALUE: NO BREAK IN EPIDERMIS

--------------------------------------------------------------------

ABBREVIATION........NO BREAK E

ACTIVE..............Yes

DESCRIPTION.........No Break In Epidermis

DISPLAY_NAME........No Break In Epidermis

HELP_TEXT...........No Help Text

ID.................{615D96CD-6096-446B-BDDF-3F7242936AF9}

TERM................NO BREAK IN EPIDERMIS


DATA VALUE: NO LEAKAGE

--------------------------------------------------------------------

ABBREVIATION........No Leakage

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........No Leakage

HELP_TEXT...........

ID.................{08C6382F-2934-4E02-B217-A10FC4435A17}

TERM................NO LEAKAGE

DATA VALUE: NO MOVEMENT

----------------------------------------------------------------

ABBREVIATION........nm

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........No Movement

HELP_TEXT...........No Help Text

ID.................{2618E301-379B-BAB9-9EDE-98FD4B60D311}

TERM................NO MOVEMENT

DATA VALUE: NO PREFERENCE

----------------------------------------------------------------

ABBREVIATION........No Pref

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........No Preference

HELP_TEXT...........

ID.................{CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}

TERM................NO PREFERENCE

DATA VALUE: NO SIGNS AND SYMPTOMS

----------------------------------------------------------------

ABBREVIATION........NO SIG&SYM

ACTIVE..............Yes

DESCRIPTION.........No Signs And Symptoms

DISPLAY_NAME........No Signs And Symptoms

HELP_TEXT...........No Help Text

ID.................{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}

TERM................NO SIGNS AND SYMPTOMS


DATA VALUE: NO T WAVE

-----------------------------------------------------------------

ABBREVIATION........No T

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........No T Wave

HELP_TEXT...........

ID.................{131585CA-7CED-4B2C-A832-A495538F4B02}

TERM................NO T WAVE


DATA VALUE: NO VERIFICATION OBTAINED (NO PLANS TO INSTILL MEDS/NUTRITION/FL

UIDS)

-----------------------------------------------------------------

ABBREVIATION........NoVerf

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........No Verification Obtained (No Plans to

        Instill Meds/Nutrition/Fluids

HELP_TEXT...........

ID.................{85899FD9-0420-41A8-AD3D-93E3C2F308B1}

TERM................NO VERIFICATION OBTAINED (NO PLANS TO

        INSTILL MEDS/NUTRITION/FLUIDS)

DATA VALUE: NO WANDERING PREVENTION MEASURES APPLIED

----------------------------------------------------------------------

ABBREVIATION........No Wan App

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........No Wandering Prevention Measures

           Applied

HELP_TEXT...........

ID.................{6967F640-223E-46CE-82F9-0E4D87745D94}

TERM................NO WANDERING PREVENTION MEASURES

           APPLIED


DATA VALUE: NO WANDERING PREVENTION MEASURES NEEDED

----------------------------------------------------------------------

ABBREVIATION........No Wan Nee

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........No Wandering Prevention Measures Needed

HELP_TEXT...........

ID.................{8D39BA2B-24C6-4355-9AC2-4AAAD2E66D9B}

TERM................NO WANDERING PREVENTION MEASURES NEEDED


DATA VALUE: NON-ADHERENT GAUZE

----------------------------------------------------------------------

ABBREVIATION........NON-AD GAU

ACTIVE..............Yes

DESCRIPTION.........Non-Adherent Gauze

DISPLAY_NAME........Non-Adherent gauze

HELP_TEXT...........No Help Text

ID..................{1DBF7C56-F5C2-42B5-AB59-B39A5069A414}

TERM................NON-ADHERENT GAUZE


DATA VALUE: NON-COOERATIVE WITH PLAN OF CARE

---------------------------------------------------------------------

ABBREVIATION........NonCoopPOC

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Non-Cooperative with Plan of Care

HELP_TEXT...........

ID..................{1806E6B4-E88E-42F5-B4D1-7A353BD05C1B}

TERM................NON-COOERATIVE WITH PLAN OF CARE


DATA VALUE: NON-COOPERATIVE WITH ISOLATION PRECAUTIONS

---------------------------------------------------------------------

ABBREVIATION........NonCoopIso

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Non-Cooperative with Isolation

           Precautions

HELP_TEXT...........

ID..................{63235927-E20C-43C8-80A7-7B10AA8F897C}

TERM................NON-COOPERATIVE WITH ISOLATION

           PRECAUTIONS

DATA VALUE: NON-PITTING

--------------------------------------------------------------------

ABBREVIATION........NON-PITTIN

ACTIVE..............Yes

DESCRIPTION.........NON-PITTING

DISPLAY_NAME........Non-Pitting

HELP_TEXT...........NON-PITTING

ID.................{786DEC76-36DE-FDC7-885C-F84210F7C7D2}

TERM................NON-PITTING


DATA VALUE: NON-PRODUCTIVE

--------------------------------------------------------------------

ABBREVIATION........np

ACTIVE..............Yes

DESCRIPTION.........Does not produce desired result

DISPLAY_NAME........Non-Productive

HELP_TEXT...........Does not produce desired result

ID.................{9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}

TERM................NON-PRODUCTIVE


DATA VALUE: NON-SKID SLIPPERS

--------------------------------------------------------------------

ABBREVIATION........Non-Skid

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Non-Skid Slippers

HELP_TEXT...........

ID.................{D7641B31-2CB9-4284-B505-74B131BF4789}

TERM................NON-SKID SLIPPERS


DATA VALUE: NON-TENDER

------------------------------------------------------------------

ABBREVIATION........NON-TENDER

ACTIVE..............Yes

DESCRIPTION.........Not Tender

DISPLAY_NAME........Non-Tender

HELP_TEXT...........No Help Text

ID.................{5A3D41C0-A83D-4382-A573-D6884BB1670B}

TERM................NON-TENDER


DATA VALUE: NON-VERBAL

------------------------------------------------------------------

ABBREVIATION........Non-Verbal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Non-Verbal

HELP_TEXT...........

ID.................{575EC6EF-2546-40A4-80BD-D4263374AB50}

TERM................NON-VERBAL

DATA VALUE: NONBLANCHABLE ERYTHEMA

----------------------------------------------------------------

ABBREVIATION........N BLAN ERY

ACTIVE..............Yes

DESCRIPTION.........Nonblanchable Erythema

DISPLAY_NAME........Nonblanchable Erythema

HELP_TEXT...........No Help Text

ID.................{30273ACE-03F3-4818-995B-26586AAB5499}

TERM................NONBLANCHABLE ERYTHEMA


DATA VALUE: NONE

----------------------------------------------------------------

ABBREVIATION........NONE

ACTIVE..............Yes

DESCRIPTION.........None

DISPLAY_NAME........None

HELP_TEXT...........No Help Text

ID.................{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

TERM................NONE


DATA VALUE: NONE - PLUGGED WITH ANTI-REFLUX VALVE

----------------------------------------------------------------

ABBREVIATION........NonePlug

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........None - Plugged with anti-reflux valve

HELP_TEXT...........

ID.................{85A4ECEE-D326-4213-83BD-5900242D2CE0}

TERM................NONE - PLUGGED WITH ANTI-REFLUX VALVE


DATA VALUE: NONE IDENTIFIED AT THIS VISIT

-----------------------------------------------------------------

ABBREVIATION........None

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........None identified at this Visit

HELP_TEXT...........

ID..................{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}

TERM................NONE IDENTIFIED AT THIS VISIT


DATA VALUE: NONREACTIVE

-----------------------------------------------------------------

ABBREVIATION........nonreact

ACTIVE..............Yes

DESCRIPTION.........Nonreactive

DISPLAY_NAME........Nonreactive

HELP_TEXT...........No Help Text

ID..................{AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}

TERM................NONREACTIVE

DATA VALUE: NORMAL

------------------------------------------------------------------

ABBREVIATION........n

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Normal

HELP_TEXT...........No Help Text

ID.................{553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

TERM................NORMAL


DATA VALUE: NORMAL FOR ETHNIC GROUP

------------------------------------------------------------------

ABBREVIATION........ETH. NORM.

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Normal for ethnic group

HELP_TEXT...........Skin color is normal for ethnic group

ID.................{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}

TERM................NORMAL FOR ETHNIC GROUP


DATA VALUE: NORMAL POWER

------------------------------------------------------------------

ABBREVIATION........np

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Normal Power

HELP_TEXT...........No Help Text

ID.................{0E45C061-0744-8A21-7256-003702A5005B}

TERM................NORMAL POWER


DATA VALUE: NORMAL SINUS

----------------------------------------------------------------------

ABBREVIATION........ns

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Normal Sinus

HELP_TEXT...........No Help Text

ID.................{735DC86D-08CD-1533-5A36-4775A882C507}

TERM................NORMAL SINUS


DATA VALUE: NORMAL STOOL

----------------------------------------------------------------------

ABBREVIATION........NORM STOOL

ACTIVE..............Yes

DESCRIPTION.........Normal Stool

DISPLAY_NAME........Normal Stool

HELP_TEXT...........No Help Text

ID.................{486B0693-CAC5-48EE-B2E6-1F73C651418A}

TERM................NORMAL STOOL

DATA VALUE: NORMAL: NORMAL DEPTH, REGULAR, EFFORTLESS, CLEAR

-----------------------------------------------------------------

ABBREVIATION........PCA: Norm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Normal: Normal Depth,Regular,

               Effortless, Clear

HELP_TEXT...........

ID.................{5695B505-985A-48E1-9B75-97BC53D31121}

TERM................NORMAL: NORMAL DEPTH, REGULAR,

               EFFORTLESS, CLEAR


DATA VALUE: NOSE CUP OR NOSE CUTOUT CUP

-----------------------------------------------------------------

ABBREVIATION........Nose Cup

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nose Cup or Nose Cutout Cup

HELP_TEXT...........

ID.................{F2057A75-0D06-40A8-AA7F-E716044C078A}

TERM................NOSE CUP OR NOSE CUTOUT CUP


DATA VALUE: NOT DONE

-----------------------------------------------------------------

ABBREVIATION........NOT DONE

ACTIVE..............Yes

DESCRIPTION.........Not Done

DISPLAY_NAME........Not Done

HELP_TEXT...........No Help Text

ID..................{C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

TERM................NOT DONE


DATA VALUE: NOT MONITORED

--------------------------------------------------------------------

ABBREVIATION........NOT MONITO

ACTIVE..............Yes

DESCRIPTION.........Not Monitored

DISPLAY_NAME........Not Monitored

HELP_TEXT...........No Help Text

ID..................{0E6A8A07-48E0-428F-8D86-22572CABCF48}

TERM................NOT MONITORED


DATA VALUE: NOVASOURCE 2.0

--------------------------------------------------------------------

ABBREVIATION........NOVAS 2.0

ACTIVE..............Yes

DESCRIPTION.........Novasource 2.0  Enteral Nutrition

             Formula

DISPLAY_NAME........Novasource 2.0 Enteral Nutrition

             Formula

HELP_TEXT...........No Help Text

ID..................{ACE82591-502A-4FBA-9697-B1B330DED78A}

TERM................NOVASOURCE 2.0

DATA VALUE: NP

-------------------------------------------------------------------

ABBREVIATION........NP

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........NP

HELP_TEXT...........

ID.................{E7EA4017-4374-41A1-9D3D-54051CEDF63C}

TERM................NP


DATA VALUE: NPO

-------------------------------------------------------------------

ABBREVIATION........NPO

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........NPO

HELP_TEXT...........

ID.................{B1CFD636-02EE-4B20-B1D5-44CD0DD9F41B}

TERM................NPO


DATA VALUE: NPO DIET

-------------------------------------------------------------------

ABBREVIATION........NPO DIET

ACTIVE..............Yes

DESCRIPTION.........Nothing By Mouth Diet

DISPLAY_NAME........NPO Diet

HELP_TEXT...........Nothing By Mouth Diet

ID.................{BEC8F771-B082-40A2-9EE8-553222A25FBF}

TERM................NPO DIET


DATA VALUE: NSG ASSIST

--------------------------------------------------------------------

ABBREVIATION........Nsg Assist

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nsg Assist

HELP_TEXT...........

ID.................{14FA9638-3786-4FEA-BE8F-2345C1F455C3}

TERM................NSG ASSIST


DATA VALUE: NUMB

--------------------------------------------------------------------

ABBREVIATION........NUMB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Numb

HELP_TEXT...........No Help Text

ID.................{652634C0-5334-4D56-BE57-5F58F952FF0D}

TERM................NUMB

DATA VALUE: NUMBER: SPECIFY

--------------------------------------------------------------------

ABBREVIATION........Specify

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Number: Specify

HELP_TEXT...........When "Number" is selected, enter

              numeric value as a "Comment"

ID.................{397D773F-78F9-4E69-9A84-B518109A95AB}

TERM................NUMBER: SPECIFY


DATA VALUE: NUMBNESS

--------------------------------------------------------------------

ABBREVIATION........n

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Numbness

HELP_TEXT...........No Help Text

ID.................{037F2F79-36D9-A0B3-C23E-8EE525932AF3}

TERM................NUMBNESS


DATA VALUE: NUMERIC

--------------------------------------------------------------------

ABBREVIATION........Numeric

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Numeric

HELP_TEXT...........

ID.................{5E16B4F7-6008-43A9-9AFA-523D98721F7C}

TERM................NUMERIC


DATA VALUE: NURSING STATION

--------------------------------------------------------------------

ABBREVIATION........ns

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nursing Station

HELP_TEXT...........No Help Text

ID.................{B6E48F92-B9BA-488F-3A2E-D74568A6B855}

TERM................NURSING STATION


DATA VALUE: NUTRIHEP

--------------------------------------------------------------------

ABBREVIATION........Nutrihep

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nutrihep

HELP_TEXT...........

ID.................{ABD98675-EB60-40C7-BCE6-73FD787F6D17}

TERM...............NUTRIHEP

DATA VALUE: NUTRITION

----------------------------------------------------------------------

ABBREVIATION........NUTRITION

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nutrition

HELP_TEXT...........No Help Text

ID.................{429A28EF-8A1F-4247-85E8-68D4EFCD189C}

TERM................NUTRITION


DATA VALUE: NUTRITIONAL SUPPLEMENT

----------------------------------------------------------------------

ABBREVIATION........NUTR SUPPL

ACTIVE..............Yes

DESCRIPTION.........Nutritional Supplement

DISPLAY_NAME........Nutritional Supplement

HELP_TEXT...........No Help Text

ID.................{4573BD4E-7220-4B88-A2EE-959F8A0E1199}

TERM................NUTRITIONAL SUPPLEMENT


DATA VALUE: OBEYS COMMANDS

----------------------------------------------------------------------

ABBREVIATION........OBEYS COMM

ACTIVE..............Yes

DESCRIPTION.........Obeys Commands

DISPLAY_NAME........Obeys Commands

HELP_TEXT...........No Help Text

ID.................{EE88EE08-4C71-4C70-B93E-65F9091544C1}

TERM................OBEYS COMMANDS


DATA VALUE: OBSESSIONS

-----------------------------------------------------------------

ABBREVIATION........Obsessions

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Obsessions

HELP_TEXT...........

ID.................{12F82E40-EAB3-4D82-8645-1F9ACD33617F}

TERM................OBSESSIONS


DATA VALUE: OBSTRUCTED: BLOCKED AIRWAY, NO AIR MOVEMENT

-----------------------------------------------------------------

ABBREVIATION........PCA:Obstru

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Obstructed: Blocked Airway, No Air

              Movement

HELP_TEXT...........

ID.................{6C3B00BE-ECFC-4D17-96F6-B5B52C51AB50}

TERM................OBSTRUCTED: BLOCKED AIRWAY, NO AIR

              MOVEMENT

DATA VALUE: OBSTRUCTIVE SLEEP APNEA

-------------------------------------------------------------------

ABBREVIATION........Ob Sleep A

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Obstructive Sleep Apnea

HELP_TEXT...........

ID.................{217F9D63-4624-4201-9F98-C0D992B663DE}

TERM................OBSTRUCTIVE SLEEP APNEA


DATA VALUE: OBTUNDED

-------------------------------------------------------------------

ABBREVIATION........Obtunded

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Obtunded

HELP_TEXT...........

ID.................{356C0511-C91C-4B79-AF10-072F94D4AE09}

TERM................OBTUNDED


DATA VALUE: OBTURATOR AT BEDSIDE

-------------------------------------------------------------------

ABBREVIATION........Obturator

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Obturator at Bedside

HELP_TEXT...........

ID.................{65D0889C-3987-48AA-9E63-C9878ADE1DDD}

TERM................OBTURATOR AT BEDSIDE


DATA VALUE: OCCLUDED

---------------------------------------------------------------------

ABBREVIATION........Occluded

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Occluded

HELP_TEXT...........

ID.................{25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

TERM................OCCLUDED


DATA VALUE: OCULAR PROSTHESIS

---------------------------------------------------------------------

ABBREVIATION........OcularPro

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ocular Prosthesis

HELP_TEXT...........

ID.................{6A4D5E59-FB7E-4D75-8F30-A30949DA9475}

TERM................OCULAR PROSTHESIS

DATA VALUE: ODOROUS

------------------------------------------------------------------

ABBREVIATION........Odorous

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Odorous

HELP_TEXT...........

ID.................{1900B8A2-67A4-40CB-B0AA-94E914E343C7}

TERM................ODOROUS


DATA VALUE: OFF DURING BATHING

------------------------------------------------------------------

ABBREVIATION........OFF BATHIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Off During Bathing

HELP_TEXT...........No Help Text

ID.................{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

TERM................OFF DURING BATHING


DATA VALUE: OFF UNIT

------------------------------------------------------------------

ABBREVIATION........Off Unit

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Off Unit

HELP_TEXT...........

ID.................{7C840BE3-B615-46C4-9941-2DD244DB3906}

TERM................OFF UNIT


DATA VALUE: OFF UNIT - TESTING/PROCEDURE

-----------------------------------------------------------------------

ABBREVIATION........Test/Proc

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Off Unit - Testing/Procedure

HELP_TEXT...........

ID.................{46D81DF8-67E8-4952-9D71-D295693F730C}

TERM...............OFF UNIT - TESTING/PROCEDURE


DATA VALUE: OFF WHILE AMBULATORY

-----------------------------------------------------------------------

ABBREVIATION........OFF AMBULA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Off While Ambulatory

HELP_TEXT...........No Help Text

ID.................{FF4610BF-8C92-408F-882A-1D6B2C2F146F}

TERM...............OFF WHILE AMBULATORY

DATA VALUE: OFFER PRN MEDS

----------------------------------------------------------------

ABBREVIATION........OFFER PRN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Offer PRN Meds

HELP_TEXT...........No Help Text

ID.................{B7AF4903-913C-4848-A255-0B4767B81AE2}

TERM................OFFER PRN MEDS


DATA VALUE: OFFERED

----------------------------------------------------------------

ABBREVIATION........OFFERED

ACTIVE..............Yes

DESCRIPTION.........Offered

DISPLAY_NAME........Offered

HELP_TEXT...........No Help Text

ID.................{715091C2-9668-4678-900E-6D55D3335A30}

TERM................OFFERED


DATA VALUE: ON WHILE SITTING IN CHAIR

----------------------------------------------------------------

ABBREVIATION........ON IN CHAI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........On While Sitting In Chair

HELP_TEXT...........No Help Text

ID.................{4139F4C3-BB68-4477-BF63-9BE7813AADA7}

TERM................ON WHILE SITTING IN CHAIR


DATA VALUE: ONE PERSON ASSIST

---------------------------------------------------------------------

ABBREVIATION........1 PERS AS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........One Person Assist

HELP_TEXT...........No Help Text

ID.................{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}

TERM................ONE PERSON ASSIST


DATA VALUE: ONE TO ONE SUPERVISION

---------------------------------------------------------------------

ABBREVIATION........1 SUPERV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........One To One Supervision

HELP_TEXT...........No Help Text

ID.................{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}

TERM................ONE TO ONE SUPERVISION

DATA VALUE: OOZING

----------------------------------------------------------------

ABBREVIATION........Oozing

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Oozing

HELP_TEXT...........

ID.................{C23549D7-3238-4523-BA31-AB71609F01C2}

TERM................OOZING


DATA VALUE: OPEN SPONTANEOUSLY

----------------------------------------------------------------

ABBREVIATION........OPEN SPONT

ACTIVE..............Yes

DESCRIPTION.........Open Spontaneously

DISPLAY_NAME........Open Spontaneously

HELP_TEXT...........No Help Text

ID.................{013F1473-BDC9-4E7C-9709-C577357709F6}

TERM................OPEN SPONTANEOUSLY


DATA VALUE: OPEN SYSTEM

----------------------------------------------------------------

ABBREVIATION........Open syste

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Open System

HELP_TEXT...........

ID.................{2047EDE8-5D72-4541-A23A-81F097A6CA2A}

TERM................OPEN SYSTEM


DATA VALUE: OPEN TO AIR

---------------------------------------------------------------------

ABBREVIATION........OPE TO AIR

ACTIVE..............Yes

DESCRIPTION.........Open To Air

DISPLAY_NAME........Open To Air

HELP_TEXT...........No Help Text

ID.................{EFB715D0-5666-4281-9034-A0326A14B2BB}

TERM................OPEN TO AIR


DATA VALUE: OPEN TRANSFER BELT

---------------------------------------------------------------------

ABBREVIATION........OpenBelt

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Open Transfer Belt

HELP_TEXT...........

ID.................{05A4B84E-B0E5-44BE-8ACC-71F020127898}

TERM................OPEN TRANSFER BELT

DATA VALUE: OPERATING ROOM

-------------------------------------------------------------------

ABBREVIATION........OR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Operating Room

HELP_TEXT...........No Help Text

ID.................{37DACE14-2A28-45F4-9DEA-35A1A433F4E6}

TERM................OPERATING ROOM


DATA VALUE: OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED)

-------------------------------------------------------------------

ABBREVIATION........OP Naive

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Opioid Naïve (No Other Opioids Allowed)

HELP_TEXT...........

ID.................{0092A10D-CD6F-467F-BA67-4CD8F16107B2}

TERM................OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED)


DATA VALUE: OPIOID TOLERANT (USE OF LONG ACTING ALLOWED; CONT RATE ALLOWED)

-------------------------------------------------------------------

ABBREVIATION........OpoidToler

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Opioid Tolerant (Use of Long Acting

         Allowed; Cont Rate Allowed)

HELP_TEXT...........

ID..................{53A60D70-8137-454A-B7FA-8B5193A07B66}

TERM................OPIOID TOLERANT (USE OF LONG ACTING

ALLOWED; CONT RATE ALLOWED)


DATA VALUE: ORAL

--------------------------------------------------------------------

ABBREVIATION........ORAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oral

HELP_TEXT...........No Help Text

ID..................{BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}

TERM................ORAL


DATA VALUE: ORAL AIRWAY

--------------------------------------------------------------------

ABBREVIATION........ORAL AIRWA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oral Airway

HELP_TEXT...........No Help Text

ID..................{B0CF4270-A68D-1322-0621-1DFF8D677B40}

TERM................ORAL AIRWAY

DATA VALUE: ORAL ENDOTRACHEAL

----------------------------------------------------------------------

ABBREVIATION........ORAL ENDO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oral Endotracheal

HELP_TEXT...........No Help Text

ID.................{466CAD16-D7F3-9D73-6500-959C4DA50D9A}

TERM................ORAL ENDOTRACHEAL


DATA VALUE: ORAL GASTRIC TUBE

----------------------------------------------------------------------

ABBREVIATION........OG TUBE

ACTIVE..............Yes

DESCRIPTION.........Oral Gastric Enteral Feeding Tube

DISPLAY_NAME........Oral Gastric Tube

HELP_TEXT...........No Help Text

ID.................{C6995D6A-939C-4C31-A3C2-4504CB5597CD}

TERM................ORAL GASTRIC TUBE


DATA VALUE: ORANGE

----------------------------------------------------------------------

ABBREVIATION........ORANGE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Orange

HELP_TEXT...........No Help Text

ID.................{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}

TERM................ORANGE


DATA VALUE: ORIENTATION

----------------------------------------------------------------------

ABBREVIATION........ORIENTA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Orientation

HELP_TEXT...........No Help Text

ID.................{10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}

TERM................ORIENTATION


DATA VALUE: ORIENTED

----------------------------------------------------------------------

ABBREVIATION........ORIENTED

ACTIVE..............Yes

DESCRIPTION.........Oriented

DISPLAY_NAME........Oriented

HELP_TEXT...........No Help Text

ID.................{B8DC9245-6D81-40E4-8B47-B6413E49F152}

TERM................ORIENTED

DATA VALUE: ORIENTED TO CALL FOR ASSISTANCE

---------------------------------------------------------------------

ABBREVIATION........Call/Asst

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Oriented to Call for Assistance

HELP_TEXT...........

ID.................{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}

TERM................ORIENTED TO CALL FOR ASSISTANCE


DATA VALUE: ORIENTED TO PERSON

---------------------------------------------------------------------

ABBREVIATION........otp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oriented To Person

HELP_TEXT...........No Help Text

ID.................{9912CFB9-AC55-6445-3EC1-0F1DF98C0561}

TERM................ORIENTED TO PERSON


DATA VALUE: ORIENTED TO PLACE

---------------------------------------------------------------------

ABBREVIATION........otp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oriented To Place

HELP_TEXT...........No Help Text

ID.................{8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}

TERM................ORIENTED TO PLACE


DATA VALUE: ORIENTED TO SITUATION

----------------------------------------------------------------------

ABBREVIATION........ots

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oriented To Situation

HELP_TEXT...........No Help Text

ID.................{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}

TERM................ORIENTED TO SITUATION


DATA VALUE: ORIENTED TO SURROUNDINGS/ROUTINE

----------------------------------------------------------------------

ABBREVIATION........Oriented

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Oriented to Surroundings/Routine

HELP_TEXT...........

ID.................{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}

TERM................ORIENTED TO SURROUNDINGS/ROUTINE

DATA VALUE: ORIENTED TO TIME

----------------------------------------------------------------------

ABBREVIATION........ott

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oriented To Time

HELP_TEXT...........No Help Text

ID.................{C79EBE25-C51B-478C-CB39-25943792F191}

TERM................ORIENTED TO TIME


DATA VALUE: ORTHOPNEIC

----------------------------------------------------------------------

ABBREVIATION........ORTHOPNIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Orthopneic

HELP_TEXT...........No Help Text

ID.................{FF373BD7-FD84-DF43-7A44-1B8E62917116}

TERM................ORTHOPNEIC


DATA VALUE: ORTHOTIC BOOTS

----------------------------------------------------------------------

ABBREVIATION........ORTHO BOOT

ACTIVE..............Yes

DESCRIPTION.........ORTHOTIC BOOTS

DISPLAY_NAME........Orthotic Boots

HELP_TEXT...........ORTHOTIC BOOTS

ID.................{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}

TERM................ORTHOTIC BOOTS


DATA VALUE: ORTHOTIC COLLAR

----------------------------------------------------------------------

ABBREVIATION........ORTHO COLL

ACTIVE..............Yes

DESCRIPTION.........ORTHOTIC COLLAR

DISPLAY_NAME........Orthotic Collar

HELP_TEXT...........ORTHOTIC COLLAR

ID.................{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}

TERM................ORTHOTIC COLLAR


DATA VALUE: ORTHOTIC KNEE IMMOBILIZER

----------------------------------------------------------------------

ABBREVIATION........KNEE IMMOB

ACTIVE..............Yes

DESCRIPTION.........ORTHOTIC KNEE IMMOBILIZER

DISPLAY_NAME........Orthotic Knee Immobilizer

HELP_TEXT...........ORTHOTIC KNEE IMMOBILIZER

ID.................{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}

TERM................ORTHOTIC KNEE IMMOBILIZER

DATA VALUE: ORTHOTIC SPINE BRACE

-------------------------------------------------------------------

ABBREVIATION........ORTH SPINE

ACTIVE..............Yes

DESCRIPTION.........ORTHOTIC SPINE BRACE

DISPLAY_NAME........Orthotic Spine Brace

HELP_TEXT...........ORTHOTIC SPINE BRACE

ID.................{B47A3536-FEBC-802E-01A1-E909147D18C2}

TERM................ORTHOTIC SPINE BRACE


DATA VALUE: ORTHOTIC TED HOSE

-------------------------------------------------------------------

ABBREVIATION........TED HOSE

ACTIVE..............Yes

DESCRIPTION.........TED HOSE

DISPLAY_NAME........Orthotic TED Hose

HELP_TEXT...........TED HOSE

ID.................{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

TERM................ORTHOTIC TED HOSE


DATA VALUE: ORTHOTIC WEDGE PILLOW

-------------------------------------------------------------------

ABBREVIATION........WEDG PILLO

ACTIVE..............Yes

DESCRIPTION.........WEDGE PILLOW

DISPLAY_NAME........Orthotic Wedge Pillow

HELP_TEXT...........WEDGE PILLOW

ID.................{20E58D21-399B-85E4-BDAB-93B371395BCF}

TERM................ORTHOTIC WEDGE PILLOW


DATA VALUE: OSMOLITE

---------------------------------------------------------------------

ABBREVIATION........OSMOLITE

ACTIVE..............Yes

DESCRIPTION.........Enteral Nutrition Type

DISPLAY_NAME........Osmolite

HELP_TEXT...........No Help Text

ID.................{8E41BB55-063E-43C0-BAFE-65150EDD99F8}

TERM................OSMOLITE


DATA VALUE: OSMOLITE 1.0

---------------------------------------------------------------------

ABBREVIATION........Osmo 1.0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Osmolite 1.0

HELP_TEXT...........

ID.................{D5EE7DA5-707B-4000-A133-0C571824A376}

TERM................OSMOLITE 1.0

DATA VALUE: OSMOLITE 1.2

--------------------------------------------------------------------

ABBREVIATION........Osmo 1.2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Osmolite 1.2

HELP_TEXT...........

ID.................{CEF57C44-82E5-43F5-8646-F8FBCD4609A0}

TERM................OSMOLITE 1.2

DATA VALUE: OSMOLITE 1.5

--------------------------------------------------------------------

ABBREVIATION........Osmo 1.5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Osmolite 1.5

HELP_TEXT...........

ID.................{8AF4CD1A-631A-4E95-A631-ACFF775284BA}

TERM................OSMOLITE 1.5

DATA VALUE: OSMOLITE HN

--------------------------------------------------------------------

ABBREVIATION........OSMOLIT HN

ACTIVE..............Yes

DESCRIPTION.........Enteral Nutrition Type

DISPLAY_NAME........Osmolite HN

HELP_TEXT...........No Help Text

ID.................{E4186CA6-302F-4513-B125-30B094151423}

TERM................OSMOLITE HN


DATA VALUE: OSTOMY CARE

---------------------------------------------------------------------

ABBREVIATION........Ostomy Car

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ostomy Care

HELP_TEXT...........

ID.................{BC834BC9-5861-4B94-BA34-FDF5C9FDF979}

TERM................OSTOMY CARE


DATA VALUE: OTHER

---------------------------------------------------------------------

ABBREVIATION........Other

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other

HELP_TEXT...........

ID.................{4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

TERM................OTHER

DATA VALUE: OTHER (ADD COMMENTS)

-----------------------------------------------------------------

ABBREVIATION........Other

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other (Add Comments)

HELP_TEXT...........

ID.................{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

TERM................OTHER (ADD COMMENTS)


DATA VALUE: OTHER (COMMENT REQUIRED)

-----------------------------------------------------------------

ABBREVIATION........Other Req

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other (Comment Required)

HELP_TEXT...........

ID.................{334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}

TERM................OTHER (COMMENT REQUIRED)


DATA VALUE: OTHER (DESCRIBE IN COMMENTS)

-----------------------------------------------------------------

ABBREVIATION........Other

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other (Describe in Comments)

HELP_TEXT...........

ID.................{C4B3D90E-3A78-435D-A853-5A8281729F7E}

TERM...............OTHER (DESCRIBE IN COMMENTS)


DATA VALUE: OTHER (ENTER COMMENT)

--------------------------------------------------------------------

ABBREVIATION........Other

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other (Enter Comment)

HELP_TEXT...........

ID.................{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

TERM...............OTHER (ENTER COMMENT)


DATA VALUE: OTHER (SEE COMMENTS)

--------------------------------------------------------------------

ABBREVIATION........Other

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other (see comments)

HELP_TEXT...........

ID.................{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

TERM...............OTHER (SEE COMMENTS)

DATA VALUE: OTHER DEFORMITY

--------------------------------------------------------------------

ABBREVIATION........OtherDefor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other Deformity

HELP_TEXT...........

ID.................{FEFC7075-0F32-491E-AA90-BAD2D9390733}

TERM................OTHER DEFORMITY


DATA VALUE: OUTPATIENT

--------------------------------------------------------------------

ABBREVIATION........Outpatient

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Outpatient

HELP_TEXT...........

ID.................{CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}

TERM................OUTPATIENT


DATA VALUE: OVER WIRE

--------------------------------------------------------------------

ABBREVIATION........OVER WIRE

ACTIVE..............Yes

DESCRIPTION.........Over Wire

DISPLAY_NAME........Over Wire

HELP_TEXT...........No Help Text

ID.................{157CD456-1020-43AE-9AAA-1686F1574B6F}

TERM................OVER WIRE


DATA VALUE: OXEPA

--------------------------------------------------------------------

ABBREVIATION........Oxepa

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Oxepa

HELP_TEXT...........

ID.................{1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}

TERM................OXEPA


DATA VALUE: OXIMETRIC

--------------------------------------------------------------------

ABBREVIATION........OXIMETRIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Oximetric Catheter

HELP_TEXT...........No Help Text

ID.................{DA1F5AAA-A349-C17B-74CD-1794492E0A13}

TERM................OXIMETRIC

DATA VALUE: P WAVE ABSENT

----------------------------------------------------------------

ABBREVIATION........P Wave Ab

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........P Wave Absent

HELP_TEXT...........

ID.................{1366C9A5-343F-4C78-9DC4-0E26E84F41A6}

TERM................P WAVE ABSENT


DATA VALUE: P WAVE BIPHASIC

----------------------------------------------------------------

ABBREVIATION........P Wave Bi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........P Wave Biphasic

HELP_TEXT...........

ID.................{87E71F59-F44A-4863-9990-079ACBAD44DC}

TERM................P WAVE BIPHASIC


DATA VALUE: P WAVE PRESENT

----------------------------------------------------------------

ABBREVIATION........P Wave Pr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........P Wave Present

HELP_TEXT...........

ID.................{DB568A40-FC64-441F-BA45-F041C6BD1C53}

TERM................P WAVE PRESENT

DATA VALUE: PA

--------------------------------------------------------------------

ABBREVIATION........PA

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........PA

HELP_TEXT...........

ID.................{C057C47D-780A-4230-B577-2C528AD09DEB}

TERM...............PA

DATA VALUE: PAC

--------------------------------------------------------------------

ABBREVIATION........p

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PAC

HELP_TEXT...........No Help Text

ID.................{848AB18A-598D-8E4E-8B1B-ED7478CE340B}

TERM...............PAC

DATA VALUE: PACED: ATRIAL

-------------------------------------------------------------------

ABBREVIATION........pa

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Paced: Atrial

HELP_TEXT...........No Help Text

ID.................{88837DD4-098D-B77F-A754-89D5C4F5870F}

TERM................PACED: ATRIAL


DATA VALUE: PACED: AV SEQUENTIAL

-------------------------------------------------------------------

ABBREVIATION........pas

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Paced: Av Sequential

HELP_TEXT...........No Help Text

ID.................{3C485674-224C-47DA-510D-92F1A0CA54A1}

TERM................PACED: AV SEQUENTIAL


DATA VALUE: PACED: VENTRICULAR

-------------------------------------------------------------------

ABBREVIATION........pv

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Paced: Ventricular

HELP_TEXT...........No Help Text

ID.................{A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}

TERM................PACED: VENTRICULAR

DATA VALUE: PACEMAKER

---------------------------------------------------------------------

ABBREVIATION........Pacemaker

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pacemaker

HELP_TEXT...........

ID.................{8B0A1765-9D93-4A03-96A2-D8EC0CF487D9}

TERM................PACEMAKER

DATA VALUE: PACER

---------------------------------------------------------------------

ABBREVIATION........Pacer

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pacer

HELP_TEXT...........

ID.................{F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}

TERM................PACER

DATA VALUE: PACING

------------------------------------------------------------------

ABBREVIATION........Pacing

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pacing

HELP_TEXT...........

ID.................{C4194F0D-0226-4E63-9D66-101BD062C746}

TERM................PACING


DATA VALUE: PAIN

------------------------------------------------------------------

ABBREVIATION........PAIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pain

HELP_TEXT...........No Help Text

ID.................{F2F23EE7-0A06-46B8-A496-B7A4651A551F}

TERM................PAIN


DATA VALUE: PAIN CONTROLLED PER PT

------------------------------------------------------------------

ABBREVIATION........PAIN CON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pain Controlled Per Patient

HELP_TEXT...........No Help Text

ID.................{7EC1AF38-39B1-475E-B58C-E33404A47E96}

TERM................PAIN CONTROLLED PER PT


DATA VALUE: PAIN MANAGEMENT ASSESSMENT

-----------------------------------------------------------------

ABBREVIATION........PainMgt

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pain Management Assessment

HELP_TEXT...........

ID.................{8E702786-31C2-478D-9BB9-017F7132CD9F}

TERM................PAIN MANAGEMENT ASSESSMENT


DATA VALUE: PAINAD

-----------------------------------------------------------------

ABBREVIATION........PAINAD

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........PAINAD

HELP_TEXT...........

ID.................{C1E04374-2FAF-40AE-9108-772520BE7A39}

TERM................PAINAD

DATA VALUE: PAINAD BL 0

-------------------------------------------------------------------

ABBREVIATION........PAINAD BL0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 = Relaxed

HELP_TEXT...........No Help Text

ID.................{C77929DB-A59A-4A24-B57B-BF111770C2AB}

TERM................PAINAD BL 0

DATA VALUE: PAINAD BL 1

-------------------------------------------------------------------

ABBREVIATION........PAINAD BL1

ACTIVE..............Yes

DESCRIPTION.........1 = Tense, Distressed Pacing, Fidgeting

DISPLAY_NAME........1 = Tense, Distressed Pacing, Fidgeting

HELP_TEXT...........1 = Tense, Distressed Pacing, Fidgeting

ID.................{CC1E1516-086D-4B79-8264-0C3BD67D8552}

TERM................PAINAD BL 1

DATA VALUE: PAINAD BL 2

-------------------------------------------------------------------

ABBREVIATION........PAINAD BL2

ACTIVE..............Yes

DESCRIPTION.........2 = Rigid, Fists Clenched, Knees

              Pulled Up, Pulling or Pushing Away,

              Striking Out

DISPLAY_NAME........2 = Rigid, Fists Clenched, Knees

Pulled Up, Pulling or Pushing

HELP_TEXT...........2 = Rigid, Fists Clenched, Knees

Pulled Up, Pulling or Pushing Away,

Striking Out

ID.................{34C3E304-DF66-40A7-906F-22AEA3F76FAD}

TERM................PAINAD BL 2


DATA VALUE: PAINAD BR 0

-------------------------------------------------------------------

ABBREVIATION........PAINAD B0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 = Normal

HELP_TEXT...........No Help Text

ID.................{58E71B2E-F5C3-419F-8B71-A9FD701E0202}

TERM................PAINAD BR 0


DATA VALUE: PAINAD BR 1

-------------------------------------------------------------------

ABBREVIATION........PAINAD BR1

ACTIVE..............Yes

DESCRIPTION.........1 = Occasional Labored Breathing.

Short Period of Hyperventilation

DISPLAY_NAME........1 = Occasional Labored Breathing.

Short Period of Hyperventilation

HELP_TEXT...........1 = Occasional Labored Breathing.

Short Period of Hyperventilation

ID.................{727D1B04-A702-4806-857B-78BCBACB0FE1}

TERM................PAINAD BR 1

DATA VALUE: PAINAD BR 2

-------------------------------------------------------------------

ABBREVIATION........PAINAD BR2

ACTIVE..............Yes

DESCRIPTION.........2 = Noisy Labored Breathing.

              Cheynes-Stokes Respirations

DISPLAY_NAME........2 = Noisy Labored Breathing.

              Cheynes-Stokes Respirations

HELP_TEXT...........2 = Noisy Labored Breathing.

              Cheynes-Stokes Respirations

ID..................{37978012-ADAC-416C-8920-48CDAAA5D59D}

TERM................PAINAD BR 2


DATA VALUE: PAINAD CO 0

-------------------------------------------------------------------

ABBREVIATION........PAINAD CO0

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........0 = No Need To Console

HELP_TEXT...........No Help Text

ID..................{06A89B55-5822-42F7-A689-DBD91B62979F}

TERM................PAINAD CO 0


DATA VALUE: PAINAD CO 1

-------------------------------------------------------------------

ABBREVIATION........PAINAD CO1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........1 = Distracted or Reassured By Voice

            or Touch

HELP_TEXT...........No Help Text

ID..................{8E5DDB47-1955-40AD-A008-A9CE4646A707}

TERM................PAINAD CO 1


DATA VALUE: PAINAD CO 2

----------------------------------------------------------------------

ABBREVIATION........PAINAD CO2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........2 = Unable To Console, Distract or

            Reassure

HELP_TEXT...........No Help Text

ID..................{1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

TERM................PAINAD CO 2


DATA VALUE: PAINAD FE 0

----------------------------------------------------------------------

ABBREVIATION........PAINAD FE0

ACTIVE..............Yes

DESCRIPTION.........0 = Smiling or Inexpressive

DISPLAY_NAME........0 = Smiling or Inexpressive

HELP_TEXT...........0 = Smiling or Inexpressive

ID..................{B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}

TERM................PAINAD FE 0

DATA VALUE: PAINAD FE 1

--------------------------------------------------------------------

ABBREVIATION........PAINAD FE1

ACTIVE..............Yes

DESCRIPTION.........1 = Sad, Frightened, Frown

DISPLAY_NAME........1 = Sad, Frightened, Frown

HELP_TEXT...........1 = Sad, Frightened, Frown

ID.................{66C01EE9-8F36-40B5-AED2-DBC2E94F860D}

TERM................PAINAD FE 1


DATA VALUE: PAINAD FE 2

--------------------------------------------------------------------

ABBREVIATION........PAINAD FE2

ACTIVE..............Yes

DESCRIPTION.........2 = Facial Grimacing

DISPLAY_NAME........2 = Facial Grimacing

HELP_TEXT...........2 = Facial Grimacing

ID.................{35688D06-94F2-4B36-8940-529803D4BC43}

TERM................PAINAD FE 2


DATA VALUE: PAINAD NV 0

--------------------------------------------------------------------

ABBREVIATION........PAINAD NV0

ACTIVE..............Yes

DESCRIPTION.........0 = None

DISPLAY_NAME........0 = None

HELP_TEXT...........0 = None

ID.................{63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}

TERM................PAINAD NV 0


DATA VALUE: PAINAD NV 1

--------------------------------------------------------------------

ABBREVIATION........PAINAD NV1

ACTIVE..............Yes

DESCRIPTION.........1 = Occasional Moan or Groan. Low

    Level Speech With A Negative or

    Disapproving Quality

DISPLAY_NAME........1 = Occasional Moan or Groan

HELP_TEXT...........1 = Occasional Moan or Groan. Low

    Level Speech With A Negative or

    Disapproving Quality

ID..................{D517E6C9-9D98-4D0F-A8F4-261BED4812D1}

TERM................PAINAD NV 1


DATA VALUE: PAINAD NV 2

--------------------------------------------------------------------

ABBREVIATION........PAINAD NV2

ACTIVE..............Yes

DESCRIPTION.........2 = Repeated, Troubled, Calling Out,

    Loud Moaning, Crying

DISPLAY_NAME........2 = Repeated, Troubled, Calling Out,

    Loud Moaning.

HELP_TEXT...........2 = Repeated, Troubled, Calling Out,

    Loud Moaning, Crying

ID..................{3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

TERM................PAINAD NV 2

DATA VALUE: PAINFUL EXPRESSION

-----------------------------------------------------------------

ABBREVIATION........PAINFUL EX

ACTIVE..............Yes

DESCRIPTION.........Painful Expression

DISPLAY_NAME........Painful Expression

HELP_TEXT...........No Help Text

ID.................{608554F9-29F9-4B27-BE63-486AF81810BD}

TERM................PAINFUL EXPRESSION


DATA VALUE: PAIRS

-----------------------------------------------------------------

ABBREVIATION........Pairs

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pairs

HELP_TEXT...........

ID.................{668B0D85-E507-4E12-B07A-A90CB98730DC}

TERM................PAIRS


DATA VALUE: PALE

-----------------------------------------------------------------

ABBREVIATION........p

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pale

HELP_TEXT...........No Help Text

ID.................{0EB39D28-7ABE-A4AB-D334-3F795E65618D}

TERM................PALE


DATA VALUE: PALLOR

-----------------------------------------------------------------

ABBREVIATION........Pallor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pallor

HELP_TEXT...........

ID.................{AB9133C6-DE43-4BEC-A307-1296CF834E0C}

TERM................PALLOR


DATA VALUE: PARALYSIS/PARESIS

-----------------------------------------------------------------

ABBREVIATION........Paralysis

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Paralysis/Paresis

HELP_TEXT...........

ID.................{F57B4E7F-87F4-4C5B-A8C7-511D063A415C}

TERM................PARALYSIS/PARESIS

DATA VALUE: PAROXYSMAL ATRIAL TACHYCARDIA

----------------------------------------------------------------------

ABBREVIATION........pat

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Paroxysmal Atrial Tachycardia

HELP_TEXT...........No Help Text

ID.................{27BC1FAF-A403-6EA8-044C-F1271F12A62A}

TERM................PAROXYSMAL ATRIAL TACHYCARDIA


DATA VALUE: PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

----------------------------------------------------------------------

ABBREVIATION........PST

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Paroxysmal Supraventricular Tachycardia

HELP_TEXT...........

ID.................{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}

TERM................PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA


DATA VALUE: PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS

----------------------------------------------------------------------

ABBREVIATION........PART EPIDE

ACTIVE..............Yes

DESCRIPTION.........Partial Thickness Skin Loss Involving

              Epidermis/Dermis

DISPLAY_NAME........Partial Thickness Skin Loss Involving

              Epidermis/Dermis

HELP_TEXT...........No Help Text

ID.................{EAD3A260-CC46-4B47-AA49-91CFE13EEE4B}

TERM................PART THICKNESS SKIN LOSS INVOLVE

EPIDERMIS/DERMIS


DATA VALUE: PARTIAL

--------------------------------------------------------------------

ABBREVIATION........Partial

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Partial

HELP_TEXT...........

ID.................{5802C13B-8956-49AD-9CD4-218DE10B5987}

TERM................PARTIAL


DATA VALUE: PARTIAL BATH

--------------------------------------------------------------------

ABBREVIATION........PART. BATH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Partial Bath

HELP_TEXT...........No Help Text

ID.................{60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}

TERM................PARTIAL BATH

DATA VALUE: PARTIAL CODE (SPECIFY IN COMMENTS)

------------------------------------------------------------------

ABBREVIATION........Part Code

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Partial Code (Specify in Comments)

HELP_TEXT...........

ID.................{BF5D343C-01DA-489A-836F-FA7E8AAD1FA0}

TERM................PARTIAL CODE (SPECIFY IN COMMENTS)


DATA VALUE: PARTIAL IMPAIRED

------------------------------------------------------------------

ABBREVIATION........PART IMPAI

ACTIVE..............Yes

DESCRIPTION.........Partial Impaired

DISPLAY_NAME........Partial Impaired

HELP_TEXT...........Partial Impaired

ID.................{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}

TERM................PARTIAL IMPAIRED


DATA VALUE: PARTIAL LOWER

------------------------------------------------------------------

ABBREVIATION........Part Low

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Partial Lower

HELP_TEXT...........

ID.................{2556CE7E-F211-4992-BCAF-09677C20BEFE}

TERM................PARTIAL LOWER


DATA VALUE: PARTIAL SIMPLE

---------------------------------------------------------------------

ABBREVIATION........PART SIMP

ACTIVE..............Yes

DESCRIPTION.........Partial Simple

DISPLAY_NAME........Partial Simple

HELP_TEXT...........Partial Simple

ID.................{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

TERM................PARTIAL SIMPLE


DATA VALUE: PARTIAL UPPER

---------------------------------------------------------------------

ABBREVIATION........Part Up

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Partial Upper

HELP_TEXT...........

ID.................{D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}

TERM................PARTIAL UPPER

DATA VALUE: PARTIALLY BLOCKED: SNORING/NOISY BREATHING

------------------------------------------------------------------

ABBREVIATION........PCA: Part

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Partially Blocked: Snoring/Noisy

           Breathing

HELP_TEXT...........

ID.................{3E006C3C-CD4E-4B85-ACF5-BAE5D7348184}

TERM................PARTIALLY BLOCKED: SNORING/NOISY

           BREATHING


DATA VALUE: PASSIVE RANGE OF MOTION

------------------------------------------------------------------

ABBREVIATION........PASS ROM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Passive Range Of Motion

HELP_TEXT...........No Help Text

ID.................{DD43B9EF-E18F-4203-8564-89EBBAD963A4}

TERM................PASSIVE RANGE OF MOTION


DATA VALUE: PATENT

------------------------------------------------------------------

ABBREVIATION........Patent

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patent

HELP_TEXT...........

ID.................{F0C38BCB-1D11-436C-8B8C-4297C27DDE04}

TERM...............PATENT


DATA VALUE: PATENT CLEAN

---------------------------------------------------------------------

ABBREVIATION........PAT CLEAN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Patent Clean

HELP_TEXT...........No Help Text

ID.................{68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}

TERM...............PATENT CLEAN


DATA VALUE: PATIENT

--------------------------------------------------------------------

ABBREVIATION........PATIENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Patient

HELP_TEXT...........No Help Text

ID.................{7881F205-BCD1-4948-AE66-AD572F5A02F2}

TERM...............PATIENT

DATA VALUE: PATIENT EDUCATION PROVIDED

----------------------------------------------------------------------

ABBREVIATION........Pat Ed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patient Education Provided

HELP_TEXT...........

ID.................{5E658583-22B0-46AF-BF65-318A2070047A}

TERM................PATIENT EDUCATION PROVIDED


DATA VALUE: PATIENT INFORMED

----------------------------------------------------------------------

ABBREVIATION........PAT INFORM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Patient Informed

HELP_TEXT...........No Help Text

ID.................{074A1D19-3920-49F1-8958-2EB6F9CF05BA}

TERM................PATIENT INFORMED


DATA VALUE: PATIENT INSTRUCTED

----------------------------------------------------------------------

ABBREVIATION........pat instru

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patient Instructed

HELP_TEXT...........

ID.................{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}

TERM................PATIENT INSTRUCTED


DATA VALUE: PATIENT LOCATOR DEVICE IN PLACE

-----------------------------------------------------------------------

ABBREVIATION........Loc Device

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patient Locator Device in Place

HELP_TEXT...........

ID.................{CAF7B45E-0143-472D-BABF-9A92857419E9}

TERM................PATIENT LOCATOR DEVICE IN PLACE


DATA VALUE: PATIENT REFUSES MARKING

-----------------------------------------------------------------------

ABBREVIATION........Pat Refuse

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patient Refuses Marking

HELP_TEXT...........

ID.................{93CE893B-AFE1-4047-9EE9-2AD6388C0086}

TERM................PATIENT REFUSES MARKING

DATA VALUE: PATIENT REPORTS NOT PRESENT

----------------------------------------------------------------------

ABBREVIATION........PT RP N PR

ACTIVE..............Yes

DESCRIPTION.........Patient Reports Not Present

DISPLAY_NAME........Patient Reports Not Present

HELP_TEXT...........Patient Reports Not Present

ID.................{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}

TERM................PATIENT REPORTS NOT PRESENT


DATA VALUE: PATIENT REPORTS PRESENT

----------------------------------------------------------------------

ABBREVIATION........PT REP PRE

ACTIVE..............Yes

DESCRIPTION.........Patient Reports Present

DISPLAY_NAME........Patient Reports Present

HELP_TEXT...........Patient Reports Present

ID.................{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}

TERM................PATIENT REPORTS PRESENT


DATA VALUE: PATIENT RIGHTS AND RESPONSIBILITIES

----------------------------------------------------------------------

ABBREVIATION........Pat Rights

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patient Rights and Responsibilities

HELP_TEXT...........

ID.................{DA69AAEE-DBDC-4CAA-849A-7242F0854385}

TERM................PATIENT RIGHTS AND RESPONSIBILITIES


DATA VALUE: PATIENT SIGNS SAFETY CONTRACT

---------------------------------------------------------------------

ABBREVIATION........PT CONTRAC

ACTIVE..............Yes

DESCRIPTION.........Patient Signs Safety Contract

DISPLAY_NAME........Patient Signs Safety Contract

HELP_TEXT...........No Help Text

ID.................{C65734EC-2CAF-4547-8FD8-CBCD9C706003}

TERM................PATIENT SIGNS SAFETY CONTRACT


DATA VALUE: PATIENT STATED

---------------------------------------------------------------------

ABBREVIATION........Pat Stated

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patient Stated

HELP_TEXT...........

ID.................{843654E1-4BC9-4277-9EFC-0B388A70A907}

TERM................PATIENT STATED

DATA VALUE: PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION

----------------------------------------------------------------------

ABBREVIATION........pswlosons

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Patient Stays Within Line Of Site Of

          Nursing Station

HELP_TEXT...........No Help Text

ID.................{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}

TERM................PATIENT STAYS WITHIN LINE OF SITE OF

          NURSING STATION


DATA VALUE: PATIENT'S ROOM

----------------------------------------------------------------------

ABBREVIATION........pr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Patient's Room

HELP_TEXT...........No Help Text

ID.................{0F13E11D-9F78-14A3-0568-AF26393F39F1}

TERM................PATIENT'S ROOM


DATA VALUE: PATIO

----------------------------------------------------------------------

ABBREVIATION........Patio

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Patio

HELP_TEXT...........

ID..................{39499FD3-F11F-49A8-802F-D61A89F4A901}

TERM................PATIO


DATA VALUE: PCA

-------------------------------------------------------------------

ABBREVIATION........PCA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Patient Controlled Analgesia

HELP_TEXT...........No Help-Text

ID..................{A1EE27C6-F22A-4109-A8E6-28DCCE599E64}

TERM................PCA


DATA VALUE: PCA + CONTINUOUS

-------------------------------------------------------------------

ABBREVIATION........PCA+Cont

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PCA + Continuous

HELP_TEXT...........No Help Text

ID..................{D711BB51-0662-4DD0-8654-C737F6A6686A}

TERM................PCA + CONTINUOUS

DATA VALUE: PCA ONLY

------------------------------------------------------------------

ABBREVIATION........PCA ONLY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PCA Only

HELP_TEXT...........No Help Text

ID.................{30E0441A-1098-4FE9-B277-BF2BBD6B1667}

TERM................PCA ONLY


DATA VALUE: PCA PUMP

------------------------------------------------------------------

ABBREVIATION........PCA Pump

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........PCA Pump

HELP_TEXT...........

ID.................{C6F139AF-C42B-4577-83E1-A12675C31A21}

TERM................PCA PUMP


DATA VALUE: PEAKED T WAVE

------------------------------------------------------------------

ABBREVIATION........Peaked T

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Peaked T Wave

HELP_TEXT...........

ID.................{CE79199C-3CFE-4DCE-914C-3A0C23CC174E}

TERM................PEAKED T WAVE


DATA VALUE: PEDIATRIC

---------------------------------------------------------------------

ABBREVIATION........PEDIATRIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pediatric

HELP_TEXT...........No Help Text

ID.................{06865E22-3ED9-4EDD-9749-6F8641BF29DE}

TERM................PEDIATRIC


DATA VALUE: PEG TUBE

---------------------------------------------------------------------

ABBREVIATION........PEG TUBE

ACTIVE..............Yes

DESCRIPTION.........PEG Tube EF Tube

DISPLAY_NAME........PEG Tube

HELP_TEXT...........No Help Text

ID.................{970C3755-2B3F-462F-AA87-EA33F846843F}

TERM................PEG TUBE

DATA VALUE: PENETRATING

-----------------------------------------------------------------

ABBREVIATION........PENETRATIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Penetrating

HELP_TEXT...........No Help Text

ID.................{00A2D4C8-EDDE-4593-A1F8-A87A836B3379}

TERM................PENETRATING


DATA VALUE: PENROSE DRAIN

-----------------------------------------------------------------

ABBREVIATION........Penrose D

ACTIVE..............Yes

DESCRIPTION.........Penrose Drain

DISPLAY_NAME........Penrose Drain

HELP_TEXT...........No Help Text

ID.................{DE508E95-D044-ACCA-EE69-33B9A8454E6C}

TERM................PENROSE DRAIN


DATA VALUE: PERATIVE

-----------------------------------------------------------------

ABBREVIATION........Perative

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Perative

HELP_TEXT...........

ID.................{9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}

TERM................PERATIVE

DATA VALUE: PERCUSSION BED

----------------------------------------------------------------------

ABBREVIATION........PERC BED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Percussion Bed

HELP_TEXT...........No Help Text

ID.................{BE0B086B-A2F3-446A-ADE0-9589E92689FE}

TERM...............PERCUSSION BED

DATA VALUE: PERINEAL CARE

----------------------------------------------------------------------

ABBREVIATION........PERIN CARE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Perineal Care

HELP_TEXT...........No Help Text

ID.................{D88736E4-E0EB-4FF7-9199-288A4D051A20}

TERM...............PERINEAL CARE

DATA VALUE: PERINEAL PAIN

----------------------------------------------------------------

ABBREVIATION........PerinealPn

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Perineal Pain

HELP_TEXT...........

ID.................{B92D15D5-C65B-41EE-9ACA-480B75FD7454}

TERM................PERINEAL PAIN


DATA VALUE: PERMANENT

----------------------------------------------------------------

ABBREVIATION........p

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Permanent

HELP_TEXT...........No Help Text

ID.................{A31FF319-F8C3-7AAC-D7FC-765C89732D09}

TERM................PERMANENT


DATA VALUE: PERSONAL ARTICLES AT REACH

----------------------------------------------------------------

ABBREVIATION........At Reach

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Personal Articles at Reach

HELP_TEXT...........

ID.................{166DE5BA-67F1-4BDB-9378-062862519BE4}

TERM................PERSONAL ARTICLES AT REACH


DATA VALUE: PERSONAL HYGIENE AND/OR GROOMING

----------------------------------------------------------------------

ABBREVIATION........Per Hyg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Personal Hygiene and/or Grooming

HELP_TEXT...........

ID.................{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}

TERM...............PERSONAL HYGIENE AND/OR GROOMING


DATA VALUE: PERSONAL MEDICAL ALERT BRACELET

----------------------------------------------------------------------

ABBREVIATION........pmab

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Personal Medical Alert Bracelet

HELP_TEXT...........No Help Text

ID.................{E63D5FDE-4509-5751-A11C-C023E296858A}

TERM...............PERSONAL MEDICAL ALERT BRACELET

DATA VALUE: PETROLATUM

------------------------------------------------------------------

ABBREVIATION........PETROLATUM

ACTIVE..............Yes

DESCRIPTION.........Petrolatum

DISPLAY_NAME........Petrolatum

HELP_TEXT...........No Help Text

ID.................{DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}

TERM................PETROLATUM


DATA VALUE: PHANTOM LIMB

------------------------------------------------------------------

ABBREVIATION........PhanLimb

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Phantom Limb

HELP_TEXT...........

ID.................{C2431341-5151-4EC3-B22E-C46E2448CC6B}

TERM................PHANTOM LIMB


DATA VALUE: PHYSICAL ASSIST

------------------------------------------------------------------

ABBREVIATION........PhysAssist

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Physical Assist

HELP_TEXT...........

ID.................{DBB651FC-018D-40C6-BF11-441E8D8606F8}

TERM................PHYSICAL ASSIST


DATA VALUE: PHYSICAL IMPAIRMENT

---------------------------------------------------------------------

ABBREVIATION........Phys Impai

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Physical Impairment

HELP_TEXT...........

ID.................{4D744081-134E-420D-9712-AF114977E490}

TERM................PHYSICAL IMPAIRMENT


DATA VALUE: PHYSICIAN

---------------------------------------------------------------------

ABBREVIATION........PHYSICIA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Physician

HELP_TEXT...........No Help Text

ID.................{DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}

TERM................PHYSICIAN

DATA VALUE: PHYSICIAN NOTIFIED

----------------------------------------------------------------------

ABBREVIATION........PHYS NOTIF

ACTIVE..............Yes

DESCRIPTION.........Physician Notified

DISPLAY_NAME........Physician Notified

HELP_TEXT...........No Help Text

ID.................{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}

TERM................PHYSICIAN NOTIFIED


DATA VALUE: PHYSICIAN ORDER

----------------------------------------------------------------------

ABBREVIATION........PHY ORDER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Physician Order

HELP_TEXT...........No Help Text

ID.................{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}

TERM................PHYSICIAN ORDER


DATA VALUE: PHYSIOLOGICAL ASSESSMENT

----------------------------------------------------------------------

ABBREVIATION........PhyAssess

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Physiological Assessment

HELP_TEXT...........

ID.................{4A9FB1A3-EC4D-4F7B-B667-5D950CB71109}

TERM................PHYSIOLOGICAL ASSESSMENT


DATA VALUE: PICC

---------------------------------------------------------------------

ABBREVIATION........PICC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PICC

HELP_TEXT...........Peripherally inserted central catheter

ID.................{3CFE33D0-5A35-88CC-152C-D7501D1858D9}

TERM................PICC


DATA VALUE: PICTURE BOARD

---------------------------------------------------------------------

ABBREVIATION........PictuBoard

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Picture Board

HELP_TEXT...........

ID.................{9BD2908F-C5FE-4866-A265-AAEB60A8E878}

TERM................PICTURE BOARD

DATA VALUE: PIN

----------------------------------------------------------------

ABBREVIATION........PIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pin

HELP_TEXT...........No Help Text

ID.................{10D48A4E-46F3-4242-BA56-B9D4B37A4C93}

TERM................PIN


DATA VALUE: PIN TRACTION

----------------------------------------------------------------

ABBREVIATION........PIN TRACT

ACTIVE..............Yes

DESCRIPTION.........Pin Traction

DISPLAY_NAME........Pin Traction

HELP_TEXT...........Pin Traction

ID.................{C75104A5-3B6B-4CFE-8E2E-05877522C811}

TERM................PIN TRACTION


DATA VALUE: PINK

----------------------------------------------------------------

ABBREVIATION........PINK

ACTIVE..............Yes

DESCRIPTION.........The color pink

DISPLAY_NAME........Pink

HELP_TEXT...........The color pink

ID.................{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

TERM................PINK

DATA VALUE: PINK / GRANULATING

----------------------------------------------------------------------

ABBREVIATION........Pink/Gran

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pink / Granulating

HELP_TEXT...........

ID.................{05245B27-3292-48B2-9F37-6AB9BB92395B}

TERM...............PINK / GRANULATING

DATA VALUE: PINPOINT

----------------------------------------------------------------------

ABBREVIATION........pinpoint

ACTIVE..............Yes

DESCRIPTION.........Pinpoint

DISPLAY_NAME........Pinpoint

HELP_TEXT...........No Help Text

ID.................{4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}

TERM...............PINPOINT

DATA VALUE: PINS AND NEEDLES

----------------------------------------------------------------

ABBREVIATION........Pins&Need

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pins and Needles

HELP_TEXT...........

ID.................{BCE9007D-31FC-4834-AF75-E84E09735CC7}

TERM...............PINS AND NEEDLES


DATA VALUE: PITTED

----------------------------------------------------------------

ABBREVIATION........PITTED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pitted

HELP_TEXT...........No Help Text

ID.................{BEA42FD8-91C7-4BF6-936E-726D78064F11}

TERM...............PITTED


DATA VALUE: PITTING

----------------------------------------------------------------

ABBREVIATION........PITTING

ACTIVE..............Yes

DESCRIPTION.........PITTING

DISPLAY_NAME........Pitting

HELP_TEXT...........PITTING

ID.................{A9F6ACFF-E427-145A-A168-345ACB87C1DE}

TERM................PITTING


DATA VALUE: PITTING +1 (BARELY DETECTABLE)

----------------------------------------------------------------------

ABBREVIATION........Pitting+1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pitting +1 (Barely Detectable)

HELP_TEXT...........

ID.................{88796510-F6C1-4997-B650-BBF9B91BEEA8}

TERM................PITTING +1 (BARELY DETECTABLE)


DATA VALUE: PITTING +2 (INDENTATION LESS THAN 5mm)

----------------------------------------------------------------------

ABBREVIATION........Pitting+2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pitting +2 (Indentation Less than 5mm)

HELP_TEXT...........

ID.................{CA91C96D-0D94-4D9A-A306-22FA476D143F}

TERM................PITTING +2 (INDENTATION LESS THAN 5mm)

DATA VALUE: PITTING +3 (INDENTATION OF 5-10 mm)

----------------------------------------------------------------------

ABBREVIATION........Pitting+3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pitting +3 (Indentation of 5-10mm)

HELP_TEXT...........

ID.................{2B874FF9-8DA9-425B-A9F6-166A6E7AF422}

TERM................PITTING +3 (INDENTATION OF 5-10 mm)


DATA VALUE: PITTING +4 (INDENTATION OF MORE THAN 10mm)

----------------------------------------------------------------------

ABBREVIATION........Pitting+4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pitting +4 (Indentation of More than

            10mm

HELP_TEXT...........

ID.................{A546A151-397F-4E05-855D-957E565017E6}

TERM................PITTING +4 (INDENTATION OF MORE THAN

            10mm)


DATA VALUE: PIVOT

----------------------------------------------------------------------

ABBREVIATION........Pivot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pivot

HELP_TEXT...........

ID..................{2E68ED54-57F5-490D-A982-668121F0CF5A}

TERM................PIVOT


DATA VALUE: PIVOT 1.5

--------------------------------------------------------------------

ABBREVIATION........Pivot 1.5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pivot 1.5

HELP_TEXT...........

ID..................{9126F0C6-9716-4C33-8B7C-178D46899D44}

TERM................PIVOT 1.5


DATA VALUE: PJC

--------------------------------------------------------------------

ABBREVIATION........p

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PJC

HELP_TEXT...........No Help Text

ID..................{1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}

TERM................PJC

DATA VALUE: PLACED NEAR TO NURSE STATION

--------------------------------------------------------------------

ABBREVIATION........Near N/Sta

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Placed Near to Nurse Station

HELP_TEXT...........

ID.................{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}

TERM................PLACED NEAR TO NURSE STATION


DATA VALUE: PLACEMENT INCONCLUSIVE, SPECIMEN SENT TO LAB FOR GASTRIC PH LEV

EL 1-4

--------------------------------------------------------------------

ABBREVIATION........SentToLab

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Placement Inconclusive, Specimen sent

            to lab for Gastric PH Level 1-4

HELP_TEXT...........

ID.................{D3FE93D2-D17A-4411-B450-B2FB6B0580E1}

TERM................PLACEMENT INCONCLUSIVE, SPECIMEN SENT

            TO LAB FOR GASTRIC PH LEVEL 1-4


DATA VALUE: PLAIN

--------------------------------------------------------------------

ABBREVIATION........PLAIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Plain Catheter

HELP_TEXT...........No Help Text

ID.................{483EE48F-F72B-A917-DCD0-E8B69A3FA36F}

TERM...............PLAIN


DATA VALUE: PLASTIC

-------------------------------------------------------------------

ABBREVIATION........Plastic

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Plastic

HELP_TEXT...........

ID.................{65AFD48A-137C-4539-8C9E-40F2D0547AF6}

TERM...............PLASTIC


DATA VALUE: PLATE GUARD

-------------------------------------------------------------------

ABBREVIATION........PlateGuard

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Plate Guard

HELP_TEXT...........

ID.................{1B3015C1-B8BC-4482-AD5D-83ACA7CC7E70}

TERM...............PLATE GUARD

DATA VALUE: POOR

-------------------------------------------------------------------

ABBREVIATION........POOR

ACTIVE..............Yes

DESCRIPTION.........Poor

DISPLAY_NAME........Poor

HELP_TEXT...........No Help Text

ID.................{A3D75A12-A791-446D-AF63-9435054DFC4C}

TERM................POOR


DATA VALUE: POOR BAL

-------------------------------------------------------------------

ABBREVIATION........Poor Balan

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Poor Balance

HELP_TEXT...........

ID.................{959AFDB4-6984-452D-9235-B154409DC0ED}

TERM................POOR BAL


DATA VALUE: POORLY GROOMED

-------------------------------------------------------------------

ABBREVIATION........Poorly Gro

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Poorly Groomed

HELP_TEXT...........

ID.................{143EA593-64B6-4123-A5B7-14B538B8E657}

TERM...............POORLY GROOMED


DATA VALUE: PORCINE SUBMUCOSA

----------------------------------------------------------------------

ABBREVIATION........PORC SUBMU

ACTIVE..............Yes

DESCRIPTION.........Oasis (porcine submucosa)

DISPLAY_NAME........Oasis (porcine submucosa)

HELP_TEXT...........No Help Text

ID.................{6F3917DA-74BD-4790-9D4D-B284E27B7623}

TERM...............PORCINE SUBMUCOSA


DATA VALUE: POSITIONAL

----------------------------------------------------------------------

ABBREVIATION........POSITIONAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Positional

HELP_TEXT...........No Help Text

ID.................{9A74D16B-5E95-4EA8-88AF-E53C80311A5D}

TERM...............POSITIONAL

DATA VALUE: POSITIVE PRESSURE CONNECTOR

----------------------------------------------------------------------

ABBREVIATION........P Pres Con

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Positive Pressure Connector

HELP_TEXT...........

ID.................{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}

TERM................POSITIVE PRESSURE CONNECTOR


DATA VALUE: POST CATH DIET

----------------------------------------------------------------------

ABBREVIATION........POST CA DT

ACTIVE..............Yes

DESCRIPTION.........Post Cath Diet

DISPLAY_NAME........Post Cath Diet

HELP_TEXT...........No Help Text

ID.................{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}

TERM................POST CATH DIET


DATA VALUE: POST OPERATION DIAGNOSIS

----------------------------------------------------------------------

ABBREVIATION........PO OP DIAG

ACTIVE..............Yes

DESCRIPTION.........Post Operation Diagnosis

DISPLAY_NAME........Post Operation Diagnosis

HELP_TEXT...........Post Operation Diagnosis

ID.................{A69379C9-C54A-4C55-85B3-C3D92D1705A0}

TERM................POST OPERATION DIAGNOSIS


DATA VALUE: POST PROCEDURE DIAGNOSIS

----------------------------------------------------------------------

ABBREVIATION........PO PRO DIA

ACTIVE..............Yes

DESCRIPTION.........Post Procedure Diagnosis

DISPLAY_NAME........Post Procedure Diagnosis

HELP_TEXT...........Post Procedure Diagnosis

ID.................{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}

TERM................POST PROCEDURE DIAGNOSIS


DATA VALUE: POST-FALL

----------------------------------------------------------------------

ABBREVIATION........POST-FALL

ACTIVE..............Yes

DESCRIPTION.........Post-Fall

DISPLAY_NAME........Post-Fall

HELP_TEXT...........No Help Text

ID.................{9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

TERM................POST-FALL

DATA VALUE: POST-OPERATIVE

---------------------------------------------------------------------

ABBREVIATION........POST-OP

ACTIVE..............Yes

DESCRIPTION.........Post-Operative

DISPLAY_NAME........Post-Operative

HELP_TEXT...........No Help Text

ID.................{9FA19656-849F-4A65-92FC-755A4C9E8056}

TERM................POST-OPERATIVE

DATA VALUE: POST-PROCEDURE

---------------------------------------------------------------------

ABBREVIATION........POST-PROC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Post-Procedure

HELP_TEXT...........No Help Text

ID.................{0F943BD7-BD13-412E-B4EA-9B5526587340}

TERM................POST-PROCEDURE

DATA VALUE: POST-SEDATION

---------------------------------------------------------------------

ABBREVIATION........POST SED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Post-Sedation

HELP_TEXT...........No Help Text

ID.................{B829A249-CB14-4919-86F8-4A8C8D6B7753}

TERM................POST-SEDATION


DATA VALUE: POST-SUCTIONING OXYGENATION

----------------------------------------------------------------------

ABBREVIATION........PostSuct

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Post-Suctioning Oxygenation

HELP_TEXT...........

ID.................{EF142F10-335F-4B47-9F3D-195D7E508D72}

TERM................POST-SUCTIONING OXYGENATION


DATA VALUE: POSTURAL HYPOTENSION

----------------------------------------------------------------------

ABBREVIATION........PosturalHy

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Postural Hypotension

HELP_TEXT...........

ID.................{24E52EFE-8AAD-465B-A70B-D57A2094F8D3}

TERM................POSTURAL HYPOTENSION

DATA VALUE: POTASSIUM MODIFIED 60 MEQ

-------------------------------------------------------------------

ABBREVIATION........K MOD 60M

ACTIVE..............Yes

DESCRIPTION.........Potassium Modified 60 MEQ

DISPLAY_NAME........Potassium Modified 60 MEQ

HELP_TEXT...........No Help Text

ID.................{6EC2F10D-CC44-4872-8473-2445A835ABB0}

TERM................POTASSIUM MODIFIED 60 MEQ


DATA VALUE: POTASSIUM RESTRICTED

-------------------------------------------------------------------

ABBREVIATION........PotassRest

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Potassium Restricted

HELP_TEXT...........

ID.................{E6665D0C-D064-482B-9896-BD24D4E52509}

TERM................POTASSIUM RESTRICTED


DATA VALUE: POVERTY OF CONTENT

-------------------------------------------------------------------

ABBREVIATION........PovofCont

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Poverty of Content

HELP_TEXT...........

ID.................{E0DAF10C-AC3D-4E63-9045-4507D09F01BE}

TERM................POVERTY OF CONTENT

DATA VALUE: POVERTY OF SPEECH

--------------------------------------------------------------------

ABBREVIATION........PovofSpeec

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Poverty of Speech

HELP_TEXT...........

ID.................{85D68BCC-93EF-4F62-A8A4-333B3D90B1BD}

TERM................POVERTY OF SPEECH

DATA VALUE: POWER DRIVE STRETCHER

--------------------------------------------------------------------

ABBREVIATION........PowerStre

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Power Drive Stretcher

HELP_TEXT...........

ID.................{F50829BB-FFC8-4BB6-8BC1-A3C76EAC70C4}

TERM................POWER DRIVE STRETCHER

DATA VALUE: POWERPORT

---------------------------------------------------------------------

ABBREVIATION........Powerport

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Powerport

HELP_TEXT...........

ID.................{A8201E8F-849A-4C37-A5C5-6A97813E14E4}

TERM................POWERPORT


DATA VALUE: PR NORMAL DURATION

---------------------------------------------------------------------

ABBREVIATION........PR Norm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........PR Normal Duration

HELP_TEXT...........

ID.................{3CEB0A4F-D3E3-46E3-89D9-E2410C337A19}

TERM................PR NORMAL DURATION


DATA VALUE: PR PROLONGED DURATION

---------------------------------------------------------------------

ABBREVIATION........PR Prolong

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........PR Prolonged Duration

HELP_TEXT...........

ID.................{0D8E81C1-D80D-41B1-ABE8-D931945BB1D8}

TERM................PR PROLONGED DURATION


DATA VALUE: PR SHORTENED DURATION

--------------------------------------------------------------------

ABBREVIATION........PR Short

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........PR Shortened Duration

HELP_TEXT...........

ID.................{C3850A3D-3D57-4875-8F34-78616159F6E8}

TERM................PR SHORTENED DURATION


DATA VALUE: PRBC

--------------------------------------------------------------------

ABBREVIATION........PRBC

ACTIVE..............Yes

DESCRIPTION.........Packed Red Blood Cells

DISPLAY_NAME........PRBC

HELP_TEXT...........No Help Text

ID.................{F6D9B889-1BCB-4724-B75A-E98743585D55}

TERM................PRBC

DATA VALUE: PRE-MEDICATED FOR ACTIVITY

---------------------------------------------------------------------

ABBREVIATION........PRE-MED AC

ACTIVE..............Yes

DESCRIPTION.........Pre-Medicated For Activity

DISPLAY_NAME........Pre-Medicated For Activity

HELP_TEXT...........No Help Text

ID.................{D6DA772A-FA22-4170-B928-855A2F68711F}

TERM................PRE-MEDICATED FOR ACTIVITY


DATA VALUE: PRE-OPERATIVE

---------------------------------------------------------------------

ABBREVIATION........PRE-OP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pre-Operative

HELP_TEXT...........No Help Text

ID.................{80C418D5-54B1-4CC3-9B19-5653B8D73C45}

TERM................PRE-OPERATIVE


DATA VALUE: PRE-PROCEDURE

---------------------------------------------------------------------

ABBREVIATION........PRE-PROC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pre-Procedure

HELP_TEXT...........No Help Text

ID.................{D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}

TERM................PRE-PROCEDURE


DATA VALUE: PRE-SEDATION

----------------------------------------------------------------------

ABBREVIATION........PRE SEDA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pre-Sedation

HELP_TEXT...........No Help Text

ID.................{684C764E-2BE9-4C99-A2B2-C92D75C73751}

TERM................PRE-SEDATION


DATA VALUE: PRE-SUCTIONING OXYGENATION

----------------------------------------------------------------------

ABBREVIATION........PreSuct

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pre-Suctioning Oxygenation

HELP_TEXT...........

ID.................{8C41E387-F15A-4DDD-BC04-259F8F403C2B}

TERM................PRE-SUCTIONING OXYGENATION

DATA VALUE: PRE-SURGERY

--------------------------------------------------------------------

ABBREVIATION........PRE-SURG

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pre-Surgery

HELP_TEXT...........No Help Text

ID.................{0C71761F-3024-4638-A95C-FDF12DC03CF5}

TERM................PRE-SURGERY

DATA VALUE: PREGNANT, NO

--------------------------------------------------------------------

ABBREVIATION........Preg, No

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pregnant, No

HELP_TEXT...........

ID.................{D08F5D48-965E-4537-83BC-14722E28B0AE}

TERM................PREGNANT, NO

DATA VALUE: PREGNANT, YES

--------------------------------------------------------------------

ABBREVIATION........Preg, Yes

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pregnant, Yes

HELP_TEXT...........

ID.................{CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}

TERM................PREGNANT, YES


DATA VALUE: PREMATURE ATRIAL

-------------------------------------------------------------------

ABBREVIATION........pa

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Premature Atrial

HELP_TEXT...........No Help Text

ID.................{070FDCB1-2EC4-B4EF-4DFD-81F6CCFFBDED}

TERM................PREMATURE ATRIAL


DATA VALUE: PRESENT

-------------------------------------------------------------------

ABBREVIATION........p

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Present

HELP_TEXT...........No Help Text

ID.................{384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

TERM................PRESENT

Page: 1259

DATA VALUE: PRESSURE

-----------------------------------------------------------------

ABBREVIATION........PRESSURE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pressure

HELP_TEXT...........No Help Text

ID.................{387AFB7F-3973-4D77-B2E6-0724F344D8F6}

TERM................PRESSURE


DATA VALUE: PRESSURE CALIBRATION

-----------------------------------------------------------------

ABBREVIATION........PRESS CALI

ACTIVE..............Yes

DESCRIPTION.........Pressure Calibration

DISPLAY_NAME........Pressure Calibration

HELP_TEXT...........No Help Text

ID.................{38C12E69-2CD2-4F61-98D9-06AB857DA51A}

TERM................PRESSURE CALIBRATION


DATA VALUE: PRESSURE CONTROL

-----------------------------------------------------------------

ABBREVIATION........PRESS CONT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pressure Control

HELP_TEXT...........No Help Text

ID.................{C3CDF756-484F-1483-9883-9B63DEF3B012}

TERM................PRESSURE CONTROL


DATA VALUE: PRESSURE DRESSING

----------------------------------------------------------------------

ABBREVIATION........PRESS DRES

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pressure Dressing

HELP_TEXT...........No Help Text

ID.................{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

TERM................PRESSURE DRESSING


DATA VALUE: PRESSURE ULCER

----------------------------------------------------------------------

ABBREVIATION........PRE ULCER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pressure Ulcer

HELP_TEXT...........No Help Text

ID.................{7279639E-498D-4EA3-A3FA-4A6D611E6F48}

TERM................PRESSURE ULCER

DATA VALUE: PRESSURED

-------------------------------------------------------------------

ABBREVIATION........Pressured

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pressured

HELP_TEXT...........

ID.................{A2167296-ECE0-405A-A11D-A1C66D58F219}

TERM................PRESSURED


DATA VALUE: PRESYSTOLIC

-------------------------------------------------------------------

ABBREVIATION........PRESYSTOLI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Presystolic

HELP_TEXT...........No Help Text

ID.................{BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}

TERM................PRESYSTOLIC


DATA VALUE: PREVENT ACCESS TO DEVICE

-------------------------------------------------------------------

ABBREVIATION........PREV ACCE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Prevent Access To Medical Devices

HELP_TEXT...........No Help Text

ID.................{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}

TERM................PREVENT ACCESS TO DEVICE

DATA VALUE: PREVENTIVE HEALTH REHAB TECHNIQUES

-------------------------------------------------------------------

ABBREVIATION........Rehab Tech

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Preventive Health Rehab Techniques

HELP_TEXT...........

ID.................{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}

TERM................PREVENTIVE HEALTH REHAB TECHNIQUES

DATA VALUE: PREVIOUS PERCUTANEOUS SITE

-------------------------------------------------------------------

ABBREVIATION........PRE PER SI

ACTIVE..............Yes

DESCRIPTION.........Previous Percutaneous Site

DISPLAY_NAME........Previous Percutaneous Site

HELP_TEXT...........No Help Text

ID.................{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}

TERM................PREVIOUS PERCUTANEOUS SITE

DATA VALUE: PRN

-------------------------------------------------------------------

ABBREVIATION........PRN

ACTIVE..............Yes

DESCRIPTION.........As Needed

DISPLAY_NAME........PRN

HELP_TEXT...........As Needed

ID.................{36493D81-954B-4C56-B0A2-9988EA785EBD}

TERM................PRN


DATA VALUE: PRO STAT SUGAR FREE 64

-------------------------------------------------------------------

ABBREVIATION........ProSta 64

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pro Stat Sugar Free 64

HELP_TEXT...........

ID.................{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}

TERM................PRO STAT SUGAR FREE 64


DATA VALUE: PRO-STAT

-------------------------------------------------------------------

ABBREVIATION........Pro-Stat

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pro-Stat

HELP_TEXT...........

ID.................{E39E36C7-0A47-459D-BA75-CF6186247B40}

TERM................PRO-STAT


DATA VALUE: PROCEDURE ROOM

-----------------------------------------------------------------------

ABBREVIATION........PROC ROO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Procedure Room

HELP_TEXT...........No Help Text

ID.................{CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}

TERM................PROCEDURE ROOM


DATA VALUE: PRODUCTIVE

-----------------------------------------------------------------------

ABBREVIATION........p

ACTIVE..............Yes

DESCRIPTION.........Produces desired result

DISPLAY_NAME........Productive

HELP_TEXT...........No Help Text

ID.................{22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}

TERM................PRODUCTIVE

DATA VALUE: PROJECTILE VOMITING

----------------------------------------------------------------

ABBREVIATION........PROJ VOMIT

ACTIVE..............Yes

DESCRIPTION.........Projectile Vomiting

DISPLAY_NAME........Projectile Vomiting

HELP_TEXT...........Projectile Vomiting

ID.................{0D2CB23B-B266-40E1-A6FF-20B733655B69}

TERM................PROJECTILE VOMITING


DATA VALUE: PROMOTE

----------------------------------------------------------------

ABBREVIATION........Promote

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Promote

HELP_TEXT...........

ID.................{6377C8D3-F6DD-4BD2-877F-DB52525DD65D}

TERM................PROMOTE


DATA VALUE: PROMOTE WITH FIBER

----------------------------------------------------------------

ABBREVIATION........Pro W/Fib

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Promote With Fiber

HELP_TEXT...........

ID.................{33E04B6F-2976-402C-B3B7-B75705430340}

TERM................PROMOTE WITH FIBER


DATA VALUE: PROMPTED VOIDING

------------------------------------------------------------------

ABBREVIATION........PromptVoid

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Prompted Voiding

HELP_TEXT...........

ID.................{5877FEC8-F348-440C-B19D-0D73DAC33253}

TERM...............PROMPTED VOIDING


DATA VALUE: PRONE

------------------------------------------------------------------

ABBREVIATION........PRONE

ACTIVE..............Yes

DESCRIPTION.........Prone

DISPLAY_NAME........Prone

HELP_TEXT...........No Help Text

ID.................{41180E09-D9D6-4903-BAE9-28CD5AAC4991}

TERM...............PRONE

DATA VALUE: PROPASS PROTEIN POWDER

---------------------------------------------------------------------

ABBREVIATION........Pro Prot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Propass Protein Powder

HELP_TEXT...........

ID.................{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}

TERM................PROPASS PROTEIN POWDER


DATA VALUE: PROSTHESIS

---------------------------------------------------------------------

ABBREVIATION........PROSTHESIS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Prosthesis

HELP_TEXT...........No Help Text

ID.................{CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

TERM................PROSTHESIS


DATA VALUE: PROTENEX WOUND CARE

---------------------------------------------------------------------

ABBREVIATION........Protenex

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Protenex Wound Care

HELP_TEXT...........

ID.................{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}

TERM................PROTENEX WOUND CARE


DATA VALUE: PROVIDED PATIENT EDUCATION

--------------------------------------------------------------------

ABBREVIATION........Pat Ed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Provided Patient Education

HELP_TEXT...........

ID.................{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

TERM................PROVIDED PATIENT EDUCATION


DATA VALUE: PROVIDER CONSULTED

--------------------------------------------------------------------

ABBREVIATION........Prv Cnsult

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Provider Consulted

HELP_TEXT...........

ID.................{3D84493F-4B21-462B-AE5C-83FA565D6255}

TERM................PROVIDER CONSULTED

DATA VALUE: PROVOCATIVE

-----------------------------------------------------------------

ABBREVIATION........Provocativ

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Provocative

HELP_TEXT...........

ID.................{E308CCF8-71D2-4A86-BE04-7FF976A3FD9D}

TERM................PROVOCATIVE

DATA VALUE: PROXIMAL PORT

-----------------------------------------------------------------

ABBREVIATION........PROX PORT

ACTIVE..............Yes

DESCRIPTION.........Proximal Port

DISPLAY_NAME........Proximal Port

HELP_TEXT...........No Help Text

ID.................{3244EF4F-F18A-4250-96F5-ABCEA7BFA578}

TERM................PROXIMAL PORT

DATA VALUE: PT DENIES NAUSEA / NO VOMITING

-----------------------------------------------------------------

ABBREVIATION........DEN NAUS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pt. Denies Nausea / No Vomiting

HELP_TEXT...........No Help Text

ID.................{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}

TERM................PT DENIES NAUSEA / NO VOMITING


DATA VALUE: PT PAIN AT ACCEPTABLE LEVEL

----------------------------------------------------------------------

ABBREVIATION........PT PA OK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Patient's Pain at Acceptable Level

HELP_TEXT...........No Help Text

ID.................{78489498-4A5B-41C5-98C5-95D56C4A0933}

TERM................PT PAIN AT ACCEPTABLE LEVEL


DATA VALUE: PULMOCARE

----------------------------------------------------------------------

ABBREVIATION........Pulmocare

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pulmocare

HELP_TEXT...........

ID.................{8D683106-B5EE-46E1-B1C6-0C7843EDD15C}

TERM................PULMOCARE

DATA VALUE: PULMONARY PROCEDURE ROOM

--------------------------------------------------------------------

ABBREVIATION........Pul Prc Rm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pulmonary Procedure Room

HELP_TEXT...........

ID.................{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}

TERM...............PULMONARY PROCEDURE ROOM


DATA VALUE: PULSE OXIMETER

--------------------------------------------------------------------

ABBREVIATION........Pulse Ox

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pulse Oximeter

HELP_TEXT...........

ID.................{773A956B-0B08-4D72-AAD4-630DF8268694}

TERM...............PULSE OXIMETER


DATA VALUE: PULSELESS ELECTRICAL ACTIVITY

--------------------------------------------------------------------

ABBREVIATION........Pulseless

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pulseless Electrical Activity

HELP_TEXT...........

ID.................{8E21E500-78D4-462D-9483-DD81D3887EE5}

TERM................PULSELESS ELECTRICAL ACTIVITY

DATA VALUE: PUMP - CONTINUOUS

----------------------------------------------------------------------

ABBREVIATION........Pump- cont

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pump- Continuous

HELP_TEXT...........

ID.................{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}

TERM...............PUMP - CONTINUOUS

DATA VALUE: PUMP - INTERMITTENT

----------------------------------------------------------------------

ABBREVIATION........Pump - int

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pump - Intermittent

HELP_TEXT...........

ID.................{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}

TERM...............PUMP - INTERMITTENT

DATA VALUE: PUNCTURE

-----------------------------------------------------------------

ABBREVIATION........PUNCTURE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Puncture

HELP_TEXT...........No Help Text

ID.................{28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}

TERM................PUNCTURE


DATA VALUE: PUPIL CONSTRICTION

-----------------------------------------------------------------

ABBREVIATION........Pupil Con

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pupil Constriction

HELP_TEXT...........

ID.................{C5FB67AF-9331-4702-BF66-575EC3D2B729}

TERM................PUPIL CONSTRICTION


DATA VALUE: PUPIL DILATION

-----------------------------------------------------------------

ABBREVIATION........Pupil Dila

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Pupil Dilation

HELP_TEXT...........

ID.................{93923D51-6746-44A7-B906-964CA0DB09B4}

TERM................PUPIL DILATION


DATA VALUE: PUREED

--------------------------------------------------------------------

ABBREVIATION........PUREED

ACTIVE..............Yes

DESCRIPTION.........Pureed

DISPLAY_NAME........Pureed

HELP_TEXT...........No Help Text

ID.................{99F8AE5F-E390-4583-8A92-CAC13E21BCF4}

TERM................PUREED


DATA VALUE: PURULENT

--------------------------------------------------------------------

ABBREVIATION........PURULENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Purulent

HELP_TEXT...........No Help Text

ID.................{86C01494-743A-C6A2-8883-01CA5200C79B}

TERM................PURULENT

DATA VALUE: PVC

---------------------------------------------------------------

ABBREVIATION........p

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PVC

HELP_TEXT...........No Help Text

ID.................{33FF92F1-84CC-7CFA-41CF-B271A26C59B8}

TERM................PVC


DATA VALUE: Q SHIFT

---------------------------------------------------------------

ABBREVIATION........Q Shift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q Shift

HELP_TEXT...........

ID.................{07BE9A54-C30D-48BA-972C-1395C656A767}

TERM................Q SHIFT


DATA VALUE: Q10MIN

---------------------------------------------------------------

ABBREVIATION........Q10Min

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q10Min

HELP_TEXT...........

ID.................{E651D12C-FE5E-439A-BA3C-DEA7FDBFEFED}

TERM................Q10MIN


DATA VALUE: Q15MIN

-------------------------------------------------------------------

ABBREVIATION........Q15Min

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q15Min

HELP_TEXT...........

ID.................{2494092E-F539-4FDD-90A5-0DA633D15275}

TERM................Q15MIN


DATA VALUE: Q1HR

-------------------------------------------------------------------

ABBREVIATION........Q1Hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q1Hr

HELP_TEXT...........

ID.................{8199AC00-AD44-4DA3-A270-EC8800ED39FD}

TERM................Q1HR

DATA VALUE: Q2HR

-----------------------------------------------------------------

ABBREVIATION........Q2Hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q2Hr

HELP_TEXT...........

ID.................{C089A271-8DEF-404F-B48C-B701265854F8}

TERM................Q2HR


DATA VALUE: Q30MIN

-----------------------------------------------------------------

ABBREVIATION........Q30Min

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q30Min

HELP_TEXT...........

ID.................{FFAA43F8-4464-438B-9C32-C3BDB5D00D59}

TERM................Q30MIN


DATA VALUE: Q45MIN

-----------------------------------------------------------------

ABBREVIATION........Q45Min

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q45Min

HELP_TEXT...........

ID.................{556A7278-1E5C-43A3-AF05-7BFECC155031}

TERM................Q45MIN


DATA VALUE: Q4HR

------------------------------------------------------------------

ABBREVIATION........Q4Hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q4Hr

HELP_TEXT...........

ID..................{6EE8BF06-9A1F-420B-AD52-A7C0D53B7859}

TERM................Q4HR


DATA VALUE: Q5MIN

------------------------------------------------------------------

ABBREVIATION........Q5Min

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q5Min

HELP_TEXT...........

ID..................{43D31DCC-0F94-4399-B744-0F65AA665029}

TERM................Q5MIN

DATA VALUE: Q90MIN

------------------------------------------------------------------

ABBREVIATION........Q90Min

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Q90Min

HELP_TEXT...........

ID.................{6D026A43-1844-48AD-AD1A-EF29EC51BF36}

TERM................Q90MIN


DATA VALUE: QR

------------------------------------------------------------------

ABBREVIATION........QR

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........QR

HELP_TEXT...........

ID.................{7C3C189A-4A97-4309-8DEB-13A43D803AC0}

TERM................QR


DATA VALUE: QRS

------------------------------------------------------------------

ABBREVIATION........QRS

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........QRS

HELP_TEXT...........

ID.................{C5065D40-2FAC-45A4-A24A-986A35A52F1F}

TERM................QRS

DATA VALUE: QRS NORMAL

---------------------------------------------------------------------

ABBREVIATION........QRS Norm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........QRS Normal

HELP_TEXT...........

ID.................{BEC63090-8F3E-4CE2-8397-34E51F8C8EEC}

TERM...............QRS NORMAL

DATA VALUE: QRS WIDENED

---------------------------------------------------------------------

ABBREVIATION........QRS Wide

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........QRS Widened

HELP_TEXT...........

ID.................{A9FC39DC-C781-45D6-820C-C91ABC6FAB6B}

TERM...............QRS WIDENED

DATA VALUE: QRSr'

-----------------------------------------------------------------

ABBREVIATION........QRSr'

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........QRSr'

HELP_TEXT...........

ID.................{AB71B4B3-3E02-4B5A-BF84-49757F7FD1A6}

TERM................QRSr'


DATA VALUE: QS

-----------------------------------------------------------------

ABBREVIATION........QS

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........QS

HELP_TEXT...........

ID.................{BD21A0E2-70D3-466E-A0DB-8302A5BE876C}

TERM................QS


DATA VALUE: QUAD

-----------------------------------------------------------------

ABBREVIATION........Quad

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Quad

HELP_TEXT...........

ID.................{E4D9401C-0A33-4420-87B7-660BF259E6AB}

TERM................QUAD


DATA VALUE: QUAD CANE

--------------------------------------------------------------------

ABBREVIATION........Quad Cane

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Quad Cane

HELP_TEXT...........

ID.................{6AF0827C-EFB8-4897-B7A0-F3987D99ACA5}

TERM................QUAD CANE


DATA VALUE: QUADRAGEMINY

--------------------------------------------------------------------

ABBREVIATION........Quadragemi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Quadrageminy

HELP_TEXT...........

ID.................{899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}

TERM................QUADRAGEMINY

DATA VALUE: QUIET OR RESTING

----------------------------------------------------------------------

ABBREVIATION........qor

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Quiet Or Resting

HELP_TEXT...........No Help Text

ID.................{76E4908F-014C-2088-FF7F-33EBF223DE40}

TERM................QUIET OR RESTING


DATA VALUE: QUIET ROOM

----------------------------------------------------------------------

ABBREVIATION........qr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Quiet Room

HELP_TEXT...........No Help Text

ID.................{CCD96D41-C273-F6F3-DA18-8818B1CC9980}

TERM................QUIET ROOM


DATA VALUE: R BUNDLE BRANCH BLOCK

----------------------------------------------------------------------

ABBREVIATION........rbbb

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Bundle Branch Block

HELP_TEXT...........No Help Text

ID.................{FDE0D174-5220-F069-D284-20399D9489B0}

TERM................R BUNDLE BRANCH BLOCK


DATA VALUE: R FOOT DOWN

----------------------------------------------------------------

ABBREVIATION........R FOOT DOW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Foot Down

HELP_TEXT...........No Help Text

ID.................{DBCC0BA2-3097-42C7-AE9E-DF71FA779162}

TERM................R FOOT DOWN


DATA VALUE: R FOOT UP

----------------------------------------------------------------

ABBREVIATION........R FOOT UP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Foot Up

HELP_TEXT...........No Help Text

ID.................{5928B710-6EB1-4183-93CB-6C72B37A97C3}

TERM................R FOOT UP

DATA VALUE: R HEAD DOWN

-------------------------------------------------------------------

ABBREVIATION........R HEAD DOW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Head Down

HELP_TEXT...........No Help Text

ID.................{FDFE0638-444C-4023-B586-985E84EEA1FA}

TERM................R HEAD DOWN


DATA VALUE: R HEAD UP

-------------------------------------------------------------------

ABBREVIATION........R HEAD UP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Head Up

HELP_TEXT...........No Help Text

ID.................{D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}

TERM................R HEAD UP


DATA VALUE: R NECK

-------------------------------------------------------------------

ABBREVIATION........RIGHT NECK

ACTIVE..............Yes

DESCRIPTION.........RIGHT NECK

DISPLAY_NAME........R Neck

HELP_TEXT...........RIGHT NECK

ID.................{907E90CD-87BF-073D-AF76-EA11ABE7FC3C}

TERM................R NECK


DATA VALUE: R NEPHROSTOMY

----------------------------------------------------------------------

ABBREVIATION........R NEPHROST

ACTIVE..............Yes

DESCRIPTION.........Right Nephrostomy

DISPLAY_NAME........R Nephrostomy

HELP_TEXT...........Right Nephrostomy

ID.................{33661137-688D-5611-4368-B1DFD8DB1469}

TERM................R NEPHROSTOMY


DATA VALUE: R STENT

----------------------------------------------------------------------

ABBREVIATION........RT. STENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Stent

HELP_TEXT...........No Help Text

ID.................{6D0EED3B-1F08-11D2-165D-97A9F58327D5}

TERM................R STENT

DATA VALUE: RAD TECH

-----------------------------------------------------------------

ABBREVIATION........Rad Tech

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Rad Tech

HELP_TEXT...........

ID.................{EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}

TERM................RAD TECH


DATA VALUE: RADIATING

-----------------------------------------------------------------

ABBREVIATION........RADIATING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Radiating

HELP_TEXT...........No Help Text

ID.................{B6807939-F809-45C1-912A-ADEF2E0DB0DC}

TERM................RADIATING


DATA VALUE: RADIATION

-----------------------------------------------------------------

ABBREVIATION........Radiation

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Radiation

HELP_TEXT...........

ID.................{D417338D-3C28-4111-9112-C91761FE88EA}

TERM................RADIATION


DATA VALUE: RADIATION SEEDS

---------------------------------------------------------------------

ABBREVIATION........RadSeeds

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Radiation Seeds

HELP_TEXT...........

ID.................{9285EFB0-3DEA-4E2E-BD0D-C34248065F1F}

TERM................RADIATION SEEDS


DATA VALUE: RADIOLOGY

---------------------------------------------------------------------

ABBREVIATION........Radiology

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Radiology

HELP_TEXT...........

ID.................{AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}

TERM................RADIOLOGY

DATA VALUE: RAMSAY ANXIOUS

----------------------------------------------------------------

ABBREVIATION........RAM ANXIOU

ACTIVE..............Yes

DESCRIPTION.........Anxious, agitated, or restless

DISPLAY_NAME........1 - Anxious

HELP_TEXT...........Anxious, agitated, or restless

ID.................{88205A0C-7065-4616-8FCF-75059462DD15}

TERM................RAMSAY ANXIOUS


DATA VALUE: RAMSAY ASLEEP BRISK RESPONSE

----------------------------------------------------------------

ABBREVIATION........RAM ASL BR

ACTIVE..............Yes

DESCRIPTION.........Asleep; brisk response to light

            glabellar tap or loud auditory

            stimulus

DISPLAY_NAME........4 - Asleep; Brisk Response

HELP_TEXT...........Asleep; brisk response to light

            glabellar tap or loud auditory

            stimulus

ID.................{00F4A117-F9E7-4B60-A521-F2E8725AECD3}

TERM................RAMSAY ASLEEP BRISK RESPONSE


DATA VALUE: RAMSAY ASLEEP NO RESPONSE

----------------------------------------------------------------

ABBREVIATION........RAM ASL NO

ACTIVE..............Yes

DESCRIPTION.........Asleep; no response to painful stimuli

DISPLAY_NAME........6 - Asleep No Response

HELP_TEXT...........Asleep; no response to painful stimuli

ID.................{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}

TERM...............RAMSAY ASLEEP NO RESPONSE


DATA VALUE: RAMSAY ASLEEP SLUGGISH

----------------------------------------------------------------------

ABBREVIATION........RAM ASL SL

ACTIVE..............Yes

DESCRIPTION.........Asleep; sluggish response to light

                    glabellar tap or loud auditory

                    stimulus

DISPLAY_NAME........5 - Asleep Sluggish Response

HELP_TEXT...........Asleep; sluggish response to light

                    glabellar tap or loud auditory

                    stimulus

ID.................{AA61604F-00F9-4103-B27F-E817FBC9577B}

TERM................RAMSAY ASLEEP SLUGGISH


DATA VALUE: RAMSAY COOPERATIVE

----------------------------------------------------------------------

ABBREVIATION........RAM COOPER

ACTIVE..............Yes

DESCRIPTION.........Cooperative, oriented, and tranquil

DISPLAY_NAME........2 - Cooperative

HELP_TEXT...........Cooperative, oriented, and tranquil

ID.................{56846ADA-0F0E-44AA-9779-A567B9D24C4F}

TERM................RAMSAY COOPERATIVE

DATA VALUE: RAMSAY SEDATED

----------------------------------------------------------------------

ABBREVIATION........RAM SEDATE

ACTIVE..............Yes

DESCRIPTION.........Sedated but responds to commands

DISPLAY_NAME........3 - Sedated But Responds

HELP_TEXT...........Sedated but responds to commands

ID.................{CC12405F-60DB-485F-94E5-78C1EB32AB74}

TERM................RAMSAY SEDATED


DATA VALUE: RASH/EXFOLIATION

----------------------------------------------------------------------

ABBREVIATION........RASH/EXFOL

ACTIVE..............Yes

DESCRIPTION.........Rash / Exfoliation

DISPLAY_NAME........Rash / Exfoliation

HELP_TEXT...........No Help Text

ID.................{AB83ABA9-28A7-6484-67E7-4E66B5526942}

TERM................RASH/EXFOLIATION


DATA VALUE: REACTIVE

----------------------------------------------------------------------

ABBREVIATION........Reactive

ACTIVE..............Yes

DESCRIPTION.........Reactive

DISPLAY_NAME........Reactive

HELP_TEXT...........No Help Text

ID.................{31B44ADB-0000-A5B0-5F56-59D4A08C05D2}

TERM................REACTIVE


DATA VALUE: REALITY ORIENTATION

---------------------------------------------------------------------

ABBREVIATION........R.E. REALI

ACTIVE..............Yes

DESCRIPTION.........None

DISPLAY_NAME........Reality Orientation

HELP_TEXT...........None

ID.................{221C363C-2261-40FC-8400-8B1D2E693F69}

TERM................REALITY ORIENTATION


DATA VALUE: RECTAL TUBE

---------------------------------------------------------------------

ABBREVIATION........RectalTube

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Rectal Tube

HELP_TEXT...........

ID.................{D5C228DB-532A-48EC-AF25-CEC20EB2818F}

TERM................RECTAL TUBE

DATA VALUE: RED

-------------------------------------------------------------------

ABBREVIATION........RED

ACTIVE..............Yes

DESCRIPTION.........The color red

DISPLAY_NAME........Red

HELP_TEXT...........The color red

ID.................{515D7CFB-3527-30E7-EC4B-B607C272DFA0}

TERM................RED


DATA VALUE: RED/GRANULATING

-------------------------------------------------------------------

ABBREVIATION........RED/GRANUL

ACTIVE..............Yes

DESCRIPTION.........Red / Granulating

DISPLAY_NAME........Red / Granulating

HELP_TEXT...........No Help Text

ID.................{BB69D2A2-7807-490A-B21D-77B6677796F6}

TERM................RED/GRANULATING


DATA VALUE: REDDENING OF THE SKIN

-------------------------------------------------------------------

ABBREVIATION........RED O SKIN

ACTIVE..............Yes

DESCRIPTION.........Reddening Of The Skin

DISPLAY_NAME........Reddening Of The Skin

HELP_TEXT...........No Help Text

ID.................{716AEC57-0835-4D07-A78C-D8453599A3D2}

TERM................REDDENING OF THE SKIN

DATA VALUE: REDIRECT PATIENT ACTIVITY

--------------------------------------------------------------------

ABBREVIATION........REDIR ACT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Redirect Patient Activity

HELP_TEXT...........No Help Text

ID.................{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}

TERM................REDIRECT PATIENT ACTIVITY

DATA VALUE: REDNESS

--------------------------------------------------------------------

ABBREVIATION........Redness

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Redness

HELP_TEXT...........

ID.................{47BD43B7-3CFB-42A5-BDE6-9F7EEC9CDCA7}

TERM................REDNESS

DATA VALUE: REFLEX INTACT

-----------------------------------------------------------------------

ABBREVIATION........r

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Reflex Intact

HELP_TEXT...........No Help Text

ID.................{F21585F9-5206-A6B3-2BF6-F416E5842366}

TERM................REFLEX INTACT

DATA VALUE: REFUSE MEDICATION

-----------------------------------------------------------------------

ABBREVIATION........REFUSE MED

ACTIVE..............Yes

DESCRIPTION.........Refuse Medication

DISPLAY_NAME........Refuse Medication

HELP_TEXT...........No Help Text

ID.................{17D6956B-4CF6-492C-B113-B5A93D9E215E}

TERM................REFUSE MEDICATION

DATA VALUE: REFUSE TO MOVE

-----------------------------------------------------------------------

ABBREVIATION........REF TO MOV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Refuse To Move

HELP_TEXT...........No Help Text

ID.................{E14588CE-2498-4FE8-AB0B-E954DC1696AC}

TERM................REFUSE TO MOVE


DATA VALUE: REFUSED

--------------------------------------------------------------------

ABBREVIATION........REFUSED

ACTIVE..............Yes

DESCRIPTION.........Refused

DISPLAY_NAME........Refused

HELP_TEXT...........No Help Text

ID.................{D5B3E135-4D68-4528-BBC9-6E8A7A997104}

TERM................REFUSED


DATA VALUE: REGIONAL BLOCK

--------------------------------------------------------------------

ABBREVIATION........Region Blk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Regional Block

HELP_TEXT...........

ID.................{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}

TERM................REGIONAL BLOCK

DATA VALUE: REGISTERED NURSE

----------------------------------------------------------------------

ABBREVIATION........RN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........RN

HELP_TEXT...........No Help Text

ID.................{524F344F-FDCD-423F-AD34-291D5DB4271B}

TERM................REGISTERED NURSE


DATA VALUE: REGULAR

----------------------------------------------------------------------

ABBREVIATION........REGULAR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Regular

HELP_TEXT...........No Help Text

ID.................{3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}

TERM................REGULAR


DATA VALUE: REINFORCED

----------------------------------------------------------------------

ABBREVIATION........REINFORCED

ACTIVE..............Yes

DESCRIPTION.........Dressing has been reinforced

DISPLAY_NAME........Reinforced

HELP_TEXT...........No Help Text

ID.................{EC524C50-0CDE-4AA1-8059-E4323850575E}

TERM................REINFORCED


DATA VALUE: RELATIVE

-------------------------------------------------------------------

ABBREVIATION........Relative

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Relative

HELP_TEXT...........

ID.................{F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}

TERM................RELATIVE


DATA VALUE: RELAXED

-------------------------------------------------------------------

ABBREVIATION........Relaxed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Relaxed

HELP_TEXT...........

ID.................{B8C15DBC-99FB-4239-8040-C27899120009}

TERM................RELAXED

DATA VALUE: RELIGIOUS

---------------------------------------------------------------------

ABBREVIATION........RELIGIOUS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Religious

HELP_TEXT...........No Help Text

ID.................{936C9949-8A30-4BBF-934C-1F194551B8E2}

TERM................RELIGIOUS


DATA VALUE: RELOCATE

---------------------------------------------------------------------

ABBREVIATION........R.E. RELO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Relocate Patient

HELP_TEXT...........No Help Text

ID.................{D8165678-ECEF-4F4D-A1C4-C616349E1873}

TERM................RELOCATE


DATA VALUE: REMNANT P-WAVE

---------------------------------------------------------------------

ABBREVIATION........Remnant P

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Remnant P-Wave

HELP_TEXT...........

ID.................{3BBAA695-337E-41C4-BB83-8452917C07DF}

TERM................REMNANT P-WAVE

DATA VALUE: REMOVAL

----------------------------------------------------------------------

ABBREVIATION........Removal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Removal

HELP_TEXT...........

ID.................{B4B1C2D0-C8DF-42F5-B74A-ABA3895009E7}

TERM................REMOVAL

DATA VALUE: REMOVAL CRITERIA

----------------------------------------------------------------------

ABBREVIATION........RES ED REM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Education On Condition Required For

              Removal

HELP_TEXT...........No Help Text

ID.................{B19316C8-687B-48FB-9EBC-9857662B9F85}

TERM................REMOVAL CRITERIA

DATA VALUE: REMOVE FROM STIM. SETTING

----------------------------------------------------------------------

ABBREVIATION........REM SET

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Remove From Stimulating Setting

HELP_TEXT...........No Help Text

ID.................{2010BA89-B399-4A30-9ACF-C65AB57B6351}

TERM................REMOVE FROM STIM. SETTING


DATA VALUE: REMOVE RECTAL TUBE

----------------------------------------------------------------------

ABBREVIATION........Rectal Tub

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Remove Rectal Tube

HELP_TEXT...........

ID.................{3D3D75CD-994E-49EE-B51A-8621FF5CA4D8}

TERM................REMOVE RECTAL TUBE


DATA VALUE: RENAL DIET

----------------------------------------------------------------------

ABBREVIATION........REN DIET

ACTIVE..............Yes

DESCRIPTION.........Renal Diet

DISPLAY_NAME........Renal Diet

HELP_TEXT...........No Help Text

ID.................{089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}

TERM................RENAL DIET


DATA VALUE: REORIENTED TO ENVIRONMENT

---------------------------------------------------------------------

ABBREVIATION........REORIENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Reoriented To Environment

HELP_TEXT...........No Help Text

ID.................{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}

TERM................REORIENTED TO ENVIRONMENT


DATA VALUE: REPETITIVE

---------------------------------------------------------------------

ABBREVIATION........Repetitive

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Repetitive

HELP_TEXT...........

ID.................{49B13886-E18C-42A8-90AD-31A6844CD473}

TERM................REPETITIVE

DATA VALUE: REPIRATORY DEPRESSION

--------------------------------------------------------------------

ABBREVIATION........Resp Depr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Respiratory Depression

HELP_TEXT...........

ID.................{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}

TERM...............REPIRATORY DEPRESSION


DATA VALUE: REPORTED

--------------------------------------------------------------------

ABBREVIATION........REPORTED

ACTIVE..............Yes

DESCRIPTION.........Reported as having happened

DISPLAY_NAME........Reported

HELP_TEXT...........No Help Text

ID.................{1D13BAC5-D8F9-455C-B815-8E256943492E}

TERM...............REPORTED


DATA VALUE: REPOSITION

--------------------------------------------------------------------

ABBREVIATION........REPOSITION

ACTIVE..............Yes

DESCRIPTION.........Reposition

DISPLAY_NAME........Reposition

HELP_TEXT...........No Help Text

ID.................{DF3039CA-5977-4454-81D4-DB0AF966F85D}

TERM................REPOSITION


DATA VALUE: REQUEST FOR MORE MEDICATION

---------------------------------------------------------------------

ABBREVIATION........REQ MOR ME

ACTIVE..............Yes

DESCRIPTION.........Request For More Medication

DISPLAY_NAME........Request For More Medication

HELP_TEXT...........No Help Text

ID.................{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}

TERM................REQUEST FOR MORE MEDICATION


DATA VALUE: RES LRM: DEVICE ACCESS

---------------------------------------------------------------------

ABBREVIATION........RLRM ACCE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Prevent Access To Medical Devices

HELP_TEXT...........No Help Text

ID.................{1662F5E1-30E7-4E8A-BCC5-1738868435B8}

TERM................RES LRM: DEVICE ACCESS

DATA VALUE: RES LRM: LIMIT SETTING

----------------------------------------------------------------------

ABBREVIATION........RLRM SETT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Limit Setting

HELP_TEXT...........No Help Text

ID.................{96417DDF-8562-4EFF-B4F6-0933FD91CD36}

TERM................RES LRM: LIMIT SETTING


DATA VALUE: RES LRM: PRN MEDS

----------------------------------------------------------------------

ABBREVIATION........RLRM: MEDS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Offer PRN Meds

HELP_TEXT...........No Help Text

ID.................{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}

TERM................RES LRM: PRN MEDS


DATA VALUE: RES LRM: REDIRECT

----------------------------------------------------------------------

ABBREVIATION........RLRM REDI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Redirect Patient Activity

HELP_TEXT...........No Help Text

ID.................{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}

TERM................RES LRM: REDIRECT


DATA VALUE: RES LRM: REMOVE FROM SETTING

----------------------------------------------------------------------

ABBREVIATION........RLRM REMO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Remove From Stimulating Setting

HELP_TEXT...........No Help Text

ID.................{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}

TERM................RES LRM: REMOVE FROM SETTING


DATA VALUE: RES LRM: REORIENT

----------------------------------------------------------------------

ABBREVIATION........RLRM REOR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Reoriented To Environment

HELP_TEXT...........No Help Text

ID.................{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}

TERM................RES LRM: REORIENT

DATA VALUE: RES LRM: SUPERVISION

----------------------------------------------------------------------

ABBREVIATION........RLRM SUPR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........One To One Supervision

HELP_TEXT...........No Help Text

ID.................{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}

TERM................RES LRM: SUPERVISION


DATA VALUE: RES LRM: VERBAL DE-ESCALATION

----------------------------------------------------------------------

ABBREVIATION........RLRM VERB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Verbal De-escalation

HELP_TEXT...........No Help Text

ID.................{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}

TERM................RES LRM: VERBAL DE-ESCALATION


DATA VALUE: RES LRM: VERBAL REMINDERS

----------------------------------------------------------------------

ABBREVIATION........RLRM REMI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Frequent Verbal Reminders

HELP_TEXT...........No Help Text

ID.................{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}

TERM................RES LRM: VERBAL REMINDERS


DATA VALUE: RESOURCE BREEZE

---------------------------------------------------------------------

ABBREVIATION........Re Breeze

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Resource Breeze

HELP_TEXT...........

ID.................{D3A38687-AD62-4E1D-A945-1201168E1CF6}

TERM...............RESOURCE BREEZE


DATA VALUE: RESOURCE DM

---------------------------------------------------------------------

ABBREVIATION........Re Dm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Resource Dm

HELP_TEXT...........

ID.................{C9D4A461-81F9-4392-98DA-129B00E5807F}

TERM...............RESOURCE DM

DATA VALUE: RESP TECH

----------------------------------------------------------------

ABBREVIATION........Resp Tech

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Resp Tech

HELP_TEXT...........

ID.................{8A7BA130-3EDC-4D07-A852-846B37399FC9}

TERM................RESP TECH


DATA VALUE: RESPIRATION

----------------------------------------------------------------

ABBREVIATION........Respiratio

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Respiration

HELP_TEXT...........

ID.................{5D6198F0-FE26-4F94-9118-D49A7EC44017}

TERM................RESPIRATION


DATA VALUE: RESPIRATORY COMPROMISE

----------------------------------------------------------------

ABBREVIATION........RespComp

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Respiratory Compromise

HELP_TEXT...........

ID.................{AC2F0B61-0554-40AA-BAB9-0F91AEE36E01}

TERM................RESPIRATORY COMPROMISE


DATA VALUE: RESPIRATORY DEPRESSION

----------------------------------------------------------------------

ABBREVIATION........Resp Depr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Respiratory Depression

HELP_TEXT...........

ID.................{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}

TERM................RESPIRATORY DEPRESSION


DATA VALUE: RESTING

----------------------------------------------------------------------

ABBREVIATION........Resting

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Resting

HELP_TEXT...........

ID.................{D750373F-12E2-4D95-AF0D-F7731905F723}

TERM................RESTING

DATA VALUE: RESTING RESPIRATORY RATE BASELINE OR ABOVE

---------------------------------------------------------------------

ABBREVIATION........Rest Base

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Resting Respiratory Rate Baselilne or

           Above

HELP_TEXT...........

ID.................{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}

TERM................RESTING RESPIRATORY RATE BASELINE OR

           ABOVE


DATA VALUE: RESTLESS

---------------------------------------------------------------------

ABBREVIATION........r

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Restless

HELP_TEXT...........No Help Text

ID.................{8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}

TERM................RESTLESS


DATA VALUE: RESTLESS AGITATED MOTOR MOVEMENTS

---------------------------------------------------------------------

ABBREVIATION........Restless

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Restless Agitated Motor Movements

HELP_TEXT...........

ID.................{597EFABF-5512-4975-B8CA-7ABDA46F1419}

TERM...............RESTLESS AGITATED MOTOR MOVEMENTS


DATA VALUE: RESTRAINT

---------------------------------------------------------------------

ABBREVIATION........RESTRAINT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Restraint

HELP_TEXT...........No Help Text

ID.................{0429322D-A987-4913-B64D-A6414645B214}

TERM...............RESTRAINT


DATA VALUE: RESTRAINT BILATERAL ANKLE

---------------------------------------------------------------------

ABBREVIATION........RES BI ANK

ACTIVE..............Yes

DESCRIPTION.........Bilateral Ankle Restraint

DISPLAY_NAME........Bilateral Ankle

HELP_TEXT...........No Help Text

ID.................{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}

TERM...............RESTRAINT BILATERAL ANKLE

DATA VALUE: RESTRAINT BILATERAL HAND MITT

-----------------------------------------------------------------

ABBREVIATION........RES BI H M

ACTIVE..............Yes

DESCRIPTION.........Bilateral Hand Mitt Restraint

DISPLAY_NAME........Bilateral Hand Mitt

HELP_TEXT...........No Help Text

ID.................{5E293110-1235-4307-80C2-0FFFA007E1DA}

TERM................RESTRAINT BILATERAL HAND MITT


DATA VALUE: RESTRAINT GERI CHAIR

-----------------------------------------------------------------

ABBREVIATION........RES GERI C

ACTIVE..............Yes

DESCRIPTION.........Geri Chair Restraint

DISPLAY_NAME........Geri Chair

HELP_TEXT...........No Help Text

ID.................{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}

TERM................RESTRAINT GERI CHAIR


DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER

-----------------------------------------------------------------

ABBREVIATION........RES H PL/L

ACTIVE..............Yes

DESCRIPTION.........Hard Plastic/Leather Restraint

DISPLAY_NAME........Hard Plastic/Leather

HELP_TEXT...........No Help Text

ID.................{9BB528F4-7016-4030-B73F-4037ADF2621D}

TERM................RESTRAINT HARD PLASTIC/LEATHER


DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 2 POINT

---------------------------------------------------------------------

ABBREVIATION........RES P/L 2P

ACTIVE..............Yes

DESCRIPTION.........Hard Plastic/Leather 2 Point Restraint

DISPLAY_NAME........Hard Plastic/Leather 2 Point

HELP_TEXT...........No Help Text

ID.................{17CB8739-612A-4319-946A-2062C5245C90}

TERM................RESTRAINT HARD PLASTIC/LEATHER 2 POINT


DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 4 POINT

---------------------------------------------------------------------

ABBREVIATION........RES P/L 4P

ACTIVE..............Yes

DESCRIPTION.........Hard Plastic/Leather 4 Point Restraint

DISPLAY_NAME........Hard Plastic/Leather 4 Point

HELP_TEXT...........No Help Text

ID.................{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}

TERM................RESTRAINT HARD PLASTIC/LEATHER 4 POINT

DATA VALUE: RESTRAINT ONE ARM

----------------------------------------------------------------

ABBREVIATION........RES ONE AR

ACTIVE..............Yes

DESCRIPTION.........One Arm Restraint

DISPLAY_NAME........One Arm

HELP_TEXT...........No Help Text

ID.................{839914DA-6D63-43EB-961E-70DA56737A92}

TERM................RESTRAINT ONE ARM


DATA VALUE: RESTRAINT ONE LEG

----------------------------------------------------------------

ABBREVIATION........RES ONE LE

ACTIVE..............Yes

DESCRIPTION.........One Leg Restraint

DISPLAY_NAME........One Leg

HELP_TEXT...........No Help Text

ID.................{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}

TERM................RESTRAINT ONE LEG


DATA VALUE: RESTRAINT SINGLE HAND MITT

----------------------------------------------------------------

ABBREVIATION........RES S HA M

ACTIVE..............Yes

DESCRIPTION.........Single Hand Mitt Restraint

DISPLAY_NAME........Single Hand Mitt

HELP_TEXT...........No Help Text

ID.................{A5F1D037-FB5E-402B-9F25-22DE48404D57}

TERM...............RESTRAINT SINGLE HAND MITT

DATA VALUE: RESTRAINT SOFT

---------------------------------------------------------------------

ABBREVIATION........RESTR SOFT

ACTIVE..............Yes

DESCRIPTION.........Soft Restraint

DISPLAY_NAME........Soft Restraint

HELP_TEXT...........No Help Text

ID.................{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

TERM...............RESTRAINT SOFT

DATA VALUE: RESTRAINT SOFT 2 POINT

---------------------------------------------------------------------

ABBREVIATION........RES S2POIN

ACTIVE..............Yes

DESCRIPTION.........Soft 2 Point Restraint

DISPLAY_NAME........Soft Restraint 2 Point

HELP_TEXT...........No Help Text

ID.................{66B71CFE-2603-40C9-9625-24448012BAB5}

TERM...............RESTRAINT SOFT 2 POINT

DATA VALUE: RESTRAINT SOFT 4 POINT

------------------------------------------------------------------

ABBREVIATION........RES S4POIN

ACTIVE..............Yes

DESCRIPTION.........Soft 4 Point Restraint

DISPLAY_NAME........Soft Restraint 4 Point

HELP_TEXT...........No Help Text

ID.................{6820E997-60A0-4802-BE26-CA29B4F48F32}

TERM................RESTRAINT SOFT 4 POINT


DATA VALUE: RESTRAINT SOFT ARMS + LOCKED WAIST

------------------------------------------------------------------

ABBREVIATION........RES S A+LW

ACTIVE..............Yes

DESCRIPTION.........Soft Arms + Locked Waist Restraint

DISPLAY_NAME........Soft Arms + Locked Waist

HELP_TEXT...........No Help Text

ID.................{C480D67C-958C-42F9-9203-98E2F2BDBEC8}

TERM................RESTRAINT SOFT ARMS + LOCKED WAIST


DATA VALUE: RESTRAINT SOFT ARMS + WAIST

------------------------------------------------------------------

ABBREVIATION........RES S A+W

ACTIVE..............Yes

DESCRIPTION.........Soft Arms + Waist Restraints

DISPLAY_NAME........Soft Arms + Waist

HELP_TEXT...........No Help Text

ID.................{4A322BB6-0F63-4BB7-9290-C0655BD7D772}

TERM................RESTRAINT SOFT ARMS + WAIST

DATA VALUE: RESTRAINT STRAP

----------------------------------------------------------------------

ABBREVIATION........RES STRAP

ACTIVE..............Yes

DESCRIPTION.........Restraint Strap

DISPLAY_NAME........Restraint Strap

HELP_TEXT...........No Help Text

ID.................{642FDACE-B320-42BC-9514-F5FCD6583B19}

TERM................RESTRAINT STRAP

DATA VALUE: RESTRAINT TYPE

----------------------------------------------------------------------

ABBREVIATION........RES ED TY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Education Rational For Type Of

              Restraint

HELP_TEXT...........No Help Text

ID.................{5560A332-C365-4DAF-BA33-610C4AE301F5}

TERM...............RESTRAINT TYPE

DATA VALUE: RESTRAINT VEST

----------------------------------------------------------------

ABBREVIATION........RES VEST

ACTIVE..............Yes

DESCRIPTION.........Restraint Vest

DISPLAY_NAME........Restraint Vest

HELP_TEXT...........No Help Text

ID.................{643378B2-86D7-4DB7-93ED-9DCE16D85E27}

TERM................RESTRAINT VEST

DATA VALUE: RESTRAINT WAIST

----------------------------------------------------------------

ABBREVIATION........RES WAIST

ACTIVE..............Yes

DESCRIPTION.........Waist

DISPLAY_NAME........Waist

HELP_TEXT...........No Help Text

ID.................{253E2757-5A57-4410-9C0E-F4A907A1EC16}

TERM................RESTRAINT WAIST

DATA VALUE: RESTRAINT WAIST LOCKED

----------------------------------------------------------------

ABBREVIATION........RES WAI LO

ACTIVE..............Yes

DESCRIPTION.........Waist Locked Restraint

DISPLAY_NAME........Waist Locked

HELP_TEXT...........No Help Text

ID.................{1EE7AB42-CE17-4D49-849B-CA550966E58C}

TERM................RESTRAINT WAIST LOCKED


DATA VALUE: RESTRAINT WRIST

----------------------------------------------------------------------

ABBREVIATION........RES WRIST

ACTIVE..............Yes

DESCRIPTION.........Wrist Restraint

DISPLAY_NAME........Restraint Wrist

HELP_TEXT...........No Help Text

ID.................{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}

TERM................RESTRAINT WRIST


DATA VALUE: RESTRAINTS BROCHURE

----------------------------------------------------------------------

ABBREVIATION........RES BRO P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Education Brochure Provided

HELP_TEXT...........No Help Text

ID.................{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}

TERM................RESTRAINTS BROCHURE

DATA VALUE: RESTRAINTS EXPLAINED

----------------------------------------------------------------------

ABBREVIATION........RES EXPL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Explain Why Restraints Applied

HELP_TEXT...........No Help Text

ID.................{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}

TERM................RESTRAINTS EXPLAINED


DATA VALUE: RESTRAINTS LIMIT SETTING

----------------------------------------------------------------------

ABBREVIATION........RES LIM SE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Limit Setting

HELP_TEXT...........No Help Text

ID.................{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}

TERM................RESTRAINTS LIMIT SETTING


DATA VALUE: RESTRAINTS TIME LIMIT

----------------------------------------------------------------------

ABBREVIATION........RES TIME L

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Time Limit On Restraints

HELP_TEXT...........No Help Text

ID.................{513B483E-AD7B-4B1A-BD01-91133C605C3C}

TERM................RESTRAINTS TIME LIMIT

DATA VALUE: RESTRICTED DIET

--------------------------------------------------------------------

ABBREVIATION........Restr Diet

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Restricted Diet

HELP_TEXT...........

ID.................{483DD2C0-2E1D-4886-B702-5A951225DE8B}

TERM................RESTRICTED DIET

DATA VALUE: RESTRICTED EXTREMITY

--------------------------------------------------------------------

ABBREVIATION........Res Extrem

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Restricted Extremity

HELP_TEXT...........

ID.................{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}

TERM................RESTRICTED EXTREMITY

DATA VALUE: RETCHING

----------------------------------------------------------------

ABBREVIATION........Retching

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Retching

HELP_TEXT...........

ID.................{4C3AFFD1-2F4D-4A48-8B42-567B2445DCD8}

TERM................RETCHING


DATA VALUE: RHONCHI

----------------------------------------------------------------

ABBREVIATION........RHONCHI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Rhonchi

HELP_TEXT...........No Help Text

ID.................{850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}

TERM................RHONCHI


DATA VALUE: RIGHT

----------------------------------------------------------------

ABBREVIATION........RIGHT

ACTIVE..............Yes

DESCRIPTION.........Right

DISPLAY_NAME........Right

HELP_TEXT...........No Help Text

ID.................{AB74C579-DF14-4D7B-A9EF-5F119089F976}

TERM................RIGHT


DATA VALUE: RIGHT NARIS

--------------------------------------------------------------------

ABBREVIATION........RightNaris

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Naris

HELP_TEXT...........

ID.................{81196134-EDC9-4C8A-8231-FE2069D027A0}

TERM................RIGHT NARIS


DATA VALUE: RIGID

--------------------------------------------------------------------

ABBREVIATION........Rigid

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Rigid

HELP_TEXT...........

ID.................{2D1427D1-3D9A-41B8-817F-D391B77A1E70}

TERM................RIGID

DATA VALUE: RIGID HEEL SPLINT

-----------------------------------------------------------------

ABBREVIATION........RIG HEEL S

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Rigid Heel Splint

HELP_TEXT...........No Help Text

ID.................{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}

TERM................RIGID HEEL SPLINT


DATA VALUE: RN

-----------------------------------------------------------------

ABBREVIATION........RN

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........RN

HELP_TEXT...........

ID.................{A103E506-EAA5-4777-8126-268CD723AD87}

TERM................RN


DATA VALUE: ROPIVICAINE

-----------------------------------------------------------------

ABBREVIATION........Ropivicain

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ropivicaine

HELP_TEXT...........

ID.................{911BE8BC-6737-4DBF-96AF-A501D3D54493}

TERM................ROPIVICAINE


DATA VALUE: ROTATION

-------------------------------------------------------------------

ABBREVIATION........Rotation

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Rotation

HELP_TEXT...........

ID.................{B35FBCB8-79A0-4FF9-9220-4811865EB5FE}

TERM................ROTATION


DATA VALUE: ROTATION DISK

-------------------------------------------------------------------

ABBREVIATION........RotatDisk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Rotation Disk

HELP_TEXT...........

ID.................{F2E52737-DEA5-4ACD-A9A6-3018F7FB3C3B}

TERM................ROTATION DISK

DATA VALUE: ROTATIONAL THERAPY

-------------------------------------------------------------------

ABBREVIATION........ROT THERAP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Rotational Therapy

HELP_TEXT...........No Help Text

ID.................{BB795594-720C-40D7-9B7C-6792BC849DA0}

TERM................ROTATIONAL THERAPY


DATA VALUE: ROUND

-------------------------------------------------------------------

ABBREVIATION........ROUND

ACTIVE..............Yes

DESCRIPTION.........Round

DISPLAY_NAME........Round

HELP_TEXT...........No Help Text

ID.................{E8E741F1-F0C5-4B77-B014-63B545BED755}

TERM................ROUND


DATA VALUE: RS

-------------------------------------------------------------------

ABBREVIATION........RS

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........RS

HELP_TEXT...........

ID.................{33E44A2C-52B1-4CE4-A7B0-FE85151A555F}

TERM................RS


DATA VALUE: RSr'

------------------------------------------------------------------

ABBREVIATION........RSr'

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........RSr'

HELP_TEXT...........

ID.................{0A4406E8-D4FD-4735-8A75-EF76FB2F9C00}

TERM................RSr'


DATA VALUE: RT

------------------------------------------------------------------

ABBREVIATION........RT

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........RT

HELP_TEXT...........

ID.................{6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}

TERM................RT

DATA VALUE: RUB

--------------------------------------------------------------------

ABBREVIATION........r

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Rub

HELP_TEXT...........No Help Text

ID.................{0040835D-1CF0-7D55-EEBB-A94A1E0D1206}

TERM................RUB


DATA VALUE: RUMINATIONS

--------------------------------------------------------------------

ABBREVIATION........Rumination

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ruminations

HELP_TEXT...........

ID.................{E5BE154D-AE5F-4655-9811-E30E568BD5E4}

TERM................RUMINATIONS


DATA VALUE: RUNS OF VT

--------------------------------------------------------------------

ABBREVIATION........Runs of VT

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Runs of VT

HELP_TEXT...........

ID.................{3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}

TERM................RUNS OF VT


DATA VALUE: S = SLEEP, EASY TO AROUSE

-------------------------------------------------------------------

ABBREVIATION........POSS Sleep

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........S = Sleep, Easy to Arouse

HELP_TEXT...........

ID.................{9AB0CB97-1451-401E-9245-445132934C3B}

TERM................S = SLEEP, EASY TO AROUSE


DATA VALUE: S1

-------------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........S1

HELP_TEXT...........No Help Text

ID.................{1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}

TERM................S1

DATA VALUE: S2

---------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........S2

HELP_TEXT...........No Help Text

ID.................{57C043D3-B227-3E7A-C1E6-5129A2800718}

TERM................S2


DATA VALUE: S3

---------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........S3

HELP_TEXT...........No Help Text

ID.................{9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}

TERM................S3


DATA VALUE: S4

---------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........S4

HELP_TEXT...........No Help Text

ID.................{9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}

TERM................S4


DATA VALUE: SAD

-----------------------------------------------------------------

ABBREVIATION........Sad

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sad

HELP_TEXT...........

ID.................{08AA475D-1016-4530-BE03-19AA4581B0A2}

TERM................SAD


DATA VALUE: SAFETY

-----------------------------------------------------------------

ABBREVIATION........SAFETY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Safety

HELP_TEXT...........No Help Text

ID.................{AD905A8F-33BD-4EFE-929E-A2B575797402}

TERM................SAFETY

DATA VALUE: SAFETY CHECK

------------------------------------------------------------------

ABBREVIATION........SafetyChec

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Safety Check

HELP_TEXT...........

ID.................{E9945D8D-A4D6-4A48-8CB0-1812707B150A}

TERM................SAFETY CHECK


DATA VALUE: SALINE LOCK

------------------------------------------------------------------

ABBREVIATION........SALIN LOCK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Saline Lock

HELP_TEXT...........No Help Text

ID.................{A94D7639-2A45-4319-A6C7-5A892AA6B1F4}

TERM................SALINE LOCK


DATA VALUE: SALINE MOIST DRESSING

------------------------------------------------------------------

ABBREVIATION........SAL MOI DR

ACTIVE..............Yes

DESCRIPTION.........Saline Moist Dressing

DISPLAY_NAME........Saline Moist Dressing

HELP_TEXT...........No Help Text

ID.................{19F98514-8ABF-461C-9969-C31177FE7DE7}

TERM................SALINE MOIST DRESSING


DATA VALUE: SANDOSOURCE PEPTIDE

----------------------------------------------------------------------

ABBREVIATION........SAND PEPTI

ACTIVE..............Yes

DESCRIPTION.........Sandosource Peptide Enteral Nutrition

            Formula

DISPLAY_NAME........Sandosource Peptide Enteral Nutrition

            Formula

HELP_TEXT...........No Help Text

ID..................{0EF43998-4ED4-47F5-ACC6-5A977B6F9997}

TERM................SANDOSOURCE PEPTIDE


DATA VALUE: SCANT

----------------------------------------------------------------------

ABBREVIATION........SCANT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Scant

HELP_TEXT...........No Help Text

ID..................{8EF6C62D-0D94-37BB-60AD-86E306E8120D}

TERM................SCANT

DATA VALUE: SCAPHOID

----------------------------------------------------------------

ABBREVIATION........SCAPHOID

ACTIVE..............Yes

DESCRIPTION.........Scaphoid

DISPLAY_NAME........Scaphoid

HELP_TEXT...........No Help Text

ID.................{1BE93489-42FC-44EB-8D07-87F4224979F3}

TERM................SCAPHOID


DATA VALUE: SCHEDULED TOILETING

----------------------------------------------------------------

ABBREVIATION........Sched Toil

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Scheduled Toileting

HELP_TEXT...........

ID.................{8743BCF8-0EDC-40E6-B158-A62FCAAD559D}

TERM................SCHEDULED TOILETING


DATA VALUE: SCISSORING (BILATERAL CIRCUMDUCTION)

----------------------------------------------------------------

ABBREVIATION........Scissoring

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Scissoring (Bilateral Circumduction)

HELP_TEXT...........

ID.................{94CEEBD0-ADD0-4165-98C2-34318E443446}

TERM................SCISSORING (BILATERAL CIRCUMDUCTION)


DATA VALUE: SCOLIOSIS

----------------------------------------------------------------------

ABBREVIATION........Scoliosis

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Scoliosis

HELP_TEXT...........

ID.................{FF6A5E75-C555-48F4-ABB3-178EFAF159A0}

TERM................SCOLIOSIS


DATA VALUE: SCOOTER

----------------------------------------------------------------------

ABBREVIATION........Scooter

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Scooter

HELP_TEXT...........

ID.................{663BC475-C20E-4B8B-B8B5-B16CC79A93C6}

TERM................SCOOTER

DATA VALUE: SECLUSION

-----------------------------------------------------------------

ABBREVIATION........SECLUSION

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Seclusion

HELP_TEXT...........No Help Text

ID.................{65B57F6C-C849-4BF7-8705-175361BC900F}

TERM................SECLUSION


DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 1

-----------------------------------------------------------------

ABBREVIATION........sdabt1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Second Degree Av Block: Type 1

HELP_TEXT...........No Help Text

ID.................{508BF663-96FB-EEBE-4F06-D2F1A02BD099}

TERM................SECOND DEGREE AV BLOCK: TYPE 1


DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 2

-----------------------------------------------------------------

ABBREVIATION........sdabt2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Second Degree Av Block: Type 2

HELP_TEXT...........No Help Text

ID.................{3367754A-08D1-31A9-E850-1B36358E358A}

TERM................SECOND DEGREE AV BLOCK: TYPE 2

DATA VALUE: SECURE TRACK IN PLACE

---------------------------------------------------------------------

ABBREVIATION........Secure Trk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Secure Track in Place

HELP_TEXT...........

ID.................{33F72416-BAD4-44AD-825E-93BCBFFB9670}

TERM................SECURE TRACK IN PLACE

DATA VALUE: SECURED SO DRAINAGE BAG IS BELOW PT'S BLADDER AND FLOW UNOBSTRU

CTED

---------------------------------------------------------------------

ABBREVIATION........Secure Bag

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Secured So Drainage Bag is Below Pt's

          Bladder and Flow Unobstructed

HELP_TEXT...........

ID.................{AFBC925B-79E1-4C29-81B0-EE057066671B}

TERM................SECURED SO DRAINAGE BAG IS BELOW PT'S

          BLADDER AND FLOW UNOBSTRUCTED

DATA VALUE: SECUREMENT DEVICE

-------------------------------------------------------------------

ABBREVIATION........SecureDev

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Securement Device

HELP_TEXT...........

ID.................{C53D9B3B-6247-4A1A-B29A-4429C7174966}

TERM................SECUREMENT DEVICE


DATA VALUE: SEDATED

-------------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sedated

HELP_TEXT...........No Help Text

ID.................{29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

TERM................SEDATED


DATA VALUE: SEDIMENT

-------------------------------------------------------------------

ABBREVIATION........SEDIMENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sediment

HELP_TEXT...........No Help Text

ID.................{4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}

TERM................SEDIMENT


DATA VALUE: SEE COMMENT

--------------------------------------------------------------------

ABBREVIATION........SeeComment

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........See Comment

HELP_TEXT...........

ID.................{52B28A5F-1913-463B-82C7-57DDBE85388A}

TERM................SEE COMMENT


DATA VALUE: SEIZURE

--------------------------------------------------------------------

ABBREVIATION........Seizure

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Seizure

HELP_TEXT...........

ID.................{8B213452-8875-4607-8875-1EA5D8247C99}

TERM................SEIZURE

DATA VALUE: SEIZURES

-----------------------------------------------------------------

ABBREVIATION........Seizures

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Seizures

HELP_TEXT...........

ID.................{DE974E49-2AB6-4781-9930-468F2B781BA9}

TERM................SEIZURES


DATA VALUE: SELECTED SURGERY

-----------------------------------------------------------------

ABBREVIATION........Sel Surg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Selected Surgery

HELP_TEXT...........

ID.................{6DBC6356-0F00-4001-AF94-20A479995A6C}

TERM................SELECTED SURGERY


DATA VALUE: SELF AM CARE BY PATIENT

-----------------------------------------------------------------

ABBREVIATION........SELF AM CR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Self AM Care By Patient

HELP_TEXT...........No Help Text

ID.................{C48A46C1-0E68-479C-B803-08C80617ADFF}

TERM................SELF AM CARE BY PATIENT


DATA VALUE: SELF CARE

-------------------------------------------------------------------

ABBREVIATION........SELF CARE

ACTIVE..............Yes

DESCRIPTION.........Self Care

DISPLAY_NAME........Self Care

HELP_TEXT...........No Help Text

ID.................{0E068188-75B8-46C5-8947-A6CC5C7849B5}

TERM................SELF CARE


DATA VALUE: SELF CARE OF BEDSIDE ENVIRONMENT

-------------------------------------------------------------------

ABBREVIATION........S CARE BED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Self Care of Bedside Environment

HELP_TEXT...........No Help Text

ID.................{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}

TERM................SELF CARE OF BEDSIDE ENVIRONMENT

DATA VALUE: SELF FACE WASH

----------------------------------------------------------------

ABBREVIATION........S FACE WAS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Self Face Wash

HELP_TEXT...........No Help Text

ID.................{77457D46-5676-46E6-B38F-FE3AF70B5CBC}

TERM................SELF FACE WASH


DATA VALUE: SELF FOOT CARE

----------------------------------------------------------------

ABBREVIATION........SELF FOOT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Self Foot Care

HELP_TEXT...........No Help Text

ID.................{F2DCAF0E-389D-4987-8C73-66E35266CC78}

TERM................SELF FOOT CARE


DATA VALUE: SELF SHAVE

----------------------------------------------------------------

ABBREVIATION........SELF SHAVE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Self Shave

HELP_TEXT...........No Help Text

ID.................{90F1760C-4C12-4976-ADCB-DBF456A34023}

TERM................SELF SHAVE

DATA VALUE: SELF SHOWER

----------------------------------------------------------------------

ABBREVIATION........SELF SHOWE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Self Shower

HELP_TEXT...........No Help Text

ID..................{C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}

TERM................SELF SHOWER

DATA VALUE: SELF TRACH CARE

----------------------------------------------------------------------

ABBREVIATION........S TRACH CA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Self Trach Care

HELP_TEXT...........No Help Text

ID..................{70BE79EC-107F-4CD3-B964-7919B3DDE222}

TERM................SELF TRACH CARE

DATA VALUE: SELF-CARE SKILLS

-----------------------------------------------------------------

ABBREVIATION........Self Skill

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Self-Care Skills

HELP_TEXT...........

ID.................{39145E84-85F2-486C-9FF8-27787EC8026A}

TERM................SELF-CARE SKILLS


DATA VALUE: SEMIFOWLERS HIGH

-----------------------------------------------------------------

ABBREVIATION........sh

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Semifowlers High

HELP_TEXT...........No Help Text

ID.................{1BBE7175-2BD2-BFB5-1E1B-E02443433072}

TERM................SEMIFOWLERS HIGH


DATA VALUE: SEMIFOWLERS LOW

-----------------------------------------------------------------

ABBREVIATION........sl

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Semifowlers Low

HELP_TEXT...........No Help Text

ID.................{A265AF02-53FC-B182-8AE3-A06E95718D7E}

TERM................SEMIFOWLERS LOW


DATA VALUE: SEQUENTIAL COMPRESSION DEVICE

----------------------------------------------------------------------

ABBREVIATION........SCD

ACTIVE..............Yes

DESCRIPTION.........SEQUENTIAL COMPRESSION DEVICE

DISPLAY_NAME........Sequential Compression Device

HELP_TEXT...........SEQUENTIAL COMPRESSION DEVICE

ID.................{29D657DB-6679-8A55-0E33-235B5DD349F2}

TERM...............SEQUENTIAL COMPRESSION DEVICE


DATA VALUE: SEROSANGUINOUS

----------------------------------------------------------------------

ABBREVIATION........SEROSANGUI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Serosanguinous

HELP_TEXT...........No Help Text

ID.................{19A8D332-899D-177A-2247-ABCDAEE3BFA8}

TERM...............SEROSANGUINOUS

DATA VALUE: SEROUS

---------------------------------------------------------------

ABBREVIATION........SEROUS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Serous

HELP_TEXT...........No Help Text

ID.................{9BDA347E-29E9-80C7-91FA-016192D4257E}

TERM................SEROUS


DATA VALUE: SET UP HELP ONLY

---------------------------------------------------------------

ABBREVIATION........SETUP ONLY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Set Up Help only

HELP_TEXT...........No Help Text

ID.................{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}

TERM................SET UP HELP ONLY


DATA VALUE: SEVERE EDEMA

---------------------------------------------------------------

ABBREVIATION........SevereEdem

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Severe Edema

HELP_TEXT...........

ID.................{FAFF5DB5-DFBD-46E8-9F17-5C7A2AF0233F}

TERM................SEVERE EDEMA


DATA VALUE: SEVERE OSTEOPOROSIS

----------------------------------------------------------------------

ABBREVIATION........SevereOste

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Severe Osteoporosis

HELP_TEXT...........

ID.................{1C894FB9-BF40-4A4C-8967-40261C5ED8B1}

TERM................SEVERE OSTEOPOROSIS


DATA VALUE: SEVERE PAIN/DISCOMFORT

----------------------------------------------------------------------

ABBREVIATION........SeverePain

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Severe Pain/Discomfort

HELP_TEXT...........

ID.................{FABAD58D-E8DC-4BB5-B5E1-3B80B1CD8BD3}

TERM................SEVERE PAIN/DISCOMFORT

DATA VALUE: SEVERE: GREATER THAN 36

----------------------------------------------------------------

ABBREVIATION........COWS:>36

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Severe: Greater than 36

HELP_TEXT...........

ID.................{356EE20B-7FA9-4C81-A7F0-25DCCBCA3964}

TERM................SEVERE: GREATER THAN 36

DATA VALUE: SEVERELY REDUCED

----------------------------------------------------------------

ABBREVIATION........SEV REDUCE

ACTIVE..............Yes

DESCRIPTION.........Severely Reduced

DISPLAY_NAME........Severely Reduced

HELP_TEXT...........No Help Text

ID.................{A895BACE-85AC-45B2-A190-4A6816DEDC1D}

TERM................SEVERELY REDUCED

DATA VALUE: SHALLOW

----------------------------------------------------------------

ABBREVIATION........SHALLOW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Shallow

HELP_TEXT...........No Help Text

ID.................{CD205617-BF98-4177-971A-056AFECC823A}

TERM................SHALLOW


DATA VALUE: SHALLOW: SHALLOW RESPIRATIONS

---------------------------------------------------------------------

ABBREVIATION........PCA:Shall

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Shallow: Shallow Respirations

HELP_TEXT...........

ID.................{CA1E7A66-F03D-4AF3-A36E-23EB45271E62}

TERM................SHALLOW: SHALLOW RESPIRATIONS


DATA VALUE: SHAMPOO

---------------------------------------------------------------------

ABBREVIATION........SHAMPOO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Shampoo

HELP_TEXT...........No Help Text

ID.................{95CCB23C-E614-40CD-84F0-EE4EFBC95271}

TERM................SHAMPOO

DATA VALUE: SHARP

--------------------------------------------------------------------

ABBREVIATION........SHARP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sharp

HELP_TEXT...........No Help Text

ID.................{20608864-E5CF-4FE3-8B6D-AE2FEE086503}

TERM................SHARP


DATA VALUE: SHAVE

--------------------------------------------------------------------

ABBREVIATION........SHAVE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Shave

HELP_TEXT...........No Help Text

ID.................{A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}

TERM................SHAVE


DATA VALUE: SHILEY

--------------------------------------------------------------------

ABBREVIATION........Shiley

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Shiley

HELP_TEXT..........

ID.................{F639982A-8BA6-4381-AACD-3310C8400135}

TERM................SHILEY

DATA VALUE: SHOOTING

-------------------------------------------------------------------

ABBREVIATION........SHOOTING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Shooting

HELP_TEXT...........No Help Text

ID.................{73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}

TERM................SHOOTING

DATA VALUE: SHORT NECK

-------------------------------------------------------------------

ABBREVIATION........Short Neck

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Short Neck

HELP_TEXT...........

ID.................{FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}

TERM................SHORT NECK

DATA VALUE: SHOWER

--------------------------------------------------------------------

ABBREVIATION........SHOWER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Shower

HELP_TEXT...........No Help Text

ID.................{C259929A-44DB-48FD-A2EC-BC6ECF9D0476}

TERM................SHOWER


DATA VALUE: SHRAPNEL

--------------------------------------------------------------------

ABBREVIATION........Shrapnel

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Shrapnel

HELP_TEXT...........

ID.................{72CFD2AD-EAFD-43D7-8860-CB2993655D1A}

TERM................SHRAPNEL


DATA VALUE: SHUFFLING

--------------------------------------------------------------------

ABBREVIATION........Shuffling

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Shuffling

HELP_TEXT...........

ID.................{7EA3A898-1D90-472C-BE90-2110330A1ADA}

TERM................SHUFFLING


DATA VALUE: SHUFFLING GAIT

---------------------------------------------------------------------

ABBREVIATION........Shuffling

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Shuffling Gait

HELP_TEXT...........

ID.................{D628299F-5393-434C-A609-E1E786A4B3F0}

TERM................SHUFFLING GAIT


DATA VALUE: SHUNTS

---------------------------------------------------------------------

ABBREVIATION........Shunts

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Shunts

HELP_TEXT...........

ID.................{8D9CB03B-6D63-4205-86C3-869421BEBD04}

TERM................SHUNTS

DATA VALUE: SICU

---------------------------------------------------------------------

ABBREVIATION........SICU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........SICU

HELP_TEXT...........No Help Text

ID.................{EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}

TERM................SICU


DATA VALUE: SIGMOIDOSTOMY

---------------------------------------------------------------------

ABBREVIATION........SIGMOIDOST

ACTIVE..............Yes

DESCRIPTION.........Sigmoidostomy

DISPLAY_NAME........Sigmoidostomy

HELP_TEXT...........No Help Text

ID.................{0C84B317-59B3-433B-A9AD-6588C1361E0C}

TERM................SIGMOIDOSTOMY


DATA VALUE: SIGNIFICANT OTHER

---------------------------------------------------------------------

ABBREVIATION........SO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Significant Other

HELP_TEXT...........No Help Text

ID.................{082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}

TERM...............SIGNIFICANT OTHER


DATA VALUE: SILICONE

-------------------------------------------------------------------

ABBREVIATION........Silicone

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Silicone

HELP_TEXT...........

ID.................{C50E8765-2850-4C40-A8BE-346B55544AFB}

TERM................SILICONE


DATA VALUE: SILLY

-------------------------------------------------------------------

ABBREVIATION........Silly

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Silly

HELP_TEXT...........

ID.................{8658F95A-4158-4F11-BE3D-D7C01D29C2E4}

TERM................SILLY

DATA VALUE: SILVADENE

-----------------------------------------------------------------

ABBREVIATION........SILVADENE

ACTIVE..............Yes

DESCRIPTION.........Silvadene

DISPLAY_NAME........Silvadene

HELP_TEXT...........No Help Text

ID.................{0889134F-C419-4366-B12E-EAB775719410}

TERM................SILVADENE


DATA VALUE: SILVER

-----------------------------------------------------------------

ABBREVIATION........SILVER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Silver

HELP_TEXT...........No Help Text

ID.................{AF233570-2BB4-4AE6-8751-056B9717C475}

TERM................SILVER


DATA VALUE: SILVER SULFADIAZINE

-----------------------------------------------------------------

ABBREVIATION........SILVER SUL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Silver Sulfadiazine

HELP_TEXT...........No Help Text

ID.................{E7A99A4E-C9B5-40D6-9820-05F87004F48B}

TERM................SILVER SULFADIAZINE


DATA VALUE: SINGLE

--------------------------------------------------------------------

ABBREVIATION........SINGLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Single

HELP_TEXT...........No Help Text

ID.................{8D305E0F-9035-E396-E768-40D7E6455BE4}

TERM................SINGLE


DATA VALUE: SINGLE CANNULA

--------------------------------------------------------------------

ABBREVIATION........SingleCann

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Single Cannula

HELP_TEXT...........

ID.................{DDA5F6C8-F26E-47EF-9C91-E94C539AF967}

TERM................SINGLE CANNULA

DATA VALUE: SINGLE USE LUBRICANT PACKET

----------------------------------------------------------------

ABBREVIATION........Single Use

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Single Use Lubricant Packet

HELP_TEXT...........

ID.................{7F748EDB-77D4-42D2-BE75-54F73598D4B0}

TERM................SINGLE USE LUBRICANT PACKET


DATA VALUE: SINUS ARREST

----------------------------------------------------------------

ABBREVIATION........sa

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sinus Arrest

HELP_TEXT...........No Help Text

ID.................{3CD8F7AC-3FE0-F342-089C-787232D2A5C2}

TERM................SINUS ARREST


DATA VALUE: SINUS ARRHYTHMIA

----------------------------------------------------------------

ABBREVIATION........sa

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sinus Arrhythmia

HELP_TEXT...........No Help Text

ID.................{07A24AC9-B486-A4B8-BADB-04D2729542CE}

TERM................SINUS ARRHYTHMIA


DATA VALUE: SINUS BLOCK

----------------------------------------------------------------------

ABBREVIATION........sb

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sinus Block

HELP_TEXT...........No Help Text

ID.................{94D6EFED-3D08-E724-BC40-9C398919A142}

TERM................SINUS BLOCK


DATA VALUE: SINUS BRADYCARDIA

----------------------------------------------------------------------

ABBREVIATION........sb

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sinus Bradycardia

HELP_TEXT...........No Help Text

ID.................{D6EF4940-63AE-22AF-1A80-D8E6F0F07839}

TERM................SINUS BRADYCARDIA

DATA VALUE: SINUS PAUSE

--------------------------------------------------------------------

ABBREVIATION........sp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sinus Pause

HELP_TEXT...........No Help Text

ID.................{7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}

TERM................SINUS PAUSE


DATA VALUE: SINUS RHYTHM

--------------------------------------------------------------------

ABBREVIATION........sr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sinus Rhythm

HELP_TEXT...........No Help Text

ID.................{A34F80EA-3D6A-076A-DB2A-E4E5C5AACA11}

TERM................SINUS RHYTHM


DATA VALUE: SINUS TACHYCARDIA

--------------------------------------------------------------------

ABBREVIATION........SINUS T

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sinus Tachycardia

HELP_TEXT...........No Help Text

ID.................{0AC41AF3-7656-A35D-E397-21D35405812A}

TERM................SINUS TACHYCARDIA


DATA VALUE: SIT TO STAND LIFT

----------------------------------------------------------------------

ABBREVIATION........SittoStand

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sit to Stand Lift

HELP_TEXT...........

ID.................{A209ACE5-C6D7-48EA-A7F2-09E3B3657FDF}

TERM................SIT TO STAND LIFT


DATA VALUE: SIT-TO-STAND LIFT - NON-POWERED

----------------------------------------------------------------------

ABBREVIATION........SitStanNon

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sit-to-Stand Lift - Non-Powered

HELP_TEXT...........

ID.................{12EB0667-EA7C-484D-A674-0FF5BF32AEEC}

TERM................SIT-TO-STAND LIFT - NON-POWERED

DATA VALUE: SIT-TO-STAND LIFT - POWERED

-------------------------------------------------------------------

ABBREVIATION........SitStanPow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sit-to-Stand Lift - Powered

HELP_TEXT...........

ID.................{2C100603-C7E2-4CB5-A3AA-74D33737CAD6}

TERM................SIT-TO-STAND LIFT - POWERED


DATA VALUE: SITE UNABLE TO BE MARKED

-------------------------------------------------------------------

ABBREVIATION........Unable/Mar

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Site Unable to be Marked

HELP_TEXT...........

ID.................{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}

TERM................SITE UNABLE TO BE MARKED


DATA VALUE: SKIN BREAKDOWN

-------------------------------------------------------------------

ABBREVIATION........Skin Break

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Skin Breakdown

HELP_TEXT...........

ID.................{B097478B-C287-44D8-9E54-B4FFB7EF45EE}

TERM................SKIN BREAKDOWN


DATA VALUE: SKIN CARE

---------------------------------------------------------------------

ABBREVIATION........Skin Care

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Skin Care

HELP_TEXT...........

ID.................{A2FB9E2C-7F72-40EA-B510-5B9B0F9EF421}

TERM................SKIN CARE


DATA VALUE: SKIN EXCORIATION

---------------------------------------------------------------------

ABBREVIATION........SkinExcor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Skin Excoriation

HELP_TEXT...........

ID.................{03525053-AF43-445F-99DB-65C9433AADC9}

TERM................SKIN EXCORIATION

DATA VALUE: SKIN INCISION WOUND CLOSURE OPEN WOUND

------------------------------------------------------------------------

ABBREVIATION........INC CL OPE

ACTIVE..............Yes

DESCRIPTION.........Skin Incision Closure Open Wound

DISPLAY_NAME........Open Wound

HELP_TEXT...........Skin Incision Closure Open Wound

ID.................{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}

TERM................SKIN INCISION WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN INCISION WOUND CLOSURE STAPLES

------------------------------------------------------------------------

ABBREVIATION........INC CL STA

ACTIVE..............Yes

DESCRIPTION.........Skin Incision Closure Staples

DISPLAY_NAME........Staples

HELP_TEXT...........Skin Incision Closure Staples

ID.................{4F48D42D-C206-423C-970B-02C03B2EE0B6}

TERM................SKIN INCISION WOUND CLOSURE STAPLES

DATA VALUE: SKIN INCISION WOUND CLOSURE STERI-STRIPS

------------------------------------------------------------------------

ABBREVIATION........INC CL STE

ACTIVE..............Yes

DESCRIPTION.........Skin Incision Closure Steri-Strips

DISPLAY_NAME........Steri-Strips

HELP_TEXT...........Skin Incision Closure Steri-Strips

ID.................{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}

TERM................SKIN INCISION WOUND CLOSURE

        STERI-STRIPS


DATA VALUE: SKIN INCISION WOUND CLOSURE SUTURES

-------------------------------------------------------------------

ABBREVIATION........INC CL SUT

ACTIVE..............Yes

DESCRIPTION.........Skin Incision Closure Sutures

DISPLAY_NAME........Sutures

HELP_TEXT...........Skin Incision Closure Sutures

ID..................{DED8DEDA-82C9-4D3A-A81E-641583314919}

TERM................SKIN INCISION WOUND CLOSURE SUTURES


DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THA

N 1 cm

-------------------------------------------------------------------

ABBREVIATION........INC IN <1

ACTIVE..............Yes

DESCRIPTION.........Skin Induration Extension Around

        Incision Extends into Periwound Less

        Than1 cm

DISPLAY_NAME........Extends Into Periwound Less Than 1 cm

HELP_TEXT...........Skin Induration Extension Around

        Incision Extends into Periwound Less

        Than1 cm

ID..................{2A5097BF-955C-4F79-B483-7EE14AF05786}

TERM................SKIN INDURATION AROUND INCISION

        EXTENDS INTO PERIWOUND LESS THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THA

N 1 cm

----------------------------------------------------------------

ABBREVIATION........INC IN >1

ACTIVE..............Yes

DESCRIPTION.........Skin Induration Extension Around

        Incision Extends into Periwound

        Greater Than 1 cm

DISPLAY_NAME........Extends into Periwound Greater Than 1

        cm

HELP_TEXT...........Skin Induration Extension Around

        Incision Extends into Periwound

        Greater Than 1 cm

ID.................{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}

TERM................SKIN INDURATION AROUND INCISION

        EXTENDS INTO PERIWOUND MORE THAN 1 cm


DATA VALUE: SKIN INDURATION AROUND INCISION LIMITED TO INCISION

----------------------------------------------------------------

ABBREVIATION........INC IN LIM

ACTIVE..............Yes

DESCRIPTION.........Skin Induration Extension Around

        Incision Limited to Incision

DISPLAY_NAME........Limited to Incision

HELP_TEXT...........Skin Induration Extension Around

        Incision Limited to Incision

ID.................{88BCE7F9-F21F-427A-A50B-C1BA831639AB}

TERM................SKIN INDURATION AROUND INCISION

LIMITED TO INCISION

DATA VALUE: SKIN INDURATION AROUND INCISION NONE

--------------------------------------------------------------------

ABBREVIATION........INC IN NON

ACTIVE..............Yes

DESCRIPTION.........Skin Induration Extension Around

Incison None

DISPLAY_NAME........None

HELP_TEXT...........Skin Induration Extension Around

Incison None

ID..................{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}

TERM................SKIN INDURATION AROUND INCISION NONE


DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND <

1 cm

--------------------------------------------------------------------

ABBREVIATION........WOU IN <1

ACTIVE..............Yes

DESCRIPTION.........No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

DISPLAY_NAME........Extends into Periwound Less Than 1 cm

HELP_TEXT...........No DescriptionSkin Induration

Extension Around Wound Extends into

Periwound Less Than 1 cm

ID..................{3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}

TERM................SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND >

1 cm

---------------------------------------------------------------------

ABBREVIATION........WOU IN >1

ACTIVE..............Yes

DESCRIPTION.........Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

DISPLAY_NAME........Extends into Periwound More Than 1 cm

HELP_TEXT...........Skin Induration Extension Around

Wound Extends into Periwound More

Than 1 cm

ID..................{7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}

TERM................SKIN INDURATION EXTENSION AROUND

WOUND EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND

----------------------------------------------------------------------

ABBREVIATION........WOU IN LIM

ACTIVE..............Yes

DESCRIPTION.........Skin Induration Extension Around

        Wound Limited to Wound

DISPLAY_NAME........Limted to Wound

HELP_TEXT...........Skin Induration Extension Around

        Wound Limited to Wound

ID..................{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

TERM................SKIN INDURATION EXTENSION AROUND

        WOUND LIMITED TO WOUND


DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND NONE

----------------------------------------------------------------------

ABBREVIATION........WOU IN NON

ACTIVE..............Yes

DESCRIPTION.........Skin Induration Extension Around

        Wound None

DISPLAY_NAME........None

HELP_TEXT...........Skin Induration Extension Around

        Wound None

ID..................{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}

TERM................SKIN INDURATION EXTENSION AROUND

        WOUND NONE


DATA VALUE: SKIN INTACT

----------------------------------------------------------------------

ABBREVIATION........Skin Intac

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Skin Intact

HELP_TEXT...........

ID..................{3822B068-9ACA-49D1-A5E6-1BAF31782EEC}

TERM................SKIN INTACT


DATA VALUE: SKIN RISK

-----------------------------------------------------------------

ABBREVIATION........Skin Risk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Skin Risk

HELP_TEXT...........

ID..................{517CCC23-C401-41A2-999C-262458CC90FA}

TERM................SKIN RISK


DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

< 1 cm

-----------------------------------------------------------------

ABBREVIATION........INC SW <1

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around

            Incision Extends into Periwound Less

            Than 1 cm

DISPLAY_NAME........Extends into Periwound < 1 cm

HELP_TEXT...........Skin Swelling Extension Around

            Incision Extends into Periwound Less

            Than 1 cm

ID.................{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}

TERM...............SKIN SWELLING EXTENSION AROUND

INCISION EXTENDS INTO PERIWOUND < 1

cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND

> 1 cm

-----------------------------------------------------------------

ABBREVIATION........INC SW >1

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around

Incision Extends into Periwound

Greater Than 1 cm

DISPLAY_NAME........Extends into Periwound More Than 1 cm

HELP_TEXT...........Skin Swelling Extension Around

Incision Extends into Periwound

Greater Than 1 cm

ID..................{106A2AD3-F482-4DEE-967E-6F06C6026944}

TERM................SKIN SWELLING EXTENSION AROUND

INCISION EXTENDS INTO PERIWOUND > 1

cm


DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT

-----------------------------------------------------------------

ABBREVIATION........INC SW FLU

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around

Incision Fluctuant

DISPLAY_NAME........Fluctuant

HELP_TEXT...........Skin Swelling Extension Around

Incision Fluctuant

ID..................{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

TERM................SKIN SWELLING EXTENSION AROUND

INCISION FLUCTUANT


DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND

--------------------------------------------------------------------

ABBREVIATION........INC SW LIM

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around

          Incision Limited to Wound

DISPLAY_NAME........Limited to Wound

HELP_TEXT...........Skin Swelling Extension Around

          Incision Limited to Wound

ID..................{B8503D54-6925-430E-8AB6-692412347D5D}

TERM................SKIN SWELLING EXTENSION AROUND

          INCISION LIMITED TO WOUND


DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION NONE

--------------------------------------------------------------------

ABBREVIATION........INC SW NON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........None

HELP_TEXT...........No Help Text

ID..................{54C9FC46-899C-460B-9524-D6F196B9FF31}

TERM................SKIN SWELLING EXTENSION AROUND

           INCISION NONE


DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1
cm

--------------------------------------------------------------------

ABBREVIATION........WOU SW <1

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around Wound

        Extends into Periwound Less Than 1 cm

DISPLAY_NAME........Extends into Periwound Less Than 1 cm

HELP_TEXT...........Skin Swelling Extension Around Wound

        Extends into Periwound Less Than 1 cm

ID..................{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}

TERM................SKIN SWELLING EXTENSION AROUND WOUND

        EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm

----------------------------------------------------------------------

ABBREVIATION........WOU SW >1

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

DISPLAY_NAME........Extends Into Periwound More Than 1 cm

HELP_TEXT...........Skin Swelling Extension Around Wound

Extends into Periwound Greater Than 1

cm

ID.................{EA6AC933-0737-4C28-9F31-D36F3452DA96}

TERM................SKIN SWELLING EXTENSION AROUND WOUND

EXTENDS INTO PERIWOUND > 1 cm


DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT

----------------------------------------------------------------------

ABBREVIATION........WOU SW FLU

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around Wound

Fluctuant

DISPLAY_NAME........Fluctant

HELP_TEXT...........Skin Swelling Extension Around Wound

Fluctuant

ID.................{DB5077E7-D339-4C87-B8CA-D16269DB2935}

TERM................SKIN SWELLING EXTENSION AROUND WOUND

FLUCTANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND

----------------------------------------------------------------------

ABBREVIATION........WOU SW LIM

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around Wound

        Limited to Wound

DISPLAY_NAME........Limted to Wound

HELP_TEXT...........Skin Swelling Extension Around Wound

        Limited to Wound

ID.................{413CD1EC-309C-45D0-A1E0-E829EA615E2A}

TERM................SKIN SWELLING EXTENSION AROUND WOUND

        LIMITED TO WOUND


DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND NONE

----------------------------------------------------------------------

ABBREVIATION........WOU SW NON

ACTIVE..............Yes

DESCRIPTION.........Skin Swelling Extension Around Wound

        None

DISPLAY_NAME........None

HELP_TEXT...........Skin Swelling Extension Around Wound

        None

ID.................{550E3B92-2C69-403B-A997-2DBE61374ABF}

TERM................SKIN SWELLING EXTENSION AROUND WOUND

        NONE


DATA VALUE: SKIN TEAR

----------------------------------------------------------------------

ABBREVIATION........SKIN TEAR

ACTIVE..............Yes

DESCRIPTION.........Skin Tear

DISPLAY_NAME........Skin Tear

HELP_TEXT...........No Help Text

ID.................{2E230C6E-119F-4F9F-8797-2FFA9D76F337}

TERM................SKIN TEAR

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERAT
URE

--------------------------------------------------------------------

ABBREVIATION........INC TP CON

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Incision Site

Consistent with Body Temperature

DISPLAY_NAME........Skin Temperature at Incision Site

Consistent with Body Temperature

HELP_TEXT...........Skin Temperature at Incision Site

Consistent with Body Temperature

ID..................{D349175A-4B20-4243-BE40-E01E50C5583F}

TERM................SKIN TEMPERATURE AT INCISION SITE

CONSISTENT WITH BODY TEMPERATURE


DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMP
ERATURE

--------------------------------------------------------------------

ABBREVIATION........INC TP CBT

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Incision Site

Cooler than General Body Temperature

DISPLAY_NAME........Cooler Than General Body Temperature

HELP_TEXT...........Skin Temperature at Incision Site

Cooler than General Body Temperature

ID..................{D357C975-857D-4293-B3EF-EFA7A4586357}

TERM................SKIN TEMPERATURE AT INCISION SITE

COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PAR

T

-------------------------------------------------------------------

ABBREVIATION........INC TP COP

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Incision Site

Cooler than Opposite Body Part

DISPLAY_NAME........Cooler Than Opposite Body Part

HELP_TEXT...........Skin Temperature at Incision Site

Cooler than Opposite Body Part

ID..................{85307AD8-F730-43F0-BCB3-882594D9DDF8}

TERM................SKIN TEMPERATURE AT INCISION SITE

COOLER THAN OPPOSITE BODY PART


DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMP

ERATURE

-------------------------------------------------------------------

ABBREVIATION........WARM BD OP

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Incision Site

Warmer than General Body Temperture

DISPLAY_NAME........Warmer Than General Body Temp

HELP_TEXT...........Skin Temperature at Incision Site

Warmer than General Body Temperture

ID..................{5F888E9D-8F65-49ED-BC5D-F6F287A9D478}

TERM................SKIN TEMPERATURE AT INCISION SITE

WARMER THAN GENERAL BODY TEMPERATURE


DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PAR

T

--------------------------------------------------------------------

ABBREVIATION........WARMER OP

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Incision Site

Warmer than Opposite Body Part

DISPLAY_NAME........Warmer Than Opposite Body Part

HELP_TEXT...........Skin Temperature at Incision Site

Warmer than Opposite Body Part

ID.................{F518787A-325A-45F3-82B4-73C856802073}

TERM................SKIN TEMPERATURE AT INCISION SITE

WARMER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE

-------------------------------------------------------------------

ABBREVIATION........WOU TP CBT

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Wound Site

       Consistent with Body Temperature

DISPLAY_NAME........Consistent With Body Temperature

HELP_TEXT...........Skin Temperature at Wound Site

       Consistent with Body Temperature

ID..................{672D56C1-D1A3-4DDF-8815-F05DEE197061}

TERM................SKIN TEMPERATURE AT WOUND SITE

       CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERA

TURE

-------------------------------------------------------------------

ABBREVIATION........WOU TP CGB

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Wound Site Cooler

       than General Body Temp

DISPLAY_NAME........Cooler Than General Body Temperature

HELP_TEXT...........Skin Temperature at Wound Site Cooler

       than General Body Temp

ID..................{7203993E-3334-44EC-9FD9-14224253283D}

TERM................SKIN TEMPERATURE AT WOUND SITE COOLER

       THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART

----------------------------------------------------------------

ABBREVIATION........WOU TP COB

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Wound Site Cooler

        than Opposite Body Part

DISPLAY_NAME........Cooler Than Opposite Body Part

HELP_TEXT...........Skin Temperature at Wound Site Cooler

        than Opposite Body Part

ID.................{A904C666-2810-4211-B53A-2961DCE6894E}

TERM...............SKIN TEMPERATURE AT WOUND SITE COOLER

        THAN OPPOSITE BODY PART


DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE

----------------------------------------------------------------

ABBREVIATION........WOU TP WGB

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Wound Site Warmer

        than General Body Temperature

DISPLAY_NAME........Warmer Than General Body Temperature

HELP_TEXT...........Skin Temperature at Wound Site Warmer

        than General Body Temperature

ID.................{03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}

TERM...............SKIN TEMPERATURE AT WOUND SITE WARMER

        THAN GENERAL BODY TEMPERATURE


DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART

----------------------------------------------------------------

ABBREVIATION........WOU TP WOB

ACTIVE..............Yes

DESCRIPTION.........Skin Temperature at Wound Site Warmer

than Opposite Body Part

DISPLAY_NAME........Warmer Than Opposite Body Part

HELP_TEXT...........Skin Temperature at Wound Site Warmer

than Opposite Body Part

ID..................{6290BD23-24BF-4A3A-8555-DCE52D2274B3}

TERM................SKIN TEMPERATURE AT WOUND SITE WARMER

THAN OPPOSITE BODY PART

DATA VALUE: SKIN TRAUMA

----------------------------------------------------------------

ABBREVIATION........SKIN TRAUM

ACTIVE..............Yes

DESCRIPTION.........Skin Trauma

DISPLAY_NAME........Skin Trauma

HELP_TEXT...........No Help Text

ID.................{91C8EE13-2C4A-468C-94EB-C53E0D153EBA}

TERM................SKIN TRAUMA


DATA VALUE: SKIN WARM AND DRY COLOR APPROPRIATE

----------------------------------------------------------------

ABBREVIATION........S W A DR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Skin Warm and Dry, Color Appropriate

       to Baseline

HELP_TEXT...........No Help Text

ID.................{9637D510-C199-4969-8F2D-0A499151E22B}

TERM................SKIN WARM AND DRY COLOR APPROPRIATE


DATA VALUE: SKIN WOUND CLOSURE APPROXIMATED

----------------------------------------------------------------

ABBREVIATION........WOU CL APP

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Approximated

DISPLAY_NAME........Approximated

HELP_TEXT...........Skin Wound Closure Approximated

ID.................{83D48E0F-8643-436B-9ECC-80795857C322}

TERM................SKIN WOUND CLOSURE APPROXIMATED


DATA VALUE: SKIN WOUND CLOSURE DEHISCENCE

----------------------------------------------------------------------

ABBREVIATION........WOU CL DEH

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Dehiscence

DISPLAY_NAME........Dehiscence

HELP_TEXT...........Skin Wound Closure Dehiscence

ID.................{425A460F-19C0-4A4A-8E4E-712C66968C38}

TERM................SKIN WOUND CLOSURE DEHISCENCE


DATA VALUE: SKIN WOUND CLOSURE GLUE

----------------------------------------------------------------------

ABBREVIATION........WOU CL GLU

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Glue

DISPLAY_NAME........Glue

HELP_TEXT...........Skin Wound Closure Glue

ID.................{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}

TERM................SKIN WOUND CLOSURE GLUE

DATA VALUE: SKIN WOUND CLOSURE NOT CLOSED

--------------------------------------------------------------------

ABBREVIATION........WOU CL NOT

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Not Closed

DISPLAY_NAME........Not Closed

HELP_TEXT...........Skin Wound Closure Not Closed

ID.................{0E69F1FA-35F6-4F34-8547-CC3602670A7B}

TERM................SKIN WOUND CLOSURE NOT CLOSED


DATA VALUE: SKIN WOUND CLOSURE OPEN WOUND

--------------------------------------------------------------------

ABBREVIATION........WOU CL OPE

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Open Wound

DISPLAY_NAME........Open Wound

HELP_TEXT...........Skin Wound Closure Open Wound

ID.................{C6F2AD2C-932F-434A-8A7A-513029092FFD}

TERM................SKIN WOUND CLOSURE OPEN WOUND


DATA VALUE: SKIN WOUND CLOSURE STAPLES

--------------------------------------------------------------------

ABBREVIATION........WOU CL STA

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Staples

DISPLAY_NAME........Staples

HELP_TEXT...........Skin Wound Closure Staples

ID.................{FE04BFE3-DF81-48E7-9FA1-1CFCF4ECAD71}

TERM................SKIN WOUND CLOSURE STAPLES


DATA VALUE: SKIN WOUND CLOSURE STERI-STRIPS

----------------------------------------------------------------------

ABBREVIATION........WOU CL STE

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Steri - Strips

DISPLAY_NAME........Steri-Strips

HELP_TEXT...........Skin Wound Closure Steri-Strips

ID.................{AD451791-6B49-4A51-ABC3-796D08BEF910}

TERM................SKIN WOUND CLOSURE STERI-STRIPS


DATA VALUE: SKIN WOUND CLOSURE SUTURES

----------------------------------------------------------------------

ABBREVIATION........WOU CL SUT

ACTIVE..............Yes

DESCRIPTION.........Skin Wound Closure Sutures

DISPLAY_NAME........Sutures

HELP_TEXT...........Skin Wound Closure Sutures

ID.................{F2840AE4-216B-477C-9FE6-DC91E8CE5364}

TERM................SKIN WOUND CLOSURE SUTURES

DATA VALUE: SLEEPING

--------------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sleeping

HELP_TEXT...........No Help Text

ID.................{87338420-F351-F98C-7A80-4990B87ACE2B}

TERM................SLEEPING


DATA VALUE: SLEEPS POORLY

--------------------------------------------------------------------

ABBREVIATION........sp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sleeps Poorly

HELP_TEXT...........No Help Text

ID.................{AB9424B4-D0B1-148B-C800-FF535F3FAC84}

TERM................SLEEPS POORLY


DATA VALUE: SLEPT WELL

--------------------------------------------------------------------

ABBREVIATION........SLEPT WELL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........States Has Slept Well

HELP_TEXT...........No Help Text

ID.................{18573E82-568F-4D2E-B9E1-6E4589EBEE2D}

TERM................SLEPT WELL


DATA VALUE: SLIDING BOARD

----------------------------------------------------------------------

ABBREVIATION........SlideBoard

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sliding Board

HELP_TEXT...........

ID.................{53DC7B5B-CDA9-4A8C-B18E-670EB15036A4}

TERM................SLIDING BOARD


DATA VALUE: SLIGHT

----------------------------------------------------------------------

ABBREVIATION........SLIGHT

ACTIVE..............Yes

DESCRIPTION.........Slight

DISPLAY_NAME........Slight

HELP_TEXT...........Slight

ID.................{805549C1-5DC5-4A2D-BC1F-046E44928843}

TERM................SLIGHT

DATA VALUE: SLING

-----------------------------------------------------------------

ABBREVIATION........Sling

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sling

HELP_TEXT...........

ID.................{7BFFE3AC-3FDE-4A91-AB16-0703251914C0}

TERM................SLING


DATA VALUE: SLING TRACTION

-----------------------------------------------------------------

ABBREVIATION........SLING TRAC

ACTIVE..............Yes

DESCRIPTION.........Sling Traction

DISPLAY_NAME........Sling Traction

HELP_TEXT...........Sling Traction

ID.................{304E924C-C95A-4DBE-B30B-191BC4D26EF7}

TERM................SLING TRACTION


DATA VALUE: SLOUGH

-----------------------------------------------------------------

ABBREVIATION........SLOUGH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Slough

HELP_TEXT...........No Help Text

ID.................{548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}

TERM................SLOUGH

DATA VALUE: SLOW, WIDE BASE, SHORT STEPS

--------------------------------------------------------------------

ABBREVIATION........Slow Steps

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Slow, Wide Base, Short Steps

HELP_TEXT...........

ID.................{618C0922-57BD-4DF3-BAF0-6CF91E7309C8}

TERM................SLOW, WIDE BASE, SHORT STEPS

DATA VALUE: SLUGGISH

--------------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sluggish

HELP_TEXT...........No Help Text

ID.................{3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}

TERM................SLUGGISH

DATA VALUE: SLURRED

-------------------------------------------------------------------

ABBREVIATION........Slurred

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Slurred

HELP_TEXT...........

ID.................{4C31C626-B013-48EA-AD2C-70EBBE945AA3}

TERM................SLURRED


DATA VALUE: SLURRED SPEECH

-------------------------------------------------------------------

ABBREVIATION........Slurred Sp

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Slurred Speech

HELP_TEXT...........

ID.................{6C3D295A-71C9-4DA8-A172-995F431D94C9}

TERM................SLURRED SPEECH


DATA VALUE: SMALL

-------------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Small

HELP_TEXT...........No Help Text

ID.................{5991F892-B28C-3998-E733-D8FFA26D7E21}

TERM................SMALL

DATA VALUE: SMALL BORE FEEDING TUBE

-------------------------------------------------------------------

ABBREVIATION........SM BO TUBE

ACTIVE..............Yes

DESCRIPTION.........Small Bore Feeding Tube

DISPLAY_NAME........Small Bore Feeding Tube

HELP_TEXT...........No Help Text

ID.................{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}

TERM................SMALL BORE FEEDING TUBE

DATA VALUE: SMEAR

-------------------------------------------------------------------

ABBREVIATION........SMEAR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Smear

HELP_TEXT...........No Help Text

ID.................{4B99BBD3-443E-4954-8ADE-5FB3EE50540A}

TERM................SMEAR

DATA VALUE: SMOKING AREA

--------------------------------------------------------------------

ABBREVIATION........sa

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Smoking Area

HELP_TEXT...........No Help Text

ID.................{8AFDBCB0-9FC8-523F-5D07-4D8CCBA7036F}

TERM................SMOKING AREA


DATA VALUE: SMOKING PORCH

--------------------------------------------------------------------

ABBREVIATION........sp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Smoking Porch

HELP_TEXT...........No Help Text

ID.................{5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}

TERM................SMOKING PORCH


DATA VALUE: SMOOTH

--------------------------------------------------------------------

ABBREVIATION........SMOOTH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Smooth

HELP_TEXT...........No Help Text

ID.................{5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

TERM................SMOOTH


DATA VALUE: SNACK

-------------------------------------------------------------------

ABBREVIATION........SNACK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Snack

HELP_TEXT...........No Help Text

ID.................{60B77974-4102-4511-A105-E24850B924D8}

TERM................SNACK


DATA VALUE: SNACK - AM

-------------------------------------------------------------------

ABBREVIATION........Snack - AM

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Snack - AM

HELP_TEXT...........

ID.................{CBF0AFB1-AF1D-4C04-931F-3508D0472E70}

TERM................SNACK - AM

DATA VALUE: SNACK - HS

----------------------------------------------------------------

ABBREVIATION........Snack - HS

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Snack - HS

HELP_TEXT...........

ID.................{861B5B9A-D59F-46D2-BA96-4BEAA50654CE}

TERM................SNACK - HS


DATA VALUE: SNACK - OTHER

----------------------------------------------------------------

ABBREVIATION........Snack - Ot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Snack - Other

HELP_TEXT...........

ID.................{CDEE1A83-4546-4A81-AA12-5D27DF743E68}

TERM................SNACK - OTHER


DATA VALUE: SNACK - PM

----------------------------------------------------------------

ABBREVIATION........Snack - PM

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Snack - PM

HELP_TEXT...........

ID.................{883C1241-38DA-4C6C-BF3C-CCF3B2378560}

TERM................SNACK - PM


DATA VALUE: SNORES

----------------------------------------------------------------------

ABBREVIATION........Snores

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Snores

HELP_TEXT...........

ID.................{69FE4ECF-E1FE-4235-AD44-5AF9E634E000}

TERM................SNORES


DATA VALUE: SODIUM CONTROLLED

----------------------------------------------------------------------

ABBREVIATION........Sod Contrl

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sodium Controlled

HELP_TEXT...........

ID.................{FF4CB6F0-4EEC-43F3-B4DF-4169F3C3B170}

TERM................SODIUM CONTROLLED

DATA VALUE: SODIUM CONTROLLED 2 GM

-----------------------------------------------------------------

ABBREVIATION........SOD CONT 2

ACTIVE..............Yes

DESCRIPTION.........Sodium Controlled 2 GM

DISPLAY_NAME........Sodium Controlled 2 GM

HELP_TEXT...........No Help Text

ID.................{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}

TERM................SODIUM CONTROLLED 2 GM

DATA VALUE: SODIUM CONTROLLED 4 GM

-----------------------------------------------------------------

ABBREVIATION........SOD CON 4G

ACTIVE..............Yes

DESCRIPTION.........Sodium Controlled 4 GM Diet

DISPLAY_NAME........Sodium Controlled 4 GM

HELP_TEXT...........No Help Text

ID.................{26538A2F-5502-4D94-A2A7-D9E0BF825C47}

TERM................SODIUM CONTROLLED 4 GM

DATA VALUE: SOFT

-----------------------------------------------------------------

ABBREVIATION........SOFT

ACTIVE..............Yes

DESCRIPTION.........Soft

DISPLAY_NAME........Soft

HELP_TEXT...........No Help Text

ID.................{E68B4D4B-B86B-4004-A861-986645267F6E}

TERM................SOFT


DATA VALUE: SOMNOLENT

--------------------------------------------------------------------

ABBREVIATION........Somnolent

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Somnolent

HELP_TEXT...........

ID.................{008A3F20-DD3D-4775-AA18-CCA7B817A77D}

TERM................SOMNOLENT


DATA VALUE: SPEAKING VALVE

--------------------------------------------------------------------

ABBREVIATION........SpeakValve

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Speaking Valve

HELP_TEXT...........

ID.................{DB3DE301-C965-4566-B43C-7CC8D8F04252}

TERM................SPEAKING VALVE

DATA VALUE: SPECIAL PROCEDURE ROOM

---------------------------------------------------------------------

ABBREVIATION........Special Rm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Special Procedure Room

HELP_TEXT...........

ID.................{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}

TERM................SPECIAL PROCEDURE ROOM


DATA VALUE: SPECIALTY MATTRESS/BED

---------------------------------------------------------------------

ABBREVIATION........Specialty

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Specialty Mattress/Bed

HELP_TEXT...........

ID.................{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}

TERM................SPECIALTY MATTRESS/BED


DATA VALUE: SPINAL

---------------------------------------------------------------------

ABBREVIATION........Spinal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Spinal

HELP_TEXT...........

ID.................{AC02181C-0A2C-4F7A-B983-B32EF1BCD150}

TERM................SPINAL

DATA VALUE: SPINE

--------------------------------------------------------------------

ABBREVIATION........Spine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Spine

HELP_TEXT...........

ID.................{8907E33B-B967-45F1-AB1F-1A4F79D1C506}

TERM................SPINE

DATA VALUE: SPIRITUAL

--------------------------------------------------------------------

ABBREVIATION........SPIRITUAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Spiritual

HELP_TEXT...........No Help Text

ID.................{9670E2B9-6938-4487-A857-25546775B7A2}

TERM................SPIRITUAL

DATA VALUE: SPLINT

----------------------------------------------------------------

ABBREVIATION........Splint

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Splint

HELP_TEXT...........

ID.................{9552B268-2387-4424-985F-A25B1BD6BF2F}

TERM................SPLINT


DATA VALUE: SPLINTING

----------------------------------------------------------------

ABBREVIATION........SPLINTING

ACTIVE..............Yes

DESCRIPTION.........Splinting

DISPLAY_NAME........Splinting

HELP_TEXT...........No Help Text

ID.................{D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}

TERM................SPLINTING


DATA VALUE: SPLINTS/TRACTION

----------------------------------------------------------------

ABBREVIATION........Splints/Tr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Splints/Traction

HELP_TEXT...........

ID.................{F4679AF8-FC72-4C80-9EC5-29AA64A2F2C4}

TERM................SPLINTS/TRACTION

DATA VALUE: SPONTANEOUS

--------------------------------------------------------------------

ABBREVIATION........SPONTANEOU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Spontaneous

HELP_TEXT...........No Help Text

ID.................{C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

TERM................SPONTANEOUS

DATA VALUE: SPOONING

--------------------------------------------------------------------

ABBREVIATION........SPOONING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Spooning

HELP_TEXT...........No Help Text

ID.................{CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

TERM................SPOONING

DATA VALUE: SPOUSE

----------------------------------------------------------------

ABBREVIATION........Spouse

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Spouse

HELP_TEXT...........

ID.................{2C601365-23F9-4939-9B63-F73720A17199}

TERM................SPOUSE


DATA VALUE: SQ EMPHYSEMA

----------------------------------------------------------------

ABBREVIATION........SQ EMPHYS.

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Subcutaneous Emphysema

HELP_TEXT...........No Help Text

ID.................{B8D03538-0168-4CDC-FF41-BA1185EBCC87}

TERM................SQ EMPHYSEMA


DATA VALUE: SQUARE

----------------------------------------------------------------

ABBREVIATION........SQUARE

ACTIVE..............Yes

DESCRIPTION.........Square

DISPLAY_NAME........Square

HELP_TEXT...........Square

ID.................{63F70678-2CAF-48E8-964D-2805D8B9A43B}

TERM................SQUARE

DATA VALUE: SQUEEZING

--------------------------------------------------------------------

ABBREVIATION........SQUEEZING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Squeezing

HELP_TEXT...........No Help Text

ID..................{A148587A-1B99-4D0D-B11E-87ADC3D2A811}

TERM................SQUEEZING

DATA VALUE: STABBING

--------------------------------------------------------------------

ABBREVIATION........STABBING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stabbing

HELP_TEXT...........No Help Text

ID..................{684640D5-B3AB-47DA-98D8-5434ABF22B7E}

TERM................STABBING

DATA VALUE: STABLE

----------------------------------------------------------------

ABBREVIATION........STABLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stable

HELP_TEXT...........No Help Text

ID.................{A474E7BC-47EF-4472-A19A-172C441099EC}

TERM................STABLE


DATA VALUE: STABLE BP AND PULSE

----------------------------------------------------------------

ABBREVIATION........Stable BP

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stable BP and Pulse

HELP_TEXT...........

ID.................{F07C2F54-1182-4377-A33A-F529884013E8}

TERM................STABLE BP AND PULSE


DATA VALUE: STAFF

----------------------------------------------------------------

ABBREVIATION........STAFF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Staff

HELP_TEXT...........No Help Text

ID.................{BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}

TERM................STAFF


DATA VALUE: STAGE 3 OR 4 PRESSURE ULCER

-------------------------------------------------------------------

ABBREVIATION........Press Ulce

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stage 3 or 4 Pressure Ulcer

HELP_TEXT...........

ID.................{883029EF-BB3A-4146-95DD-3C6F1C0D097D}

TERM................STAGE 3 OR 4 PRESSURE ULCER


DATA VALUE: STAGE I

-------------------------------------------------------------------

ABBREVIATION........STAGE I

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stage I

HELP_TEXT...........No Help Text

ID.................{B376AAAF-7143-4422-BCA2-CACF1201817C}

TERM................STAGE I

DATA VALUE: STAGE II

----------------------------------------------------------------

ABBREVIATION........STAGE II

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stage II

HELP_TEXT...........No Help Text

ID.................{B520BEA3-841E-490A-A3CD-63D1027B561F}

TERM................STAGE II


DATA VALUE: STAGE III

----------------------------------------------------------------

ABBREVIATION........STAGE III

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stage III

HELP_TEXT...........No Help Text

ID.................{A2F0866C-ECEE-4FCD-A34B-498232662D7E}

TERM................STAGE III


DATA VALUE: STAGE IV

----------------------------------------------------------------

ABBREVIATION........STAGE IV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stage IV

HELP_TEXT...........No Help Text

ID.................{284334AA-E488-4D45-93EF-9B93B2086A63}

TERM................STAGE IV


DATA VALUE: STAGGERING GAIT

----------------------------------------------------------------------

ABBREVIATION........Staggering

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Staggering Gait

HELP_TEXT...........

ID.................{676C5784-9ABC-4DBE-B2E6-FC5EA040A662}

TERM................STAGGERING GAIT


DATA VALUE: STAGGERING, WIDE BASED

----------------------------------------------------------------------

ABBREVIATION........Staggering

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Staggering, Wide Based

HELP_TEXT...........

ID.................{2E79C273-2E13-4DD2-BFB5-B84EA2D273C4}

TERM................STAGGERING, WIDE BASED

DATA VALUE: STAMMERING

-----------------------------------------------------------------

ABBREVIATION........Stammering

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stammering

HELP_TEXT...........

ID.................{D01420BA-5B54-4F1D-B532-8A647D909948}

TERM................STAMMERING


DATA VALUE: STANDARD

-----------------------------------------------------------------

ABBREVIATION........STANDARD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........STANDARD

HELP_TEXT...........No Help Text

ID.................{C4B8C06D-BFFE-4438-A43D-926F039E5EE1}

TERM................STANDARD


DATA VALUE: STANDARD PRESSURE REDUCTION

-----------------------------------------------------------------

ABBREVIATION........STAN P RED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Standard Pressure Reduction

HELP_TEXT...........No Help Text

ID.................{556537CD-A84D-4493-81F6-51CBD844B5B7}

TERM...............STANDARD PRESSURE REDUCTION

DATA VALUE: STAPLES

----------------------------------------------------------------------

ABBREVIATION........STAPLES

ACTIVE..............Yes

DESCRIPTION.........Staples to close a wound

DISPLAY_NAME........Staples

HELP_TEXT...........No Help Text

ID.................{344DBBE0-5A94-4E18-BC97-BD7767A83E36}

TERM................STAPLES

DATA VALUE: STARE

----------------------------------------------------------------------

ABBREVIATION........Stare

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stare

HELP_TEXT...........

ID.................{558CBBCE-8857-4198-AC68-62CB0523B267}

TERM................STARE

DATA VALUE: START TIME:

--------------------------------------------------------------------

ABBREVIATION........Start Time

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Start Time:

HELP_TEXT...........When entering data, make sure the

              save date/time reflects the start

              time.

ID..................{4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}

TERM................START TIME:


DATA VALUE: STARTED

--------------------------------------------------------------------

ABBREVIATION........STARTED

ACTIVE..............Yes

DESCRIPTION.........Started

DISPLAY_NAME........Started

HELP_TEXT...........No Help Text

ID..................{D6E105C4-5EAD-424E-8E4C-195EB7783A3D}

TERM................STARTED


DATA VALUE: STARTED ON LEFT

--------------------------------------------------------------------

ABBREVIATION........sol

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Started On Left

HELP_TEXT...........No Help Text

ID.................{AA6767EE-57F6-F565-76E9-EB219644492F}

TERM................STARTED ON LEFT


DATA VALUE: STARTED ON RIGHT

--------------------------------------------------------------------

ABBREVIATION........sor

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Started On Right

HELP_TEXT...........No Help Text

ID.................{0C690E36-E710-244D-44FC-5DB5BCC0FF7E}

TERM................STARTED ON RIGHT


DATA VALUE: STEADY

--------------------------------------------------------------------

ABBREVIATION........Steady

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Steady

HELP_TEXT...........

ID.................{42CF2FDA-E774-4784-99D3-24545E30C46F}

TERM................STEADY

DATA VALUE: STEADY GAIT OR BASELINE

-------------------------------------------------------------------

ABBREVIATION........ST GA BA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Steady Gait or Baseline

HELP_TEXT...........No Help Text

ID.................{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}

TERM................STEADY GAIT OR BASELINE


DATA VALUE: STEP DOWN

-------------------------------------------------------------------

ABBREVIATION........STEP DOW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Step Down

HELP_TEXT...........No Help Text

ID.................{F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}

TERM................STEP DOWN


DATA VALUE: STERILE GLOVES-DRAPES USED

-------------------------------------------------------------------

ABBREVIATION........Ster Glove

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sterile Gloves-Drapes Used

HELP_TEXT...........

ID.................{F26BBB1B-1483-40CD-AC47-828F71B9187C}

TERM................STERILE GLOVES-DRAPES USED


DATA VALUE: STIFFNESS

---------------------------------------------------------------------

ABBREVIATION........Stiffness

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stiffness

HELP_TEXT...........

ID.................{0473BB8B-7912-4191-93BF-8662F30199EC}

TERM................STIFFNESS


DATA VALUE: STINGING

---------------------------------------------------------------------

ABBREVIATION........STINGING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stinging

HELP_TEXT...........No Help Text

ID.................{DF235170-F501-4E8D-89DD-5A3C76F4B13B}

TERM................STINGING

DATA VALUE: STOMA BUTTON

--------------------------------------------------------------------

ABBREVIATION........StoButton

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stoma Button

HELP_TEXT...........

ID.................{8F01105E-AB8C-44F0-8F2C-A37D423C9310}

TERM................STOMA BUTTON


DATA VALUE: STOMA CARE

--------------------------------------------------------------------

ABBREVIATION........Stoma Care

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stoma Care

HELP_TEXT...........

ID.................{700D1811-5B1C-47DE-B0A7-EBF560B598FF}

TERM................STOMA CARE


DATA VALUE: STOMA ONLY

--------------------------------------------------------------------

ABBREVIATION........StomaOnly

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stoma Only

HELP_TEXT...........

ID.................{34B3AEE4-2B03-4B14-846D-C00FDA3415FC}

TERM................STOMA ONLY


DATA VALUE: STOOL MANAGEMENT SYSTEM

----------------------------------------------------------------------

ABBREVIATION........StManSys

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stool Management System

HELP_TEXT...........

ID.................{D707EA3E-3151-4F51-B1FD-E6BA2A0BE888}

TERM................STOOL MANAGEMENT SYSTEM


DATA VALUE: STOOL TOO FIRM TO DRAIN

----------------------------------------------------------------------

ABBREVIATION........Firm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stool Too Firm to Drain

HELP_TEXT...........

ID.................{A57DB5C7-A9F1-48B7-A6EA-1C6256C150BF}

TERM................STOOL TOO FIRM TO DRAIN

DATA VALUE: STOP TIME:

----------------------------------------------------------------

ABBREVIATION........Stop Time:

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stop Time:

HELP_TEXT...........When entering data, make sure the

         save date/time reflects the stop

         time.

ID..................{784CA4D8-988F-4A59-8AB5-48AFC9CA210B}

TERM................STOP TIME:


DATA VALUE: STOPCOCK CHANGE

----------------------------------------------------------------

ABBREVIATION........Stop Chg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stopcock Change

HELP_TEXT...........

ID..................{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

TERM................STOPCOCK CHANGE


DATA VALUE: STRAIGHT CATHETER

----------------------------------------------------------------

ABBREVIATION........STR. CATH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Straight Catheter

HELP_TEXT...........No Help Text

ID.................{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}

TERM................STRAIGHT CATHETER


DATA VALUE: STRETCHER

--------------------------------------------------------------------

ABBREVIATION........STRETCHE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stretcher

HELP_TEXT...........No Help Text

ID.................{93CB521A-3A67-41FB-A59C-3DD54D810B11}

TERM................STRETCHER


DATA VALUE: STRICT

--------------------------------------------------------------------

ABBREVIATION........STRICT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Strict

HELP_TEXT...........No Help Text

ID.................{5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}

TERM................STRICT

DATA VALUE: STRICT I&O

----------------------------------------------------------------

ABBREVIATION........Strict I&O

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Strict I&O

HELP_TEXT...........

ID.................{546545FA-2143-48CB-8B63-E960CCF1E8BA}

TERM................STRICT I&O


DATA VALUE: STRIDOR

----------------------------------------------------------------

ABBREVIATION........Stridor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stridor

HELP_TEXT...........

ID.................{58AFC8CE-A17C-4064-A8EB-F06D324C61CC}

TERM................STRIDOR


DATA VALUE: STROKE

----------------------------------------------------------------

ABBREVIATION........Stroke

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stroke

HELP_TEXT...........

ID.................{F0EE98A8-040F-4923-8A21-059DA7B17995}

TERM................STROKE

DATA VALUE: STRONG

-------------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Strong

HELP_TEXT...........No Help Text

ID..................{A12154E1-544E-F372-3839-0D44E5BC476B}

TERM................STRONG

DATA VALUE: STRYKER FRAME

-------------------------------------------------------------------

ABBREVIATION........STRYKER FR

ACTIVE..............Yes

DESCRIPTION.........Stryker Fram

DISPLAY_NAME........Stryker Frame

HELP_TEXT...........No Help Text

ID..................{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}

TERM................STRYKER FRAME

DATA VALUE: STUDENT

-------------------------------------------------------------------

ABBREVIATION........STUDENT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Student

HELP_TEXT...........No Help Text

ID.................{613AFF67-9121-4F6C-A44F-1ACFEF10E612}

TERM................STUDENT


DATA VALUE: STUPOROUS

-------------------------------------------------------------------

ABBREVIATION........Stuporous

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stuporous

HELP_TEXT...........

ID.................{4C25FF58-3346-4B06-ACE5-6ADB942877A8}

TERM................STUPOROUS


DATA VALUE: SUBCUTANEOUS TISSUE

-------------------------------------------------------------------

ABBREVIATION........SUBCUTAN T

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Subcutaneous Tissue

HELP_TEXT...........No Help Text

ID.................{D1345ED8-2CDB-4FD7-84B8-92C9E0872543}

TERM................SUBCUTANEOUS TISSUE


DATA VALUE: SUCTIONED

----------------------------------------------------------------------

ABBREVIATION........Suctioned

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Suctioned

HELP_TEXT...........

ID.................{D1EA37C9-C8F1-4306-8A86-3B839638712C}

TERM................SUCTIONED


DATA VALUE: SUCTIONED ONLY

----------------------------------------------------------------------

ABBREVIATION........SUCT ONLY

ACTIVE..............Yes

DESCRIPTION.........Suctioned Only

DISPLAY_NAME........Suctioned Only

HELP_TEXT...........No Help Text

ID.................{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}

TERM................SUCTIONED ONLY

DATA VALUE: SUICIDAL

----------------------------------------------------------------

ABBREVIATION........s

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Suicidal

HELP_TEXT...........No Help Text

ID.................{B104E9C7-A78E-82DC-49A4-19B94A639AFE}

TERM................SUICIDAL


DATA VALUE: SUICIDE RISK

----------------------------------------------------------------

ABBREVIATION........SuicideRsk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Suicide Risk

HELP_TEXT...........

ID.................{F8C476DB-B671-405D-9CD0-B3F79ACA78EE}

TERM................SUICIDE RISK


DATA VALUE: SUMP

----------------------------------------------------------------

ABBREVIATION........Sump

ACTIVE..............Yes

DESCRIPTION.........Sump Drain

DISPLAY_NAME........Sump Drain

HELP_TEXT...........No Help Text

ID.................{DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}

TERM................SUMP


DATA VALUE: SUPERVISION/SET-UP HELP

----------------------------------------------------------------------

ABBREVIATION........SUPERVISED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Supervision/Set-Up Help

HELP_TEXT...........No Help Text

ID.................{596D028B-B60D-4244-A1B0-882177C8D25F}

TERM................SUPERVISION/SET-UP HELP


DATA VALUE: SUPINE

----------------------------------------------------------------------

ABBREVIATION........SUPINE

ACTIVE..............Yes

DESCRIPTION.........Supine

DISPLAY_NAME........Supine

HELP_TEXT...........No Help Text

ID.................{A18F9534-17AF-47D7-8D14-2AA457A889BD}

TERM................SUPINE

DATA VALUE: SUPLENA

----------------------------------------------------------------

ABBREVIATION........Suplena

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Suplena

HELP_TEXT...........

ID.................{F606979A-083E-40C1-9EBB-EA56053EF5FD}

TERM................SUPLENA


DATA VALUE: SUPPER

----------------------------------------------------------------

ABBREVIATION........Supper

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Supper

HELP_TEXT...........

ID.................{9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}

TERM................SUPPER


DATA VALUE: SUPPORT GROUPS

----------------------------------------------------------------

ABBREVIATION........Supp Group

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Support Groups

HELP_TEXT...........

ID.................{7D67F542-4210-42FE-B083-7DA9D29055BD}

TERM................SUPPORT GROUPS


DATA VALUE: SUPPOSITORY

-------------------------------------------------------------------

ABBREVIATION........Suppositor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Suppository

HELP_TEXT...........

ID.................{B776C3BD-7E10-4A5D-BDA9-F346DB7C578F}

TERM................SUPPOSITORY


DATA VALUE: SUPRAPUBIC

-------------------------------------------------------------------

ABBREVIATION........SUPRAPUBIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Suprapubic

HELP_TEXT...........No Help Text

ID.................{69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}

TERM................SUPRAPUBIC

DATA VALUE: SUPRAVENTRICULAR TACHYCARDIA

---------------------------------------------------------------------

ABBREVIATION........st

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Supraventricular Tachycardia

HELP_TEXT...........No Help Text

ID.................{F712412F-D39A-58F7-E4F1-6AC8B77445D7}

TERM................SUPRAVENTRICULAR TACHYCARDIA


DATA VALUE: SURGICAL

---------------------------------------------------------------------

ABBREVIATION........SURGICAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Surgical

HELP_TEXT...........No Help-Text

ID.................{2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}

TERM................SURGICAL


DATA VALUE: SURGICAL DONOR

---------------------------------------------------------------------

ABBREVIATION........SURG DONOR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Surgical Donor

HELP_TEXT...........No Help Text

ID.................{F3EE10EA-5776-479B-A58C-F59D6526F90B}

TERM................SURGICAL DONOR

DATA VALUE: SURGICAL GRAFT

--------------------------------------------------------------------

ABBREVIATION........SURG GRAFT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Surgical Graft

HELP_TEXT...........No Help Text

ID.................{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}

TERM................SURGICAL GRAFT

DATA VALUE: SUSPECTED DEEP TISSUE INJURY

--------------------------------------------------------------------

ABBREVIATION........SUS DEEP T

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Suspected Deep Tissue Injury

HELP_TEXT...........No Help Text

ID.................{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}

TERM................SUSPECTED DEEP TISSUE INJURY

DATA VALUE: SUSPICIOUS

------------------------------------------------------------------

ABBREVIATION........Suspicious

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Suspicious

HELP_TEXT...........

ID.................{AE55ED4C-CC3C-4827-8634-9178297A3CEE}

TERM................SUSPICIOUS


DATA VALUE: SUTURES

------------------------------------------------------------------

ABBREVIATION........SUTURES

ACTIVE..............Yes

DESCRIPTION.........Sutures to close wound

DISPLAY_NAME........Sutures

HELP_TEXT...........No Help Text

ID.................{F6E3535E-2368-4014-8F4E-670EC0CB69A5}

TERM................SUTURES


DATA VALUE: SWOLLEN

------------------------------------------------------------------

ABBREVIATION........SWOLLEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Swollen

HELP_TEXT...........No Help Text

ID.................{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}

TERM................SWOLLEN


DATA VALUE: SYMPTOMS OF MEDICATION ALLERGY

---------------------------------------------------------------------

ABBREVIATION........Sym Med Al

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Symptoms of Medication Allergy

HELP_TEXT...........

ID.................{8E73F22D-7583-4F24-B946-091CF8508CED}

TERM................SYMPTOMS OF MEDICATION ALLERGY


DATA VALUE: SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION

---------------------------------------------------------------------

ABBREVIATION........SIMV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Synchronous Intermittent Mandatory

          Ventilation

HELP_TEXT...........No Help Text

ID.................{A606BB2B-5C00-FEA1-127F-1D3455AE5996}

TERM................SYNCHRONOUS INTERMITTENT MANDATORY

          VENTILATION

DATA VALUE: SYRINGE

----------------------------------------------------------------

ABBREVIATION........Syringe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Syringe

HELP_TEXT...........

ID.................{8ED1EF3E-79AC-4507-A35B-473F31510FB7}

TERM................SYRINGE


DATA VALUE: SYRINGE CHANGE

----------------------------------------------------------------

ABBREVIATION........Syr Chg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Syringe Change

HELP_TEXT...........

ID.................{1F052EF1-F62C-4442-8B2B-D15280226C69}

TERM................SYRINGE CHANGE


DATA VALUE: SYRINGE CHANGED

----------------------------------------------------------------

ABBREVIATION........SYR CHANGE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Syringe Changed

HELP_TEXT...........No Help Text

ID.................{BE84F060-7E03-49DD-A6BC-787375C8E1F1}

TERM................SYRINGE CHANGED


DATA VALUE: SYSTOLIC

----------------------------------------------------------------------

ABBREVIATION........SYSTOLIC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Systolic

HELP_TEXT...........No Help Text

ID.................{859B5700-0990-42FF-8129-8DB24EFDA8D1}

TERM................SYSTOLIC


DATA VALUE: SaO2% AT ACCEPTABLE LEVEL BY ORDERS

----------------------------------------------------------------------

ABBREVIATION........SaO2 by Or

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........SaO2% at Acceptable Level by Orders

HELP_TEXT...........

ID.................{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}

TERM................SaO2% AT ACCEPTABLE LEVEL BY ORDERS

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL

------------------------------------------------------------------

ABBREVIATION........SaO2 w/Pre

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........SaO2% at Acceptable Level with

             Prescribed O2 Level

HELP_TEXT...........

ID.................{8DE3440F-8049-4846-89D6-2E2DDEEA362C}

TERM................SaO2% AT ACCEPTABLE LEVEL WITH

             PRESCRIBED O2 LEVEL


DATA VALUE: T WAVE NORMAL

------------------------------------------------------------------

ABBREVIATION........T Normal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T Wave Normal

HELP_TEXT...........

ID.................{57AF62FB-DE31-4AF4-9EAA-04B2E46F05E0}

TERM................T WAVE NORMAL


DATA VALUE: T1

------------------------------------------------------------------

ABBREVIATION........T1

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T1

HELP_TEXT...........

ID..................{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}

TERM................T1


DATA VALUE: T10

-------------------------------------------------------------------

ABBREVIATION........T10

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T10

HELP_TEXT...........

ID..................{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}

TERM................T10


DATA VALUE: T11

-------------------------------------------------------------------

ABBREVIATION........T11

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T11

HELP_TEXT...........

ID..................{3C40B21A-965B-48C4-A65D-9A01CF2327F1}

TERM................T11

DATA VALUE: T12

----------------------------------------------------------------

ABBREVIATION........T12

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T12

HELP_TEXT...........

ID.................{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}

TERM................T12


DATA VALUE: T2

----------------------------------------------------------------

ABBREVIATION........T2

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T2

HELP_TEXT...........

ID.................{7536B154-F3CA-4B21-8CEC-301F204B19A9}

TERM................T2


DATA VALUE: T3

----------------------------------------------------------------

ABBREVIATION........T3

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T3

HELP_TEXT...........

ID.................{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}

TERM................T3


DATA VALUE: T4

-------------------------------------------------------------------

ABBREVIATION........T4

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T4

HELP_TEXT...........

ID.................{E95970BB-3FDA-4027-AAF0-EE5670642321}

TERM................T4


DATA VALUE: T5

-------------------------------------------------------------------

ABBREVIATION........T5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T5

HELP_TEXT...........

ID.................{01B568D4-F9F4-44A7-94A4-EFF830691940}

TERM................T5

DATA VALUE: T6

-------------------------------------------------------------------

ABBREVIATION........T6

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T6

HELP_TEXT...........

ID.................{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}

TERM................T6


DATA VALUE: T7

-------------------------------------------------------------------

ABBREVIATION........T7

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T7

HELP_TEXT...........

ID.................{385B254A-F256-4626-9C12-7D8984F4B605}

TERM................T7


DATA VALUE: T8

-------------------------------------------------------------------

ABBREVIATION........T8

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T8

HELP_TEXT...........

ID.................{68337EB5-902D-4DCB-AFDD-8AC59849F58B}

TERM................T8

DATA VALUE: T9

-------------------------------------------------------------------

ABBREVIATION........T9

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........T9

HELP_TEXT...........

ID.................{06F10D8D-2E9D-454D-AD6B-B750300523DD}

TERM................T9

DATA VALUE: TACTILE HALLUCINATIONS

-------------------------------------------------------------------

ABBREVIATION........Tac Halluc

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tactile Hallucinations

HELP_TEXT...........

ID.................{7DF6ACCF-20A9-46EB-93D2-7BB17F27920A}

TERM................TACTILE HALLUCINATIONS

DATA VALUE: TALKATIVE

-------------------------------------------------------------------

ABBREVIATION........Talkative

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Talkative

HELP_TEXT...........

ID.................{E9BF2028-E7A7-4B16-B1E6-411856997A14}

TERM................TALKATIVE


DATA VALUE: TAN

-------------------------------------------------------------------

ABBREVIATION........TAN

ACTIVE..............Yes

DESCRIPTION.........The color tan

DISPLAY_NAME........Tan

HELP_TEXT...........The color tan

ID.................{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}

TERM................TAN


DATA VALUE: TAPE BURN

-------------------------------------------------------------------

ABBREVIATION........TAPE BURN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tape Burn

HELP_TEXT...........No Help Text

ID.................{DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}

TERM................TAPE BURN


DATA VALUE: TARRY

---------------------------------------------------------------------

ABBREVIATION........TARRY

ACTIVE..............Yes

DESCRIPTION.........Tarry in appearance

DISPLAY_NAME........Tarry

HELP_TEXT...........No Help Text

ID.................{09364271-6307-471F-A334-A8F7E051EF46}

TERM................TARRY


DATA VALUE: TEA

---------------------------------------------------------------------

ABBREVIATION........TEA

ACTIVE..............Yes

DESCRIPTION.........Tea

DISPLAY_NAME........Tea

HELP_TEXT...........Tea

ID.................{E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

TERM................TEA

DATA VALUE: TECH

-------------------------------------------------------------------

ABBREVIATION........Tech

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tech

HELP_TEXT...........

ID.................{13AAF5D5-FEBC-4E09-B972-5D86BA02F307}

TERM................TECH


DATA VALUE: TEETH BRUSHED

-------------------------------------------------------------------

ABBREVIATION........TEETH BRUS

ACTIVE..............Yes

DESCRIPTION.........Teeth Brushed

DISPLAY_NAME........Teeth Brushed

HELP_TEXT...........No Help Text

ID.................{20841794-6E6D-4262-B1FE-9E3F20F8CC49}

TERM................TEETH BRUSHED


DATA VALUE: TEMPORARY (TRANSVENOUS)

-------------------------------------------------------------------

ABBREVIATION........tt

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Temporary (Transvenous)

HELP_TEXT...........No Help Text

ID.................{F6A74188-3D79-D749-540F-4EA32201B0E6}

TERM................TEMPORARY (TRANSVENOUS)

DATA VALUE: TENACIOUS

---------------------------------------------------------------------

ABBREVIATION........TENACIOUS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tenacious

HELP_TEXT...........No Help Text

ID.................{EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}

TERM................TENACIOUS

DATA VALUE: TENDER

---------------------------------------------------------------------

ABBREVIATION........TENDER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tender

HELP_TEXT...........No Help Text

ID.................{30486CC7-3097-4F95-9238-FD6C2126CD10}

TERM................TENDER

DATA VALUE: TENDERNESS

-----------------------------------------------------------------

ABBREVIATION........Tenderness

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tenderness

HELP_TEXT...........

ID.................{2C554B2D-2CCE-4E39-B02B-44AE156D2404}

TERM................TENDERNESS


DATA VALUE: TENDON

-----------------------------------------------------------------

ABBREVIATION........TENDON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tendon

HELP_TEXT...........No Help Text

ID.................{40628D33-E217-4D39-9A82-4C8D7702576F}

TERM................TENDON


DATA VALUE: TENS

-----------------------------------------------------------------

ABBREVIATION........TENS

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........TENS

HELP_TEXT...........

ID.................{73D73BCF-D9C3-4154-8C5C-D11E62A2D328}

TERM................TENS

DATA VALUE: THICK

-----------------------------------------------------------------

ABBREVIATION........THICK

ACTIVE..............Yes

DESCRIPTION.........Thick

DISPLAY_NAME........Thick

HELP_TEXT...........No Help Text

ID..................{1554A49E-1468-46B2-F851-531DDB1D1A98}

TERM................THICK

DATA VALUE: THIGH

-----------------------------------------------------------------

ABBREVIATION........THIGH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Thigh

HELP_TEXT...........No Help Text

ID..................{65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}

TERM................THIGH

DATA VALUE: THIN

--------------------------------------------------------------------

ABBREVIATION........THIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Thin

HELP_TEXT...........No Help Text

ID.................{CB8D8B5C-E824-D030-1241-D8EB814671E9}

TERM................THIN


DATA VALUE: THIRD DEGREE AV BLOCK

--------------------------------------------------------------------

ABBREVIATION........tdab

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Third Degree Av Block

HELP_TEXT...........No Help Text

ID.................{1AC7E31B-830E-2309-3AF7-8FB03003DD86}

TERM................THIRD DEGREE AV BLOCK


DATA VALUE: THORACIC

--------------------------------------------------------------------

ABBREVIATION........Thoracic

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Thoracic

HELP_TEXT...........

ID.................{CAC9637E-6CBC-4F12-BF5B-72EDD2148579}

TERM................THORACIC


DATA VALUE: THORACIC SPINAL PRECAUTIONS

---------------------------------------------------------------------

ABBREVIATION........THOR S P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Thoracic Spinal Precautions

HELP_TEXT...........No Help Text

ID.................{D55AEF23-7F5E-45DD-A178-F217E6AF3873}

TERM................THORACIC SPINAL PRECAUTIONS


DATA VALUE: THREADS

---------------------------------------------------------------------

ABBREVIATION........Threads

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Threads

HELP_TEXT...........

ID.................{029BB303-B428-41D0-978B-6A8176108D7D}

TERM................THREADS

DATA VALUE: THROBBING

-------------------------------------------------------------------

ABBREVIATION........THROBBING

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Throbbing

HELP_TEXT...........No Help Text

ID.................{3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}

TERM................THROBBING


DATA VALUE: THUMB

-------------------------------------------------------------------

ABBREVIATION........Thumb

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Thumb

HELP_TEXT...........

ID.................{CF7D5D2D-0460-4BFE-8AB3-AA5B385434F8}

TERM................THUMB


DATA VALUE: THYROMENTAL DISTANCE LESS THAN 3 PB

-------------------------------------------------------------------

ABBREVIATION........T/D <3 PB

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Thyromental Distance Less than 3 PB

HELP_TEXT...........

ID.................{D98AED3F-9583-4A86-9D32-13B0AD0A4614}

TERM................THYROMENTAL DISTANCE LESS THAN 3 PB


DATA VALUE: TINGLING

---------------------------------------------------------------------

ABBREVIATION........t

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tingling

HELP_TEXT...........No Help Text

ID.................{AE8E3101-AC3D-DEC3-0293-58F901F82EB8}

TERM................TINGLING


DATA VALUE: TINGLING MOUTH/LIPS

---------------------------------------------------------------------

ABBREVIATION........Ting Mou/L

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tingling Mouth/Lips

HELP_TEXT...........

ID.................{E603F979-310D-438B-80A2-1F52E4DE71C6}

TERM................TINGLING MOUTH/LIPS

DATA VALUE: TINNITUS

--------------------------------------------------------------------

ABBREVIATION........Tinnitus

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tinnitus

HELP_TEXT...........

ID.................{846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}

TERM................TINNITUS


DATA VALUE: TO PAIN

--------------------------------------------------------------------

ABBREVIATION........TO PAIN

ACTIVE..............Yes

DESCRIPTION.........To Pain

DISPLAY_NAME........To Pain

HELP_TEXT...........No Help Text

ID.................{AA1F818D-DCFC-4FBC-97D3-BE86D309119E}

TERM................TO PAIN


DATA VALUE: TO SPEECH

--------------------------------------------------------------------

ABBREVIATION........TO SPEECH

ACTIVE..............Yes

DESCRIPTION.........To Speech

DISPLAY_NAME........To Speech

HELP_TEXT...........No Help Text

ID.................{2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}

TERM................TO SPEECH


DATA VALUE: TOE

--------------------------------------------------------------------

ABBREVIATION........Toe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Toe

HELP_TEXT...........

ID.................{086D2E43-D99F-47E4-9AB1-1E8E4C3A91E8}

TERM................TOE


DATA VALUE: TOENAIL CARE

--------------------------------------------------------------------

ABBREVIATION........TOEN CARE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Toenail Care

HELP_TEXT...........No Help Text

ID.................{6CF3ABCE-FF74-43E2-81E5-D23339017CA9}

TERM................TOENAIL CARE

DATA VALUE: TOILET

-------------------------------------------------------------------

ABBREVIATION........Toilet

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Toilet

HELP_TEXT...........

ID.................{0E749B59-5D37-415F-8563-642DD488A57C}

TERM................TOILET


DATA VALUE: TOILETING

-------------------------------------------------------------------

ABBREVIATION........Toileting

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Toileting

HELP_TEXT...........

ID.................{7C5F5DC9-5A03-42A7-91B0-9491D9D00A20}

TERM................TOILETING


DATA VALUE: TOILETING BY SCHEDULE

-------------------------------------------------------------------

ABBREVIATION........Toilet Sch

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Toileting by Schedule

HELP_TEXT...........

ID.................{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

TERM................TOILETING BY SCHEDULE

DATA VALUE: TOLERATED FAIR

---------------------------------------------------------------------

ABBREVIATION........TolerFair

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tolerated Fair

HELP_TEXT...........

ID.................{341FC827-1B34-4836-A74F-1C8C466DD4F0}

TERM................TOLERATED FAIR

DATA VALUE: TOLERATED POOR

---------------------------------------------------------------------

ABBREVIATION........TolerPoor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tolerated Poor

HELP_TEXT...........

ID.................{C3EE2266-1EBE-4113-8C87-BC1049B3B1DE}

TERM................TOLERATED POOR

DATA VALUE: TOLERATED WELL

-----------------------------------------------------------------

ABBREVIATION........TolerWell

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tolerated Well

HELP_TEXT...........

ID.................{E1846192-BB56-463F-A112-6E3DD649D3C3}

TERM................TOLERATED WELL


DATA VALUE: TOLERATING FLUIDS/NOURISHMENT

-----------------------------------------------------------------

ABBREVIATION........TO OR FL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tolerating Fluids/Nourishment

HELP_TEXT...........No Help Text

ID.................{E107F272-CD27-46B8-8C50-F9FF776DDCD9}

TERM................TOLERATING FLUIDS/NOURISHMENT


DATA VALUE: TONIC/CLONIC

-----------------------------------------------------------------

ABBREVIATION........TON/CLON

ACTIVE..............Yes

DESCRIPTION.........Tonic/Clonic

DISPLAY_NAME........Tonic/Clonic

HELP_TEXT...........Tonic/Clonic

ID.................{81932BAA-6C79-47A3-85B3-592824B6C09C}

TERM................TONIC/CLONIC

DATA VALUE: TOPICAL TREATMENT

--------------------------------------------------------------------

ABBREVIATION........TOPICAL T

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Topical Treatment

HELP_TEXT...........No Help Text

ID.................{4E995342-8A6F-4B21-8013-F8C6A9FC7658}

TERM................TOPICAL TREATMENT

DATA VALUE: TORSADES DE POINTES

--------------------------------------------------------------------

ABBREVIATION........Tor de Poi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Torsades de Pointes

HELP_TEXT...........

ID.................{E936B787-7912-4CAE-A465-AD1A1FEA68CA}

TERM................TORSADES DE POINTES

DATA VALUE: TOTAL DEPENDENCE

-----------------------------------------------------------------

ABBREVIATION........TOT DEPEND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Total Dependence

HELP_TEXT...........No Help Text

ID.................{38702CDD-E440-4EFA-9583-36EEE719F7C3}

TERM................TOTAL DEPENDENCE


DATA VALUE: TRACE

-----------------------------------------------------------------

ABBREVIATION........Trace

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Trace

HELP_TEXT...........

ID.................{BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}

TERM................TRACE


DATA VALUE: TRACH CARE

-----------------------------------------------------------------

ABBREVIATION........Trach Care

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Trach Care

HELP_TEXT...........

ID.................{6E0ABF71-9BD8-444F-AF39-F0FD18357493}

TERM................TRACH CARE


DATA VALUE: TRACH COLLAR O2

---------------------------------------------------------------------

ABBREVIATION........TrachColl

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Trach Collar 02

HELP_TEXT...........

ID.................{8189D676-B602-4A29-A7AF-1A8FD7F4B50B}

TERM................TRACH COLLAR O2


DATA VALUE: TRACH DRESSING

---------------------------------------------------------------------

ABBREVIATION........TrachDress

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Trach Dressing

HELP_TEXT...........

ID.................{778C9378-071D-44F6-8306-705D5D2F19D7}

TERM................TRACH DRESSING

DATA VALUE: TRACH TALKING VALVE

--------------------------------------------------------------------

ABBREVIATION........TrachValve

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Trach Talking Valve

HELP_TEXT...........

ID.................{AB6632B0-B220-4608-978F-6F2084175377}

TERM................TRACH TALKING VALVE


DATA VALUE: TRACH TIES/HOLDER CHANGED

--------------------------------------------------------------------

ABBREVIATION........Trach Ties

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Trach Ties/Holder Changed

HELP_TEXT...........

ID.................{B49A3A50-8516-4423-896A-67643822E674}

TERM................TRACH TIES/HOLDER CHANGED


DATA VALUE: TRACHEOSTOMY

--------------------------------------------------------------------

ABBREVIATION........TRACHEOSTO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tracheostomy

HELP_TEXT...........No Help Text

ID.................{2B0B7599-847E-852F-D16F-091CAAA4B205}

TERM................TRACHEOSTOMY


DATA VALUE: TRANSCUTANEOUS

----------------------------------------------------------------------

ABBREVIATION........t

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Transcutaneous

HELP_TEXT...........No Help Text

ID.................{F4315F92-8804-1CB4-4D03-CCFDC95C6E71}

TERM................TRANSCUTANEOUS


DATA VALUE: TRANSFER

----------------------------------------------------------------------

ABBREVIATION........TRANSFER

ACTIVE..............Yes

DESCRIPTION.........Transfer

DISPLAY_NAME........Transfer

HELP_TEXT...........No Help Text

ID.................{DFDB4783-25BE-485B-A9BA-621F1004AAF2}

TERM................TRANSFER

DATA VALUE: TRANSFER WITH ASSIST

----------------------------------------------------------------

ABBREVIATION........TRANS ASST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Transfer With Assist

HELP_TEXT...........No Help Text

ID.................{62A5BFF5-9C7C-4412-83A8-F872095DE005}

TERM................TRANSFER WITH ASSIST


DATA VALUE: TRANSPARENT

----------------------------------------------------------------

ABBREVIATION........TRANSPAREN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Transparent

HELP_TEXT...........No Help Text

ID.................{0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

TERM................TRANSPARENT


DATA VALUE: TRANSPARENT DRESSING

----------------------------------------------------------------

ABBREVIATION........TRANSP DRE

ACTIVE..............Yes

DESCRIPTION.........Transparent Dressing

DISPLAY_NAME........Transparent Dressing

HELP_TEXT...........No Help Text

ID.................{777C7722-AEA8-4A0B-9ADD-1157D37AE539}

TERM................TRANSPARENT DRESSING


DATA VALUE: TRANSPORT FACILITATOR PRESENT

----------------------------------------------------------------------

ABBREVIATION........TR FA PR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Transport Facilitator Present

HELP_TEXT...........No Help Text

ID.................{645BF269-6B23-4377-95ED-71291F075B25}

TERM................TRANSPORT FACILITATOR PRESENT


DATA VALUE: TRANSPYLORIC

----------------------------------------------------------------------

ABBREVIATION........TRANSPYOLO

ACTIVE..............Yes

DESCRIPTION.........Transpyloric

DISPLAY_NAME........Transpyloric

HELP_TEXT...........No Help Text

ID.................{78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

TERM................TRANSPYLORIC

DATA VALUE: TRAUMATIC

----------------------------------------------------------------

ABBREVIATION........Traumatic

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Traumatic

HELP_TEXT...........

ID.................{3BE503D9-E7A6-4618-AFE0-B1BEA7A2A0DF}

TERM................TRAUMATIC


DATA VALUE: TRAUMATIC BRAIN INJURY

----------------------------------------------------------------

ABBREVIATION........TrauBrain

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Traumatic Brain Injury

HELP_TEXT...........

ID.................{FE345588-5431-4F3D-BBB1-1347E484D2AB}

TERM................TRAUMATIC BRAIN INJURY


DATA VALUE: TREATMENTS

----------------------------------------------------------------

ABBREVIATION........TREATMENTS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Treatments

HELP_TEXT...........No Help Text

ID.................{7A6879B5-F781-498E-9D71-3FA0243C3F21}

TERM................TREATMENTS

DATA VALUE: TREMORS

---------------------------------------------------------------------

ABBREVIATION........Tremors

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tremors

HELP_TEXT...........

ID.................{C9A636BB-F04B-4D90-8230-D261D18047F2}

TERM................TREMORS

DATA VALUE: TRIGEMINY

---------------------------------------------------------------------

ABBREVIATION........Trigeminy

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Trigeminy

HELP_TEXT...........

ID.................{13D65F9F-B51C-4CEC-8002-037C8323626C}

TERM................TRIGEMINY

DATA VALUE: TRIPLE

----------------------------------------------------------------

ABBREVIATION........TRIPLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Triple

HELP_TEXT...........No Help Text

ID.................{077BE8CF-F2AB-56E1-1F25-51DF80F8054D}

TERM................TRIPLE


DATA VALUE: TUBED/DYSPHAGIC

----------------------------------------------------------------

ABBREVIATION........TUBE/DYSPH

ACTIVE..............Yes

DESCRIPTION.........Tubed/Dysphagic

DISPLAY_NAME........Tubed/Dysphagic

HELP_TEXT...........No Help Text

ID.................{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}

TERM................TUBED/DYSPHAGIC


DATA VALUE: TUBES (IV, CHEST, DRAINS, ETC.)

----------------------------------------------------------------

ABBREVIATION........Tubes

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Tubes (IV, Chest, Drains, Etc.)

HELP_TEXT...........

ID.................{4FCB0CE8-76A6-4B5C-A261-81083E14B6AB}

TERM................TUBES (IV, CHEST, DRAINS, ETC.)


DATA VALUE: TUBING CHANGE

----------------------------------------------------------------------

ABBREVIATION........Tube Chg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tubing Change

HELP_TEXT...........

ID.................{6418C2A2-D244-4C5B-A398-904B99AACEA4}

TERM................TUBING CHANGE


DATA VALUE: TUBING CHANGED/LABELED

----------------------------------------------------------------------

ABBREVIATION........TUBE CHANG

ACTIVE..............Yes

DESCRIPTION.........Changed or labeled tubing

DISPLAY_NAME........Tubing Changed / Labeled

HELP_TEXT...........No Help Text

ID.................{19BA337C-6E28-411E-9702-48B262C593FA}

TERM................TUBING CHANGED/LABELED

DATA VALUE: TURN AND POSITION

----------------------------------------------------------------------

ABBREVIATION........TURN POSIT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Turn and Position

HELP_TEXT...........No Help Text

ID.................{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}

TERM................TURN AND POSITION


DATA VALUE: TURNING SELF INDEPENDENTLY

----------------------------------------------------------------------

ABBREVIATION........TURN SELF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Turning Self Independently

HELP_TEXT...........No Help Text

ID.................{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}

TERM................TURNING SELF INDEPENDENTLY


DATA VALUE: TWILL TAPE

----------------------------------------------------------------------

ABBREVIATION........Twill Tape

ACTIVE..............Yes

DESCRIPTION.........Twill Tape

DISPLAY_NAME........Twill Tape

HELP_TEXT...........No Help Text

ID.................{C52BE250-732D-03BB-B8F9-72BE4D546807}

TERM................TWILL TAPE


DATA VALUE: TWO CAL HN

--------------------------------------------------------------------

ABBREVIATION........Two Cal HN

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Two Cal HN

HELP_TEXT...........

ID.................{3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}

TERM................TWO CAL HN


DATA VALUE: TWO PERSON ASSIST

--------------------------------------------------------------------

ABBREVIATION........2 PERS AST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Two Person Assist

HELP_TEXT...........No Help Text

ID.................{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}

TERM................TWO PERSON ASSIST

DATA VALUE: U WAVE PRESENT

----------------------------------------------------------------------

ABBREVIATION........U Wave

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........U Wave Present

HELP_TEXT...........

ID.................{5AE06982-CC61-45FC-8A60-85DB23A3BBC4}

TERM................U WAVE PRESENT


DATA VALUE: ULTRACAL

----------------------------------------------------------------------

ABBREVIATION........ULTRACAL

ACTIVE..............Yes

DESCRIPTION.........Enteral Nutrition Type

DISPLAY_NAME........Ultracal

HELP_TEXT...........No Help Text

ID.................{179AE9A5-154D-4CD2-B70B-66E84F5D0932}

TERM................ULTRACAL


DATA VALUE: UN = UNEXAMINABLE

----------------------------------------------------------------------

ABBREVIATION........UN = Unex

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........UN = Unexaminable

HELP_TEXT...........

ID.................{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

TERM................UN = UNEXAMINABLE


DATA VALUE: UNABLE TO AROUSE

--------------------------------------------------------------------

ABBREVIATION........Un to Ar

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unable to Arouse

HELP_TEXT...........

ID.................{05B32DD9-E634-4B60-A58B-2E915EA2834D}

TERM................UNABLE TO AROUSE


DATA VALUE: UNABLE TO ASSESS

--------------------------------------------------------------------

ABBREVIATION........UNA TO AS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unable To Assess

HELP_TEXT...........No Help Text

ID.................{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

TERM................UNABLE TO ASSESS

DATA VALUE: UNABLE TO ASSESS (ENTER COMMENT)

----------------------------------------------------------------------

ABBREVIATION........Unable

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unable to Assess (Enter Comment)

HELP_TEXT...........

ID.................{3B071C2E-4E07-4423-8FC3-EEBE9607CEE7}

TERM................UNABLE TO ASSESS (ENTER COMMENT)


DATA VALUE: UNABLE TO ASSESS: PARALYTICS

----------------------------------------------------------------------

ABBREVIATION........UtA:Paraly

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unable to Assess: Paralytics

HELP_TEXT...........

ID.................{F69A0754-5DAE-44CF-888F-5A137206C46B}

TERM................UNABLE TO ASSESS: PARALYTICS


DATA VALUE: UNABLE TO ASSESS: SEDATED

----------------------------------------------------------------------

ABBREVIATION........UtA:Sedatd

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unable to Assess: Sedated

HELP_TEXT...........

ID.................{EEA03C6D-73DE-4F22-882D-536FC99AD66F}

TERM................UNABLE TO ASSESS: SEDATED


DATA VALUE: UNABLE TO ATTEMPT

----------------------------------------------------------------------

ABBREVIATION........R.E. UNAB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unable To Attempt Due To Patient

            Safety Concern

HELP_TEXT...........No Help Text

ID.................{979B0477-5789-4319-9562-6752048C4005}

TERM................UNABLE TO ATTEMPT


DATA VALUE: UNABLE TO FOLLOW DIRECTIONS

----------------------------------------------------------------------

ABBREVIATION........R.C. DIRE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unable To Follow Directions While

            Injury Risk

HELP_TEXT...........No Help Text

ID.................{41358EAE-9912-48F8-8931-D3C635406D21}

TERM................UNABLE TO FOLLOW DIRECTIONS

DATA VALUE: UNABLE TO INFORM

-----------------------------------------------------------------

ABBREVIATION........UNABLE INF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unable to Inform

HELP_TEXT...........No Help Text

ID.................{77428C87-B3F9-4BBD-B781-F7D89BCF9492}

TERM................UNABLE TO INFORM


DATA VALUE: UNABLE TO READ

-----------------------------------------------------------------

ABBREVIATION........ILLITERATE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unable to Read

HELP_TEXT...........No Help Text

ID.................{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

TERM................UNABLE TO READ


DATA VALUE: UNABLE TO RESPOND

-----------------------------------------------------------------

ABBREVIATION........UNA TO RES

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unable To Respond

HELP_TEXT...........No Help Text

ID.................{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}

TERM................UNABLE TO RESPOND


DATA VALUE: UNABLE TO VOID

----------------------------------------------------------------------

ABBREVIATION........Un to Void

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unable to Void

HELP_TEXT...........

ID.................{1F2A844D-4E14-4759-B8F7-82B58E157720}

TERM................UNABLE TO VOID


DATA VALUE: UNABLE TO WEDGE

----------------------------------------------------------------------

ABBREVIATION........UNABLE WED

ACTIVE..............Yes

DESCRIPTION.........Unable to Wedge

DISPLAY_NAME........Unable to Wedge

HELP_TEXT...........No Help Text

ID.................{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}

TERM................UNABLE TO WEDGE

DATA VALUE: UNBEARABLE

---------------------------------------------------------------------

ABBREVIATION........UNBEARABLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unbearable

HELP_TEXT...........No Help Text

ID.................{96611993-45F3-4D1D-BF7F-5E5C46E5569E}

TERM................UNBEARABLE


DATA VALUE: UNCOOPERATIVE

---------------------------------------------------------------------

ABBREVIATION........u

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Uncooperative

HELP_TEXT...........No Help Text

ID.................{2D737EFB-F4CA-7AEA-9EB2-6FF133742815}

TERM................UNCOOPERATIVE


DATA VALUE: UNCUFFED

---------------------------------------------------------------------

ABBREVIATION........Uncuffed

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Uncuffed

HELP_TEXT..........

ID.................{2AAD702B-570C-4BEA-8F33-6527F0DF9CEB}

TERM................UNCUFFED


DATA VALUE: UNDER STRETCHER/BED

---------------------------------------------------------------------

ABBREVIATION........Stretcher

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Under Stretcher/Bed

HELP_TEXT...........

ID.................{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}

TERM................UNDER STRETCHER/BED


DATA VALUE: UNEQUAL

---------------------------------------------------------------------

ABBREVIATION........Unequal

ACTIVE..............Yes

DESCRIPTION.........Not the same

DISPLAY_NAME........Unequal

HELP_TEXT...........Not the same

ID.................{73319200-164F-B39F-649C-B7FB1AFBDBB8}

TERM................UNEQUAL

DATA VALUE: UNEXPECTED NUMBNESS

--------------------------------------------------------------------

ABBREVIATION........Unexp Numb

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unexpected Numbness

HELP_TEXT...........

ID.................{6418B135-56AF-4A76-A207-55D7AE0C5364}

TERM................UNEXPECTED NUMBNESS


DATA VALUE: UNIFOCAL PVC

--------------------------------------------------------------------

ABBREVIATION........Uni PVC

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unifocal PVC

HELP_TEXT...........

ID.................{5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}

TERM................UNIFOCAL PVC


DATA VALUE: UNKNOWN

--------------------------------------------------------------------

ABBREVIATION........u

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unknown

HELP_TEXT...........No Help Text

ID.................{1F872397-8635-18A3-E252-AE9B20B88C7D}

TERM................UNKNOWN


DATA VALUE: UNRESPONSIVE

-------------------------------------------------------------------

ABBREVIATION........Unresponsi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unresponsive

HELP_TEXT...........

ID.................{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}

TERM................UNRESPONSIVE


DATA VALUE: UNSTABLE

-------------------------------------------------------------------

ABBREVIATION........UNSTABLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unstable

HELP_TEXT...........No Help Text

ID.................{5841C521-8070-4034-A69D-27DAB2990EB3}

TERM................UNSTABLE

DATA VALUE: UNSTABLE SPINE

--------------------------------------------------------------------

ABBREVIATION........UnstablSpi

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unstable Spine

HELP_TEXT...........

ID.................{54C323D4-A191-40CF-A89F-3D5BC3C00623}

TERM................UNSTABLE SPINE


DATA VALUE: UNSTAGEABLE

--------------------------------------------------------------------

ABBREVIATION........UNSTAGEABL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unstageable

HELP_TEXT...........No Help Text

ID.................{5C507F64-2EC0-4FD8-A786-94D76D90C0D1}

TERM................UNSTAGEABLE


DATA VALUE: UNSTEADY

--------------------------------------------------------------------

ABBREVIATION........Unsteady

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unsteady

HELP_TEXT...........

ID.................{7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}

TERM................UNSTEADY


DATA VALUE: UNSUCCESSFUL

----------------------------------------------------------------------

ABBREVIATION........UNSUCCESSF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Unsuccessful

HELP_TEXT...........No Help Text

ID.................{54DC58A1-7585-4A32-B810-90B586ED9332}

TERM................UNSUCCESSFUL


DATA VALUE: UNUSUAL GESTURES OR MANNERISMS

----------------------------------------------------------------------

ABBREVIATION........Mannerisms

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unusual Gestures or Mannerisms

HELP_TEXT...........

ID.................{41DBAE9A-20CB-4173-BFCD-FFF9B4E42F3B}

TERM................UNUSUAL GESTURES OR MANNERISMS

DATA VALUE: UP

-------------------------------------------------------------------

ABBREVIATION........u

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Up

HELP_TEXT...........No Help Text

ID.................{7BCC74F9-FE2F-FE60-57BA-321BFA316BEC}

TERM...............UP


DATA VALUE: UP TO CHAIR

-------------------------------------------------------------------

ABBREVIATION........UP TO CHAI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Up To Chair

HELP_TEXT...........No Help Text

ID.................{42E598E5-82EC-428B-B5FA-1129E3095C78}

TERM...............UP TO CHAIR


DATA VALUE: URINAL

-------------------------------------------------------------------

ABBREVIATION........Urinal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Urinal

HELP_TEXT...........

ID.................{304CF5C4-1DDD-4E09-A0C1-679B012C7872}

TERM................URINAL


DATA VALUE: URINARY RETENTION

-------------------------------------------------------------------

ABBREVIATION........Urinary Re

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Urinary Retention

HELP_TEXT...........

ID.................{959EBBDC-7F67-42EC-8CF0-295F709BB433}

TERM................URINARY RETENTION


DATA VALUE: URINARY/FECAL STOMA

-------------------------------------------------------------------

ABBREVIATION........UrinFecSto

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Urinary/Fecal Stoma

HELP_TEXT...........

ID.................{CFE036A8-8F5C-4F1E-BC51-683AA7639159}

TERM................URINARY/FECAL STOMA

DATA VALUE: UROMETER

-------------------------------------------------------------------

ABBREVIATION........u

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Urometer

HELP_TEXT...........No Help Text

ID.................{13074A3A-19D7-300C-7BFF-8DC18DDE2951}

TERM................UROMETER


DATA VALUE: UROSTOMY

-------------------------------------------------------------------

ABBREVIATION........UROSTOMY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Urostomy

HELP_TEXT...........No Help Text

ID.................{1F9E528D-6D78-54EE-94E6-649C6F2056A3}

TERM................UROSTOMY


DATA VALUE: V1

-------------------------------------------------------------------

ABBREVIATION........V1

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........V1

HELP_TEXT...........No Help Text

ID.................{4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}

TERM................V1


DATA VALUE: V2

----------------------------------------------------------------

ABBREVIATION........V2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........V2

HELP_TEXT...........No Help Text

ID.................{05A3232E-A30D-4771-A1B5-E7705B717646}

TERM................V2


DATA VALUE: V3

----------------------------------------------------------------

ABBREVIATION........V3

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........V3

HELP_TEXT...........No Help Text

ID.................{E150126E-4AA7-4F96-961E-FD1169C77158}

TERM................V3

DATA VALUE: V4

----------------------------------------------------------------

ABBREVIATION........V4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........V4

HELP_TEXT...........No Help Text

ID.................{255260F9-5CC7-41B1-831C-F9319FA27506}

TERM................V4


DATA VALUE: V5

----------------------------------------------------------------

ABBREVIATION........V5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........V5

HELP_TEXT...........No Help Text

ID.................{D5C10744-0EB5-46FA-AE6C-CCF571318F8A}

TERM................V5


DATA VALUE: V6

----------------------------------------------------------------

ABBREVIATION........V6

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........V6

HELP_TEXT...........No Help Text

ID.................{B86F72D7-7884-4470-92A8-EF9277C5B584}

TERM................V6

DATA VALUE: VACUUM ASSISTED CLOSURE

----------------------------------------------------------------------

ABBREVIATION........VAC ASS CL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Vacuum Assisted Closure

HELP_TEXT...........No Help Text

ID.................{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

TERM................VACUUM ASSISTED CLOSURE

DATA VALUE: VASCULAR

----------------------------------------------------------------------

ABBREVIATION........VASCULAR

ACTIVE..............Yes

DESCRIPTION.........Vascular

DISPLAY_NAME........Vascular

HELP_TEXT...........No Help Text

ID.................{60523BF8-6372-4760-881C-A62F85D2A0F6}

TERM................VASCULAR

DATA VALUE: VASCULAR LESION ARTERIAL

--------------------------------------------------------------------

ABBREVIATION........VASLES ART

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Vascular Leasion Arterial

HELP_TEXT...........No Help Text

ID.................{EA565D3F-D984-4553-B597-DFE844554CE9}

TERM................VASCULAR LESION ARTERIAL


DATA VALUE: VASCULAR LESION MIXED

--------------------------------------------------------------------

ABBREVIATION........VASLES MIX

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Vascular Leasion Mixed

HELP_TEXT...........No Help Text

ID.................{8684AB2D-9162-4DC2-A5FA-A14558678689}

TERM................VASCULAR LESION MIXED


DATA VALUE: VASCULAR LESION VENOUS

--------------------------------------------------------------------

ABBREVIATION........VASLES VEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Vascular Lesion Venous

HELP_TEXT...........No Help Text

ID.................{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}

TERM................VASCULAR LESION VENOUS

DATA VALUE: VASCULAR/NEUROPATHIC

----------------------------------------------------------------------

ABBREVIATION........VASC/NEURO

ACTIVE..............Yes

DESCRIPTION.........Vascular / Neuropathic

DISPLAY_NAME........Vascular / Neuropathic

HELP_TEXT...........No Help Text

ID.................{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}

TERM................VASCULAR/NEUROPATHIC

DATA VALUE: VASOPRESSOR

----------------------------------------------------------------------

ABBREVIATION........VASOPRESS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Vasopressor

HELP_TEXT...........No Help Text

ID.................{591FCB09-1287-48C6-8007-4CE961296BA9}

TERM................VASOPRESSOR

DATA VALUE: VDD

----------------------------------------------------------------

ABBREVIATION........VDD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........VDD

HELP_TEXT...........No Help Text

ID.................{E733E525-EF36-2F93-AECC-BAD1C3E2C633}

TERM................VDD


DATA VALUE: VEGETARIAN

----------------------------------------------------------------

ABBREVIATION........Vegetarian

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vegetarian

HELP_TEXT...........

ID.................{549053C6-5378-4921-8A37-043D06E51E72}

TERM................VEGETARIAN


DATA VALUE: VEGETARIAN DIET

----------------------------------------------------------------

ABBREVIATION........VEG DIET

ACTIVE..............Yes

DESCRIPTION.........Vegetarian Diet

DISPLAY_NAME........Vegetarian Diet

HELP_TEXT...........No Help Text

ID.................{6B8143BE-843F-4944-9ABB-7175AFE2DF17}

TERM................VEGETARIAN DIET

DATA VALUE: VENDOR REP

----------------------------------------------------------------------

ABBREVIATION........Vendor Rep

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vendor Rep

HELP_TEXT...........

ID.................{4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}

TERM................VENDOR REP

DATA VALUE: VENTICULAR FIBRILLATION

----------------------------------------------------------------------

ABBREVIATION........vf

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Venticular Fibrillation

HELP_TEXT...........No Help Text

ID.................{400B70C2-6E15-458F-70C6-FA2597DE2556}

TERM................VENTICULAR FIBRILLATION

DATA VALUE: VENTILATOR

--------------------------------------------------------------------

ABBREVIATION........v

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ventilator

HELP_TEXT...........No Help Text

ID..................{A5A647ED-A56D-5012-AD5B-788B3DCB3498}

TERM................VENTILATOR


DATA VALUE: VENTILATOR ACHIEVA P5O2

--------------------------------------------------------------------

ABBREVIATION........ACHIEVA P5

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Achieva P5O2

HELP_TEXT...........No Help Text

ID..................{1690EEA5-3C3B-4D30-AC5C-214C94626699}

TERM................VENTILATOR ACHIEVA P5O2


DATA VALUE: VENTILATOR ADULT STAR

--------------------------------------------------------------------

ABBREVIATION........ADULT STAR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Adult Star Ventilator

HELP_TEXT...........No Help Text

ID..................{879B13DA-4874-42D4-99EC-8E4ADB31B14E}

TERM................VENTILATOR ADULT STAR

DATA VALUE: VENTILATOR BEAR 1000

--------------------------------------------------------------------

ABBREVIATION........BEAR 1000

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bear 1000

HELP_TEXT...........No Help Text

ID.................{03C30F99-A27C-427C-B0ED-872F0DE646BD}

TERM................VENTILATOR BEAR 1000

DATA VALUE: VENTILATOR DRAEGER

--------------------------------------------------------------------

ABBREVIATION........DRAEGER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Draeger

HELP_TEXT...........No Help Text

ID.................{DD18C42F-EF13-460B-8676-9ED1E429B54B}

TERM................VENTILATOR DRAEGER

DATA VALUE: VENTILATOR OTHER

----------------------------------------------------------------------

ABBREVIATION........VENT OTHER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Other Ventilator; Use Comments

HELP_TEXT...........No Help Text

ID.................{138B7B3D-9F8B-447A-9785-12AB396AE6DE}

TERM................VENTILATOR OTHER


DATA VALUE: VENTILATOR PB 7200ae

----------------------------------------------------------------------

ABBREVIATION........PB7200ae

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PB 7200ae

HELP_TEXT...........No Help Text

ID.................{86AE485F-ECD1-4B8E-820F-71CF159F318B}

TERM................VENTILATOR PB 7200ae


DATA VALUE: VENTILATOR PB 840

----------------------------------------------------------------------

ABBREVIATION........PB 840

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PB 840

HELP_TEXT...........No Help Text

ID.................{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}

TERM................VENTILATOR PB 840

DATA VALUE: VENTILATOR SERVO

---------------------------------------------------------------------

ABBREVIATION........SERVO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Servo

HELP_TEXT...........No Help Text

ID.................{D6F06715-1ADD-4941-B026-B9A5E463943E}

TERM................VENTILATOR SERVO

DATA VALUE: VENTRICULAR

---------------------------------------------------------------------

ABBREVIATION........v

ACTIVE..............Yes

DESCRIPTION.........VENTRICULAR

DISPLAY_NAME........Ventricular

HELP_TEXT...........No Help Text

ID.................{307A4572-3CF0-7875-7313-7FD4AB23F8E7}

TERM................VENTRICULAR

DATA VALUE: VENTRICULAR TACHYCARDIA

---------------------------------------------------------------------

ABBREVIATION........vt

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ventricular Tachycardia

HELP_TEXT...........No Help Text

ID.................{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}

TERM................VENTRICULAR TACHYCARDIA


DATA VALUE: VENTRICULAR WHIP PRESENT

---------------------------------------------------------------------

ABBREVIATION........VENT WHIP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ventricular Whip Present

HELP_TEXT...........No Help Text

ID.................{15CB9645-690D-446B-A380-F14CEEC9C6AA}

TERM................VENTRICULAR WHIP PRESENT


DATA VALUE: VENTRICULOSTOMY

---------------------------------------------------------------------

ABBREVIATION........Ventriculo

ACTIVE..............Yes

DESCRIPTION.........Ventriculostomy

DISPLAY_NAME........Ventriculostomy

HELP_TEXT...........No Help Text

ID.................{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}

TERM................VENTRICULOSTOMY


DATA VALUE: VERBAL DE-ESCALATION

--------------------------------------------------------------------

ABBREVIATION........VERB DE-ES

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Verbal De-escalation

HELP_TEXT...........No Help Text

ID.................{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}

TERM................VERBAL DE-ESCALATION


DATA VALUE: VERBALIZED BY PATIENT

--------------------------------------------------------------------

ABBREVIATION........Verbal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Verbalized by Patient

HELP_TEXT...........

ID.................{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}

TERM................VERBALIZED BY PATIENT

DATA VALUE: VERIFICATION OBTAINED (MANDATORY TO INSTILL MEDS/NUTRITION/FLUI

DS)

----------------------------------------------------------------

ABBREVIATION........VerObtaind

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Verification Obtained (Mandatory to

           Instill Meds/Nutrition/Fluids)

HELP_TEXT...........

ID.................{5BA33ADE-7CE1-4B23-BB40-ADA24F661234}

TERM................VERIFICATION OBTAINED (MANDATORY TO

           INSTILL MEDS/NUTRITION/FLUIDS)


DATA VALUE: VERTICAL TRANSFER DEVICE - AIR ASSISTED

----------------------------------------------------------------

ABBREVIATION........VerTranAir

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vertical Transfer Device - Air Assisted

HELP_TEXT...........

ID.................{18E2A61B-330A-4570-B8DB-BA7A492F759F}

TERM................VERTICAL TRANSFER DEVICE - AIR ASSISTED


DATA VALUE: VERTICAL TRANSFER DEVICE - NON-AIR ASSISTED

----------------------------------------------------------------

ABBREVIATION........VerTranNon

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vertical Transfer Device - Non-Air

Assisted

HELP_TEXT...........

ID.................{A940FCC4-1C31-4C3E-8C14-AFB5B3EC714B}

TERM...............VERTICAL TRANSFER DEVICE - NON-AIR

ASSISTED


DATA VALUE: VERY FRAGILE SKIN

---------------------------------------------------------------------

ABBREVIATION........FragileSkn

ACTIVE.............Yes

DESCRIPTION.........

DISPLAY_NAME........Very Fragile Skin

HELP_TEXT...........

ID.................{649AF283-6C06-492B-BD88-362D191CF6CC}

TERM...............VERY FRAGILE SKIN


DATA VALUE: VERY LOW BMI

---------------------------------------------------------------------

ABBREVIATION........LOW BMI

ACTIVE.............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Very Low BMI

HELP_TEXT...........No Help Text

ID.................{78B3A37B-938B-42E5-A403-75E206722BC3}

TERM...............VERY LOW BMI

DATA VALUE: VIOLENT

----------------------------------------------------------------

ABBREVIATION........Violent

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Violent

HELP_TEXT...........

ID.................{AC534BBE-6DEC-4EA7-9C35-F1B90F134B0E}

TERM................VIOLENT


DATA VALUE: VIOLET

----------------------------------------------------------------

ABBREVIATION........VIOLET

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Violet

HELP_TEXT...........No Help Text

ID.................{1249AE97-CF1F-4604-A17A-5FC85F6D0185}

TERM................VIOLET


DATA VALUE: VIP PORT

----------------------------------------------------------------

ABBREVIATION........VIP PORT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........VIP Port Catheter

HELP_TEXT...........No Help Text

ID.................{3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

TERM................VIP PORT


DATA VALUE: VISCOUS

----------------------------------------------------------------------

ABBREVIATION........VISCOUS

ACTIVE..............Yes

DESCRIPTION.........Viscous

DISPLAY_NAME........Viscous

HELP_TEXT...........No Help Text

ID.................{0E8019D5-F2DB-46B8-B750-41568DD0179C}

TERM................VISCOUS


DATA VALUE: VISITORS INFORMED

----------------------------------------------------------------------

ABBREVIATION........V Informed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Visitors Informed

HELP_TEXT...........

ID.................{5E43EFC0-DD13-4EB2-B212-6AF18DCF0C75}

TERM................VISITORS INFORMED

DATA VALUE: VISUAL HALLUCINATIONS

----------------------------------------------------------------

ABBREVIATION........Vis Halluc

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Visual Hallucinations

HELP_TEXT...........

ID.................{75364EB9-5053-4040-A775-D5CCABBFC799}

TERM................VISUAL HALLUCINATIONS


DATA VALUE: VISUAL IMPAIRMENT

----------------------------------------------------------------

ABBREVIATION........VIS IMPAIR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Visual Impairment

HELP_TEXT...........No Help Text

ID.................{7B2107CE-002D-43BE-9102-FCD5B9FAD617}

TERM................VISUAL IMPAIRMENT


DATA VALUE: VITAL 1.0

----------------------------------------------------------------

ABBREVIATION........Vital 1.0

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vital 1.0

HELP_TEXT...........

ID.................{D3CA653C-419D-4186-8704-E171650062DF}

TERM................VITAL 1.0


DATA VALUE: VITAL 1.5

---------------------------------------------------------------------

ABBREVIATION........Vital 1.5

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vital 1.5

HELP_TEXT...........

ID.................{3665F539-7BBD-4AD9-A4D0-0A33506036D7}

TERM................VITAL 1.5


DATA VALUE: VITAL AF

---------------------------------------------------------------------

ABBREVIATION........Vital AF

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vital AF

HELP_TEXT...........

ID.................{D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}

TERM................VITAL AF

DATA VALUE: VITAL ENTERAL NUTRITION TYPE

--------------------------------------------------------------------

ABBREVIATION........VITAL ENT

ACTIVE..............Yes

DESCRIPTION.........Vital Enteral Nutrition Type

DISPLAY_NAME........Vital

HELP_TEXT...........No Help Text

ID.................{2DA036DA-BF27-4E52-86A2-20A312823480}

TERM................VITAL ENTERAL NUTRITION TYPE


DATA VALUE: VITAL HN ENTERAL NUTRITION

--------------------------------------------------------------------

ABBREVIATION........VITAL HN

ACTIVE..............Yes

DESCRIPTION.........Vital HN Enteral Nutrition Type

DISPLAY_NAME........Vital HN

HELP_TEXT...........No Help Text

ID.................{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}

TERM................VITAL HN ENTERAL NUTRITION


DATA VALUE: VITAL SIGNS STABLE

--------------------------------------------------------------------

ABBREVIATION........VI SI ST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Vital Signs Stable

HELP_TEXT...........No Help Text

ID.................{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}

TERM................VITAL SIGNS STABLE


DATA VALUE: VIVONEX RTF

----------------------------------------------------------------

ABBREVIATION........Viv RTF

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Vivonex RTF

HELP_TEXT...........

ID.................{461E7430-CC94-47D1-A90D-9694314C7729}

TERM................VIVONEX RTF


DATA VALUE: VOICE AMPLIFIER

----------------------------------------------------------------

ABBREVIATION........Voice Amp

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Voice Amplifier

HELP_TEXT...........

ID.................{8BC8AE0B-5887-4581-87D7-5B0D8DB52275}

TERM................VOICE AMPLIFIER

DATA VALUE: VOIDED

----------------------------------------------------------------

ABBREVIATION........VOIDED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Voided

HELP_TEXT...........No Help Text

ID.................{7F23E601-A1E5-4016-8A12-06B1099041CF}

TERM................VOIDED

DATA VALUE: VOLUNTEER

----------------------------------------------------------------

ABBREVIATION........VOLUNTEE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Volunteer

HELP_TEXT...........No Help Text

ID.................{F5406412-DE48-4F84-8A31-0B1D79DB576D}

TERM................VOLUNTEER

DATA VALUE: VOMITING

----------------------------------------------------------------

ABBREVIATION........VOMITING

ACTIVE..............Yes

DESCRIPTION.........Vomiting

DISPLAY_NAME........Vomiting

HELP_TEXT...........Vomiting

ID.................{921F463C-1639-4D13-8E4E-6D3A1B6927F9}

TERM................VOMITING


DATA VALUE: VVI

--------------------------------------------------------------------

ABBREVIATION........VVI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........VVI

HELP_TEXT...........No Help Text

ID.................{2C87F8F3-2B99-80E7-04EB-E6FE88168627}

TERM................VVI


DATA VALUE: WADDLING

--------------------------------------------------------------------

ABBREVIATION........Waddling

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Waddling

HELP_TEXT...........

ID.................{C88EB596-FB4E-4B11-B85D-2CB27AE903E4}

TERM................WADDLING

DATA VALUE: WAFFLE

-----------------------------------------------------------------

ABBREVIATION........WAFFLE

ACTIVE..............Yes

DESCRIPTION.........Waffle

DISPLAY_NAME........Waffle

HELP_TEXT...........No Help Text

ID.................{29A0FA73-CAA7-4660-9861-79A09F6DD98C}

TERM................WAFFLE


DATA VALUE: WAITING ROOM

-----------------------------------------------------------------

ABBREVIATION........WAIT ROOM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Waiting Room

HELP_TEXT...........No Help Text

ID.................{13476486-F895-4FFC-AB42-B274827B47DA}

TERM................WAITING ROOM


DATA VALUE: WALKER

-----------------------------------------------------------------

ABBREVIATION........WALKER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Walker

HELP_TEXT...........No Help Text

ID.................{91247001-5E89-46A0-A841-B4FAE9226E63}

TERM................WALKER

DATA VALUE: WALKING OR PACING

--------------------------------------------------------------------

ABBREVIATION........wop

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Walking Or Pacing

HELP_TEXT...........No Help Text

ID.................{CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}

TERM................WALKING OR PACING

DATA VALUE: WANDER GUARD IN PLACE

--------------------------------------------------------------------

ABBREVIATION........Wander Grd

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Wander Guard in Place

HELP_TEXT...........

ID.................{B49D735F-A6ED-4E8F-9BD0-F8514245B262}

TERM................WANDER GUARD IN PLACE

DATA VALUE: WANDERER

-------------------------------------------------------------------

ABBREVIATION........w

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Wanderer

HELP_TEXT...........No Help Text

ID.................{C5BD737B-F9A6-5800-B45C-2585507C3EDC}

TERM................WANDERER


DATA VALUE: WARD

-------------------------------------------------------------------

ABBREVIATION........WARD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ward

HELP_TEXT...........No Help Text

ID.................{A16CB5CB-3401-4F6C-8467-7F78FC929872}

TERM................WARD


DATA VALUE: WARM

-------------------------------------------------------------------

ABBREVIATION........WARM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warm

HELP_TEXT...........No Help Text

ID.................{E03BBEB4-5643-968F-190F-309A1293FCF9}

TERM................WARM


DATA VALUE: WARM HUMIDITY WITH O2

------------------------------------------------------------------------

ABBREVIATION........WM HUM O2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warm Humidity with Oxygen

HELP_TEXT...........No Help Text

ID.................{E62E07C3-4CA2-426B-8EBA-48C406837D9C}

TERM................WARM HUMIDITY WITH O2


DATA VALUE: WARMER THAN GENERAL BODY TEMP

------------------------------------------------------------------------

ABBREVIATION........WARM B TEM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warmer Than General Body Temperature

HELP_TEXT...........No Help Text

ID.................{AE43F2B4-B585-43F4-9E97-D61E225A803B}

TERM................WARMER THAN GENERAL BODY TEMP

DATA VALUE: WARMER THAN OPPOSITE BODY PART

----------------------------------------------------------------------

ABBREVIATION........WARM OPP P

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warmer Than Opposite Body Part

HELP_TEXT...........No Help Text

ID.................{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}

TERM................WARMER THAN OPPOSITE BODY PART


DATA VALUE: WARMING BLANKET

----------------------------------------------------------------------

ABBREVIATION........WARM BLANK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warming Blanket

HELP_TEXT...........Warming Blanket

ID.................{23D20AE5-DE25-4456-8F77-BF0411FB19A6}

TERM................WARMING BLANKET


DATA VALUE: WARMING BOTTLE

----------------------------------------------------------------------

ABBREVIATION........WARM BOTTL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warming Bottle

HELP_TEXT...........No Help Text

ID.................{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}

TERM................WARMING BOTTLE


DATA VALUE: WARMING OFF

-------------------------------------------------------------------

ABBREVIATION........WARMING OF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warming Off

HELP_TEXT...........No Help Text

ID.................{98FAC977-8E2E-406A-9217-A77E1DDCDF50}

TERM...............WARMING OFF


DATA VALUE: WARMING ON

-------------------------------------------------------------------

ABBREVIATION........WARMING ON

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Warming On

HELP_TEXT...........No Help Text

ID.................{6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}

TERM...............WARMING ON

DATA VALUE: WATERSEAL

----------------------------------------------------------------

ABBREVIATION........WATERSEAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Waterseal

HELP_TEXT...........No Help Text

ID.................{6D91B99D-F199-09ED-78BE-B54F2CAC4E06}

TERM................WATERSEAL


DATA VALUE: WAVEFORM REFLECTS ATRIAL PLACEMENT

----------------------------------------------------------------

ABBREVIATION........WAVE ATRIA

ACTIVE..............Yes

DESCRIPTION.........Waveform Reflects Atrial Placement

DISPLAY_NAME........Waveform Reflects Atrial Placement

HELP_TEXT...........No Help Text

ID.................{A1249745-41C2-4A4F-A86D-7E5E17477B06}

TERM................WAVEFORM REFLECTS ATRIAL PLACEMENT


DATA VALUE: WEAK

----------------------------------------------------------------

ABBREVIATION........w

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Weak

HELP_TEXT...........No Help Text

ID.................{BE2D9305-E2DA-F492-66CF-164EE58B8179}

TERM................WEAK

DATA VALUE: WEAKNESS

-------------------------------------------------------------------

ABBREVIATION........Weakness

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Weakness

HELP_TEXT...........

ID.................{E4C6D569-7961-4CB4-8E90-A02A31F98094}

TERM................WEAKNESS

DATA VALUE: WEDGED

-------------------------------------------------------------------

ABBREVIATION........WEDGED

ACTIVE..............Yes

DESCRIPTION.........Wedged

DISPLAY_NAME........Wedged

HELP_TEXT...........No Help Text

ID.................{03D7F6FD-399D-4A6B-9900-59655D76EE95}

TERM................WEDGED

DATA VALUE: WEIGHTED UTENSILS

----------------------------------------------------------------

ABBREVIATION........Weighted

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Weighted Utensils

HELP_TEXT...........

ID.................{5B19B4CB-92F4-4AD3-AC93-C5840F37C938}

TERM...............WEIGHTED UTENSILS


DATA VALUE: WELL GROOMED

----------------------------------------------------------------

ABBREVIATION........Well Groom

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Well Groomed

HELP_TEXT...........

ID.................{B47BFC8D-A0EA-46D4-953E-15E50BE97CBA}

TERM...............WELL GROOMED


DATA VALUE: WHEELCHAIR

----------------------------------------------------------------

ABBREVIATION........WH CHAIR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Wheelchair

HELP_TEXT...........No Help Text

ID.................{EC1B82CE-4037-466F-90AC-52CD5C3B26BE}

TERM................WHEELCHAIR


DATA VALUE: WHEELCHAIR EXIT ALARM

--------------------------------------------------------------------

ABBREVIATION........WHEEL EXIT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Wheelchair Exit Alarm

HELP_TEXT...........No Help Text

ID.................{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

TERM................WHEELCHAIR EXIT ALARM


DATA VALUE: WHEELCHAIR MOVER

--------------------------------------------------------------------

ABBREVIATION........Wheelchair

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Wheelchair Mover

HELP_TEXT...........

ID.................{21239FE9-B2E0-4945-8F86-575EB92A9AB5}

TERM................WHEELCHAIR MOVER

DATA VALUE: WHEEZES

----------------------------------------------------------------

ABBREVIATION........w

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Wheezes

HELP_TEXT...........No Help Text

ID.................{1B8A9729-554D-59F6-E9E8-40BDFF9C678E}

TERM................WHEEZES


DATA VALUE: WHITE

----------------------------------------------------------------

ABBREVIATION........WHITE

ACTIVE..............Yes

DESCRIPTION.........The color white

DISPLAY_NAME........White

HELP_TEXT...........The color white

ID.................{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}

TERM................WHITE


DATA VALUE: WITH PHYSICIAN

----------------------------------------------------------------

ABBREVIATION........wp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........With Physician

HELP_TEXT...........No Help Text

ID.................{1673C53F-DA8C-2CEC-679B-B01D914FE533}

TERM................WITH PHYSICIAN


DATA VALUE: WITH THERAPIST

--------------------------------------------------------------------

ABBREVIATION........wt

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........With Therapist

HELP_TEXT...........No Help Text

ID.................{795A1300-1D60-9D67-692D-A2AB2B190596}

TERM...............WITH THERAPIST


DATA VALUE: WITH TREATMENT TEAM/PROVIDER

--------------------------------------------------------------------

ABBREVIATION........Team/Prov

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........With Treatment Team/Provider

HELP_TEXT...........

ID.................{6F79D529-F477-4CD8-95B5-382FE02AE001}

TERM...............WITH TREATMENT TEAM/PROVIDER

DATA VALUE: WITHDRAWN

--------------------------------------------------------------------

ABBREVIATION........w

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Withdrawn

HELP_TEXT...........No Help Text

ID.................{E74B0F04-0E3F-632F-9409-C4953D95B1BA}

TERM................WITHDRAWN


DATA VALUE: WITHDRAWS TO PAIN

--------------------------------------------------------------------

ABBREVIATION........WITHD TO P

ACTIVE..............Yes

DESCRIPTION.........Withdraws To Pain

DISPLAY_NAME........Withdraws To Pain

HELP_TEXT...........No Help Text

ID.................{013527C8-FF6B-49CD-BF45-9338F7413E81}

TERM................WITHDRAWS TO PAIN


DATA VALUE: WITHIN SIGHT

--------------------------------------------------------------------

ABBREVIATION........Within St

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Within Sight

HELP_TEXT...........

ID.................{261C4AAB-98F3-4503-BABF-D206CB1B0348}

TERM................WITHIN SIGHT


DATA VALUE: WITHOUT ASSISTANCE

----------------------------------------------------------------------

ABBREVIATION........WO ASSIS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Without Assistance

HELP_TEXT...........No Help Text

ID.................{41CE081D-CB0E-49AF-936A-4FD78E61681B}

TERM...............WITHOUT ASSISTANCE


DATA VALUE: WONG-BAKER FACES

----------------------------------------------------------------------

ABBREVIATION........Wong-Baker

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Wong-Baker FACES

HELP_TEXT...........

ID.................{A398DF93-DCC3-42A5-8790-5D8F8B35C90F}

TERM...............WONG-BAKER FACES

DATA VALUE: WORD SALAD

-----------------------------------------------------------------

ABBREVIATION........Word Salad

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Word Salad

HELP_TEXT...........

ID.................{FB895D51-7E94-42D5-849C-6BAD95F728C6}

TERM................WORD SALAD


DATA VALUE: WOUND

-----------------------------------------------------------------

ABBREVIATION........WOUND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Wound

HELP_TEXT...........No Help Text

ID.................{1EC40149-051E-4750-8651-2B2D0DD2DEAC}

TERM................WOUND


DATA VALUE: WOUND DISCHARGE CHARACTERISTICS BLOODY

-----------------------------------------------------------------

ABBREVIATION........WOU DI BLO

ACTIVE..............Yes

DESCRIPTION.........Wound Discharge Characteristics Bloody

DISPLAY_NAME........Bloody

HELP_TEXT...........Wound Discharge Characteristics Bloody

ID.................{628DBFBC-9B77-48EA-99FE-0DF000376506}

TERM...............WOUND DISCHARGE CHARACTERISTICS BLOODY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS CLOUDY

---------------------------------------------------------------------

ABBREVIATION........WOU DI CLO

ACTIVE..............Yes

DESCRIPTION.........Wound Discharge Characteristics Cloudy

DISPLAY_NAME........Cloudy

HELP_TEXT...........Wound Discharge Characteristics Cloudy

ID.................{159C9993-A2E1-4133-9D5F-315EF9985EC4}

TERM...............WOUND DISCHARGE CHARACTERISTICS CLOUDY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS NONE

---------------------------------------------------------------------

ABBREVIATION........WOU DI NON

ACTIVE..............Yes

DESCRIPTION.........Wound Discharge Characteristics None

DISPLAY_NAME........None

HELP_TEXT...........Wound Discharge Characteristics None

ID.................{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}

TERM...............WOUND DISCHARGE CHARACTERISTICS NONE

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS PURULENT

----------------------------------------------------------------

ABBREVIATION........WOU DI PUR

ACTIVE..............Yes

DESCRIPTION.........Wound Discharge Characteristics

       Purulent

DISPLAY_NAME........Purulent

HELP_TEXT...........Wound Discharge Characteristics

       Purulent

ID..................{C1E10410-B6D8-4429-BD94-0B179992EAAB}

TERM................WOUND DISCHARGE CHARACTERISTICS

       PURULENT

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS

----------------------------------------------------------------

ABBREVIATION........WOU DI SSA

ACTIVE..............Yes

DESCRIPTION.........Wound Discharge Characteristics

       Serosanguinous

DISPLAY_NAME........Serosanguinous

HELP_TEXT...........Wound Discharge Characteristics

       Serosanguinous

ID..................{B431D8EF-5B53-4DCF-A390-431EB5ED3704}

TERM................WOUND DISCHARGE CHARACTERISTICS

       SEROSANGUINOUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROUS

----------------------------------------------------------------

ABBREVIATION........WOU DI SER

ACTIVE..............Yes

DESCRIPTION.........Wound Discharge Characteristics Serous

DISPLAY_NAME........Serous

HELP_TEXT...........Wound Discharge Characteristics Serous

ID.................{2124005E-5C36-48AC-AA6B-03E06510D70A}

TERM................WOUND DISCHARGE CHARACTERISTICS SEROUS


DATA VALUE: WOUND DISCHARGE CHARACTERISTICS VISCOUS

---------------------------------------------------------------------

ABBREVIATION........WOU DI VIS

ACTIVE..............Yes

DESCRIPTION.........Wound Discharge Characteristics Viscous

DISPLAY_NAME........Viscous

HELP_TEXT...........Wound Discharge Characteristics Viscous

ID.................{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

TERM................WOUND DISCHARGE CHARACTERISTICS VISCOUS


DATA VALUE: WOUND DRAINAGE AMOUNT HEAVY

---------------------------------------------------------------------

ABBREVIATION........W DR A HEA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Heavy

HELP_TEXT...........No Help-Text

ID.................{BF959172-6672-4FEB-8FB7-0568405F3C83}

TERM................WOUND DRAINAGE AMOUNT HEAVY

DATA VALUE: WOUND DRAINAGE AMOUNT MODERATE

----------------------------------------------------------------------

ABBREVIATION........W DR A MOD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Moderate

HELP_TEXT...........No Help-Text

ID.................{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}

TERM...............WOUND DRAINAGE AMOUNT MODERATE


DATA VALUE: WOUND DRAINAGE AMOUNT NONE

----------------------------------------------------------------------

ABBREVIATION........WOU DR A N

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........None

HELP_TEXT...........No Help-Text

ID.................{92910398-311F-D4D7-8BD5-AB66C3DC5E72}

TERM...............WOUND DRAINAGE AMOUNT NONE


DATA VALUE: WOUND DRAINAGE AMOUNT SCANT

----------------------------------------------------------------------

ABBREVIATION........W DR SCANT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Scant

HELP_TEXT...........No Help-Text

ID.................{9C3CD0BD-F960-4098-B14C-17B20703B242}

TERM...............WOUND DRAINAGE AMOUNT SCANT


DATA VALUE: WOUND DRAINAGE AMOUNT SMALL

---------------------------------------------------------------------

ABBREVIATION........W DR A SMA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Small

HELP_TEXT...........No Help-Text

ID.................{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}

TERM...............WOUND DRAINAGE AMOUNT SMALL


DATA VALUE: WOUND DRESSING TYPE ANTIMICROBIAL

---------------------------------------------------------------------

ABBREVIATION........WOU DR ANT

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Antimicrobial

HELP_TEXT...........No Help Text

ID.................{9DAE650A-3D5C-498B-BC74-F3CE77CD2BA9}

TERM...............WOUND DRESSING TYPE ANTIMICROBIAL

DATA VALUE: WOUND DRESSING TYPE CALCIUM ALGINATE

----------------------------------------------------------------------

ABBREVIATION........WOU DR CAL

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Calcium Alginate

HELP_TEXT...........No Help Text

ID.................{AA084ED8-07D0-4D8A-84D1-51F025246F40}

TERM................WOUND DRESSING TYPE CALCIUM ALGINATE


DATA VALUE: WOUND DRESSING TYPE GAUZE

----------------------------------------------------------------------

ABBREVIATION........WOU DR GAU

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Gauze

HELP_TEXT...........No Help Text

ID.................{A2EE67E2-B006-413F-8F8A-E02C21A39FC1}

TERM................WOUND DRESSING TYPE GAUZE


DATA VALUE: WOUND DRESSING TYPE GAUZE PACKING

----------------------------------------------------------------------

ABBREVIATION........WOU DR GPA

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Gauze Packing

HELP_TEXT...........No Help Text

ID.................{ED06B435-B205-4BD2-B3D1-795C40EE016F}

TERM...............WOUND DRESSING TYPE GAUZE PACKING


DATA VALUE: WOUND DRESSING TYPE GAUZE WRAP

---------------------------------------------------------------------

ABBREVIATION........WOU DR GWR

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Gauze Wrap

HELP_TEXT...........No Help Text

ID.................{4257C446-7627-4632-8507-B5880AD934D5}

TERM...............WOUND DRESSING TYPE GAUZE WRAP


DATA VALUE: WOUND DRESSING TYPE HYDROCOLLOIDAL

---------------------------------------------------------------------

ABBREVIATION........WOU DR HYD

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Hydrocolloidal

HELP_TEXT...........No Help Text

ID.................{8C20226C-FC6A-49A0-9A72-06876DB1F203}

TERM...............WOUND DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: WOUND DRESSING TYPE HYDROGEL

----------------------------------------------------------------------

ABBREVIATION........WOU DR HYD

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Hydrogel

HELP_TEXT...........No Help Text

ID.................{60DDE603-9FF1-44FA-BC4D-45AA8753E254}

TERM...............WOUND DRESSING TYPE HYDROGEL


DATA VALUE: WOUND DRESSING TYPE NONE

----------------------------------------------------------------------

ABBREVIATION........WOU DR NON

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........None

HELP_TEXT...........No Help Text

ID.................{8A58A493-A02C-4570-9786-9F5AF8D02360}

TERM...............WOUND DRESSING TYPE NONE


DATA VALUE: WOUND DRESSING TYPE PRESSURE

----------------------------------------------------------------------

ABBREVIATION........WOU DR PRE

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Pressure

HELP_TEXT...........No Help Text

ID.................{520952E4-FB31-4C1C-9FE2-A10E0F1CEE00}

TERM................WOUND DRESSING TYPE PRESSURE


DATA VALUE: WOUND DRESSING TYPE TRANSPARENT

----------------------------------------------------------------------

ABBREVIATION........WOU DR TRA

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Transparent

HELP_TEXT...........No Help Text

ID.................{EA57D935-33D8-4F30-8511-706870A27122}

TERM................WOUND DRESSING TYPE TRANSPARENT


DATA VALUE: WOUND EDGE INDISTINCT/ATTACHED

----------------------------------------------------------------------

ABBREVIATION........WOU ED IND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Indistinct, Attached

HELP_TEXT...........No Help-Text

ID.................{C899235C-4A07-4420-92BC-8F818B8E0A7F}

TERM................WOUND EDGE INDISTINCT/ATTACHED

DATA VALUE: WOUND EDGE NON-ATTACHED

----------------------------------------------------------------------

ABBREVIATION........WOU ED NON

ACTIVE..............Yes

DESCRIPTION.........Wound Edge Non Attached

DISPLAY_NAME........Non-Attached

HELP_TEXT...........Wound Edge Non Attached

ID.................{1D5C1317-B4FF-421C-96A0-C20C1089E672}

TERM................WOUND EDGE NON-ATTACHED


DATA VALUE: WOUND EDGE ROLLED

----------------------------------------------------------------------

ABBREVIATION........WOU ED ROL

ACTIVE..............Yes

DESCRIPTION.........Wound Edge Rolled

DISPLAY_NAME........Rolled

HELP_TEXT...........Wound Edge Rolled

ID.................{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

TERM................WOUND EDGE ROLLED


DATA VALUE: WOUND EDGE TUNNELING

----------------------------------------------------------------------

ABBREVIATION........WOU ED TUN

ACTIVE..............Yes

DESCRIPTION.........Wound Edge Tunneling

DISPLAY_NAME........Tunneling

HELP_TEXT...........Wound Edge Tunneling

ID.................{97425206-5261-46C1-905F-E03E2F071381}

TERM...............WOUND EDGE TUNNELING


DATA VALUE: WOUND EDGE UNDERMINING

---------------------------------------------------------------------

ABBREVIATION........WOU ED UND

ACTIVE..............Yes

DESCRIPTION.........Wound Edge Undermining

DISPLAY_NAME........Undermining

HELP_TEXT...........Wound Edge Undermining

ID.................{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}

TERM...............WOUND EDGE UNDERMINING


DATA VALUE: WOUND ODOR FOUL

---------------------------------------------------------------------

ABBREVIATION........WOU OD FOU

ACTIVE..............Yes

DESCRIPTION.........Wound Odor Foul

DISPLAY_NAME........Foul

HELP_TEXT...........Wound Odor Foul

ID.................{99A74112-EA71-4896-A4DD-911379E5B453}

TERM...............WOUND ODOR FOUL

DATA VALUE: WOUND ODOR NONE

--------------------------------------------------------------------

ABBREVIATION........WOU OD NON

ACTIVE..............Yes

DESCRIPTION.........Wound Odor None

DISPLAY_NAME........None

HELP_TEXT...........Wound Odor None

ID.................{D2E388F7-B531-4D60-A2BE-830F11B9AA75}

TERM................WOUND ODOR NONE


DATA VALUE: WOUND VAC DEVICE

--------------------------------------------------------------------

ABBREVIATION........WOUND VAC

ACTIVE..............Yes

DESCRIPTION.........Wound Vac Device

DISPLAY_NAME........Wound Vac Device

HELP_TEXT...........No Help Text

ID.................{A03F4978-969D-DCB8-DCE2-26EB33F097B3}

TERM................WOUND VAC DEVICE


DATA VALUE: WOUNDS AFFECTING TRANSFER/POSITIONING

--------------------------------------------------------------------

ABBREVIATION........Wounds

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Wounds Affecting Transfer/Positioning

HELP_TEXT...........

ID.................{6D5D97C8-A6D0-4AEF-9965-CB58BB266434}

TERM...............WOUNDS AFFECTING TRANSFER/POSITIONING


DATA VALUE: X-RAY

-------------------------------------------------------------------

ABBREVIATION........X-RAY

ACTIVE..............Yes

DESCRIPTION.........X-Ray

DISPLAY_NAME........X-Ray

HELP_TEXT...........X-Ray

ID.................{C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}

TERM................X-RAY


DATA VALUE: XENADERM

-------------------------------------------------------------------

ABBREVIATION........XENADERM

ACTIVE..............Yes

DESCRIPTION.........Xenaderm

DISPLAY_NAME........Xenaderm

HELP_TEXT...........No Help Text

ID.................{F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}

TERM................XENADERM

DATA VALUE: XEROFORM

-------------------------------------------------------------------

ABBREVIATION........XEROFORM

ACTIVE..............Yes

DESCRIPTION.........Xeroform

DISPLAY_NAME........Xeroform

HELP_TEXT...........No Help Text

ID.................{7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}

TERM................XEROFORM


DATA VALUE: YELLOW

-------------------------------------------------------------------

ABBREVIATION........YELLOW

ACTIVE..............Yes

DESCRIPTION.........The color yellow

DISPLAY_NAME........Yellow

HELP_TEXT...........No Help Text

ID.................{90DC31AD-6211-9F25-4237-79F7122A2763}

TERM................YELLOW


DATA VALUE: YELLOW/FIBRINOUS

-------------------------------------------------------------------

ABBREVIATION........YELLOW/FIB

ACTIVE..............Yes

DESCRIPTION.........Yellow / Fibrinous

DISPLAY_NAME........Yellow / Fibrinous

HELP_TEXT...........No Help Text

ID.................{47CF52FE-0374-4690-ADA1-643E0954E035}

TERM................YELLOW/FIBRINOUS


DATA VALUE: YELLOW/GREEN

-------------------------------------------------------------------

ABBREVIATION........YELLOW/GRN

ACTIVE..............Yes

DESCRIPTION.........Yellow/Green in appearance

DISPLAY_NAME........Yellow / Green

HELP_TEXT...........No Help Text

ID.................{1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}

TERM................YELLOW/GREEN


DATA VALUE: YES

-------------------------------------------------------------------

ABBREVIATION........y

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Yes

HELP_TEXT...........No Help Text

ID.................{483DE806-2EDB-34B0-FE11-C29EEEA649CD}

TERM................YES

DATA VALUE: YES, NEED IDENTIFIED AND ADDRESSED

--------------------------------------------------------------------

ABBREVIATION........Need Addr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Yes, Need Identified and Addressed

HELP_TEXT...........

ID.................{832EC80D-302F-4E9F-AD60-2B63ACEC8623}

TERM................YES, NEED IDENTIFIED AND ADDRESSED

DATA VALUE: YES, NO NEED IDENTIFIED

--------------------------------------------------------------------

ABBREVIATION........No Need ID

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Yes, No Need Identified

HELP_TEXT...........

ID.................{5E2DE268-5916-4DDF-8727-4EEA81896484}

TERM................YES, NO NEED IDENTIFIED

DATA VALUE: pH

--------------------------------------------------------------------

ABBREVIATION........pH

ACTIVE..............Yes

DESCRIPTION.........pH

DISPLAY_NAME........pH

HELP_TEXT...........pH

ID.................{104FE39C-B0A2-40B5-A523-B11E5F2BA272}

TERM................pH


DATA VALUE: rSR'

-------------------------------------------------------------------

ABBREVIATION........rSR'

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........rSR'

HELP_TEXT...........

ID.................{7DB2E237-F355-4A30-8C6F-D6419CBAC50E}

TERM................rSR'


DATA VALUE: {8BC7F294-7126-4843-91A0-14F805EC4578}

-------------------------------------------------------------------

ABBREVIATION........Morphine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Morphine

HELP_TEXT...........

ID.................{8BC7F294-7126-4843-91A0-14F805EC4578}

TERM................{8BC7F294-7126-4843-91A0-14F805EC4578}

LOCATION: ABDOMEN

-----------------------------------------------------------------

ABBREVIATION........ABDOMEN

ACTIVE..............Yes

DESCRIPTION.........ABDOMEN

DISPLAY_NAME........Abdomen

HELP_TEXT...........No Help Text

ID..................{109FE041-2521-6EF2-7F95-1FD1587796AB}

TERM................ABDOMEN


LOCATION: ABDOMEN LLQ

-----------------------------------------------------------------

ABBREVIATION........ABD LLQ

ACTIVE..............Yes

DESCRIPTION.........Abdomen Left Lower Quarter

DISPLAY_NAME........Abdomen Left Lower Quarter

HELP_TEXT...........No Help Text

ID..................{39831F59-D7B0-4156-AC57-4C622A93CA58}

TERM................ABDOMEN LLQ


LOCATION: ABDOMEN LUQ

-----------------------------------------------------------------

ABBREVIATION........ABD LUQ

ACTIVE..............Yes

DESCRIPTION.........Abdomen Left Upper Quarter

DISPLAY_NAME........Abdomen Left Upper Quarter

HELP_TEXT...........No Help Text

ID.................{3B31E1EC-CE74-4C76-BB61-10C678431FCA}

TERM................ABDOMEN LUQ


LOCATION: ABDOMEN RLQ

------------------------------------------------------------------

ABBREVIATION........ABD RLQ

ACTIVE..............Yes

DESCRIPTION.........Abdomen Right Lower Quarter

DISPLAY_NAME........Abdomen Right Lower Quarter

HELP_TEXT...........No Help Text

ID.................{2C48394F-6877-4738-856C-E933644D8067}

TERM................ABDOMEN RLQ


LOCATION: ABDOMEN RUQ

------------------------------------------------------------------

ABBREVIATION........ABD RUQ

ACTIVE..............Yes

DESCRIPTION.........Abdomen Right Upper Quarter

DISPLAY_NAME........Abdomen Right Upper Quarter

HELP_TEXT...........No Help Text

ID.................{F29C9FA1-717A-49B7-8000-95070E9AACA0}

TERM................ABDOMEN RUQ

LOCATION: ABDOMINAL

-------------------------------------------------------------------

ABBREVIATION........Abd

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Abdominal

HELP_TEXT...........No Help Text

ID.................{AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}

TERM................ABDOMINAL


LOCATION: ABDOMINAL AORTA

-------------------------------------------------------------------

ABBREVIATION........ABD AORTA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Abdominal Aorta

HELP_TEXT...........No Help Text

ID.................{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}

TERM................ABDOMINAL AORTA


LOCATION: ANKLE

-------------------------------------------------------------------

ABBREVIATION........Ank

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ankle

HELP_TEXT...........No Help Text

ID.................{F2A2CF53-BFA5-9279-DB22-EA2627988E5B}

TERM................ANKLE

LOCATION: APICAL

-------------------------------------------------------------------

ABBREVIATION........Ap

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Apical

HELP_TEXT...........No Help Text

ID.................{C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}

TERM................APICAL

LOCATION: ARM

-------------------------------------------------------------------

ABBREVIATION........Arm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Arm

HELP_TEXT...........

ID.................{19BD5170-8E49-4B83-85EA-D9BE3087D144}

TERM................ARM

LOCATION: AV FISTULA

------------------------------------------------------------------

ABBREVIATION........AVF

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........AV Fistula

HELP_TEXT...........No Help Text

ID.................{F977EEF6-EA6A-D56D-D1F7-29B91510A02F}

TERM................AV FISTULA


LOCATION: AXILLARY

------------------------------------------------------------------

ABBREVIATION........Ax

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Axillary

HELP_TEXT...........No Help Text

ID.................{135AA5F4-A1C7-978D-E9AB-6873841AEB57}

TERM................AXILLARY


LOCATION: BACK

------------------------------------------------------------------

ABBREVIATION........BACK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Back

HELP_TEXT...........No Help Text

ID.................{22C26239-C692-4E93-B522-E5E8392BA3B1}

TERM................BACK


LOCATION: BILATERAL ANKLES

----------------------------------------------------------------------

ABBREVIATION........BILA ANKLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bilateral Ankles

HELP_TEXT...........No Help-Text

ID.................{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

TERM................BILATERAL ANKLES


LOCATION: BILATERAL FOOT

----------------------------------------------------------------------

ABBREVIATION........BILAT FOOT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bilateral

HELP_TEXT...........No Help Text

ID.................{C758847D-468F-479A-B12D-F4E46F0E5E3A}

TERM................BILATERAL FOOT

LOCATION: BILATERAL HAND

--------------------------------------------------------------------

ABBREVIATION........BILAT HAND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bilateral

HELP_TEXT...........No Help Text

ID.................{C782FE56-6117-493F-847F-83173407F0B5}

TERM................BILATERAL HAND


LOCATION: BILATERAL LEG

--------------------------------------------------------------------

ABBREVIATION........BILAT LEG

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bilateral

HELP_TEXT...........No Help Text

ID.................{0713761D-E0FC-DA03-02A1-F20EFEB99F45}

TERM................BILATERAL LEG


LOCATION: BILATERAL NECK

--------------------------------------------------------------------

ABBREVIATION........BILAT NECK

ACTIVE..............Yes

DESCRIPTION.........Bilateral Neck

DISPLAY_NAME........Bilateral Neck

HELP_TEXT...........No Help Text

ID.................{744BF4A2-C55E-4D55-8711-58700DD1C446}

TERM................BILATERAL NECK

LOCATION: BILATERAL PERIPHERALS

-----------------------------------------------------------------

ABBREVIATION........BILAT PERI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bilateral Peripherals

HELP_TEXT...........No Help Text

ID.................{7F134529-36C5-E9D4-ABD5-64B404F9E706}

TERM................BILATERAL PERIPHERALS

LOCATION: BILATERAL WRIST

-----------------------------------------------------------------

ABBREVIATION........BILAT WRIS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bilateral

HELP_TEXT...........No Help Text

ID.................{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

TERM................BILATERAL WRIST

LOCATION: BLADDER

-------------------------------------------------------------------

ABBREVIATION........BLADDER

ACTIVE..............Yes

DESCRIPTION.........Bladder

DISPLAY_NAME........Bladder

HELP_TEXT...........Bladder

ID..................{18E083F2-C4BB-407E-B0A3-20C4942FC97F}

TERM................BLADDER


LOCATION: BOTH ARMS

-------------------------------------------------------------------

ABBREVIATION........BOTH ARMS

ACTIVE..............Yes

DESCRIPTION.........Both Arms

DISPLAY_NAME........Both Arms

HELP_TEXT...........No Help Text

ID..................{A493AB32-9DE9-40AC-8C46-7EFF395B63B5}

TERM................BOTH ARMS


LOCATION: BOTH EYES

-------------------------------------------------------------------

ABBREVIATION........Both Eyes

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Both Eyes

HELP_TEXT...........

ID..................{FF0ED136-502C-4CC9-94D0-991A50D738A0}

TERM................BOTH EYES

LOCATION: BOTH HANDS

-------------------------------------------------------------------

ABBREVIATION........BOTH HANDS

ACTIVE..............Yes

DESCRIPTION.........Both Hands

DISPLAY_NAME........Both Hands

HELP_TEXT...........No Help Text

ID.................{63AA2685-CB1D-4680-B2F4-2199A22D1EC6}

TERM................BOTH HANDS

LOCATION: BOTH LEGS

-------------------------------------------------------------------

ABBREVIATION........BOTH LEGS

ACTIVE..............Yes

DESCRIPTION.........Both Legs

DISPLAY_NAME........Both Legs

HELP_TEXT...........No Help Text

ID.................{5A15A231-4695-4CF3-AD0F-2E7950208967}

TERM................BOTH LEGS

LOCATION: BRACHIAL

-----------------------------------------------------------------

ABBREVIATION........Bra

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Brachial

HELP_TEXT...........No Help Text

ID.................{67426127-09E1-E566-F31E-15714A5B2B7C}

TERM................BRACHIAL


LOCATION: BUTTOCK

-----------------------------------------------------------------

ABBREVIATION........Buttock

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Buttock

HELP_TEXT...........

ID.................{7254A44D-91FA-40C7-B179-932AE08AD602}

TERM................BUTTOCK


LOCATION: CALF

-----------------------------------------------------------------

ABBREVIATION........Clf

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Calf

HELP_TEXT...........No Help Text

ID.................{7923E496-90D6-B6D5-726A-A5B8DF3436CF}

TERM................CALF


LOCATION: CARDIAC

--------------------------------------------------------------------

ABBREVIATION........Cardiac

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cardiac

HELP_TEXT...........

ID.................{39963876-6FE3-49CF-975F-8DBD60244180}

TERM................CARDIAC


LOCATION: CAROTID

--------------------------------------------------------------------

ABBREVIATION........Car

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Carotid

HELP_TEXT...........No Help Text

ID.................{9536F203-1797-9336-6F69-604249E1B3A0}

TERM................CAROTID

LOCATION: CAROTID ARTERY

-------------------------------------------------------------------

ABBREVIATION........Carotid

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Carotid Artery

HELP_TEXT...........

ID.................{E01C5C9D-CA0C-4866-BC0C-A244DA5CC057}

TERM................CAROTID ARTERY


LOCATION: CERVICAL SPINE

-------------------------------------------------------------------

ABBREVIATION........Cerv Spine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cervical Spine

HELP_TEXT...........

ID.................{6EBB5108-39A4-4A18-9AB3-E91329F469A3}

TERM................CERVICAL SPINE


LOCATION: CHEST

-------------------------------------------------------------------

ABBREVIATION........CHEST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Chest

HELP_TEXT...........No Help Text

ID.................{8C3C30FE-6E06-C35E-8226-CBF0C94014CC}

TERM................CHEST


LOCATION: COCCYX

--------------------------------------------------------------------

ABBREVIATION........COCCYX

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Coccyx

HELP_TEXT...........No Help Text

ID.................{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

TERM................COCCYX


LOCATION: CORE

--------------------------------------------------------------------

ABBREVIATION........C

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Core

HELP_TEXT...........No Help Text

ID.................{5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}

TERM................CORE

LOCATION: DONOR SITE

--------------------------------------------------------------------

ABBREVIATION........DONOR SITE

ACTIVE..............Yes

DESCRIPTION.........Donor Site

DISPLAY_NAME........Donor Site

HELP_TEXT...........No Help Text

ID.................{F0A65974-7650-4A4B-AC88-0945E37A0AD2}

TERM................DONOR SITE


LOCATION: DORSALIS PEDIS

--------------------------------------------------------------------

ABBREVIATION........DP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dorsalis Pedis

HELP_TEXT...........No Help Text

ID.................{9657D743-1632-2044-B4C5-9EF291A2F6D0}

TERM................DORSALIS PEDIS


LOCATION: ELBOW

--------------------------------------------------------------------

ABBREVIATION........Elbow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Elbow

HELP_TEXT...........

ID.................{88F9326B-0B00-4079-8DE1-FA081BC1D884}

TERM................ELBOW


LOCATION: FACE

---------------------------------------------------------------------

ABBREVIATION........FACE

ACTIVE..............Yes

DESCRIPTION.........PATIENT'S FACE

DISPLAY_NAME........Face

HELP_TEXT...........No Help Text

ID.................{C638EA14-7903-6A94-496A-C6560D51BEE3}

TERM................FACE


LOCATION: FACIAL

---------------------------------------------------------------------

ABBREVIATION........Facial

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Facial

HELP_TEXT...........

ID.................{7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}

TERM................FACIAL

LOCATION: FEET

----------------------------------------------------------------

ABBREVIATION........FEET

ACTIVE..............Yes

DESCRIPTION.........BOTH OF PATIENT'S FEET

DISPLAY_NAME........Feet

HELP_TEXT...........No Help Text

ID.................{944CAA0E-5165-A6AF-BE3D-85455440BF40}

TERM................FEET


LOCATION: FEMORAL

----------------------------------------------------------------

ABBREVIATION........Fem

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Femoral

HELP_TEXT...........No Help Text

ID.................{E3442C9E-8677-7296-D314-7365319C3716}

TERM................FEMORAL


LOCATION: FISTULA SITE

----------------------------------------------------------------

ABBREVIATION........Fist Site

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fistula Site

HELP_TEXT...........

ID.................{9959E3F8-D744-45F0-BB6B-4A132F8D87A0}

TERM................FISTULA SITE


LOCATION: FOOT

-------------------------------------------------------------------

ABBREVIATION........Foot

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Foot

HELP_TEXT...........

ID.................{FA0CD721-5592-49C5-A7FB-CE1D25A26128}

TERM................FOOT


LOCATION: FOREARM

-------------------------------------------------------------------

ABBREVIATION........Forearm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Forearm

HELP_TEXT...........

ID.................{1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}

TERM................FOREARM

LOCATION: FOREHEAD

----------------------------------------------------------------

ABBREVIATION........FOREHEAD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Forehead

HELP_TEXT...........No Help Text

ID.................{5F892722-956E-474C-BA08-4074142D49F6}

TERM................FOREHEAD


LOCATION: FRONTAL

----------------------------------------------------------------

ABBREVIATION........FRONTAL

ACTIVE..............Yes

DESCRIPTION.........Frontal

DISPLAY_NAME........Frontal

HELP_TEXT...........No Help Text

ID.................{CF8F7565-13BF-4180-A222-44FFFA06992A}

TERM................FRONTAL


LOCATION: GASTROINTESTINAL

----------------------------------------------------------------

ABBREVIATION........GI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........GI

HELP_TEXT...........No Help Text

ID.................{C27C66DB-3A6A-487E-9981-FA7FD323C0C3}

TERM................GASTROINTESTINAL

LOCATION: GENERAL UMBILICUS

---------------------------------------------------------------------

ABBREVIATION........GEN UMBILI

ACTIVE..............Yes

DESCRIPTION.........General Umbilicus

DISPLAY_NAME........General Umbilicus

HELP_TEXT...........General Umbilicus

ID.................{34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

TERM................GENERAL UMBILICUS

LOCATION: GENERALIZED

---------------------------------------------------------------------

ABBREVIATION........GENERIZED

ACTIVE..............Yes

DESCRIPTION.........TERM DESCRIBES GENERAL OBSERVATIONS

            OF PATIENT'S ENTIRE BODY

DISPLAY_NAME........Generalized

HELP_TEXT...........No Help Text

ID.................{17073C6C-8691-CADC-2238-CBAAB0A5C648}

TERM................GENERALIZED

LOCATION: GENITALS

----------------------------------------------------------------

ABBREVIATION........GENITALS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Genitals

HELP_TEXT...........No Help Text

ID.................{83437106-3336-4925-92C8-F959561687FC}

TERM................GENITALS


LOCATION: GRAFT SITE

----------------------------------------------------------------

ABBREVIATION........Graft Site

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Graft Site

HELP_TEXT...........

ID.................{56ABE088-8047-4335-9F61-4FF69B9B81D8}

TERM................GRAFT SITE


LOCATION: HAND

----------------------------------------------------------------

ABBREVIATION........Hand

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Hand

HELP_TEXT...........

ID.................{1AB49054-DD2B-468D-A7C6-DD83C959F8D7}

TERM................HAND


LOCATION: HEAD

--------------------------------------------------------------------

ABBREVIATION........Hd

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Head

HELP_TEXT...........No Help Text

ID.................{C3209F44-90C6-FF1B-3169-265B294F276A}

TERM................HEAD


LOCATION: HEAD OCCIPITAL

--------------------------------------------------------------------

ABBREVIATION........HEAD OCCIP

ACTIVE..............Yes

DESCRIPTION.........Head Occipital

DISPLAY_NAME........Head Occipital

HELP_TEXT...........No Help Text

ID.................{2066CA47-5A16-447F-9919-24ED435B627F}

TERM................HEAD OCCIPITAL

LOCATION: HEART

-------------------------------------------------------------------

ABBREVIATION........HEART

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Heart

HELP_TEXT...........No Help Text

ID.................{F7D48A36-B512-42DD-B92F-07ACF2B95E08}

TERM................HEART


LOCATION: HIP

-------------------------------------------------------------------

ABBREVIATION........Hip

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Hip

HELP_TEXT...........No Help Text

ID.................{D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}

TERM................HIP


LOCATION: INCISIONAL SITE

-------------------------------------------------------------------

ABBREVIATION........INCISON SI

ACTIVE..............Yes

DESCRIPTION.........Incisional Site

DISPLAY_NAME........Incisional Site

HELP_TEXT...........No Help Text

ID.................{EB36A66D-751D-4031-9F68-0BB03E267321}

TERM................INCISIONAL SITE

LOCATION: KNEE

---------------------------------------------------------------------

ABBREVIATION........Kn

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Knee

HELP_TEXT...........No Help Text

ID.................{B577308A-4C37-47BD-AD84-38E6342B6DF7}

TERM................KNEE

LOCATION: KNEES

---------------------------------------------------------------------

ABBREVIATION........KNEES

ACTIVE..............Yes

DESCRIPTION.........BOTH OF PATIENT'S KNEES

DISPLAY_NAME........Knees

HELP_TEXT...........No Help Text

ID.................{247D6621-3A85-F1F7-59BF-1FB0361B3C21}

TERM................KNEES

LOCATION: L ABDOMEN

----------------------------------------------------------------

ABBREVIATION........L ABDOMEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Abdomen

HELP_TEXT...........No Help Text

ID.................{46B37481-4105-492D-96F0-E2D3895379C1}

TERM................L ABDOMEN


LOCATION: L ANKLE

----------------------------------------------------------------

ABBREVIATION........L ANKLE

ACTIVE..............Yes

DESCRIPTION.........Left Ankle

DISPLAY_NAME........L Ankle

HELP_TEXT...........No Help Text

ID.................{D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

TERM................L ANKLE


LOCATION: L ANTECUBITAL

----------------------------------------------------------------

ABBREVIATION........L ANTECUBI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Antecubital

HELP_TEXT...........No Help Text

ID.................{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}

TERM................L ANTECUBITAL


LOCATION: L ARM

-------------------------------------------------------------------

ABBREVIATION........LA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Arm

HELP_TEXT...........No Help Text

ID.................{567F552F-54B5-A8BB-596F-291001746E31}

TERM................L ARM


LOCATION: L AXILLARY

-------------------------------------------------------------------

ABBREVIATION........L AXILLARY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Axillary

HELP_TEXT...........No Help Text

ID.................{21AF62CA-BEED-2A96-2CD6-F2350A01995E}

TERM................L AXILLARY

LOCATION: L BRACHIAL

----------------------------------------------------------------

ABBREVIATION........L BRACH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Brachial

HELP_TEXT...........No Help Text

ID.................{75F6CE33-1AB3-A1DA-70B8-04825290B577}

TERM................L BRACHIAL


LOCATION: L CALF

----------------------------------------------------------------

ABBREVIATION........L CALF

ACTIVE..............Yes

DESCRIPTION.........Left Calf

DISPLAY_NAME........L Calf

HELP_TEXT...........No Help Text

ID.................{3DAA7817-936B-444F-8A2D-D3AB09144C10}

TERM................L CALF


LOCATION: L CAROTID

----------------------------------------------------------------

ABBREVIATION........L CAROTID

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Carotid

HELP_TEXT...........No Help Text

ID.................{FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}

TERM................L CAROTID

LOCATION: L CHEST

----------------------------------------------------------------------

ABBREVIATION........L CHEST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Left Chest

HELP_TEXT...........No Help Text

ID.................{E332E497-FE0C-47CB-A0A7-217FBF52DC97}

TERM................L CHEST

LOCATION: L DORSALIS PEDIS

----------------------------------------------------------------------

ABBREVIATION........L DOR PED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Dorsalis Pedis

HELP_TEXT...........No Help Text

ID.................{389397B5-2863-B8F2-A779-C38433894A19}

TERM................L DORSALIS PEDIS

LOCATION: L EAR

-------------------------------------------------------------------

ABBREVIATION........L EAR

ACTIVE..............Yes

DESCRIPTION.........Left Ear

DISPLAY_NAME........L Ear

HELP_TEXT...........No Help Text

ID.................{DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

TERM................L EAR


LOCATION: L ELBOW

-------------------------------------------------------------------

ABBREVIATION........L ELBOW

ACTIVE..............Yes

DESCRIPTION.........Left Elbow

DISPLAY_NAME........L Elbow

HELP_TEXT...........No Help Text

ID.................{BF4317E7-2024-47EF-9E5F-3D21D0547885}

TERM................L ELBOW


LOCATION: L EXTERNAL JUGULAR

-------------------------------------------------------------------

ABBREVIATION........L EXT JUGU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L External Jugular

HELP_TEXT...........No Help Text

ID.................{6F7B331B-4F83-0B79-1755-F6F673D647D6}

TERM................L EXTERNAL JUGULAR


LOCATION: L EYE

----------------------------------------------------------------

ABBREVIATION........L EYE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Eye

HELP_TEXT...........No Help Text

ID.................{D714A0CA-EAD6-EC35-DA54-FF027C23FF45}

TERM................L EYE


LOCATION: L FACE

----------------------------------------------------------------

ABBREVIATION........L FACE

ACTIVE..............Yes

DESCRIPTION.........LEFT SIDE OF PATIENT'S FACE

DISPLAY_NAME........L Face

HELP_TEXT...........No Help Text

ID.................{06F00A70-F475-CD40-665D-AF0569A1E75F}

TERM................L FACE

LOCATION: L FEMORAL

----------------------------------------------------------------

ABBREVIATION........L FEMORAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Femoral

HELP_TEXT...........No Help Text

ID.................{50AF6A08-CE37-6859-F4E6-762660A982F7}

TERM................L FEMORAL


LOCATION: L FINGER

----------------------------------------------------------------

ABBREVIATION........L FINGER

ACTIVE..............Yes

DESCRIPTION.........Left Finger

DISPLAY_NAME........L Finger

HELP_TEXT...........No Help Text

ID.................{BB825645-1630-498C-A31B-6728D422EEFC}

TERM................L FINGER


LOCATION: L FLANK

----------------------------------------------------------------

ABBREVIATION........L FLANK

ACTIVE..............Yes

DESCRIPTION.........Left Flank

DISPLAY_NAME........L Flank

HELP_TEXT...........No Help Text

ID.................{6E453E8D-B456-4BFD-A015-F9C013830F30}

TERM................L FLANK


LOCATION: L FOOT

--------------------------------------------------------------------

ABBREVIATION........L FOOT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Foot

HELP_TEXT...........No Help Text

ID.................{2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}

TERM................L FOOT


LOCATION: L GLUTEUS

--------------------------------------------------------------------

ABBREVIATION........L GLUTEUS

ACTIVE..............Yes

DESCRIPTION.........Left Gluteus

DISPLAY_NAME........L Gluteus

HELP_TEXT...........No Help Text

ID.................{88C4E547-04CD-4D52-9416-CAEB6D898D21}

TERM................L GLUTEUS

LOCATION: L GROIN

-----------------------------------------------------------------

ABBREVIATION........L GROIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Groin

HELP_TEXT...........No Help Text

ID.................{5488E4EE-C1A2-4B02-8763-A53C412117A7}

TERM................L GROIN


LOCATION: L HAND

-----------------------------------------------------------------

ABBREVIATION........L HAND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Hand

HELP_TEXT...........No Help Text

ID.................{639DF25A-19E3-B504-D323-4B3F6ED39A24}

TERM................L HAND


LOCATION: L HEAD

-----------------------------------------------------------------

ABBREVIATION........L HEAD

ACTIVE..............Yes

DESCRIPTION.........Left Head

DISPLAY_NAME........L Head

HELP_TEXT...........No Help Text

ID.................{3737DC2D-DC9E-4FC8-839D-0355987B62D1}

TERM................L HEAD


LOCATION: L HEEL

-------------------------------------------------------------------

ABBREVIATION........L HEEL

ACTIVE..............Yes

DESCRIPTION.........Left Heel

DISPLAY_NAME........L Heel

HELP_TEXT...........No Help Text

ID.................{C9154881-17C7-4921-A0EE-BFB962C59CEF}

TERM................L HEEL


LOCATION: L HIP

-------------------------------------------------------------------

ABBREVIATION........L HIP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Hip

HELP_TEXT...........No Help Text

ID.................{786CD881-27AD-4136-B9CC-8423CB38A431}

TERM................L HIP

LOCATION: L INGUINAL

--------------------------------------------------------------------

ABBREVIATION........L INGUINAL

ACTIVE..............Yes

DESCRIPTION.........Left Inguinal

DISPLAY_NAME........L Inguinal

HELP_TEXT...........No Help Text

ID.................{627D172E-8F33-48C9-BE89-D036E07D46BF}

TERM................L INGUINAL


LOCATION: L INNER KNEE

--------------------------------------------------------------------

ABBREVIATION........L INN KNEE

ACTIVE..............Yes

DESCRIPTION.........Left Inner Knee

DISPLAY_NAME........L Inner Knee

HELP_TEXT...........No Help Text

ID.................{79853581-CCF0-49E9-9D91-D16DE02A836D}

TERM................L INNER KNEE


LOCATION: L INTERNAL JUGULAR

--------------------------------------------------------------------

ABBREVIATION........L INT JUG

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Internal Jugular

HELP_TEXT...........No Help Text

ID.................{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}

TERM................L INTERNAL JUGULAR

LOCATION: L ISCHIAL

-------------------------------------------------------------------

ABBREVIATION........L ISCHIAL

ACTIVE..............Yes

DESCRIPTION.........Left Ischial

DISPLAY_NAME........L Ischial

HELP_TEXT...........No Help Text

ID.................{DCDAD741-9599-4479-9D55-3279F800DBE6}

TERM................L ISCHIAL

LOCATION: L JAW

-------------------------------------------------------------------

ABBREVIATION........L JAW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Jaw

HELP_TEXT...........No Help Text

ID.................{65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}

TERM................L JAW

LOCATION: L KNEE

----------------------------------------------------------------

ABBREVIATION........L KNEE

ACTIVE..............Yes

DESCRIPTION.........PATIENT'S LEFT KNEE

DISPLAY_NAME........L Knee

HELP_TEXT...........No Help Text

ID.................{3A9E30B4-09A9-967A-58EF-69A01EC4F859}

TERM................L KNEE


LOCATION: L LATERAL HEEL

----------------------------------------------------------------

ABBREVIATION........L LAT HEEL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Lateral Heel

HELP_TEXT...........No Help Text

ID.................{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}

TERM................L LATERAL HEEL


LOCATION: L LATERAL MALLEOLUS

----------------------------------------------------------------

ABBREVIATION........L LAT MALL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Lateral Malleolus

HELP_TEXT...........No Help Text

ID.................{9A523B7C-64DD-4E47-9543-165788108D4C}

TERM................L LATERAL MALLEOLUS

LOCATION: L LEG

----------------------------------------------------------------------

ABBREVIATION........LL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Leg

HELP_TEXT...........No Help Text

ID.................{B088C809-E528-B785-21C2-14E45E1FD8AF}

TERM................L LEG

LOCATION: L LOWER ANTERIOR CHEST

----------------------------------------------------------------------

ABBREVIATION........L L A CHES

ACTIVE..............Yes

DESCRIPTION.........Left Lower Anterior Chest

DISPLAY_NAME........L Low. Ant. Chest

HELP_TEXT...........No Help Text

ID.................{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}

TERM................L LOWER ANTERIOR CHEST

LOCATION: L LOWER ARM

-------------------------------------------------------------------

ABBREVIATION........L LOW ARM

ACTIVE..............Yes

DESCRIPTION.........Left Lower Arm

DISPLAY_NAME........L Lower Arm

HELP_TEXT...........No Help Text

ID.................{63AA95E8-256D-4390-8CB3-F00A1B3F91CD}

TERM................L LOWER ARM


LOCATION: L LOWER EXTREMITY

-------------------------------------------------------------------

ABBREVIATION........LLEX

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Lower Extremity

HELP_TEXT...........No Help Text

ID.................{FC6F5056-779A-BF76-86D0-A237936C1ECC}

TERM................L LOWER EXTREMITY


LOCATION: L LOWER LEG

-------------------------------------------------------------------

ABBREVIATION........L LOW LEG

ACTIVE..............Yes

DESCRIPTION.........Left Lower Leg

DISPLAY_NAME........L Lower Leg

HELP_TEXT...........No Help Text

ID.................{7B8E92FA-E065-4D06-9FB6-4234656CFD61}

TERM................L LOWER LEG


LOCATION: L LOWER LIMB

--------------------------------------------------------------------

ABBREVIATION........L LOW LIMB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Lower Limb

HELP_TEXT...........No Help Text

ID.................{4838CB05-A1DD-F4FB-587C-2D0C17A2484E}

TERM................L LOWER LIMB


LOCATION: L LOWER POSTERIOR CHEST

--------------------------------------------------------------------

ABBREVIATION........L L P CHES

ACTIVE..............Yes

DESCRIPTION.........Left Lower Posterior Chest

DISPLAY_NAME........L Low. Pos. Chest

HELP_TEXT...........No Help Text

ID.................{2C19F10B-7546-4A1F-A5DC-3867359ED971}

TERM................L LOWER POSTERIOR CHEST

LOCATION: L MANDIBULAR

---------------------------------------------------------------------

ABBREVIATION........L MANDIBUL

ACTIVE..............Yes

DESCRIPTION.........Left Mandibular

DISPLAY_NAME........L Mandibular

HELP_TEXT...........No Help Text

ID.................{CB9DB373-5F0A-446B-909F-F76392CB3A04}

TERM................L MANDIBULAR

LOCATION: L MEDIAL HEEL

---------------------------------------------------------------------

ABBREVIATION........L MED HEEL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Medial Heel

HELP_TEXT...........No Help Text

ID.................{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}

TERM................L MEDIAL HEEL

LOCATION: L MEDIAL MALLEOLUS

---------------------------------------------------------------------

ABBREVIATION........L MED MALL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Medial Malleolus

HELP_TEXT...........No Help Text

ID.................{330E7682-407F-43CD-84FC-1CDA41F08C68}

TERM................L MEDIAL MALLEOLUS


LOCATION: L MIDDLE ANTERIOR CHEST

----------------------------------------------------------------------

ABBREVIATION........L M A CHES

ACTIVE..............Yes

DESCRIPTION.........Left Middle Anterior Chest

DISPLAY_NAME........L Mid. Ant. Chest

HELP_TEXT...........No Help Text

ID.................{36A83F77-117E-474B-AE34-0B2C02E131AE}

TERM................L MIDDLE ANTERIOR CHEST


LOCATION: L MIDDLE POSTERIOR CHEST

----------------------------------------------------------------------

ABBREVIATION........L M P CHES

ACTIVE..............Yes

DESCRIPTION.........Left Middle Posterior Chest

DISPLAY_NAME........L Mid. Pos. Chest

HELP_TEXT...........No Help Text

ID.................{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}

TERM................L MIDDLE POSTERIOR CHEST

LOCATION: L NECK

----------------------------------------------------------------

ABBREVIATION........L NECK

ACTIVE..............Yes

DESCRIPTION.........Left Neck

DISPLAY_NAME........L Neck

HELP_TEXT...........No Help Text

ID.................{C4EA6279-05E2-4195-A638-3794DCBA7B78}

TERM................L NECK


LOCATION: L NOSE

----------------------------------------------------------------

ABBREVIATION........L NOSE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Nose

HELP_TEXT...........No Help Text

ID.................{C7707847-5135-4749-B196-002E3E59BB54}

TERM................L NOSE


LOCATION: L OCCIPITAL

----------------------------------------------------------------

ABBREVIATION........L OCCIPTAL

ACTIVE..............Yes

DESCRIPTION.........Left Occipital

DISPLAY_NAME........L Occipital

HELP_TEXT...........No Help Text

ID.................{A4234F41-CD6F-4CE1-9210-316DB847BDE2}

TERM................L OCCIPITAL

LOCATION: L ORAL

--------------------------------------------------------------------

ABBREVIATION........L ORAL

ACTIVE..............Yes

DESCRIPTION.........Left Oral

DISPLAY_NAME........L Oral

HELP_TEXT...........No Help Text

ID.................{057B787A-8750-4563-80DB-25110CCC1146}

TERM................L ORAL

LOCATION: L ORBIT

--------------------------------------------------------------------

ABBREVIATION........L ORBIT

ACTIVE..............Yes

DESCRIPTION.........Left Orbit

DISPLAY_NAME........L Orbit

HELP_TEXT...........No Help Text

ID.................{1D798E35-5095-4BA0-8F9F-FA96668A5239}

TERM................L ORBIT

LOCATION: L OUTER KNEE

----------------------------------------------------------------

ABBREVIATION........L OUT KNEE

ACTIVE..............Yes

DESCRIPTION.........Left Outer Knee

DISPLAY_NAME........L Outer Knee

HELP_TEXT...........No Help Text

ID.................{B143C935-2687-49C3-9F65-8D69C1775ABC}

TERM................L OUTER KNEE


LOCATION: L PARIETAL

----------------------------------------------------------------

ABBREVIATION........L PARIETAL

ACTIVE..............Yes

DESCRIPTION.........Left Parietal

DISPLAY_NAME........L Parietal

HELP_TEXT...........No Help Text

ID.................{2687ED24-F35E-456C-99C9-F6A8EC4364E0}

TERM................L PARIETAL


LOCATION: L PEDAL

----------------------------------------------------------------

ABBREVIATION........LEFT PEDAL

ACTIVE..............Yes

DESCRIPTION.........L Pedal

DISPLAY_NAME........L Pedal

HELP_TEXT...........L Pedal

ID.................{D84E9953-8C17-3130-8F21-A30D2A99FDE4}

TERM................L PEDAL

LOCATION: L POST TIBIAL

----------------------------------------------------------------------

ABBREVIATION........L PO TIB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Post Tibial

HELP_TEXT...........No Help Text

ID.................{BED130EE-31CC-C7E9-6597-78685BCE91AC}

TERM................L POST TIBIAL

LOCATION: L RADIAL

----------------------------------------------------------------------

ABBREVIATION........L RAD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Radial

HELP_TEXT...........No Help Text

ID.................{302F78AD-4067-8B6B-BD15-993EC8561AE6}

TERM................L RADIAL

LOCATION: L RIBS

-------------------------------------------------------------------

ABBREVIATION........L RIBS

ACTIVE..............Yes

DESCRIPTION.........Left Ribs

DISPLAY_NAME........L Ribs

HELP_TEXT...........No Help Text

ID.................{BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}

TERM................L RIBS


LOCATION: L SCAPULA

-------------------------------------------------------------------

ABBREVIATION........L SCAPULA

ACTIVE..............Yes

DESCRIPTION.........Left Scapula

DISPLAY_NAME........L Scapula

HELP_TEXT...........No Help Text

ID.................{3381EC50-771B-41C8-85C8-6EB0D208D54E}

TERM................L SCAPULA


LOCATION: L SHOULDER

-------------------------------------------------------------------

ABBREVIATION........L SHOULDER

ACTIVE..............Yes

DESCRIPTION.........Left Shoulder

DISPLAY_NAME........L Shoulder

HELP_TEXT...........No Help Text

ID.................{91CBD2FA-2743-42EB-946B-6933980D9337}

TERM................L SHOULDER

LOCATION: L SUBCLAVIAN

--------------------------------------------------------------------

ABBREVIATION........L SUBCLAVI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Subclavian

HELP_TEXT...........No Help Text

ID.................{71B93594-15F9-AA4A-AEF2-E222EC28C00D}

TERM................L SUBCLAVIAN

LOCATION: L TEMPORAL

--------------------------------------------------------------------

ABBREVIATION........L TEMPO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Temporal

HELP_TEXT...........No Help Text

ID.................{375E65CF-A59E-A1E9-EB6D-D53CD818939E}

TERM................L TEMPORAL

LOCATION: L TESTICLE

-------------------------------------------------------------------

ABBREVIATION........L TESTICLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Left Testicle

HELP_TEXT...........No Help Text

ID.................{1E376539-E89F-4472-8274-CFD11275E11F}

TERM................L TESTICLE

LOCATION: L THIGH

-------------------------------------------------------------------

ABBREVIATION........L THIGH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Thigh

HELP_TEXT...........No Help Text

ID.................{16C2312F-1E0E-45E0-B675-160F40C23F57}

TERM................L THIGH

LOCATION: L THORACIC ANTERIOR

-------------------------------------------------------------------

ABBREVIATION........L THOR ANT

ACTIVE..............Yes

DESCRIPTION.........Left Thoracic Anterior

DISPLAY_NAME........L Thoracic Anterior

HELP_TEXT...........No Help Text

ID.................{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}

TERM...............L THORACIC ANTERIOR


LOCATION: L THORACIC LATERAL

----------------------------------------------------------------------

ABBREVIATION........L THOR LAT

ACTIVE..............Yes

DESCRIPTION.........Left Thoracic Lateral

DISPLAY_NAME........L Thoracic Lateral

HELP_TEXT...........No Help Text

ID.................{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}

TERM...............L THORACIC LATERAL


LOCATION: L THORACIC POSTERIOR

----------------------------------------------------------------------

ABBREVIATION........L THOR POS

ACTIVE..............Yes

DESCRIPTION.........Left Thoracic Posterior

DISPLAY_NAME........L Thoracic Posterior

HELP_TEXT...........No Help Text

ID.................{68E3381F-7605-4786-85A8-523D215A2B97}

TERM...............L THORACIC POSTERIOR

LOCATION: L THORACOTOMY

------------------------------------------------------------------

ABBREVIATION........L THORACOT

ACTIVE..............Yes

DESCRIPTION.........Left Thoracotomy

DISPLAY_NAME........L Thoracotomy

HELP_TEXT...........No Help Text

ID.................{313C11A1-559A-4F68-8718-4012416EC189}

TERM................L THORACOTOMY


LOCATION: L THUMB

------------------------------------------------------------------

ABBREVIATION........L THUMB

ACTIVE..............Yes

DESCRIPTION.........Left Thumb

DISPLAY_NAME........L Thumb

HELP_TEXT...........No Help Text

ID.................{F82F4731-2CC5-4705-91BE-05E40C25B419}

TERM................L THUMB


LOCATION: L TOE

------------------------------------------------------------------

ABBREVIATION........L TOE

ACTIVE..............Yes

DESCRIPTION.........Left Toe

DISPLAY_NAME........L Toe

HELP_TEXT...........No Help Text

ID.................{C666DE86-E7AE-4AB3-8AE1-91496219E63D}

TERM................L TOE


LOCATION: L TRAPEZIUS

----------------------------------------------------------------------

ABBREVIATION........L TRAPEZIU

ACTIVE..............Yes

DESCRIPTION.........Left Trapezius

DISPLAY_NAME........L Trapezius

HELP_TEXT...........No Help Text

ID.................{B74CF943-C10F-4A1B-A19A-4975E674A97A}

TERM................L TRAPEZIUS


LOCATION: L TROCHANTER

----------------------------------------------------------------------

ABBREVIATION........L TROCHANT

ACTIVE..............Yes

DESCRIPTION.........Left Trochanter

DISPLAY_NAME........L Trochanter

HELP_TEXT...........No Help Text

ID.................{C91647A4-255D-40E4-A24D-01274E5D799F}

TERM................L TROCHANTER

LOCATION: L UPPER ANTERIOR CHEST

---------------------------------------------------------------------

ABBREVIATION........L U A CHES

ACTIVE..............Yes

DESCRIPTION.........Left Upper Anterior Chest

DISPLAY_NAME........L. Up. Ant. Chest

HELP_TEXT...........No Help Text

ID.................{FE63B58A-DE39-4C03-AE61-E34A5487C767}

TERM................L UPPER ANTERIOR CHEST


LOCATION: L UPPER ARM

---------------------------------------------------------------------

ABBREVIATION........L UPP ARM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Upper Arm

HELP_TEXT...........No Help Text

ID.................{5F915696-1B08-32E9-6B95-49246117D660}

TERM................L UPPER ARM


LOCATION: L UPPER EXTREMITY

---------------------------------------------------------------------

ABBREVIATION........LUEX

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Upper Extremity

HELP_TEXT...........No Help Text

ID.................{48806E79-B1DA-129B-EB52-453292A3DDC6}

TERM................L UPPER EXTREMITY


LOCATION: L UPPER LEG

--------------------------------------------------------------------

ABBREVIATION........L UPPER LE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Left Upper Leg

HELP_TEXT...........No Help Text

ID.................{1DB35895-F74C-4B88-A3EE-3E556CB6559A}

TERM................L UPPER LEG


LOCATION: L UPPER LIMB

--------------------------------------------------------------------

ABBREVIATION........L Upp Limb

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Upper Limb

HELP_TEXT...........No Help Text

ID.................{E6453716-62D3-DFCB-F84D-F6F2FDFC20B7}

TERM................L UPPER LIMB

LOCATION: L UPPER POSTERIOR CHEST

-------------------------------------------------------------------

ABBREVIATION........L U P CHES

ACTIVE..............Yes

DESCRIPTION.........Left Upper Posterior Chest

DISPLAY_NAME........L Up. Pos. Chest

HELP_TEXT...........No Help Text

ID.................{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}

TERM................L UPPER POSTERIOR CHEST


LOCATION: L WRIST

-------------------------------------------------------------------

ABBREVIATION........L WRIST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L Wrist

HELP_TEXT...........No Help Text

ID.................{7BCAFACE-FF3B-46DA-99F9-6437A90B7126}

TERM................L WRIST


LOCATION: LEFT

-------------------------------------------------------------------

ABBREVIATION........Lt

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Left

HELP_TEXT...........No Help Text

ID.................{C9C09768-9EEA-8F2B-86D4-B53458472E4E}

TERM................LEFT

LOCATION: LEFT ANKLE

-------------------------------------------------------------------

ABBREVIATION........LeftAnkle

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Ankle

HELP_TEXT...........

ID.................{9AFD8711-2A6D-4A8E-A249-84443E64BD64}

TERM................LEFT ANKLE

LOCATION: LEFT ELBOW

-------------------------------------------------------------------

ABBREVIATION........LeftElbow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Elbow

HELP_TEXT...........

ID.................{E9233EDA-72EF-4021-A1B7-CC32E8AC0B3A}

TERM................LEFT ELBOW

LOCATION: LEFT EYE

----------------------------------------------------------------

ABBREVIATION........Left Eye

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Eye

HELP_TEXT...........

ID.................{D1B20983-6076-47E6-9578-2EFB3CB6A47B}

TERM................LEFT EYE


LOCATION: LEFT HAND/FINGERS

----------------------------------------------------------------

ABBREVIATION........LHandFing

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Hand/Fingers

HELP_TEXT...........

ID.................{293AD277-AE37-4F6C-8BBD-63855645E72E}

TERM................LEFT HAND/FINGERS


LOCATION: LEFT HIP

----------------------------------------------------------------

ABBREVIATION........LeftHip

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Hip

HELP_TEXT...........

ID.................{89405289-AAD1-4058-B8F9-B35FB2A47F9C}

TERM................LEFT HIP


LOCATION: LEFT KNEE

------------------------------------------------------------------

ABBREVIATION........LeftKnee

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Knee

HELP_TEXT...........

ID.................{DB284E61-0A1A-4C49-9208-83C1AB45465D}

TERM................LEFT KNEE


LOCATION: LEFT LOWER LOBE

------------------------------------------------------------------

ABBREVIATION........LLL

ACTIVE..............Yes

DESCRIPTION.........LEFT LUNG'S LOWER LOBE

DISPLAY_NAME........L Lower Lobe

HELP_TEXT...........No Help Text

ID.................{14155C13-874D-6E26-01D8-2C03B349F913}

TERM................LEFT LOWER LOBE

LOCATION: LEFT NECK

----------------------------------------------------------------

ABBREVIATION........L NECK

ACTIVE..............Yes

DESCRIPTION.........LEFT SIDE OF PATIENT'S NECK

DISPLAY_NAME........L Neck

HELP_TEXT...........No Help Text

ID.................{40522B5F-F23E-EADB-AE64-8EDE3B9E1155}

TERM................LEFT NECK


LOCATION: LEFT SHOULDER

----------------------------------------------------------------

ABBREVIATION........Lshoulder

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Shoulder

HELP_TEXT...........

ID.................{C3D5027F-DE62-4227-8F1C-BFED17B0B73F}

TERM................LEFT SHOULDER


LOCATION: LEFT UPPER LOBE

----------------------------------------------------------------

ABBREVIATION........LUL

ACTIVE..............Yes

DESCRIPTION.........LEFT LUNG'S UPPER LOBE

DISPLAY_NAME........L Upper Lobe

HELP_TEXT...........No Help Text

ID.................{21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}

TERM................LEFT UPPER LOBE


LOCATION: LEFT WRIST

---------------------------------------------------------------------

ABBREVIATION........LeftWrist

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left Wrist

HELP_TEXT...........

ID.................{8D1636A3-EB47-4D30-B4BA-3C4560350AB9}

TERM................LEFT WRIST


LOCATION: LEG

---------------------------------------------------------------------

ABBREVIATION........Leg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Leg

HELP_TEXT...........

ID.................{8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

TERM................LEG

LOCATION: LIP

----------------------------------------------------------------

ABBREVIATION........Lip

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lip

HELP_TEXT...........

ID.................{43A64C98-CAE1-4069-B66E-91A512D7A703}

TERM...............LIP


LOCATION: LOWER ABDOMEN

----------------------------------------------------------------

ABBREVIATION........LO ABDOM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lower Abdomen

HELP_TEXT...........No Help Text

ID.................{077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}

TERM................LOWER ABDOMEN


LOCATION: LOWER ARM

----------------------------------------------------------------

ABBREVIATION........LrA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lower Arm

HELP_TEXT...........No Help Text

ID.................{D7627720-D6B0-AC00-8FA3-F7B569ED06FC}

TERM................LOWER ARM


LOCATION: LOWER BACK

--------------------------------------------------------------------

ABBREVIATION........LOWER BACK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lower Back

HELP_TEXT...........No Help Text

ID.................{7E761680-61BC-450F-9905-C45CE760EC45}

TERM...............LOWER BACK


LOCATION: LOWER LEG

--------------------------------------------------------------------

ABBREVIATION........Lower Leg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lower Leg

HELP_TEXT...........

ID.................{75805735-D805-4101-B8C1-965A0E545A42}

TERM...............LOWER LEG

LOCATION: LUMBAR SPINE

------------------------------------------------------------------

ABBREVIATION........Lumb Spine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lumbar Spine

HELP_TEXT...........

ID.................{AEA5FA39-E58D-4382-9C33-EAF360395A60}

TERM................LUMBAR SPINE


LOCATION: Lips

------------------------------------------------------------------

ABBREVIATION........Lips

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Lips

HELP_TEXT...........

ID.................{905C6242-0B5C-45ED-B34C-636A81D760B1}

TERM................Lips


LOCATION: MEDIASTINAL

------------------------------------------------------------------

ABBREVIATION........MEDIASTINA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mediastinal

HELP_TEXT...........No Help Text

ID.................{D99997D2-61EF-CAC2-A854-D906E3A97447}

TERM................MEDIASTINAL


LOCATION: MID BACK

-------------------------------------------------------------------

ABBREVIATION........MID BACK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mid Back

HELP_TEXT...........No Help Text

ID.................{F8C515E0-F437-4596-B030-DA1811038CDF}

TERM................MID BACK


LOCATION: MID-STERNAL

-------------------------------------------------------------------

ABBREVIATION........MID-STERN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mid-Sternal

HELP_TEXT...........No Help Text

ID.................{3F5168F1-9082-4FB2-A364-3CDE33B1214B}

TERM................MID-STERNAL

LOCATION: MIDDLE

-------------------------------------------------------------------

ABBREVIATION........MIDDLE

ACTIVE..............Yes

DESCRIPTION.........MIDDLE

DISPLAY_NAME........Middle

HELP_TEXT...........No Help Text

ID.................{654E4D50-B74E-D58B-B3E3-AA3F218A285E}

TERM................MIDDLE


LOCATION: MIDLINE ABDOMINAL

-------------------------------------------------------------------

ABBREVIATION........MID ABDOMI

ACTIVE..............Yes

DESCRIPTION.........Midline Abdominal

DISPLAY_NAME........Midline Abdominal

HELP_TEXT...........No Help Text

ID.................{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}

TERM................MIDLINE ABDOMINAL


LOCATION: MIDLINE NECK

-------------------------------------------------------------------

ABBREVIATION........MID NECK

ACTIVE..............Yes

DESCRIPTION.........Midline Neck

DISPLAY_NAME........Midline Neck

HELP_TEXT...........No Help Text

ID.................{FF666713-278D-46D6-8D25-E5D57E78EA08}

TERM................MIDLINE NECK


LOCATION: NARES

--------------------------------------------------------------------

ABBREVIATION........Nares

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nares

HELP_TEXT...........

ID.................{ADCA65F6-CED5-4661-99A0-BE54212FBBD9}

TERM................NARES


LOCATION: NECK

--------------------------------------------------------------------

ABBREVIATION........Ne

ACTIVE..............Yes

DESCRIPTION.........PATIENTS NECK

DISPLAY_NAME........Neck

HELP_TEXT...........No Help Text

ID.................{D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

TERM................NECK

LOCATION: NOSE

--------------------------------------------------------------------

ABBREVIATION........NOSE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nose

HELP_TEXT...........No Help Text

ID.................{85F7003E-6D4E-4A79-A534-8A57FBC2D106}

TERM................NOSE


LOCATION: OCCIPITAL

--------------------------------------------------------------------

ABBREVIATION........OCCIPITAL

ACTIVE..............Yes

DESCRIPTION.........Occipital

DISPLAY_NAME........Occipital

HELP_TEXT...........No Help Text

ID.................{5A3E384B-1C87-4A19-A449-DB91AB443FFC}

TERM................OCCIPITAL


LOCATION: ORAL

--------------------------------------------------------------------

ABBREVIATION........O

ACTIVE..............Yes

DESCRIPTION.........Oral Description

DISPLAY_NAME........Oral

HELP_TEXT...........Oral Help

ID.................{7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}

TERM................ORAL


LOCATION: PENIS

-------------------------------------------------------------------

ABBREVIATION........PENIS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Penis

HELP_TEXT...........No Help Text

ID.................{2D82CE55-83B6-4160-A754-07C71FD388E8}

TERM................PENIS


LOCATION: PERINEAL

-------------------------------------------------------------------

ABBREVIATION........PERINEAL

ACTIVE..............Yes

DESCRIPTION.........Perineal

DISPLAY_NAME........Perineal

HELP_TEXT...........No Help Text

ID.................{1801441C-D5EF-4775-9E58-E4985496F7E0}

TERM................PERINEAL

LOCATION: PERIORBITAL

----------------------------------------------------------------

ABBREVIATION........PERIORBITA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Periorbital

HELP_TEXT...........No Help Text

ID.................{DBAC362B-6278-EDB4-7E28-3180321A38B2}

TERM................PERIORBITAL


LOCATION: PERIPHERAL

----------------------------------------------------------------

ABBREVIATION........Per

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Peripheral

HELP_TEXT...........No Help Text

ID.................{36B31698-E84A-5792-8EAE-F374DFD1B55A}

TERM................PERIPHERAL


LOCATION: PERIRECTAL

----------------------------------------------------------------

ABBREVIATION........PERIRECTAL

ACTIVE..............Yes

DESCRIPTION.........Perirectal

DISPLAY_NAME........Perirectal

HELP_TEXT...........No Help Text

ID.................{560E1473-7B8F-4A75-8807-29315C908553}

TERM................PERIRECTAL


LOCATION: POPLITEAL

----------------------------------------------------------------------

ABBREVIATION........Pop

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Popliteal

HELP_TEXT...........No Help Text

ID.................{77030DF2-CE06-D9E2-0684-EE70209CBE73}

TERM................POPLITEAL


LOCATION: POSTERIOR TIBIAL

----------------------------------------------------------------------

ABBREVIATION........PT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Posterior Tibial

HELP_TEXT...........No Help Text

ID.................{010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}

TERM................POSTERIOR TIBIAL

LOCATION: R ABDOMEN

-------------------------------------------------------------------

ABBREVIATION........R ABDOMEN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Abdomen

HELP_TEXT...........No Help Text

ID.................{5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}

TERM................R ABDOMEN


LOCATION: R ANKLE

-------------------------------------------------------------------

ABBREVIATION........R ANKLE

ACTIVE..............Yes

DESCRIPTION.........Right Ankle

DISPLAY_NAME........R Ankle

HELP_TEXT...........No Help Text

ID.................{4E6DF352-F399-4CE9-908C-48132C3D856B}

TERM................R ANKLE


LOCATION: R ANTECUBITAL

-------------------------------------------------------------------

ABBREVIATION........R ANTECUBI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Antecubital

HELP_TEXT...........No Help Text

ID.................{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}

TERM................R ANTECUBITAL

LOCATION: R ARM

--------------------------------------------------------------------

ABBREVIATION........RA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Arm

HELP_TEXT...........No Help Text

ID.................{1C09017A-F10A-543D-A7EA-F13790D78692}

TERM................R ARM

LOCATION: R ARTERY

--------------------------------------------------------------------

ABBREVIATION........R ARTERY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Artery

HELP_TEXT...........No Help Text

ID.................{A2D76F33-A049-B3A0-2CBF-9F83FF52D894}

TERM................R ARTERY

LOCATION: R AXILLARY

----------------------------------------------------------------

ABBREVIATION........R AXILLARY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Axillary

HELP_TEXT...........No Help Text

ID.................{3044F28B-FED2-4069-7E3B-2A691C5771F9}

TERM................R AXILLARY


LOCATION: R BRACHIAL

----------------------------------------------------------------

ABBREVIATION........R BRACH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Brachial

HELP_TEXT...........No Help Text

ID.................{A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

TERM................R BRACHIAL


LOCATION: R CALF

----------------------------------------------------------------

ABBREVIATION........R CALF

ACTIVE..............Yes

DESCRIPTION.........Right Calf

DISPLAY_NAME........R Calf

HELP_TEXT...........No Help Text

ID.................{0298A452-4901-44BF-A7A8-F42DD3BA8B63}

TERM................R CALF


LOCATION: R CAROTID

-----------------------------------------------------------------

ABBREVIATION........R CAROTID

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Carotid

HELP_TEXT...........No Help Text

ID.................{8280ACD2-72D6-202A-89AF-86BCA7736427}

TERM................R CAROTID


LOCATION: R CHEST

-----------------------------------------------------------------

ABBREVIATION........R CHEST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Right Chest

HELP_TEXT...........No Help Text

ID.................{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

TERM................R CHEST

LOCATION: R DORSALIS PEDIS

-------------------------------------------------------------------

ABBREVIATION........R DOR PED

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Dorsalis Pedis

HELP_TEXT...........No Help Text

ID.................{47D4C64A-FD93-2999-7B46-F25307EA6511}

TERM................R DORSALIS PEDIS


LOCATION: R EAR

-------------------------------------------------------------------

ABBREVIATION........R EAR

ACTIVE..............Yes

DESCRIPTION.........Right Ear

DISPLAY_NAME........R Ear

HELP_TEXT...........No Help Text

ID.................{AE31327D-A03C-488C-8A8E-084E7E6E7FDE}

TERM................R EAR


LOCATION: R ELBOW

-------------------------------------------------------------------

ABBREVIATION........R ELBOW

ACTIVE..............Yes

DESCRIPTION.........Right Elbow

DISPLAY_NAME........R Elbow

HELP_TEXT...........No Help Text

ID.................{5BAFF87B-6993-4E76-862F-9F386D9B71C5}

TERM................R ELBOW


LOCATION: R EXTERNAL JUGULAR

----------------------------------------------------------------------

ABBREVIATION........R EXT JUGU

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R External Jugular

HELP_TEXT...........No Help Text

ID.................{4D78F704-9E3B-907E-A792-4DC4F4CFF170}

TERM................R EXTERNAL JUGULAR


LOCATION: R EYE

----------------------------------------------------------------------

ABBREVIATION........R EYE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Eye

HELP_TEXT...........No Help Text

ID.................{258F0C1D-67BD-ECF8-3152-EB289DEF4681}

TERM................R EYE

LOCATION: R FACE

---------------------------------------------------------------

ABBREVIATION........R FACE

ACTIVE..............Yes

DESCRIPTION.........RIGHT SIDE OF PATIENT'S FACE

DISPLAY_NAME........R Face

HELP_TEXT...........No Help Text

ID.................{D1B15677-EF6F-0125-3601-68C1FE6386CE}

TERM................R FACE


LOCATION: R FEMORAL

---------------------------------------------------------------

ABBREVIATION........R FEM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Femoral

HELP_TEXT...........No Help Text

ID.................{B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}

TERM................R FEMORAL


LOCATION: R FINGER

---------------------------------------------------------------

ABBREVIATION........R FINGER

ACTIVE..............Yes

DESCRIPTION.........Right Finger

DISPLAY_NAME........R Finger

HELP_TEXT...........No Help Text

ID.................{E12CA0EF-3267-4B93-8643-230E2226C3D6}

TERM................R FINGER

LOCATION: R FLANK

-------------------------------------------------------------------

ABBREVIATION........R FLANK

ACTIVE..............Yes

DESCRIPTION.........Right Flank

DISPLAY_NAME........R Flank

HELP_TEXT...........No Help Text

ID.................{F5700ED2-646F-4B75-A55B-111C27FB939C}

TERM................R FLANK

LOCATION: R FOOT

-------------------------------------------------------------------

ABBREVIATION........R FOOT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Foot

HELP_TEXT...........No Help Text

ID.................{7D9F5FF6-232C-2488-4504-A721FF06928F}

TERM................R FOOT

LOCATION: R GLUTEUS

------------------------------------------------------------------

ABBREVIATION........R GLUTEUS

ACTIVE..............Yes

DESCRIPTION.........Right Gluteus

DISPLAY_NAME........R Gluteus

HELP_TEXT...........No Help Text

ID.................{B4D32045-68D1-4457-9106-7937887FA6F6}

TERM................R GLUTEUS


LOCATION: R GROIN

------------------------------------------------------------------

ABBREVIATION........R GROIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Groin

HELP_TEXT...........No Help Text

ID.................{BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}

TERM................R GROIN


LOCATION: R HAND

------------------------------------------------------------------

ABBREVIATION........R HAND

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Hand

HELP_TEXT...........No Help Text

ID.................{A54D3A80-8537-D079-9CCE-7DC56346D132}

TERM................R HAND


LOCATION: R HEAD

--------------------------------------------------------------------

ABBREVIATION........R HEAD

ACTIVE..............Yes

DESCRIPTION.........Right Head

DISPLAY_NAME........R Head

HELP_TEXT...........No Help Text

ID.................{42A95AAE-3DA9-4C96-A4E7-A15C9840217A}

TERM................R HEAD


LOCATION: R HEEL

--------------------------------------------------------------------

ABBREVIATION........R HEEL

ACTIVE..............Yes

DESCRIPTION.........Right Heel

DISPLAY_NAME........R Heel

HELP_TEXT...........No Help Text

ID.................{0020DD20-2EA4-4362-ADF0-07BFA220C60E}

TERM................R HEEL

LOCATION: R HIP

-------------------------------------------------------------------

ABBREVIATION........R HIP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Hip

HELP_TEXT...........No Help Text

ID.................{A48CBCAE-5404-4934-9321-ECEF660A5350}

TERM................R HIP


LOCATION: R INGUINAL

-------------------------------------------------------------------

ABBREVIATION........R INGUINAL

ACTIVE..............Yes

DESCRIPTION.........Right Inguinal

DISPLAY_NAME........R Inguinal

HELP_TEXT...........No Help Text

ID.................{395233DF-3B89-49E0-946B-EB5C02E51178}

TERM................R INGUINAL


LOCATION: R INNER KNEE

-------------------------------------------------------------------

ABBREVIATION........R INN KNEE

ACTIVE..............Yes

DESCRIPTION.........Right Inner Knee

DISPLAY_NAME........R Inner Knee

HELP_TEXT...........No Help Text

ID.................{2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}

TERM................R INNER KNEE

LOCATION: R INTERNAL JUGULAR

--------------------------------------------------------------------

ABBREVIATION........RIJ

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Internal Jugular

HELP_TEXT...........No Help Text

ID.................{7ABF6916-D379-198D-6454-F0518A74844A}

TERM................R INTERNAL JUGULAR

LOCATION: R ISCHIAL

--------------------------------------------------------------------

ABBREVIATION........R ISCHIAL

ACTIVE..............Yes

DESCRIPTION.........Right Ischial

DISPLAY_NAME........R Ischial

HELP_TEXT...........No Help Text

ID.................{97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}

TERM................R ISCHIAL

LOCATION: R JAW

----------------------------------------------------------------

ABBREVIATION........R JAW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Jaw

HELP_TEXT...........No Help Text

ID.................{7846AEE2-B6F4-4B5A-909F-56E386FD82A8}

TERM................R JAW


LOCATION: R KNEE

----------------------------------------------------------------

ABBREVIATION........R KNEE

ACTIVE..............Yes

DESCRIPTION.........PATIENT'S RIGHT KNEE

DISPLAY_NAME........R Knee

HELP_TEXT...........No Help Text

ID.................{BCD18D53-07B6-2C41-64FC-3A07A7E979E7}

TERM................R KNEE


LOCATION: R LATERAL HEEL

----------------------------------------------------------------

ABBREVIATION........R LAT HEEL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Lateral Heel

HELP_TEXT...........No Help Text

ID.................{A1896CF9-0246-4323-8DED-E4B5FB12CACE}

TERM................R LATERAL HEEL


LOCATION: R LATERAL MALLEOLUS

--------------------------------------------------------------------

ABBREVIATION........R LAT MALL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Lateral Malleolus

HELP_TEXT...........No Help Text

ID.................{950FC45B-93E8-424F-A5D4-DE646166D7B0}

TERM................R LATERAL MALLEOLUS


LOCATION: R LEG

--------------------------------------------------------------------

ABBREVIATION........RL

ACTIVE..............Yes

DESCRIPTION.........Right Leg

DISPLAY_NAME........R Leg

HELP_TEXT...........RIGHT LEG

ID.................{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

TERM................R LEG

LOCATION: R LOWER ANTERIOR CHEST

----------------------------------------------------------------------

ABBREVIATION........R L A CHES

ACTIVE..............Yes

DESCRIPTION.........Right Lower Anterior Chest

DISPLAY_NAME........R Low. Ant. Chest

HELP_TEXT...........No Help Text

ID.................{96BCF731-B661-4455-B5E7-C4AE2509505F}

TERM................R LOWER ANTERIOR CHEST


LOCATION: R LOWER ARM

----------------------------------------------------------------------

ABBREVIATION........R LOW ARM

ACTIVE..............Yes

DESCRIPTION.........Right Lower Arm

DISPLAY_NAME........R Lower Arm

HELP_TEXT...........No Help Text

ID.................{8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}

TERM................R LOWER ARM


LOCATION: R LOWER EXTREMITY

----------------------------------------------------------------------

ABBREVIATION........R LOW EXTR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Lower Extremity

HELP_TEXT...........No Help Text

ID.................{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

TERM................R LOWER EXTREMITY

LOCATION: R LOWER LEG

-------------------------------------------------------------------

ABBREVIATION........R LOW LEG

ACTIVE..............Yes

DESCRIPTION.........Right Lower Leg

DISPLAY_NAME........R Lower Leg

HELP_TEXT...........No Help Text

ID.................{C8EA4D71-D97E-46BD-AE9D-C10954C525CD}

TERM................R LOWER LEG

LOCATION: R LOWER LIMB

-------------------------------------------------------------------

ABBREVIATION........R LOW LIMB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Lower Limb

HELP_TEXT...........No Help Text

ID.................{A8E26A05-311A-F196-40B5-B5202D9F8058}

TERM................R LOWER LIMB

LOCATION: R LOWER LOBE

-----------------------------------------------------------------

ABBREVIATION........RLL

ACTIVE..............Yes

DESCRIPTION.........RIGHT LUNG'S LOWER LOBE

DISPLAY_NAME........R Lower Lobe

HELP_TEXT...........No Help Text

ID.................{418D350A-3602-1918-22C8-53D093AF49B0}

TERM................R LOWER LOBE


LOCATION: R LOWER POSTERIOR CHEST

-----------------------------------------------------------------

ABBREVIATION........R L P CHES

ACTIVE..............Yes

DESCRIPTION.........Right Lower Posterior Chest

DISPLAY_NAME........R Low. Pos. Chest

HELP_TEXT...........No Help Text

ID.................{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

TERM................R LOWER POSTERIOR CHEST


LOCATION: R MANDIBULAR

-----------------------------------------------------------------

ABBREVIATION........R MANDIBUL

ACTIVE..............Yes

DESCRIPTION.........Right Mandibular

DISPLAY_NAME........R Mandibular

HELP_TEXT...........No Help Text

ID.................{303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}

TERM................R MANDIBULAR


LOCATION: R MEDIAL HEEL

---------------------------------------------------------------------

ABBREVIATION........R MED HEEL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Medial Heel

HELP_TEXT...........No Help Text

ID.................{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}

TERM................R MEDIAL HEEL


LOCATION: R MEDIAL MALLEOLUS

---------------------------------------------------------------------

ABBREVIATION........R MED MALL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Medial Malleolus

HELP_TEXT...........No Help Text

ID.................{C70FB4FA-6516-4567-8E26-46BA439F1DF4}

TERM................R MEDIAL MALLEOLUS

LOCATION: R MIDDLE ANTERIOR CHEST

----------------------------------------------------------------------

ABBREVIATION........R M A CHES

ACTIVE..............Yes

DESCRIPTION.........Right Middle Anterior Chest

DISPLAY_NAME........R Mid. Ant. Chest

HELP_TEXT...........No Help Text

ID.................{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}

TERM................R MIDDLE ANTERIOR CHEST


LOCATION: R MIDDLE LOBE

----------------------------------------------------------------------

ABBREVIATION........RML

ACTIVE..............Yes

DESCRIPTION.........RIGHT LUNG'S MIDDLE LOBE

DISPLAY_NAME........R Middle Lobe

HELP_TEXT...........No Help Text

ID.................{57879159-350C-2055-34D3-C6EFA39CA98F}

TERM................R MIDDLE LOBE


LOCATION: R MIDDLE POSTERIOR CHEST

----------------------------------------------------------------------

ABBREVIATION........R M P CHES

ACTIVE..............Yes

DESCRIPTION.........Right Middle Posterior Chest

DISPLAY_NAME........R Mid. Pos. Chest

HELP_TEXT...........No Help Text

ID.................{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}

TERM................R MIDDLE POSTERIOR CHEST

LOCATION: R NECK

-------------------------------------------------------------------

ABBREVIATION........R NECK

ACTIVE..............Yes

DESCRIPTION.........RIGHT SIDE OF PATIENT'S NECK

DISPLAY_NAME........R Neck

HELP_TEXT...........No Help Text

ID.................{7E4D84D3-535B-6164-C6C1-837C6F997A0D}

TERM................R NECK

LOCATION: R NOSE

-------------------------------------------------------------------

ABBREVIATION........R NOSE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Nose

HELP_TEXT...........No Help Text

ID.................{D80BCB19-E71F-43EA-8990-6C121EE7F7A1}

TERM................R NOSE

LOCATION: R OCCIPITAL

-----------------------------------------------------------------

ABBREVIATION........R OCCIPITA

ACTIVE..............Yes

DESCRIPTION.........Right Occipital

DISPLAY_NAME........R Occipital

HELP_TEXT...........No Help Text

ID.................{5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}

TERM................R OCCIPITAL


LOCATION: R ORAL

-----------------------------------------------------------------

ABBREVIATION........R ORAL

ACTIVE..............Yes

DESCRIPTION.........Right Oral

DISPLAY_NAME........R Oral

HELP_TEXT...........No Help Text

ID.................{9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}

TERM................R ORAL


LOCATION: R ORBIT

-----------------------------------------------------------------

ABBREVIATION........R ORBIT

ACTIVE..............Yes

DESCRIPTION.........Right Orbit

DISPLAY_NAME........R Orbit

HELP_TEXT...........No Help Text

ID.................{DFFD974A-1684-49AE-8230-8E12411EA62E}

TERM................R ORBIT


LOCATION: R OUTER KNEE

-------------------------------------------------------------------

ABBREVIATION........R OUT KNEE

ACTIVE..............Yes

DESCRIPTION.........Right Outer Knee

DISPLAY_NAME........R Outer Knee

HELP_TEXT...........No Help Text

ID.................{330F1DF1-8C99-4984-9965-7404ABC9562D}

TERM................R OUTER KNEE


LOCATION: R PARIETAL

-------------------------------------------------------------------

ABBREVIATION........R PARIETAL

ACTIVE..............Yes

DESCRIPTION.........Right Parietal

DISPLAY_NAME........R Parietal

HELP_TEXT...........No Help Text

ID.................{28C927CD-1342-483B-B366-0B7EA8ACABAD}

TERM................R PARIETAL

LOCATION: R PEDAL

--------------------------------------------------------------------

ABBREVIATION........R PEDAL

ACTIVE..............Yes

DESCRIPTION.........R Pedal

DISPLAY_NAME........R Pedal

HELP_TEXT...........R Pedal

ID.................{9532B614-F4E1-316C-1322-905EB58E58C4}

TERM................R PEDAL


LOCATION: R POST TIBIAL

--------------------------------------------------------------------

ABBREVIATION........R PO TIB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Post Tibial

HELP_TEXT...........No Help Text

ID.................{88CDA53A-5153-4950-701A-3F4F2007CC6B}

TERM................R POST TIBIAL


LOCATION: R RADIAL

--------------------------------------------------------------------

ABBREVIATION........R RADIAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Radial

HELP_TEXT...........No Help Text

ID.................{BA10E6E5-DDF4-345E-68AF-21D32E9D972D}

TERM................R RADIAL


LOCATION: R RIBS

--------------------------------------------------------------------

ABBREVIATION........R RIBS

ACTIVE..............Yes

DESCRIPTION.........Right Ribs

DISPLAY_NAME........R Ribs

HELP_TEXT...........No Help Text

ID.................{260FD564-5E58-419B-9F73-62B6037D1572}

TERM................R RIBS


LOCATION: R SCAPULA

--------------------------------------------------------------------

ABBREVIATION........R SCAPULA

ACTIVE..............Yes

DESCRIPTION.........Right Scapula

DISPLAY_NAME........R Scapula

HELP_TEXT...........No Help Text

ID.................{EA657261-4D72-40C2-B70D-2A2E27556A01}

TERM................R SCAPULA

LOCATION: R SHOULDER

--------------------------------------------------------------------

ABBREVIATION........R SHOULDER

ACTIVE..............Yes

DESCRIPTION.........Right Shoulder

DISPLAY_NAME........R Shoulder

HELP_TEXT...........No Help Text

ID.................{D27AE130-442E-4DD6-B391-8D7E8AD494A2}

TERM................R SHOULDER


LOCATION: R SUBCLAVIAN

--------------------------------------------------------------------

ABBREVIATION........R SUBCLAV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Subclavian

HELP_TEXT...........No Help Text

ID.................{53DEAE83-93AE-123B-14E5-4DE38CD4F752}

TERM................R SUBCLAVIAN


LOCATION: R TEMPORAL

--------------------------------------------------------------------

ABBREVIATION........R TEMPOR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Temporal

HELP_TEXT...........No Help Text

ID.................{1F50461D-5ECF-25B2-A29A-E02803CB7814}

TERM................R TEMPORAL


LOCATION: R TESTICLE

------------------------------------------------------------------

ABBREVIATION........R TESTICLE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Right Testicle

HELP_TEXT...........No Help Text

ID.................{0947D277-50AD-47F8-A76D-0EC34EB3B168}

TERM................R TESTICLE


LOCATION: R THIGH

------------------------------------------------------------------

ABBREVIATION........R THIGH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Thigh

HELP_TEXT...........No Help Text

ID.................{B7A2D4A0-801E-4578-967A-F1CFB86FB96B}

TERM................R THIGH

LOCATION: R THORACIC ANTERIOR

--------------------------------------------------------------------

ABBREVIATION........R THOR ANT

ACTIVE..............Yes

DESCRIPTION.........Right Thoracic Anterior

DISPLAY_NAME........R Thoracic Anterior

HELP_TEXT...........No Help Text

ID.................{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}

TERM................R THORACIC ANTERIOR


LOCATION: R THORACIC LATERAL

--------------------------------------------------------------------

ABBREVIATION........R THOR LAT

ACTIVE..............Yes

DESCRIPTION.........Right Thoracic Lateral

DISPLAY_NAME........R Thoracic Lateral

HELP_TEXT...........No Help Text

ID.................{55C48294-D3F3-4013-B552-BA3344D9513B}

TERM................R THORACIC LATERAL


LOCATION: R THORACIC POSTERIOR

--------------------------------------------------------------------

ABBREVIATION........R THOR POS

ACTIVE..............Yes

DESCRIPTION.........Right Thoracic Posterior

DISPLAY_NAME........R Thoracic Posterior

HELP_TEXT...........No Help Text

ID.................{E91085D2-E665-4EB6-A086-8CF573DECD8F}

TERM................R THORACIC POSTERIOR


LOCATION: R THORACOTOMY

---------------------------------------------------------------------

ABBREVIATION........R THORACOT

ACTIVE..............Yes

DESCRIPTION.........Right Thoracotomy

DISPLAY_NAME........R Thoracotomy

HELP_TEXT...........No Help Text

ID.................{A18E4BB3-0718-48D6-BD49-720A70C0EF60}

TERM................R THORACOTOMY


LOCATION: R THUMB

---------------------------------------------------------------------

ABBREVIATION........R THUMB

ACTIVE..............Yes

DESCRIPTION.........Right Thumb

DISPLAY_NAME........R Thumb

HELP_TEXT...........No Help Text

ID.................{B414BD68-4155-45B3-985D-B2F8252A20FE}

TERM................R THUMB

LOCATION: R TOE

------------------------------------------------------------------

ABBREVIATION........R TOE

ACTIVE..............Yes

DESCRIPTION.........Right Toe

DISPLAY_NAME........R Toe

HELP_TEXT...........No Help Text

ID.................{B65727AB-3205-4DCE-833F-6DA8554636F9}

TERM................R TOE


LOCATION: R TRAPEZIUS

------------------------------------------------------------------

ABBREVIATION........R TRAPEZIU

ACTIVE..............Yes

DESCRIPTION.........Right Trapezius

DISPLAY_NAME........R Trapezius

HELP_TEXT...........No Help Text

ID.................{69753B67-AFA1-4C93-BA78-E266F9894E46}

TERM................R TRAPEZIUS


LOCATION: R TROCHANTER

------------------------------------------------------------------

ABBREVIATION........R TROCHANT

ACTIVE..............Yes

DESCRIPTION.........Right Trochanter

DISPLAY_NAME........R Trochanter

HELP_TEXT...........No Help Text

ID.................{1A3E21B2-C391-40D2-8059-12290E667D9E}

TERM................R TROCHANTER

LOCATION: R UPPER ANTERIOR CHEST

---------------------------------------------------------------------

ABBREVIATION........R U A CHES

ACTIVE..............Yes

DESCRIPTION.........Right Upper Anterior Chest

DISPLAY_NAME........R Up. Ant. Chest

HELP_TEXT...........No Help Text

ID.................{67890049-A4A8-4241-BDF3-573729BD6EB5}

TERM................R UPPER ANTERIOR CHEST

LOCATION: R UPPER ARM

---------------------------------------------------------------------

ABBREVIATION........R UPP ARM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Upper Arm

HELP_TEXT...........No Help Text

ID.................{3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}

TERM................R UPPER ARM

LOCATION: R UPPER EXTREMITY

----------------------------------------------------------------

ABBREVIATION........R UPP EXTR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Upper Extremity

HELP_TEXT...........No Help Text

ID.................{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

TERM................R UPPER EXTREMITY


LOCATION: R UPPER LEG

----------------------------------------------------------------

ABBREVIATION........R UPPER LE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Right Upper Leg

HELP_TEXT...........No Help Text

ID.................{113BD5ED-5A0A-47CA-B100-91B244BFD04A}

TERM................R UPPER LEG


LOCATION: R UPPER LIMB

----------------------------------------------------------------

ABBREVIATION........R UPP LIMB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Upper Limb

HELP_TEXT...........No Help Text

ID.................{5E028BFF-ED9B-014F-74F0-C4137DB074FB}

TERM................R UPPER LIMB


LOCATION: R UPPER LOBE

----------------------------------------------------------------

ABBREVIATION........RUL

ACTIVE..............Yes

DESCRIPTION.........RIGHT LUNG'S UPPER LOBE

DISPLAY_NAME........R Upper Lobe

HELP_TEXT...........Enter the Right Upper Lobe of the lung

ID.................{098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

TERM................R UPPER LOBE


LOCATION: R UPPER POSTERIOR CHEST

----------------------------------------------------------------

ABBREVIATION........R U P CHES

ACTIVE..............Yes

DESCRIPTION.........Right Upper Posterior Chest

DISPLAY_NAME........R Up. Pos. Chest

HELP_TEXT...........No Help Text

ID.................{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}

TERM................R UPPER POSTERIOR CHEST

LOCATION: R WRIST

------------------------------------------------------------------

ABBREVIATION........R WRIST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........R Wrist

HELP_TEXT...........No Help Text

ID.................{FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

TERM................R WRIST


LOCATION: RADIAL

------------------------------------------------------------------

ABBREVIATION........RADIAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Radial

HELP_TEXT...........No Help-Text

ID.................{D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

TERM................RADIAL


LOCATION: RECTAL

------------------------------------------------------------------

ABBREVIATION........RECTAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Rectal

HELP_TEXT...........No Help-Text

ID.................{0E7069F4-D3E6-67A1-E821-EF1879C3C267}

TERM................RECTAL

LOCATION: RIGHT

-----------------------------------------------------------------

ABBREVIATION........R

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Right

HELP_TEXT...........No Help-Text

ID.................{38528AAC-C0A8-ABB7-A659-7EB54D81EA9F}

TERM................RIGHT

LOCATION: RIGHT ANKLE

-----------------------------------------------------------------

ABBREVIATION........RightAnkle

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Ankle

HELP_TEXT...........

ID.................{BABD53A4-7D42-41D7-9074-D42064515B11}

TERM................RIGHT ANKLE

LOCATION: RIGHT ELBOW

-------------------------------------------------------------------

ABBREVIATION........RightElbow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Elbow

HELP_TEXT...........

ID.................{24AAAE31-1048-46DD-A221-9E5E9CA5BE4E}

TERM................RIGHT ELBOW


LOCATION: RIGHT EYE

-------------------------------------------------------------------

ABBREVIATION........Right Eye

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Eye

HELP_TEXT...........

ID.................{56F81421-F1C7-4FD4-9757-E0EDEF26626E}

TERM................RIGHT EYE


LOCATION: RIGHT HAND/FINGERS

-------------------------------------------------------------------

ABBREVIATION........RHandFing

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Hand/Fingers

HELP_TEXT...........

ID.................{871FEEE6-F298-4AAB-B7B0-852E4EDF9122}

TERM................RIGHT HAND/FINGERS

LOCATION: RIGHT HIP

-------------------------------------------------------------------

ABBREVIATION........RightHip

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Hip

HELP_TEXT...........

ID.................{DFD886F3-C2BF-4CEB-993A-745A905F6A09}

TERM................RIGHT HIP

LOCATION: RIGHT KNEE

-------------------------------------------------------------------

ABBREVIATION........RightKnee

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Knee

HELP_TEXT...........

ID.................{CD33C7F0-BEEB-4835-BD6C-B59C04E4F2B8}

TERM................RIGHT KNEE

LOCATION: RIGHT SHOULDER

----------------------------------------------------------------

ABBREVIATION........Rshoulder

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Shoulder

HELP_TEXT...........

ID.................{28108D74-6E29-4907-BC6A-E82CAC0B4DFC}

TERM................RIGHT SHOULDER

LOCATION: RIGHT WRIST

----------------------------------------------------------------

ABBREVIATION........RightWrist

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right Wrist

HELP_TEXT...........

ID.................{44686148-2D7E-4616-98DB-03B32C2A2EDC}

TERM................RIGHT WRIST

LOCATION: SACRAL

----------------------------------------------------------------

ABBREVIATION........SACRAL

ACTIVE..............Yes

DESCRIPTION.........PATIENT'S SACRAL AREA

DISPLAY_NAME........Sacral

HELP_TEXT...........No Help Text

ID.................{0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

TERM................SACRAL


LOCATION: SACRAL SPINE

--------------------------------------------------------------------

ABBREVIATION........Sacr Spine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sacral Spine

HELP_TEXT...........

ID.................{55FA6213-78BF-4349-B0A3-232191C659A3}

TERM................SACRAL SPINE


LOCATION: SACRUM

--------------------------------------------------------------------

ABBREVIATION........Sacrum

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sacrum

HELP_TEXT...........

ID.................{A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}

TERM................SACRUM

LOCATION: SCLERA

----------------------------------------------------------------

ABBREVIATION........Sclera

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Sclera

HELP_TEXT...........

ID.................{3E821267-3D78-49B3-972D-65E4478981F7}

TERM................SCLERA


LOCATION: SCROTUM

----------------------------------------------------------------

ABBREVIATION........SCROTUM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Scrotum

HELP_TEXT...........No Help Text

ID.................{BDC109F5-0D30-4914-A62C-CEFEB448B547}

TERM................SCROTUM


LOCATION: SHOULDER

----------------------------------------------------------------

ABBREVIATION........Shoulder

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Shoulder

HELP_TEXT...........

ID.................{7133BB16-7AB5-4581-8677-36C4DCD65B45}

TERM................SHOULDER

LOCATION: SKIN

-------------------------------------------------------------------

ABBREVIATION........SKIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Skin

HELP_TEXT...........No Help-Text

ID.................{0803BC59-1582-AEC8-3DA2-A81363038210}

TERM................SKIN

LOCATION: SPINE CERVICAL

-------------------------------------------------------------------

ABBREVIATION........SPINE CERV

ACTIVE..............Yes

DESCRIPTION.........Spine Cervical

DISPLAY_NAME........Spine Cervical

HELP_TEXT...........No Help Text

ID.................{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}

TERM................SPINE CERVICAL

LOCATION: SPINE LUMBAR

----------------------------------------------------------------

ABBREVIATION........SPINE LUMB

ACTIVE..............Yes

DESCRIPTION.........Spine Lumbar

DISPLAY_NAME........Spine Lumbar

HELP_TEXT...........No Help Text

ID.................{E7E411AB-5C29-4906-B0A9-E8658AAFFF91}

TERM................SPINE LUMBAR


LOCATION: SPINE THORACIC

----------------------------------------------------------------

ABBREVIATION........SPINE THOR

ACTIVE..............Yes

DESCRIPTION.........Spine Thoracic

DISPLAY_NAME........Spine Thoracic

HELP_TEXT...........No Help Text

ID.................{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}

TERM................SPINE THORACIC


LOCATION: STERNOTOMY

----------------------------------------------------------------

ABBREVIATION........STERNOTOMY

ACTIVE..............Yes

DESCRIPTION.........Sternotomy

DISPLAY_NAME........Sternotomy

HELP_TEXT...........No Help Text

ID.................{DB97F6A0-9295-42B7-BC29-6A534CE259DD}

TERM................STERNOTOMY


LOCATION: STOMACH

--------------------------------------------------------------------

ABBREVIATION........STOMACH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stomach

HELP_TEXT...........No Help Text

ID.................{613C20B9-CC9C-4F5D-B5B1-69B66A663540}

TERM................STOMACH


LOCATION: SUBSTERNAL

--------------------------------------------------------------------

ABBREVIATION........SUBSTERN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Substernal

HELP_TEXT...........No Help Text

ID.................{3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}

TERM................SUBSTERNAL

LOCATION: TEETH

----------------------------------------------------------------

ABBREVIATION........TEETH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Teeth

HELP_TEXT...........No Help Text

ID.................{38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

TERM................TEETH


LOCATION: TEMPORAL

----------------------------------------------------------------

ABBREVIATION........TEMPORAL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Temporal

HELP_TEXT...........No Help-Text

ID.................{E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}

TERM................TEMPORAL


LOCATION: THIGH

----------------------------------------------------------------

ABBREVIATION........THIGH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Thigh

HELP_TEXT...........No Help-Text

ID.................{2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}

TERM................THIGH


LOCATION: THORACIC SPINE

-----------------------------------------------------------------

ABBREVIATION........Thor Spine

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Thoracic Spine

HELP_TEXT...........

ID.................{A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2}

TERM................THORACIC SPINE


LOCATION: THYROID

-----------------------------------------------------------------

ABBREVIATION........THYROID

ACTIVE..............Yes

DESCRIPTION.........Thyroid

DISPLAY_NAME........Thyroid

HELP_TEXT...........No Help Text

ID.................{6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}

TERM................THYROID

LOCATION: TOOTH

---------------------------------------------------------------------

ABBREVIATION........TOOTH

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tooth

HELP_TEXT...........No Help Text

ID.................{8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}

TERM................TOOTH


LOCATION: TORSO

---------------------------------------------------------------------

ABBREVIATION........TORSO

ACTIVE..............Yes

DESCRIPTION.........PATIENT'S TORSO

DISPLAY_NAME........Torso

HELP_TEXT...........No Help Text

ID.................{EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}

TERM................TORSO


LOCATION: TRACHEOSTOMY

---------------------------------------------------------------------

ABBREVIATION........TRACHEOSTO

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tracheostomy

HELP_TEXT...........No Help Text

ID.................{4D12329A-56C8-4175-986F-2F0B68EB7E6D}

TERM................TRACHEOSTOMY


LOCATION: TRANSVERSE ABDOMINAL

--------------------------------------------------------------------

ABBREVIATION........TRANS ABDO

ACTIVE..............Yes

DESCRIPTION.........Transverse Abdominal

DISPLAY_NAME........Transverse Abdominal

HELP_TEXT...........No Help Text

ID.................{1C10FF98-7B20-45D0-B420-714981832B3D}

TERM................TRANSVERSE ABDOMINAL


LOCATION: TYMPANIC

--------------------------------------------------------------------

ABBREVIATION........Tym

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tympanic

HELP_TEXT...........No Help Text

ID.................{0A58C14C-E447-E034-AA93-D41E6E0D2F69}

TERM................TYMPANIC

LOCATION: ULNAR

-------------------------------------------------------------------

ABBREVIATION........Uln

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ulnar

HELP_TEXT...........No Help Text

ID.................{81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

TERM................ULNAR


LOCATION: UMBILICAL

-------------------------------------------------------------------

ABBREVIATION........UMBILICAL

ACTIVE..............Yes

DESCRIPTION.........UMBILICAL

DISPLAY_NAME........UMBILICAL

HELP_TEXT...........No Help Text

ID.................{8874B300-0751-49AF-8211-CF4C009C68B5}

TERM................UMBILICAL


LOCATION: UPPER ABDOMEN

-------------------------------------------------------------------

ABBREVIATION........UP ABDOM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Upper Abdomen

HELP_TEXT...........No Help Text

ID.................{234C677B-1CE6-498B-9375-BB5DC3958842}

TERM................UPPER ABDOMEN


LOCATION: UPPER ARM

----------------------------------------------------------------

ABBREVIATION........Upper Arm

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Upper Arm

HELP_TEXT...........

ID.................{4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}

TERM................UPPER ARM


LOCATION: UPPER BACK

----------------------------------------------------------------

ABBREVIATION........UPPER BACK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Upper Back

HELP_TEXT...........No Help Text

ID.................{C1DA4294-E0DC-438B-810D-7F91E170244A}

TERM................UPPER BACK

LOCATION: UPPER LEG

-------------------------------------------------------------------

ABBREVIATION........Upper Leg

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Upper Leg

HELP_TEXT...........

ID.................{CBE2FBBE-7283-4C60-A424-D866D382C3BA}

TERM................UPPER LEG


LOCATION: WAIST

-------------------------------------------------------------------

ABBREVIATION........WAIST

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Waist

HELP_TEXT...........No Help Text

ID.................{784DD311-8B48-4FE3-96B6-471CCE453CD5}

TERM................WAIST


LOCATION: WRIST

-------------------------------------------------------------------

ABBREVIATION........Wri

ACTIVE..............Yes

DESCRIPTION.........Joint between hand and forearm

DISPLAY_NAME........Wrist

HELP_TEXT...........WRIST

ID.................{C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

TERM...............WRIST

METHOD: ACTIVITY DID NOT OCCUR

-------------------------------------------------------------------

ABBREVIATION........DidNotOcc

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Activity did not Occur

HELP_TEXT...........

ID..................{CD805D91-8575-4DD1-B17A-0E138331748A}

TERM................ACTIVITY DID NOT OCCUR


METHOD: ADULT

-------------------------------------------------------------------

ABBREVIATION........Ad

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Adult

HELP_TEXT...........No Help Text

ID..................{C2D49445-6556-8E6E-A8E9-CB3FA76BC22E}

TERM................ADULT


METHOD: ADULT CUFF

-------------------------------------------------------------------

ABBREVIATION........AC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Adult Cuff

HELP_TEXT...........No Help Text

ID..................{1222302E-6982-C627-8A0B-A651C98138E3}

TERM................ADULT CUFF


METHOD: AEROSOL/HUMIDIFIED MASK

--------------------------------------------------------------------

ABBREVIATION........AM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Aerosol/Humidified Mask

HELP_TEXT...........No Help Text

ID..................{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}

TERM................AEROSOL/HUMIDIFIED MASK


METHOD: AFTER EXERCISE

--------------------------------------------------------------------

ABBREVIATION........AE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........After Exercise

HELP_TEXT...........No Help Text

ID..................{D129EF4B-3A99-9966-54F1-2C01A36814EE}

TERM................AFTER EXERCISE

METHOD: AMBU BAG

----------------------------------------------------------------

ABBREVIATION........AB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ambu Bag

HELP_TEXT...........No Help Text

ID.................{E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}

TERM................AMBU BAG


METHOD: ARTERIAL LINE

----------------------------------------------------------------

ABBREVIATION........AL

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Arterial Line

HELP_TEXT...........No Help Text

ID.................{D4B3F4ED-8B33-431E-4164-BD165E823776}

TERM................ARTERIAL LINE


METHOD: ASSISTED VENTILATOR

----------------------------------------------------------------

ABBREVIATION........AV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Assisted Ventilator

HELP_TEXT...........No Help Text

ID.................{A540F333-5A09-5F21-7B51-2B5DF05E32C0}

TERM................ASSISTED VENTILATOR

METHOD: AT REST

----------------------------------------------------------------

ABBREVIATION........AR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........At Rest

HELP_TEXT...........No Help Text

ID.................{E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}

TERM................AT REST

METHOD: AUSCULTATE

----------------------------------------------------------------

ABBREVIATION........Aus

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Auscultate

HELP_TEXT...........No Help Text

ID.................{0C629C1F-92D3-C641-B02C-9EA43B401DC9}

TERM................AUSCULTATE

METHOD: BED

------------------------------------------------------------------

ABBREVIATION........B

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bed

HELP_TEXT...........No Help Text

ID.................{20188D9F-3815-1F7F-34EC-BA77F75B310E}

TERM................BED


METHOD: BIPAP

------------------------------------------------------------------

ABBREVIATION........BiPap

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........BiPap

HELP_TEXT...........

ID.................{8DB1A535-646B-4A22-9627-DC67F352BBBC}

TERM................BIPAP


METHOD: BIPAP-CPAP

------------------------------------------------------------------

ABBREVIATION........PAP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........BiPAP-CPAP

HELP_TEXT...........No Help Text

ID.................{2BCBE562-8F44-662F-469B-13AC0E863A3D}

TERM................BIPAP-CPAP


METHOD: BLADDER

------------------------------------------------------------------

ABBREVIATION........BLAD

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bladder

HELP_TEXT...........No Help Text

ID.................{E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}

TERM................BLADDER


METHOD: CARDIAC MONITOR

------------------------------------------------------------------

ABBREVIATION........CARDIAC MO

ACTIVE..............Yes

DESCRIPTION.........Cardiac Monitor

DISPLAY_NAME........Cardiac Monitor

HELP_TEXT...........Cardiac Monitor

ID.................{E8B6B5A3-D143-3967-A362-019BD5EB6984}

TERM................CARDIAC MONITOR

METHOD: CARDIAC OUTPUT MONITOR

----------------------------------------------------------------------

ABBREVIATION........COM

ACTIVE..............Yes

DESCRIPTION.........A CO Monitor

DISPLAY_NAME........Cardiac Output Monitor

HELP_TEXT...........Data from a Cardiac Output Monitor

ID.................{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

TERM................CARDIAC OUTPUT MONITOR


METHOD: CATHETER

----------------------------------------------------------------------

ABBREVIATION........CATHETER

ACTIVE..............Yes

DESCRIPTION.........Catheter used to capture Intake and

                Output

DISPLAY_NAME........Catheter - Method

HELP_TEXT...........No Help Text

ID.................{1AA95835-FB32-4D1A-9C53-271EE38B2F63}

TERM................CATHETER


METHOD: CHAIR

----------------------------------------------------------------------

ABBREVIATION........Ch

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Chair

HELP_TEXT...........No Help Text

ID.................{BBF5C05C-220D-D052-C7E8-236E791A4FC9}

TERM................CHAIR


METHOD: CHEST TUBE

--------------------------------------------------------------------

ABBREVIATION........CH TUBE M

ACTIVE..............Yes

DESCRIPTION.........Chest Tube

DISPLAY_NAME........Chest Tube

HELP_TEXT...........Chest Tube

ID.................{F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}

TERM................CHEST TUBE


METHOD: COLLOID

--------------------------------------------------------------------

ABBREVIATION........COLLOID M

ACTIVE..............Yes

DESCRIPTION.........Colloid as method for Intake and Output

DISPLAY_NAME........Colloid - Method

HELP_TEXT...........No Help Text

ID.................{2AE33508-5EA2-44DF-A401-74DD7B93AB6E}

TERM................COLLOID

METHOD: COMPUTED TOMOGRAPHY

----------------------------------------------------------------------

ABBREVIATION........COM TOMOGR

ACTIVE..............Yes

DESCRIPTION.........Computed Tomography

DISPLAY_NAME........Computed Tomography

HELP_TEXT...........No Help Text

ID.................{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}

TERM................COMPUTED TOMOGRAPHY


METHOD: CONTRAST LEFT VENTRICULOGRAPHY

----------------------------------------------------------------------

ABBREVIATION........CON L VENT

ACTIVE..............Yes

DESCRIPTION.........Contrast Left Ventriculography

DISPLAY_NAME........Contrast Left Ventriculography

HELP_TEXT...........No Help Text

ID.................{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}

TERM................CONTRAST LEFT VENTRICULOGRAPHY


METHOD: CONTROLLED VENTILATOR

----------------------------------------------------------------------

ABBREVIATION........CV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Controlled Ventilator

HELP_TEXT...........No Help Text

ID.................{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}

TERM................CONTROLLED VENTILATOR

METHOD: CPAP

--------------------------------------------------------------------

ABBREVIATION........CP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cpap

HELP_TEXT...........No Help Text

ID.................{A041FB71-08EF-F3FE-82FA-051FF74C824F}

TERM................CPAP

METHOD: CRRT

--------------------------------------------------------------------

ABBREVIATION........CRRT

ACTIVE..............Yes

DESCRIPTION.........Continuous Renal Replacement Therapy

DISPLAY_NAME........CRRT

HELP_TEXT...........No Help Text

ID.................{AB37FC1D-DD7A-4103-A777-7B8D0F876889}

TERM................CRRT

METHOD: CUFF

----------------------------------------------------------------

ABBREVIATION........Cu

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cuff

HELP_TEXT...........No Help Text

ID.................{E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}

TERM................CUFF

METHOD: CUFF-AUTOMATED

----------------------------------------------------------------

ABBREVIATION........CA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cuff-Automated

HELP_TEXT...........No Help Text

ID.................{088AAD2B-2E7B-F835-376F-3D4340790976}

TERM................CUFF-AUTOMATED

METHOD: CUFF-MANUAL

----------------------------------------------------------------

ABBREVIATION........CM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Cuff-Manual

HELP_TEXT...........No Help Text

ID.................{5F56C163-2B04-112F-55DE-E31374E0FB58}

TERM...............CUFF-MANUAL


METHOD: CVVHD

---------------------------------------------------------------------

ABBREVIATION........CVVHD

ACTIVE..............Yes

DESCRIPTION.........Central Venous - Venous Hemodialysis

DISPLAY_NAME........CVVHD

HELP_TEXT...........No Help Text

ID.................{4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}

TERM...............CVVHD


METHOD: DIALYSIS

---------------------------------------------------------------------

ABBREVIATION........DIALYSIS M

ACTIVE..............Yes

DESCRIPTION.........Dialysis used to describe Intake and

          Output

DISPLAY_NAME........Dialysis - Method

HELP_TEXT...........No Help Text

ID.................{1EAE28D4-3AC0-4DA1-9D09-3A65C38267F6}

TERM...............DIALYSIS

METHOD: DIALYSIS CATHETER

--------------------------------------------------------------------

ABBREVIATION........DIALYSIS C

ACTIVE..............Yes

DESCRIPTION.........Dialysis Catheter

DISPLAY_NAME........Dialysis Catheter

HELP_TEXT...........No Help Text

ID.................{D9FF5CA8-09AF-4318-B784-DEB3A8F819D8}

TERM................DIALYSIS CATHETER


METHOD: DOPPLER

--------------------------------------------------------------------

ABBREVIATION........Dop

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Doppler

HELP_TEXT...........No Help Text

ID.................{52683C19-F9DC-876B-CA3F-53E7C864CF04}

TERM................DOPPLER


METHOD: DOUBLE LUMEN CATHETER

--------------------------------------------------------------------

ABBREVIATION........DOUBLE LUM

ACTIVE..............Yes

DESCRIPTION.........Double Lumen Catheter

DISPLAY_NAME........Double Lumen Catheter

HELP_TEXT...........No Help Text

ID.................{ED646D10-3DBE-4049-ADC6-5E3DD2C351DD}

TERM................DOUBLE LUMEN CATHETER

METHOD: ECHOCARDIOGRAPHY

----------------------------------------------------------------------

ABBREVIATION........ECG

ACTIVE..............Yes

DESCRIPTION.........Echocardiography

DISPLAY_NAME........Echocardiography

HELP_TEXT...........No Help Text

ID..................{CA44697E-3BBA-4767-A30D-6548A72F9639}

TERM................ECHOCARDIOGRAPHY

METHOD: ELECTROCARDIOGRAM

----------------------------------------------------------------------

ABBREVIATION........ECG

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Electrocardiogram

HELP_TEXT...........No Help Text

ID..................{CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

TERM................ELECTROCARDIOGRAM

METHOD: ELECTROCARDIOGRAM TRACE 1

---------------------------------------------------------------------

ABBREVIATION........ECG TR 1

ACTIVE..............Yes

DESCRIPTION.........Trace 1 from ECG

DISPLAY_NAME........ECG Trace 1

HELP_TEXT...........No Help Text

ID.................{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}

TERM................ELECTROCARDIOGRAM TRACE 1


METHOD: ELECTROCARDIOGRAM TRACE 2

---------------------------------------------------------------------

ABBREVIATION........ECG TR 2

ACTIVE..............Yes

DESCRIPTION.........Trace 2 from ECG

DISPLAY_NAME........ECG Trace 2

HELP_TEXT...........No Help Text

ID.................{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}

TERM................ELECTROCARDIOGRAM TRACE 2


METHOD: ENTERAL FEEDING / SUPPLEMENT

---------------------------------------------------------------------

ABBREVIATION........EF/SUPPLEM

ACTIVE..............Yes

DESCRIPTION.........Enteral Feeding / Supplement - Method

DISPLAY_NAME........Enteral Feeding / Supplement - Method

HELP_TEXT...........No Help Text

ID.................{8389A9F5-0D48-496D-A605-1560B055DCC0}

TERM................ENTERAL FEEDING / SUPPLEMENT


METHOD: ENTERAL FEEDING TUBE

-------------------------------------------------------------------

ABBREVIATION........ENT FEED T

ACTIVE..............Yes

DESCRIPTION.........EFT for describing Intakes and Outputs

DISPLAY_NAME........Enteral Feeding Tube - Method

HELP_TEXT...........No Help Text

ID.................{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}

TERM................ENTERAL FEEDING TUBE


METHOD: EXTENSIVE ASSISTANCE

-------------------------------------------------------------------

ABBREVIATION........ExtenAssis

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Extensive Assistance

HELP_TEXT...........

ID.................{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}

TERM................EXTENSIVE ASSISTANCE

METHOD: EXTERNAL CATHETER

-------------------------------------------------------------------

ABBREVIATION........Ext. Cathe

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........External Catheter

HELP_TEXT...........

ID.................{69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}

TERM................EXTERNAL CATHETER


METHOD: FACE TENT

-------------------------------------------------------------------

ABBREVIATION........FT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Face Tent

HELP_TEXT...........No Help Text

ID.................{1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}

TERM................FACE TENT


METHOD: GI TUBE

-------------------------------------------------------------------

ABBREVIATION........GI TUBE

ACTIVE..............Yes

DESCRIPTION.........Used to describe Intakes and Outputs

DISPLAY_NAME........GI Tube - Method

HELP_TEXT...........No Help Text

ID.................{AF64F7BE-E72E-4391-BC1F-48163F2F3751}

TERM................GI TUBE


METHOD: HEMODIALYSIS

----------------------------------------------------------------------

ABBREVIATION........HEMODIALYS

ACTIVE..............Yes

DESCRIPTION.........Hemodialysis

DISPLAY_NAME........Hemodialysis

HELP_TEXT...........No Help Text

ID.................{DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}

TERM................HEMODIALYSIS


METHOD: HEMOVAC

----------------------------------------------------------------------

ABBREVIATION........HEMOVAC

ACTIVE..............Yes

DESCRIPTION.........Hemovac Drain

DISPLAY_NAME........Hemovac Drain

HELP_TEXT...........No Help Text

ID.................{79DA0646-B811-4954-8BE1-C133398CD574}

TERM................HEMOVAC

METHOD: IABP

-------------------------------------------------------------------

ABBREVIATION........IABP

ACTIVE..............Yes

DESCRIPTION.........Intra-aortic Balloon Pump

DISPLAY_NAME........IABP

HELP_TEXT...........Intra-aortic Balloon Pump

ID.................{4352A41F-AAF3-4544-9590-BAFD7977DF49}

TERM................IABP


METHOD: ILEAL CONDUIT

-------------------------------------------------------------------

ABBREVIATION........Ileal Cond

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Ileal Conduit

HELP_TEXT...........

ID.................{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}

TERM................ILEAL CONDUIT


METHOD: INDEPENDENT

-------------------------------------------------------------------

ABBREVIATION........Independen

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Independent

HELP_TEXT...........

ID.................{664D85CE-63C3-4234-901B-451588FD7367}

TERM................INDEPENDENT


METHOD: INDWELLING CATHETER

----------------------------------------------------------------------

ABBREVIATION........Indw Cath

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Indwelling Catheter

HELP_TEXT...........

ID..................{37577D2A-FAA2-4875-BFF8-09C2F53A2311}

TERM................INDWELLING CATHETER


METHOD: INTRODUCER CATHETER

----------------------------------------------------------------------

ABBREVIATION........INTRODUCER

ACTIVE..............Yes

DESCRIPTION.........Introducer Catheter

DISPLAY_NAME........Introducer Catheter

HELP_TEXT...........No Help Text

ID..................{60EED7D3-6CB2-4FCE-BFC0-DE0BA8AB0814}

TERM................INTRODUCER CATHETER

METHOD: INVASIVE

----------------------------------------------------------------

ABBREVIATION........I

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Invasive

HELP_TEXT...........No Help Text

ID.................{5DB8746E-5446-F47A-883C-A44B91275A6E}

TERM................INVASIVE


METHOD: IRRIGATION

----------------------------------------------------------------

ABBREVIATION........IRRIGATION

ACTIVE..............Yes

DESCRIPTION.........Irrigation

DISPLAY_NAME........Irrigation

HELP_TEXT...........No Help Text

ID.................{6C968D0A-400F-448A-93EF-02CB891BA981}

TERM................IRRIGATION


METHOD: IV

----------------------------------------------------------------

ABBREVIATION........IV

ACTIVE..............Yes

DESCRIPTION.........Method to capture Intakes and Outputs

DISPLAY_NAME........IV

HELP_TEXT...........No Help Text

ID.................{52141E2F-7942-4C60-9B08-62F3B4640020}

TERM................IV


METHOD: JP DRAIN

--------------------------------------------------------------------

ABBREVIATION........JP DRAIN

ACTIVE..............Yes

DESCRIPTION.........JP Drain

DISPLAY_NAME........JP Drain

HELP_TEXT...........No Help Text

ID.................{94A32247-6190-4047-B581-A212FE4C9453}

TERM................JP DRAIN


METHOD: LARYNGEAL MASK

--------------------------------------------------------------------

ABBREVIATION........LARYNGMASK

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Laryngeal Mask

HELP_TEXT...........No Help Text

ID.................{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}

TERM................LARYNGEAL MASK

METHOD: LEAD

-------------------------------------------------------------------

ABBREVIATION........L

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lead

HELP_TEXT...........No Help Text

ID.................{B628FDCE-05E0-DACF-E66E-0F8380AB465A}

TERM................LEAD


METHOD: LG ADULT

-------------------------------------------------------------------

ABBREVIATION........LgA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lg Adult

HELP_TEXT...........No Help Text

ID.................{0C7B9E22-A426-80D1-80E8-2082F15784BA}

TERM................LG ADULT


METHOD: LG ADULT CUFF

-------------------------------------------------------------------

ABBREVIATION........LAC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lg Adult Cuff

HELP_TEXT...........No Help Text

ID.................{4FA9374C-AE66-DF6E-E0E8-673D7B9B2E19}

TERM................LG ADULT CUFF

METHOD: LIFT SCALE

--------------------------------------------------------------------

ABBREVIATION........LS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lift Scale

HELP_TEXT...........No Help Text

ID.................{8D741461-25C5-3955-BE2C-CBD27317CBA1}

TERM................LIFT SCALE

METHOD: LIMITED ASSISTANCE

--------------------------------------------------------------------

ABBREVIATION........LimitAssis

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Limited Assistance

HELP_TEXT...........

ID.................{4455B536-69D2-4E49-B1A3-927D58A25F1F}

TERM................LIMITED ASSISTANCE

METHOD: MAGNETIC RESONANCE IMAGING

----------------------------------------------------------------------

ABBREVIATION........MRI

ACTIVE..............Yes

DESCRIPTION.........Magnetic Resonance Imaging

DISPLAY_NAME........MRI

HELP_TEXT...........No Help Text

ID.................{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}

TERM................MAGNETIC RESONANCE IMAGING


METHOD: MASK

----------------------------------------------------------------------

ABBREVIATION........M

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mask

HELP_TEXT...........No Help Text

ID.................{4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}

TERM................MASK


METHOD: MONITOR

----------------------------------------------------------------------

ABBREVIATION........Mo

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Monitor

HELP_TEXT...........No Help Text

ID.................{63FC24EA-50B8-B302-D948-ABE3517CF6FC}

TERM................MONITOR


METHOD: MULTIGATED NUCLEAR VENTRICULOGRAPHY

----------------------------------------------------------------------

ABBREVIATION........MUGA

ACTIVE..............Yes

DESCRIPTION.........Multigated Nuclear Ventriculography

DISPLAY_NAME........MUGA

HELP_TEXT...........No Help Text

ID.................{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}

TERM................MULTIGATED NUCLEAR VENTRICULOGRAPHY


METHOD: MUSTACHE CANNULA

----------------------------------------------------------------------

ABBREVIATION........MC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Mustache Cannula

HELP_TEXT...........No Help Text

ID.................{DAB3F52F-A8E1-2D9E-C8E5-1D005EC679FC}

TERM................MUSTACHE CANNULA

METHOD: NASAL CANNULA

---------------------------------------------------------------------

ABBREVIATION........NC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nasal Cannula

HELP_TEXT...........No Help Text

ID.................{EFFD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}

TERM................NASAL CANNULA


METHOD: NEBULIZER

---------------------------------------------------------------------

ABBREVIATION........NEBULIZER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Nebulizer

HELP_TEXT...........No Help Text

ID.................{3CF184A3-2688-4988-B956-D5B0F303E8E8}

TERM................NEBULIZER


METHOD: NEPHROSTOMY - LEFT

---------------------------------------------------------------------

ABBREVIATION........Neph Left

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nephrostomy - Left

HELP_TEXT...........

ID.................{E655E1BA-4803-4E19-B387-65B5F4809970}

TERM................NEPHROSTOMY - LEFT


METHOD: NEPHROSTOMY - RIGHT

---------------------------------------------------------------------

ABBREVIATION........Neph Right

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nephrostomy - Right

HELP_TEXT...........

ID.................{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}

TERM................NEPHROSTOMY - RIGHT


METHOD: NON RE-BREATHER

---------------------------------------------------------------------

ABBREVIATION........NRB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Non Re-Breather

HELP_TEXT...........No Help Text

ID.................{1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}

TERM................NON RE-BREATHER

METHOD: NON-INVASIVE

------------------------------------------------------------------

ABBREVIATION........N-I

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Non-Invasive

HELP_TEXT...........No Help Text

ID.................{F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

TERM................NON-INVASIVE


METHOD: NONINVASIVE

------------------------------------------------------------------

ABBREVIATION........N

ACTIVE..............No

DESCRIPTION.........Noninvasive

DISPLAY_NAME........Noninvasive

HELP_TEXT...........No Help Text

ID.................{398E91DF-F425-5083-AA35-C5263792845E}

TERM................NONINVASIVE


METHOD: NORMAL

------------------------------------------------------------------

ABBREVIATION........Normal

ACTIVE..............Yes

DESCRIPTION........

DISPLAY_NAME........Normal

HELP_TEXT...........

ID.................{B6023DE3-081D-473C-81F1-03E22757E648}

TERM................NORMAL


METHOD: NUCLEAR PERFUSION IMAGING

---------------------------------------------------------------------

ABBREVIATION........NPI

ACTIVE..............Yes

DESCRIPTION.........Nuclear Perfusion Imaging

DISPLAY_NAME........Nuclear Perfusion Imaging

HELP_TEXT...........No Help Text

ID.................{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}

TERM................NUCLEAR PERFUSION IMAGING


METHOD: O2 SATS

---------------------------------------------------------------------

ABBREVIATION........O2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........O2 Sats

HELP_TEXT...........No Help Text

ID.................{66C2100C-8A52-F36A-F7F1-A55D4E4D7CE6}

TERM................O2 SATS

METHOD: OTHER

----------------------------------------------------------------

ABBREVIATION........OTHER

ACTIVE..............Yes

DESCRIPTION.........Other: Comments Required

DISPLAY_NAME........OTHER: OBSERVATION COMMENTS REQUIRED

HELP_TEXT...........No Help Text

ID.................{AED275BD-8A42-46BE-BCDF-472EF4C31D65}

TERM................OTHER


METHOD: P.O.

----------------------------------------------------------------

ABBREVIATION........PO

ACTIVE..............Yes

DESCRIPTION.........By Mouth, Oral, "Per Os"

DISPLAY_NAME........P.O. - Method

HELP_TEXT...........No Help Text

ID.................{7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}

TERM................P.O.


METHOD: PA CATHETER

----------------------------------------------------------------

ABBREVIATION........PA CATHETE

ACTIVE..............Yes

DESCRIPTION.........Pulmonary Catheter

DISPLAY_NAME........PA Catheter

HELP_TEXT...........No Help Text

ID.................{5A518696-41B7-4AB8-8FC7-5CF454CE0299}

TERM................PA CATHETER

METHOD: PA LINE

------------------------------------------------------------------

ABBREVIATION........PALI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PA Line

HELP_TEXT...........No Help Text

ID..................{1AEA41D7-901B-96FF-BF9B-420C24FF00E4}

TERM................PA LINE

METHOD: PALPATED

------------------------------------------------------------------

ABBREVIATION........Pal

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Palpated

HELP_TEXT...........No Help Text

ID..................{295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}

TERM................PALPATED

METHOD: PARTIAL RE-BREATHER

--------------------------------------------------------------------

ABBREVIATION........PRB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Partial Re-Breather

HELP_TEXT...........No Help Text

ID.................{6F1DF170-5128-2E3F-1831-12FB0BB5E95C}

TERM................PARTIAL RE-BREATHER


METHOD: PEDIATRIC CUFF

--------------------------------------------------------------------

ABBREVIATION........PdC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pediatric Cuff

HELP_TEXT...........No Help Text

ID.................{CA9EA220-EF92-EE77-FBEA-4E49C4730A3E}

TERM................PEDIATRIC CUFF


METHOD: PENDANT CANNULA

--------------------------------------------------------------------

ABBREVIATION........PC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pendant Cannula

HELP_TEXT...........No Help Text

ID.................{A1451228-4ABB-DBCB-31AD-578BCD93012F}

TERM................PENDANT CANNULA


METHOD: PENROSE

---------------------------------------------------------------------

ABBREVIATION........PENROSE

ACTIVE..............Yes

DESCRIPTION.........Penrose Drain

DISPLAY_NAME........Penrose Drain

HELP_TEXT...........No Help Text

ID.................{CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}

TERM................PENROSE


METHOD: PERITONEAL DIALYSIS

---------------------------------------------------------------------

ABBREVIATION........PERI DIALY

ACTIVE..............Yes

DESCRIPTION.........Peritoneal Dialysis

DISPLAY_NAME........Periotoneal Dialysis

HELP_TEXT...........No Help Text

ID.................{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}

TERM................PERITONEAL DIALYSIS

METHOD: PICC LINE

----------------------------------------------------------------

ABBREVIATION........PICC LINE

ACTIVE..............Yes

DESCRIPTION.........Peripherally Inserted Central

            Catheter Line

DISPLAY_NAME........PICC Line

HELP_TEXT...........No Help Text

ID.................{BDB5075B-DECC-443A-B774-CFA062DF34F4}

TERM................PICC LINE


METHOD: PULSE OX MONITOR

----------------------------------------------------------------

ABBREVIATION........POM

ACTIVE..............Yes

DESCRIPTION.........A Pulse Ox Monitor

DISPLAY_NAME........Pulse Ox Monitor

HELP_TEXT...........Readings that have come from a Pulse

            Ox Monitor

ID.................{A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

TERM................PULSE OX MONITOR


METHOD: PVR (POST VOID RESIDUAL) - CATHED

----------------------------------------------------------------

ABBREVIATION........PVR-Cathed

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........PVR (Post Void Residual) - Cathed

HELP_TEXT...........

ID..................{19DC72C9-FDAD-4F51-A0F7-63510A96829F}

TERM................PVR (POST VOID RESIDUAL) - CATHED


METHOD: RAPID

----------------------------------------------------------------

ABBREVIATION........Rapid

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Rapid

HELP_TEXT...........

ID..................{3F1B14F1-67B1-4325-862F-7345F921A8F1}

TERM................RAPID


METHOD: RECTAL TEMP PROBE

----------------------------------------------------------------

ABBREVIATION........RTP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Rectal Temp Probe

HELP_TEXT...........No Help Text

ID..................{0100F644-EF8E-5FE3-0022-804408DCE2DD}

TERM................RECTAL TEMP PROBE

METHOD: RESERVOIR CANNULA

-------------------------------------------------------------------

ABBREVIATION........RC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Reservoir Cannula

HELP_TEXT...........No Help Text

ID.................{B332C44D-29BE-765C-932C-63EBFC9631FC}

TERM................RESERVOIR CANNULA


METHOD: RHYTHM

-------------------------------------------------------------------

ABBREVIATION........RHY

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Rhythm

HELP_TEXT...........No Help Text

ID.................{8A4AC126-12DA-0904-C364-B5D818621E32}

TERM................RHYTHM


METHOD: ROOM AIR

-------------------------------------------------------------------

ABBREVIATION........ROOM AIR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Room Air

HELP_TEXT...........No Help Text

ID.................{B4103F11-4BCE-49ED-AF3E-ACCB526D938C}

TERM................ROOM AIR

METHOD: ROOM AIR15

--------------------------------------------------------------------

ABBREVIATION........RA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Room Air15

HELP_TEXT...........No Help Text

ID.................{55AC16E4-4BAD-EDE4-41E9-853C78D8474B}

TERM...............ROOM AIR15

METHOD: ROOM AIR20

--------------------------------------------------------------------

ABBREVIATION........xx

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Room Air20

HELP_TEXT...........No Help Text

ID.................{FBBD3CC2-53AF-FBCC-EF16-A6300F7F8330}

TERM...............ROOM AIR20

METHOD: SINGLE LUMEN CATHETER

----------------------------------------------------------------

ABBREVIATION........SING LUM C

ACTIVE..............Yes

DESCRIPTION.........Single Lumen Catheter

DISPLAY_NAME........Single Lumen Catheter

HELP_TEXT...........No Help Text

ID.................{E5B432BD-C698-4415-98E1-F5F229F54F8A}

TERM................SINGLE LUMEN CATHETER


METHOD: SKIN (ADHESIVE INDICATOR)

----------------------------------------------------------------

ABBREVIATION........SKIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Skin (Adhesive Indicator)

HELP_TEXT...........No Help Text

ID.................{C7CE7D84-6FC7-406A-7E56-B080637509DF}

TERM................SKIN (ADHESIVE INDICATOR)


METHOD: SLOW

----------------------------------------------------------------

ABBREVIATION........Slow

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Slow

HELP_TEXT...........

ID.................{651F65B1-E939-47B8-8153-5BDEF2DF8CF6}

TERM................SLOW


METHOD: SM ADULT

---------------------------------------------------------------------

ABBREVIATION........SmA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sm Adult

HELP_TEXT...........No Help Text

ID.................{CCB94C2F-CE55-A046-3A21-3ADDB1D23D3C}

TERM................SM ADULT


METHOD: SM ADULT CUFF

---------------------------------------------------------------------

ABBREVIATION........SAC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sm Adult Cuff

HELP_TEXT...........No Help Text

ID.................{0346341B-6D38-6599-ED9F-24C81A8698A8}

TERM................SM ADULT CUFF

METHOD: SPONTANEOUS

-------------------------------------------------------------------

ABBREVIATION........S

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Spontaneous

HELP_TEXT...........No Help Text

ID.................{5E9463BC-C871-54FD-F800-DCFDEDB8A93B}

TERM................SPONTANEOUS


METHOD: STANDING WEIGHT

-------------------------------------------------------------------

ABBREVIATION........SW

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Standing Weight

HELP_TEXT...........No Help Text

ID.................{BE16FA09-16DA-510B-D235-B7F0F93AB105}

TERM................STANDING WEIGHT


METHOD: STRAIGHT CATHETER

-------------------------------------------------------------------

ABBREVIATION........Str. Cath

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Straight Catheter

HELP_TEXT...........

ID.................{9076BBC9-3C76-4445-9F41-E4E59E84BED7}

TERM................STRAIGHT CATHETER


METHOD: SUPERVISION-OVERSIGHT

----------------------------------------------------------------------

ABBREVIATION........Supervisio

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Supervision-Oversight

HELP_TEXT...........

ID.................{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}

TERM................SUPERVISION-OVERSIGHT


METHOD: SUPRAPUBIC

----------------------------------------------------------------------

ABBREVIATION........Suprapubic

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Suprapubic

HELP_TEXT...........

ID.................{4BF7948A-0532-41A3-9C1E-171F11DA1056}

TERM................SUPRAPUBIC

METHOD: T-PIECE

----------------------------------------------------------------

ABBREVIATION........TP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........T-Piece

HELP_TEXT...........No Help Text

ID.................{27FC4BC6-2F25-2154-553C-2B452E28A91C}

TERM................T-PIECE


METHOD: THIGH CUFF

----------------------------------------------------------------

ABBREVIATION........ThC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Thigh Cuff

HELP_TEXT...........No Help Text

ID.................{C581DFAC-691C-B64A-F058-AF2AA5050147}

TERM................THIGH CUFF


METHOD: TOTAL DEPENDENCE-FULL STAFF PERFORMANCE

----------------------------------------------------------------

ABBREVIATION........TotalDepen

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Total Dependence-Full Staff Performance

HELP_TEXT...........

ID.................{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}

TERM................TOTAL DEPENDENCE-FULL STAFF PERFORMANCE

METHOD: TPN

----------------------------------------------------------------

ABBREVIATION........TPN

ACTIVE..............Yes

DESCRIPTION.........Total Parenteral Nutrition Method

DISPLAY_NAME........TPN - Method

HELP_TEXT...........No Help Text

ID.................{B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}

TERM................TPN

METHOD: TRACHEOSTOMY COLLAR

----------------------------------------------------------------

ABBREVIATION........TC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Tracheostomy Collar

HELP_TEXT...........No Help Text

ID.................{CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}

TERM................TRACHEOSTOMY COLLAR

METHOD: TRANSFUSION

---------------------------------------------------------------------

ABBREVIATION........TRANSFUSIO

ACTIVE..............Yes

DESCRIPTION.........Transfusion - Method

DISPLAY_NAME........Transfusion - Method

HELP_TEXT...........No Help Text

ID.................{9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}

TERM................TRANSFUSION


METHOD: TRANSTRACHEAL

---------------------------------------------------------------------

ABBREVIATION........Tt

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Transtracheal

HELP_TEXT...........No Help Text

ID.................{48951129-CEEC-10D9-F746-99B4713B9C64}

TERM................TRANSTRACHEAL


METHOD: TRIPLE LUMEN CATHETER

---------------------------------------------------------------------

ABBREVIATION........TRIPLE LUM

ACTIVE..............Yes

DESCRIPTION.........Triple Lumen Catheter

DISPLAY_NAME........Triple Lumen Catheter

HELP_TEXT...........No Help Text

ID.................{704E2B3E-5E5D-43FB-B956-CFF90AF7D774}

TERM................TRIPLE LUMEN CATHETER


METHOD: UROSTOMY

---------------------------------------------------------------------

ABBREVIATION........Urostomy

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Urostomy

HELP_TEXT...........

ID.................{746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}

TERM................UROSTOMY


METHOD: VENTILATOR

---------------------------------------------------------------------

ABBREVIATION........Ven

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ventilator

HELP_TEXT...........No Help Text

ID.................{416FCBD3-5370-15B9-C480-48855ED486D9}

TERM................VENTILATOR

METHOD: VENTRICULAR DRAIN

-----------------------------------------------------------------

ABBREVIATION........VENT DRAIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ventricular Drain

HELP_TEXT...........No Help Text

ID.................{5FF035D1-9C97-415D-BBEB-943506395A0C}

TERM................VENTRICULAR DRAIN


METHOD: VENTURI MASK

-----------------------------------------------------------------

ABBREVIATION........VM

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Venturi Mask

HELP_TEXT...........No Help Text

ID.................{E0401675-9C4E-2AFA-2B93-F352B781E963}

TERM................VENTURI MASK


METHOD: VOIDED

-----------------------------------------------------------------

ABBREVIATION........Voided

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Voided

HELP_TEXT...........

ID.................{432E7674-7F59-45AC-8BF6-D60B45F7250B}

TERM...............VOIDED


METHOD: WHEELCHAIR SCALE

---------------------------------------------------------------------

ABBREVIATION........WcS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Wheelchair Scale

HELP_TEXT...........No Help Text

ID.................{8C496753-9F42-2A36-E5CA-750188306ED4}

TERM...............WHEELCHAIR SCALE


METHOD: WITH ACTIVITY

---------------------------------------------------------------------

ABBREVIATION........Act

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........With Activity

HELP_TEXT...........No Help Text

ID.................{544A262B-EA34-F82A-46A9-F80740515D65}

TERM...............WITH ACTIVITY

METHOD: WITH AMBULATION

--------------------------------------------------------------------

ABBREVIATION........WA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........With Ambulation

HELP_TEXT...........No Help Text

ID.................{4E91DE6A-359E-5AF4-AB49-AFAF735E1B94}

TERM................WITH AMBULATION


METHOD: WITH CAST OR BRACE

--------------------------------------------------------------------

ABBREVIATION........WCB

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........With Cast or Brace

HELP_TEXT...........No Help Text

ID.................{47709C05-DF21-FB7D-DE7F-0699D1B7E457}

TERM................WITH CAST OR BRACE


METHOD: WITH PROSTHESIS

--------------------------------------------------------------------

ABBREVIATION........WP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........With Prosthesis

HELP_TEXT...........No Help Text

ID.................{73C93D2D-934B-CA55-3557-E756A89710F5}

TERM................WITH PROSTHESIS

METHOD: WITHOUT PROSTHESIS

--------------------------------------------------------------------

ABBREVIATION........WOP

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Without Prosthesis

HELP_TEXT...........No Help Text

ID..................{9AACA852-E70D-1048-FCE7-112D46C12619}

TERM................WITHOUT PROSTHESIS

NULL FLAVOR: PATIENT ON PASS

----------------------------------------------------------------

ABBREVIATION........op

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........On Pass

HELP_TEXT...........No Help Text

ID..................{3D2D2E52-D3F2-E02D-B9C7-CEB7C46C807D}

TERM................PATIENT ON PASS


NULL FLAVOR: PATIENT REFUSED

----------------------------------------------------------------

ABBREVIATION........pr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Refused

HELP_TEXT...........No Help Text

ID..................{E9676179-B942-3851-37AF-75DAEE9E1F8E}

TERM................PATIENT REFUSED

POSITION: BILATERAL

-------------------------------------------------------------------

ABBREVIATION........Bilateral

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Bilateral

HELP_TEXT...........

ID..................{47B72791-00D4-4444-B765-401038B3D189}

TERM................BILATERAL


POSITION: L MIDDLE POSTERIOR CHEST

--------------------------------------------------------------------

ABBREVIATION........L M P CHES

ACTIVE..............No

DESCRIPTION.........Left Middle Posterior Chest

DISPLAY_NAME........L Mid. Pos. Chest

HELP_TEXT...........No Help Text

ID..................{D6D6483C-90A9-4A32-A101-9DAA13BFD7ED}

TERM................L MIDDLE POSTERIOR CHEST


POSITION: LEFT

-------------------------------------------------------------------

ABBREVIATION........Left

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Left

HELP_TEXT...........

ID.................{5E827317-6BDE-409A-B29D-D8FE2AF118A4}

TERM...............LEFT


POSITION: LYING

-----------------------------------------------------------------

ABBREVIATION........Ly

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Lying

HELP_TEXT...........No Help Text

ID.................{DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

TERM...............LYING


POSITION: MIDLINE

-----------------------------------------------------------------

ABBREVIATION........Midline

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Midline

HELP_TEXT...........

ID.................{1C6F049F-532E-406B-9C54-2AA24CAC085E}

TERM...............MIDLINE

POSITION: RES EVAL: BED/WHEELCHAIR ALARM

-----------------------------------------------------------------

ABBREVIATION........R.E. ALAR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Bed / Wheelchair Alarm

HELP_TEXT...........No Help Text

ID.................{BDF926A9-2BEF-4E7C-A099-D02BD98CA2F2}

TERM................RES EVAL: BED/WHEELCHAIR ALARM


POSITION: RES EVAL: REALITY ORIENTATION

-----------------------------------------------------------------

ABBREVIATION........R.E. REALI

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Reality Orientation

HELP_TEXT...........No Help Text

ID.................{04D911E1-AADC-4125-9F93-B298266BA61A}

TERM................RES EVAL: REALITY ORIENTATION


POSITION: RIGHT

-----------------------------------------------------------------

ABBREVIATION........Right

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Right

HELP_TEXT...........

ID.................{B66EABF4-A800-40DD-869F-7423173989FB}

TERM................RIGHT

POSITION: SEMIFOWLERS

----------------------------------------------------------------------

ABBREVIATION........Sfl

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Semifowlers

HELP_TEXT...........No Help Text

ID.................{C2F6A945-3829-AABA-3D67-54D1829D3EB9}

TERM................SEMIFOWLERS

POSITION: SITTING

----------------------------------------------------------------------

ABBREVIATION........Sit

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Sitting

HELP_TEXT...........No Help Text

ID.................{DD4DCDF1-0A22-2CC5-404F-0E472C73961C}

TERM................SITTING

POSITION: STANDING

---------------------------------------------------------------------

ABBREVIATION........St

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Standing

HELP_TEXT...........No Help Text

ID.................{0776AE42-C370-B7B3-9B4D-9C914BA8F231}

TERM................STANDING


POSITION: SUPINE

---------------------------------------------------------------------

ABBREVIATION........SUPINE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Supine

HELP_TEXT...........No Help Text

ID.................{DEA8A744-B445-4A9E-875D-485E060F2ACC}

TERM................SUPINE


POSITION: TRENDELENBURG

---------------------------------------------------------------------

ABBREVIATION........Tr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Trendelenburg

HELP_TEXT...........No Help Text

ID.................{42F3353B-7041-EEE1-A87E-941D3BE1CBCD}

TERM................TRENDELENBURG


POSITION: WHEELCHAIR EXIT

--------------------------------------------------------------------

ABBREVIATION........WHEEL EXIT

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Wheelchair Exit

HELP_TEXT...........No Help Text

ID.................{DE13F84A-168F-490D-9AC7-840DAB2D8E22}

TERM...............WHEELCHAIR EXIT

PRODUCT: 25 PERCENT ALBUMIN

----------------------------------------------------------------

ABBREVIATION........25 PERC AL

ACTIVE..............Yes

DESCRIPTION.........25 Percent Albumin

DISPLAY_NAME........25 Percent Albumin

HELP_TEXT...........No Help Text

ID..................{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}

TERM................25 PERCENT ALBUMIN


PRODUCT: 5 PERCENT ALBUMIN

----------------------------------------------------------------

ABBREVIATION........5 PERC ALB

ACTIVE..............Yes

DESCRIPTION.........5 Percent Albumin

DISPLAY_NAME........5 Percent Albumin

HELP_TEXT...........No Help Text

ID..................{A2D0F9A0-A9EC-4540-9663-B8B19A189198}

TERM................5 PERCENT ALBUMIN


PRODUCT: 6 PERCENT HETASTARCH

----------------------------------------------------------------

ABBREVIATION........6 PERC HET

ACTIVE..............Yes

DESCRIPTION.........6 Percent Hetastarch

DISPLAY_NAME........6 Percent Hetastarch

HELP_TEXT...........No Help Text

ID.................{8A82F108-D2FE-4C21-93BB-344502235AE8}

TERM................6 PERCENT HETASTARCH


PRODUCT: ALBUMIN

-------------------------------------------------------------------

ABBREVIATION........ALBUMIN

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Albumin

HELP_TEXT...........No Help Text

ID.................{EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}

TERM................ALBUMIN


PRODUCT: AMPHOTERICIN B

-------------------------------------------------------------------

ABBREVIATION........AMPHOTER B

ACTIVE..............Yes

DESCRIPTION.........Amphotericin B

DISPLAY_NAME........Amphotericin B

HELP_TEXT...........Amphotericin B

ID.................{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}

TERM................AMPHOTERICIN B

PRODUCT: ANTIBIOTIC

----------------------------------------------------------------

ABBREVIATION........AB

ACTIVE..............Yes

DESCRIPTION.........Antibiotic

DISPLAY_NAME........Antibiotic

HELP_TEXT...........No Help Text

ID.................{BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}

TERM................ANTIBIOTIC


PRODUCT: BACTERIOSTATIC WATER

----------------------------------------------------------------

ABBREVIATION........BACTER H2O

ACTIVE..............Yes

DESCRIPTION.........Bacteriostatic Water

DISPLAY_NAME........Bacteriostatic Water

HELP_TEXT...........Bacteriostatic Water

ID.................{EF13BCA6-3AF2-47E9-87A0-82642B529368}

TERM................BACTERIOSTATIC WATER


PRODUCT: BLADDER IRRIGATION

----------------------------------------------------------------

ABBREVIATION........BLAD IRRIG

ACTIVE..............Yes

DESCRIPTION.........Bladder Irrigation Output Product

DISPLAY_NAME........Bladder Irrigation

HELP_TEXT...........No Help Text

ID.................{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}

TERM................BLADDER IRRIGATION


PRODUCT: BLOOD PRODUCT

--------------------------------------------------------------------

ABBREVIATION........bp

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Blood Product

HELP_TEXT...........No Help Text

ID.................{A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}

TERM................BLOOD PRODUCT


PRODUCT: CANE

--------------------------------------------------------------------

ABBREVIATION........Cane

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Cane

HELP_TEXT...........

ID.................{5D669D6F-AE43-4A66-8A5F-0679B1E12FFD}

TERM................CANE

PRODUCT: CARDIAC OUTPUT INJECTATE

----------------------------------------------------------------------

ABBREVIATION........CARD OUT I

ACTIVE..............Yes

DESCRIPTION.........Cardiac Output Injectate

DISPLAY_NAME........Cardiac Output Injectate

HELP_TEXT...........No Help Text

ID.................{2128B705-DDF4-4776-87C3-AA82F854E313}

TERM................CARDIAC OUTPUT INJECTATE


PRODUCT: CHEST TUBE

----------------------------------------------------------------------

ABBREVIATION........CHEST TUBE

ACTIVE..............Yes

DESCRIPTION.........Chest Tube Output

DISPLAY_NAME........Chest Tube

HELP_TEXT...........No Help Text

ID.................{74C0C672-02AD-45A8-99DB-F5256BA14C72}

TERM................CHEST TUBE


PRODUCT: CHEST TUBE DRAINAGE

----------------------------------------------------------------------

ABBREVIATION........CHEST T DR

ACTIVE..............Yes

DESCRIPTION.........Chest Tube Drainage

DISPLAY_NAME........Chest Tube Drainage

HELP_TEXT...........No Help Text

ID.................{591D62C9-D173-45AD-8E05-A500F1C4AAA7}

TERM................CHEST TUBE DRAINAGE


PRODUCT: CLEAR LIQUIDS

-----------------------------------------------------------------

ABBREVIATION........Clear Liq

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Clear Liquids

HELP_TEXT...........

ID.................{BBE3A652-ACDC-4797-B140-D4DB4F474B13}

TERM................CLEAR LIQUIDS


PRODUCT: COFFEE

-----------------------------------------------------------------

ABBREVIATION........Coffee

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Coffee

HELP_TEXT...........

ID.................{BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}

TERM................COFFEE

PRODUCT: COLLOID

--------------------------------------------------------------------

ABBREVIATION........COLLOID

ACTIVE..............Yes

DESCRIPTION.........Colloid

DISPLAY_NAME........Colloid

HELP_TEXT...........No Help Text

ID.................{5B912A05-9ECA-43C1-A117-BE0843313CDD}

TERM................COLLOID


PRODUCT: CRYOPRECIPITATE

--------------------------------------------------------------------

ABBREVIATION........CRYOPRECIP

ACTIVE..............Yes

DESCRIPTION.........Cryoprecipitate Blood Product

DISPLAY_NAME........Cryoprecipitate

HELP_TEXT...........No Help Text

ID.................{5329E737-E059-480D-83F8-1146B091C14E}

TERM................CRYOPRECIPITATE


PRODUCT: CRYSTALLOID

--------------------------------------------------------------------

ABBREVIATION........CRYSTALLOI

ACTIVE..............Yes

DESCRIPTION.........Crystalloid

DISPLAY_NAME........Crystalloid

HELP_TEXT...........No Help Text

ID.................{F8B0C9B5-F386-4C88-896A-092C4A95A031}

TERM................CRYSTALLOID


PRODUCT: DAKINS SOLUTION

--------------------------------------------------------------------

ABBREVIATION........DAKINS SOL

ACTIVE..............Yes

DESCRIPTION.........Dakins Solution

DISPLAY_NAME........Dakins Solution

HELP_TEXT...........Dakins Solution

ID.................{51651D24-B909-427B-9FF0-3C2859A63D73}

TERM................DAKINS SOLUTION


PRODUCT: EF RESIDUAL

--------------------------------------------------------------------

ABBREVIATION........EF RESID

ACTIVE..............Yes

DESCRIPTION.........Enteral Feeding Residual

DISPLAY_NAME........EF Residual

HELP_TEXT...........No Help Text

ID.................{35E269DF-F246-4DF6-9D68-7FD61F8FE088}

TERM................EF RESIDUAL

PRODUCT: ELEMENTAL FORMULA

----------------------------------------------------------------------

ABBREVIATION........ELE FORM

ACTIVE..............Yes

DESCRIPTION.........Elemental Enteral Nutrition Formula

DISPLAY_NAME........Elemental Formula

HELP_TEXT...........No Help Text

ID.................{E85DFA33-7F32-4348-9E0E-249AC301EC03}

TERM................ELEMENTAL FORMULA


PRODUCT: EMESIS

----------------------------------------------------------------------

ABBREVIATION........EMESIS

ACTIVE..............Yes

DESCRIPTION.........Emesis output

DISPLAY_NAME........Emesis

HELP_TEXT...........No Help Text

ID.................{A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

TERM................EMESIS


PRODUCT: FECES

----------------------------------------------------------------------

ABBREVIATION........f

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Feces

HELP_TEXT...........No Help Text

ID.................{C1CED7CD-EF5D-37D8-4EE0-CC9FD6F20DB0}

TERM................FECES


PRODUCT: FFP

-------------------------------------------------------------------

ABBREVIATION........FFP

ACTIVE..............Yes

DESCRIPTION.........Fresh Frozen Plasma

DISPLAY_NAME........FFP

HELP_TEXT...........No Help Text

ID.................{9DD0ECF5-634F-49CF-A529-A2657240A80C}

TERM................FFP


PRODUCT: FFP - THAWED

-------------------------------------------------------------------

ABBREVIATION........FFP-THAWED

ACTIVE..............Yes

DESCRIPTION.........Fresh Frozen Plasma, Thawed

DISPLAY_NAME........FFP - THAWED

HELP_TEXT...........No Help Text

ID.................{AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}

TERM................FFP - THAWED

PRODUCT: FORMULA - HIGH FIBER

--------------------------------------------------------------------

ABBREVIATION........FORM H FIB

ACTIVE..............Yes

DESCRIPTION.........High Fiber Formula

DISPLAY_NAME........High Fiber Formula

HELP_TEXT...........No Help Text

ID.................{249D8C78-B600-4443-A2E2-39F1B67698DD}

TERM................FORMULA - HIGH FIBER


PRODUCT: FORMULA - PROBALANCE

--------------------------------------------------------------------

ABBREVIATION........PROBALANCE

ACTIVE..............Yes

DESCRIPTION.........Probalance Formula

DISPLAY_NAME........Probalance Formula

HELP_TEXT...........No Help Text

ID.................{4EA729FE-08EA-490B-822D-696061E5B55F}

TERM................FORMULA - PROBALANCE


PRODUCT: FORMULA 1.5 CAL

--------------------------------------------------------------------

ABBREVIATION........1.5 C FORM

ACTIVE..............Yes

DESCRIPTION.........1.5 Cal Enteral Nutrition Formula

DISPLAY_NAME........1.5 Cal Formula

HELP_TEXT...........No Help Text

ID.................{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}

TERM................FORMULA 1.5 CAL


PRODUCT: FORMULA 2.0 CAL

----------------------------------------------------------------------

ABBREVIATION........2.0 C FORM

ACTIVE..............Yes

DESCRIPTION.........2.0 Cal Enteral Nutrition Formula

DISPLAY_NAME........2.0 Cal Formula

HELP_TEXT...........No Help Text

ID.................{E5FB9590-25AA-435A-B9B4-4812EA15C217}

TERM................FORMULA 2.0 CAL


PRODUCT: FORMULA D10W ENTERAL NUTRITION

----------------------------------------------------------------------

ABBREVIATION........D10W ENT N

ACTIVE..............Yes

DESCRIPTION.........D10W Enteral Nutrition

DISPLAY_NAME........D10W Enteral Nutrition

HELP_TEXT...........10% Dextrose and Water solution

ID.................{F8FB55C4-6229-427F-987D-3D469E307D0D}

TERM................FORMULA D10W ENTERAL NUTRITION

PRODUCT: FORMULA D50W ENTERAL NUTRITION

------------------------------------------------------------------

ABBREVIATION........D50W ENT N

ACTIVE..............Yes

DESCRIPTION.........D50W Enteral Nutrition

DISPLAY_NAME........D50W Enteral Nutrition

HELP_TEXT...........50% Dextrose and Water Solution

ID.................{19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}

TERM................FORMULA D50W ENTERAL NUTRITION


PRODUCT: FORMULA D5W ENTERAL NUTRITION

------------------------------------------------------------------

ABBREVIATION........D5W ENT NU

ACTIVE..............Yes

DESCRIPTION.........D5W Enteral Nutrition

DISPLAY_NAME........D5W Enteral Nutrition

HELP_TEXT...........5% Dextrose and Water Solution

ID.................{9EA15A1B-DA1C-49EC-B463-82DD5F125F82}

TERM................FORMULA D5W ENTERAL NUTRITION


PRODUCT: FORMULA FIBER

------------------------------------------------------------------

ABBREVIATION........FIBER FORM

ACTIVE..............Yes

DESCRIPTION.........Fiber Enteral Nutrition Formula

DISPLAY_NAME........Fiber Enteral Nutrition Formula

HELP_TEXT...........No Help Text

ID.................{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}

TERM................FORMULA FIBER


PRODUCT: FULL LIQUID

---------------------------------------------------------------------

ABBREVIATION........FL LIQUID

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Full Liquid

HELP_TEXT...........No Help Text

ID..................{C8405270-CCA3-4BFF-B9D0-398590FBB1D9}

TERM................FULL LIQUID


PRODUCT: GASTRIC DRAINAGE

---------------------------------------------------------------------

ABBREVIATION........GAST DRAIN

ACTIVE..............Yes

DESCRIPTION.........Gastric Drainage

DISPLAY_NAME........Gastric Drainage

HELP_TEXT...........No Help Text

ID..................{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}

TERM................GASTRIC DRAINAGE

PRODUCT: GLUCERNA DIABETIC

--------------------------------------------------------------------

ABBREVIATION........GLUCERNA D

ACTIVE..............Yes

DESCRIPTION.........Glucerna Diabetic

DISPLAY_NAME........Glucerna Diabetic

HELP_TEXT...........No Help Text

ID.................{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}

TERM................GLUCERNA DIABETIC


PRODUCT: GRANULOCYTES PHERESIS

--------------------------------------------------------------------

ABBREVIATION........GRAN PHERE

ACTIVE..............Yes

DESCRIPTION.........Granulocytes Pheresis Blood Product

DISPLAY_NAME........Granulocytes Pheresis

HELP_TEXT...........No Help Text

ID.................{2B90878D-9C29-4731-9525-D7DD7FCB513B}

TERM................GRANULOCYTES PHERESIS


PRODUCT: HEME

--------------------------------------------------------------------

ABBREVIATION........HEME

ACTIVE..............Yes

DESCRIPTION.........Heme output

DISPLAY_NAME........Heme

HELP_TEXT...........No Help Text

ID.................{A0ADA229-E779-4562-84B5-67121B88C443}

TERM................HEME


PRODUCT: HEMODIALYSIS

---------------------------------------------------------------------

ABBREVIATION........HEMODIALYS

ACTIVE..............Yes

DESCRIPTION.........Hemodialysis Intake and Output Product

DISPLAY_NAME........Hemodialysis

HELP_TEXT...........No Help Text

ID.................{8409B357-C41E-4F4A-BB52-F09AD9704C30}

TERM................HEMODIALYSIS


PRODUCT: HEPATIC FORMULA

---------------------------------------------------------------------

ABBREVIATION........HEPAT FORM

ACTIVE..............Yes

DESCRIPTION.........Hepatic  Enteral Nutrition Formula

DISPLAY_NAME........Hepatic  Enteral Nutrition Formula

HELP_TEXT...........No Help Text

ID.................{41DEECAB-168F-4522-852C-C1ED751BFEDC}

TERM................HEPATIC FORMULA

PRODUCT: HIGH PROTEIN FORMULA

----------------------------------------------------------------------

ABBREVIATION........HIGH PROTE

ACTIVE..............Yes

DESCRIPTION.........High Protein

DISPLAY_NAME........High Protein Formula

HELP_TEXT...........No Help Text

ID.................{3618C874-3EAE-41CF-BE2B-3DFB960E034F}

TERM................HIGH PROTEIN FORMULA


PRODUCT: JP DRAIN

----------------------------------------------------------------------

ABBREVIATION........JP DRAIN

ACTIVE..............Yes

DESCRIPTION.........Jackson-Pratt Drain

DISPLAY_NAME........JP DRAIN

HELP_TEXT...........No Help Text

ID.................{0889246D-AD40-4CFC-A721-BBCB8C34BE19}

TERM................JP DRAIN


PRODUCT: JUICE

----------------------------------------------------------------------

ABBREVIATION........JUICE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Juice

HELP_TEXT...........No Help-Text

ID.................{91FFF519-1677-BB1D-D959-65B1BFA10285}

TERM................JUICE


PRODUCT: LINE FLUSH

-----------------------------------------------------------------

ABBREVIATION........LINE FLUSH

ACTIVE..............Yes

DESCRIPTION.........Fluid flushed from line

DISPLAY_NAME........LINE FLUSH

HELP_TEXT...........No Help Text

ID.................{D3EA8BCD-0EC4-4B39-BA92-BC3FF505C9A4}

TERM................LINE FLUSH


PRODUCT: LINE FLUSH HEPARIN

-----------------------------------------------------------------

ABBREVIATION........LN FL HEPA

ACTIVE..............Yes

DESCRIPTION.........Heparin used to flush dialysis lines

DISPLAY_NAME........Line Flush Heparin

HELP_TEXT...........No Help Text

ID.................{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

TERM................LINE FLUSH HEPARIN

PRODUCT: LIPIDS

-------------------------------------------------------------------

ABBREVIATION........LIPIDS

ACTIVE..............Yes

DESCRIPTION.........Lipids

DISPLAY_NAME........Lipids

HELP_TEXT...........No Help Text

ID.................{80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

TERM................LIPIDS


PRODUCT: MAGNACAL

-------------------------------------------------------------------

ABBREVIATION........MAGNACAL

ACTIVE..............Yes

DESCRIPTION.........Magnacal Enteral Nutrition Type

DISPLAY_NAME........Magancal

HELP_TEXT...........No Help Text

ID.................{86688633-DFCA-4FBE-99F5-8E0B3FAFE695}

TERM................MAGNACAL


PRODUCT: MEDIASTINAL

-------------------------------------------------------------------

ABBREVIATION........MEDIASTINA

ACTIVE..............Yes

DESCRIPTION.........Mediastinal Output Product

DISPLAY_NAME........Mediastinal

HELP_TEXT...........No Help Text

ID.................{A0550B31-B937-4FC7-8F7E-071F75215311}

TERM................MEDIASTINAL


PRODUCT: MEDICATION

--------------------------------------------------------------------

ABBREVIATION........MEDICATION

ACTIVE..............Yes

DESCRIPTION.........Medication

DISPLAY_NAME........Medication

HELP_TEXT...........Medication

ID.................{CDD5944E-A0EC-45CE-8EB0-7F9EDF7197E5}

TERM................MEDICATION


PRODUCT: MILK

--------------------------------------------------------------------

ABBREVIATION........Milk

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Milk

HELP_TEXT...........

ID.................{6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}

TERM................MILK

PRODUCT: MODULAR CUSTOMIZED FORMULA

----------------------------------------------------------------------

ABBREVIATION........CUST FORMU

ACTIVE..............Yes

DESCRIPTION.........Modular Customized Formula

DISPLAY_NAME........Modular Customized Formula

HELP_TEXT...........No Help Text

ID.................{249D095E-9676-4CC5-8A39-097F96A4C032}

TERM................MODULAR CUSTOMIZED FORMULA


PRODUCT: NEPRO RENAL FORMULA

----------------------------------------------------------------------

ABBREVIATION........NEPR RENAL

ACTIVE..............Yes

DESCRIPTION.........Nepro Renal  Enteral Nutrition Formula

DISPLAY_NAME........Nepro Renal  Enteral Nutrition Formula

HELP_TEXT...........No Help Text

ID.................{59C9B396-A705-445B-B566-F030DA4B2B79}

TERM................NEPRO RENAL FORMULA


PRODUCT: NG RESIDUAL

----------------------------------------------------------------------

ABBREVIATION........NG RESID

ACTIVE..............Yes

DESCRIPTION.........Naso-Gastric Residual Output

DISPLAY_NAME........NG Residual

HELP_TEXT...........No Help Text

ID.................{B03C9557-84B5-4B05-B784-C87FA90D27A7}

TERM................NG RESIDUAL


PRODUCT: NONE

--------------------------------------------------------------------

ABBREVIATION........None

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........None

HELP_TEXT...........

ID.................{F023B077-AFDB-46A1-9E1F-49B5C80A2D63}

TERM................NONE


PRODUCT: NOVASOURCE 2.0

--------------------------------------------------------------------

ABBREVIATION........NOVAS 2.0

ACTIVE..............Yes

DESCRIPTION.........Novasource 2.0 Enteral Nutrition

          Formula

DISPLAY_NAME........Novasource 2.0 Enteral Nutrition

          Formula

HELP_TEXT...........No Help Text

ID.................{67D16273-6271-43E1-80D6-D12C4D55E024}

TERM................NOVASOURCE 2.0

PRODUCT: NUTREN 1.5

----------------------------------------------------------------

ABBREVIATION........NUTREN 1.5

ACTIVE..............Yes

DESCRIPTION.........Nutren 1.5

DISPLAY_NAME........Nutren 1.5

HELP_TEXT...........No Help Text

ID.................{B93EF897-B9A1-45C6-AC9A-B386554A3186}

TERM................NUTREN 1.5


PRODUCT: NUTRITIONAL SUPPLEMENT

----------------------------------------------------------------

ABBREVIATION........NUTR SUPPL

ACTIVE..............Yes

DESCRIPTION.........Nutritional Supplement

DISPLAY_NAME........Nutritional Supplement

HELP_TEXT...........No Help Text

ID.................{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}

TERM................NUTRITIONAL SUPPLEMENT


PRODUCT: OSMOLITE

----------------------------------------------------------------

ABBREVIATION........OSMOLITE

ACTIVE..............Yes

DESCRIPTION.........Osmolite Enteral Nutrition

DISPLAY_NAME........Osmolite

HELP_TEXT...........No Help Text

ID.................{18C5843F-BC33-4609-9D58-49F07F12A059}

TERM................OSMOLITE


PRODUCT: OSMOLITE HN

--------------------------------------------------------------------

ABBREVIATION........OSMOLIT HN

ACTIVE..............Yes

DESCRIPTION.........Osmolite HN Enteral Nutrition

DISPLAY_NAME........Osmolite HN

HELP_TEXT...........No Help Text

ID.................{3622D5C6-1D7B-4377-94B7-5E33C642C4C5}

TERM................OSMOLITE HN


PRODUCT: OTHER (USE COMMENTS)

--------------------------------------------------------------------

ABBREVIATION........Other

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Other (Use Comments)

HELP_TEXT...........

ID.................{23302A01-D187-43C9-A7AA-27AE87EF850E}

TERM................OTHER (USE COMMENTS)

PRODUCT: OTHER PO FLUID

--------------------------------------------------------------------

ABBREVIATION........PO OTHER

ACTIVE..............Yes

DESCRIPTION.........PO Fluid other than those listed.

DISPLAY_NAME........Other - Please Specify

HELP_TEXT...........No Help Text

ID.................{1EA44424-4DE2-42B8-A50F-60DC56204502}

TERM................OTHER PO FLUID


PRODUCT: PCA

--------------------------------------------------------------------

ABBREVIATION........PCA

ACTIVE..............Yes

DESCRIPTION.........Patient Controlled Analgesia

DISPLAY_NAME........Patient Controlled Analgesia

HELP_TEXT...........No Help Text

ID.................{D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}

TERM................PCA


PRODUCT: PLASMAPHERESIS

--------------------------------------------------------------------

ABBREVIATION........PLASMAPHER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Plasmapheresis

HELP_TEXT...........No Help Text

ID.................{E1214367-8BB0-4FAA-A916-EC707569A9C4}

TERM................PLASMAPHERESIS


PRODUCT: PLATELETS

---------------------------------------------------------------------

ABBREVIATION........PLATELETS

ACTIVE..............Yes

DESCRIPTION.........Platelets

DISPLAY_NAME........Platelets

HELP_TEXT...........No Help Text

ID..................{3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}

TERM................PLATELETS


PRODUCT: PLATELETS PHERESIS

---------------------------------------------------------------------

ABBREVIATION........PLATELET P

ACTIVE..............Yes

DESCRIPTION.........Platelets Pheresis (Apheresis

            Platelets)

DISPLAY_NAME........Platelets Pheresis

HELP_TEXT...........No Help Text

ID..................{65CBDCBD-99DB-44FE-9230-D62886208EBF}

TERM................PLATELETS PHERESIS

PRODUCT: PLATELETS PHERESIS IRRADIATED

--------------------------------------------------------------------

ABBREVIATION........PLATEL P I

ACTIVE..............Yes

DESCRIPTION.........Platelets Pheresis (Apheresis

                    platelets) Irradiated

DISPLAY_NAME........Platelets Pheresis Irradiated

HELP_TEXT...........No Help Text

ID.................{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}

TERM................PLATELETS PHERESIS IRRADIATED


PRODUCT: PPN

--------------------------------------------------------------------

ABBREVIATION........PPN

ACTIVE..............Yes

DESCRIPTION.........Peripheral Parenteral Nutrition

DISPLAY_NAME........PPN

HELP_TEXT...........No Help Text

ID.................{BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}

TERM................PPN


PRODUCT: PRBC

--------------------------------------------------------------------

ABBREVIATION........PRBC

ACTIVE..............Yes

DESCRIPTION.........Packed Red Blood Cells

DISPLAY_NAME........PRBC

HELP_TEXT...........No Help Text

ID..................{BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}

TERM................PRBC


PRODUCT: PRBC - AUTOLOGOUS

----------------------------------------------------------------------

ABBREVIATION........PRBC-A

ACTIVE..............Yes

DESCRIPTION.........Packed Red Blood Cells,  Autologous

DISPLAY_NAME........PRBC - AUTOLOGOUS

HELP_TEXT...........No Help Text

ID..................{1580990C-0B35-4DDD-84AA-682B341C9B76}

TERM................PRBC - AUTOLOGOUS


PRODUCT: PRBC - LEUKOREDUCED

----------------------------------------------------------------------

ABBREVIATION........PRBC-L

ACTIVE..............Yes

DESCRIPTION.........Packed Red Blood Cells, Leukoreduced

DISPLAY_NAME........PRBC - Leukoreduced

HELP_TEXT...........No Help Text

ID..................{13DB3170-6C26-4178-B429-C02AFC541AC7}

TERM...............PRBC - LEUKOREDUCED

PRODUCT: PRBC - LEUKOREDUCED - DIRECTED

----------------------------------------------------------------------

ABBREVIATION........PRBC-L-D

ACTIVE..............Yes

DESCRIPTION.........Packed Red Blood Cells, Leukoreduced,

              Directed

DISPLAY_NAME........PRBC - LEUKOREDUCED - DIRECTED

HELP_TEXT...........No Help Text

ID.................{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}

TERM................PRBC - LEUKOREDUCED - DIRECTED


PRODUCT: PRBC - LEUKOREDUCED - IRRADIATED

----------------------------------------------------------------------

ABBREVIATION........PRBC-L-I

ACTIVE..............Yes

DESCRIPTION.........Packed Red Blood Cells, Leukoreduced,

              Irradiated

DISPLAY_NAME........PRBC - LEUKOREDUCED - IRRADIATED

HELP_TEXT...........No Help Text

ID.................{B4431519-0102-49ED-94D6-1738E375C5A4}

TERM................PRBC - LEUKOREDUCED - IRRADIATED


PRODUCT: PRBC - LEUKOREDUCED - WASHED

----------------------------------------------------------------------

ABBREVIATION........PRBC-L-W

ACTIVE..............Yes

DESCRIPTION.........Packed Red Blood Cells, Leukoreduced,

              Washed

DISPLAY_NAME........PRBC - LEUKOREDUCED - WASHED

HELP_TEXT...........No Help Text

ID..................{BB58F35A-1086-4061-B485-FA35DFB79A0D}

TERM................PRBC - LEUKOREDUCED - WASHED


PRODUCT: Rh IMMUNE GLOBULIN

----------------------------------------------------------------------

ABBREVIATION........Rh IM GLOB

ACTIVE..............Yes

DESCRIPTION.........Rh Immune Globulin

DISPLAY_NAME........Rh Immune Globulin

HELP_TEXT...........No Help Text

ID..................{1FE7BD0C-7252-427A-8216-36FCA4637089}

TERM................Rh IMMUNE GLOBULIN


PRODUCT: SALINE

----------------------------------------------------------------------

ABBREVIATION........SALINE

ACTIVE..............Yes

DESCRIPTION.........Saline

DISPLAY_NAME........Saline

HELP_TEXT...........No Help Text

ID..................{19D84001-70DB-47AA-9149-A37B7E0BAEF1}

TERM................SALINE

PRODUCT: SANDOSOURCE PEPTIDE

-----------------------------------------------------------------

ABBREVIATION........SAND PEPTI

ACTIVE..............Yes

DESCRIPTION.........Sandosource Peptide Enteral Nutrition

Formula

DISPLAY_NAME........Sandosource Peptide Enteral Nutrition

Formula

HELP_TEXT...........No Help Text

ID..................{B543461C-7316-4750-9918-B30E96AB3C95}

TERM................SANDOSOURCE PEPTIDE


PRODUCT: SODA: DIET

-----------------------------------------------------------------

ABBREVIATION........Soda: Diet

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Soda: Diet

HELP_TEXT...........

ID..................{0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}

TERM................SODA: DIET


PRODUCT: SODA: NON-DIET

-----------------------------------------------------------------

ABBREVIATION........Soda: Non

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Soda: Non-Diet

HELP_TEXT...........

ID..................{B15D88DC-07B6-4980-98B2-A59B5662797A}

TERM................SODA: NON-DIET


PRODUCT: SOFT DRINK

-------------------------------------------------------------------

ABBREVIATION........SOFT DRIN

ACTIVE..............Yes

DESCRIPTION.........Soft Drink

DISPLAY_NAME........Soft Drink

HELP_TEXT...........No Help Text

ID..................{9216F0F9-4D5F-4AF7-8D84-04A2CE11BCBE}

TERM................SOFT DRINK


PRODUCT: TAP WATER

-------------------------------------------------------------------

ABBREVIATION........Tap Water

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Tap Water

HELP_TEXT...........

ID..................{EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

TERM................TAP WATER

PRODUCT: TPN

-------------------------------------------------------------------

ABBREVIATION........TPN

ACTIVE..............Yes

DESCRIPTION.........Total Parenteral Nutrition

DISPLAY_NAME........TPN

HELP_TEXT...........No Help Text

ID.................{55341B62-E356-4C38-A52D-4F196751E9EB}

TERM................TPN


PRODUCT: ULTRACAL

-------------------------------------------------------------------

ABBREVIATION........ULTRACAL

ACTIVE..............Yes

DESCRIPTION.........Ultracal Enteral Nutrition

DISPLAY_NAME........Ultracal Enteral Nutrition

HELP_TEXT...........No Help Text

ID.................{B18E6151-9DC6-4380-899A-E84715BFC61B}

TERM................ULTRACAL


PRODUCT: URINE

-------------------------------------------------------------------

ABBREVIATION........u

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Urine

HELP_TEXT...........No Help Text

ID.................{1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

TERM................URINE


PRODUCT: VITAL ENTERAL NUTRITION TYPE

----------------------------------------------------------------------

ABBREVIATION........VIT ENT NU

ACTIVE..............Yes

DESCRIPTION.........Vital Enteral Nutrition

DISPLAY_NAME........Vital Enteral Nutrition

HELP_TEXT...........No Help Text

ID.................{D77B607C-85C4-428E-AAE6-B319F33F4E9F}

TERM................VITAL ENTERAL NUTRITION TYPE


PRODUCT: VITAL HN ENTERAL NUTRITION

----------------------------------------------------------------------

ABBREVIATION........VIT NUT HN

ACTIVE..............Yes

DESCRIPTION.........Vital HN Enteral Nutrition

DISPLAY_NAME........Vital HN Enteral Nutrition

HELP_TEXT...........No Help Text

ID.................{3973F52F-D53F-4D80-928A-BD6154D5C434}

TERM................VITAL HN ENTERAL NUTRITION

PRODUCT: WALKER

------------------------------------------------------------------

ABBREVIATION........Walker

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Walker

HELP_TEXT...........

ID.................{BA1E31F8-ECC6-44EB-88D7-1578F96FE0B4}

TERM................WALKER


PRODUCT: WATER

------------------------------------------------------------------

ABBREVIATION........WATER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Water

HELP_TEXT...........No Help-Text

ID.................{ACCC998E-0F64-510D-B843-3D30B2AD67CF}

TERM................WATER


PRODUCT: WBC - WASHED

------------------------------------------------------------------

ABBREVIATION........WBC WASHED

ACTIVE..............Yes

DESCRIPTION.........White Blood Cells, Washed

DISPLAY_NAME........WBC - Washed

HELP_TEXT...........No Help Text

ID.................{F1460F94-203C-473D-AC7C-92E8ADFFC0F5}

TERM................WBC - WASHED


PRODUCT: WHEELCHAIR

--------------------------------------------------------------------

ABBREVIATION........Wheelchair

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Wheelchair

HELP_TEXT...........

ID.................{18D64450-A01F-4562-8C1B-AE7577A14890}

TERM................WHEELCHAIR


PRODUCT: WHOLE BLOOD

--------------------------------------------------------------------

ABBREVIATION........WHOL BLOOD

ACTIVE..............Yes

DESCRIPTION.........Whole Blood

DISPLAY_NAME........Whole Blood

HELP_TEXT...........No Help Text

ID.................{144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

TERM................WHOLE BLOOD

PRODUCT: WOUND DRAINAGE

-------------------------------------------------------------------

ABBREVIATION........WOUN DRAIN

ACTIVE..............Yes

DESCRIPTION.........Wound Drainage

DISPLAY_NAME........Wound Drainage

HELP_TEXT...........Drainage From Wound

ID.................{73038CBA-1F31-47E2-A78E-50ED1067CBEA}

TERM................WOUND DRAINAGE


PRODUCT: WOUND IRRIGATION

-------------------------------------------------------------------

ABBREVIATION........WOUND IRRI

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Wound Irrigation

HELP_TEXT...........No Help Text

ID.................{192EC6B7-8E2E-418C-9345-BC8A7986CA59}

TERM................WOUND IRRIGATION


PRODUCT: WOUND VACUUM

-------------------------------------------------------------------

ABBREVIATION........WOUND VAC

ACTIVE..............Yes

DESCRIPTION.........Wound Vacuum Output Product

DISPLAY_NAME........Wound Vacuum

HELP_TEXT...........No Help Text

ID.................{9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}

TERM...............WOUND VACUUM

QUALITY: ACTUAL

------------------------------------------------------------------

ABBREVIATION........A

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Actual

HELP_TEXT...........No Help Text

ID..................{5842A4D9-56A1-7A5A-13C9-F481699C3A09}

TERM................ACTUAL


QUALITY: ANASARCA

------------------------------------------------------------------

ABBREVIATION........Anasarca

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Anasarca

HELP_TEXT...........

ID..................{24F43355-DF9A-4BC7-BF1D-1DB2B4612804}

TERM................ANASARCA


QUALITY: ANTECUBITAL

------------------------------------------------------------------

ABBREVIATION........ANTECUB

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Antecubital

HELP_TEXT...........No Help Text

ID..................{0D56DDB8-EDCD-BF9F-5F77-567BC59F3580}

TERM................ANTECUBITAL


QUALITY: BRACHIAL

--------------------------------------------------------------------

ABBREVIATION........BRACHIAL

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Brachial

HELP_TEXT...........No Help Text

ID..................{CFE7E2E3-20BC-7ACE-262B-8BAE4FB36B59}

TERM................BRACHIAL


QUALITY: DEPENDENT

--------------------------------------------------------------------

ABBREVIATION........Dependent

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Dependent

HELP_TEXT...........

ID..................{4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}

TERM................DEPENDENT

QUALITY: DRY

------------------------------------------------------------------

ABBREVIATION........D

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Dry

HELP_TEXT...........No Help Text

ID.................{B319EFF4-BA4A-85B1-2617-E00E46A54ABE}

TERM................DRY


QUALITY: ESTIMATED

------------------------------------------------------------------

ABBREVIATION........E

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Estimated

HELP_TEXT...........No Help Text

ID.................{9EAFF26B-7D87-DA66-F991-022D095FB5A0}

TERM................ESTIMATED


QUALITY: ESTIMATED BY ARM SPAN

------------------------------------------------------------------

ABBREVIATION........EAS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Estimated by Arm Span

HELP_TEXT...........No Help Text

ID.................{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}

TERM................ESTIMATED BY ARM SPAN


QUALITY: EXCELLENT

----------------------------------------------------------------------

ABBREVIATION........Excellent

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Excellent

HELP_TEXT...........

ID.................{69C28725-C59B-40D4-85FF-20F265E75356}

TERM................EXCELLENT


QUALITY: FAIR

----------------------------------------------------------------------

ABBREVIATION........Fair

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Fair

HELP_TEXT...........

ID.................{6FA21296-0786-4C3C-8061-D8FEBF3E0292}

TERM................FAIR

QUALITY: GOOD

----------------------------------------------------------------

ABBREVIATION........Good

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Good

HELP_TEXT...........

ID.................{655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}

TERM................GOOD


QUALITY: LOUD

----------------------------------------------------------------

ABBREVIATION........Loud

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Loud

HELP_TEXT...........

ID.................{47D5B61A-25DE-4CCB-A1F8-1B554719B4D1}

TERM................LOUD


QUALITY: MUTE

----------------------------------------------------------------

ABBREVIATION........Mute

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Mute

HELP_TEXT...........

ID.................{BE487084-2C18-48DE-B23F-7C704804AB6C}

TERM...............MUTE


QUALITY: NONDEPENDENT

---------------------------------------------------------------------

ABBREVIATION........Nondepend

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Nondependent

HELP_TEXT...........

ID.................{B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

TERM................NONDEPENDENT


QUALITY: NORMAL

---------------------------------------------------------------------

ABBREVIATION........Normal

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Normal

HELP_TEXT...........

ID.................{266B7051-608B-4AA9-8CC0-220CE6FDFDF1}

TERM................NORMAL

QUALITY: OTHER

--------------------------------------------------------------------

ABBREVIATION........Oth

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Other

HELP_TEXT...........No Help Text

ID.................{7C0850DD-931C-65C8-1003-E31FBBADF6E9}

TERM................OTHER


QUALITY: PEDIATRIC

--------------------------------------------------------------------

ABBREVIATION........Ped

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Pediatric

HELP_TEXT...........No Help Text

ID.................{83C8FF79-1919-B001-9F8B-68F014216F0B}

TERM................PEDIATRIC


QUALITY: POOR

--------------------------------------------------------------------

ABBREVIATION........Poor

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Poor

HELP_TEXT...........

ID.................{A5C9517C-5BCE-49E4-95C0-58AEE60CB774}

TERM................POOR

QUALITY: RADIAL

--------------------------------------------------------------------

ABBREVIATION........RADIAL

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Radial

HELP_TEXT...........No Help Text

ID.................{8F407DAB-8C6D-A5B3-524E-444B22613F4D}

TERM................RADIAL

QUALITY: SHINY

--------------------------------------------------------------------

ABBREVIATION........Shiny

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Shiny

HELP_TEXT...........

ID.................{BDCB0902-850F-4497-B3EC-EC8442D90AC8}

TERM................SHINY

QUALITY: SOFT

---------------------------------------------------------------

ABBREVIATION........Soft

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Soft

HELP_TEXT...........

ID.................{56901AD6-57B1-40CD-AF35-E0562EF0EEEB}

TERM................SOFT


QUALITY: STATED

---------------------------------------------------------------

ABBREVIATION........Sta

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Stated

HELP_TEXT...........No Help Text

ID.................{6362C194-B7F2-D38C-5B72-3BE5DE09438E}

TERM................STATED


QUALITY: TAUT

---------------------------------------------------------------

ABBREVIATION........Taut

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Taut

HELP_TEXT...........

ID.................{8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}

TERM................TAUT


QUALITY: UNABLE TO TOLERATE

---------------------------------------------------------------------

ABBREVIATION........UnableTol

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Unable to Tolerate

HELP_TEXT...........

ID.................{974A3EF4-74FA-4462-A2BF-34A20D875029}

TERM................UNABLE TO TOLERATE


QUALITY: WEEPING

---------------------------------------------------------------------

ABBREVIATION........Weeping

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Weeping

HELP_TEXT...........

ID.................{83BD0C57-9011-4B7B-A03F-C56E25C461AD}

TERM................WEEPING

SCHEDULE: CATHETER

-----------------------------------------------------------------

ABBREVIATION........CATHETER

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Catheter

HELP_TEXT...........No Help Text

ID..................{8C788C2B-3C73-7D8D-9032-A1E2188413B8}

TERM................CATHETER


SCHEDULE: PRN

-----------------------------------------------------------------

ABBREVIATION........PRN

ACTIVE..............Yes

DESCRIPTION.........AS NEEDED

DISPLAY_NAME........PRN

HELP_TEXT...........No Help Text

ID..................{B9423F6A-166B-CF51-6375-E3928FE0BAD6}

TERM................PRN


SCHEDULE: Q2H

-----------------------------------------------------------------

ABBREVIATION........q2h

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Every 2 hours

HELP_TEXT...........No Help Text

ID..................{8EF08D16-5529-5FF0-5B84-36703D82E01C}

TERM................Q2H


SCHEDULE: Q4H

--------------------------------------------------------------------

ABBREVIATION........q4

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Every 4 Hours

HELP_TEXT...........No Help Text

ID..................{E5638DC5-2772-FD4A-2D81-04B2DA5C8DDC}

TERM................Q4H


SCHEDULE: Q7D

--------------------------------------------------------------------

ABBREVIATION........q7d

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Every 7 Days

HELP_TEXT...........No Help Text

ID..................{E3E171BF-17B3-1C59-112B-042380890C62}

TERM................Q7D

SCHEDULE: QD

--------------------------------------------------------------------

ABBREVIATION........qd

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Everyday

HELP_TEXT...........No Help Text

ID.................{741F0241-5BC5-5AE2-8D8E-543155C46711}

TERM................QD


SCHEDULE: RESTRAINT STRAP

--------------------------------------------------------------------

ABBREVIATION........RES STRAP

ACTIVE..............No

DESCRIPTION.........Restraint Strap

DISPLAY_NAME........Restaint Strap

HELP_TEXT...........No Help Text

ID.................{D9162D47-0F50-49F4-837F-70AD65C169BB}

TERM................RESTRAINT STRAP

TASK: ACTIVITY - ABD PILLOW

-----------------------------------------------------------------

ABBREVIATION........ACT ABD PI

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - ABD PILLOW

DISPLAY_NAME........ACTIVITY - ABD PILLOW

HELP_TEXT...........ACTIVITY - ABD PILLOW

ID..................{381AA3BB-8858-4B2B-B607-8FC6C6FF707F}

TERM................ACTIVITY - ABD PILLOW


TASK: ACTIVITY - AMBULATE

-----------------------------------------------------------------

ABBREVIATION........ACT AMBULA

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - AMBULATE

DISPLAY_NAME........ACTIVITY - AMBULATE

HELP_TEXT...........ACTIVITY - AMBULATE

ID..................{E7232201-7FC2-4900-82D0-EF3A10FCB760}

TERM................ACTIVITY - AMBULATE


TASK: ACTIVITY - CONT. PASSIVE MOTION DEV.

-----------------------------------------------------------------

ABBREVIATION........ACT CPM DE

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - CONTINUOUS PASSIVE MOTION

          DEVICE

DISPLAY_NAME........ACTIVITY - CONT. PASS. MOT.  DEV.

HELP_TEXT...........ACTIVITY - CONTINUOUS PASSIVE MOTION

            DEVICE

ID..................{7587CDE1-CD6F-4A9C-8E4E-9919485E321E}

TERM................ACTIVITY - CONT. PASSIVE MOTION DEV.


TASK: ACTIVITY - ELEVATE HEAD OF BED

----------------------------------------------------------------------

ABBREVIATION........ACT EL HOB

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - ELEVATE HEAD OF BED

DISPLAY_NAME........ACTIVITY - ELEVATE HEAD OF BED

HELP_TEXT...........ACTIVITY - ELEVATE HEAD OF BED

ID..................{66CDCA34-6B02-4D8B-AD39-FD56BD51EC7E}

TERM................ACTIVITY - ELEVATE HEAD OF BED


TASK: ACTIVITY - KNEE IMMOBILIZER

----------------------------------------------------------------------

ABBREVIATION........ACT KNEE I

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - KNEE IMMOBILIZER

DISPLAY_NAME........ACTIVITY - KNEE IMMOBILIZER

HELP_TEXT...........ACTIVITY - KNEE IMMOBILIZER

ID..................{182692D9-7ECC-45B9-82F6-163DFF937438}

TERM................ACTIVITY - KNEE IMMOBILIZER

TASK: ACTIVITY - ORIENT TO WARD

----------------------------------------------------------------

ABBREVIATION........ACT ORIENT

ACTIVE..............Yes

DESCRIPTION.........Orient patient and family to ward

              policies and procedures

DISPLAY_NAME........ACTIVITY - ORIENT TO WARD

HELP_TEXT...........ACTIVITY - ORIENT TO WARD

ID.................{35B092D6-86E0-655B-9B0E-8E819FE6967D}

TERM................ACTIVITY - ORIENT TO WARD


TASK: ACTIVITY - RANGE OF MOTION EXERCISES

----------------------------------------------------------------

ABBREVIATION........ACT ROM EX

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - RANGE OF MOTION EXERCISES

DISPLAY_NAME........ACTIVITY - RANGE OF MOTION EXERCISES

HELP_TEXT...........ACTIVITY - RANGE OF MOTION EXERCISES

ID.................{D028A8B1-2548-485F-9D87-D9154858E076}

TERM................ACTIVITY - RANGE OF MOTION EXERCISES


TASK: ACTIVITY - SIT IN CHAIR

----------------------------------------------------------------

ABBREVIATION........ACT SIT CH

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - SIT IN CHAIR

DISPLAY_NAME........ACTIVITY - SIT IN CHAIR

HELP_TEXT...........ACTIVITY - SIT IN CHAIR

ID.................{62765F1D-A170-450C-89C3-5F9EEFAFF71B}

TERM................ACTIVITY - SIT IN CHAIR


TASK: ACTIVITY - TURN PATIENT

----------------------------------------------------------------

ABBREVIATION........ACT TURN

ACTIVE..............Yes

DESCRIPTION.........ACTIVITY - TURN PATIENT

DISPLAY_NAME........ACTIVITY - TURN PATIENT

HELP_TEXT...........ACTIVITY - TURN PATIENT

ID.................{7A545892-7660-4ADE-8017-12DD76762EE8}

TERM................ACTIVITY - TURN PATIENT


TASK: ADL - BATH ASSIST

----------------------------------------------------------------

ABBREVIATION........ADLBATHASS

ACTIVE..............Yes

DESCRIPTION.........ADL - BATH ASSIST

DISPLAY_NAME........ADL - BATH ASSIST

HELP_TEXT...........ADL - BATH ASSIST

ID.................{0DF710C3-7EB8-44EA-8425-C4F5707D1744}

TERM...............ADL - BATH ASSIST

TASK: ADL - BATH COMPLETE

-------------------------------------------------------------------

ABBREVIATION........ADLBATHCOM

ACTIVE..............Yes

DESCRIPTION.........ADL - BATH COMPLETE

DISPLAY_NAME........ADL - BATH COMPLETE

HELP_TEXT...........No Help Text

ID.................{E48D2F58-C42D-4D61-9E34-19DB98966970}

TERM...............ADL - BATH COMPLETE


TASK: ADL - BATH PARTIAL

-------------------------------------------------------------------

ABBREVIATION........ADLBATHPAR

ACTIVE..............Yes

DESCRIPTION.........ADL - BATH PARTIAL

DISPLAY_NAME........ADL - BATH PARTIAL

HELP_TEXT...........ADL - BATH PARTIAL

ID.................{6997EBBC-1D7C-46CC-AFC0-0035A777DFBD}

TERM...............ADL - BATH PARTIAL


TASK: ADL - BATH SELF

-------------------------------------------------------------------

ABBREVIATION........ADLBATHSEL

ACTIVE..............Yes

DESCRIPTION.........ADL - BATH SELF

DISPLAY_NAME........ADL - BATH SELF

HELP_TEXT...........ADL - BATH SELF

ID.................{F79F34A1-F147-4A68-8039-2F80E3BF7CBE}

TERM................ADL - BATH SELF


TASK: ADL - CATHETER CARE

---------------------------------------------------------------------

ABBREVIATION........ADLCATHCAR

ACTIVE..............Yes

DESCRIPTION.........ADL - CATHETER CARE

DISPLAY_NAME........ADL - CATHETER CARE

HELP_TEXT...........ADL - CATHETER CARE

ID.................{8AAD5864-D7A5-4886-AD58-BDDDC00D80DC}

TERM...............ADL - CATHETER CARE


TASK: ADL - FEED PATIENT

---------------------------------------------------------------------

ABBREVIATION........ADL FEED P

ACTIVE..............Yes

DESCRIPTION.........ADL - FEED PATIENT

DISPLAY_NAME........ADL - FEED PATIENT

HELP_TEXT...........ADL - FEED PATIENT

ID.................{D525A017-C515-4FBE-9CC2-FDB5FA6CF010}

TERM...............ADL - FEED PATIENT

TASK: ADL - ORAL HYGIENE

---------------------------------------------------------------------

ABBREVIATION........ADLORALHYG

ACTIVE..............Yes

DESCRIPTION.........ADL - ORAL HYGIENE

DISPLAY_NAME........ADL - ORAL HYGIENE

HELP_TEXT...........ADL - ORAL HYGIENE

ID.................{27044060-F4C7-4616-9CE4-D2BFE1001EEE}

TERM...............ADL - ORAL HYGIENE


TASK: ADL - SHAVE

---------------------------------------------------------------------

ABBREVIATION........ADLSHAVE

ACTIVE..............Yes

DESCRIPTION.........ADL - SHAVE

DISPLAY_NAME........ADL - SHAVE

HELP_TEXT...........ADL - SHAVE

ID.................{B5763C28-DEF7-4A6B-86C2-1C1237B6F568}

TERM...............ADL - SHAVE


TASK: ADL - SKIN CARE

---------------------------------------------------------------------

ABBREVIATION........ADLSKINCAR

ACTIVE..............Yes

DESCRIPTION.........ADL - SKIN CARE

DISPLAY_NAME........ADL - SKIN CARE

HELP_TEXT...........ADL - SKIN CARE

ID.................{7B41CD6E-8F0C-44B5-9415-288ABAF8271A}

TERM................ADL - SKIN CARE


TASK: ADL - TURN

--------------------------------------------------------------------

ABBREVIATION........ADLTURN

ACTIVE..............Yes

DESCRIPTION.........ADL - TURN

DISPLAY_NAME........ADL - TURN

HELP_TEXT...........ADL - TURN

ID.................{CCF74486-3ADE-4A67-A6A0-121F195E6FCB}

TERM................ADL - TURN


TASK: ASSESSMENT - CO

--------------------------------------------------------------------

ABBREVIATION........A CO

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - CO

DISPLAY_NAME........ASSESSMENT - CO

HELP_TEXT...........ASSESSMENT - CO

ID.................{D94C0EFD-CFB8-4249-89D0-1A4BF6C777FC}

TERM................ASSESSMENT - CO

TASK: ASSESSMENT - COLLECT VITALS

----------------------------------------------------------------------

ABBREVIATION........A CO VITAL

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - COLLECT VITALS

DISPLAY_NAME........ASSESSMENT - COLLECT VITALS

HELP_TEXT...........ASSESSMENT - COLLECT VITALS

ID..................{9A21F145-1DBA-0BA5-4C9D-E9E31B3F3E45}

TERM................ASSESSMENT - COLLECT VITALS


TASK: ASSESSMENT - DOPPLERS

----------------------------------------------------------------------

ABBREVIATION........A DOPPLERS

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - DOPPLERS

DISPLAY_NAME........ASSESSMENT - DOPPLERS

HELP_TEXT...........ASSESSMENT - DOPPLERS

ID..................{8B1F6E7E-95D5-47A0-A23D-2A8A088930B8}

TERM................ASSESSMENT - DOPPLERS


TASK: ASSESSMENT - FINGERSTICK BLOOD SUGAR

----------------------------------------------------------------------

ABBREVIATION........A BLD SUGR

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - FINGERSTICK BLOOD SUGAR

DISPLAY_NAME........ASSESSMENT - FINGERSTICK BLOOD SUGAR

HELP_TEXT...........ASSESSMENT - FINGERSTICK BLOOD SUGAR

       (FSBS)

ID..................{50A07B57-D9E6-4F67-B6BC-E21D4A60A56C}

TERM................ASSESSMENT - FINGERSTICK BLOOD SUGAR


TASK: ASSESSMENT - HEMODYNAMIC READINGS

----------------------------------------------------------------------

ABBREVIATION........A HEMO REA

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - HEMODYNAMIC READINGS

DISPLAY_NAME........ASSESSMENT - HEMODYNAMIC READINGS

HELP_TEXT...........ASSESSMENT - HEMODYNAMIC READINGS

ID..................{98328403-2F7B-7404-34EA-5411633EA55C}

TERM................ASSESSMENT - HEMODYNAMIC READINGS


TASK: ASSESSMENT - I&O

----------------------------------------------------------------------

ABBREVIATION........A I&O

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - I&O

DISPLAY_NAME........ASSESSMENT - I&O

HELP_TEXT...........ASSESSMENT - I&O

ID..................{53CA663E-40AC-4089-A250-10635CC64F06}

TERM................ASSESSMENT - I&O

TASK: ASSESSMENT - NEURO CHECKS

-----------------------------------------------------------------

ABBREVIATION........A NRO CHKS

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - NEURO CHECKS

DISPLAY_NAME........ASSESSMENT - NEURO CHECKS

HELP_TEXT...........ASSESSMENT - NEURO CHECKS

ID.................{8E1E8DE5-EFE6-41B9-86CD-484BC9EF4F66}

TERM................ASSESSMENT - NEURO CHECKS


TASK: ASSESSMENT - NEUROVASCULAR CHECKS

-----------------------------------------------------------------

ABBREVIATION........A NROVASCU

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - NEUROVASCULAR CHECKS

DISPLAY_NAME........ASSESSMENT - NEUROVASCULAR CHECKS

HELP_TEXT...........ASSESSMENT - NEUROVASCULAR CHECKS

ID.................{4C7FBC3F-F88B-426B-9DCB-74EE2FBC40EA}

TERM................ASSESSMENT - NEUROVASCULAR CHECKS


TASK: ASSESSMENT - PCA

-----------------------------------------------------------------

ABBREVIATION........A PCA

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - PCA

DISPLAY_NAME........ASSESSMENT - PCA

HELP_TEXT...........ASSESSMENT - PCA

ID.................{88464AA6-3DCF-4388-B0EC-6B3D6B098FEC}

TERM................ASSESSMENT - PCA


TASK: ASSESSMENT - PULSE OX

----------------------------------------------------------------------

ABBREVIATION........A PULSE OX

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - PULSE OX

DISPLAY_NAME........ASSESSMENT - PULSE OX

HELP_TEXT...........ASSESSMENT - PULSE OX

ID.................{FC2A17F3-DC69-427D-946B-C3403B92528B}

TERM................ASSESSMENT - PULSE OX


TASK: ASSESSMENT - RESTRAINTS

----------------------------------------------------------------------

ABBREVIATION........A RESTRAIN

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - RESTRAINTS

DISPLAY_NAME........ASSESSMENT - RESTRAINTS

HELP_TEXT...........ASSESSMENT - RESTRAINTS

ID.................{3D02BA0C-BFDD-4D82-8B44-40C861E7FD24}

TERM................ASSESSMENT - RESTRAINTS

TASK: ASSESSMENT - TELEMETRY

-------------------------------------------------------------------

ABBREVIATION........A TELEMETR

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - TELEMETRY

DISPLAY_NAME........ASSESSMENT - TELEMETRY

HELP_TEXT...........ASSESSMENT - TELEMETRY

ID.................{48C7FB6E-74C2-4EA4-984F-19C11C9072D7}

TERM................ASSESSMENT - TELEMETRY


TASK: ASSESSMENT - WEIGHT

-------------------------------------------------------------------

ABBREVIATION........A WEIGHT

ACTIVE..............Yes

DESCRIPTION.........ASSESSMENT - GET PATIENTS WEIGHT

DISPLAY_NAME........ASSESSMENT - WEIGHT

HELP_TEXT...........ASSESSMENT - GET PATIENTS WEIGHT

ID.................{CCB2F8DF-9319-4767-AE7D-90A7705C03FD}

TERM................ASSESSMENT - WEIGHT


TASK: CALL HOUSE OFFICER - BP DIASTOLIC

-------------------------------------------------------------------

ABBREVIATION........CHO DBP

ACTIVE..............Yes

DESCRIPTION.........CALL HOUSE OFFICER - BP DIASTOLIC

DISPLAY_NAME........CALL HOUSE OFFICER - BP DIASTOLIC

HELP_TEXT...........CALL HOUSE OFFICER - BP DIASTOLIC

ID.................{19A8A7AD-6BAC-4326-806C-BC80E5636FFC}

TERM................CALL HOUSE OFFICER - BP DIASTOLIC


TASK: CALL HOUSE OFFICER - BP SYSTOLIC

----------------------------------------------------------------------

ABBREVIATION........CHO SBP

ACTIVE..............Yes

DESCRIPTION.........CALL HOUSE OFFICER - BP SYSTOLIC

DISPLAY_NAME........CALL HOUSE OFFICER - BP SYSTOLIC

HELP_TEXT...........CALL HOUSE OFFICER - BP SYSTOLIC

ID.................{971F71F9-AAD6-46BF-A729-45F0B98FD6D3}

TERM................CALL HOUSE OFFICER - BP SYSTOLIC


TASK: CALL HOUSE OFFICER - PULSE

----------------------------------------------------------------------

ABBREVIATION........CHO PULSE

ACTIVE..............Yes

DESCRIPTION.........CALL HOUSE OFFICER - PULSE

DISPLAY_NAME........CALL HOUSE OFFICER - PULSE

HELP_TEXT...........CALL HOUSE OFFICER - PULSE

ID.................{81EED77A-5116-4B2D-B52B-42BAFACC69C9}

TERM................CALL HOUSE OFFICER - PULSE

TASK: CALL HOUSE OFFICER - RESPIRATORY RATE

-------------------------------------------------------------------

ABBREVIATION........CHO RR

ACTIVE..............Yes

DESCRIPTION.........CALL HOUSE OFFICER - RESPIRATORY RATE

DISPLAY_NAME........CALL HOUSE OFFICER - RESPIRATORY RATE

HELP_TEXT...........CALL HOUSE OFFICER - RESPIRATORY RATE

ID.................{D2DFE1EC-017F-49B8-B59C-C724F71F2E63}

TERM................CALL HOUSE OFFICER - RESPIRATORY RATE


TASK: CALL HOUSE OFFICER - TEMP

-------------------------------------------------------------------

ABBREVIATION........CHO TEMP

ACTIVE..............Yes

DESCRIPTION.........CALL HOUSE OFFICER - TEMP

DISPLAY_NAME........CALL HOUSE OFFICER - TEMP

HELP_TEXT...........CALL HOUSE OFFICER - TEMP

ID.................{E59A3DC0-73CB-4B0F-B031-E3CFF280EA5F}

TERM................CALL HOUSE OFFICER - TEMP


TASK: HYDRATION - DIET

-------------------------------------------------------------------

ABBREVIATION........HY DIET

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - DIET

DISPLAY_NAME........HYDRATION - DIET

HELP_TEXT...........HYDRATION - DIET

ID.................{C0F14019-FF1A-4D42-A857-4B1E86E793FA}

TERM................HYDRATION - DIET


TASK: HYDRATION - HEPARIN DRIP

---------------------------------------------------------------------

ABBREVIATION........HY HEPARIN

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - HEPARIN DRIP

DISPLAY_NAME........HYDRATION - HEPARIN DRIP

HELP_TEXT...........HYDRATION - HEPARIN DRIP

ID.................{EC49EE9D-C2EB-4F7D-A9D4-9746DDEF84A6}

TERM................HYDRATION - HEPARIN DRIP


TASK: HYDRATION - HYPERAL

---------------------------------------------------------------------

ABBREVIATION........HY HYPERAL

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - HYPERAL

DISPLAY_NAME........HYDRATION - HYPERAL

HELP_TEXT...........HYDRATION - HYPERAL

ID.................{5F91CA9E-82F1-4490-8648-896864F1F68C}

TERM................HYDRATION - HYPERAL

TASK: HYDRATION - IV FLUIDS

----------------------------------------------------------------

ABBREVIATION........HY IV FLU

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - IV FLUIDS

DISPLAY_NAME........HYDRATION - IV FLUIDS

HELP_TEXT...........HYDRATION - IV FLUIDS

ID.................{75D6B913-147F-4318-B6A5-985438E8CF66}

TERM................HYDRATION - IV FLUIDS


TASK: HYDRATION - NPO

----------------------------------------------------------------

ABBREVIATION........HY NPO

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - NPO

DISPLAY_NAME........HYDRATION - NPO

HELP_TEXT...........HYDRATION - NPO

ID.................{44028E10-FB0D-4AFD-9B8D-90F157D6329D}

TERM................HYDRATION - NPO


TASK: HYDRATION - PERIPHERAL IV

----------------------------------------------------------------

ABBREVIATION........HY PIV

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - PERIPHERAL IV

DISPLAY_NAME........HYDRATION - PERIPHERAL IV

HELP_TEXT...........HYDRATION - PERIPHERAL IV

ID.................{1ACA57CF-4226-4EF1-AABD-142EE1DE369F}

TERM................HYDRATION - PERIPHERAL IV

TASK: HYDRATION - PICC/CENTRAL LINE

-------------------------------------------------------------------

ABBREVIATION........HY PICC

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - PICC/CENTRAL LINE

DISPLAY_NAME........HYDRATION - PICC/CENTRAL LINE

HELP_TEXT...........HYDRATION - PICC/CENTRAL LINE

ID.................{E1D6E811-CE80-4F8A-AB00-570D1C8079CA}

TERM................HYDRATION - PICC/CENTRAL LINE

TASK: HYDRATION - SUPPLEMENT SNACK

-------------------------------------------------------------------

ABBREVIATION........HY SNACK S

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - SUPPLEMENT SNACK

DISPLAY_NAME........HYDRATION - SUPPLEMENT SNACK

HELP_TEXT...........HYDRATION - SUPPLEMENT SNACK

ID.................{0916F365-7FBC-4FD3-A55B-CAD4E41A00B1}

TERM................HYDRATION - SUPPLEMENT SNACK

TASK: HYDRATION - TUBE FEEDING

-------------------------------------------------------------------

ABBREVIATION........HY TU FEED

ACTIVE..............Yes

DESCRIPTION.........HYDRATION - TUBE FEEDING

DISPLAY_NAME........HYDRATION - TUBE FEEDING

HELP_TEXT...........HYDRATION - TUBE FEEDING

ID.................{6EDD774C-DD5A-4BF6-B06D-725FD7A0B26C}

TERM................HYDRATION - TUBE FEEDING


TASK: NURSING INTERVENTIONS - STRAIGHT CATH

-------------------------------------------------------------------

ABBREVIATION........NI ST CATH

ACTIVE..............Yes

DESCRIPTION.........NURSING INTERVENTIONS - STRAIGHT CATH

DISPLAY_NAME........NURSING INTERVENTIONS - STRAIGHT CATH

HELP_TEXT...........NURSING INTERVENTIONS - STRAIGHT CATH

ID.................{A1F54C3F-CFD1-4767-BED8-55BF2BE872DD}

TERM................NURSING INTERVENTIONS - STRAIGHT CATH


TASK: NURSING INTERVENTIONS - WOUND CARE

-------------------------------------------------------------------

ABBREVIATION........NI WOU CAR

ACTIVE..............Yes

DESCRIPTION.........NURSING INTERVENTIONS - WOUND CARE

DISPLAY_NAME........NURSING INTERVENTIONS - WOUND CARE

HELP_TEXT...........NURSING INTERVENTIONS - WOUND CARE

ID.................{BFBE2EFF-3644-439F-951C-804B43BFFF30}

TERM...............NURSING INTERVENTIONS - WOUND CARE


TASK: PRECAUTIONS - 24 HOUR CHART CHECK

-----------------------------------------------------------------

ABBREVIATION........PREC 24 CH

ACTIVE..............Yes

DESCRIPTION.........PRECAUTIONS - 24 HOUR CHART CHECK

DISPLAY_NAME........PRECAUTIONS - 24 HOUR CHART CHECK

HELP_TEXT...........PRECAUTIONS - 24 HOUR CHART CHECK

ID.................{96C39F92-CE4C-4D6B-9837-9C9FECDEC199}

TERM...............PRECAUTIONS - 24 HOUR CHART CHECK


TASK: PRECAUTIONS - ASPIRATION

-----------------------------------------------------------------

ABBREVIATION........PREC ASPIR

ACTIVE..............Yes

DESCRIPTION.........PRECAUTIONS - ASPIRATION

DISPLAY_NAME........PRECAUTIONS - ASPIRATION

HELP_TEXT...........PRECAUTIONS - ASPIRATION

ID.................{D8D28810-655E-4707-BF6D-B853F18A1E08}

TERM...............PRECAUTIONS - ASPIRATION

TASK: PRECAUTIONS - ETOH W/D

----------------------------------------------------------------------

ABBREVIATION........PREC ETOH

ACTIVE..............Yes

DESCRIPTION.........PRECAUTIONS - ETOH W/D

DISPLAY_NAME........PRECAUTIONS - ETOH W/D

HELP_TEXT...........PRECAUTIONS - ETOH W/D

ID..................{7800B16E-ECCD-4086-985C-0D12D4671123}

TERM................PRECAUTIONS - ETOH W/D


TASK: PRECAUTIONS - FALL

----------------------------------------------------------------------

ABBREVIATION........PREC FALL

ACTIVE..............Yes

DESCRIPTION.........PRECAUTIONS - FALL

DISPLAY_NAME........PRECAUTIONS - FALL

HELP_TEXT...........PRECAUTIONS - FALL

ID..................{CAB2E3CC-18AD-40AB-946B-DB0292E7FA09}

TERM................PRECAUTIONS - FALL


TASK: PRECAUTIONS - PATIENT TEACHING

----------------------------------------------------------------------

ABBREVIATION........PREC TEACH

ACTIVE..............Yes

DESCRIPTION.........PRECAUTIONS - PATIENT TEACHING

DISPLAY_NAME........PRECAUTIONS - PATIENT TEACHING

HELP_TEXT...........PRECAUTIONS - PATIENT TEACHING

ID..................{C58B33AB-6442-46A5-B24A-E2B856C72B98}

TERM................PRECAUTIONS - PATIENT TEACHING


TASK: PRECAUTIONS - VALIDATE ALARMS

----------------------------------------------------------------------

ABBREVIATION........PREC ALARM

ACTIVE..............Yes

DESCRIPTION.........PRECAUTIONS - VALIDATE ALARMS

DISPLAY_NAME........PRECAUTIONS - VALIDATE ALARMS

HELP_TEXT...........PRECAUTIONS - VALIDATE ALARMS

ID.................{CF386EC1-F5B6-4D15-8E48-8453FE6FC1CC}

TERM................PRECAUTIONS - VALIDATE ALARMS


TASK: PULMONARY - CHEST PHYSIO-THERAPY

----------------------------------------------------------------------

ABBREVIATION........PULMCHPHTH

ACTIVE..............Yes

DESCRIPTION.........PULMONARY - CHEST PHYSIO-THERAPY

DISPLAY_NAME........PULMONARY - CHEST PHYSIO-THERAPY

HELP_TEXT...........PULMONARY - CHEST PHYSIO-THERAPY

ID.................{F028FA64-3957-4A15-B30A-277AF594A69D}

TERM................PULMONARY - CHEST PHYSIO-THERAPY

TASK: PULMONARY - COUGH AND DEEP BREATH

--------------------------------------------------------------------

ABBREVIATION........PULMCOUGH

ACTIVE..............Yes

DESCRIPTION.........PULMONARY - COUGH AND DEEP BREATH

DISPLAY_NAME........PULMONARY - COUGH AND DEEP BREATH

HELP_TEXT...........PULMONARY - COUGH AND DEEP BREATH

ID.................{17A5D60E-ED50-4FBA-879D-4618563D2B98}

TERM................PULMONARY - COUGH AND DEEP BREATH


TASK: PULMONARY - ET TUBE CARE

--------------------------------------------------------------------

ABBREVIATION........PULM ET TU

ACTIVE..............Yes

DESCRIPTION.........PULMONARY - ET TUBE CARE

DISPLAY_NAME........PULMONARY - ET TUBE CARE

HELP_TEXT...........PULMONARY - ET TUBE CARE

ID.................{B2F57E59-33C5-49FB-BEE9-176647329910}

TERM................PULMONARY - ET TUBE CARE


TASK: PULMONARY - INCENTIVE SPIROMETER

--------------------------------------------------------------------

ABBREVIATION........PULMINCSPI

ACTIVE..............Yes

DESCRIPTION.........PULMONARY - INCENTIVE SPIROMETER

DISPLAY_NAME........PULMONARY - INCENTIVE SPIROMETER

HELP_TEXT...........PULMONARY - INCENTIVE SPIROMETER

ID.................{F856E287-BAAC-4D8C-AFAD-34912621F3B4}

TERM................PULMONARY - INCENTIVE SPIROMETER


TASK: PULMONARY - OXYGEN

----------------------------------------------------------------------

ABBREVIATION........PULM OXYGE

ACTIVE..............Yes

DESCRIPTION.........PULMONARY - OXYGEN

DISPLAY_NAME........PULMONARY - OXYGEN

HELP_TEXT...........PULMONARY - OXYGEN

ID.................{14A986A8-54F1-4D9A-A2EB-43F306704C42}

TERM................PULMONARY - OXYGEN


TASK: PULMONARY - SUCTION PATIENT

----------------------------------------------------------------------

ABBREVIATION........PULM-SUCTI

ACTIVE..............Yes

DESCRIPTION.........PULMONARY - SUCTION PATIENT

DISPLAY_NAME........PULMONARY - SUCTION PATIENT

HELP_TEXT...........PULMONARY - SUCTION PATIENT

ID.................{8B74C2F6-8CFB-4A60-9158-5333B980D047}

TERM................PULMONARY - SUCTION PATIENT

TASK: PULMONARY - TRACH CARE

--------------------------------------------------------------------

ABBREVIATION........PULMTRACHC

ACTIVE..............Yes

DESCRIPTION.........PULMONARY - TRACH CARE

DISPLAY_NAME........PULMONARY - TRACH CARE

HELP_TEXT...........PULMONARY - TRACH CARE

ID.................{EAAFB44D-359B-4FB0-9683-BC44F7D59C23}

TERM................PULMONARY - TRACH CARE


TASK: RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET

--------------------------------------------------------------------

ABBREVIATION........RES TOILET

ACTIVE..............Yes

DESCRIPTION.........Restraint - Assess Need for

           Fluids/Toileting

DISPLAY_NAME........Restraint - Assess Need for

           Fluids/Toileting

HELP_TEXT...........Restraint - Assess Need for

           Fluids/Toileting

ID.................{58A09EA6-3336-4985-83A9-B765E3CB9C9E}

TERM................RESTRAINT - ASSESS NEED FOR

           FLUIDS/TOILET


TASK: RESTRAINT - CIRCULATION CHECK

--------------------------------------------------------------------

ABBREVIATION........RES CIR CH

ACTIVE..............Yes

DESCRIPTION.........Restraint - Circulation Check

DISPLAY_NAME........Restraint - Circulation Check

HELP_TEXT...........Restraint - Circulation Check

ID..................{0A1DA91C-BC0E-4B07-967D-2BAB7E64B028}

TERM................RESTRAINT - CIRCULATION CHECK


TASK: RESTRAINT - DEVICE RELEASE

----------------------------------------------------------------------

ABBREVIATION........RES DEV RE

ACTIVE..............Yes

DESCRIPTION.........Restraint - Device Release

DISPLAY_NAME........Restraint - Device Release

HELP_TEXT...........Restraint - Device Release

ID..................{7B0C29DA-6593-472C-9716-24F7E2B7ABD7}

TERM................RESTRAINT - DEVICE RELEASE


TASK: RESTRAINT - FALL PRECAUTIONS

----------------------------------------------------------------------

ABBREVIATION........RES FALL P

ACTIVE..............Yes

DESCRIPTION.........Restraint - Fall Precautions

DISPLAY_NAME........Restraint - Fall Precautions

HELP_TEXT...........Restraint - Fall Precautions

ID..................{D812036A-7B6B-4C9C-9EE2-616C5EFC4789}

TERM................RESTRAINT - FALL PRECAUTIONS

TASK: RESTRAINT - SEIZURE PRECAUTIONS

------------------------------------------------------------------

ABBREVIATION........RES SEI PR

ACTIVE..............Yes

DESCRIPTION.........Restraint - Seizure Precautions

DISPLAY_NAME........Restraint - Seizure Precautions

HELP_TEXT...........Restraint - Seizure Precautions

ID.................{71606A0A-05E6-4DFD-9E00-677A07167199}

TERM................RESTRAINT - SEIZURE PRECAUTIONS


TASK: TESTS/PROC. - ACCUCHECKS

------------------------------------------------------------------

ABBREVIATION........TP ACCUCHE

ACTIVE..............Yes

DESCRIPTION.........TESTS/PROC. - ACCUCHECKS

DISPLAY_NAME........TESTS/PROC. - ACCUCHECKS

HELP_TEXT...........TESTS/PROC. - ACCUCHECKS

ID.................{0A5E0495-B990-449B-B5F6-10497842534E}

TERM................TESTS/PROC. - ACCUCHECKS


TASK: TESTS/PROC. - BLOOD CULTURES

------------------------------------------------------------------

ABBREVIATION........T/P BLOOD

ACTIVE..............Yes

DESCRIPTION.........TESTS/PROC. - BLOOD CULTURES

DISPLAY_NAME........TESTS/PROC. - BLOOD CULTURES

HELP_TEXT...........TESTS/PROC. - BLOOD CULTURES

ID.................{BC2F7EFE-3990-47D2-863A-6FB2227746F3}

TERM................TESTS/PROC. - BLOOD CULTURES


TASK: TESTS/PROC. - DAILY LABS

----------------------------------------------------------------------

ABBREVIATION........T/P D LABS

ACTIVE..............Yes

DESCRIPTION.........TESTS/PROC. - DAILY LABS

DISPLAY_NAME........TESTS/PROC. - DAILY LABS

HELP_TEXT...........TESTS/PROC. - DAILY LABS

ID.................{03B3A828-D4B0-40CF-B12C-1DD936DE98AC}

TERM................TESTS/PROC. - DAILY LABS


TASK: TESTS/PROC. - MORNING LABS

----------------------------------------------------------------------

ABBREVIATION........T/P M LABS

ACTIVE..............Yes

DESCRIPTION.........TESTS/PROC. - MORNING LABS

DISPLAY_NAME........TESTS/PROC. - MORNING LABS

HELP_TEXT...........TESTS/PROC. - MORNING LABS

ID.................{6F81B3D1-CCBC-4BC9-AFF0-64000DF212EB}

TERM................TESTS/PROC. - MORNING LABS

TASK: TESTS/PROC. - ZERO BALANCE HEMO. LINES

----------------------------------------------------------------------

ABBREVIATION........T/P 0 HEMO

ACTIVE..............Yes

DESCRIPTION.........TESTS/PROC. - ZERO BALANCE HEMO. LINES

DISPLAY_NAME........TESTS/PROC. - ZERO BALANCE HEMO. LINES

HELP_TEXT...........TESTS/PROC. - ZERO BALANCE HEMO. LINES

ID.................{9CEDB731-A785-48B7-AC92-84B10FCCCE86}

TERM................TESTS/PROC. - ZERO BALANCE HEMO. LINES


TASK: TUBES & DRAINS - CONDOM CATH

----------------------------------------------------------------------

ABBREVIATION........T&D C CATH

ACTIVE..............Yes

DESCRIPTION.........TUBES & DRAINS - CONDOM CATH

DISPLAY_NAME........TUBES & DRAINS - CONDOM CATH

HELP_TEXT...........TUBES & DRAINS - CONDOM CATH

ID.................{385EFB2B-55BB-486E-B168-D1FFF71E086C}

TERM................TUBES & DRAINS - CONDOM CATH


TASK: TUBES & DRAINS - FOLEY

----------------------------------------------------------------------

ABBREVIATION........T&D FOLEY

ACTIVE..............Yes

DESCRIPTION.........TUBES & DRAINS - FOLEY

DISPLAY_NAME........TUBES & DRAINS - FOLEY

HELP_TEXT...........TUBES & DRAINS - FOLEY

ID.................{14CECC17-A780-41DD-98A4-6E226630BC65}

TERM................TUBES & DRAINS - FOLEY


TASK: TUBES & DRAINS - I/O CATH

----------------------------------------------------------------

ABBREVIATION........T&D I/O CA

ACTIVE..............Yes

DESCRIPTION.........TUBES & DRAINS - I/O CATH

DISPLAY_NAME........TUBES & DRAINS - I/O CATH

HELP_TEXT...........TUBES & DRAINS - I/O CATH

ID.................{5BA34E92-5248-4954-A677-443C4B2183E8}

TERM................TUBES & DRAINS - I/O CATH


TASK: TUBES & DRAINS - NG TUBE

----------------------------------------------------------------

ABBREVIATION........T&D NG TU

ACTIVE..............Yes

DESCRIPTION.........TUBES & DRAINS - NG TUBE

DISPLAY_NAME........TUBES & DRAINS - NG TUBE

HELP_TEXT...........TUBES & DRAINS - NG TUBE

ID.................{BBFCE51A-9CCF-44AC-8C37-4A779232A4B7}

TERM................TUBES & DRAINS - NG TUBE

TASK: TUBES & DRAINS - SUPRAPUBIC DRAIN

----------------------------------------------------------------------

ABBREVIATION........T&D SUP DR

ACTIVE..............Yes

DESCRIPTION.........TUBES & DRAINS - SUPRAPUBIC DRAIN

DISPLAY_NAME........TUBES & DRAINS - SUPRAPUBIC DRAIN

HELP_TEXT...........TUBES & DRAINS - SUPRAPUBIC DRAIN

ID.................{6A4A5F28-35D3-494E-BA97-2E0DE4A7B8CC}

TERM................TUBES & DRAINS - SUPRAPUBIC DRAIN

UNIT: BEATS PER MINUTE

------------------------------------------------------------------

ABBREVIATION........bpm

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Beats Per Minute

HELP_TEXT...........No Help Text

ID..................{8319B3B0-0F31-1393-154D-59A86692D637}

TERM................BEATS PER MINUTE


UNIT: BRADEN SCALE

------------------------------------------------------------------

ABBREVIATION........BRADEN SCA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Braden Scale

HELP_TEXT...........No Help Text

ID..................{B5EE25BB-DA66-4AC9-9A3B-C05497B2647C}

TERM................BRADEN SCALE


UNIT: BREATHS PER MINUTE

------------------------------------------------------------------

ABBREVIATION........rpm

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Resp/Min

HELP_TEXT...........No Help Text

ID.................{DCF89527-FFAE-F68E-0871-602F3C32DDB1}

TERM...............BREATHS PER MINUTE


UNIT: CALORIE

-------------------------------------------------------------------

ABBREVIATION........CALORIE

ACTIVE..............Yes

DESCRIPTION.........A unit of food energy

DISPLAY_NAME........Calorie

HELP_TEXT...........The amount of energy required to

          raise the temperature of a liter of

          water one degree centigrade at sea

          level

ID.................{9F7DE371-AB4B-45EE-A8E3-825822419CCA}

TERM...............CALORIE


UNIT: CENTIMETER

-------------------------------------------------------------------

ABBREVIATION........cm

ACTIVE..............Yes

DESCRIPTION.........Measurment of length

DISPLAY_NAME........Centimeter

HELP_TEXT...........Metric

ID.................{EF700458-8C2D-16E8-02DC-9E1711584C53}

TERM...............CENTIMETER

UNIT: CENTIMETERS H2O

--------------------------------------------------------------------

ABBREVIATION........CM H2O

ACTIVE..............Yes

DESCRIPTION.........CENTIMETERS OF WATER

DISPLAY_NAME........CM H2O

HELP_TEXT...........No Help Text

ID.................{F7030BB1-AD2C-15F6-FF41-6DA893C851C1}

TERM................CENTIMETERS H2O


UNIT: CIWA SCALE

--------------------------------------------------------------------

ABBREVIATION........CIWA SCALE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........CIWA SCALE

HELP_TEXT...........Scale For Addition Of All CIWA Scores

ID.................{0ED378B9-C1A4-4ABA-82B7-F62BC0D62886}

TERM................CIWA SCALE


UNIT: CUBIC CENTIMETER

--------------------------------------------------------------------

ABBREVIATION........Cubic Cent

ACTIVE..............Yes

DESCRIPTION.........Cubic Centimeter

DISPLAY_NAME........Cubic Centimeter

HELP_TEXT...........No Help Text

ID.................{4698E6A0-DA6C-4A0A-800A-395BBCD2871E}

TERM................CUBIC CENTIMETER

UNIT: DAY

-----------------------------------------------------------------

ABBREVIATION........Day

ACTIVE..............Yes

DESCRIPTION.........Measurement of passage of time (24

            hours)

DISPLAY_NAME........Day

HELP_TEXT...........No Help Text

ID.................{742619B2-A8C7-1A53-45CD-C3E25A05D58C}

TERM................DAY

UNIT: DEGREES (ANGLE)

-----------------------------------------------------------------

ABBREVIATION........DEG

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Degrees (Angle)

HELP_TEXT...........No Help Text

ID.................{5F407D72-3009-2553-7DDC-82BAF2043FCA}

TERM...............DEGREES (ANGLE)

UNIT: DEGREES C

----------------------------------------------------------------

ABBREVIATION........C

ACTIVE..............Yes

DESCRIPTION.........Metric Temperature

DISPLAY_NAME........Celsius

HELP_TEXT...........No Help Text

ID.................{1964CB4C-0584-DA80-C7A9-E7400DCD817D}

TERM................DEGREES C


UNIT: DEGREES F

----------------------------------------------------------------

ABBREVIATION........F

ACTIVE..............Yes

DESCRIPTION.........US measurement of temperature

DISPLAY_NAME........Fahrenheit

HELP_TEXT...........No Help Text

ID.................{59FC6CA4-9389-B770-5A9C-8C5A38C572D8}

TERM................DEGREES F


UNIT: DYNE * SECONDS / CM(-5) * M2

----------------------------------------------------------------

ABBREVIATION........D*S/CM*M2

ACTIVE..............Yes

DESCRIPTION.........dyne * seconds / cm(-5) * m2

DISPLAY_NAME........dyne * seconds / cm(-5) * m2

HELP_TEXT...........dyne * seconds / cm(-5) * m2

ID.................{1241878F-AECA-B1A8-BF12-D5FA583FC1B2}

TERM................DYNE * SECONDS / CM(-5) * M2


UNIT: DYNE * SECONDS / CM(-5) / M2

----------------------------------------------------------------------

ABBREVIATION........D*S/CM/M2

ACTIVE..............Yes

DESCRIPTION.........dyne * seconds/cm(-5) / m2

DISPLAY_NAME........dyne * seconds/cm(-5) / m2

HELP_TEXT...........dyne * seconds/cm(-5) / m2

ID.................{A642531F-A72E-CF60-D31A-F38AD12A8B30}

TERM................DYNE * SECONDS / CM(-5) / M2


UNIT: DYNE-SEC/CM5

----------------------------------------------------------------------

ABBREVIATION........dyne-sec/c

ACTIVE..............Yes

DESCRIPTION.........dyne-sec/cm5

DISPLAY_NAME........dyne-sec/cm5

HELP_TEXT...........dyne-sec/cm5

ID.................{01A538D8-41AF-4D0B-B827-D557060A618A}

TERM................DYNE-SEC/CM5

UNIT: EVENT(S)

--------------------------------------------------------------------

ABBREVIATION........EVENT(S)

ACTIVE..............Yes

DESCRIPTION.........Event(s)

DISPLAY_NAME........Event(s)

HELP_TEXT...........No Help Text

ID.................{723F907D-8B71-4183-AE54-66D0C3C72DCA}

TERM................EVENT(S)


UNIT: EVENTS PER HOUR

--------------------------------------------------------------------

ABBREVIATION........EVENT/H

ACTIVE..............Yes

DESCRIPTION.........NUMBER OF TIMES PER HOUR THAT AN

            OBSERVABLE EVENT OCCURS

DISPLAY_NAME........Events Per Hour

HELP_TEXT...........No Help Text

ID.................{3D648D4F-02A9-474A-65BF-70608E75BC29}

TERM................EVENTS PER HOUR


UNIT: EVENTS/2 HOURS

--------------------------------------------------------------------

ABBREVIATION........Events/2Hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Events/2 Hours

HELP_TEXT...........

ID.................{975A8B7B-A40D-49A9-9BF7-015A70238E9A}

TERM................EVENTS/2 HOURS


UNIT: EVENTS/4 HOURS

--------------------------------------------------------------------

ABBREVIATION........Events/4Hr

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Events/4 Hours

HELP_TEXT...........

ID.................{364272CB-A3C0-42EB-8718-9DD16DD93118}

TERM................EVENTS/4 HOURS


UNIT: FEET

--------------------------------------------------------------------

ABBREVIATION........Feet

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Feet

HELP_TEXT...........

ID.................{98B70109-C498-4A6E-A662-184EC1AAF993}

TERM...............FEET

UNIT: FOOT

----------------------------------------------------------------

ABBREVIATION........FT

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Foot/Feet

HELP_TEXT...........No Help Text

ID.................{66D6F7EC-3884-4790-AC35-10B2AE84257F}

TERM................FOOT


UNIT: FRENCH

----------------------------------------------------------------

ABBREVIATION........FRENCH

ACTIVE..............Yes

DESCRIPTION.........UNIT OF MEASURE FOR ARTIFICIAL AIRWAYS

DISPLAY_NAME........French

HELP_TEXT...........No Help Text

ID.................{3734E0E0-087B-098A-984A-E42264CF6567}

TERM................FRENCH


UNIT: GAUGE

----------------------------------------------------------------

ABBREVIATION........GAUGE

ACTIVE..............Yes

DESCRIPTION.........Gauge For Needles

DISPLAY_NAME........Gauge

HELP_TEXT...........No Help Text

ID.................{5670BBC1-4962-4FA1-A4D0-1E399F2D06B1}

TERM................GAUGE


UNIT: GLASGOW COMA SCALE

---------------------------------------------------------------------

ABBREVIATION........GCS

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Glasgow Coma Scale

HELP_TEXT...........No Help Text

ID.................{CA674718-C98D-669F-8954-F9EC91C2F6F3}

TERM................GLASGOW COMA SCALE


UNIT: GM-M/M2/BEAT

---------------------------------------------------------------------

ABBREVIATION........gm-m/m2/be

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........gm-m/m2/beat

HELP_TEXT...........No Help Text

ID.................{DB5404C8-1880-4B54-B053-DF0875E72C3B}

TERM................GM-M/M2/BEAT

UNIT: GRAMS PER HOUR

--------------------------------------------------------------------

ABBREVIATION........gm/hr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........gm/hr

HELP_TEXT...........No Help Text

ID.................{A50449B1-DF42-4D18-8F02-59937EA6CDE4}

TERM................GRAMS PER HOUR


UNIT: GRAMS PER MINUTE

--------------------------------------------------------------------

ABBREVIATION........gm/min

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Grams Per Minute

HELP_TEXT...........No Help Text

ID.................{07D005E8-B078-A48F-96B5-8CCAA92EC97F}

TERM................GRAMS PER MINUTE


UNIT: HOUR

--------------------------------------------------------------------

ABBREVIATION........hr

ACTIVE..............Yes

DESCRIPTION.........Measurement of time

DISPLAY_NAME........Hour

HELP_TEXT...........No Help Text

ID.................{60034E2A-D088-E9B6-9B98-D0F4357A059F}

TERM................HOUR

UNIT: INCH

-------------------------------------------------------------------

ABBREVIATION........in

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Inch

HELP_TEXT...........No Help Text

ID.................{9CB32FC9-4130-11F8-E750-AF1415556705}

TERM................INCH

UNIT: KG/M2

-------------------------------------------------------------------

ABBREVIATION........KG/M2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........KG/M2

HELP_TEXT...........No Help Text

ID.................{E3204003-83B3-4D12-872D-C32A50F177D0}

TERM................KG/M2

UNIT: KGS/HOUR

---------------------------------------------------------------------

ABBREVIATION........KGS/HOUR

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........kgs/hour

HELP_TEXT...........

ID.................{704F239F-CAAF-4F32-B705-62906403B874}

TERM................KGS/HOUR


UNIT: KILOGRAM

---------------------------------------------------------------------

ABBREVIATION........kg

ACTIVE..............Yes

DESCRIPTION.........Metric measurement of weight

DISPLAY_NAME........Kilogram

HELP_TEXT...........No Help Text

ID.................{0AC4E9AC-41CB-32EA-9674-74FDFAA6B4F4}

TERM................KILOGRAM


UNIT: LITER

---------------------------------------------------------------------

ABBREVIATION........L

ACTIVE..............Yes

DESCRIPTION.........Volume, 1000 ml

DISPLAY_NAME........Liter

HELP_TEXT...........No Help Text

ID.................{AFADB383-5867-4D7C-8ADB-E76782E5943D}

TERM................LITER


UNIT: LITERS PER MINUTE

--------------------------------------------------------------------

ABBREVIATION........L/min

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L/min

HELP_TEXT...........No Help Text

ID.................{CFCD64D2-8555-8513-5DB0-F0522C19DCCF}

TERM................LITERS PER MINUTE


UNIT: LITERS PER MINUTE PER METER2 (BSA)

--------------------------------------------------------------------

ABBREVIATION........L/min/m2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........L/min/m2 (BSA)

HELP_TEXT...........No Help Text

ID.................{F033FDA0-C6D6-0D93-F836-C4A42708FDF2}

TERM................LITERS PER MINUTE PER METER2 (BSA)

UNIT: MEWS: SCORE UNIT

-------------------------------------------------------------------

ABBREVIATION........MEWS-Score

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........MEWS: Score Unit

HELP_TEXT...........

ID.................{C640633E-785A-4ED3-8CD0-356A139ACF36}

TERM................MEWS: SCORE UNIT


UNIT: MICROGRAMS

-------------------------------------------------------------------

ABBREVIATION........mcg

ACTIVE..............Yes

DESCRIPTION.........Micrograms

DISPLAY_NAME........mcg

HELP_TEXT...........Micrograms

ID.................{5D2A9B6F-4DD1-48C6-B223-09CAF66A5A50}

TERM................MICROGRAMS


UNIT: MICROGRAMS PER HOUR

-------------------------------------------------------------------

ABBREVIATION........mcg/hr

ACTIVE..............Yes

DESCRIPTION.........Micrograms per Hour

DISPLAY_NAME........mcg/hr

HELP_TEXT...........Micrograms per Hour

ID.................{971A5FA5-2FD7-4ABD-9035-229B00DC484E}

TERM................MICROGRAMS PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER HOUR

----------------------------------------------------------------------

ABBREVIATION........mcg/kg/hr

ACTIVE..............Yes

DESCRIPTION.........Micrograms per Kilogram per Hour

DISPLAY_NAME........mcg/kg/hr

HELP_TEXT...........Micrograms per Kilogram per Hour

ID.................{E5C07334-6932-4329-88A9-2F56780C5DA9}

TERM................MICROGRAMS PER KILOGRAM PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER MINUTE

----------------------------------------------------------------------

ABBREVIATION........mcg/kg/min

ACTIVE..............Yes

DESCRIPTION.........Micrograms per Kilogram per Minute

DISPLAY_NAME........mcg/kg/min

HELP_TEXT...........Micrograms per Kilogram per Minute

ID.................{37423DE7-B103-456A-9B36-6C2FBBC55CBE}

TERM................MICROGRAMS PER KILOGRAM PER MINUTE

UNIT: MICROGRAMS PER MINUTE

-------------------------------------------------------------------

ABBREVIATION........mcg/min

ACTIVE..............Yes

DESCRIPTION.........Micrograms per Minute

DISPLAY_NAME........mcg/min

HELP_TEXT...........Micrograms per Minute

ID.................{BC684DBB-7DCC-4209-A773-D1243616BD69}

TERM................MICROGRAMS PER MINUTE


UNIT: MICROGRAMS PER SHIFT

-------------------------------------------------------------------

ABBREVIATION........mcg/shift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Micrograms per Shift

HELP_TEXT...........

ID.................{8FF15E2C-54DF-43C3-B5F1-C4AD323CE043}

TERM................MICROGRAMS PER SHIFT


UNIT: MILLIAMPS

-------------------------------------------------------------------

ABBREVIATION........mA

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........mA

HELP_TEXT...........No Help Text

ID.................{5146A84A-C500-CB21-4718-0E5755691FD5}

TERM................MILLIAMPS

UNIT: MILLIBAR

------------------------------------------------------------------

ABBREVIATION........mBar

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Millibar

HELP_TEXT...........No Help Text

ID.................{DB8DBC26-6A46-4F2B-AD14-B6A8212F4FCA}

TERM................MILLIBAR

UNIT: MILLIGRAMS

------------------------------------------------------------------

ABBREVIATION........mg

ACTIVE..............Yes

DESCRIPTION.........Milligrams

DISPLAY_NAME........mg

HELP_TEXT...........Milligrams

ID.................{E8CF6B0F-FA19-4F22-BA9D-6EBAA93D7D0D}

TERM................MILLIGRAMS

UNIT: MILLIGRAMS PER HOUR

--------------------------------------------------------------------

ABBREVIATION........mg/hr

ACTIVE..............Yes

DESCRIPTION.........Milligrams per Hour

DISPLAY_NAME........mg/hr

HELP_TEXT...........Milligrams per Hour

ID.................{1DCC6F14-E4FF-4BDC-ADBA-99192FB44BE7}

TERM................MILLIGRAMS PER HOUR


UNIT: MILLIGRAMS PER KILOGRAM PER HOUR

--------------------------------------------------------------------

ABBREVIATION........mg/kg/hr

ACTIVE..............Yes

DESCRIPTION.........Milligrams per Kilogram per Hour

DISPLAY_NAME........mg/kg/hr

HELP_TEXT...........Milligrams per Kilogram per Hour

ID.................{6900F44E-3581-4558-83E2-76FB376D6711}

TERM................MILLIGRAMS PER KILOGRAM PER HOUR


UNIT: MILLIGRAMS PER KILOGRAM PER MINUTE

--------------------------------------------------------------------

ABBREVIATION........mg/kg/min

ACTIVE..............Yes

DESCRIPTION.........Milligrams per Kilogram per Minute

DISPLAY_NAME........mg/kg/min

HELP_TEXT...........Milligrams per Kilogram per Minute

ID.................{7C1C10C2-8B88-4F45-B667-0F988090CD47}

TERM................MILLIGRAMS PER KILOGRAM PER MINUTE

UNIT: MILLIGRAMS PER MINUTE

-----------------------------------------------------------------

ABBREVIATION........mg/min

ACTIVE..............Yes

DESCRIPTION.........Milligrams per Minute

DISPLAY_NAME........mg/min

HELP_TEXT...........Milligrams per Minute

ID.................{C5E49AC7-5671-4E84-8047-C7B78607CDA2}

TERM................MILLIGRAMS PER MINUTE

UNIT: MILLIGRAMS PER SHIFT

-----------------------------------------------------------------

ABBREVIATION........mg/shift

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Milligrams Per Shift

HELP_TEXT...........

ID.................{518BC06B-84C0-48E3-8241-E123B7B4C642}

TERM................MILLIGRAMS PER SHIFT

UNIT: MILLILITER

-------------------------------------------------------------------

ABBREVIATION........ml

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........ml

HELP_TEXT...........No Help Text

ID.................{EAF55107-F8D5-4F0A-6211-B4AB57A874B4}

TERM................MILLILITER


UNIT: MILLILITERS PER BEAT

-------------------------------------------------------------------

ABBREVIATION........ml/beat

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........ml/beat

HELP_TEXT...........No Help Text

ID.................{548699B0-98CF-2F0F-F289-415228AFAC42}

TERM................MILLILITERS PER BEAT


UNIT: MILLILITERS PER BEAT PER METER SQUARE (BSA)

-------------------------------------------------------------------

ABBREVIATION........ml/beat/m2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........ml/beat/m2(BSA)

HELP_TEXT...........No Help Text

ID.................{574CDB00-A831-EF35-4F2C-A98C0F58923F}

TERM................MILLILITERS PER BEAT PER METER SQUARE

(BSA)


UNIT: MILLILITERS PER HOUR

---------------------------------------------------------------------

ABBREVIATION........ml/hr

ACTIVE..............Yes

DESCRIPTION.........ml/hr

DISPLAY_NAME........ml/hr

HELP_TEXT...........No Help Text

ID.................{345899A8-9DED-418F-A53F-F8084A5601A1}

TERM................MILLILITERS PER HOUR


UNIT: MILLILITERS PER KILOGRAM PER HOUR

---------------------------------------------------------------------

ABBREVIATION........ml kg hr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........ml/kg/hour

HELP_TEXT...........No Help Text

ID.................{2F63C17C-8246-4466-9DC2-C5E5BE1777C2}

TERM................MILLILITERS PER KILOGRAM PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER MINUTE

----------------------------------------------------------------------

ABBREVIATION........ml kg mi

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........ml/kg/min

HELP_TEXT...........No Help Text

ID.................{E564F111-8B23-404A-B610-7707A5B1195D}

TERM................MILLILITERS PER KILOGRAM PER MINUTE

UNIT: MILLILITERS PER METER SQUARE (BSA)

----------------------------------------------------------------------

ABBREVIATION........mL/M2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........mL/M2

HELP_TEXT...........No Help Text

ID.................{42C265B4-76B3-44FC-985F-EA1EFCEDA244}

TERM................MILLILITERS PER METER SQUARE (BSA)

UNIT: MILLILITERS PER MINUTE

----------------------------------------------------------------------

ABBREVIATION........ml/min

ACTIVE..............Yes

DESCRIPTION.........Milliliters per Minute

DISPLAY_NAME........ml/min

HELP_TEXT...........Milliliters per Minute

ID.................{25F4A228-D614-457A-9885-8F74D4596897}

TERM................MILLILITERS PER MINUTE

UNIT: MILLILITERS PER MINUTE PER METER SQUARE

----------------------------------------------------------------------

ABBREVIATION........ml/min/m2

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........ml/min/m2(BSA)

HELP_TEXT...........No Help Text

ID.................{6404DFC7-F8B4-3C97-80EF-96627E9C0270}

TERM................MILLILITERS PER MINUTE PER METER SQUARE

UNIT: MILLIMETERS

----------------------------------------------------------------------

ABBREVIATION........mm

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........mm

HELP_TEXT...........No Help Text

ID.................{23F389B2-8308-91DC-2620-EDFFF07B14A5}

TERM................MILLIMETERS

UNIT: MILLIMETERS OF MERCURY

-------------------------------------------------------------------

ABBREVIATION........mm/Hg

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........mm Hg

HELP_TEXT...........No Help Text

ID.................{57CF7550-FD97-351E-DF60-56F8F68BE7C6}

TERM...............MILLIMETERS OF MERCURY


UNIT: MILLIVOLTS

-------------------------------------------------------------------

ABBREVIATION........mV

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........mV

HELP_TEXT...........No Help Text

ID.................{40B59357-C9F2-0E5C-DCD7-6C815811F90D}

TERM...............MILLIVOLTS


UNIT: MINUTE

-------------------------------------------------------------------

ABBREVIATION........Min

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Minute

HELP_TEXT...........No Help Text

ID.................{0AF0056E-0EB1-3712-6974-A0F5DC60010B}

TERM................MINUTE


UNIT: MODIFIED ALDRETE SCORE

----------------------------------------------------------------------

ABBREVIATION........MOD ALD SC

ACTIVE..............Yes

DESCRIPTION.........Modified Aldrete Scoring System Unit

DISPLAY_NAME........Modified Aldrete Score

HELP_TEXT...........Unit of measure for Aldrete Scoring

           System

ID..................{8D9A43E8-D4E6-4BBE-A8E6-72677342BC82}

TERM................MODIFIED ALDRETE SCORE


UNIT: MONTH

---------------------------------------------------------------------

ABBREVIATION........Mo

ACTIVE..............Yes

DESCRIPTION.........Month of the year

DISPLAY_NAME........Month

HELP_TEXT...........1 - 12

ID..................{8933A469-2D06-D3DA-C2C4-A8FB3DD894D6}

TERM...............MONTH

UNIT: MORSE SCORE

--------------------------------------------------------------------

ABBREVIATION........MORSE SCOR

ACTIVE..............Yes

DESCRIPTION.........Morse Score

DISPLAY_NAME........Morse Score

HELP_TEXT...........Scale for recording Morse Score Values

ID.................{301282A4-2BC8-430A-853B-C817F9A61878}

TERM................MORSE SCORE


UNIT: MULTIVOLTS

--------------------------------------------------------------------

ABBREVIATION........Multivolts

ACTIVE..............No

DESCRIPTION.........No Description

DISPLAY_NAME........Multivolts

HELP_TEXT...........No Help Text

ID.................{2882958B-C91D-4B8C-BEE7-382F3D7CCC49}

TERM................MULTIVOLTS


UNIT: OUNCE

--------------------------------------------------------------------

ABBREVIATION........oz

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Ounce

HELP_TEXT...........No Help Text

ID.................{642336FB-7BC9-A1D5-99E5-05447DAD3B75}

TERM...............OUNCE


UNIT: PAINAD SCALE

-------------------------------------------------------------------

ABBREVIATION........PAINAD SC

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........PAINAD Scale

HELP_TEXT...........No Help Text

ID.................{D6CE83BB-3DBE-4E94-9E91-E21C07A12CAD}

TERM...............PAINAD SCALE


UNIT: PERCENTAGE

-------------------------------------------------------------------

ABBREVIATION........%

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Percentage

HELP_TEXT...........No Help Text

ID.................{0B3163CE-2C5C-B196-DBBE-A1BC6A970B2A}

TERM...............PERCENTAGE

UNIT: POINTS

--------------------------------------------------------------------

ABBREVIATION........POINTS

ACTIVE..............Yes

DESCRIPTION.........Points

DISPLAY_NAME........Points

HELP_TEXT...........No Help Text

ID.................{A41F9244-F8A9-4CBD-AD62-32165D77414B}

TERM................POINTS


UNIT: POUND

--------------------------------------------------------------------

ABBREVIATION........lb

ACTIVE..............Yes

DESCRIPTION.........US measurement of Weight

DISPLAY_NAME........Pound

HELP_TEXT...........No Help Text

ID.................{F9CBB050-E809-52FF-6C2D-51B7E9557F98}

TERM................POUND


UNIT: QUAD LUMEN CATHETER

--------------------------------------------------------------------

ABBREVIATION........QUAD LUMEN

ACTIVE..............Yes

DESCRIPTION.........Quad Lumen Catheter

DISPLAY_NAME........Quad Lumen Catheter

HELP_TEXT...........No Help Text

ID.................{C894DDF4-5976-4435-B0E4-70EC7A909565}

TERM................QUAD LUMEN CATHETER

UNIT: RANGE

--------------------------------------------------------------------

ABBREVIATION........range

ACTIVE..............Yes

DESCRIPTION.........Defines the minimum and maximum

                values in a range

DISPLAY_NAME........Range

HELP_TEXT...........No Help Text

ID.................{DD90689F-3B19-BC1D-1875-E9EAB08C9C9E}

TERM................RANGE

UNIT: SCALE

--------------------------------------------------------------------

ABBREVIATION........SCALE

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Scale

HELP_TEXT...........No Help Text

ID.................{57E423C4-98D9-0891-0982-0B84EFD2D132}

TERM................SCALE

UNIT: SECOND

-------------------------------------------------------------------

ABBREVIATION........sec

ACTIVE..............Yes

DESCRIPTION.........Measurement of passage of time (1/60

            of a minute)

DISPLAY_NAME........Second

HELP_TEXT...........No Help Text

ID.................{82E7C9B1-38E7-D568-F42D-23F18AA08819}

TERM................SECOND


UNIT: SEWS SCALE

-------------------------------------------------------------------

ABBREVIATION........SEWS SCALE

ACTIVE..............Yes

DESCRIPTION.........Severity Of Ethanol Withdrawl Scale

DISPLAY_NAME........SEWS SCALE

HELP_TEXT...........Severity Of Ethanol Withdrawl Scale

ID.................{4C8DFD61-E4FB-4918-93B0-33DAAF4EF1D1}

TERM................SEWS SCALE


UNIT: SI UNIT

-------------------------------------------------------------------

ABBREVIATION........SI UNITS

ACTIVE..............Yes

DESCRIPTION.........Unit of measure for Specific Gravity

DISPLAY_NAME........SI Unit

HELP_TEXT...........No Help Text

ID.................{42C760F2-BBFC-4523-82C1-953CB41B4016}

TERM................SI UNIT


UNIT: SQUARE METERS

------------------------------------------------------------------

ABBREVIATION........M2

ACTIVE..............Yes

DESCRIPTION.........Surface area measured in square meters

DISPLAY_NAME........Square Meters

HELP_TEXT...........Surface area measured in square meters

ID.................{5E49A34D-CC24-ABDA-7320-14071BA88781}

TERM................SQUARE METERS


UNIT: STOOL

------------------------------------------------------------------

ABBREVIATION........Stool

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Stool

HELP_TEXT...........

ID.................{96A2ED78-6649-42DC-B2A7-EE4729619ECD}

TERM...............STOOL

UNIT: STROKE WORK PER BEAT

--------------------------------------------------------------------

ABBREVIATION........gm-M/beat

ACTIVE..............Yes

DESCRIPTION.........Stroke Work Per Beat

DISPLAY_NAME........gm-M / beat

HELP_TEXT...........Stroke Work Per Beat

ID..................{61721D2C-02BF-14AA-EB7F-602194924117}

TERM................STROKE WORK PER BEAT


UNIT: STROKE WORK PER BEAT PER M2

--------------------------------------------------------------------

ABBREVIATION........gm-M/B/M2

ACTIVE..............Yes

DESCRIPTION.........STROKE WORK PER BEAT PER M2

DISPLAY_NAME........gm-M / Beat / M2

HELP_TEXT...........Systemic Vascular Resistance Index

ID..................{900EBF1F-B706-0419-1697-58FE11257EF3}

TERM................STROKE WORK PER BEAT PER M2


UNIT: UNITS

--------------------------------------------------------------------

ABBREVIATION........UNITS

ACTIVE..............Yes

DESCRIPTION.........Units

DISPLAY_NAME........Units

HELP_TEXT...........Units

ID..................{7E9E6B8E-8B47-4B06-81FF-227E46707401}

TERM................UNITS

UNIT: UNITS PER HOUR

----------------------------------------------------------------

ABBREVIATION........units/hr

ACTIVE..............Yes

DESCRIPTION.........Units per Hour

DISPLAY_NAME........units/hr

HELP_TEXT...........Units per Hour

ID.................{7AE61C6C-F8D9-4D6B-8A7C-AE07F93EB3D9}

TERM................UNITS PER HOUR

UNIT: UNITS PER MINUTE

----------------------------------------------------------------

ABBREVIATION........units/min

ACTIVE..............Yes

DESCRIPTION.........Units per Minute

DISPLAY_NAME........Units/min

HELP_TEXT...........Units per Minute

ID.................{3C31F294-AD93-4509-908A-72F3995B01B9}

TERM................UNITS PER MINUTE

UNIT: UNITS/kg/HOUR

---------------------------------------------------------------------

ABBREVIATION........UNkgHR

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Units/kg/Hour

HELP_TEXT...........No Help Text

ID.................{89A25E97-A6B8-49B2-934F-797C80C80711}

TERM................UNITS/kg/HOUR


UNIT: VOID

---------------------------------------------------------------------

ABBREVIATION........Void

ACTIVE..............Yes

DESCRIPTION.........

DISPLAY_NAME........Void

HELP_TEXT...........

ID.................{92261C9F-D9CF-4637-AFB8-D84FA9693ACE}

TERM................VOID


UNIT: YEAR

---------------------------------------------------------------------

ABBREVIATION........yr

ACTIVE..............Yes

DESCRIPTION.........No Description

DISPLAY_NAME........Year

HELP_TEXT...........No Help Text

ID.................{F800BBF4-BC4F-6F5D-BB28-BD3EB5ADC34D}

TERM...............YEAR


UNIT: mg/dl

-------------------------------------------------------------------

ABBREVIATION........mg/dl

ACTIVE..............Yes

DESCRIPTION.........Milligrams per deciliter

DISPLAY_NAME........mg/dl

HELP_TEXT...........No Help Text

ID.................{796F843B-3EF5-4E9B-AAD6-254088D77FFB}

TERM...............mg/dl


UNIT: pH

-------------------------------------------------------------------

ABBREVIATION........pH

ACTIVE..............Yes

DESCRIPTION.........pH

DISPLAY_NAME........pH

HELP_TEXT...........No Help Text

ID.................{EF524413-89B4-4ABA-BD68-1FC6713C623D}

TERM...............pH

- 1 -

- 3 -

- 4 -

545, 546

- 6 -

- 7 -

- 8 -

- 9 -

- -

- B -

- C -

- E -

- G -

- H -

- N -

- P -

- Q -

- R -

- S -

- U -

- V -

- W -

- { -

{8BC7F294-7126-4843-91A0-14F805EC4578} (data)..........1395

{8BC7F294-7126-4843-91A0-14F805EC4578} (q-pair)........208