

**CliO Terminology Dictionary**

**and**

**Clinical Data Model as of Patch MD\*1\*68**

**Date/Time Generated: MAY 20,2019@07:44**

**M Environment: DEV,DEV**

=====  
TERM: ABDOMEN BOWEL SOUNDS  
ID: {A7E05486-2BF9-D304-4925-9A32165B19F0}  
=====

Page: 1

Abbreviation..... AB BOW S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Abdominal Bowel Sounds  
Display Name..... Abdomen Bowel Sounds  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  - 2. HYPOACTIVE (HYPOACTIVE) {2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}
  - 3. HYPERACTIVE (HYPERACTIV) {1A548FFE-8645-4C0D-899D-5D91430CC1B1}
  - 5. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
  - 6. BRUIT (BRUIT) {2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}

LOCATION: 5 entries

- 
- 1. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}
  - 2. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACAO}
  - 3. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}
  - 4. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}
  - 5. GENERAL UMBILICUS (GEN UMBILI) {34CEEF50-14E8-44B2-9FEA-3BAB36D08DFA}

UNITS:

---

=====  
TERM: ABDOMINAL CONDITION  
ID: {761ED47D-0598-4B17-EA65-3436FDDB8597}  
=====

Page: 2

Abbreviation..... ABDOM COND  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... CURRENT OBSERVATION OF ABDOMINAL  
CONDITION  
Display Name..... Abdominal Condition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
- 1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
  - 2. FIRM (FIRM) {11E23F20-39A0-4A6D-B198-04BB36B0C909}
  - 3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
  - 4. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}
  - 5. TENDER (TENDER) {30486CC7-3097-4F95-9238-FD6C2126CD10}
  - 6. NON-TENDER (NON-TENDER) {5A3D41C0-A83D-4382-A573-D6884BB1670B}
  - 7. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
  - 8. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
  - 9. ROUND (ROUND) {E8E741F1-F0C5-4B77-B014-63B545BED755}
  - 10. SCAPHOID (SCAPHOID) {1BE93489-42FC-44EB-8D07-87F4224979F3}

UNITS:

---

=====  
TERM: ABDOMINAL GIRTH  
ID: {F70E6642-2719-22BE-BE87-DEF0A884F177}  
=====

Page: 3

Abbreviation..... AG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Girth of patient abdomen  
Display Name..... Abdominal Girth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4536404

UNITS:

CENTIMETER      0 > 76 \* 152 < 300      Dec Prec: 0

TERM: ACTIVITIES OF DAILY LIVING: WANDERING PREVENTION MEASURES Page: 4  
ID: {550A5C42-15F5-4182-B724-DA4DBB96F432}

Abbreviation..... Wan Pre Me  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Activities of Daily Living: Wandering  
Prevention Measures  
Help Text..... For patients at risk for wandering  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION

**DATA VALUE:** 6 entries

10. ASSIGNED ONE TO ONE SITTER (One to One)  
{07D48368-101F-4974-9EC5-7CB182A39281}

20. NO WANDERING PREVENTION MEASURES APPLIED (No Wan App)  
{6967F640-223E-46CE-82F9-0E4D87745D94}

30. NO WANDERING PREVENTION MEASURES NEEDED (No Wan Nee)  
{8D39BA2B-24C6-4355-9AC2-4AAD2E66D9B}

40. PATIENT LOCATOR DEVICE IN PLACE (Loc Device)  
{CAF7B45E-0143-472D-BABF-9A92857419E9}

50. SECURE TRACK IN PLACE (Secure Trk)  
{33F72416-BAD4-44AD-825E-93BCBFFB9670}

60. WANDER GUARD IN PLACE (Wander Grd)  
{B49D735F-A6ED-4E8F-9BD0-F8514245B262}

## UNITS:

=====  
TERM: ADL - AMBULATION ASSISTANCE  
ID: {BF48D1FD-555C-4714-A624-2A350F74D8A9}  
=====

Page: 5

Abbreviation..... ADL AMB AS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ambulation Assistance  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
8 entries

1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
2. WITHOUT ASSISTANCE (WO ASSIS)  
{41CE081D-CB0E-49AF-936A-4FD78E61681B}
3. ONE PERSON ASSIST (1 PERS AS)  
{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
4. TWO PERSON ASSIST (2 PERS AST)  
{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
5. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}
6. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
7. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}
8. GAIT BELT (GAIT BELT) {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}

UNITS: -----

=====

TERM: ADL - AMBULATION DISTANCE  
ID: {49097AB5-ACC4-4FC5-91FB-B62DFF5EBA51}

=====

Page: 6

Abbreviation..... ADL AM D  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Ambulation Distance  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

FOOT                  0 > 0 \* 9999 < 9999        Dec Prec: 0

=====  
TERM: ADL - DRESSING  
ID: {3FB32B93-096A-4687-B4BE-E3FF103D75F6}  
=====

Page: 7

Abbreviation..... ADL DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dressing  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
  - 2. SUPERVISION/SET-UP HELP (SUPERVISED)  
(596D028B-B60D-4244-A1B0-882177C8D25F}
  - 3. LIMITED ASSISTANCE (LIM ASSIST)  
(9A8C1310-C840-431E-BA21-065B7EA7B768}
  - 4. EXTENSIVE ASSISTANCE (EXT ASSIST)  
(C402B659-E880-4070-8345-13E5508B4D29}
  - 5. TOTAL DEPENDENCE (TOT DEPEND)  
(38702CDD-E440-4EFA-9583-36EEE719F7C3}
  - 6. ONE PERSON ASSIST (1 PERS AS)  
(A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
  - 7. TWO PERSON ASSIST (2 PERS AST)  
(0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
  - 8. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

---

=====  
TERM: ADL - EATING  
ID: {6293D18C-0742-4D1B-B410-E8641798DD2B}  
=====

Page: 8

Abbreviation..... ADL EATING  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Eating  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}  
2. SUPERVISION/SET-UP HELP (SUPERVISED)  
    {596D028B-B60D-4244-A1B0-882177C8D25F}  
3. SET UP HELP ONLY (SETUP ONLY)  
    {DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}  
4. LIMITED ASSISTANCE (LIM ASSIST)  
    {9A8C1310-C840-431E-BA21-065B7EA7B768}  
5. EXTENSIVE ASSISTANCE (EXT ASSIST)  
    {C402B659-E880-4070-8345-13E5508B4D29}  
6. TOTAL DEPENDENCE (TOT DEPEND)  
    {38702CDD-E440-4EFA-9583-36EEE719F7C3}  
7. ONE PERSON ASSIST (1 PERS AS)  
    {A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}  
8. TWO PERSON ASSIST (2 PERS AST)  
    {0547070B-C9BC-4406-BDC0-BF9C6C23D41A}  
9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

-----

=====  
TERM: ADL - SPIRITUAL CARE  
ID: {42608477-6B3D-4036-BE05-F0DA3ED218B9}  
=====

Page: 9

Abbreviation..... SPIRIT CA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Spiritual care  
Help Text..... Has Patient Had Spiritual Care  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation..... ADL ADL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Activities of daily living assessment  
Display Name..... Activities of Daily Living  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 28 entries

- 
1. COMPLETE BATH (COMP BATH) {A7CB1F56-F88E-403B-AABC-105BE129FBB0}
  2. PARTIAL BATH (PART. BATH) {60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}
  3. SELF AM CARE BY PATIENT (SELF AM CR)  
(C48A46C1-0E68-479C-B803-08C80617ADFF)
  4. TURN AND POSITION (TURN POSIT)  
(44A4F470-1760-4073-AB3A-D59CA9EFE7F3}
  5. UP TO CHAIR (UP TO CHAI) {42E598E5-82EC-428B-B5FA-1129E3095C78}
  6. MEAL (MEAL) {85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}
  7. AMBULATED (AMBULATED) {017D99FE-91D5-49F1-AC15-50620879C466}
  8. SNACK (SNACK) {60B77974-4102-4511-A105-E24850B924D8}
  9. SELF CARE OF BEDSIDE ENVIRONMENT (S CARE BED)  
(A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}
  10. SHOWER (SHOWER) {C259929A-44DB-48FD-A2EC-BC6ECF9D0476}
  11. SELF SHOWER (SELF SHOWE) {C35CCAE8-27D9-46F2-8971-2C4CF4924CCB}
  12. SHAMPOO (SHAMPOO) {95CCB23C-E614-40CD-84F0-EE4EFBC95271}
  13. DRY SHAMPOO (DRY SHAMP) {8910A186-2590-4352-A884-7D692A9D2B3C}
  14. NAIL CARE (NAIL CARE) {B783A171-1F0A-4135-8535-85776B81AB68}
  15. TOENAIL CARE (TOEN CARE) {6CF3ABCE-FF74-43E2-81E5-D23339017CA9}
  16. FOOT CARE (FOOT CARE) {332E8338-6DAE-4BC9-B195-63DAD57937D0}
  17. SELF FOOT CARE (SELF FOOT)  
(F2DCAF0E-389D-4987-8C73-66E35266CC78}
  18. TURNING SELF INDEPENDENTLY (TURN SELF)  
(DD804CEB-F7CA-4D42-BF6A-447E38B55E98}
  19. SHAVE (SHAVE) {A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}
  20. SELF SHAVE (SELF SHAVE) {90F1760C-4C12-4976-ADCB-DBF456A34023}
  21. FACE WASH (FACE WASH) {E1162A8B-D26D-4EB3-988F-50583B1849EA}
  22. SELF FACE WASH (S FACE WAS)  
(77457D46-5676-46E6-B38F-FE3AF70B5CBC}
  23. PERINEAL CARE (PERIN CARE)  
(D88736E4-E0EB-4FF7-9199-288A4D051A20}
  24. SELF TRACH CARE (S TRACH CA)  
(70BE79EC-107F-4CD3-B964-7919B3DDE222}
  25. CLOTHED SELF (CLOTH S) {33802A30-FAA7-426B-ADAC-5297818DA7DE}
  26. LINEN CHANGE (Lin Change) {AE30A510-112B-4F43-830E-E27FD994550A}
  27. TRACH CARE (Trach Care) {6E0ABF71-9BD8-444F-AF39-F0FD18357493}
  28. SKIN CARE (Skin Care) {A2FB9E2C-7F72-40EA-B510-5B9B0F9EF421}

UNITS:

---

=====  
TERM: ADL: BED MOBILITY  
ID: {ADB040D9-C136-4AF6-809D-CDD868DA3DCA}  
=====

Page: 11

Abbreviation..... ADL BED MO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bed Mobility  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. INDEPENDENT (INDEPENDEN) {11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}
  - 2. SUPERVISION/SET-UP HELP (SUPERVISED)  
(596D028B-B60D-4244-A1B0-882177C8D25F}
  - 3. LIMITED ASSISTANCE (LIM ASSIST)  
(9A8C1310-C840-431E-BA21-065B7EA7B768}
  - 4. EXTENSIVE ASSISTANCE (EXT ASSIST)  
(C402B659-E880-4070-8345-13E5508B4D29}
  - 5. TOTAL DEPENDENCE (TOT DEPEND)  
(38702CDD-E440-4EFA-9583-36EEE719F7C3}
  - 6. ONE PERSON ASSIST (1 PERS AS)  
(A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}
  - 8. TWO PERSON ASSIST (2 PERS AST)  
(0547070B-C9BC-4406-BDC0-BF9C6C23D41A}
  - 9. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}

UNITS:

---

=====  
TERM: ADL: OTHER ACTIVITY  
ID: {C0EC0C79-A4AB-4CB6-B026-E193E033A3DE}

Page: 12

=====  
Abbreviation..... ADL OTHER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Other Activity  
Help Text..... Other ADL Activities  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 1. BEDREST (BEDREST) {8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}  
2. DANGLED (DANGLED) {40665750-112F-401D-AEFA-8E19F45EC0C9}  
3. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}  
4. COMMODE (COMMODE) {75C896CA-F105-4EF0-B641-3F2B1F984F1B}  
5. PASSIVE RANGE OF MOTION (PASS ROM)  
{DD43B9EF-E18F-4203-8564-89EBBAD963A4}  
6. ACTIVE RANGE OF MOTION (ACTIVE ROM)  
{F55E68F3-6788-47AE-B962-119413B4A089}  
7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}  
8. GURNEY CHAIR (GURN CHAIR) {B6EA0944-8414-42FD-88C0-50155DE82896}  
9. BATHROOM PRIVILEGES (BATHR PRIV)  
{29C1B6DD-3308-4DED-9970-1322A97C633B}  
10. TRANSFER WITH ASSIST (TRANS ASST)  
{62A5BFF5-9C7C-4412-83A8-F872095DE005}

UNITS:

-----

=====  
TERM: ADL: REPOSITION  
ID: {AC46FCA8-4D8B-45B9-9938-9CE75B759E76}  
=====

Page: 13

Abbreviation..... ADL REPOSI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Reposition  
Display Name..... Reposition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- |                                      |  |
|--------------------------------------|--|
| 1. LEFT (LEFT)                       | {81063CEE-2E83-4C95-AAEE-76B7DCB828D4} |
| 2. RIGHT (RIGHT)                     | {AB74C579-DF14-4D7B-A9EF-5F119089F976} |
| 3. SUPINE (SUPINE)                   | {A18F9534-17AF-47D7-8D14-2AA457A889BD} |
| 4. PRONE (PRONE)                     | {41180E09-D9D6-4903-BAE9-28CD5AAC4991} |
| 5. SELF CARE (SELF CARE)             | {0E068188-75B8-46C5-8947-A6CC5C7849B5} |
| 6. ASSISTED (ASSISTED)               | {65069804-39BF-41ED-9EA3-BF2C41389F10} |
| 7. CARDIAC REPOSITION (CARD REPOS)   | {E133FE5A-20E1-418F-BD90-D2DFE14908C0} |
| 8. FOWLER'S (FOWLER'S)               | {8E691813-A9AC-48BE-9401-528A7D762A32} |
| 9. HIGH FOWLER'S (HIGH FOWLE)        | {EA23C94D-EE91-4552-9F74-E051FAF3E194} |
| 10. KINETIC BED THERAPY (Kin Bed Th) | {876D8CCD-74EF-449F-B417-A1E719694292} |

UNITS:

=====

TERM: AFFECT

Page: 14

ID: {CAE19296-4C9E-0049-DD90-4939FFFAA7F4}

=====

Abbreviation..... AFFECT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... an expressed or observed emotional response  
Display Name..... Affect  
Help Text..... Clinician objective observation on how the patient expresses their mood  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 
- 1. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
  - 2. BLUNTED (Blunted) {F119F2DA-9182-2480-BA75-02D39F4FF69B}
  - 3. BRIGHT (Bright) {D16542CE-0403-2C68-A361-125CB3C75ABA}
  - 4. CONSTRICTED (Constrictive) {A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}
  - 5. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
  - 6. SAD (Sad) {08AA475D-1016-4530-BE03-19AA4581B0A2}
  - 7. APATHETIC (Apathetic) {6942F95A-112E-4FF8-86DD-2108823015BC}
  - 8. LABILE (Labile) {EAFDAC1F-BEA0-497B-AA03-732CEF08D76D}
  - 9. EUPHORIC (Euphoric) {581BBFEE-B167-446A-A6DF-536D9B832421}
  - 10. ANGRY (Angry) {D71DC90E-D4B7-438F-85C2-FA6D0CC96EEA}
  - 11. HOSTILE (h) {29EF2C04-7DB0-4491-2B5E-D92A6A558721}
  - 12. BIZARRE (Bizarre) {1B03F376-6BD7-4FD3-BD43-26B1A95B4F57}

UNITS:

---

=====  
TERM: AIRWAY ARTIFICIAL CUFF STATUS  
ID: {18958F14-76F1-B4F3-DB01-F5FB4C8A70BC}  
=====

Page: 15

Abbreviation..... ART AIR C  
Active..... Yes  
Boolean Value False..... Deflated  
Boolean Value True..... Inflated  
Data Type..... Boolean  
Description..... AIRWAY CUFF INFLATED OR DEFLATED  
Display Name..... Artificial Airway Cuff Status  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: AIRWAY ARTIFICIAL POSITION AT LIP/NOSE  
ID: {A9032CCC-5479-87C2-27F8-46D8B4F68272}  
=====

Page: 16

Abbreviation..... ART AIR PO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Artificial Airway Position at Lip/Nose  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER        11.9 > 12.0 \* 28.5 < 28.6 Dec Prec: 1

=====  
TERM: AIRWAY ARTIFICIAL SIZE - FRENCH  
ID: {48027138-FA36-067B-AC88-61C42902C7CC}  
=====

Page: 17

Abbreviation..... ART AIR F  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Artificial Airway Size -French  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

FRENCH            3.9 > 4.0 \* 14.0 < 14.1    Dec Prec: 1

Abbreviation..... ART AIR mm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Artificial Airway Size - mm  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

1. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
2. 4.5 (4.5)	{EC6C0C72-8C49-4535-92B2-7E543007EE32}
3. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
4. 5.5 (5.5)	{4878F059-EC9D-44FC-9A61-734C291530E7}
5. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
6. 6.5 (6.5)	{CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}
7. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
8. 7.5 (7.5)	{7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}
9. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 8.5 (8.5)	{96723567-151D-4B5C-9C65-B3EB6D584272}
11. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
12. 9.5 (9.5)	{252555A1-ADB2-4948-8764-C952F2587DC5}
13. 10 (10)	{0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

=====  
TERM: AIRWAY ARTIFICIAL TYPE  
ID: {2FC0523A-8EBD-7E24-E453-C2DEF54DAE44}  
=====

Page: 19

Abbreviation..... ART AIRW T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF ARTIFICIAL AIRWAY  
Display Name..... Artificial Airway Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 9 entries

1. NASAL ENDOTRACHEAL (Nasal Endo)  
{C631352E-CAB5-0409-6133-E5D11ECC3293}
2. ORAL ENDOTRACHEAL (ORAL ENDO)  
{466CAD16-D7F3-9D73-6500-959C4DA50D9A}
3. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}
4. LARYNGECTOMY (LARYNGECTO) {225CB76A-BAF5-827E-729B-C3D60AD5B50A}
5. NASAL TRUMPET (NASAL TRUM)  
{2FFB8510-793C-D6A4-838E-20FF7CD26533}
6. BITE BLOCK (BITE BLOCK) {E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}
7. ORAL AIRWAY (ORAL AIRWA) {B0CF4270-A68D-1322-0621-1DFF8D677B40}
8. CASS ENDOTRACHEAL TUBE (CASS)  
{02BF805C-DF35-4DAB-A99F-2ED673174E49}
9. LARYNGEAL MASK AIRWAY (La Mask AW)  
{B5902B8C-F1C9-4376-A9A9-3013F4DFF1F7}

UNITS: .....  
=====

=====  
TERM: ALARM PARAMETERS VERIFIED  
ID: {415CE93B-0510-423D-9CAC-838F59882D94}  
=====

Page: 20

Abbreviation..... ALARM PARA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Alarm Parameters Verified  
Display Name..... Alarm Parameters Verified  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: ALARMS

Page: 21

ID: {97BADE57-C863-F3B4-4507-74BF03D4B0B9}

=====

Abbreviation..... ALARMS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Alarms  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----

1. CENTRAL ECG (cecg) {26D36175-E4E3-C364-3018-1B0DB4DC4793}
2. BED EXIT ALARM (BED EXIT A)  
(AC53759E-FFAE-5E0F-2EBA-E56A2712357C)
3. WHEELCHAIR EXIT ALARM (WHEEL EXIT)  
(7D06564E-ECDE-4A11-BEFE-92AB7E448AA3)
4. IV PUMP (IV PUMP) {EFB92C16-CFA3-18BB-9D54-590089DA3962}
5. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}
6. UROMETER (u) {13074A3A-19D7-300C-7BFF-8DC18DDE2951}
7. IABP (IABP) {763FE975-F5E5-80A6-AB16-E903A829E665}
8. HEMODYNAMIC (Hemodynam) {2E9AF889-0AE6-493A-AED3-F2AD9E6CE988}
9. ARTERIAL LINE (Art Line) {03E84782-4771-4412-8686-8E368AF29B34}

UNITS:

-----

=====  
TERM: ALDRETE - ACTIVITY  
ID: {97F85378-357C-4BF5-8198-4323E2656604}  
=====

Page: 22

Abbreviation..... ALD ACTIVI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Modified Aldrete Scoring System  
Display Name..... Aldrete Score - Activity  
Help Text..... Ability to move voluntary: 0=0  
extremities, 1=2 extremities, 2=4  
extremities  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. 0 = 0 EXTREMITIES (ALD ACT 0)  
{6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}  
2. 1 = 2 EXTREMITIES (ALD ACT 1)  
{6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}  
3. 2 = 4 EXTREMITIES (ALD ACT 2)  
{3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}

UNITS:

-----

TERM: ALDRETE - CIRCULATION  
ID: {42D5FBEB-5FBA-4E89-A1CD-D7882740C7B4}

Page: 23

DATA VALUE: 3 entries

1. 0 = BP +/- 50% PREOP (ALD CIR 0)  
{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}
  2. 1 = BP +/- 20-49% PREOP (ALD CIR 1)  
{D4A6100D-1228-4860-9BD6-B43F30D4FF94}
  3. 2 = BP +/- 20% PREOP (ALD CIR 2)  
{04B67413-7A88-409B-8005-471A7C84B879}

## UNITS:

=====  
TERM: ALDRETE - CONSCIOUSNESS  
ID: {8887F08F-099D-4FE7-84EB-FB122BAFF5F5}  
=====

Page: 24

Abbreviation..... ALD CONSCI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Modified Aldrete Scoring System  
Display Name..... Aldrete Score - Consciousness  
Help Text..... Not responding=0, Arousable with  
minimal stimulation=1, Fully awake=2  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. 0 = NOT RESPONDING (ALD CON 0)  
{E8765215-B0B0-430C-8C89-AB969A6AD12E}  
2. 1 = AROUSABLE (ALD CON 1) {B2A07804-9829-42D0-9C49-A61FD51EEAA0}  
3. 2 = FULLY AWAKE (ALD CON 2)  
{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}

UNITS:

TERM: ALDRETE - O2 SATURATION  
ID: {5530278D-7914-4D0B-B3AF-852FFC708808}

Page: 25

Abbreviation..... ALD O2 SAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Modified Aldrete Scoring System  
Display Name..... Aldrete - O2 Saturation  
Help Text..... <90% even with O2=0, Needs O2 to  
                  maintain >90% =1, >92% on room air =2  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

**DATA VALUE:** 3 entries

1. 0 = <90% (ALD O2 0) {30042730-F600-44FD-A3D0-53172B70082B}  
2. 1 = NEEDS O2 (ALD O2 1) {5D97F6BB-7B02-4644-8CE5-014C89826731}  
3. 2 = ON ROOM AIR (ALD O2 2)  
{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}

**UNITS:**

TERM: ALDRETE - RESPIRATION  
ID: {165534D8-3229-4865-B1D5-9B579DBF8E7D}

Page: 26

Abbreviation..... ALD RESPIR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Modified Aldrete Scoring System  
Display Name..... Aldrete - Respiration  
Help Text..... Apneic=0, Dyspnea, shallow or  
limited=1, Breathes deeply, coughs  
freely=2  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

**DATA VALUE:** 3 entries

1. 0 = APNEIC (ALD RESP 0) {649C42B0-6E0A-4E86-AAC5-70A8C20EC511}  
2. 1 = DYSPNEA (ALD RESP 1) {3DAE60A2-57DA-4121-A507-BC43497C7B67}  
3. 2 = BREATHES FREELY (ALD RESP 2)  
{278CD44C-538E-4015-9D98-D9312A7039BA}

## UNITS:

=====  
TERM: ALDRETE - TOTAL  
ID: {A947CF6C-094E-49B9-A856-E4103162D875}  
=====

Page: 27

Abbreviation..... ALD TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Modified Aldrete Scoring System Total  
Display Name..... Aldrete - Total Score  
Help Text..... Total value of Aldrete scores  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MODIFIED ALDRETE SCORE      -1 > 0 \* 10 < 11      Dec Prec: 0

=====

TERM: ALLEN TEST  
ID: {21517044-6E31-4ADA-93BF-C7824C1D7896}

=====

Page: 28

Abbreviation..... Allen Tst  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Allen Test  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
20. ABNORMAL (Abnormal) {2469E391-60C5-4FF8-BEF7-809CD0F6E7F2}

UNITS:

-----

=====  
TERM: ANESTHESIA PLANNED  
ID: {5E763979-792D-43A8-A065-661D4ED179E5}  
=====

Page: 29

Abbreviation..... Anes Plan  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Anesthesia Planned  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
9 entries

1. LOCAL (Local) {64A0FD20-4584-446C-8A2A-57F2FEF3DD10}
2. REGIONAL BLOCK (Region Blk)  
    {3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}
3. BIER BLOCK (Bier Blk) {241C28E7-6040-4ABC-B76C-4255452C66FD}
4. GENERAL (General) {6ED377F7-55E4-4743-B781-124267567200}
5. IV SEDATION (IV Sed) {789B61EB-5E83-4024-850D-D92370C4EC9A}
6. SPINAL (Spinal) {AC02181C-0A2C-4F7A-B983-B32EF1BCD150}
7. EPIDURAL (Epidural) {63317A63-16FF-4D55-A034-420C65B17AEB}
8. MODERATE SEDATION (Mod Sed)  
    {C874EDC7-24BF-4F39-8FDA-E8D1193A8428}
9. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS: -----

=====  
TERM: APPEARANCE  
ID: {5B202547-7AD3-4E86-9FBE-82AEC450510B}  
=====

Page: 30

Abbreviation..... APPEARAN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Appearance  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. NEAT (NEAT) {8B01F7B8-B626-4143-A092-1E732EEB4A05}
  - 2. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
  - 3. INAPPROPRIATE (Inappropri) {7E3B54C2-8A49-28EC-055E-FEA87599421C}
  - 4. DISHEVELED (DISHEVEL) {0455549E-5CCB-470D-9D7F-F3959E6D55FE}

UNITS:

---

=====  
TERM: ARM BAND - ALLERGIES  
ID: {D72DC694-6192-8D57-FD8B-02E49EF45DE5}  
=====

Page: 31

Abbreviation..... AB ALLERGY  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Is the arm band for allergies present  
Display Name..... Arm Band - Allergies  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: ARM BAND - BLOOD TRANSFUSION IV  
ID: {66410CB8-1475-12D5-1199-76217CC9B174}  
=====

Page: 32

Abbreviation..... AB BL TR  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Blood Transfusion IV  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: ARM BAND - DNR  
ID: {B7AF531A-26FA-B821-F3B6-F75911A8BBC2}  
=====

Page: 33

Abbreviation..... AB DNR  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Is patient armband for DNR present  
Display Name..... Arm Band - DNR  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

=====  
TERM: ARM BAND - ELOPMENT  
ID: {950320E8-0C68-29C0-E39A-355CEB0119C6}  
=====

Page: 34

Abbreviation..... AB ELOPE  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Elopment  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: ARM BAND - HIGH FALL RISK  
ID: {48BCE5FD-3703-4F3B-619B-8E5FD2E25D2E}  
=====

Page: 35

Abbreviation..... AB FALL RI  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - High Fall Risk  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation..... AB PM ALER  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Personal Medical Alert  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: ARM BAND - WANDERER  
ID: {F0D2FBB6-0843-239A-356E-D903542E9117}  
=====

Page: 37

Abbreviation..... AB WANDER  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Arm Band - Wanderer  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: ARM BANDS PRESENT  
ID: {FD6E4F7D-AF64-4208-B6BD-DD965FB234C3}  
=====

Page: 38

Abbreviation..... AB PRESENT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arm Bands Present  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}
2. IDENTIFICATION (i) {39274F69-556C-7F05-6D17-CE8A03D1867D}
3. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}
4. ALLERGY (a) {EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}
5. HIGH FALL RISK (hfr) {276C15F3-5BED-0FE0-5649-337A23AB1386}
6. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
7. PERSONAL MEDICAL ALERT BRACELET (pmab)  
{E63D5FDE-4509-5751-A11C-C023E296858A}
8. BLOOD TRANSFUSION IV (Bi TRAN IV)  
{27A0BE4C-433C-F920-BAC2-066F304BDF59}
9. WANDERER (w) {C5BD737B-F9A6-5800-B45C-2585507C3EDC}
10. DO NOT INTUBATE (Do Not Int)  
{88F9A76A-43BC-4BD9-A567-C8FE5A868544}
11. LATEX ALLERGY (Latex All)  
{3E7326AA-8CA4-448C-802A-111C232B2F1C}
12. DYSPHAGIA (Dysphagia) {CC69271C-B4DF-42D1-BA91-0832DBC45E31}
13. RESTRICTED EXTREMITY (Res Extrem)  
{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}
14. SKIN RISK (Skin Risk) {5805C4C7-8FFA-4444-ABCB-710D8088FBC9}
15. RESTRICTED DIET (Restr Diet)  
{483DD2C0-2E1D-4886-B702-5A951225DE8B}

UNITS:

=====  
TERM: ARTERIAL LINE ALARMS ON  
ID: {9267950F-51B3-4C38-B280-C62D7B076F6B}  
=====

Page: 39

Abbreviation..... ALINE ALAR  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Arterial Lines Alarms On  
Display Name..... Arterial Line Alarms On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====

TERM: ARTERIAL LINE CIRCULATION ASSESSED  
ID: {CFB536B3-C087-48EF-9417-94CBE1B88911}

=====

Page: 40

Abbreviation..... ART L CR A  
Active..... Yes  
Boolean Value False..... Impaired  
Boolean Value True..... Normal  
Data Type..... Boolean  
Description..... Has The Arterial Line Circulation  
Been Assessed  
Display Name..... Arterial Line Circulation Assessed  
Help Text..... Assessment of circulation distal to  
arterial line.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: ARTERIAL LINE DRESSING CHANGE  
ID: {1D4E53DD-2D96-4B9F-9912-920B96FFF942}

Page: 41

=====  
Abbreviation..... ART LIN DC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Dressing Change  
Display Name..... Arterial Line Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
4 entries

1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS: -----

=====

TERM: ARTERIAL LINE DRESSING TYPE  
ID: {A2F0D86E-286A-0D33-2BAA-3DDE78121050}

=====

Page: 42

Abbreviation..... A LINE DRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Dressing  
Help Text..... Type of dressing used on arterial line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
2. PRESSURE DRESSING (PRESS DRES)  
(6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
3. GAUZE AND TAPE (GAU & TAPE)  
(5BC40405-B5C4-47CF-81C3-520732E100AC}

UNITS:

=====

TERM: ARTERIAL LINE SITE CARE  
ID: {2CCDDAA0-9563-8B09-11C1-51E1E2823A48}

=====

Page: 43

Abbreviation..... A LINE CAR  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Has Arterial Line Site Care Been Done?  
Display Name..... Arterial Line Site Care  
Help Text..... Date arterial line inserted  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: ARTERIAL LINE SITE CONDITION  
ID: {A87DEFA0-FD22-8AAB-AEEE-61E91FEE2154}  
=====

Page: 44

Abbreviation..... ART LI CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Site Condition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----  
2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}  
50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
70. BLANCHED (Blanched) {EBB2EA8D-04BC-49E7-812A-62B46F0F4678}  
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}  
90. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}

LOCATION: 8 entries

-----  
1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}  
2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}  
3. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
4. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}  
6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}  
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}  
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

-----

=====  
TERM: ARTERIAL LINE SIZE  
ID: {9D96EBB7-19E0-4832-B61F-D2A42CE15737}  
=====

Page: 45

Abbreviation..... ART LIN SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Arterial Line in size Gauge  
Display Name..... Arterial Line Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 8 entries

- 
- 1. L RADIAL (L RAD) {302F78AD-4067-8B6B-BD15-993EC8561AE6}
  - 2. R RADIAL (R RADIAL) {BA10E6E5-DDF4-345E-68AF-21D32E9D972D}
  - 3. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  - 4. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  - 5. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}
  - 6. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}
  - 7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
  - 8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

UNITS:

---

GAUGE            14 > 18 \* 26 < 30        Dec Prec: 0

=====  
TERM: ARTERIAL LINE WAVEFORM  
ID: {1B11B2EF-C905-40F6-9F6F-195FEC0CD8E6}  
=====

Page: 46

Abbreviation..... ALINE WAVE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Waveform  
Display Name..... Arterial Line Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}  
3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}  
4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}

UNITS:

=====  
TERM: ARTERIAL LINE ZEROED  
ID: {A500DBBF-6E69-4CB3-926F-6B9988BB8B68}  
=====

Page: 47

Abbreviation..... ALINE ZERO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Arterial Line Zeroed  
Display Name..... Arterial Line Zeroed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

=====  
TERM: ASA PHYSICAL STATUS  
ID: {E189D73A-B578-AAD3-97F5-56580209D089}  
=====

Page: 48

Abbreviation..... ASA Phys  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ASA Physical Status  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 1. ASA PS 1 (ASA PS 1) {BAF1730E-C358-17F1-8DB8-4B6097AFF066}
  - 2. ASA PS 2 (ASA PS 2) {070C0F56-3D9C-5430-EF9E-BF3B96DFB595}
  - 3. ASA PS 3 (ASA PS 3) {B041CE25-82D0-EDAD-C673-A64BCD6647F4}
  - 4. ASA PS 4 (ASA PS 4) {040841C3-D933-E687-C7E0-29F439C08778}
  - 5. ASA PS 5 (ASA PS 5) {1F7B73A6-3F8E-E230-1C23-C7DF92032E58}
  - 6. EMERGENCY (Emergency) {3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}

UNITS:

---

=====

TERM: BABINSKI

Page: 49

ID: {D7BB9690-82D8-F50B-93AA-1937D051AA53}

=====

Abbreviation..... BABINSKI  
Active..... Yes  
Boolean Value False..... Negative  
Boolean Value True..... Positive  
Data Type..... Boolean  
Description..... Babinski Reflex Test  
Display Name..... Babinski  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: BARRIERS TO LEARNING  
ID: {DC4D8E16-1BA9-4A45-820E-A7AAA48449FB}  
=====

Page: 50

Abbreviation..... Barriers  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Barriers to Learning  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

1. PHYSICAL IMPAIRMENT (Phys Impai)  
{4D744081-134E-420D-9712-AF114977E490}
2. COGNITIVE IMPAIRMENT (Cog Impair)  
{6D051F44-2124-4914-A415-B98B2AC516E9}
3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====  
TERM: BED POSITION  
ID: {D65573FE-6CAB-3A81-4572-ACC9488D8BAF}  
=====

Page: 51

Abbreviation..... BEDPOS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bed Position  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
  - 2. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
  - 3. SEMIFOWLERS HIGH (sh) {1BBE7175-2BD2-BFB5-1E1B-E02443433072}
  - 4. SEMIFOWLERS LOW (sl) {A265AF02-53FC-B182-8AE3-A06E95718D7E}
  - 5. CARDIAC CHAIR (cc) {D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}

UNITS:

---

=====  
TERM: BEHAVIOR  
ID: {BBF17C69-B1B4-37D9-0469-D124F4ADA673}  
=====

Page: 52

Abbreviation..... BEHAVIOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Is Patients Behavior Appropriate?  
Display Name..... Behavior  
Help Text..... Assessment of Behavior  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
27 entries

1. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}
2. INAPPROPRIATE (Inappropri) {7E3B54C2-8A49-28EC-055E-FEA87599421C}
3. COOPERATIVE (c) {C176406E-EBDE-4ADE-53DE-CF191D8AFC85}
4. UNCOOPERATIVE (u) {2D737EFB-F4CA-7AEA-9EB2-6FF133742815}
5. RELAXED (Relaxed) {B8C15DBC-99FB-4239-8040-C27899120009}
6. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
7. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
8. SILLY (Silly) {8658F95A-4158-4F11-BE3D-D7C01D29C2E4}
9. AVOIDANT (Avoidant) {A259D591-4D95-43E1-A229-4B39E7D91C39}
10. GUARDED (Guarded) {E777731C-F6E0-4C77-86B0-6494A4F4D37F}
11. SUSPICIOUS (Suspicious) {AE55ED4C-CC3C-4827-8634-9178297A3CEE}
12. DEMANDING (Demanding) {F9C0729C-9168-4585-8E9A-33F9964F0F43}
13. PROVOCATIVE (Provocativ) {E308CCF8-71D2-4A86-BE04-7FF976A3FD9D}
14. HYPERACTIVE (HYPERACTIV) {1A548FFE-8645-4C0D-899D-5D91430CC1B1}
15. IMPULSIVE (Impulsive) {EBBDB9DE-B190-4CFF-885D-758A98C4CAE3}
16. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}
17. ANGRY (Angry) {73D509EF-1B12-4985-A6A2-EC3656282C22}
18. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
19. VIOLENT (Violent) {AC534BBE-6DEC-4EA7-9C35-F1B90F134B0E}
20. ARGUMENTATIVE (Argumenta) {C47051A5-653A-4B5E-9019-52A33BF9CED7}
21. COMPULSIVE (Compulsive) {2A94E47E-A62B-4B17-98B6-275FBC343EAE}
22. PACING (Pacing) {C4194F0D-0226-4E63-9D66-101BD062C746}
23. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
24. INTIMIDATING (Intimidat) {37ACE461-DF89-489D-82DC-1719C3327B29}
25. INEFFECTIVE COPING (ic) {704B1A55-B639-60F4-E3A5-16F942ABC259}
26. ISOLATING (Isolating) {4E1CD1C0-6D27-4760-8230-657A2966A786}
27. WITHDRAWN (w) {E74B0F04-0E3F-632F-9409-C4953D95B1BA}

UNITS: -----

=====  
TERM: BEHAVIOR CURRENT LOCATION  
ID: {A3BE725A-A4D7-6C75-D5CD-453755C5EF21}  
=====

Page: 53

Abbreviation..... CUR LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Current Location  
Help Text..... Physical location of patient  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
8. SMOKING AREA (sa) {8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}
11. PATIO (Patio) {39499FD3-F11F-49A8-802F-D61A89F4A901}
12. DINING ROOM (Dining Rm) {9E120E65-9968-4083-961C-D741FCFB420B}
13. OFF UNIT (Off Unit) {7C840BE3-B615-46C4-9941-2DD244DB3906}
14. WITH TREATMENT TEAM/PROVIDER (Team/Prov)  
{6F79D529-F477-4CD8-95B5-382FE02AE001}
15. IN HEARING (In Hearing) {1D72DFE6-3090-4A2C-B234-6885E794C842}
16. OFF UNIT - TESTING/PROCEDURE (Test/Proc)  
{46D81DF8-67E8-4952-9D71-D295693F730C}

UNITS:

=====  
TERM: BEHAVIOR OBSERVED  
ID: {E5D2F4A5-5484-2B9C-EBD0-C0EB0FBC6E8C}  
=====

Page: 54

Abbreviation..... BEH OBS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. COOPERATIVE (c)	{C176406E-EBDE-4ADE-53DE-CF191D8AFC85}
2. CALM (c)	{E206C3F5-6977-302C-51FB-AF2155B5FFD9}
3. ANXIOUS (a)	{381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
4. HOSTILE (h)	{29EF2C04-7DB0-4491-2B5E-D92A6A558721}
5. COMBATIVE (c)	{DF65D42D-6CAA-657E-AEE1-C070C1FDF177}
6. INEFFECTIVE COPING (ic)	{704B1A55-B639-60F4-E3A5-16F942ABC259}
7. WITHDRAWN (w)	{E74B0F04-0E3F-632F-9409-C4953D95B1BA}
8. UNCOOPERATIVE (u)	{2D737EFB-F4CA-7AEA-9EB2-6FF133742815}
9. SLEEPS POORLY (sp)	{AB9424B4-D0B1-148B-C800-FF535F3FAC84}
10. AGITATED (a)	{BAD2CCCE-9083-6F61-1196-C0C9A8DDDBFFC}
11. SEDATED (s)	{29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
12. RESTLESS (r)	{8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
13. ALERT (a)	{BC7E2630-179A-5C80-E6C7-598D42F0BFD6}
14. DROWSY (d)	{6B350814-A88A-0F05-C382-9F27830FBC09}
15. LETHARGIC (l)	{4ECA2E44-093A-9354-848E-CDC72B165072}

UNITS:

-----

=====  
TERM: BEHAVIOR PRECAUTION LEVEL  
ID: {1F322720-9BDF-A3A4-47A6-7DA602FFBBF4}  
=====

Page: 55

Abbreviation..... PRE LVL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Precaution Level  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. CLOSE OBSERVATION (co) {2679BCAC-8753-FE73-56F8-3AB632161AF4}
2. 1:1 OBSERVATION (1o) {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}
3. PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (pswlosons)  
(CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D)
4. PATIENT SIGNS SAFETY CONTRACT (PT CONTRAC)  
(C65734EC-2CAF-4547-8FD8-CBCD9C706003}

UNITS: .....  
-----

=====  
TERM: BEHAVIOR PRECAUTION REASON  
ID: {C2808159-80A1-AF7F-7C7F-C3A96096187E}  
=====

Page: 56

Abbreviation..... PRE REA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Behavior Precaution Level  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
2. ESCAPE (e) {965F3201-9D63-66AB-FA25-99479AE7145A}
3. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
4. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
5. MEDICAL DEVICE SAFETY (mds) {1985CABE-4F53-9FCF-F444-F9AC53C04DBD}

UNITS: .....  
=====

Abbreviation..... Motor Act  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Behavioral Health: Motor Activity  
Help Text..... Assessment of behavioral health  
related motor activity and posture.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

-----  
10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
20. HYPOACTIVITY (Hypoactive) {AE242A17-D9F0-4A94-B836-B292D5D20FB7}  
30. HYPERACTIVITY (Hyperactiv)  
(56D44F75-08D4-4B1E-8AD1-7E43A756AB2E)  
40. RELAXED (Relaxed) {B8C15DBC-99FB-4239-8040-C27899120009}  
50. RIGID (Rigid) {2D1427D1-3D9A-41B8-817F-D391B77A1E70}  
60. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}  
70. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}  
80. STAGGERING GAIT (Staggering)  
(676C5784-9ABC-4DBE-B2E6-FC5EA040A662}  
90. SHUFFLING GAIT (Shuffling)  
(D628299F-5393-434C-A609-E1E786A4B3F0}  
100. FACIAL GRIMACES (Grimaces)  
(FEE509E1-5B2F-49C5-A57D-C9D42744037F}  
110. UNUSUAL GESTURES OR MANNERISMS (Mannerisms)  
(41DBAE9A-20CB-4173-BFCD-FFF9B4E42F3B}  
120. TREMORS (Tremors) {C9A636BB-F04B-4D90-8230-D261D18047F2}

UNITS:

-----

=====  
TERM: BEHAVIORAL HEALTH: THOUGHT PROCESS  
ID: {5D57AE9A-AAB5-4180-AB70-4B11F5C27111}  
=====

Page: 58

Abbreviation..... Thought Pr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Behavioral Health: Thought Process  
Help Text..... Assessment of behavioral health  
related to thought process as  
assessed from speech patterns.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----  
10. LOGICAL (logical) {B758A5A0-73CA-436E-A476-DC56EB153842}  
20. ILLOGICAL (Illogical) {79A0885E-115B-4D12-A018-3829CB7DFB1F}  
30. LOOSE ASSOCIATIONS (Lse Assoc)  
{FF172A39-B03F-44E1-A042-AB5AE2F570BC}  
40. FLIGHT OF IDEAS (Fl of Idea)  
{23048412-DE2D-4493-8BA5-EC1EB523A9FC}  
50. BLOCKING (Blocking) {031E84F8-95F8-4B2B-93A1-DEACB4A702BA}  
60. WORD SALAD (Word Salad) {FB895D51-7E94-42D5-849C-6BAD95F728C6}  
70. OBSESSIONS (Obsessions) {12F82E40-EAB3-4D82-8645-1F9ACD33617F}  
80. RUMINATIONS (Rumination) {E5BE154D-AE5F-4655-9811-E30E568BD5E4}  
90. DELUSIONS (Delusions) {C0945F9A-3F8B-4202-A177-AADCBA93831C}

UNITS:

-----

=====  
TERM: BIPAP-EXPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {B52B46E7-A947-447E-A277-71B286B6313A}

Page: 59

=====  
Abbreviation..... BIPAP EXP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Bipap machine setting for expiratory  
pressure  
Display Name..... Bipap Expiratory Pressure - Do Not  
Check Total or Subtotals  
Help Text..... Bipap machine setting for expiratory  
pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
CENTIMETERS H2O      0 > 0 \* 30 < 40      Dec Prec: 0

=====  
TERM: BIPAP-INSPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {25B30C16-509B-4537-9C06-05B1C5013C81}

Page: 60

=====  
Abbreviation..... BIPAP IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Bipap machine setting for inspiratory  
pressure  
Display Name..... Bipap Inspiratory Pressure - Do Not  
Check Total or Subtotals  
Help Text..... Bipap machine setting for inspiratory  
pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
CENTIMETERS H2O      0 > 0 \* 40 < 50      Dec Prec: 0

=====  
TERM: BLADDER ASSESSMENT  
ID: {BEDA282C-C39A-4134-DA6D-7BFCC567A058}  
=====

Page: 61

Abbreviation..... BLAD ASSMT  
Active..... Yes  
Boolean Value False..... Nondistended  
Boolean Value True..... Distended  
Data Type..... Boolean  
Description..... Assessment of bladder  
Display Name..... Bladder Assessment  
Help Text..... Is bladder nondistended or distended?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: BLADDER SCAN - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {403C285B-40ED-4ECA-BFD0-4404BE4FB59E}  
=====

Page: 62

Abbreviation..... BLAD SCAN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Bladder Scan  
Display Name..... Bladder Scan - Do Not Check Total or  
Subtotals  
Help Text..... Bladder Scan Urine Volume Results  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER      0 > 0 \* 1000 < 1000      Dec Prec: 0  
CUBIC CENTIMETER      0 > 0 \* 1000 < 1000      Dec Prec: 0

=====  
TERM: BLOOD PRESSURE  
ID: {B15F2DF6-CE99-B847-FE6B-3D5F174A2BCD}  
=====

Page: 63

Abbreviation..... BP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Complex observation of Systolic and  
Diastolic pressures.  
Display Name..... Blood Pressure  
Help Text..... Enter in the blood pressure values as  
####/####.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500634

LOCATION: 7 entries

1. BRACHIAL (Bra)	{67426127-09E1-E566-F31E-15714A5B2B7C}
2. FEMORAL (Fem)	{E3442C9E-8677-7296-D314-7365319C3716}
3. L ARM (LA)	{567F552F-54B5-A8BB-596F-291001746E31}
4. L LEG (LL)	{B088C809-E528-B785-21C2-14E45E1FD8AF}
5. R ARM (RA)	{1C09017A-F10A-543D-A7EA-F13790D78692}
6. R LEG (RL)	{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
7. RADIAL (RADIAL)	{D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}

METHOD: 11 entries

1. AFTER EXERCISE (AE)	{D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ARTERIAL LINE (AL)	{D4B3F4ED-8B33-431E-4164-BD165E823776}
3. AT REST (AR)	{E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CUFF-AUTOMATED (CA)	{088AAD2B-2E7B-F835-376F-3D4340790976}
5. CUFF-MANUAL (CM)	{5F56C163-2B04-112F-55DE-E31374E0FB58}
6. DOPPLER (Dop)	{52683C19-F9DC-876B-CA3F-53E7C864CF04}
7. INVASIVE (I)	{5DB8746E-5446-F47A-883C-A44B91275A6E}
8. MONITOR (Mo)	{63FC24EA-50B8-B302-D948-ABE3517CF6FC}
9. NON-INVASIVE (N-I)	{F50ABFED-5FD7-FC95-20FE-1E3038C9F299}
10. PALPATED (Pal)	{295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}
11. WITH ACTIVITY (Act)	{544A262B-EA34-F82A-46A9-F80740515D65}

POSITION: 6 entries

1. LYING (Ly)	{DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SEMIFOWLERS (Sfl)	{C2F6A945-3829-AABA-3D67-54D1829D3EB9}
3. SITTING (Sit)	{DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
4. STANDING (St)	{0776AE42-C370-B7B3-9B4D-9C914BA8F231}
5. TRENDENELBURG (Tr)	{42F3353B-7041-EEE1-A87E-941D3BE1CBED}
6. SUPINE (SUPINE)	{DEA8A744-B445-4A9E-875D-485E060F2ACC}

UNITS:

=====  
TERM: BLOOD PRESSURE CUFF SIZE  
ID: {46DCF900-6F2C-46D0-ADB8-2EC17E7659FF}  
=====

Page: 64

Abbreviation..... BP CUFF SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Blood Pressure Cuff Size  
Help Text..... Blood Pressure Cuff Size  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

- 
- 1. ADULT (ADULT) {37B557BE-B932-4757-8E08-5EA315E8AD1F}
  - 2. ADULT LARGE (AD LARGE) {38E64D72-2806-47FA-B82F-51844574F850}
  - 3. ADULT SMALL (AD SMALL) {0161A4E5-713A-406B-B3FD-9ED13BEB5366}
  - 4. THIGH (THIGH) {65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}
  - 5. PEDIATRIC (PEDIATRIC) {06865E22-3ED9-4EDD-9749-6F8641BF29DE}

UNITS:

---

=====  
TERM: BODY SURFACE AREA  
ID: {5C9A522B-C5ED-4D59-7BF8-3D88ADEBAB07}  
=====

Page: 65

Abbreviation..... M2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Body Surface Area  
Display Name..... BSA  
Help Text..... Body Surface Area  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

SQUARE METERS      0.50 > 1.00 \* 1.75 < 4.00 Dec Prec: 2

=====  
TERM: BOWEL ELIMINATION  
ID: {CDD931D5-9DD1-4705-A3FA-E566BB8C076C}  
=====

Page: 66

Abbreviation..... BowelElim  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Bowel Elimination  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

-----  
10. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}  
20. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}  
30. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}  
40. ILEOSTOMY (ILEOSTOMY) {D5DF49C8-C6BA-44C1-9840-7765907730A3}  
50. COLOSTOMY (COLOSTOMY) {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}  
60. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}  
70. FLATULENCE (FLATULENCE) {F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}  
80. ATTENDS/BRIEFS (Briefs) {6F05A79D-CF1C-49AD-90F5-F000F200183B}  
90. ENEMA (Enema) {34E6D2F2-9A36-45EC-83DA-37B8266065D5}  
100. SUPPOSITORY (Suppositor) {B776C3BD-7E10-4A5D-BDA9-F346DB7C578F}  
110. DIGITAL STIMULATION (Dig Stim)  
{44F30BAF-C8E2-484B-8572-66B86BBC868}  
120. BEDSIDE COMMODE (Bedside Cm)  
{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}  
130. RECTAL TUBE (RECT TUBE) {7E492AE5-D3B8-44EC-8841-97770FAD3AFE}  
140. STOOL MANAGEMENT SYSTEM (StManSys)  
{D707EA3E-3151-4F51-B1FD-E6BA2A0BE888}

UNITS:

=====  
TERM: BOWEL MOVEMENT EVENT(S)  
ID: {2EB1DAFB-1E56-40A8-B371-D46EF7AF2435}

---

Page: 67

Abbreviation..... BM EVENT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Number of bowel movements observed  
Display Name..... Bowel Movement Event  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

---

EVENT(S)            -1 > 0 \* 8 < 30            Dec Prec: 0

=====  
TERM: BRADEN SCALE ACTIVITY  
ID: {9EBBF98C-9551-3AC6-F955-6242D8416444}  
=====

Page: 68

Abbreviation..... BR SC ACT1  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Activity - degree of physical activity  
Display Name..... Braden Scale Activity  
Help Text..... 1. Bedfast: Confined to bed 2.  
Chairfast: Ability to walk severely limited or non-existent. 3. Walks Occasionally: Walks occasionally during day, but for very short distances, with or without assistance. 4. Walks Frequently: Walks outside room.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. BRADEN SCALE ACTIVITY 1 BEDFAST (BS ACT 1)  
{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}
  2. BRADEN SCALE ACTIVITY 2 CHAIRFAST (BS ACT 2)  
{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}
  3. BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (BS ACT 3)  
{E47B47BC-6097-4602-9184-BF5A4F6D686A}
  4. BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (BS ACT 4)  
{C5A8C2EA-E042-4804-9812-77603C47FC6A}

UNITS:

---

=====  
TERM: BRADEN SCALE FRICTION AND SHEAR  
ID: {03ECD9F4-3C12-A62B-FAAC-0F8A824763AA}  
=====

Page: 69

Abbreviation..... BR SC FRIC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Friction and Shear  
Display Name..... Braden Scale Friction and Shear  
Help Text..... 1. Problem: Requires moderate to  
maximum assistance in moving. 2  
Potential Problem: Moves feebly or  
requires minimum assistance.3 No  
Apparent Problem: Moves in bed and  
in chair independently and has  
sufficient muscle strength to lift up  
completely  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. BRADEN FRICTION AND SHEAR 1 PROBLEM (BS F/S 1)  
{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}
  2. BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (BS F/S 2)  
{B56338A9-8956-4D27-8BA0-DA50E07359E0}
  3. BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (BS F/S 3)  
{9850E2BF-6600-4E66-8FCD-1517D903BC0F}

UNITS:

---

=====  
TERM: BRADEN SCALE MOBILITY  
ID: {85F9FB55-26A3-6203-C1AE-6EFED5952B3D}  
=====

Page: 70

Abbreviation..... BR SC MOBI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Mobility - ability to  
change and control body position  
Display Name..... Braden Scale Mobility  
Help Text..... 1=Completely Immobile, 2=Very  
Limited, 3=Slightly Limited, 4=No  
Impairment  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (BS MOB 1)  
{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}  
2. BRADEN SCALE MOBILITY 2 VERY LIMITED (BS MOB 2)  
{868EFA33-877E-4B91-B4FD-9655F66A7160}  
3. BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (BS MOB 3)  
{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}  
4. BRADEN SCALE MOBILITY 4 NO LIMITATION (BS MOB 4)  
{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}

UNITS:

-----

=====

TERM: BRADEN SCALE MOISTURE  
ID: {D72122E0-C46F-D019-0CE8-FE403ABE8F52}

=====

Page: 71

Abbreviation..... BR SC MOIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Moisture - degree to  
which skin is exposed to moisture  
Display Name..... Braden Scale - Moisture  
Help Text..... 1=Constantly Moist, 2=Very Moist,  
3=Occasionally Moist, 4=Rarely Moist  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (BS MOI 1)  
{3E2569BA-ECF0-4622-8F4A-26378A2CB466}
  2. BRADEN SCALE MOISTURE 2 VERY MOIST (BS MOI 2)  
{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}
  3. BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (BS MOI 3)  
{D7F2714B-B0C7-4000-8588-8582C1B32ECE}
  4. BRADEN SCALE MOISTURE 4 RARELY MOIST (BS MOI 4)  
{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}

UNITS:

-----

=====  
TERM: BRADEN SCALE NUTRITION  
ID: {C8167958-3381-1ACE-82C3-856BC2CB9FD2}  
=====

Page: 72

Abbreviation..... BR SC NUTR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Braden Scale Nutrition - usual food  
intake pattern  
Display Name..... Braden Scale Nutrition  
Help Text..... 1=Very Poor, 2=Probably Inadequate,  
3=Adequate, 4=Excellent  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. BRADEN SCALE NUTRITION 1 VERY POOR (BS NUT 1)  
{28A86074-A6B2-455E-ABA4-19195C2E3679}  
2. BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (BS NUT 2)  
{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}  
3. BRADEN SCALE NUTRITION 3 ADEQUATE (BS NUT 3)  
{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}  
4. BRADEN SCALE NUTRITION 4 EXCELLENT (BS NUT 4)  
{F09E4D35-1AA8-49A5-9B38-FBFFAFCFC181}

UNITS:

-----

=====  
TERM: BRADEN SCALE SENSORY PERCEPTION  
ID: {BC5D5F00-85EE-7FB2-3175-8EDB95485D5E}

Page: 73

=====  
Abbreviation..... BR SC SENS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Sensory Perception - ability to  
respond meaningfully  
Display Name..... Braden Score - Sensory Perception  
Help Text..... 1=Completely Limited, 2=Very Limited,  
3=Slightly Limited, 4=No Impairment  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (BS SENC 1 )  
{60F646B3-790F-4C5A-B2A0-845915E120E6}  
2. BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (BS SENC 2)  
{98362E63-7245-4E7F-8C30-896A9B923199}  
3. BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (BS SENC 3)  
{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}  
4. BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (BS SENC 4)  
{10304656-E5E8-4F32-8358-A9F80511EFDA}

UNITS:

-----

=====  
TERM: BRADEN SCALE TOTAL  
ID: {42F65882-FAE1-45E1-84E9-A2A71052BD0C}  
=====

Page: 74

Abbreviation..... BRADEN TOT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Braden Scale Total  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

BRADEN SCALE        5 > 6 \* 23 < 24        Dec Prec: 0

Abbreviation..... BREATH SOU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SOUND OBSERVATIONS FROM PATIENT'S LUNGS  
Display Name..... Breath Sounds  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

1. RHONCHI (RHONCHI) {850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}
2. CRACKLES (c) {6B64C108-4424-00D9-525F-D89D549476D6}
3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}
5. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}
6. INSPIRATORY WHEEZES (INSPI WHEEZ)  
{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}
7. EXPIRATORY WHEEZES (EXP WHEEZE)  
{CFC103A8-8B02-4942-BBDD-8D24C930883E}
8. STRIDOR (Stridor) {58AFC8CE-A17C-4064-A8EB-F06D324C61CC}

LOCATION: 5 entries

1. LEFT LOWER LOBE (LLL) {14155C13-874D-6E26-01D8-2C03B349F913}
2. LEFT UPPER LOBE (LUL) {21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}
3. R LOWER LOBE (RLL) {418D350A-3602-1918-22C8-53D093AF49B0}
4. R MIDDLE LOBE (RML) {57879159-350C-2055-34D3-C6EFA39CA98F}
5. R UPPER LOBE (RUL) {098C11B4-B556-FBBE-7E21-AEC9D7E4408A}

UNITS:

=====

TERM: BRUIT

Page: 76

ID: {23CEA88E-9A5A-4AE2-92C7-F5204B166211}

=====

Abbreviation..... BRUIT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Bruit  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 11 entries

1. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
3. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}  
4. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}  
5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}  
6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}  
7. ABDOMINAL AORTA (ABD AORTA)  
{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}  
8. CARDIAC (Cardiac) {39963876-6FE3-49CF-975F-8DBD60244180}  
9. GRAFT SITE (Graft Site) {56ABE088-8047-4335-9F61-4FF69B9B81D8}  
10. FISTULA SITE (Fist Site) {9959E3F8-D744-45F0-BB6B-4A132F8D87A0}  
11. CAROTID ARTERY (Carotid) {E01C5C9D-CA0C-4866-BC0C-A244DA5CC057}

UNITS:

=====

=====  
TERM: CALL LIGHT WITHIN REACH  
ID: {ABAC4D24-C449-117E-BE4C-BFBC1F599A57}  
=====

Page: 77

Abbreviation..... CALL LT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Call Light Within Reach  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: CARDIAC ALARM PARAMETERS VERIFIED  
ID: {564B52F5-824E-3DBF-5EDB-493DDFFC30A3}  
=====

Page: 78

Abbreviation..... CARD ALARM  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Cardiac Alarm Parameters Verified  
Help Text..... Cardiac Alarm Parameters Verified  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: CARDIAC INDEX  
ID: {BFC29A9A-C666-68B5-C5CF-36B809CF66C2}  
=====

Page: 79

Abbreviation..... CI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Cardiac Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

LITERS PER MINUTE PER METER2 (BSA)  
-0.1 > 0.0 \* 8.0 < 8.1 Dec Prec: 1

=====  
TERM: CARDIAC OUTPUT  
ID: {0B7C4991-12E5-10DE-F25D-CB81BFA1ADAD}  
=====

Page: 80

Abbreviation..... CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cardiac Output  
Display Name..... Cardiac Output  
Help Text..... Cardiac Output  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

LITERS PER MINUTE 0.00 > 4.00 \* 8.00 < 16.00  
Dec Prec: 2

=====  
TERM: CARDIAC THRILL TIMING  
ID: {D52A1728-1692-4742-886A-B119BB7EE598}  
=====

Page: 81

Abbreviation..... THRILL TIM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Thrill Timing  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}  
2. SYSTOLIC (SYSTOLIC) {859B5700-0990-42FF-8129-8DB24EFDA8D1}  
3. DIASTOLIC (DIASTOLIC) {3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}  
4. PRESYSTOLIC (PRESYSTOLI) {BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}

UNITS:

-----

=====  
TERM: CARDIOVASCULAR: CAPILLARY REFILL  
ID: {951BBDA8-883A-E4F7-AD05-B086A71A2FEC}  
=====

Page: 82

Abbreviation..... CAP REFILL  
Active..... Yes  
Boolean Value False..... Greater than 3 seconds  
Boolean Value True..... Less than 3 seconds  
Data Type..... Boolean  
Description..... RATE OF CAPILLARY REFILL  
Display Name..... CARDIOVASCULAR: Capillary Refill  
Help Text..... 'Yes' if capillary refill is less  
than 3 seconds; 'No' if greater than  
3 seconds.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: CARDIOVASCULAR: CARDIAC ABNORMAL BEATS PER MINUTE  
ID: {1B168030-C39C-8120-915A-36073D044B17}

Page: 83

Abbreviation..... ABN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Cardiac Abnormal  
Beats per Minute  
Help Text..... Average number of abnormal beats per  
minute, e.g. PVCs, PACs, PJCcs.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
BEATS PER MINUTE      0 > 1 \* 100 < 201      Dec Prec: 0

Abbreviation..... CARD E  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Cardiac Ectopy  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

- 
- 1. PJC (p) {1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}
  - 2. PAC (p) {848AB18A-598D-8E4E-8B1B-ED7478CE340B}
  - 3. PVC (p) {33FF92F1-84CC-7CFA-41CF-B271A26C59B8}
  - 4. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 6. MULTIFOCAL PVC (Mult PVC) {34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}
  - 7. UNIFOCAL PVC (Uni PVC) {5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}
  - 8. PAIRS (Pairs) {668B0D85-E507-4E12-B07A-A90CB98730DC}
  - 9. RUNS OF VT (Runs of VT) {3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}
  - 10. BIGEMINY (Bigeminy) {729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}
  - 11. TRIGEMINY (Trigeminy) {13D65F9F-B51C-4CEC-8002-037C8323626C}
  - 12. QUADRAGEMINY (Quadragegni) {899BBEBB-D103-4864-BBE5-C9DF60F1C5BB}
  - 13. JUNCTIONAL ESCAPE BEAT (Junctional)  
{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}
  - 14. REMNANT P-WAVE (Remnant P)  
{3BBAA695-337E-41C4-BB83-8452917C07DF}
  - 15. R ON T PVC (RonTPVC) {D51B6022-1EB5-45A6-93D1-AB3363B93B1B}

UNITS:

---

Abbreviation..... CARDR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... HEART RHYTHM  
Display Name..... CARDIOVASCULAR: Cardiac Rhythm  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 32 entries

1. SINUS RHYTHM (sr) {A34F80EA-3D6A-076A-DB2A-E4E5C5AAC11}
2. SINUS BRADYCARDIA (sb) {D6EF4940-63AE-22AF-1A80-D8E6F0F07839}
3. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}
4. ASYSTOLE (a) {6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}
5. ATRIAL FIB/FLUTTER (af) {9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}
6. ATRIAL FIBRILLATION (a fib)  
{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}
7. ATRIAL FLUTTER (af) {9CB8D413-6762-D78E-F40E-25DB66CD23B3}
8. L BUNDLE BRANCH BLOCK (lbbb)  
{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}
9. R BUNDLE BRANCH BLOCK (rbbb)  
{FDE0D174-5220-F069-D284-20399D9489B0}
10. IDIOVENTRICULAR (i) {8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}
11. JUNCTIONAL (j) {4A339D84-7051-1258-877D-85AFC1CA20FE}
12. PACED: AV SEQUENTIAL (pas)  
{3C485674-224C-47DA-510D-92F1A0CA54A1}
13. PACED: ATRIAL (pa) {88837DD4-098D-B77F-A754-89D5C4F5870F}
14. PACED: VENTRICULAR (pv) {A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}
15. PAROXYSMAL ATRIAL TACHYCARDIA (pat)  
{27BC1FAF-A403-6EA8-044C-F1271F12A62A}
16. SINUS ARREST (sa) {3CD8F7AC-3FE0-F342-089C-787232D2A5C2}
17. SINUS ARRHYTHMIA (sa) {07A24AC9-B486-A4B8-BADB-04D2729542CE}
18. SUPRAVENTRICULAR TACHYCARDIA (st)  
{F712412F-D39A-58F7-E4F1-6AC8B77445D7}
19. VENTRICULAR FIBRILLATION (vf)  
{400B70C2-6E15-458F-70C6-FA2597DE2556}
20. VENTRICULAR TACHYCARDIA (vt)  
{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}
21. FIRST DEGREE AV BLOCK (fdab)  
{4FF046C9-B638-F86C-5D51-006B3D5225E3}
22. SECOND DEGREE AV BLOCK: TYPE 1 (sdabt1)  
{508BF663-96FB-EEBE-4F06-D2F1A02BD099}
23. SECOND DEGREE AV BLOCK: TYPE 2 (sdabt2)  
{3367754A-08D1-31A9-E850-1B36358E358A}
24. THIRD DEGREE AV BLOCK (tdab)  
{1AC7E31B-830E-2309-3AF7-8FB03003DD86}
25. SINUS PAUSE (sp) {7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}
26. SINUS BLOCK (sb) {94D6EFED-3D08-E724-BC40-9C398919A142}
27. SINUS TACHYCARDIA (SINUS T)  
{0AC41AF3-7656-A35D-E397-21D35405812A}
28. PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (PST)  
{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}
29. MULTIFOCAL ATRIAL TACHYCARDIA (mat)  
{562C6BBD-C210-4467-93B3-8E50640E7CCE}

- 30. JUNCTIONAL TACHYCARDIA (jt)  
    {D6EF01C1-A8F9-40FD-AE24-785041526041}
- 31. TORSADES DE POINTES (Tor de Poi)  
    {E936B787-7912-4CAE-A465-AD1A1FEA68CA}
- 32. PULSELESS ELECTRICAL ACTIVITY (Pulseless)  
    {8E21E500-78D4-462D-9483-DD81D3887EE5}

UNITS:

---

=====  
TERM: CARDIOVASCULAR: CARDIAC RHYTHM LEAD  
ID: {3F4A283A-6A9F-345A-1BE0-86980228FA6D}

Page: 86

=====  
Abbreviation..... CAR RH LD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Cardiac Rhythm Lead  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

-----  
1. I (I) {BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}  
2. II (II) {F165C13B-397E-4182-8D72-BD1D74CFBA00}  
3. III (III) {D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}  
4. AVR (AVR) {04AF2551-1185-4BA9-AEED-977D562D188A}  
5. AVL (AVL) {9124A193-5F50-448D-9E60-C5869EC4029C}  
6. AVF (AVF) {C8E97206-58AA-47C0-BD2E-7A30E56DB46A}  
7. V1 (V1) {4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}  
8. V2 (V2) {05A3232E-A30D-4771-A1B5-E7705B717646}  
9. V3 (V3) {E150126E-4AA7-4F96-961E-FD1169C77158}  
10. V4 (V4) {255260F9-5CC7-41B1-831C-F9319FA27506}  
11. V5 (V5) {D5C10744-0EB5-46FA-AE6C-CCF571318F8A}  
12. V6 (V6) {B86F72D7-7884-4470-92A8-EF9277C5B584}

UNITS:

-----

Abbreviation..... CV:Cond  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CARDIOVASCULAR: Conditions  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 10. PACEMAKER PRESENT (Pacemaker)  
{CFDD405D-A897-4D75-AB7A-50753AEF2DC9}  
20. INTERNAL CARDIAC DEFIBRILLATOR PRESENT (DefibrPres)  
{9E34E6C9-310B-49F1-8A76-47064920D905}  
30. FAINTING (Fainting) {08BF714A-B109-4DF4-8B21-E87E7A637BD6}  
40. PALPITATIONS (Palpitatio) {6C1E0C05-CEAB-4CE7-BB00-D750F5BF7AC7}  
50. IRREGULAR HEART RATE/RHYTHM (IrrRhythm)  
{5DA85557-81FB-4DF7-B657-891B66B64392}  
60. DYSPNEA (Dyspnea) {832BD195-52F1-450B-9466-C6DEEBF49406}  
70. LEG PAIN (Leg Pain) {24EBEE78-81F7-4391-A153-A32F0A0A9469}  
80. FATIGUE (Fatigue) {B1A6EDDC-6763-490E-B560-87028FD884E2}  
90. CHEST PAIN (ANGINA) (Chest Pain)  
{510CBEB1-FB0F-4FC0-8462-28C9A543C895}  
100. PROLONGED/UNUSUAL BLEEDING (Bleeding)  
{952A1C83-0D39-4E53-AA30-8EBD3656ED47}  
110. BLOOD TRANSFUSION REACTIONS (TransReact)  
{6FF74FA2-458A-4F3A-8C20-0E12F23DD933}  
120. BLOOD CELL DISORDERS (BloodDisor)  
{69379614-22CB-43B2-9F04-4FCAA2B7A8C7}

UNITS:

Abbreviation..... CVDVTPrvnt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CARDIOVASCULAR: DVT Prevention  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

-----  
10. ACE WRAP (Ace Wrap) {F7D2CBD9-3095-4425-907B-23DAC80F8237}  
20. TED HOSE (TED Hose) {FA9A0E26-7DEC-433E-A65C-A7166E8C4AC4}  
30. SCDs (SCDs) {82284FAA-38C3-4DFD-9CE9-12C1E44C04FF}  
40. ENOXAPARIN (Enoxaparin) {D90F0502-4EF4-4BFA-A8E9-1BA716F5805F}  
50. HEPARIN (Heparin) {7191C4B3-8A63-4179-8734-C7DDF6B7A14B}  
60. RIVAROXABAN (Rivaroxaba) {6E8077CE-2BD7-4607-9944-6EF6DBFFA264}  
70. APIXABAN (Apixaban) {690C9278-225B-4437-A666-B7CD8A7D7629}  
80. DABIGATRAN (Dabigatran) {B940DD7D-809C-4651-9FF3-979F2EA8EB9D}  
90. FONDAPARINUX (Fondaparinux) {29A3A3D9-E414-44DB-B508-555C1675703E}  
100. Edoxaban (Edoxaban) {549DA385-3F6C-453D-9C2A-87D3DFFDF2A5}  
110. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

=====  
TERM: CARDIOVASCULAR: EDEMA #1  
ID: {4BAAFACC-25AC-4A53-A634-EC1B947037B8}  
=====

Page: 89

Abbreviation..... Edema #1  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CARDIOVASCULAR: Edema #1  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

10. NON-PITTING (NON-PITTIN) {786DEC76-36DE-FDC7-885C-F84210F7C7D2}  
20. TRACE (Trace) {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}  
30. BRAWNY (CHRONIC DISCOLORED) (Brawny)  
{1EF19911-1556-42D0-BDF7-37858BD40E24}  
40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)  
{88796510-F6C1-4997-B650-BBF9B91BEEA8}  
50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)  
{CA91C96D-0D94-4D9A-A306-22FA476D143F}  
60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)  
{2B874FF9-8DA9-425B-A9F6-166A6E7AF422}  
70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)  
{A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

10. GENERALIZED (GENERALIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}  
20. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}  
30. SCLERA (Sclera) {3E821267-3D78-49B3-972D-65E4478981F7}  
40. FACIAL (Facial) {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}  
50. UPPER ARM (Upper Arm) {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}  
60. FOREARM (Forearm) {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}  
70. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
80. SACRUM (Sacrum) {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}  
90. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}  
100. PENIS (Penis) {2D82CE55-83B6-4160-A754-07C71FD388E8}  
110. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}  
120. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
130. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}  
140. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}  
150. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}  
160. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
170. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

10. ANASARCA (Anasarca) {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}  
20. DEPENDENT (Dependent) {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}  
30. NONDEPENDENT (Nondepend) {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny) {BDCB0902-850F-4497-B3EC-EC8442D90AC8}  
50. TAUT (Taut) {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}  
60. WEEPING (Weeping) {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

---

=====  
TERM: CARDIOVASCULAR: EDEMA #2  
ID: {93D0022F-6EFC-4C0A-9F40-32B687BA5E7D}  
=====

Page: 90

Abbreviation..... Edema #2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CARDIOVASCULAR: Edema #2  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

10. NON-PITTING (NON-PITTIN) {786DEC76-36DE-FDC7-885C-F84210F7C7D2}  
20. TRACE (Trace) {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}  
30. BRAWNY (CHRONIC DISCOLORED) (Brawny)  
{1EF19911-1556-42D0-BDF7-37858BD40E24}  
40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)  
{88796510-F6C1-4997-B650-BBF9B91BEEA8}  
50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)  
{CA91C96D-0D94-4D9A-A306-22FA476D143F}  
60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)  
{2B874FF9-8DA9-425B-A9F6-166A6E7AF422}  
70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)  
{A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

10. GENERALIZED (GENERALIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}  
20. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}  
30. SCLERA (Sclera) {3E821267-3D78-49B3-972D-65E4478981F7}  
40. FACIAL (Facial) {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}  
50. UPPER ARM (Upper Arm) {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}  
60. FOREARM (Forearm) {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}  
70. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
80. SACRUM (Sacrum) {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}  
90. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}  
100. PENIS (Penis) {2D82CE55-83B6-4160-A754-07C71FD388E8}  
110. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}  
120. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
130. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}  
140. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}  
150. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}  
160. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
170. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

10. ANASARCA (Anasarca) {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}  
20. DEPENDENT (Dependent) {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}  
30. NONDEPENDENT (Nondepend) {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny) {BDCB0902-850F-4497-B3EC-EC8442D90AC8}  
50. TAUT (Taut) {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}  
60. WEEPING (Weeping) {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

---

=====  
TERM: CARDIOVASCULAR: EDEMA #3  
ID: {546C4AE9-3E0A-474F-BD81-A132C77734F1}  
=====

Page: 91

Abbreviation..... Edema #3  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CARDIOVASCULAR: Edema #3  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

10. NON-PITTING (NON-PITTIN) {786DEC76-36DE-FDC7-885C-F84210F7C7D2}  
20. TRACE (Trace) {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}  
30. BRAWNY (CHRONIC DISCOLORED) (Brawny)  
{1EF19911-1556-42D0-BDF7-37858BD40E24}  
40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)  
{88796510-F6C1-4997-B650-BBF9B91BEEA8}  
50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)  
{CA91C96D-0D94-4D9A-A306-22FA476D143F}  
60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)  
{2B874FF9-8DA9-425B-A9F6-166A6E7AF422}  
70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)  
{A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

10. GENERALIZED (GENERALIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}  
20. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}  
30. SCLERA (Sclera) {3E821267-3D78-49B3-972D-65E4478981F7}  
40. FACIAL (Facial) {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}  
50. UPPER ARM (Upper Arm) {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}  
60. FOREARM (Forearm) {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}  
70. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
80. SACRUM (Sacrum) {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}  
90. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}  
100. PENIS (Penis) {2D82CE55-83B6-4160-A754-07C71FD388E8}  
110. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}  
120. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
130. THIGH (Thigh) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}  
140. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}  
150. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}  
160. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
170. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

10. ANASARCA (Anasarca) {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}  
20. DEPENDENT (Dependent) {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}  
30. NONDEPENDENT (Nondepend) {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny) {BDCB0902-850F-4497-B3EC-EC8442D90AC8}  
50. TAUT (Taut) {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}  
60. WEEPING (Weeping) {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

---

=====  
TERM: CARDIOVASCULAR: EDEMA #4  
ID: {8BBE9908-BB25-4B15-9129-379946862DED}  
=====

Page: 92

Abbreviation..... Edema #4  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CARDIOVASCULAR: Edema #4  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

10. NON-PITTING (NON-PITTIN) {786DEC76-36DE-FDC7-885C-F84210F7C7D2}  
20. TRACE (Trace) {BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}  
30. BRAWNY (CHRONIC DISCOLORED) (Brawny)  
{1EF19911-1556-42D0-BDF7-37858BD40E24}  
40. PITTING +1 (BARELY DETECTABLE) (Pitting+1)  
{88796510-F6C1-4997-B650-BBF9B91BEEA8}  
50. PITTING +2 (INDENTATION LESS THAN 5mm) (Pitting+2)  
{CA91C96D-0D94-4D9A-A306-22FA476D143F}  
60. PITTING +3 (INDENTATION OF 5-10 mm) (Pitting+3)  
{2B874FF9-8DA9-425B-A9F6-166A6E7AF422}  
70. PITTING +4 (INDENTATION OF MORE THAN 10mm) (Pitting+4)  
{A546A151-397F-4E05-855D-957E565017E6}

LOCATION: 17 entries

10. GENERALIZED (GENERALIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}  
20. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}  
30. SCLERA (Sclera) {3E821267-3D78-49B3-972D-65E4478981F7}  
40. FACIAL (Facial) {7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}  
50. UPPER ARM (Upper Arm) {4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}  
60. FOREARM (Forearm) {1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}  
70. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
80. SACRUM (Sacrum) {A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}  
90. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}  
100. PENIS (Penis) {2D82CE55-83B6-4160-A754-07C71FD388E8}  
110. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}  
120. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
130. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}  
140. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}  
150. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}  
160. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
170. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

QUALITY: 6 entries

10. ANASARCA (Anasarca) {24F43355-DF9A-4BC7-BF1D-1DB2B4612804}  
20. DEPENDENT (Dependent) {4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}  
30. NONDEPENDENT (Nondepend) {B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}

40. SHINY (Shiny) {BDCB0902-850F-4497-B3EC-EC8442D90AC8}  
50. TAUT (Taut) {8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}  
60. WEEPING (Weeping) {83BD0C57-9011-4B7B-A03F-C56E25C461AD}

UNITS:

---

=====  
TERM: CARDIOVASCULAR: EDEMA AMOUNT  
ID: {64C54E39-9541-4FD2-8F3F-A32053F6889F}  
=====

Page: 93

Abbreviation..... EDEMA AMOU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Edema Amount  
Display Name..... CARDIOVASCULAR: Edema Amount  
Help Text..... 0=Absent, +1=Slight (0-2 mm),  
+2=Moderate (3-5 mm), +3=Marked (6-8  
mm), +4=Very Marked (more than 8 mm)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 1. 0 = ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}  
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}  
3. +2 = MODERATE (+2 = MODER)  
{CCF23A60-068C-443F-AFD0-2D56EEE0446C}  
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}  
5. +4 = VERY MARKED (+4 = VY MA)  
{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

UNITS:

-----

Abbreviation..... EDEMA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Observation Of Patients Edema  
Display Name..... CARDIOVASCULAR: Edema Severity  
Help Text..... 0=Absent, +1=Slight (0-2 mm),  
+2=Moderate (3-5 mm), +3=Marked (6-8  
mm), +4=Very Marked (more than 8 mm)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

1. 0 = ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}  
2. +1 = SLIGHT (+1 SLIGHT) {7C0245BA-B261-4B68-A84C-D737CA634230}  
3. +2 = MODERATE (+2 = MODER) {CCF23A60-068C-443F-AFD0-2D56EEE0446C}  
4. +3 = MARKED (+3 = MARKE) {41ACC586-0C68-4780-8B2D-F36B21FCEDB2}  
5. +4 = VERY MARKED (+4 = VY MA) {55EF9D42-B4F8-4468-BA1B-98BCD4075E58}

LOCATION: 28 entries

1. GENERALIZED (GENERALIZED) {17073C6C-8691-CADC-2238-CBAA0A5C648}  
2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}  
4. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}  
5. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}  
6. BOTH HANDS (BOTH HANDS) {63AA2685-CB1D-4680-B2F4-2199A22D1EC6}  
7. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}  
8. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}  
9. LEFT NECK (L NECK) {40522B5F-F23E-EADB-AE64-8EDE3B9E1155}  
10. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}  
11. BILATERAL NECK (BILAT NECK) {744BF4A2-C55E-4D55-8711-58700DD1C446}  
12. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}  
13. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}  
14. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}  
15. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
16. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
17. FEET (FEET) {944CAA0E-5165-A6AF-BE3D-85455440BF40}  
18. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}  
19. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}  
20. KNEES (KNEES) {247D6621-3A85-F1F7-59BF-1FB0361B3C21}  
21. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}  
22. PERIORBITAL (PERIORBITA) {DBAC362B-6278-EDB4-7E28-3180321A38B2}  
23. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}  
24. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}  
25. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
26. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
27. INCISIONAL SITE (INCISON SI) {EB36A66D-751D-4031-9F68-0BB03E267321}  
28. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

-----

=====  
TERM: CARDIOVASCULAR: HEART SOUNDS  
ID: {476105AC-C83C-ECEC-6C72-7C7C8EE87853}  
=====

Page: 95

Abbreviation..... CARD HS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Heart Sounds  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. S1 (s) {1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}
  - 2. S2 (s) {57C043D3-B227-3E7A-C1E6-5129A2800718}
  - 3. S3 (s) {9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}
  - 4. S4 (s) {9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}
  - 5. RUB (r) {0040835D-1CF0-7D55-EEBB-A94A1E0D1206}
  - 6. CLICK (c) {F1F3A1A8-35E1-61B4-C783-3314C8247380}
  - 7. MURMUR (MURMUR) {591058E0-4B71-E432-B7D7-EBD42A8C4225}
  - 8. DISTANT (Distant) {0E033768-83F4-4A05-AEEA-7D385E3A5755}

UNITS:

---

=====  
TERM: CARDIOVASCULAR: JVD  
ID: {2FF2B6D8-CC17-469F-A745-106CD5FD0635}  
=====

Page: 96

Abbreviation..... CV:JVD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CARDIOVASCULAR: JVD  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. NORMAL/FLAT WITH HOB 30 DEGREES (Norm/Flat)  
{10D84BAD-5AA2-425C-99AA-CC90F8C27DB2}  
20. DISTENDED WITH HOB 30 DEGREES (Distended)  
{10ADE2D9-8CF0-4870-A4A6-1BF93CC6CC8F}  
30. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

=====  
TERM: CARDIOVASCULAR: PA CATHETER REPOSITIONED/DISCONTINUED REASON Page: 97  
ID: {959199C6-C6DE-4F32-9303-F06CD0C80A28}  
=====

Abbreviation..... PA CATH RE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Repositioned/Discontinued  
Reason  
Display Name..... CARDIOVASCULAR: PA Catheter  
Repositioned/Discontinued Reason  
Help Text..... PA Catheter Repositioned/Discontinued  
Reason  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

1. VENTRICULAR WHIP PRESENT (VENT WHIP)  
{15CB9645-690D-446B-A380-F14CEEC9C6AA}
2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
3. WEDGED (WEDGED) {03D7F6FD-399D-4A6B-9900-59655D76EE95}
4. UNABLE TO WEDGE (UNABLE WED)  
{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}
5. WAVEFORM REFLECTS ATRIAL PLACEMENT (WAVE ATRIA)  
(A1249745-41C2-4A4F-A86D-7E5E17477B06}
6. BY PROVIDER ORDER (BY ORDER)  
{C038BC16-44CF-4933-BECC-B0F1A1B12603}
7. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

=====

TERM: CARDIOVASCULAR: PACEMAKER ATRIAL mA  
ID: {2551E3D7-CD46-909E-1D79-082B92AEDF7A}

=====

Page: 98

Abbreviation..... PAmA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Atrial mA  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIAMPS            -0.01 > 0.00 \* 24.00 < 48.00  
                      Dec Prec: 2

=====

TERM: CARDIOVASCULAR: PACEMAKER AV INTERVAL  
ID: {118070EB-2F23-9C3D-68D1-B57D423449E1}

=====

Page: 99

Abbreviation.....PAVI  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....Numeric  
Description.....No Description  
Display Name.....CARDIOVASCULAR: Pacemaker AV Interval  
Help Text.....No Help Text  
Multi Select Picklist.....  
Term Type.....OBSERVATION  
Vuid.....

UNITS:

SECOND            0.01 > 0.12 \* 0.20 < 0.50 Dec Prec: 2

=====  
TERM: CARDIOVASCULAR: PACEMAKER CAPTURE  
ID: {4D93B7C5-5302-085D-DFC5-EBEED03A6B31}  
=====

Page: 100

Abbreviation..... PMC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Capture  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
3. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

UNITS:

Abbreviation..... PMM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Mode  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 19 entries

1. AOO (AOO)	{86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}
2. AAO (AAO)	{E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}
3. AAI (AAI)	{2DD18ACA-B98E-24D3-E760-6D082A76074B}
4. AAIR (AAIR)	{3B4B6F37-B631-BE32-F1C1-65B99D0C5018}
5. AVO (AVO)	{02EA752A-D156-96E6-3D28-3D389FFC7B58}
6. AVI (AVI)	{8BB49456-FB80-4916-6EBE-06837BF12B0C}
7. VVI (VVI)	{2C87F8F3-2B99-80E7-04EB-E6FE88168627}
8. VDD (VDD)	{E733E525-EF36-2F93-AECC-BAD1C3E2C633}
9. DVI (DVI)	{4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}
10. DOO (DOO)	{749BCE3D-FF09-B796-FF2A-ECD2D116C96F}
11. DDI (DDI)	{0C1E359F-B1F4-7994-D337-37622CB14BC8}
12. DDD (DDD)	{7AA7152E-48F0-8550-AD0D-9F298E90B765}
13. DDDR (DDDR)	{A3CC0D9D-D329-1A52-2DD1-911A1E04B871}
14. VVIR (VVIR)	{694CE17D-28D1-4066-920F-7AB40FBED800}
15. DDIR (DDIR)	{DF2197EC-CFA8-426D-9CEB-79EFF0A41E36}
16. VOO (VOO)	{23B3C0A9-4B3D-48AF-90AF-AD6A70E70E45}
17. BIVENTRICULAR (Biventricular)	{6CF31D1A-5355-4E24-ACB1-8CC77089C528}
18. MODE SWITCHING (ModeSwitch)	{7DA04B3C-C6F8-408D-B41F-DEACA5F1B5C0}
19. RATE ADAPTIVE (RateAdapt)	{448A668D-9036-4D22-9921-8172C996FBFE}

UNITS:

=====  
TERM: CARDIOVASCULAR: PACEMAKER ON  
ID: {A7D28B32-845F-0E16-FDAF-F654FA6EE8A4}  
=====

Page: 102

Abbreviation..... PMO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEAA649CD}

LOCATION: 8 entries

- 
- 1. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  - 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  - 3. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
  - 4. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
  - 5. L INTERNAL JUGULAR (L INT JUG)  
(AFBB4FE5-8A11-2047-7900-DAD2FC4430D)
  - 6. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}
  - 7. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
  - 8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

---

=====  
TERM: CARDIOVASCULAR: PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS Page: 103  
ID: {FCA825C5-12A2-132D-8842-23D56ED6660B}  
=====

Abbreviation..... PMR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Rate - Do  
Not Check Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
BEATS PER MINUTE      0 > 45 \* 100 < 200      Dec Prec: 0

=====

TERM: CARDIOVASCULAR: PACEMAKER SENSITIVITY ATRIAL  
ID: {6CBB234D-694E-CB88-3844-6B9E9E262320}

=====

Page: 104

Abbreviation..... PSA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Sensitivity  
Atrial  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIVOLTS            0.01 > 0.05 \* 2.00 < 6.00 Dec Prec: 2

=====

TERM: CARDIOVASCULAR: PACEMAKER SENSITIVITY VENTRICULAR  
ID: {305A8823-01D3-F3FE-D66E-3CACE736CD30}

=====

Page: 105

Abbreviation..... PSV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Sensitivity  
Ventricular  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIVOLTS            0.01 > 0.05 \* 2.00 < 6.00 Dec Prec: 2

=====

TERM: CARDIOVASCULAR: PACEMAKER SENSE  
ID: {7F716D0A-ACA4-7E33-62D7-988BA22F0D7F}

=====

Page: 106

Abbreviation..... PMS  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Sense  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

Abbreviation..... PACEM TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

1. TRANSCUTANEOUS (t) {F4315F92-8804-1CB4-4D03-CCFDC95C6E71}
2. PERMANENT (p) {A31FF319-F8C3-7AAC-D7FC-765C89732D09}
3. TEMPORARY (TRANSVENOUS) (tt)  
{F6A74188-3D79-D749-540F-4EA32201B0E6}
4. EPICARDIAL LEADS (el) {2B551575-3D50-96BD-7BAA-50CC9796361E}
5. ATRIAL (a) {266D2FDA-5D6A-203D-6FF0-8282D49BFD67}
6. VENTRICULAR (v) {307A4572-3CF0-7875-7313-7FD4AB23F8E7}
9. INTERNAL CARDIO-DEFIBRILLATOR (ICD) (IntDefib)  
{AAFB7429-C8BF-4DF2-9889-6D16A497B90E}
10. PACEMAKER/ICD (Pace/ICD) {2467DE47-8CA7-491A-9F8B-8CC3357493A5}

LOCATION: 8 entries

1. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
2. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
5. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}
6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
7. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====  
TERM: CARDIOVASCULAR: PACEMAKER UNIT ID  
ID: {CDA2992F-349C-9904-45E3-20D01DC87917}  
=====

Page: 108

Abbreviation..... PUID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Unit ID  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: CARDIOVASCULAR: PACEMAKER VENTRICULAR mA  
ID: {D64D8FED-93B8-FABD-5361-96CD28F99472}

=====

Page: 109

Abbreviation..... PVmA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Ventricular  
mA  
Help Text..... Pacemaker Ventricular mA  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIAMPS            -0.01 > 0.00 \* 24.00 < 48.00  
                      Dec Prec: 2

Abbreviation..... PMWI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... CARDIOVASCULAR: Pacemaker Wires  
Help Text..... Pacemaker Wires  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
1. 1A +1V (1+) {31711946-9F1B-0AD9-BDBE-846EDBC86AE2}  
2. 1A +2V (1+2) {FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}  
3. 2A (2) {C75BDC9F-C756-9051-CAA3-A27DDD94B35E}  
4. 2V (2) {D24B5FA4-1DA6-36DE-49DB-627A9B82E968}  
5. 2A + 1V (2+1) {1849AA0D-1572-55E0-A780-ACE602E2C72D}  
6. 2A + 2V (2+2) {17203251-68E8-A00A-CF54-E2CC55B8EEDD}  
7. 1A + 3V (1+3) {CEDF220D-E593-B8F9-DB08-D32800AF3F5E}

UNITS:

-----

Abbreviation..... PULSE STR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Quality of pulse  
Display Name..... CARDIOVASCULAR: Pulse Strength  
Help Text..... Select one of the measurements for  
pulse quality  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----  
10. 4+ - BOUNDING, SOMETIMES VISIBLE (4+) {949B749E-E0D9-4C99-9091-EE950AFAEA51}  
20. 3+ - STRONG, EASILY PALPABLE (3+) {724597F3-9347-4FCB-B3B0-AB57A0ACEAC8}  
30. 2+ - NORMAL, PALPABLE (2+) {0EA80599-EE42-498F-BEF6-35CBD1BB003F}  
40. 1+ - WEAK, BARELY PALPABLE (1+) {BBE0CCB0-2E46-4EF7-96C8-2E4A54181CB5}  
50. 0 - ABSENT (0) {A40D0A56-825E-4A12-B0CF-1D4B10351426}  
60. D - DOPPLER AUDIBLE ONLY (DoppOnly) {D106DE72-0D2E-48B9-A4F5-51FA6BBDF2FB}  
70. AMPUTEE (AMPUTEE) {5804286F-2B23-91BD-FCB5-6AD18C918203}  
80. UNABLE TO ASSESS (ENTER COMMENT) (Unable) {3B071C2E-4E07-4423-8FC3-EEBE9607CEE7}

LOCATION: 6 entries

-----  
10. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}  
20. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}  
30. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}  
40. POPLITEAL (Pop) {77030DF2-CE06-D9E2-0684-EE70209CBE73}  
50. DORSALIS PEDIS (DP) {9657D743-1632-2044-B4C5-9EF291A2F6D0}  
60. POSTERIOR TIBIAL (PT) {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

Abbreviation..... CAUTI: Alt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI Prevention: Alternatives  
                      Attempted Prior to Cath  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:                          4 entries

-----  
10. BLADDER SCAN (Blad Scan)  
      {6C66BC97-1042-4E53-A49F-69AB7ABEE551}  
20. EXTERNAL CONDOM CATH (Ex Con Cat)  
      {747E493A-C535-44EA-AD6D-27CE3E8E8CAC}  
30. BEDSIDE COMMODE (Bedside Cm)  
      {E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}  
40. TOILETING BY SCHEDULE (Toilet Sch)  
      {D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}

UNITS:

Abbreviation..... CAUTI: Cat  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI Prevention: Catheter in place  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 10. FROM OPERATING ROOM (From Op Rm) {2B26BD84-3D4D-4931-99C7-8204E9D49827}  
20. FROM EMERGENCY DEPARTMENT (Fr Emergen) {9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}  
30. FROM INTERVENTIONAL RADIOLOGY (Fr Int Rad) {617DA086-B121-4E2F-8B02-41133EEDD50D}  
40. FROM ANOTHER VA FACILITY (Fr Oth VA) {66AF9A88-6404-4E05-9640-4FB0C6513BAF}  
50. FROM A NON-VA OUTSIDE FACILITY (Fr Non-VA) {8090F49E-5056-4F7C-932C-538581996F8F}  
60. FROM ANOTHER UNIT (Fr An Unit) {D94B5252-7E8A-48EB-A481-0B18C68CAEF7}  
70. FROM MICU (From MICU) {971D83AE-B75C-420B-B23D-844397CEE968}  
80. FROM SICU (From SICU) {892002CC-E07A-49A5-B909-1F88665B3D65}  
90. FROM CLC (From CLC) {8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}  
100. FROM HOME (From Home) {2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}

UNITS:

-----

=====

TERM: CAUTI PREVENTION: GU CATHETER DISCONTINUED  
ID: {E4E49EAC-51FA-4355-858E-4B638F5F5534}

=====

Page: 114

Abbreviation..... GU Cat Dis  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... CAUTI Prevention: GU Catheter  
Discontinued  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: CAUTI PREVENTION: INDICATIONS  
ID: {66447A9A-D54B-4323-9A17-EBCD2BF0F38E}  
=====

Page: 115

Abbreviation..... CAUTI: In  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI Prevention: Indications  
Help Text..... Select reason for continuation of  
indwelling foley catheter  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
10. COMFORT CARE (Comfort Ca) {51669E41-DF78-4E49-BA5F-DE6F1B5F1148}  
20. NEUROGENIC BLADDER (Neuro Blad)  
{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}  
30. STAGE 3 OR 4 PRESSURE ULCER (Press Ulce)  
{883029EF-BB3A-4146-95DD-3C6F1C0D097D}  
40. SELECTED SURGERY (Sel Surg)  
{6DBC6356-0F00-4001-AF94-20A479995A6C}  
50. UNABLE TO VOID (Un to Void)  
{1F2A844D-4E14-4759-B8F7-82B58E157720}  
60. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}  
70. STRICT I&O (Strict I&O) {546545FA-2143-48CB-8B63-E960CCF1E8BA}

UNITS:

-----

Abbreviation..... CAUTI: Req  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI Prevention: Insertion Requirements  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 10. HAND HYGIENE BEFORE AND AFTER (Hand Hyg)  
{6005023D-3C02-4C93-99E8-2A8167574E93}  
20. STERILE GLOVES-DRAPES USED (Ster Glove)  
{F26BBB1B-1483-40CD-AC47-828F71B9187C}  
30. ASEPTIC TECHNIQUE FOLLOWED (Aseptic)  
{2DE69DDB-F455-4570-A821-C81F39FD2574}  
40. SINGLE USE LUBRICANT PACKET (Single Use)  
{7F748EDB-77D4-42D2-BE75-54F73598D4B0}  
50. CATH SECURED WITH DRAIN BAG BELOW PTS BLADDER LEVEL (Cath Secur)  
{A2D2ABF1-88D4-46A2-B935-33211292FF25}  
60. DRAINAGE FLOW IS UNOBSTRUCTED (Unobstruct)  
{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}  
70. CATH SIZE DOCUMENTED (Cath Size)  
{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}  
80. CATHETERIZATION TIME DOCUMENTED (Cath Time)  
{4EF58FCA-A5E1-454C-B435-5BFB487618F4}  
90. PROVIDED PATIENT EDUCATION (Pat Ed)  
{25D0998B-3600-40C9-8608-9A0D91CCBEE0}

UNITS:

-----

Abbreviation..... Cauti-Mnt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... CAUTI Prevention: Maintenance  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

10. DAILY ASSESSMENT OF NEED (Dly Assess)  
{3A47013F-0027-4D8F-8142-6DBD57787D6C}  
20. PROVIDER CONSULTED (Prv Cnsult)  
{3D84493F-4B21-462B-AE5C-83FA565D6255}  
30. CLOSED DRAINAGE SYSTEM (Closed Drn)  
{98A38592-89A5-4ADE-B81C-1FEA9D2CAC0D}  
40. SECURED SO DRAINAGE BAG IS BELOW PT'S BLADDER AND FLOW UNOBSTRUCTED (Secure Bag)  
{AFBC925B-79E1-4C29-81B0-EE057066671B}  
50. DAILY HYGIENE (Dly Hyg) {12D42549-58A5-4079-A226-99928B93A306}  
60. PATIENT EDUCATION PROVIDED (Pat Ed)  
{5E658583-22B0-46AF-BF65-318A2070047A}  
70. INSTRUCTED ON SELF-CARE INCLUDING HAND AND CATH HYGIENE (Self-Care)  
{C52DF898-9A84-4885-AC67-49673ECFA756}

UNITS:

=====

TERM: CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY  
Page: 118  
ID: {130B6426-2DE1-4FBE-ADDD-AA8C66F24A37}

=====

Abbreviation..... Caution  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Caution-Vitals may not display in  
                  correct sequence. Review times  
                  carefully  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: CENTRAL LINE ALARMS ON  
ID: {152A037A-A6CC-4F12-8B85-25CEE78772C4}  
=====

Page: 119

Abbreviation..... C-LINE ALA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Central Line Alarms On  
Display Name..... Central Line Alarms On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: CENTRAL LINE CHANGED  
ID: {8FA1B26D-CADB-4769-3574-18A6BD86C400}  
=====

Page: 120

Abbreviation..... C LINE CHA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Changed  
Help Text..... Central Line changed to  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}  
2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}  
3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)  
{20BC183A-197F-4464-A27C-47F63C5B842A}  
4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)  
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

-----

=====  
TERM: CENTRAL LINE DRESSING CHANGE  
ID: {DDEA3089-9246-40F3-9A67-56A05B393309}  
=====

Page: 121

Abbreviation..... C LI DR CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Central Line Dressing Change  
Display Name..... Central Line Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
4 entries

1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}
2. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}
3. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
4. REINFORCED (REINFORCED) {EC524C50-0CDE-4AA1-8059-E4323850575E}

UNITS: -----

=====  
TERM: CENTRAL LINE DRESSING TYPE  
ID: {AF276338-5F2C-1CEF-F009-AC4BAED0DDE3}  
=====

Page: 122

Abbreviation..... C LINE DRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Dressing Type  
Help Text..... Type of dressing on central line  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 1. ANTI-MICROBIAL DRESSING (AB DRESSIN)  
{9734C5E9-D099-47EB-93B1-D82201F64331}
- 2. PRESSURE DRESSING (PRESS DRES)  
{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}
- 3. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
- 4. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}
- 5. SECUREMENT DEVICE (SecureDev)  
(C53D9B3B-6247-4A1A-B29A-4429C7174966}
- 6. OTHER (ENTER COMMENT) (Other)  
{7BBBF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: CENTRAL LINE INSERTION MARK  
ID: {FAF85282-EB13-405A-B78E-36767EE4C33B}  
=====

Page: 123

Abbreviation..... C LINE INS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Central Line Insertion Mark  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER      0.00 > 0.00 \* 250.00 < 250.01  
Dec Prec: 2

=====  
TERM: CENTRAL LINE SITE CARE  
ID: {4620B5B3-22F7-45DA-A52E-6D3EAE1C4202}  
=====

Page: 124

Abbreviation..... C-LINE CAR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Central Line Site Care  
Display Name..... Central Line Site Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: CENTRAL LINE SITE CONDITION  
ID: {7996453B-0F7C-B4E8-2007-6C26AE26C479}  
=====

Page: 125

Abbreviation..... C LINE CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Site Condition  
Help Text..... Condition of central line  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
7 entries

2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}  
50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}  
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS: -----

=====  
TERM: CENTRAL LINE SIZE FRENCH  
ID: {234D330A-C51B-4D56-8631-9418BB081E96}  
=====

Page: 126

Abbreviation..... CLINE FREN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Central Line Size (French)  
Display Name..... Central Line Size (French)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

FRENCH            0.0 > 0.0 \* 50.0 < 50.1    Dec Prec: 1

=====  
TERM: CENTRAL LINE SIZE GAUGE  
ID: {870FAA87-69C9-4E00-97A8-CD5CC79B41D6}  
=====

Page: 127

Abbreviation..... C-LINE GAU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Central Line Size (Gauge)  
Display Name..... Central Line Size (Gauge)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

GAUGE            0.0 > 0.0 \* 40.0 < 40.1    Dec Prec: 1

=====  
TERM: CENTRAL LINE TYPE  
ID: {E038D201-2840-B759-4D91-44A093768F8B}  
=====

Page: 128

Abbreviation..... C LINE TYP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Type  
Help Text..... Type of central line  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

1. SINGLE (SINGLE) {8D305E0F-9035-E396-E768-40D7E6455BE4}
2. DOUBLE (DOUBLE) {A486852F-150B-24E3-8EB3-8CAABB3D0520}
3. TRIPLE (TRIPLE) {077BE8CF-F2AB-56E1-1F25-51DF80F8054D}
4. INTRODUCER (INTRODUCER) {B46F7CA4-C94E-68FD-2892-52866763B5A0}
5. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}
6. DIALYSIS LINE (DIALYSIS) {D218E23C-5A34-09B0-DE43-DC792DCD0F1C}
7. QUAD (Quad) {E4D9401C-0A33-4420-87B7-660BF259E6AB}
8. MIDLINE (Midline) {3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}
9. MEDIPORT (Mediport) {E223C221-A1ED-4FC0-969F-16E33E3A0897}
10. POWERPORT (Powerport) {A8201E8F-849A-4C37-A5C5-6A97813E14E4}
11. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

LOCATION: 16 entries

1. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}
5. L EXTERNAL JUGULAR (L EXT JUGU)  
{6F7B331B-4F83-0B79-1755-F6F673D647D6}
6. R EXTERNAL JUGULAR (R EXT JUGU)  
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}
7. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
11. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}
12. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

=====  
TERM: CENTRAL LINE WAVEFORM  
ID: {4F847833-9A36-4EAE-BC73-B7AB069D39E4}  
=====

Page: 129

Abbreviation..... C-LINE WAV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Central Line Waveform  
Display Name..... Central Line Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}  
3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}  
4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}  
5. NOT MONITORED (NOT MONITO)  
{0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS:

=====  
TERM: CENTRAL LINE ZEROED  
ID: {7868021A-72D4-451F-A2E3-E3106DEC52B4}  
=====

Page: 130

Abbreviation..... C-LINE ZER  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Central Line Zeroed  
Display Name..... Central Line Zeroed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: CENTRAL VENOUS PRESSURE  
ID: {D30F98A7-4C5D-12E8-AB4D-9C85A4332EC3}  
=====

Page: 131

Abbreviation..... CVP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Central Venous Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688719

LOCATION: 8 entries

1. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
2. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}
4. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}
5. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}
6. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
7. L BRACHIAL (L BRACH) {75F6CE33-1AB3-A1DA-70B8-04825290B577}
8. R BRACHIAL (R BRACH) {A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}

METHOD: 2 entries

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}
2. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}

UNITS:

MILLIMETERS OF MERCURY 0 > 2 \* 6 < 19 Dec Prec: 0

=====  
TERM: CEREBRAL PERFUSION PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS Page: 132  
ID: {166BD1C4-D983-464A-9A6E-B3A7AC7885EB}  
=====

Abbreviation..... CPP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cerebral Perfusion Pressure  
Display Name..... CPP - Do Not Check Total or Subtotals  
Help Text..... Cerebral Perfusion Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 50 \* 150 < 300 Dec Prec: 0

=====  
TERM: CHEST EXPANSION  
ID: {BAF272C6-1F0A-40E1-918B-3BABC5F22407}  
=====

Page: 133

Abbreviation..... CHEST EXPA  
Active..... Yes  
Boolean Value False..... Asymmetrical  
Boolean Value True..... Symmetrical  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Chest Expansion  
Help Text..... Symetrical or Asymetrical Chest  
Expansion  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: CHEST PAIN  
ID: {57AE16AF-8EC2-5800-131F-0AF254C3FA76}  
=====

Page: 134

Abbreviation..... CHEST PN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... EVALUATION OF PATIENTS CHEST DISCOMFORT  
Display Name..... Chest Pain  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
3. 2 (2)	{38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
6. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
9. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
11. 10 (10)	{0C827160-18DB-816F-7FAA-A3C175C6D33B}

LOCATION: 3 entries

1. L CHEST (L CHEST)	{E332E497-FE0C-47CB-A0A7-217FBF52DC97}
2. R CHEST (R CHEST)	{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
3. MID-STERNAL (MID-STERN)	{3F5168F1-9082-4FB2-A364-3CDE33B1214B}

UNITS:

=====  
TERM: CHEST TUBE DRAINAGE CHARACTERISTICS  
ID: {03144029-2E4A-0794-86A5-DD105F707664}  
=====

Page: 135

Abbreviation..... DRAIN CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... DESCRIPTION OF PATIENT'S DRAINAGE  
Display Name..... Chest Tube Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
2. SEROSANGUINOUS (SEROSANGUI) {19A8D332-899D-177A-2247-ABCDAEE3BFA8}
3. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
4. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}

UNITS: .....

=====  
TERM: CHEST TUBE DRAINAGE SUCTION TYPE  
ID: {9F88C02A-4CC7-4A51-927C-4931FAEFE7DC}  
=====

Page: 136

Abbreviation..... CH TU SU T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Chest Tube Drainage Suction Type  
Display Name..... Chest Tube Drainage Suction Type  
Help Text..... Type of Chest Tube Suction  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. WATERSEAL (WATERSEAL) {6D91B99D-F199-09ED-78BE-B54F2CAC4E06}
  - 3. CONTINUOUS SUCTION (CONT SUCTI)  
{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}
  - 4. HEIMLICH VALVE (Heim Valve)  
{8140240C-8068-4BF2-BE26-4E2C2BE041A7}

LOCATION: 12 entries

- 
- 1. L UPPER ANTERIOR CHEST (L U A CHES)  
{FE63B58A-DE39-4C03-AE61-E34A5487C767}
  - 2. R UPPER ANTERIOR CHEST (R U A CHES)  
{67890049-A4A8-4241-BDF3-573729BD6EB5}
  - 3. L MIDDLE ANTERIOR CHEST (L M A CHES)  
{36A83F77-117E-474B-AE34-0B2C02E131AE}
  - 4. R MIDDLE ANTERIOR CHEST (R M A CHES)  
{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}
  - 5. L LOWER ANTERIOR CHEST (L L A CHES)  
{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}
  - 6. R LOWER ANTERIOR CHEST (R L A CHES)  
{96BCF731-B661-4455-B5E7-C4AE2509505F}
  - 7. L UPPER POSTERIOR CHEST (L U P CHES)  
{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}
  - 8. R UPPER POSTERIOR CHEST (R U P CHES)  
{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}
  - 9. L MIDDLE POSTERIOR CHEST (L M P CHES)  
{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}
  - 10. R MIDDLE POSTERIOR CHEST (R M P CHES)  
{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}
  - 11. L LOWER POSTERIOR CHEST (L L P CHES)  
{2C19F10B-7546-4A1F-A5DC-3867359ED971}
  - 12. R LOWER POSTERIOR CHEST (R L P CHES)  
{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}

UNITS:

---

TERM: CHEST TUBE DRAINAGE SYSTEM REPLACED  
ID: {5A32F0FC-D81E-435D-A2C9-26EDEF2DF7BB}

Page: 137

Abbreviation..... CH TU S RE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Chest Tube Drainage System Replaced  
Help Text..... Chest Tube Drainage System Changed  
Replaced  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Void

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEAA649CD}

**UNITS:**

=====  
TERM: CHEST TUBE DRESSING CHANGE  
ID: {8DE63ADE-D3AC-49EE-BB24-ED44AB9971F5}  
=====

Page: 138

Abbreviation..... CH T DR CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Chest Tube Dressing Change  
Display Name..... Chest Tube Dressing Change  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: CHEST TUBE SITE ASSESSMENT  
ID: {BA53D6FB-9BE9-18F4-ED0A-28AB94CEB115}  
=====

Page: 139

Abbreviation..... CH TU ASSE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Chest Tube Site Assessment  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. AIR LEAK (AIR LEAK) {52E40E25-6D28-53EC-BC05-D1FEAA4616EF}
3. FLUCTUATES (Fluctuates) {C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}
4. CREPITUS (CREPITUS) {56A97506-05F0-4F37-8FD9-3AA82191408A}
5. SQ EMPHYSEMA (SQ EMPHYS.) {B8D03538-0168-4CDC-FF41-BA1185EBCC87}

UNITS:

=====  
TERM: CHEST TUBE SUCTION (CM H20)  
ID: {BD9724EC-B5BB-4F95-8C24-B0A1451C33A6}

=====

Page: 140

Abbreviation..... CHST TU SU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Chest Tube Suction (cm H20)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETERS H2O      -1 > 0 \* 30 < 31      Dec Prec: 0

=====  
TERM: CHIEF CONCERN/COMPLAINT  
ID: {2A6683ED-9258-4CE9-8793-2FD0B2A56E6F}  
=====

Page: 141

Abbreviation..... Chief Com  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Chief Concern/Complaint  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: CIRCUMFERENCE/GIRTH  
ID: {92A124D4-B75F-9FD9-1A51-605887BCEA79}  
=====

Page: 142

Abbreviation..... CG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... circumference  
Display Name..... Circumference/Girth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688720

LOCATION: 11 entries

1. ABDOMINAL (Abd) {AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}  
2. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
3. CALF (Clf) {7923E496-90D6-B6D5-726A-A5B8DF3436CF}  
4. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}  
5. HIP (Hip) {D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}  
6. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}  
7. LOWER ARM (LrA) {D7627720-D6B0-AC00-8FA3-F7B569ED06FC}  
8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}  
9. THIGH (THIGH) {2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}  
10. UPPER ARM (UpA) {B43A2B31-1F35-3F4D-5D23-882541ABE477}  
11. WRIST (Wri) {C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}

POSITION: 2 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}

UNITS:

INCH 0.00 > 0.00 \* 999.99 < 999.99  
Dec Prec: 2  
CENTIMETER 0.00 > 0.00 \* 999.99 < 999.99  
Dec Prec: 2

=====  
TERM: CIWA: AGITATION  
ID: {D80F9E66-A047-400F-A7B1-D701BF019D2A}  
=====

Page: 143

Abbreviation..... CIWA AG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Agitation  
Help Text..... CIWA Agitation Observation  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. 0 - NORMAL ACTIVITY (CIWA AG 0)  
{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}
2. 1- SOMEWHAT MORE THAN NORMAL ACTIVITY (CIWA AG 1)  
{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}
3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 - MODERATELY FIDGETY AND RESTLESS (CIWA AG 4)  
{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}
6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (CIWA AG 7)  
{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}

UNITS: .....  
=====

=====  
TERM: CIWA: ANXIETY  
ID: {9552124C-8650-406F-86FA-AB31D04AC8EF}  
=====

Page: 144

Abbreviation..... CIWA AX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Anxiety  
Help Text..... Ask "Do You Feel Nervous?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. 0 - NO ANXIETY AT EASE (CIWA AX 0)  
{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}
2. 1 - MILDLY ANXIOUS (CIWA AX 1)  
{401113EE-5CE7-4AE9-80C1-1C3252E706D0}
3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 - MODERATELY ANXIOUS (CIWA AX 4)  
{9A01FEFD-844C-4FAB-BEC3-96333495FA62}
6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 - ACUTE PANIC (CIWA AX 7)  
{3F5E6786-FD67-405F-A535-EC1609910F14}

UNITS: .....  
=====

TERM: CIWA: AUDITORY DISTURBANCES  
ID: {E6AA330B-96F9-4189-AE97-B93A921055A8}

Page: 145

Abbreviation..... CIWA AU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Auditory Disturbances  
Help Text..... Ask " Are You More Aware Of Sounds  
Around You? Are They Harsh? Do They  
Frighten You? Are You Hearing Things  
You Know Are Not There?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 1. 0 = ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
  - 2. 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 1)  
{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}
  - 3. 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 2)  
{71204969-E614-46A4-ADA5-39FAF81A79B5}
  - 4. 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (CIWA AU 3)  
{77F59277-6CE4-4323-8531-3CA26E13C9C4}
  - 5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)  
{13FCDA97-A967-4993-AED5-13EBA61F3102}
  - 6. 5 - SEVERE HALLUCINATIONS (CIWA 5)  
{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}
  - 7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)  
{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}
  - 8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)  
{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

**UNITS:**

=====  
TERM: CIWA: HEADACHE FULLNESS IN HEAD  
ID: {BAA1C221-5540-4A46-96AA-32C7BA53317B}

Page: 146

=====  
Abbreviation..... CIWA HA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Headache, Fullness In Head  
Help Text..... Ask "Does your head feel different?  
Does it feel like there is a band  
around your head? Do not rate for  
dizziness or lightheadedness."  
Otherwise, rate severity.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 1. 0 = ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}  
2. 1 - VERY MILD (CIWA HA 1) {F789C1EA-CC7A-4368-87BA-08AFFE492EE6}  
3. 2 - MILD (CIWA HA 2) {6B752397-0A4F-4176-90E7-E220DB2BF1C4}  
4. 3 - MODERATE (CIWA HA 3) {F26EB828-6864-4384-9EBB-35A6CDCACC59}  
5. 4 - MODERATELY SEVERE (CIWA HA 4)  
(83B3DE0F-3BA4-4B0A-A222-F372BD403094}  
6. 5 - SEVERE (CIWA HA 5) {7BD7B91F-DF6F-47B9-BAA6-3EF249340578}  
7. 6 - VERY SEVERE (CIWA HA 6)  
(241C1EF4-2E2A-4D65-9991-607BB6B29E01}  
8. 7 - EXTREMELY SEVERE (CIWA HA 7)  
(F8DCC910-D36D-480E-867E-B45221170C49}

UNITS:

-----

Abbreviation..... CIWA NV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nausea / Vomiting  
Help Text..... Ask "Do you feel sick to your  
stomach? Have you vomited?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

1. 0 - NO NAUSEA/VOMITING (CIWA NV 0)  
{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}  
2. 1 - MILD NAUSEA / NO VOMITING (CIWA NV 1)  
{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}  
3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}  
4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}  
5. 4 - INTERMITTENT NAUSEA WITH DRY HEAVES (CIWA NV 4)  
{7FBE10F0-472F-4F21-BE55-0892259141B5}  
6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}  
7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}  
8. 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (CIWA NV 7)  
{7F1076C4-C655-4BF2-8BB1-036F5169B619}

UNITS:

Abbreviation..... CIWA OR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Orientation And Clouding Of Sensorium  
Help Text..... Ask "What day is this? Where are you?  
Who am I?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. 0 - ORIENTED AND CAN DO SERIAL ADDITIONS (CIWA OR 0)  
{D8015F54-6E9E-457A-955C-38565BDDDBB6}
  - 2. 1 - CANNOT DO SERIAL ADDITIONS (CIWA OR 1)  
{F4446E01-E326-420E-8EA8-04451AA9D963}
  - 3. 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (CIWA OR 2)  
{01B894B0-3E70-47FA-820A-83CA48B93EF9}
  - 4. 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (CIWA OR 3)  
{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}
  - 5. 4 - DISORIENTED FOR PLACE OR PERSON (CIWA OR 4)  
{03BBFFA2-233A-41A1-8212-F988889C5E72}

UNITS:

---

Abbreviation..... CIWA PS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Paroxysmal Sweats  
Help Text..... Paroxysmal Sweats  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. 0 - NO SWEAT VISIBLE (CIWA PS 0)  
{7C83E616-4414-4766-AAF5-5F5442FFBF09}
2. 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST (CIWA PS 1)  
{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}
3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (CIWA PS 4)  
{8388B1A0-46EA-4003-A32B-A2C708A6F056}
6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 - DRENCHING SWEAT (CIWA PS 7)  
{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}

UNITS: .....  
=====

=====  
TERM: CIWA: TACTILE DISTURBANCES  
ID: {306FFC89-BE89-4E74-90BC-AD8EF2273A51}  
=====

Page: 150

Abbreviation..... CIWA TC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Tactile Disturbances  
Help Text..... Ask "Have You Any Itching, Pins and  
Needles Sensations, Any Burning, Any  
Numbness Or Do You Feel Bugs Crawling  
On Or Under Your Skin?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 1. 0 - NONE (CIWA TC 0) {5F9F33C7-EFCE-4AC1-BCA3-1967F68EB597}  
2. 1 - VERY MILD ITCHING PINS/NEEDLES BURNING (CIWA TC 1)  
{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}  
3. 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (CIWA TC 2)  
{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}  
4. 3 - MODERATE ITCHING PINS/NEEDLES BURNING (CIWA TC 3)  
{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}  
5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)  
{13FCDA97-A967-4993-AED5-13EBA61F3102}  
6. 5 - SEVERE HALLUCINATIONS (CIWA 5)  
{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}  
7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)  
{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}  
8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)  
{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

-----

=====  
TERM: CIWA: TOTAL Page: 151  
ID: {BD47158C-B56B-4B92-AD2E-33B7149EF6C0}  
=====

Abbreviation..... CIWA TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Total CIWA Score  
Help Text..... Add All CIWA Scores Together  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
CIWA SCALE -1 > 0 \* 9 < 68 Dec Prec: 0

=====  
TERM: CIWA: TREMOR  
ID: {E87CAD13-134C-4556-8D55-49450A0D544C}  
=====

Page: 152

Abbreviation..... CIWA TR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Tremor  
Help Text..... Arms extended and fingers spread apart.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 1. 0 - NO TREMOR (CIWA TR 0) {2D1A5B39-4C5D-4345-84B4-DDCBC8E25B4D}  
2. 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (CIWA TR 1)  
{31833D55-9018-47EE-8341-A0863744CEF8}  
3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}  
4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}  
5. 4 - MODERATE WITH PATIENTS ARMS EXTENDED (CIWA TR 4)  
{79CE1486-151C-4492-AFD2-7845DD69DA9E}  
6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}  
7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}  
8. 7 - SEVERE EVEN WITH ARMS NOT EXTENDED (CIWA TR 7)  
{FE0BE72E-913A-48CD-BABF-C5B742AFED93}

UNITS:

=====  
TERM: CIWA: VISUAL DISTURBANCES  
ID: {88699710-9761-429F-9BB0-228EAFBAA3D3}  
=====

Page: 153

Abbreviation..... CIWA VS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Visual Disturbances  
Help Text..... Ask "Does the light appear to be too  
bright? Is its color different? Does  
it hurt your eyes? Are you seeing  
anything that is disturbing to you?  
Are you seeing things you know are  
not there?"  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. 0 = ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}
  - 2. 1 - VERY MILD SENSITIVITY (CIWA VS 1)  
{8BF96CF1-3EA7-468C-838A-284430EA850D}
  - 3. 2 - MILD SENSITIVITY (CIWA VS 2)  
{ED600249-E5E8-4020-955E-A5CDA18B5DE9}
  - 4. 3 - MODERATE SENSITIVITY (CIWA VS 3)  
{D673A630-1F1E-4734-AADE-17586C48E8B9}
  - 5. 4 - MODERATELY SEVERE HALLUCINATIONS (CIWA 4)  
{13FCDA97-A967-4993-AED5-13EBA61F3102}
  - 6. 5 - SEVERE HALLUCINATIONS (CIWA 5)  
{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}
  - 7. 6 - EXTREMELY SEVERE HALLUCINATIONS (CIWA 6)  
{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}
  - 8. 7 - CONTINUOUS HALLUCINATIONS (CIWA 7)  
{19ECC57C-26A6-4CAE-97C4-2A860F337BE2}

UNITS:

---

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): RESTING PULSE RATE Page: 154  
ID: {2877A8EB-DC92-4FBA-8EDD-251376094DB5}  
=====

Abbreviation..... COWS:RestP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Resting Pulse  
Help Text..... Record beats per minute  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 - PULSE RATE 80 OR BELOW (0-80/Below)  
{60BC905C-8235-493A-B0A5-9E0DF72AFE09}  
20. 1 - PULSE RATE 81-100 (1 - 80-100)  
{0051037D-F6FA-4295-820A-456095AB5E1F}  
30. 2 - PULSE RATE 101-120 (2 -101-120)  
{10AF1ABF-1F86-4DC3-B194-D3AFECFBF909}  
40. 3 - PULSE RATE GREATER THAN 120 (3 - >120)  
{DBADEF02-6F98-435D-87A8-E369F331BA48}

UNITS:

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): SWEATING  
ID: {81280B87-0CF2-420E-9049-A25B27AA7817}

Page: 155

=====  
Abbreviation..... COWS:Sweat  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Sweating  
Help Text..... Over past 1/2 hour not accounted for  
by room temperature or patient  
activity  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 - NO REPORT OF CHILLS OR FLUSHING (0-NoChills)  
{94FBB3F8-36F1-480F-A0E2-4F724F9BCD01}  
20. 1 - SUBJECTIVE REPORT OF CHILLS OR FLUSHING (1-SubChill)  
{7603511C-234D-4578-8B7A-4976C715BD87}  
30. 3 - BEADS OF SWEAT ON BROW OR FACE (3-BeadsSwe)  
{482938DF-E2F4-441A-9FD9-A09A2544FD24}  
40. 4 - SWEAT STREAMING OFF FACE (4-SweatStr)  
{FD040160-5AD6-4C12-B36F-A2B23D1ED95D}

UNITS:

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): RESTLESSNESS OBSERVED Page: 156  
ID: {179C7A29-E30B-401B-9AC1-1B49426D974C}  
=====

Abbreviation..... COWS:Rest  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Restlessness  
Help Text..... During Assessment  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

10. 0 - ABLE TO SIT STILL (COWS:Rest0)  
{3183B1D3-BD5D-4756-86CA-74C2739F4A3A}  
20. 1 - REPORTS DIFFICULTY SITTING STILL, BUT IS ABLE TO DO SO (COWS:Rest1)  
{12A7E70F-C76A-4AFA-82C2-1C4A40AB6CAC}  
30. 3 - FREQUENT SHIFTING OR EXTRANEOUS MOVEMENTS OF LEGS/ARMS (COWS:Rest3)  
{18FBB2C6-DB3E-4E9D-83DA-7CFD702A1465}  
40. 5 - UNABLE TO SIT STILL FOR MORE THAN A FEW SECONDS (COWS:Rest5)  
{ED0F4C4E-10F6-4576-9393-7D296D0F21AC}

UNITS: .....  
=====

=====  
Abbreviation..... COWS:Pupil  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Pupil Size  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 - PUPILS PINNED OR NORMAL SIZE FOR ROOM LIGHT (COWS:Pupi0)  
{636C3F4E-49EA-4525-AAD1-11C2F922FA64}  
20. 1 - PUPILS POSSIBLY LARGER THAN NORMAL FOR ROOM LIGHT (COWS:Pupi1)  
{9D4BFC0A-804D-46A1-A8E7-D3E2FA22A5BD}  
30. 2 - PUPILS MODERATELY DILATED (COWS:Pupi2)  
{56E7BD48-810D-4AB4-8EC5-846309C96F4D}  
40. 5 - PUPILS SO DILATED THAT ONLY THE RIM OF THE IRIS IS VISIBLE (COWS:Pupi5)  
{1FB3D558-AFCD-44AB-A0EB-B10220BBDCF3}

UNITS:

-----

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): BONE OR JOINT ACHES Page: 158  
ID: {1181BFA8-8D23-41B9-9A3E-37FF6D8FC992}  
=====

Abbreviation..... COWS:Aches  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Bone/Joint Aches  
Help Text..... If patient was having pain previously  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 - NOT PRESENT (COWS:Ache0)  
{7565B19C-E00B-4A89-9BA0-58A9681A767D}  
20. 1 - MILD DIFFUSE DISCOMFORT (COWS:Ache1)  
{78E68AC6-2325-4A04-989E-C3C8B624EEF7}  
30. 2 - PATIENT REPORTS SEVERE DIFFUSE ACHING OF JOINT/MUSCLES (COWS:Ache2)  
{56FA2033-6F45-45F8-81D3-76D655F33C71}  
40. 4 - PT. RUBBING JOINTS/MUSCLES & UNABLE TO SIT STILL BECAUSE OF DISCOMFORT (COWS:Ache4) {E216254A-E09E-4134-BEF2-E34711EE8A7F}

UNITS:

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): RUNNY NOSE OR TEARING Page: 159  
ID: {B63F21EA-CE6D-4277-BD1A-7E8555B47018}  
=====

Abbreviation..... COWS:Run  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Runny Nose/Tearing  
Help Text..... Not accounted for by cold symptoms or  
allergies  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 - NOT PRESENT (COWS:Run0)  
{1BA6AA6E-21A7-42CF-9079-685357BEB0BF}  
20. 1 - NASAL STUFFINESS OR UNUSUALLY MOIST EYES (COWS:Run1)  
{18CCB8C9-D1CD-4228-A01A-4E74D405A493}  
30. 2 - NOSE RUNNING OR TEARING (COWS:Run2)  
{DBF3F0B8-57A8-41F1-BE5B-05EA607A8458}  
40. 4 - NOSE CONSTANLY RUNNING OR TEARS STREAMING DOWN FACE (COWS:Run4)  
{6CDC87E9-57DD-4333-ADD4-AAB311C897C5}

UNITS:

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): YAWNING OBSERVATION Page: 160  
ID: {2A922BE8-F3BC-438A-B3C3-ED07D79AEA98}  
=====

Abbreviation..... COWS:Yawn  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Yawning  
Help Text..... During assessment  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 - NO YAWNING (COWS:Yawn0)  
{A13697C7-5B22-4DC6-92E9-8CBDF056C08E}  
20. 1 - YAWNING ONCE OR TWICE DURING ASSESSMENT (COWS:Yawn1)  
{0D44EECB-D75E-4F0B-B784-6F727143F9AD}  
30. 2 - YAWNING THREE OR MORE TIMES DURING ASSESSMENT (COWS:Yawn2)  
{5C5A7A3F-C439-4DE2-AB52-59D613B92669}  
40. 4 - YAWNING SEVERAL TIMES/MINUTE (COWS:Yawn4)  
{35BA9653-A2EA-49F1-911D-97B966BFB1B5}

UNITS:

=====  
Abbreviation..... COWS:GIUps  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: GI Upset  
Help Text..... Over the past 1/2 hour  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

-----  
10. 0 - NO GI SYMPTOMS (COWS:GIUp0)  
{2EB125DC-DDFE-478D-ACB6-05472259E967}  
20. 1 - STOMACH CRAMPS (COWS:GIUp1)  
{B874B32F-E106-49F6-8BA0-73637FAEB54E}  
30. 2 - NAUSEA OR LOOSE STOOL (COWS:GIUp2)  
{D8B05449-84E2-431F-AC62-16DD978F8D4F}  
40. 3 - VOMITING OR DIARRHEA (COWS:GIUp3)  
{B500439E-CF24-4F47-9AC5-2C88330EAE6D}  
50. 5 - MULTIPLE EPISODES OF DIARRHEA OR VOMITING (COWS:GIUp5)  
{1A589930-ABF3-4CDE-8753-29A0B150EBD2}

UNITS: .....  
-----

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): TREMOR OBSERVATION Page: 162  
ID: {DD54D9ED-7069-428F-A5EA-3B9F2A502585}  
=====

Abbreviation..... COWS:Tremo  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Tremor Observation  
Help Text..... During assessment  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

10. 0 - NO TREMOR (COWS:Trem0)  
{25CCF5BE-1D1F-4FE7-8040-17ADFD9724A5}  
20. 1 - TREMOR CAN BE FELT, BUT NOT OBSERVED (COWS:Trem1)  
{D0051619-DA7A-451F-AE6B-EF1AC7BCA36E}  
30. 2 - SLIGHT TREMOR OBSERVABLE (COWS:Trem2)  
{195BF393-2B78-4BFB-9304-B5778B65D1F3}  
40. 4 - GROSS TREMOR OR MUSCLE TWITCHING (COWS:Trem4)  
{38150DB0-0B35-49EE-8919-3DED4B3B24BC}

UNITS: .....  
=====

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): ANXIETY OR IRRITABILITY Page: 163  
ID: {71DA4590-33C2-45C6-94A8-2F13C9A1E7A7}  
=====

Abbreviation..... COWS:Anx  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Anxiety/Irritability  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 - NONE (COWS:Anx0) {4B20FAC9-9597-41D5-9B06-5ED5805E4367}  
20. 1 - PATIENT REPORTS INCREASING IRRITABILITY OR ANXIOUSNESS (COWS:Anx1)  
{808C7811-ED7E-48D0-8BB7-72C3E8034648}  
30. 2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS (COWS:Anx2)  
{39ED63B3-B00F-4BD9-8DBB-399AB8136360}  
40. 4 - PT. SO IRRITABLE/ANXIOUS THAT PARTICIPATION IN ASSESSMENT IS DIFFIC  
ULT (COWS:Anx4) {952B2616-AC6B-41E4-805A-FDEE24C01285}

UNITS:

-----

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): GOOSEFLESH SKIN Page: 164  
ID: {09CF34E3-CC7D-4E41-95FC-6219C30CA09B}  
=====

Abbreviation..... COWS:Goose  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Gooseflesh Skin  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. 0 - SKIN IS SMOOTH (COWS:Goos0)

{4B6290C2-BCC7-45B0-A861-30BB65BFB887}

20. 3 - PILOERECTION OF SKIN CAN BE FELT OR HAIRS STANDING UP ON ARMS (COWS  
:Goos3) {F2766A37-D6A1-4453-8205-1EE4B04FD051}

30. 5 - PROMINENT PILOERECTION (COWS:Goos5)  
(1762037D-1982-40C9-8AB7-9CE7B5F5ACDC}

UNITS:

=====  
TERM: CLINICAL OPIATE WITHDRAWAL SCALE (COWS): TOTAL SCORE  
ID: {620710B2-E75F-43B7-93C5-55F21DB584EE}

Page: 165

=====  
Abbreviation..... COWS:TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... COWS: Total Score  
Help Text..... Manual total of all 11 items in the  
COWS scale.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
POINTS                  0 > 0 \* 12 < 48                  Dec Prec: 0

Abbreviation..... COWS:Svrtv  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... COWS: Severity  
Help Text..... Severity rating based upon total  
score of all COWS items.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. MILD: 5-12 (COWS:5-12) {4FE0FF3B-E4F1-48C0-9025-E464DDBBC91F}  
20. MODERATE: 13-24 (COWS:13-24)  
(C20579F8-1570-43EF-801F-1CA8BCDC3BCD}  
30. MODERATELY SEVERE: 25-36 (COWS:25-36)  
(5C58804E-2356-45CD-8743-87541E175B2F}  
40. SEVERE: GREATER THAN 36 (COWS:>36)  
(356EE20B-7FA9-4C81-A7F0-25DCCBCA3964}

UNITS:

-----

=====  
TERM: CLOSE OBSERVATION BEHAVIOR  
ID: {42CA9766-A28E-5379-67D7-2BB3BA4C2AE6}  
=====

Page: 167

Abbreviation..... CO BEH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Close Observation Behavior  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

1. WALKING OR PACING (wop) {CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}  
2. LYING OR SITTING (los) {52A940B1-55AF-AB4E-9E59-F93515A1296C}  
3. QUIET OR RESTING (qor) {76E4908F-014C-2088-FF7F-33EBF223DE40}  
4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}  
5. WITH PHYSICIAN (wp) {1673C53F-DA8C-2CEC-679B-B01D914FE533}  
6. WITH THERAPIST (wt) {795A1300-1D60-9D67-692D-A2AB2B190596}  
7. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}

UNITS:

=====  
TERM: CLOSE OBSERVATION CURRENT LOCATION  
ID: {9FFE899C-A69C-4654-9AD7-B0E6F7FF888B}  
=====

Page: 168

Abbreviation..... CO CUR LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Close Observation Current Location  
Display Name..... Close Observation Current Location  
Help Text..... Close Observation Current Location  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. PATIENT'S ROOM (pr) {0F13E11D-9F78-14A3-0568-AF26393F39F1}
  2. BATHROOM (b) {D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}
  3. HALL (h) {BFCEA10F-2663-199E-88D8-E263122D7D26}
  4. DAY ROOM (dr) {269125EF-FA82-B17A-6B56-0CEAB4788899}
  5. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
  6. GROUP ROOM (gr) {D41C3D9F-8F10-1A0F-D571-20DE0EA36328}
  7. SMOKING AREA (sa) {8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}
  8. SMOKING PORCH (sp) {5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}
  9. MEDICATION ROOM (mr) {9571AA9F-F538-55EC-37F6-99FE5677B970}
  10. NURSING STATION (ns) {B6E48F92-B9BA-488F-3A2E-D74568A6B855}

UNITS:

---

=====  
TERM: CODE STATUS  
ID: {95248A8C-E05A-94F3-CA15-6F113997A621}  
=====

Page: 169

Abbreviation..... CS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Code Status  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
4 entries

1. FULL CODE (fc) {1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}
2. DO NOT RESUSCITATE (dnr) {0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}
3. DO NOT INTUBATE (Do Not Int)  
{88F9A76A-43BC-4BD9-A567-C8FE5A868544}
4. PARTIAL CODE (SPECIFY IN COMMENTS) (Part Code)  
{BF5D343C-01DA-489A-836F-FA7E8AAD1FA0}

UNITS: -----

=====  
TERM: COLLOID TYPE  
ID: {C22CB099-BC3F-42AE-9A11-67B99093D959}  
=====

Page: 170

Abbreviation..... COLLOID TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Colloid  
Display Name..... Colloid Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. 5 PERCENT ALBUMIN (5 PERC ALB)  
    {38CE47CB-736B-475E-8E89-C4C13F2DF184}  
2. 25 PERCENT ALBUMIN (25 PERC AL)  
    {2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}  
3. 6 PERCENT HETASTARCH (6 PERC HET)  
    {D94072C9-87E8-46CA-929F-4904F3BD964C}

UNITS:

Abbreviation..... CSE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO SPEECH, 4: OPEN SPONTANEOUSLY  
Display Name..... Coma Score  
Help Text..... 0: CLOSED, 1: NONE, 2: TO PAIN, 3: TO SPEECH, 4: OPEN SPONTANEOUSLY  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. CLOSED (CLOSED) {9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}
  - 2. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 3. TO PAIN (TO PAIN) {AA1F818D-DCFC-4FBC-97D3-BE86D309119E}
  - 4. TO SPEECH (TO SPEECH) {2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}
  - 5. OPEN SPONTANEOUSLY (OPEN SPONT) {013F1473-BDC9-4E7C-9709-C577357709F6}

LOCATION: 2 entries

- 
- 1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
  - 2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

---

=====  
TERM: COMA SCORE MOTOR  
ID: {73CA2132-12AC-BD84-3847-2E2EA3689D94}  
=====

Page: 172

Abbreviation..... CSM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Coma Score Motor  
Help Text..... 1: None, 2: Extends to pain, 3:  
Flexion to pain, 4: Withdraws to  
pain, 5: Localizes to pain, 6: Obeys  
Commands  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
2. EXTENDS TO PAIN (EXT TO PAI)  
(A62B2C4D-BDB7-49FA-9669-DF6732063DA6}  
3. FLEXION TO PAIN (FLEX TO PA)  
(B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}  
4. WITHDRAWS TO PAIN (WITHD TO PI)  
(013527C8-FF6B-49CD-BF45-9338F7413E81}  
5. LOCALIZES TO PAIN (LOC TO PAI)  
(4072DFFF-2D90-423F-B6F0-0F2B924025D9}  
6. OBEYS COMMANDS (OBEYS COMM)  
(EE88EE08-4C71-4C70-B93E-65F9091544C1}

UNITS:

-----

=====  
TERM: COMA SCORE VERBAL  
ID: {3EC4838E-8301-F5C4-D4F0-08D1259203B1}  
=====

Page: 173

Abbreviation..... CSV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... 0: Tubed/Dysphagic, 1: None, 2:  
Incomprehensible, 3: Inappropriate,  
4: Confused, 5: Oriented  
Display Name..... Coma Score Verbal  
Help Text..... 0: Tubed/Dysphagic, 1: None, 2:  
Incomprehensible, 3: Inappropriate,  
4: Confused, 5: Oriented  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 1. TUBED/DYSPHAGIC (TUBE/DYSPH)  
{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}
  - 2. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 3. INCOMPREHENSIBLE (INCOMPREHE)  
{916CD781-563D-4F54-8752-800D37BFAA3B}
  - 4. INAPPROPRIATE (Inappropri)  
{7E3B54C2-8A49-28EC-055E-FEA87599421C}
  - 5. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
  - 6. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}

UNITS:

---

=====  
TERM: COMPR. HOSE SEQ. COMP. DEVICE  
ID: {F001E3D4-07F9-4B93-9D29-0BA3DC270236}

Page: 174

Abbreviation..... COM S HOS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Compression Hose Sequential  
Compression Device  
Display Name..... Compression Hose Sequential  
Compression Device  
Help Text..... Compression Hose Sequential  
Compression Device  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
2. 0 = ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

LOCATION: 3 entries

-----  
1. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}

UNITS:

-----

Abbreviation..... Conditions  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Conditions Impacting Transfer or  
Positioning  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 21 entries

10. HIP/KNEE/SHOULDER REPLACEMENTS (Replacemn)  
{91A7211C-DCB6-47A7-AF15-F64C565AB321}  
20. HISTORY OF FALLS (FallHistry)  
{61CC4EBE-2D33-498E-92E0-2BA98429F84C}  
30. PARALYSIS/PARESIS (Paralysis)  
{F57B4E7F-87F4-4C5B-A8C7-511D063A415C}  
40. UNSTABLE SPINE (UnstablSpi)  
{54C323D4-A191-40CF-A89F-3D5BC3C00623}  
50. SEVERE EDEMA (SevereEdem) {FAFF5DB5-DFBD-46E8-9F17-5C7A2AF0233F}  
60. VERY FRAGILE SKIN (FragileSkn)  
{649AF283-6C06-492B-BD88-362D191CF6CC}  
70. RESPIRATORY COMPROMISE (RespComp)  
{AC2F0B61-0554-40AA-BAB9-0F91AEE36E01}  
80. CARDIAC/HEMODYNAMIC INSTABILITY (CarHemInst)  
{312130CF-224F-435B-8A9F-D3C2F6795A0A}  
90. WOUNDS AFFECTING TRANSFER/POSITIONING (Wounds)  
{6D5D97C8-A6D0-4AEF-9965-CB58BB266434}  
100. URINARY/FECAL STOMA (UrinFecSto)  
{CFE036A8-8F5C-4F1E-BC51-683AA7639159}  
110. CONTRACTURES/SPASMS (Contractur)  
{E3251324-1B36-4F83-8E0A-005401A034CE}  
120. TUBES (IV, CHEST, DRAINS, ETC.) (Tubes)  
{4FCB0CE8-76A6-4B5C-A261-81083E14B6AB}  
130. FRACTURES (Fractures) {1C3CD0BC-5B3C-4664-885C-C5BD01E5E664}  
140. SPLINTS/TRACTION (Splints/Tr)  
{F4679AF8-FC72-4C80-9EC5-29AA64A2F2C4}  
150. SEVERE OSTEOPOROSIS (SevereOste)  
{1C894FB9-BF40-4A4C-8967-40261C5ED8B1}  
160. SEVERE PAIN/DISCOMFORT (SeverePain)  
{FABAD58D-E8DC-4BB5-B5E1-3B80B1CD8BD3}  
170. POSTURAL HYPOTENSION (PosturalHy)  
{24E52EFE-8AAD-465B-A70B-D57A2094F8D3}  
180. DEMENTIA (Dementia) {CA24B020-15E7-4888-83DC-7203C5630D28}  
190. TRAUMATIC BRAIN INJURY (TrauBrain)  
{FE345588-5431-4F3D-BBB1-1347E484D2AB}  
200. EXTERNAL ORTHOPEDIC HARDWARE (ExOrtho)  
{7E6D78DE-2CE0-4FCA-BF31-5BC9C8BD2CA6}  
210. OTHER (ENTER COMMENT) (Other)  
{7BBBF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: COUGH  
ID: {23E2BBF0-3449-1760-C72D-09867FFD133B}  
=====

Page: 176

Abbreviation..... COUGH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Patients cough character  
Display Name..... Cough  
Help Text..... Patients cough character  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
3 entries

1. PRODUCTIVE (p) {22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}
2. NON-PRODUCTIVE (np) {9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}
3. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

UNITS: -----

=====  
TERM: CPAP Page: 177  
ID: {11AD0BDB-8E33-C04E-29B2-CCB22FDF9EEC}  
=====

Abbreviation..... CPAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Continuous Positive Airway Pressure  
Display Name..... CPAP  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688690

UNITS:

CENTIMETERS H2O -1 > 0 \* 100 < 101 Dec Prec: 0

=====  
TERM: CUFF INFLATION CHECKED  
ID: {77D485C1-8A5F-225A-CEA3-1219601C23E9}  
=====

Page: 178

Abbreviation..... CUFF INFL  
Active..... Yes  
Boolean Value False..... Not Checked  
Boolean Value True..... Checked  
Data Type..... Boolean  
Description..... VERIFICATION THAT PATIENT'S CUFF  
INFLATION HAS BEEN CHECKED  
Display Name..... Cuff Inflation Checked  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: DENTURES  
ID: {96B79B0B-3D26-42E9-A082-A601E5832633}  
=====

Abbreviation..... Dentures  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Dentures  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
6 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. FULL UPPER (Full Up) {1808E638-62BB-4978-8706-34BD74B427DE}
3. FULL LOWER (Full Low) {D38022EF-F4F0-44A7-82FE-B277A2A0A165}
4. PARTIAL UPPER (Part Up) {D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}
5. PARTIAL LOWER (Part Low) {2556CE7E-F211-4992-BCAF-09677C20BEFE}
6. DENTAL IMPLANTS (Implants)  
{D3AF96DE-6920-4C93-8105-99EE574FC092}

UNITS: -----

=====  
TERM: DIAGNOSIS  
ID: {025498CA-716F-440A-9638-CF34CDE29413}  
=====

Page: 180

Abbreviation..... Diagnosis  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Diagnosis  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: DIAGNOSIS TYPE  
ID: {3289986D-87C6-4796-AA19-76010682BBAE}  
=====

Page: 181

Abbreviation..... DIAG TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Diagnosis  
Display Name..... Diagnosis Type  
Help Text..... Type of Diagnosis  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
  - 2. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
  - 3. POST PROCEDURE DIAGNOSIS (PO PRO DIA)  
{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}
  - 4. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
  - 5. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}

UNITS:

---

=====

TERM: DIALYSIS BLOOD FLOW RATE  
ID: {43A09B46-36F1-4151-9B98-61E6411B944E}

=====

Page: 182

Abbreviation..... Dial BFR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Dialysis Blood Flow Rate  
Help Text..... Actual rate at which blood is pumped  
through the extra corporal circuit  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITERS PER MINUTE    150 > 150 \* 500 < 500    Dec Prec: 0

Abbreviation..... D CATH CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Catheter Site Condition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}  
170. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
180. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
190. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}  
200. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 16 entries

-----  
1. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
3. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}  
4. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}  
5. L EXTERNAL JUGULAR (L EXT JUGU)  
{6F7B331B-4F83-0B79-1755-F6F673D647D6}  
6. R EXTERNAL JUGULAR (R EXT JUGU)  
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}  
7. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}  
8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}  
9. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
10. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}  
11. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}  
12. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}  
13. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
14. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
15. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}  
16. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}

UNITS:

=====  
TERM: DIALYSIS DRESSING TYPE  
ID: {A07D4532-93DF-178D-EB55-070FCF1C570F}  
=====

Page: 184

Abbreviation..... DIAL DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Dressing Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
2. PRESSURE DRESSING (PRESS DRES)  
(6D9DB9EF-85EB-8321-03FC-879AA4C5615B)

UNITS: .....  
=====

=====  
TERM: DIALYSIS RATIO  
ID: {F0CDCBBA-E65B-FE01-2E15-640FADF9DF20}  
=====

Page: 185

Abbreviation..... DIAL RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Ratio  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}  
2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}  
3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}  
4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}  
5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

=====  
TERM: DIALYSIS: ARTERIAL PRESSURE  
ID: {D015B928-D30B-49E2-A6F6-135B6131C07B}  
=====

Page: 186

Abbreviation..... Art Press  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Dialysis: Arterial Pressure  
Help Text..... Pressure measured within the blood  
                  circuit between the patient's  
                  arterial access and the dialyzer  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----  
MILLIMETERS OF MERCURY -300 > -300 \* 9999 < 9999 Dec Prec: 0

=====  
TERM: DIALYSIS: UFR (ULTRAFILTRATION RATE)  
ID: {32B6F85E-D3BD-4810-9A57-882AB1630348}

Page: 187

Abbreviation..... UFR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Dialysis: UFR (Ultrafiltration Rate)  
Help Text..... rate at which fluid moves from the  
blood into the dialysate  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
10. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----  
KGS/HOUR 0.00 > 0.00 \* 9999.00 < 9999.00  
Dec Prec: 2

=====  
TERM: DIALYSIS: VENOUS PRESSURE  
ID: {8F84D7EC-BD89-46BC-BDB8-9B18231BD4B9}  
=====

Page: 188

Abbreviation..... Ven Press  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Dialysis: Venous Pressure  
Help Text..... Pressure measured within the extra  
                  corporeal blood circuit after the  
                  dialyzer  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD:                            1 entries

-----  
10. INVASIVE (I)                {5DB8746E-5446-F47A-883C-A44B91275A6E}

UNITS:

-----  
MILLIMETERS OF MERCURY      0 > 0 \* 9999 < 9999      Dec Prec: 0

=====  
TERM: DIASTOLIC PRESSURE  
ID: {14B24DAF-A0C0-060C-B1C0-ECEC1DF36E8E}  
=====

Page: 189

Abbreviation..... DIASTOL PR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Diastolic Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 4 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
2. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
3. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}  
4. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 5 entries

1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}  
2. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}  
3. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}  
4. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}  
5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}

POSITION: 3 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}  
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}  
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

UNITS:

MILLIMETERS OF MERCURY 0 > 40 \* 90 < 300 Dec Prec: 0

=====

TERM: DIET

Page: 190

ID: {9BB08EC4-73C7-49BC-8C60-728C54999C33}

=====

Abbreviation..... DIET  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of diet ordered  
Display Name..... DIET  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

-----

10. CONSTANT CARBOHYDRATE (Con Carbs)  
{D6A8AA11-BCB1-40E8-B63D-167864EE2537}  
20. BLAND (BLAND) {38930AFE-ECF7-4548-857C-854E1B5BE148}  
30. CLEAR LIQUID (Clr Liquid) {390666D6-6371-4E0A-B475-C730C134CC95}  
40. DYSPHAGIA (Dysphagia) {CC69271C-B4DF-42D1-BA91-0832DBC45E31}  
50. FULL LIQUID (Ful Liquid) {6D075973-CE7E-49CA-9A3E-8EE0F3CC1003}  
60. LISTED (Listed) {C5F6F925-0239-4173-A5A9-515B6F83629A}  
70. MECHANICAL (MECHANICAL) {01EA793C-B524-4685-A3EC-60A317CBACC5}  
80. NPO (NPO) {B1CFD636-02EE-4B20-B1D5-44CD0DD9F41B}  
90. POTASSIUM RESTRICTED (PotassRest)  
{E6665D0C-D064-482B-9896-BD24D4E52509}  
100. PUREED (PUREED) {99F8AE5F-E390-4583-8A92-CAC13E21BCF4}  
110. REGULAR (REGULAR) {3D3F3D4C-EC0D-2056-A0D1-43CC2F2BA2C8}  
120. SODIUM CONTROLLED (Sod Contrl)  
{FF4CB6F0-4EEC-43F3-B4DF-4169F3C3B170}  
130. VEGETARIAN (Vegetarian) {549053C6-5378-4921-8A37-043D06E51E72}  
140. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

=====  
TERM: DISCHARGE ACTIVITIES  
ID: {22423A29-A1C5-497E-BBB6-109FFBC69D2B}  
=====

Page: 191

Abbreviation..... DIS ACTI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Discharge Activities  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

1. ALERT AND ORIENTED (AL AN OR)  
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
2. VITAL SIGNS STABLE (VI SI ST)  
{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}
3. STEADY GAIT OR BASELINE (ST GA BA)  
{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}
4. TRANSPORT FACILITATOR PRESENT (TR FA PR)  
{645BF269-6B23-4377-95ED-71291F075B25}
5. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)  
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}
6. IV DISCONTINUED (IV DISC) {FDF951E7-5B72-4166-969B-073D5EC74800}
7. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}
8. DISCHARGE MEDS PLANNED (DI ME PL)  
{04E9DF8B-8807-47A5-AE88-180F431F3BDE}
9. MED RECONCILIATION DOCUMENTED (ME RE DO)  
{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}
10. DISCHARGE ORDER ON CHART (DI OR CH)  
{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}
11. GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (DI IN UN)  
{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}
12. DRESSINGS CHECKED (DRESS CH)  
{21014F53-29CE-4914-8760-6976D8DBA742}

UNITS:

=====  
TERM: DISTANCE VISION  
ID: {EFC05031-FC2F-4781-A60C-08E3F1E490BB}  
=====

Page: 192

Abbreviation..... Dis Vis  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Distance Vision  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 21 entries

-----  
10. 20/15 (20/15) {0DB4E45B-A96C-4D11-B59E-A89C9F531146}  
20. 20/20 (20/20) {FE086353-09B2-4314-84E9-FA909253AAED}  
30. 20/25 (20/25) {4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}  
40. 20/30 (20/30) {667B5FCD-A85D-4054-BFA9-3DA9DDD21306}  
50. 20/40 (20/40) {048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}  
60. 20/50 (20/50) {C679C160-D93A-431C-8F28-800D64A019D5}  
70. 20/60 (20/60) {AEAA52C2-1450-45B4-A512-73E339718B02}  
80. 20/70 (20/70) {B0279832-605C-4441-B568-C131636EB634}  
90. 20/80 (20/80) {60F51F22-C739-4BD1-A77E-D224517F861F}  
100. 20/100 (20/100) {ECB85701-8B21-407A-9E0B-C015834E984B}  
110. 20/200 (20/200) {C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}  
120. 20/300 (20/300) {E6976753-667B-418B-A6E3-0A7CD010CAC0}  
130. 20/400 (20/400) {AE8E4C3E-D031-4047-B44E-06F4EB29C73B}  
140. 20/800 (20/800) {1303A571-B57C-4757-AC5B-286E6B09343A}  
150. CF: COUNTING FINGERS (CF)  
{3AFD9EDB-98A2-498A-AD95-F5285130CC03}  
160. CSM: CENTRAL STEADY MAINTAINED (CSM)  
{43085BCB-4264-4E4A-BC17-A9C252A89BA8}  
170. LP: LIGHT PERCEPTION (LP)  
{3B5C4FA1-6770-4347-B5FB-2B0554D71339}  
180. LPP: LIGHT PERCEPTION WITH PROJECTION (LPP)  
{29ED35AA-49C5-4835-AF43-17173333A2BB}  
190. NLP: NO LIGHT PERCEPTION (NLP)  
{F710E3C5-9B5A-4826-876D-B5675F9AA67E}  
200. HM: HAND MOTIONS (HM) {5180AD3D-4377-435B-9F47-FE59F3E3501B}  
210. PROSTHESIS (PROSTHESIS) {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}

LOCATION: 2 entries

-----  
10. RIGHT EYE (Right Eye) {56F81421-F1C7-4FD4-9757-E0EDEF26626E}  
20. LEFT EYE (Left Eye) {D1B20983-6076-47E6-9578-2EFB3CB6A47B}

UNITS:

-----

=====

TERM: DO NOT PROCESS  
ID: {4615254C-EC67-46D0-BF70-9A54BEB4B32D}

=====

Page: 193

Abbreviation..... DNP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... Do not process  
Display Name..... Do Not Process  
Help Text..... Do Not Process  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: DORSI FLEXION  
ID: {A1E251EA-9302-8851-A67F-00229BCA7163}

=====

Page: 194

Abbreviation..... DORFL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dorsi Flexion  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====

=====  
TERM: DRAIN DRESSING CHANGE  
ID: {4D01C8F5-DE00-4238-9D07-D6C103D8131A}  
=====

Page: 195

Abbreviation..... Dra/Dr Chg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Drain Dressing Change  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}  
20. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
30. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

-----

=====  
TERM: DRAIN SUCTION CM H20  
ID: {CB2C5928-71E5-429F-9A0E-3FFBF21F62FF}  
=====

Page: 196

Abbreviation..... Drain Suct  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Drain Suction cm H20  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETERS H2O      0 > 0 \* 31 < 31      Dec Prec: 0

=====  
TERM: DRAIN SUCTION TYPE  
ID: {550360E9-AFFD-43DE-9142-F3AF7B95185D}  
=====

Page: 197

Abbreviation..... Drain Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Drain Suction Type  
Help Text..... When "Number" is selected, enter  
numeric value as a "Comment"  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}
  - 3. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  - 4. BULB (Bulb) {2390453E-3353-40EB-B2D7-EF770B67F037}
  - 5. LOW (l) {B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}
  - 6. MEDIUM (MEDIUM) {62C94066-A7B6-CAA8-064B-2AF7C0DA6323}
  - 7. HIGH (h) {D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}
  - 8. NUMBER: SPECIFY (Specify) {397D773F-78F9-4E69-9A84-B518109A95AB}

UNITS:

---

=====  
TERM: DRAINAGE CHARACTERISTICS  
ID: {4D556AD1-1850-AB94-0776-B58B1D1713B3}  
=====

Page: 198

Abbreviation..... DRAIN CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Drainage Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. THIN (THIN)	{CB8D8B5C-E824-D030-1241-D8EB814671E9}
2. THICK (THICK)	{1554A49E-1468-46B2-F851-531DDB1D1A98}
3. YELLOW (YELLOW)	{90DC31AD-6211-9F25-4237-79F7122A2763}
4. AMBER (AMBER)	{90A13048-4C35-E01D-3482-64D782001D4A}
5. WHITE (WHITE)	{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
6. BROWN (BROWN)	{A1C32FBC-7B4D-707C-CA58-92A2E201368E}
7. GREEN (GREEN)	{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
9. BLACK (BLACK)	{7A55AFB9-6861-4918-0746-3D67D47FE5C3}
10. CLAY (CLAY)	{A4E4D16C-B45C-0934-ED22-8BF640080108}
11. ORANGE (ORANGE)	{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
12. TAN (TAN)	{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
13. PURULENT (PURULENT)	{86C01494-743A-C6A2-8883-01CA5200C79B}
14. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
15. CLEAR (c)	{8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

=====  
TERM: DRAINAGE SYSTEM REPLACED  
ID: {2C5F8E0E-8BBB-4D45-92FE-984D51A9B080}  
=====

Page: 199

Abbreviation..... Dr Sy Repl  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Drainage System Replaced  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: DRESSING CHANGE  
ID: {C101E88C-F5C8-43D7-A25C-33E61414D180}  
=====

Page: 200

Abbreviation..... Dress Chg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Dressing Change  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

10. 1. DRY (1. Dry) {E6C8E56E-DFC8-42FE-9D49-BED30EC37491}  
20. 2. INTACT (2. Intact) {6F977B33-94E0-4F40-A5B2-9D1EBFBE8433}  
30. 3. CHANGED (3. Changed) {1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}  
40. 4. REINFORCED (4. Reinfor)  
{5D06DC53-DB40-47B2-9257-8FD206463014}

UNITS:

=====  
TERM: DVT PROPHYLAXIS  
ID: {C2EE711E-C076-491F-8063-8DA80BBCA529}  
=====

Page: 201

Abbreviation..... DVT PROPHY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... DVT Prophylaxis devices  
Display Name..... DVT Prophylaxis  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 1. ANTI-EMBOLUS STOCKINGS KNEE HIGH (ANT EMB KN)  
{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}
- 2. ANTI-EMBOLUS STOCKINGS THIGH HIGH (ANT EMB ST)  
{9B32D3F3-47F1-886F-A59A-D8AB38A34754}
- 3. SEQUENTIAL COMPRESSION DEVICE (SCD)  
{29D657DB-6679-8A55-0E33-235B5DD349F2}
- 4. ELASTIC WRAP (ELAST WRAP) {9EB52FA5-32D8-823F-2E3C-83375DA62342}
- 5. MEDICATION PROPHYLAXIS (Med Prophy)  
{40D79227-A4DB-4E1E-81C6-6F4E4F243964}

UNITS:

Abbreviation..... EDU BARR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Barriers  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
- 2. HEARING (HEARING) {D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}
- 3. LANGUAGE (LANGUAGE) {0666538E-4F44-4D34-A5EA-69CF2F1F86FA}
- 4. LIMITED ATTENION SPAN (LIM ATT S)  
{51553020-0CB9-483E-AC1C-15CA6D9380A3}
- 5. MEMORY (MEMORY) {E30C1930-B98B-4382-B892-34E9C6008D1F}
- 6. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
- 7. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
- 8. VISUAL IMPAIRMENT (VIS IMPAIR)  
{7B2107CE-002D-43BE-9102-FCD5B9FAD617}
- 9. ANXIOUS (a) {381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}
- 10. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}
- 11. COMMUNICANT BARRIER (COMM BARRI)  
{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}
- 12. IMPAIRED LISTENING SKILLS (IMP LIS SK)  
{9CE0E7E7-79E5-4910-918C-2022C9830171}
- 13. EMOTIONAL (EMOTIONAL) {626C22E6-EF2A-489F-AA79-D27541A0BC45}
- 14. UNABLE TO ASSESS (UNA TO AS)  
{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}
- 15. UNABLE TO READ (ILLITERATE)  
{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}

UNITS:

=====  
TERM: EDUCATION - BELIEFS  
ID: {3CA218A6-33BA-43A8-A39A-F458BDAFEB82}  
=====

Page: 203

Abbreviation..... EDU BELIEF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Beliefs  
Help Text..... Describe patient beliefs that may  
impact education provided  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. CULTURAL (CULTURAL) {530D166D-D7C1-4204-94DC-83F4E140F11C}
  - 2. RELIGIOUS (RELIGIOUS) {936C9949-8A30-4BBF-934C-1F194551B8E2}
  - 3. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}

UNITS:

---

=====  
TERM: EDUCATION - READINESS TO LEARN  
ID: {50E493C5-BBBB-4D4F-B301-13CDD9B76FA9}  
=====

Page: 204

Abbreviation..... EDU READY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Readiness To Learn  
Help Text..... Evaluate patient's desire and  
motivation to learn  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 1. EAGER TO LEARN (EAGER) {A20AF51B-C89C-4308-AE17-C66144FE68BE}  
2. LACKS INTEREST (LACKS INT)  
{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}  
3. DENIES NEED (DENIES NE) {28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}  
4. INDIFFERENT (INDIFF) {7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}  
5. UNABLE TO RESPOND (UNA TO RES)  
{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}  
6. CONTEMPLATIVE (CONTEMPLAT)  
{5194DB04-7A68-491E-B117-BD089C912DFB}  
7. UNABLE TO ASSESS (UNA TO AS)  
{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

UNITS:

-----

Abbreviation..... EDU TOPIC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Topic  
Help Text..... Patient Education  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 51 entries

1. ACTIVITIES OF DAILY LIVING (ADL) {12F2CA66-3DCE-443D-883C-119CE4838B4A}
2. ADVANCED CARE PLANNING (ADV CAR PL) {FOED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}
3. ANALGESIA (ANALGESIA) {5452ED11-25E1-437B-8048-3BB3E03BE3B9}
4. CLINICAL ASSESSMENT (CLIN ASSME) {803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}
5. COMPLIANCE (COMPLIANC) {EF43367E-9898-44C3-8AC8-F5BD28051F1D}
6. DAILY PLAN (DAILY PLAN) {B29357A5-4294-4EA0-A0D3-59182F3C94FB}
7. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
8. DISEASE PROCESS (DISEA PROC) {E80807AE-6208-421D-BE4C-445C470D32FA}
9. EQUIPMENT (EQUIPMENT) {04C0F805-C7B3-4A9A-91D8-0F32F3265874}
10. HOME HEALTH (HOME HEALT) {F94FB70A-AFFD-4A5E-A829-0AF933B044BB}
11. INFECTION (INFECTION) {DA00DB58-640D-4294-9468-EEF070DBAE8E}
12. INFECTION PREVENTION AND SCREENING (INF PRE SC) {BA58329F-59EC-49F0-BACE-75AA5EC57F52}
13. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}
14. MENTAL HEALTH (MEN HEAL) {ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}
15. MENTAL HEALTH HOLD (MEN HEA HO) {31560285-7BD5-4E53-BB77-93B244367F42}
16. NEW ADMISSION EDUCATION (N ADM EDU) {1890BC97-FEEB-4BED-A054-3C754C01817B}
17. NUTRITION (NUTRITION) {429A28EF-8A1F-4247-85E8-68D4EFCD189C}
18. ORIENTATION (ORIENTA) {10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}
19. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
20. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
21. POST-PROCEDURE (POST-PROC) {0F943BD7-BD13-412E-B4EA-9B5526587340}
22. PRE-OPERATIVE (PRE-OP) {80C418D5-54B1-4CC3-9B19-5653B8D73C45}
23. PRE-PROCEDURE (PRE-PROC) {D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}
24. SAFETY (SAFETY) {AD905A8F-33BD-4EFE-929E-A2B575797402}
25. SPIRITUAL (SPIRITUAL) {9670E2B9-6938-4487-A857-25546775B7A2}
26. TREATMENTS (TREATMENTS) {7A6879B5-F781-498E-9D71-3FA0243C3F21}
27. PRE-SEDATION (PRE SEDA) {684C764E-2BE9-4C99-A2B2-C92D75C73751}
28. POST-SEDATION (POST SED) {B829A249-CB14-4919-86F8-4A8C8D6B7753}
29. ENVIRONMENT (ENVIRO) {C61AA262-F6AF-46AC-A215-0D56FD01B234}
30. ENTERAL TUBE/STOMA CARE (Tube/Stoma) {B91B94EF-CFE6-4628-BEF2-D06E5870D574}
31. ENTERAL TUBE MEDICATION ADMINISTRATION (Med Admin) {68D124A7-69CF-414B-8A47-BC666A373E24}
32. ENTERAL FEEDING FORMULA/WATER ADMINISTRATION (Feed Form) {D2EA8840-1123-4660-AD25-587458BF1E89}
33. ENTERAL FEEDING PUMP (Feed Pump)

- {31FF069C-0060-45C3-898F-20F1A9D1552B}  
34. PCA PUMP (PCA Pump) {C6F139AF-C42B-4577-83E1-A12675C31A21}  
35. EPIDURAL PUMP (Epid Pump) {26C83111-5FA8-4398-8D3E-787B31A2A9E9}  
360. BLOOD GLUCOSE MONITORING (Bl Glu Mon)  
{525C8F3C-F8F5-4158-9CDE-3A7B306BADC5}  
370. COMMUNITY RESOURCES (Comm Res)  
{0088604F-6A99-4D99-B451-5262734E0D17}  
380. DIAGNOSIS/HEALTH STATUS (Diag/Healt)  
{42F128CE-63B7-4AA9-A121-B08C507F9941}  
390. FINANCIAL CONCERNS (Fin Concer)  
{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}  
400. GENERAL HEALTH (Gen Healt)  
{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}  
410. OSTOMY CARE (Ostomy Car) {BC834BC9-5861-4B94-BA34-FDF5C9FDF979}  
420. PATIENT RIGHTS AND RESPONSIBILITIES (Pat Rights)  
{DA69AAEE-DBDC-4CAA-849A-7242F0854385}  
430. PERSONAL HYGIENE AND/OR GROOMING (Per Hyg)  
{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}  
440. PREVENTIVE HEALTH REHAB TECHNIQUES (Rehab Tech)  
{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}  
450. SELF-CARE SKILLS (Self Skill)  
{39145E84-85F2-486C-9FF8-27787EC8026A}  
460. SUPPORT GROUPS (Supp Group)  
{7D67F542-4210-42FE-B083-7DA9D29055BD}  
470. CAREGIVER STRESS (Care Stres)  
{A6A201E7-259C-485E-A35E-9F2F3489B24F}  
480. FAMILY NEEDS (Fam Needs) {CEB07929-0A6E-47E9-99CD-BD9333304C9C}  
490. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}  
500. NONE IDENTIFIED AT THIS VISIT (None)  
{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}  
510. ISOLATION (Isolation) {BD993BAD-087B-4C88-9EEC-DC1B84F9A642}

UNITS:  
-----

=====  
TERM: EKG LEAD  
ID: {D7BAE1AC-E3DA-4C9B-1216-7A07AA310A52}  
=====

Page: 206

Abbreviation..... EKG  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... EKG Lead  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 5 entries

1. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}  
2. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
3. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
4. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}  
5. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

METHOD: 1 entries

1. SKIN (ADHESIVE INDICATOR) (SKIN)  
{C7CE7D84-6FC7-406A-7E56-B080637509DF}

QUALITY: 1 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}

UNITS:

MILLIMETERS -21.00 > -20.00 \* 20.00 < 21.00  
Dec Prec: 2

=====  
TERM: EKG WAVE DESCRIPTIONS  
ID: {034DA435-54CE-4186-8C6E-6ED12324EA72}  
=====

Page: 207

Abbreviation..... EKG WV Des  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... EKG Wave Descriptions  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 23 entries

-----  
20. P WAVE PRESENT (P Wave Pr) {DB568A40-FC64-441F-BA45-F041C6BD1C53}  
30. P WAVE ABSENT (P Wave Ab) {1366C9A5-343F-4C78-9DC4-0E26E84F41A6}  
40. P WAVE BIPHASIC (P Wave Bi) {87E71F59-F44A-4863-9990-079ACBAD44DC}  
50. PR NORMAL DURATION (PR Norm) {3CEB0A4F-D3E3-46E3-89D9-E2410C337A19}  
60. PR PROLONGED DURATION (PR Prolong) {0D8E81C1-D80D-41B1-ABE8-D931945BB1D8}  
70. PR SHORTENED DURATION (PR Short) {C3850A3D-3D57-4875-8F34-78616159F6E8}  
80. QRS (QRS) {C5065D40-2FAC-45A4-A24A-986A35A52F1F}  
90. QR (QR) {7C3C189A-4A97-4309-8DEB-13A43D803AC0}  
100. RS (RS) {33E44A2C-52B1-4CE4-A7B0-FE85151A555F}  
110. QS (QS) {BD21A0E2-70D3-466E-A0DB-8302A5BE876C}  
120. QRSr' (QRSr') {AB71B4B3-3E02-4B5A-BF84-49757F7FD1A6}  
130. RSr' (RSr') {0A4406E8-D4FD-4735-8A75-EF76FB2F9C00}  
140. rSR' (rSR') {7DB2E237-F355-4A30-8C6F-D6419CBAC50E}  
150. QRS NORMAL (QRS Norm) {BEC63090-8F3E-4CE2-8397-34E51F8C8EEC}  
160. QRS WIDENED (QRS Wide) {A9FC39DC-C781-45D6-820C-C91ABC6FAB6B}  
170. DEPRESSED ST (Depress ST) {5A1DBEF1-F1C5-4674-91B9-691A3D5D0BA9}  
180. ELEVATED ST (Elevate ST) {7663CF04-7A89-4228-9DB4-80504A417EA8}  
190. INVERTED T WAVE (Inverted T) {74E92116-CC0C-496E-93D4-F1BB004CB4F7}  
200. PEAKED T WAVE (Peaked T) {CE79199C-3CFE-4DCE-914C-3A0C23CC174E}  
210. T WAVE NORMAL (T Normal) {57AF62FB-DE31-4AF4-9EAA-04B2E46F05E0}  
220. FLATTENED T WAVE (Flat T) {8CAEE4C4-895C-4FC2-95A9-1C84D5305586}  
230. NO T WAVE (No T) {131585CA-7CED-4B2C-A832-A495538F4B02}  
240. U WAVE PRESENT (U Wave) {5AE06982-CC61-45FC-8A60-85DB23A3BBC4}

UNITS:

=====  
TERM: EMOTIONAL SUPPORT  
ID: {8E6573BB-DED8-47D3-AA52-C56404C5D1D9}  
=====

Page: 208

Abbreviation..... EMO SUPPT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Emotional Support  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 1. PATIENT (PATIENT) {7881F205-BCD1-4948-AE66-AD572F5A02F2}  
2. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}  
3. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}  
4. SIGNIFICANT OTHER (SO) {082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}  
5. CAREGIVER (CAREGIVER) {F9B8BABE-2F05-437D-85C8-585FC1FFC07F}

UNITS:

=====  
TERM: ENTERAL FEEDING TUBE TYPE  
ID: {C0633B19-939C-4213-B7C7-C04DC2ADEF0C}  
=====

Page: 209

Abbreviation..... EF TUBE TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Enteral Feeding Tube used  
Display Name..... E.F. Tube Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
8 entries

1. NASOGASTRIC LARGE BORE TUBE (NG LG BORE)  
{C3FEE16A-9998-455B-BEB8-CC55AF890202}
2. NASAL INTESTINAL SMALL BORE (N INT SM B)  
{03DCB9EB-9B11-4C3B-869B-B1842BBC844}
3. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
4. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
5. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
6. ORAL GASTRIC TUBE (OG TUBE)  
{C6995D6A-939C-4C31-A3C2-4504CB5597CD}
7. DUODENOSTOMY (DUODENOSTO) {FA44135D-6806-42E7-B371-8C3912B3582E}
8. TRANSPYLORIC (TRANSPYOLO) {78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}

UNITS: -----

Abbreviation..... En Deliver  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Enteral Nutrition Delivery Method  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
7 entries

1. PUMP - CONTINUOUS (Pump- cont)  
{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}
2. PUMP - INTERMITTENT (Pump - int)  
{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}
3. BAG - CONTINUOUS (Bag - cont)  
{F072EF8A-B38B-4D75-82BF-D5EF851784B0}
4. BAG - INTERMITTENT (Bag - inte)  
{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}
5. SYRINGE (Syringe ) {8ED1EF3E-79AC-4507-A35B-473F31510FB7}
6. OPEN SYSTEM (Open syste) {2047EDE8-5D72-4541-A23A-81F097A6CA2A}
7. CLOSED SYSTEM (Closed sys)  
{D076BAB6-C4D1-42F1-9036-80BF4B72E695}

UNITS: -----

=====  
TERM: ENTERAL NUTRITION LINE TRACED  
ID: {5ED65064-4689-4FE3-BE36-6DA708239B04}  
=====

Page: 211

Abbreviation..... En Nut Lin  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Enteral Nutrition Line Traced  
Help Text..... Line traced to origin prior to  
feeding administration  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: ENTERAL NUTRITION RATE  
ID: {75A4F240-8D8E-4F7D-84D3-3DBCE1C20F00}  
=====

Page: 212

Abbreviation..... ENT NUT RA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Rate of Enteral Nutrition  
Display Name..... Enteral Nutrition Rate  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITERS PER HOUR      -1 > 0 \* 500 < 1000      Dec Prec: 0

=====  
TERM: ENTERAL NUTRITION SYSTEM MAINTENANCE  
ID: {9B0AB028-886A-49A5-83BF-A9E4BC787EBF}  
=====

Page: 213

Abbreviation..... En Sys Mnt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Enteral Nutrition System Maintenance  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. BAG CHANGE (Bag Chg) {BC58D518-A742-410B-BE33-732C04D303BD}
2. SYRINGE CHANGE (Syr Chg) {1F052EF1-F62C-4442-8B2B-D15280226C69}
3. TUBING CHANGE (Tube Chg) {6418C2A2-D244-4C5B-A398-904B99AACCEA4}
4. STOPCOCK CHANGE (Stop Chg)  
{C4A6E58E-DA4B-478F-823B-D2CFC9860072}

UNITS:

=====  
TERM: ENTERAL NUTRITION TUBE PLACEMENT VERIFIED  
ID: {45513946-76B4-4941-87A4-2737720A16E4}  
=====

Page: 214

Abbreviation..... Tube Place  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Enteral Nutrition Tube Placement  
                      Verified  
Help Text..... Can specify method of verification in  
                      comments  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

Abbreviation..... ENT NUT TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Enteral Nutrition Used  
Display Name..... Enteral Nutrition Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 47 entries

1. MAGNACAL (MAGNACAL) {C810A618-FB1A-45BB-A540-EADF1414E343}
3. OSMOLITE HN (OSMOLIT HN) {E4186CA6-302F-4513-B125-30B094151423}
4. ULTRACAL (ULTRACAL) {179AE9A5-154D-4CD2-B70B-66E84F5D0932}
6. VITAL HN ENTERAL NUTRITION (VITAL HN)  
{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}
7. D5W ENTERAL NUTRITION (D5W)  
{D6664641-BF43-4157-9A30-8AD8CFE96518}
8. D10W ENTERAL NUTRITION (D10W ENT N)  
{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}
9. D50W ENTERAL NUTRITION (D50W ENT N)  
{528A4339-0261-4EC5-821C-7CE5592666DC}
17. BOOST (Boost) {2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}
18. BOOST PLUS (Boost Plus) {432C8151-10CE-4804-939D-6B6B609BE54A}
19. ENSURE PLUS (Ensure Plu) {519D1249-B6C0-49ED-BA86-1B27C0F964C9}
20. FIBER STAT (Fiber Stat) {201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}
21. GLUCERNA 1.0 (Glu 1.0) {1C465710-80F2-4C13-B8D5-B1D084151104}
22. GLUCERNA 1.2 (Glu 1.2) {F58F1014-D1C4-44EB-9B01-FB88F2B3D751}
23. ISOSOURCE VHN (Iso VHN) {D68525BF-F922-464E-97DE-1AB767974483}
24. JEVITY 1.0 (Jevity 1.0) {637F4523-0417-4EA4-9991-379C8362EC00}
25. JEVITY 1.2 (Jevity 1.2) {0B3ADECE-FC19-4D90-912B-6EDC3D35C845}
26. JEVITY 1.5 (Jevity 1.5) {ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}
27. JUVEN (Juven) {2112F76A-D581-4C55-94CA-4B4CC68813AD}
28. NEPRO (Nepro) {00FFC7A1-5CDA-45AF-BD50-D77666A23851}
29. NEPRO CARB STEADY (Nepro Car)  
{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}
30. NUTRIHEP (Nutrihep) {ABD98675-EB60-40C7-BCE6-73FD787F6D17}
31. OSMOLITE 1.0 (Osmo 1.0) {D5EE7DA5-707B-4000-A133-0C571824A376}
32. OSMOLITE 1.2 (Osmo 1.2) {CEF57C44-82E5-43F5-8646-F8FBCD4609A0}
33. OSMOLITE 1.5 (Osmo 1.5) {8AF4CD1A-631A-4E95-A631-ACFF775284BA}
34. OXEPA (Oxepa) {1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}
35. PERATIVE (Perative) {9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}
36. PIVOT (Pivot) {2E68ED54-57F5-490D-A982-668121F0CF5A}
37. PIVOT 1.5 (Pivot 1.5) {9126F0C6-9716-4C33-8B7C-178D46899D44}
38. PRO STAT SUGAR FREE 64 (ProSta 64 )  
{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}
39. PROMOTE (Promote) {6377C8D3-F6DD-4BD2-877F-DB52525DD65D}
40. PROMOTE WITH FIBER (Pro W/Fib )  
{33E04B6F-2976-402C-B3B7-B75705430340}
41. PROPASS PROTEIN POWDER (Pro Prot )  
{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}
42. PROSOURCE (ProSource) {613F323F-5989-498D-A77E-9CCFC6FF36D4}
43. PROTENEX WOUND CARE (Protenex)  
{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}
44. PULMOCARE (Pulmocare) {8D683106-B5EE-46E1-B1C6-0C7843EDD15C}

45. RESOURCE BREEZE (Re Breeze)  
    {D3A38687-AD62-4E1D-A945-1201168E1CF6}
46. RESOURCE DM (Re Dm)      {C9D4A461-81F9-4392-98DA-129B00E5807F}
47. SUPLENA (Suplena)      {F606979A-083E-40C1-9EBB-EA56053EF5FD}
48. TWO CAL HN (Two Cal HN)      {3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}
49. VITAL 1.0 (Vital 1.0)      {D3CA653C-419D-4186-8704-E171650062DF}
50. VITAL 1.5 (Vital 1.5)      {3665F539-7BBB-4AD9-A4D0-0A33506036D7}
51. VITAL AF (Vital AF)      {D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}
52. VIVONEX RTF (Viv RTF)      {461E7430-CC94-47D1-A90D-9694314C7729}
53. FIBERSOURCE (FiberSrc)      {0BD55DE7-8524-4A21-A694-218A19EF0CE6}
54. ISOSOURCE 1.5 (Iso 1.5)      {A93C075F-A1FB-4B84-A8E3-9CE81089A462}
55. OTHER (SEE COMMENTS) (Other)  
    {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

---

Abbreviation..... Asp Color  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Enteral Tube Aspirate Color  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

1. YELLOW (YELLOW)	{90DC31AD-6211-9F25-4237-79F7122A2763}
2. AMBER (AMBER)	{90A13048-4C35-E01D-3482-64D782001D4A}
3. WHITE (WHITE)	{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
4. BROWN (BROWN)	{A1C32FBC-7B4D-707C-CA58-92A2E201368E}
5. GREEN (GREEN)	{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
6. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
7. BLACK (BLACK)	{7A55AFB9-6861-4918-0746-3D67D47FE5C3}
8. CLAY (CLAY)	{A4E4D16C-B45C-0934-ED22-8BF640080108}
9. ORANGE (ORANGE)	{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
10. TAN (TAN)	{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
11. PURULENT (PURULENT)	{86C01494-743A-C6A2-8883-01CA5200C79B}
12. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
13. CLEAR (c)	{8981C365-2B46-704F-C9F4-975DF1C23C2D}
140. GOLD (Gold)	{1D1A2586-C13C-41FA-A3AD-39294BEBA83E}

UNITS:

=====  
TERM: ENTERAL TUBE ASPIRATE PH  
ID: {C6DD77B7-2501-4B20-AAF8-FF40554257CF}  
=====

Page: 217

Abbreviation..... Asp PH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Enteral Tube Aspirate pH  
Help Text..... pH of enteral tube output  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

pH                    -1.0 > 0.0 \* 14.0 < 15.0 Dec Prec: 1

=====  
TERM: ENTERAL TUBE RESIDUAL VOLUME  
ID: {22EBBA65-D612-43B8-A97F-E750C2ADC9D0}  
=====

Page: 218

Abbreviation..... Res Vol  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Enteral Tube Residual Volume  
Help Text..... volume of enteral tube output  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 300 < 301 Dec Prec: 0

=====  
TERM: ENTERAL TUBE SITE CONDITION CHECKED  
ID: {07A53E80-0F27-46DC-A260-B03CFE25803E}  
=====

Page: 219

Abbreviation..... En Tube Ck  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Enteral Tube Site Condition Checked  
Help Text..... Indicate any abnormal findings in  
comments  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: EPIDURAL: BOLUS (ML)  
ID: {ECED5FF9-C840-4D0A-8CD9-6A2EB772FEB0}

=====

Page: 220

Abbreviation..... Epi Bol ml  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Epidural: Bolus (ml)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER        0.01 > 0.01 \* 999.99 < 999.99  
                    Dec Prec: 2

=====

TERM: EPIDURAL: CATHETER SITE  
ID: {4BCC4DF1-B319-40E0-B740-DB96EE30A761}

=====

Page: 221

Abbreviation..... Epi Cat Si  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Catheter Site  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
10. THORACIC (Thoracic) {CAC9637E-6CBC-4F12-BF5B-72EDD2148579}  
20. LUMBAR (Lumbar) {29729E2C-3650-4E81-B7EB-72052EBA3D48}

UNITS:

-----

=====  
TERM: EPIDURAL: CONTINUOUS RATE (ML/HR)  
ID: {45F9DF95-EF21-4BE4-8F43-B680A3CDDC47}

=====

Page: 222

Abbreviation..... C Rate Hr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Epidural: Continuous Rate (ml/hr)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITERS PER HOUR      0.01 > 0.01 \* 999.99 < 999.99  
Dec Prec: 2

Abbreviation..... Derm Left  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Dermatome Sensory Level -  
Left  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 22 entries

1. C1 (C1)	{F942693D-F272-4A70-81FF-E750BAF082B9}
2. C2 (C2)	{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
3. C3 (C3)	{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
4. C4 (C4)	{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
5. C5 (C5)	{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
6. T1 (T1)	{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
7. T2 (T2)	{7536B154-F3CA-4B21-8CEC-301F204B19A9}
8. T3 (T3)	{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
9. T4 (T4)	{E95970BB-3FDA-4027-AAF0-EE5670642321}
10. T5 (T5)	{01B568D4-F9F4-44A7-94A4-EFF830691940}
11. T6 (T6)	{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
12. T7 (T7)	{385B254A-F256-4626-9C12-7D8984F4B605}
13. T8 (T8)	{68337EB5-902D-4DCB-AFDD-8AC59849F58B}
14. T9 (T9)	{06F10D8D-2E9D-454D-AD6B-B750300523DD}
15. T10 (T10)	{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
16. T11 (T11)	{3C40B21A-965B-48C4-A65D-9A01CF2327F1}
17. T12 (T12)	{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
18. L1 (L1)	{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
19. L2 (L2)	{0E5E7F8E-BA82-499B-A57A-8D32C2113006}
20. L3 (L3)	{0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}
21. L4 (L4)	{94632F85-0152-47C2-9D82-B49C36ABF495}
22. L5 (L5)	{87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

=====  
Abbreviation..... Derm Right  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Dermatome Sensory Level -  
Right  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 22 entries

1. C1 (C1)	{F942693D-F272-4A70-81FF-E750BAF082B9}
2. C2 (C2)	{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}
3. C3 (C3)	{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}
4. C4 (C4)	{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}
5. C5 (C5)	{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}
6. T1 (T1)	{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}
7. T2 (T2)	{7536B154-F3CA-4B21-8CEC-301F204B19A9}
8. T3 (T3)	{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}
9. T4 (T4)	{E95970BB-3FDA-4027-AAF0-EE5670642321}
10. T5 (T5)	{01B568D4-F9F4-44A7-94A4-EFF830691940}
11. T6 (T6)	{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}
12. T7 (T7)	{385B254A-F256-4626-9C12-7D8984F4B605}
13. T8 (T8)	{68337EB5-902D-4DCB-AFDD-8AC59849F58B}
14. T9 (T9)	{06F10D8D-2E9D-454D-AD6B-B750300523DD}
15. T10 (T10)	{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}
16. T11 (T11)	{3C40B21A-965B-48C4-A65D-9A01CF2327F1}
17. T12 (T12)	{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}
18. L1 (L1)	{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}
19. L2 (L2)	{0E5E7F8E-BA82-499B-A57A-8D32C2113006}
20. L3 (L3)	{0CB AF5CD-AABA-4FF0-A25D-01D20CDD53C3}
21. L4 (L4)	{94632F85-0152-47C2-9D82-B49C36ABF495}
22. L5 (L5)	{87E93C0D-B607-4DD2-83EC-71131C072019}

UNITS:

=====  
TERM: EPIDURAL: MEDICATION  
ID: {E3AC01D5-CC7C-471E-A5B1-819416CBB405}  
=====

Page: 225

Abbreviation..... Epi Meds  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Medication  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

-----  
10. {8BC7F294-7126-4843-91A0-14F805EC4578} (Morphine)  
{8BC7F294-7126-4843-91A0-14F805EC4578}  
20. HYDROMORPHONE (Hydromorph)  
{8E6E9DB1-C969-4274-9761-C9830A9FCF67}  
30. ROPIVICAINE (Ropivacain) {911BE8BC-6737-4DBF-96AF-A501D3D54493}  
40. BUPIVICAINE (Bupivicain) {03B908B3-365A-47F6-8D71-8F8FE1D2C16B}  
50. FENTANYL (Fentanyl) {C0740659-05FB-4513-BD0F-4F4111B32215}

UNITS:

-----

=====

TERM: EPIDURAL: RESERVOIR VOLUME REMAINING  
ID: {E8DB41BB-C76C-4397-828E-42AB339D20E5}

=====

Page: 226

Abbreviation..... Res Vol Rm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Epidural: Reservoir Volume Remaining  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER        -1.00 > -1.00 \* 9999.00 < 9999.00  
                    Dec Prec: 2

Abbreviation..... Side Eff  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Epidural: Side Effects  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 19 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
3. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
4. ITCHING (Itching) {33304859-7DF4-4D89-86E8-9AA3395CC80A}
5. URINARY RETENTION (Urin Reten)  
{BDD3A568-00E4-4148-8A5D-00319728022A}
6. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
7. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
8. HEADACHE (Headache) {9338E67C-201C-4066-A734-8BD4B47462BD}
9. BLURRED VISION (Blurred Vi)  
{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}
10. SLURRED SPEECH (Slurred Sp)  
{6C3D295A-71C9-4DA8-A172-995F431D94C9}
11. CONFUSION (Confusion) {C577D53B-2924-41C6-AAF0-426F5259B36F}
12. POOR BAL (Poor Balan) {959AFDB4-6984-452D-9235-B154409DC0ED}
13. TINGLING MOUTH/LIPS (Ting Mou/L)  
{E603F979-310D-438B-80A2-1F52E4DE71C6}
14. UNEXPECTED NUMBNESS (Unexp Numb)  
{6418B135-56AF-4A76-A207-55D7AE0C5364}
15. EXTENDED PERIOD OF IMMOBILITY (Ex Pd Immo)  
{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAFOA}
16. SYMPTOMS OF MEDICATION ALLERGY (Sym Med Al)  
{8E73F22D-7583-4F24-B946-091CF8508CED}
17. REPIRATORY DEPRESSION (Resp Depr)  
{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}
18. CNS DEPRESSION (CNS Depres)  
{EE349460-8B60-427B-AE98-72007DFD2F6A}
19. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====  
TERM: EPIDURAL: TOTAL VOLUME GIVEN  
ID: {9D6BECEA-1AED-42FD-BE2D-396B0B8CD472}  
=====

Page: 228

Abbreviation..... Tot VI Giv  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Epidural: Total Volume Given  
Help Text..... Total Volume of Epidural given  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER        -1.00 > -1.00 \* 9999.00 < 9999.00  
                    Dec Prec: 2

=====  
TERM: ER EMERGENCY SEVERITY INDEX  
ID: {62C9FF10-1B3F-48D1-8FE7-ACF8284FD04A}  
=====

Page: 229

Abbreviation..... ESI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... EMERGENCY SEVERITY INDEX  
Display Name..... ESI  
Help Text..... EMERGENCY SEVERITY INDEX  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}  
2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}  
3. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}  
4. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}  
5. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}

UNITS:

=====  
TERM: ER TRIAGE CONDITION  
ID: {E4848AF5-F7CA-4B23-B436-B902B0F5555A}  
=====

Page: 230

Abbreviation..... TRIAGE CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Triage Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
1. STABLE (STABLE) {A474E7BC-47EF-4472-A19A-172C441099EC}  
2. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}  
3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====  
TERM: ER TRIAGE DISPOSITION  
ID: {4D5AB8A3-0883-4D48-AAF7-73933D411038}  
=====

Page: 231

Abbreviation..... TRIAGE DIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Triage Disposition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. EMERGENCY DEPARTMENT (ER DEPT)  
{D2E511F7-8B80-4928-A64B-3F1EE17395F7}  
2. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}  
3. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====  
TERM: ET LOCATION  
ID: {7DA32BAB-D3E3-55F0-CBAC-812B366B15A5}  
=====

Page: 232

Abbreviation..... ET LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... LOCATION OF ENDOTRACHEAL TUBE  
Display Name..... Endotracheal Tube Location  
Help Text..... Measured in centimeters from lip or  
nose  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----  
15. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}  
16. 21 (21) {C6188159-9EF1-DA5C-C015-2142A1205C4C}  
18. 22 (22) {DA839156-C7A9-76D7-58CD-7EC2B016EF40}  
20. 23 (23) {8FB6A8B1-B692-BDC7-43B9-0332F33D826A}  
22. 24 (24) {2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}  
24. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCD1}  
26. 26 (26) {181395F6-29FD-5A41-5AD7-BFC9CF564F3B}  
28. 27 (27) {64D25A86-6516-0910-B4B5-644B85378876}  
30. 28 (28) {66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}  
32. OTHER (COMMENT REQUIRED) (Other Req)  
{334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}

LOCATION: 3 entries

-----  
10. LIP (Lip) {43A64C98-CAE1-4069-B66E-91A512D7A703}  
20. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}  
30. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. MIDLINE (Midline) {1C6F049F-532E-406B-9C54-2AA24CAC085E}

UNITS:

-----

=====  
TERM: EYE CONTACT  
ID: {C572ADA8-4974-47B7-AF2F-1CBCA368145C}  
=====

Page: 233

Abbreviation..... Eye Contct  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Eye Contact  
Help Text..... Assessment of Eye Contact in  
Behavioral Health Population  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. APPROPRIATE (a) {1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}  
20. PUPIL DILATION (Pupil Dila)  
(93923D51-6746-44A7-B906-964CA0DB09B4}  
30. PUPIL CONSTRICTION (Pupil Con)  
(C5FB67AF-9331-4702-BF66-575EC3D2B729}  
40. AVOIDANT (Avoidant) {4979C5A5-C03B-4893-8155-40CDC1833C05}  
50. STARE (Stare) {558CBBCE-8857-4198-AC68-62CB0523B267}

UNITS:

-----

=====  
TERM: FALL PRECAUTIONS  
ID: {7912B52F-20BC-9128-883B-08AF0EC48045}  
=====

Page: 234

Abbreviation..... FALL PRE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Fall Precautions  
Help Text..... Fall Precautions Taken  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: FALL PREVENTION  
ID: {D132DC0C-DEA5-460C-9278-C65A36396B53}  
=====

Page: 235

Abbreviation..... Fall Prev  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Fall Prevention  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 17 entries

- 10. ORIENTED TO SURROUNDINGS/ROUTINE (Oriented)  
{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}  
20. INCREASE ROUNDS (Inc Rd's) {873180AF-9BB9-44F4-B9E4-80F8BBDF9769}  
30. NON-SKID SLIPPERS (Non-Skid)  
{D7641B31-2CB9-4284-B505-74B131BF4789}  
40. PLACED NEAR TO NURSE STATION (Near N/Sta)  
{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}  
50. NIGHT LIGHT PROVIDED (Night Lite)  
{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}  
60. PERSONAL ARTICLES AT REACH (At Reach)  
{166DE5BA-67F1-4BDB-9378-062862519BE4}  
70. ORIENTED TO CALL FOR ASSISTANCE (Call/Asst)  
{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}  
80. COMFORT MEASURES (Com Measu)  
{A5F09A1F-921E-4469-9652-0A136BCD9C07}  
90. ESTABLISHED ROUTINE TOILETING SCHEDULE (Toil Sched)  
{A66F5259-5C01-4597-B881-9267DEBC017C}  
100. AVOIDED LIGHT AND NOISE OVERSTIMULATION (Avoid Lght)  
{135BE5DC-B93B-4A72-97AC-B423A6E81538}  
110. ELIMINATED ENVIRONMENTAL HAZARDS (Eli Env Hz)  
{78E77129-F53F-491D-8C86-36AE948FC4C6}  
120. ALARMS ON (Alarms On) {A07F739F-3E78-405D-9012-E43CD84B2CBC}  
130. HELMET (Helmet) {E65974F8-BCE7-4361-868D-C0B4D780EA21}  
140. HIP-PROTECTORS (Hip-Prot)  
{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}  
150. FALL RISK SIGN (Fall Sign)  
{E9670720-957E-487E-B0F0-7F7A8AEF69DE}  
160. FALL RISK ID (Fall Risk) {EF1BE81B-656B-474C-B19E-CCDAD8BB4100}  
170. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====  
TERM: FAMILY ORIENTED TO UNIT  
ID: {E1CB7972-95FE-FE7B-9E6E-ECF1FF4699EB}  
=====

Page: 236

Abbreviation..... FOTU  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Family Oriented to Unit  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

Abbreviation..... FID Assess  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Fecal Device: Assessment  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

-----  
10. LEAKAGE (Leakage) {E6D33143-415D-493D-8AD3-1028D61E26F0}  
20. NO LEAKAGE (No Leakage) {08C6382F-2934-4E02-B217-A10FC4435A17}  
30. SKIN BREAKDOWN (Skin Break)  
{B097478B-C287-44D8-9E54-B4FFB7EF45EE}  
40. SKIN INTACT (Skin Intac) {3822B068-9ACA-49D1-A5E6-1BAF31782EEC}  
50. SKIN EXCORIATION (SkinExcor)  
{03525053-AF43-445F-99DB-65C9433AADC9}  
60. PERINEAL PAIN (PerinealPn)  
{B92D15D5-C65B-41EE-9ACA-480B75FD7454}  
70. DRAINING WELL (DrainWell) {594713DB-C44A-4B57-8B1C-784C7763F80B}  
80. DRAINING POORLY (DrainPoor)  
{C3EF5A17-30FC-49B6-9F9E-51A34F45F295}  
90. STOOL TOO FIRM TO DRAIN (Firm)  
{A57DB5C7-A9F1-48B7-A6EA-1C6256C150BF}  
100. ASSESS FOR CONTINUING NEED FOR DEVICE (AssessNeed)  
{C6407B93-3747-4A0F-9158-C2EC75FB896B}  
110. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: FECAL INCONTINENCE DEVICE: CARE  
ID: {F2350557-8998-40FE-82C4-9ACD284E492E}  
=====

Page: 238

Abbreviation..... FID Care  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Fecal Device: Care  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 7 entries

10. DEFLATE BALLOON (Deflate Ba)  
{35425FEE-DEF6-4880-8F56-6A6745E76604}  
20. ROTATION (Rotation) {B35FBCB8-79A0-4FF9-9220-4811865EB5FE}  
30. INFLATE BALLOON (Inflate Ba)  
{8E43AC94-F91F-498A-AEFA-2D754A24AE35}  
40. REMOVAL (Removal) {B4B1C2D0-C8DF-42F5-B74A-ABA3895009E7}  
50. IRRIGATION (Irrigation) {FEC41E5A-D214-48A0-953B-EF75B6414BE3}  
60. INSERTION (Insertion) {FF33CDE9-5CF7-46F7-8E3C-DBEC99CBC8BF}  
70. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS: .....  
=====

=====  
TERM: FECAL INCONTINENCE DEVICE: TYPE  
ID: {33F82C01-9087-4D52-9B9B-6347DA0C58BF}  
=====

Page: 239

Abbreviation..... FID Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Fecal Device: Type  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. EXTERNAL FECAL INCONTINENCE DEVICE (FID Ext)  
{6FD2A67E-5CDD-4654-8C2A-7BD851D032EF}  
20. INTERNAL FECAL INCONTINENCE SYSTEM (FID Int)  
{3E01B153-8BBF-4EB3-B680-AD22E53531F1}  
30. RECTAL TUBE (RectalTube) {D5C228DB-532A-48EC-AF25-CEC20EB2818F}

UNITS:

-----

=====

TERM: FETAL HEART TONES  
ID: {A2E22A44-E924-ADDE-2B8E-0251666B4DE6}

=====

Page: 240

Abbreviation..... FT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... From Vitals  
Display Name..... Fetal Heart Tones  
Help Text..... From Vitals  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688721

UNITS:

BEATS PER MINUTE      50 > 120 \* 160 < 225      Dec Prec: 0

=====  
TERM: FINGERSTICK GLUCOSE  
ID: {805F184D-EF11-446F-A272-B08249A477E9}  
=====

Page: 241

Abbreviation..... FINGER GLU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Fingerstick Glucose Test Result  
Display Name..... Fingerstick Glucose  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

mg/dl                    -1 > 0 \* 1001        Dec Prec: 0

=====  
TERM: FLATUS  
ID: {9999776E-D262-4F64-BDEC-16A7E5885185}  
=====

Page: 242

Abbreviation..... FLATUS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Flatus  
Display Name..... Flatus  
Help Text..... Flatus / Flatulence  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}
  - 2. PATIENT REPORTS NOT PRESENT (PT RP N PR)  
(AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}
  - 3. PATIENT REPORTS PRESENT (PT REP PRE)  
(1726BC7E-5A82-41AC-B77A-BF62263E1EF6)
  - 4. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

---

=====

TERM: FLOWSHEET ADDENDUM  
ID: {72F2398C-E7DB-418F-89A4-79E07895295F}

=====

Page: 243

Abbreviation..... FLOW ADDEN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... Flowsheet Addendum  
Display Name..... Flowsheet Addendum  
Help Text..... 250 Characters ONLY: Place to enter  
status updates, notes, significant  
events, etc. That are relevant to the  
patient and entire flowsheet.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: FOOT STRENGTH  
ID: {5B1A78F0-5C93-F5BA-29D5-D9AFC205B3C7}  
=====

Page: 244

Abbreviation..... FOOTS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Foot Strength  
Help Text..... Evaluation of foot strength  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}  
3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}  
4. REFLEX INTACT (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}  
6. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

-----  
1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
3. BILATERAL FOOT (BILAT FOOT)  
{C758847D-468F-479A-B12D-F4E46F0E5E3A}

UNITS:

-----

=====  
TERM: FUNDAL HEIGHT  
ID: {EEAB8762-624F-7BA3-4001-114FD229BA69}  
=====

Page: 245

Abbreviation..... FH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... From Vitals  
Display Name..... Fundal Height  
Help Text..... Starting at 24 weeks  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688722

UNITS:

CENTIMETER      15 > 21 \* 43 < 60      Dec Prec: 0

=====  
TERM: GAG REFLEX  
ID: {21F9FD70-0E30-2772-2E3C-D36C9D3ABA9D}

Page: 246

=====  
Abbreviation..... GAG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Gag Reflex  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====

TERM: GAIT

Page: 247

ID: {E36F1998-896C-47EE-97FC-18E224E9A415}

=====

Abbreviation..... Gait  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gait  
Help Text..... Assessment of Gait  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----

10. STEADY (Steady)	{42CF2FDA-E774-4784-99D3-24545E30C46F}
20. UNSTEADY (Unsteady)	{7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}
30. SHUFFLING (Shuffling)	{7EA3A898-1D90-472C-BE90-2110330A1ADA}
40. SCOOTER (Scooter)	{663BC475-C20E-4B8B-B8B5-B16CC79A93C6}

UNITS:

-----

Abbreviation..... Gait Assmt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gait Assessment  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

10. LIMPING (Limping) {9D3CD08A-9DA7-4CFA-86FA-585D1FBA47DA}  
20. HIGH STEPPAGE (High Step) {69B697DB-695F-4ACE-A55B-5B2890CC86CE}  
30. DROPPING FOOT (Drop Foot) {973DF7B5-4845-46F8-BD5F-D20BB7FF708F}  
40. WADDLING (Waddling) {C88EB596-FB4E-4B11-B85D-2CB27AE903E4}  
50. FOOT DRAGGING (Foot Drag) {6545B9D2-143C-4551-9D93-5D93AD79C65E}  
60. AUDIBLE "SCUFFING TOE" (Scuff Toe)  
{FF11D53C-0251-43D6-9CA4-D669A62C1EC6}  
70. SCISSORING (BILATERAL CIRCUMDUCTION) (Scissoring)  
{94CEEB00-ADD0-4165-98C2-34318E443446}  
80. DIVIATION TO ONE SIDE (Diviation)  
{49BC09BA-73B8-4FD4-8FBD-79D2EBAC7B82}  
90. STAGGERING, WIDE BASED (Staggering)  
{2E79C273-2E13-4DD2-BFB5-B84EA2D273C4}  
100. EXTRA MOVEMENTS THAT AFFECT GAIT (Extra Move)  
{DB1191F0-540F-4E62-B4D9-03DE316E4B5A}  
110. SHUFFLING (Shuffling) {7EA3A898-1D90-472C-BE90-2110330A1ADA}  
120. HESITATION AND FREEZING (Hesitate)  
{01295D78-9305-4D6B-B1BC-53CBDDA17956}  
130. SLOW, WIDE BASE, SHORT STEPS (Slow Steps)  
{618C0922-57BD-4DF3-BAF0-6CF91E7309C8}  
140. BALANCE IMPAIRMENT (Balance)  
{412DDCDD-4CB0-4AE4-A591-E11419EB9AF0}  
150. INAPPROPRIATE OR BIZARRE FOOT PLACEMENT (Foot Place)  
{9B943C60-F11A-46FC-843B-275837644CDB}

UNITS:

=====  
TERM: GASTRIC RESIDUAL AMOUNT DISCARDED  
ID: {E74268D1-6DB1-40BB-810B-4A33D65F73A4}  
=====

Page: 249

Abbreviation..... GAS DISCAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Gastric Residual Amount Discarded  
Display Name..... Gastric Residual Amount Discarded  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER      0 > 0 \* 10000 < 10000    Dec Prec: 0

=====  
TERM: GASTRIC RESIDUAL CHECKED  
ID: {7CFB9F8C-FDDB-4CB2-B977-E6570D84BAFE}  
=====

Page: 250

Abbreviation..... GAS RES CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the Gastric Residual Checked?  
Display Name..... Gastric Residual Checked  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

=====  
TERM: GASTRIC RESIDUAL NOT DISCARDED  
ID: {D93EDA7E-706C-4914-A774-5BE46D4A3085}  
=====

Page: 251

Abbreviation..... GAS NOT DI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Gastric Residual Amount Not Discarded  
Display Name..... Gastric Residual Amount Not Discarded  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER      0 > 0 \* 10000 < 10000      Dec Prec: 0

=====

TERM: GASTRIC TUBE INSERTION: INDICATION  
ID: {A0C56786-F1C2-4834-A149-EF8E521FF263}

=====

Page: 252

Abbreviation..... Gtube:Ind  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gastric Tube Insertion: Indication  
Help Text..... X-ray required before giving meds,  
tube feedings, or using for  
irrigation/lavage.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. GASTRIC DECOMPRESSION (GastrDecom)  
{E7FD3462-0384-46F1-A072-31C6ACF6E8C4}  
20. GASTRIC IRRIGATION (GastricIrr)  
{6AA2256B-A212-4205-85D7-1FD34E928941}  
30. GASTRIC LAVAGE (GastricLav)  
{77C3A1C6-73DD-43D4-B5FA-568BE9544218}  
40. ASPIRATION OF GASTRIC CONTENTS FOR SPECIMEN (AspofGastr)  
{67DD42D8-E1D9-4A06-A49C-E331CBC4EA8D}  
50. ADMINISTRATION OF MEDS/FLUIDS/ENTERAL FEEDINGS (Adm M/F/EF)  
{17B15FC3-59D8-4897-A330-BC20382A6A47}  
60. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

-----

=====  
TERM: GASTRIC TUBE INSERTION: PLACEMENT MARKED WITH PERMANENT MARKER Page: 253  
ID: {C18A8062-2D0D-4F1D-83EA-3EF6171EA3B2}  
=====

Abbreviation..... GT Marker  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Gastric Tube Insertion: Placement  
Marked with Permanent Marker  
Help Text..... Placement length of gastric tube  
marked on the tube with permanent  
marker for easy visualization.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 2 entries

-----  
10. NARES (Nares) {ADCA65F6-CED5-4661-99A0-BE54212FBBD9}  
20. Lips (Lips) {905C6242-0B5C-45ED-B34C-636A81D760B1}

POSITION: 2 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}

UNITS:

-----  
CENTIMETER 0 > 0 \* 99 < 99 Dec Prec: 0

Abbreviation..... GT:Resp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gastric Tube Insertion: Response to  
Procedure  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
10. TOLERATED WELL (ToleraWell)  
(5455F9B6-AD0E-4053-8EB0-4AAB055A5BB1)  
20. OTHER (ENTER COMMENT) (Other)  
(7BBBF8-B8DB-44EC-830A-7894242D219F)

UNITS:

-----

=====

TERM: GASTRIC TUBE INSERTION: SMALL BORE FEEDING TUBE, GUIDE WIRE REMOVED

Page: 255

ID: {23B43893-55D7-413C-9882-FB96FDBAED11}

=====

Abbreviation..... GT SM BORE

Active..... Yes

Boolean Value False..... No

Boolean Value True..... Yes

Data Type..... Boolean

Description.....

Display Name..... Gastric Tube Insertion: Small bore  
feeding tube, guide wire removed

Help Text..... Verify that guide wire is removed  
after X-ray verification.

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

UNITS:

-----

=====  
TERM: GASTRIC TUBE INSERTION: X-RAY VERIFICATION  
ID: {0A5BFB4B-DE59-467C-90FC-3C2A85BAD87D}  
=====

Page: 256

Abbreviation..... GT:X-Ray  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gastric Tube Insertion: X-Ray  
Verification  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
10. VERIFICATION OBTAINED (MANDATORY TO INSTILL MEDS/NUTRITION/FLUIDS) (Ver  
Obtaind) {5BA33ADE-7CE1-4B23-BB40-ADA24F661234}  
20. NO VERIFICATION OBTAINED (NO PLANS TO INSTILL MEDS/NUTRITION/FLUIDS) (N  
oVerf) {85899FD9-0420-41A8-AD3D-93E3C2F308B1}

UNITS:

=====

TERM: GASTRIC TUBE: INSERTED VIA:  
ID: {16FE185C-5330-4D05-A918-4F03CE929AD5}

=====

Page: 257

Abbreviation..... GTubeVia  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gastric Tube: Inserted Via:  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. RIGHT NARIS (RightNaris) {81196134-EDC9-4C8A-8231-FE2069D027A0}  
20. LEFT NARIS (LeftNaris) {666BDEE6-4B12-4D95-A534-8E68949A34BD}  
30. MOUTH (Mouth) {809D32CF-BBF7-4787-B0E6-E20539655F88}

UNITS:

-----

=====

TERM: GASTRIC TUBE: PLACEMENT CHECKED BY GASTRIC CONTENT  
ID: {A7021182-FBC6-4986-AE14-99D3EBBF8A25}

=====

Page: 258

Abbreviation..... Gtube:Cont  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gastric Tube: Placement Checked by  
Gastric Content  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
10. COLOR AND CONSISTENCY OF ASPIRATED SECRETIONS (Color/Con)  
(02E87CEB-DCD2-4AC0-A753-984C0C54CD16)

20. PLACEMENT INCONCLUSIVE, SPECIMEN SENT TO LAB FOR GASTRIC PH LEVEL 1-4 (SentToLab) {D3FE93D2-D17A-4411-B450-B2FB6B0580E1}

UNITS:

=====

TERM: GASTRIC TUBE: SECUREMENT  
ID: {AB4E602C-00F8-4F84-BEC9-2119B0CDF10A}

=====

Page: 259

Abbreviation..... GT:Secure  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Gastric Tube: Securement  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. NG STRIP (NG Strip) {B94CD60C-2D10-4CE8-A176-A900CF0B9611}  
20. HYPOALLERGENIC TAPE (HypoTape)  
{7169C252-192C-4F36-8553-3B3C8DA8123F}  
30. BRIDLE (Bridle) {A9E6BF67-D674-4764-9E4C-153270872CEA}  
40. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

-----

=====  
TERM: GASTRIC TUBE: SUCTION TYPE  
ID: {884A773C-187A-B910-AEC0-59815DEE579E}  
=====

Page: 260

Abbreviation..... TUBE SUC T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF SUCTION APPLIED TO GI TUBE  
Display Name..... Gastric Tube: Suction Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. LOW CONTINUOUS (LowCont) {7B0A1CE9-382D-4E6E-AE5C-C3C36C32385A}  
20. LOW INTERMITTENT (LowInterm)  
{19BC559B-858E-4975-8005-FC9406394EB2}  
30. GRAVITY (GRAVITY) {C0233F70-376D-41CE-9F14-714C7B35244F}  
40. NONE - PLUGGED WITH ANTI-REFLUX VALVE (NonePlug)  
{85A4ECEE-D326-4213-83BD-5900242D2CE0}  
50. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

-----

=====

TERM: GASTRIC pH  
ID: {5ECE05DB-47C5-43C9-A3CD-0CD31E285BA8}

=====

Abbreviation..... GASTRIC pH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Gastric pH  
Display Name..... Gastric pH  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

pH                  0 > 0 \* 7 < 15                  Dec Prec: 0

=====

TERM: GCS: EYE OPENING  
ID: {11D9DC0B-FE5C-9374-0904-96896A69E41B}

=====

Page: 262

Abbreviation..... GCS EYE OP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Eye Opening  
Help Text..... Glasgow Coma Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. 4 - SPONTANEOUSLY (4-s) {4612FC84-FCA8-8C85-50DC-A9A42C195F51}
  2. 3 - TO VERBAL COMMAND (3-tvc)  
{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}
  3. 2 - TO PAIN (2-tp) {49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}
  4. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}
  5. 0 = ABSENT (0-a) {75F14311-F113-963C-4F05-B8AE17F044A9}

UNITS:

-----

=====  
TERM: GCS: MOTOR RESPONSE  
ID: {F708D210-5A49-4731-443A-DB3992450B45}  
=====

Page: 263

Abbreviation..... GCS MOTOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Response  
Help Text..... Glasgow Coma Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 6 entries

1. 6 - OBEYS COMMANDS (6-oc) {0D4956F4-7E79-8D17-EDF3-274B96BBC89A}
2. 5 - LOCALIZES PAIN (5-lp) {CF13650F-899B-6AE1-5913-DC1F4776E5E4}
3. 4 - WITHDRAWS FROM PAIN (4-wfp)  
{D808ACF1-30CB-29AB-4957-E91D63C4DF18}
4. 3 - ABNORMAL FLEXION FROM PAIN (3-affp)  
{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}
5. 2 - ABNORMAL EXTENSION FROM PAIN (2-aefp)  
{9B4951D8-B271-DFC3-0A00-1DC9984039E3}
6. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

=====  
TERM: GCS: TOTAL  
ID: {09118FCE-11BC-2679-68FC-67913B3EAAD0}  
=====

Abbreviation..... GCS TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Total GCS  
Help Text..... Glasgow Coma Scale  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
GLASGOW COMA SCALE      2 > 2 \* 15 < 15      Dec Prec: 0

=====  
TERM: GCS: VERBAL RESPONSE  
ID: {B4BA8135-48CB-2930-B5F2-5B93688C07FE}  
=====

Page: 265

Abbreviation..... GCS VERBAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Verbal Response  
Help Text..... Glasgow Coma Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. 5 - ORIENTED AND CONVERSES (5-oac)  
{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}
2. 4 - DISORIENTED AND CONVERSES (4-dac)  
{D43F646D-A130-5D06-6DC6-DDB971027231}
3. 3 - INAPPROPRIATE WORDS (3-iw)  
{FE000191-243E-4D32-1E1E-546EE2CF88A5}
4. 2 - INCOMPREHENSIBLE SOUNDS (2-is)  
{F2261C3D-79A3-055B-702D-446B7A6A3113}
5. 1 - NO RESPONSE (1-nr) {26D3168D-40EA-C918-D321-54BED4837311}

UNITS:

=====  
TERM: GENITAL ASSESSMENT  
ID: {139D5B8A-4DF7-4764-A1C9-835C73A13E41}  
=====

Page: 266

Abbreviation..... GEN. ASSMT  
Active..... Yes  
Boolean Value False..... Normal  
Boolean Value True..... Abnormal  
Data Type..... Boolean  
Description..... General condition of genitals  
Display Name..... Genital Assessment  
Help Text..... Are genitals normal or abnormal?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

Abbreviation..... GI SYMPTOM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Symptoms  
Display Name..... GI Symptoms  
Help Text..... Select all symptoms that apply  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 21 entries

1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}
2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}
3. PROJECTILE VOMITING (PROJ VOMIT)  
(0D2CB23B-B266-40E1-A6FF-20B733655B69}
4. CRAMPING (CRAMPING) {3EC3E352-5469-4A85-80E4-3AFEB61224C4}
5. HEARTBURN (HEARTBURN) {5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}
6. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
7. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
8. ACID REFLUX (AcidReflux) {B27EE895-8D22-408D-A436-0A249CCADF22}
9. BELCHING (Belching) {F0BF9D4D-F89E-41A1-A99F-90089FC619BD}
10. BLOATING (Bloating) {5B8258C5-9C46-4071-B4A6-E94632252A88}
11. DRY HEAVES (Dry Heaves) {340B9BAD-5F37-42D1-843B-A4AB9908DFDD}
12. DYSPHAGIA (Dysphagia) {CC69271C-B4DF-42D1-BA91-0832DBC45E31}
13. FLATUS (Flatus) {F3FE38C4-CB0B-4141-ACFB-57326B0B2746}
14. HEMATEMESIS (Hematemesis) {7BAB8FEB-1B77-450D-88A0-F59E3D3C4DA8}
15. HICCUPS (Hiccups) {2FCEC774-3E4A-4A65-919C-02221E890EA3}
16. IMPACTION (Impaction) {6F4370A1-03FE-488F-9F95-EF36321270A1}
17. INDIGESTION (Indigestio) {D60E1A18-8BB6-4B09-93CC-A663833C2D6D}
18. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}
19. RETCHING (Retching) {4C3AFFD1-2F4D-4A48-8B42-567B2445DCD8}
20. TENDERNESS (Tenderness) {5D03ABF9-835D-49DC-919F-35C169FE649A}
21. OTHER (ENTER COMMENT) (Other)  
(7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: GI TUBE DRAINAGE CHARACTERISTICS  
ID: {D72728F5-FE40-1697-E896-BFAA1895A4A8}  
=====

Page: 268

Abbreviation..... GI DRAIN C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... GI Tube Drainage Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}  
2. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS:

=====  
TERM: GI TUBE DRAINAGE COLOR  
ID: {4D0CB409-25EA-40CB-ABE5-1BB2E0FDE1C3}  
=====

Page: 269

Abbreviation..... GI DRA COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Tube Drainage Color  
Display Name..... GI Tube Drainage Color  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

1. YELLOW (YELLOW)	{90DC31AD-6211-9F25-4237-79F7122A2763}
2. AMBER (AMBER)	{90A13048-4C35-E01D-3482-64D782001D4A}
3. WHITE (WHITE)	{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
4. BROWN (BROWN)	{A1C32FBC-7B4D-707C-CA58-92A2E201368E}
5. GREEN (GREEN)	{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
6. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
7. BLACK (BLACK)	{7A55AFB9-6861-4918-0746-3D67D47FE5C3}
8. CLAY (CLAY)	{A4E4D16C-B45C-0934-ED22-8BF640080108}
9. ORANGE (ORANGE)	{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
10. TAN (TAN)	{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
11. PURULENT (PURULENT)	{86C01494-743A-C6A2-8883-01CA5200C79B}
12. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
13. CLEAR (c)	{8981C365-2B46-704F-C9F4-975DF1C23C2D}

UNITS:

=====  
TERM: GI TUBE PLACEMENT CONFIRMATION  
ID: {BFA579B5-CEA7-43EF-84C0-C4893EFD0F3A}  
=====

Page: 270

Abbreviation..... GI T PLACE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... GI Tube Placement Confirmation  
Display Name..... GI Tube Placement Confirmation  
Help Text..... GI Tube Placement Confirmation  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. X-RAY (X-RAY) {C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}  
2. ASPIRATION (ASPIRATION) {68B91085-8E3C-4B94-9F97-6305F5DFD900}  
3. AUSCULTATION (AUSCULTATI) {B9D756DF-74F5-4604-B781-D7BC512FC453}  
4. pH (pH) {104FE39C-B0A2-40B5-A523-B11E5F2BA272}

UNITS: .....  
=====

=====  
TERM: GI TUBE SIZE  
ID: {9F0E347C-C292-41A6-B213-340B2ECD716E}

---

Page: 271

Abbreviation..... GI TU SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Size  
Display Name..... GI Tube Size  
Help Text..... GI Tube Size  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

---

FRENCH              7 > 7 \* 25 < 25              Dec Prec: 0

=====  
TERM: GI TUBE TYPE  
ID: {DD63CB7E-0759-F5F2-EFF6-AB6874590B43}

---

Page: 272

Abbreviation..... GI TUBE TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... TYPE OF GI TUBE  
Display Name..... GI Tube Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 10 entries

1. NASOGASTRIC TUBE (NG TUBE)  
{6475E343-A310-48A5-B543-D29573E7684D}
2. GASTRIC TUBE (G TUBE) {65F774BA-F977-46D3-AE41-7F7C74CFF47E}
3. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
4. PEG TUBE (PEG TUBE) {970C3755-2B3F-462F-AA87-EA33F846843F}
5. NASAL SMALL BOWEL FEEDING TUBE (NAS SM BOW)  
(A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}
6. ORAL GASTRIC TUBE (OG TUBE)  
(C6995D6A-939C-4C31-A3C2-4504CB5597CD}
7. SMALL BORE FEEDING TUBE (SM BO TUBE)  
{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}
8. GASTROSTOMY TUBE (GAST TUBE)  
{EF017A39-745E-4C29-821A-5B25F103DF99}
9. GASTROSTOMY FEEDING BUTTON (GAST F BUT)  
{1627B53B-374B-42B4-BBFE-463EE37B6110}
10. EWALD TUBE (EWALD TUBE) {B83AB4C1-A098-4FAB-A645-61FE1FEADBBE}

UNITS: .....  
=====

=====  
TERM: GU BLADDER IRRIGATION FREQUENCY  
ID: {D16099EA-DF97-4481-8B8F-7A25E88D15B1}  
=====

Page: 273

Abbreviation..... GU BL IR F  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Bladder Irrigation Frequency  
Display Name..... Bladder Irrigation Frequency  
Help Text..... Bladder Irrigation Frequency  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

1. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}  
2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}  
3. PRN (PRN) {36493D81-954B-4C56-B0A2-9988EA785EBD}

UNITS:

=====  
TERM: GU CATHETER CARE PERFORMED  
ID: {F99A31A1-6D6D-4532-81F4-35EA957233D7}  
=====

Page: 274

Abbreviation..... GU CA CARE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Catheter Care Performed  
Display Name..... Catheter Care Performed  
Help Text..... Catheter Care Performed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: GU CATHETER SIZE  
ID: {222FF9DB-7D48-4004-B9B9-49B41D8E510B}  
=====

Page: 275

Abbreviation..... GU CA SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Catheter Size  
Display Name..... Catheter Size  
Help Text..... Catheter Size  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

FRENCH                11 > 11 \* 31 < 31                Dec Prec: 0

=====  
TERM: GU CATHETER TYPE  
ID: {A73423E8-EA6C-007E-1F20-6185BD488AEA}

Page: 276

Abbreviation..... GU CATH TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of catheter used  
Display Name..... Catheter Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

1. INDWELLING CATHETER (INDW CATH)  
{EC16724C-D1EA-5650-58D4-38A89D4456F9}
2. EXTERNAL CATHETER (EXT. CATHE)  
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}
3. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}
4. L NEPHROSTOMY (L NEPHROST)  
{D8FC4C18-081E-A7B9-E394-25F194BE9757}
5. R NEPHROSTOMY (R NEPHROST)  
{33661137-688D-5611-4368-B1DFD8DB1469}
6. UROSTOMY (UROSTOMY) {1F9E528D-6D78-54EE-94E6-649C6F2056A3}
7. STRAIGHT CATHETER (STR. CATH)  
{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}
8. ILEAL CONDUIT (ILEAL COND)  
{032CB6FE-77D2-702E-A0AE-46176F5CAA57}
9. L STENT (LEFT STENT) {FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}
10. R STENT (RT. STENT) {6D0EED3B-1F08-11D2-165D-97A9F58327D5}
11. FOLEY (FOLEY) {9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}
12. 3 WAY FOLEY (3WAY FOLEY) {32408760-F517-4530-AEC0-54FE0A6A062B}
13. MUSHROOM CATHETER (MUSH CATHE)  
{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}

UNITS:

=====  
TERM: GU VOIDING  
ID: {BE9D4DD5-CF6E-C973-C1F1-D70D9F554E38}  
=====

Abbreviation..... GU VOIDING  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Method of urine elimination  
Display Name..... Voiding  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}
  - 2. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}
  - 3. CATHETER (CATHETER) {B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}

UNITS:

---

=====  
TERM: HAIR CONDITION  
ID: {7FA596FC-81CF-4906-BBA9-96ED54FAC55D}  
=====

Page: 278

Abbreviation..... HAIR CONDI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Hair Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
4 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. ALOPECIA PARTIAL (ALOPE PART)  
{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}
3. ALOPECIA TOTAL (ALOPE TOTA)  
{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}
4. HIRSUTISM (HIRSUTISM) {A909A4FC-080A-4E9A-867A-0B30D4633602}

UNITS: -----

=====  
TERM: HAND GRIP  
ID: {67289BB5-D6B1-53C5-53E2-6D209C1B0826}  
=====

Page: 279

Abbreviation..... HAND GRIP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Hand Grip  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}  
3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}  
4. REFLEX INTACT (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}  
7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

LOCATION: 3 entries

-----  
1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}  
2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}  
3. BILATERAL HAND (BILAT HAND)  
{C782FE56-6117-493F-847F-83173407F0B5}

UNITS:

-----

=====

TERM: HANDOFF REPORT  
ID: {EF8C4872-1F90-4A5A-93CA-9B3DD4350A55}

=====

Page: 280

Abbreviation..... Handoff Rp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Handoff Report  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: HEAD CIRCUMFERENCE  
ID: {33827E3C-5DBB-083C-D8BE-4DFD7D42071F}

=====

Page: 281

Abbreviation..... HC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... From Vitals  
Display Name..... Head Circumference  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4536405

UNITS:

CENTIMETER      0 > 1 \* 100 < 101      Dec Prec: 0

=====  
TERM: HEAD OF BED ELEVATION  
ID: {97D6AA11-1F1A-1853-23E5-25F2F41E07CF}  
=====

Page: 282

Abbreviation..... HOB E  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Head of Bed Elevation  
Help Text..... Value in degrees  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
DEGREES (ANGLE)        -1 > 0 \* 90 < 99        Dec Prec: 0

=====  
TERM: HEAT/MOISTURE EXCHANGER PRESENT  
ID: {1AAC7785-C695-44AB-9E0E-96257D66F432}

Page: 283

=====  
Abbreviation..... HME PRESEN  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Heat & Moisture Exchanger Present  
Display Name..... Heat & Moisture Exchanger Present  
Help Text..... Heat & Moisture Exchanger Present  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: HEIGHT  
ID: {B440216B-0FB3-1950-7859-7C1BE398FE4A}  
=====

Page: 284

Abbreviation..... HT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Height of Patient  
Display Name..... Height  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688724

QUALITY: ..... 4 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
3. ESTIMATED BY ARM SPAN (EAS)  
{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}
4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

-----  
INCH 0.00 > 1.00 \* 96.00 < 100.00  
Dec Prec: 2  
CENTIMETER 0.0 > 0.0 \* 300.0 < 300.0 Dec Prec: 1

=====

TERM: HOMANS SIGN  
ID: {996F1DCC-A6EE-4D52-B889-6E0E6185C74C}

=====

Page: 285

Abbreviation..... HOMAN SIGN  
Active..... Yes  
Boolean Value False..... Negative  
Boolean Value True..... Positive  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Homan's Sign  
Help Text..... Positive is calf pain with  
Dorsiflexion and Plantar Flexion  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEAA649CD}

UNITS:

-----

=====  
TERM: HYGIENE  
ID: {22CFAA57-A2F9-4734-945E-93EB1CC65E5F}

---

Page: 286

Abbreviation..... Hygiene  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Hygiene  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

---

10. ATTIRE APPROPRIATE (Attire App)  
{92C2EEFD-DAE4-4DC6-89C0-D21E2B8C1545}  
20. ATTIRE IN APPROPRIATE (Attire In)  
{51A9920F-B920-4E62-BF5F-5EAC9324007A}  
30. WELL GROOMED (Well Groom) {B47BFC8D-A0EA-46D4-953E-15E50BE97CBA}  
40. DISHEVELED (DISHEVEL) {0455549E-5CCB-470D-9D7F-F3959E6D55FE}  
50. POORLY GROOMED (Poorly Gro)  
{143EA593-64B6-4123-A5B7-14B538B8E657}  
60. BODY ODOR (Body Odor) {4EBF01BA-0BBF-4DDD-828F-01489D95B41E}

UNITS:

---

=====

TERM: I:E RATIO  
ID: {7A108E36-2701-4095-B1CE-FC51773D8D10}

=====

Page: 287

Abbreviation..... I:E RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Inspiratory Time to Expiratory Time  
Ratio  
Display Name..... I:E Ratio  
Help Text..... Inspiratory Time to Expiratory Time  
Ratio  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: IABP ASSISTED SYSTOLIC PRESSURE  
ID: {21DA5247-9369-4E7E-8089-29087553F2AD}  
=====

Page: 288

Abbreviation..... IABP A S P  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IABP Assisted Systolic Pressure  
Display Name..... IABP Assisted Systolic Pressure  
Help Text..... IABP Assisted Systolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      0 > 0 \* 999 < 999      Dec Prec: 0

=====  
TERM: IABP BAEDP Page: 289  
ID: {422441B9-61AD-4EC1-B3DE-78A593C410C7}  
=====

Abbreviation..... IABP BAEDP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IABP Balloon Assisted Aortic End  
Diastolic Pressure  
Display Name..... IABP BAEDP  
Help Text..... IABP Balloon Assisted Aortic End  
Diastolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 40 \* 80 < 200 Dec Prec: 0

=====  
TERM: IABP BALLOON SIZE  
ID: {FBA3FB62-E2E2-4246-8D39-D58E5811B1E2}

---

Page: 290

Abbreviation..... IABP B SIZ  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Size of the IABP  
Display Name..... Balloon Size  
Help Text..... Size of the IABP  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

---

1. 34 ml (34 ml) {25952BB5-50B1-4CC0-9483-8AF891767045}  
2. 40 ml (40 ml) {37A2998F-AB1C-4493-9C7A-FFCB05ED2302}

UNITS:

---

=====  
TERM: IABP CATHETER FLUSH  
ID: {D034E8DA-1C70-44D2-B556-F21860827AF9}  
=====

Page: 291

Abbreviation..... IABP CAT F  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the Intra-aortic Balloon Pump  
Flushed  
Display Name..... IABP Catheter Flush  
Help Text..... Was the Intra-aortic Balloon Pump  
Flushed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: IABP CIRCULATION ASSESSED  
ID: {59A9ADB9-6630-41B3-AE5E-495AB232E287}  
=====

Page: 292

Abbreviation..... IABP CIR A  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... IABP Circulation Assessed  
Display Name..... IABP Circulation Assessed  
Help Text..... IABP Circulation Assessed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: IABP DRESSING TYPE  
ID: {71923854-939D-C730-3A1B-F4A9FA02A6C6}  
=====

Page: 293

Abbreviation..... IABP DRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Dressing Type  
Help Text..... Type of Invasive Arterial Blood  
Pressure dressing  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}  
2. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}  
3. GAUZE AND TAPE (GAU & TAPE)  
{5BC40405-B5C4-47CF-81C3-520732E100AC}

LOCATION: 5 entries

- 1. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
3. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}  
4. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}  
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

-----

=====

TERM: IABP PEAK DIASTOLIC AUGMENTED PRESSURE  
ID: {24E18FB7-94D9-4F2D-9D6D-3CAF3C1F9951}

=====

Page: 294

Abbreviation..... IABP PDAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... BP Peak Diastolic Augmented Pressure  
Display Name..... IABP Peak Diastolic Augmented Pressure  
Help Text..... BP Peak Diastolic Augmented Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIMETERS OF MERCURY      0 > 80 \* 120 < 200      Dec Prec: 0

=====  
TERM: IABP RATIO  
ID: {19DC7448-F44F-4E90-9FC0-233738821325}  
=====

Page: 295

Abbreviation..... IABP RATIO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IABP Ratio  
Display Name..... IABP Ratio  
Help Text..... IABP Ratio  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}  
2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}  
3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}  
4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}  
5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

=====  
TERM: IABP SITE CONDITION  
ID: {AA81E246-45C3-258F-4FC8-49CDD592B2D4}  
=====

Page: 296

Abbreviation..... IABP CONDI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Site Condition  
Help Text..... Condition of IABP Site  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
7 entries

2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}  
50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}  
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS: -----

=====  
TERM: IABP SIZE  
ID: {3C313604-F012-416F-A000-CCB92D04C30C}  
=====

Page: 297

Abbreviation..... IABP SIZE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Intra-aortic Balloon Pump Size  
Display Name..... IABP Size  
Help Text..... Intra-aortic Balloon Pump Size  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. 7.5 (7.5) {7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}  
2. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}  
3. 8.5 (8.5) {96723567-151D-4B5C-9C65-B3EB6D584272}  
4. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}  
5. 9.5 (9.5) {252555A1-ADB2-4948-8764-C952F2587DC5}

LOCATION: 5 entries

-----  
1. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
3. L AXILLARY (L AXILLARY) {21AF62CA-BEED-2A96-2CD6-F2350A01995E}  
4. R AXILLARY (R AXILLARY) {3044F28B-FED2-4069-7E3B-2A691C5771F9}  
5. MEDIASTINAL (MEDIASTINA) {D99997D2-61EF-CAC2-A854-D906E3A97447}

UNITS:

-----

=====  
TERM: IABP TIMING  
ID: {443F4932-9C42-EADA-4A9A-8F8956DF2CE2}  
=====

Page: 298

Abbreviation..... IABP TIMIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IABP Timing  
Display Name..... IABP Timing  
Help Text..... IABP Timing  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. 1:1 (1:1) {5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}  
2. 1:2 (1:2) {287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}  
3. 1:3 (1:3) {062B4F93-8F48-7373-F679-11F57CE98BB3}  
4. 1:4 (1:4) {3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}  
5. 1:8 (1:8) {94790C4C-3AF2-6F4C-58B8-87021CA97A53}

UNITS:

=====  
TERM: IABP TIMING CHECK  
ID: {B2BA8A27-B578-40B6-83A0-77D95C49B59B}  
=====

Page: 299

Abbreviation..... IABP TI CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was The IABP Timing Checked?  
Display Name..... IABP Timing Check  
Help Text..... Was The IABP Timing Checked?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: IABP UAEDP Page: 300  
ID: {6CB7493C-6175-4FFA-AEA9-C60CF2EE0EE4}  
=====

Abbreviation..... IABP UAEDP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IABP Unassisted Aortic End Diastolic  
Pressure  
Display Name..... IABP UAEDP  
Help Text..... IABP Unassisted Aortic End Diastolic  
Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 40 \* 90 < 200 Dec Prec: 0

=====  
TERM: IABP UNASSISTED SYSTOLIC PRESSURE  
ID: {BA1A966E-51BE-42D7-84F6-2C119AD043F8}  
=====

Page: 301

Abbreviation..... IABP U S P  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IABP Unassisted Systolic Pressure  
Display Name..... IABP Unassisted Systolic Pressure  
Help Text..... IABP Unassisted Systolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      0 > 80 \* 150 < 250      Dec Prec: 0

=====

TERM: INACTIVE - ARTERIAL LINE SITE  
ID: {F7924F9E-16C8-0C2C-9461-FBC45435191A}

=====

Page: 302

Abbreviation..... A LINE SIT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Arterial Line Site  
Help Text..... Site of arterial line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - ARTERIAL LINE TYPE  
ID: {708908E0-9BCD-4DCA-A33D-CB5C6A729526}

=====

Page: 303

Abbreviation..... ALINE TYPE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arterial Line Type  
Display Name..... Arterial Line Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - AUDIOMETRY  
ID: {FFD29134-8BB2-248E-0412-93C2C08B076F}  
=====

Page: 304

Abbreviation..... AUD  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Audiometry  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688718

UNITS:

-----

=====  
TERM: INACTIVE - BISPECTRAL INDEX  
ID: {4819B466-D0D0-4851-A434-E1691ECA1E65}  
=====

Page: 305

Abbreviation..... BIS  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Bispectral Index  
Display Name..... Bispectral Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - BODY MASS INDEX  
ID: {54398789-EC32-4F1D-8E02-913FC96FD198}  
=====

Page: 306

Abbreviation..... BMI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... BMI  
Help Text..... Body Mass Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - CARDIAC AV FISTULA BRUIT  
ID: {A0E99499-8021-47FF-AEA2-EB33B9648B0E}

Page: 307

=====  
Abbreviation..... AV FIST BR  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... AV Fistula Bruit  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - CATHETER TYPE  
ID: {01941D20-3FD7-A4BF-6108-712C7EBC33A1}

=====

Page: 308

Abbreviation..... CATHETER T  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Catheter Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - CENTRAL LINE SITE  
ID: {D6FC875B-CC24-2981-B85E-07FF9CD798AB}

---

Page: 309

Abbreviation..... C LINE SIT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Central Line Site  
Help Text..... Site of Central Line  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

---

=====

TERM: INACTIVE - CHEST TUBE DRESSING INTACT  
ID: {525B2489-75C2-4AB3-9441-A457BCD7B257}

=====

Page: 310

Abbreviation..... CH TU DR I  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Chest Tube Dressing Intact  
Display Name..... Chest Tube Dressing Intact  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - CHEST TUBE SITE  
ID: {C5224B54-65A5-2010-F9E3-1C4570500A11}

=====

Page: 311

Abbreviation..... CHEST TU S  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SITE OF CHEST TUBE  
Display Name..... Chest Tube Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - COUGH AND DEEP BREATH EVENTS  
ID: {5F7D2087-018E-4DA4-8B36-02743F65A769}

=====

Page: 312

Abbreviation..... C&DB EVENT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cough and Deep Breath Events  
Display Name..... Cough and Deep Breath Events  
Help Text..... Cough and Deep Breath Events  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - DATE  
ID: {5BB40FB6-173F-9656-8D5B-7A2F5A5F3B82}  
=====

Page: 313

Abbreviation..... DATE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Todays Date  
Display Name..... Date  
Help Text..... Date: Year, Date: Month, Date: Day  
are all available  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: INACTIVE - DATE DAY  
ID: {CD91474C-1EB3-304B-4E3A-B85F6976C1E7}

=====

Page: 314

Abbreviation..... DATE DAY  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... The day of the month  
Display Name..... Date: Day  
Help Text..... The day of the month  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - DATE MONTH  
ID: {D4E1590F-7B12-FD7C-B545-9CF83BA68BAC}  
=====

Page: 315

Abbreviation..... DATE MONTH  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Month of the year  
Display Name..... Date: Month  
Help Text..... Month of the year  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DATE YEAR  
ID: {57029BBB-5904-DE1D-F58D-AF13A890C6ED}

=====

Page: 316

Abbreviation..... DATE YEAR  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... The Year  
Display Name..... Date: Year  
Help Text..... The Year  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - DIALYSIS CATHETER SITE  
ID: {FC099337-E02E-84E6-7338-E423ECD3DDCB}

=====

Page: 317

Abbreviation..... DIAL CTH S  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Dialysis Catheter Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - EDEMA LOCATION  
ID: {8C4F762B-FD4A-CB97-326F-74C4A2ED5548}  
=====

Page: 318

Abbreviation..... EDEMA LOCA  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Location of identified edema  
Display Name..... Edema Location  
Help Text..... Location of identified edema  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - ENTERAL NUTRITION FORMULA  
ID: {1C7EF762-4D93-438B-8CBD-2CB98E6C8686}

=====

Page: 319

Abbreviation..... ENT NUT FO  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Enteral Nutrition Formula Used  
Display Name..... Enteral Nutrition Formula  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - GI EMESIS APPEARANCE  
ID: {1B314FCB-6B36-46E0-8306-60C361377BAB}  
=====

Page: 320

Abbreviation..... GI EME APP  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Emesis Appearance  
Display Name..... Emesis Appearance  
Help Text..... Emesis Appearance  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - HEARING  
ID: {813CCC94-3D64-5093-BC6C-053EFD9948F9}

=====

Page: 321

Abbreviation..... HEARING  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Hearing  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688723

UNITS:

-----

=====  
TERM: INACTIVE - IABP INSERTION SITE  
ID: {657C16D3-529D-3720-0602-7AA26EBD0D08}  
=====

Page: 322

Abbreviation..... IABP SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Insertion Site  
Help Text..... Site of Invasive Arterial Blood  
Pressure line insertion  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: INACTIVE - IABP SITE  
ID: {EA276ABE-52D0-6D4D-1B0A-7E6443BB264F}  
=====

Page: 323

Abbreviation..... IABP SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IABP Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - INCISION LOCATION  
ID: {8A9D3611-6984-4FA1-9C16-4DC215F9B4D6}  
=====

Page: 324

Abbreviation..... IN LOCATIO  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incision Location  
Display Name..... Incision Location  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - INCISION SITE  
ID: {9DBE601B-4D61-D280-1F13-0FDE3533B0A4}

=====

Page: 325

Abbreviation..... WOUND INCS  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SITE OF WOUND INCISION  
Display Name..... Incision Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - IV DOSE RATE  
ID: {992F3BFD-44C8-4366-A9F0-3BDCEB9A7EEC}  
=====

Page: 326

Abbreviation..... IV DOSE RA  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IV Dose Rate  
Display Name..... IV Dose Rate  
Help Text..... Enter in the IV medication dose rate  
administered over time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: INACTIVE - IV FLUID  
ID: {60B33951-8ABD-41B1-A9FA-5EE1F85CAB97}

=====

Page: 327

Abbreviation..... IV FLUID  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IV FLUID  
Display Name..... IV FLUID  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - IV INSERTION DATE  
ID: {D01454A0-E430-8B54-C7A6-11B04EBAA417}  
=====

Page: 328

Abbreviation..... IV DATE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV Insertion Date  
Help Text..... Date IV Inserted  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - IV SITE  
ID: {7F252F53-B53D-D8BD-097B-78197EE99FBA}

=====

Page: 329

Abbreviation..... IV SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Site of IV  
Display Name..... IV Site  
Help Text..... Site of IV  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - NOSE SIZE  
ID: {0A7CD784-279C-9F56-67CC-1C0624B26F4A}

=====

Page: 330

Abbreviation..... ns  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Describe the size of the honker  
Display Name..... Nose Size  
Help Text..... Honker etiquette  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - CHEST TUBE  
ID: {F6ECA901-354B-4C5B-B03F-C17F7F6448B6}

=====

Page: 331

Abbreviation..... OR OUT CHE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Output - Chest Tube  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - OR OUTPUT - DRAIN  
ID: {1A99C3C7-9FE1-46D3-9A32-57A2C735DFC6}

=====

Page: 332

Abbreviation..... OR OUT DRA  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Output - Drain  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - OR OUTPUT - PUMP LOSS  
ID: {6A424E02-67FF-49F6-9B33-853BE8545B9B}  
=====

Page: 333

Abbreviation..... OR OUT PUM  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Output - Pump Loss  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: INACTIVE - OR OUTPUT - URINE  
ID: {3ECAAD17-1BA5-4D0A-BEDC-EC512D32EFF9}

---

Page: 334

Abbreviation..... OR OUT URI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... OR Ouput - Urine  
Help Text..... contributes to output total value  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

---

=====  
TERM: INACTIVE - OSTOMY TYPE  
ID: {975E1FD8-521C-4818-9975-98A30B12C1EF}  
=====

Page: 335

Abbreviation..... OSTOMY TYP  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ostomy Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - OXYGEN DELIVERED  
ID: {CFD876D1-AC28-F63F-3B6C-680F5B66A1BD}  
=====

Page: 336

Abbreviation..... D02  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Oxygen Delivered  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - OXYGEN DELIVERY METHOD  
ID: {F320E0CF-6BAC-3B6D-F5D7-21253FB88A4F}  
=====

Page: 337

Abbreviation..... O2 DEL MET  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of equipment used to deliver  
                  oxygen to patient  
Display Name..... Oxygen Delivery Method  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: INACTIVE - OXYGEN EXTRACTION RATIO  
ID: {D6C6849F-6134-417F-AD8B-7853F5AE3451}  
=====

Page: 338

Abbreviation..... O2ER  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Complex  
Description..... Ratio of Oxygen Consumed (VO2) to  
                  Oxygen delivered (DO2)  
Display Name..... O2ER  
Help Text..... Ratio of Oxygen Consumed (VO2) to  
                  Oxygen delivered (DO2)  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: INACTIVE - PA CATHETER INSERTION DATE  
ID: {64ADD596-950E-EDB5-D7DE-38F5F8601D9E}  
=====

Page: 339

Abbreviation..... PA INS DAT  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Insertion Date  
Help Text..... Date PA Catheter Inserted  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PA CATHETER SITE  
ID: {1E2B676E-24D4-28D6-9EC4-2200F3DA31B6}

=====

Page: 340

Abbreviation..... PA SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Site  
Help Text..... Site of PA Catheter  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - PACEMAKER DATE INSERTED  
ID: {B395D1F6-2788-CA17-618C-62719C1CAF4A}  
=====

Page: 341

Abbreviation..... PDI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pacemaker Date Inserted  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PACEMAKER SITES  
ID: {668C0AE7-061F-C573-A119-8ED8D006F018}

=====

Page: 342

Abbreviation..... PMSI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pacemaker Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - PAIN LOCATION  
ID: {20836431-E2C3-41CA-BE14-A8FB1F6A8637}

Page: 343

=====  
Abbreviation..... PAIN LOC  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Location of patients Pain  
Display Name..... Pain Location  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - POST OPERATION DAY NUMBER  
ID: {82FF0CE1-48CD-4AA8-6292-CB6879B8CD75}  
=====

Page: 344

Abbreviation..... POD#  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... NUMBER OF DAYS SINCE OPERATION  
Display Name..... Post Op Day #  
Help Text..... Number of days since operation.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - PRESSURE ULCER SITE  
ID: {580747C6-F7B1-4CCA-AE24-E82C436746B6}  
=====

Page: 345

Abbreviation..... PR UL SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Site  
Display Name..... Pressure Ulcer Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE  
ID: {C911EB61-F151-42C2-A6EC-1EA357EA6F1D}

=====

Page: 346

Abbreviation..... PR UL VISI  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pressure Ulcer Visible Anatomical  
Structure  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - PULSE OXIMETRY  
ID: {9B830A66-0278-20E1-DB38-089A952DF381}

=====

Page: 347

Abbreviation..... PO2  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... O2 saturation  
Display Name..... Pulse Oximetry  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500637

UNITS:

-----

=====

TERM: INACTIVE - SKIN DISCHARGE COLOR  
ID: {C4633087-CBC5-4924-ADF6-846D13624D3E}

=====

Page: 348

Abbreviation..... SKI DIS CO  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Discharge Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - SKIN DISCHARGE ODOR  
ID: {4E9309BD-6F1E-4D2C-B500-CE724A92A0F6}  
=====

Page: 349

Abbreviation..... SKI DIS OD  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Discharge Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - SKIN DRAINAGE CHARACTERISTICS  
ID: {9F12C134-BA23-40C9-8CC9-0AC08D8891CA}  
=====

Page: 350

Abbreviation..... SKI DRA CH  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Drainage Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INACTIVE - VENTILATOR IN-LINE NEBULIZER  
ID: {12804E1D-9B65-4027-BCD4-1A28C9C57730}  
=====

Page: 351

Abbreviation..... VENT I-L N  
Active..... No  
Boolean Value False..... Off  
Boolean Value True..... On  
Data Type..... Boolean  
Description..... Ventilator In-Line Nebulizer  
Display Name..... Ventilator In-Line Nebulizer  
Help Text..... Ventilator In-Line Nebulizer  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - WOUND SITE  
ID: {7BFBDAAF-779E-4C7A-82F3-DA9E0E7DD597}

=====

Page: 352

Abbreviation..... WOU SITE  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Site  
Display Name..... Wound Site  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: INACTIVE - WOUND TOPICAL TREATMENT TYPE  
ID: {29E59078-A908-496E-ABC7-B2C48A4E6400}

=====

Page: 353

Abbreviation..... WOU TOP TR  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Topical Treatment  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INCENTIVE SPIROMETRY  
ID: {C1E6301C-CB9C-4909-9500-9AA01C42583D}  
=====

Page: 354

Abbreviation..... INC SPIROM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incentive Spirometry  
Display Name..... Incentive Spirometry  
Help Text..... Incentive Spirometry  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

1. YES (y)	{483DE806-2EDB-34B0-FE11-C29EEEA649CD}
2. NO (n)	{FC275445-1225-9912-18A3-DF36245893D3}
3. N/A (n)	{B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS:

Abbreviation..... INC DIS CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Incision Discharge Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
4. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAEE3BFA8}
5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}

UNITS: .....  
=====

=====  
TERM: INCISION DRAINAGE AMOUNT  
ID: {77AAAB12-979C-2624-5CFE-7FD5F2310AD5}  
=====

Page: 356

Abbreviation..... I DR AMOUN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Amount of incision drainage  
Display Name..... Incision Drainage Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

1. INCISION DRAINAGE AMOUNT NONE (I DR A NON)  
{5D0D9027-4B20-43A4-B437-EA7B77CB2105}
2. INCISION DRAINAGE AMOUNT SCANT (I DR A SCA)  
{A476E395-46AA-44E7-8A00-CE22C7066BB1}
3. INCISION DRAINAGE AMOUNT SMALL (I DR A SMA)  
{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}
4. INCISION DRAINAGE AMOUNT MODERATE (I DR A MOD)  
{9B0487A9-DCB4-42D3-92E6-805C412B5D34}
5. INCISION DRAINAGE AMOUNT HEAVY (I DR A HEA)  
{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}

QUALITY: 1 entries

1. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

=====

TERM: INCISION DRESSING PREVENTS ASSESSMENT  
ID: {4BE5369B-FBED-40B9-8950-AF370A31A189}

=====

Page: 357

Abbreviation..... IN DR PREV  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Incision Dressing Prevents Full  
Assessment  
Display Name..... Incision Dressing Prevents Full  
Assessment  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: INCISION DRESSING TYPE  
ID: {AA1F8811-85BF-187A-7A1D-D55A2B523190}  
=====

Page: 358

Abbreviation..... INC DRE TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... OBSERVATION OF INCISION WOUND DRESSING  
Display Name..... Incision Dressing Type  
Help Text..... Incision Dressing Type  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. INCISION DRESSING TYPE NONE (INC DR NON)  
{81F07C8D-A463-48A0-A64A-A143CECB5DD6}
2. INCISION DRESSING TYPE PRESSURE (INC DR PRE)  
{B5823373-E5D8-40A5-954C-6A193D7E7511}
3. INCISION DRESSING TYPE ANTIMICROBIAL (INC DR ANT)  
{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}
4. INCISION DRESSING TYPE GAUZE (INC DR GAU)  
{E4AC9307-0512-4F9D-A254-FE19E654461F}
5. INCISION DRESSING TYPE TRANSPARENT (INC DR TRA)  
{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}
6. INCISION DRESSING TYPE ANTIMICROBIAL DISK (INC DR ADI)  
{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}
7. INCISION DRESSING TYPE GAUZE WRAP (INC DR GWR)  
{E1DBEC29-1430-4DA0-99DC-49B9389D2440}
8. INCISION DRESSING TYPE FOAM DRESSING (INC DR FOA)  
{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}
9. INCISION DRESSING TYPE GAUZE PACKING (INC DR GPA)  
{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}
10. INCISION DRESSING TYPE HYDROCOLLOIDAL (INC DR HYD)  
{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}
11. INCISION DRESSING TYPE CALCIUM ALGINATE (INC DR CAL)  
{B20558BA-FB9E-499E-82DF-49616ACE9375}
12. INCISION DRESSING TYPE HYPERTONIC HYDROGEL (INC DR HYP)  
{25820A63-AD76-4198-BEB1-EF95DDEC5B35}
13. INCISION DRESSING TYPE HYDROGEL (INC DR HYD)  
{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}
14. INCISION DRESSING TYPE BALSAM OF PERU (INC DR BAL)  
{A1FB45C6-6315-4282-8D89-DCB0C018E357}
15. INCISION DRESSING TYPE BISMUTH GAUZE (INC DR BIS)  
{CA88C5DC-3890-49A2-800A-0528CE194BA8}

UNITS:

=====

TERM: INCISION EDGE  
ID: {3FEA28A9-1C53-47D7-95F9-BFFFB25576C6}

=====

Page: 359

Abbreviation..... INC ED  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incision Edge  
Display Name..... Incision Edge  
Help Text..... Incision Edge  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 1. INCISION EDGE INDISTINCT/ATTACHED (INC ED ATT)  
{AF7E7150-525E-49A4-AC23-042B788E8805}
- 2. INCISION EDGE NON-ATTACHED (INC ED NON)  
{F457F951-F1DC-47AC-9336-AC093E149862}
- 3. INCISION EDGE TUNNELING (INC ED TUN)  
{492CD783-3C32-40F0-AE35-5A89E90409A7}
- 4. INCISION EDGE UNDERMINING (INC ED UND)  
{0F3E968A-B867-4123-8C05-ED6B12D364CD}
- 5. INCISION EDGE ROLLED (INC ED ROL)  
{FFA33CAE-5D8B-4501-8120-A536BE53296F}

UNITS:

=====  
TERM: INCISION ERYTHEMA  
ID: {D87F3C97-622C-43D3-9C7F-55C2C848941B}  
=====

Page: 360

Abbreviation..... INC ERYTHE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Incision Erythema  
Display Name..... Incision Erythema  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. LIMITED TO INCISION (LIM TO INC)  
{81A61254-55B6-47E1-8BE2-F4A47F624BC6}
3. EXTENDS INTO PERIWOUND <1CM (EX IN PER<) {0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}
4. EXTENDS INTO PERIWOUND>1CM (EX IN PER>) {1F31FEBB-DA19-434C-8C58-67CDC5385231}

UNITS: .....  
=====

=====  
TERM: INCISION ODOR  
ID: {2584F1F9-CD15-450C-BDBB-D0B2B1924303}  
=====

Page: 361

Abbreviation..... INC OD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Incision Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. INCISION ODOR NONE (INC OD NON)  
{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}  
2. INCISION ODOR FOUL (INC OD FOU)  
{ECDC0988-BE82-41E3-8104-A66A5F8A1093}

UNITS:

=====  
TERM: INCISION PRESENT  
ID: {CC0DD035-AAD2-4C9F-B971-E13B2FF0DB9C}  
=====

Page: 362

Abbreviation..... INCIS PRES  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Incision Present  
Display Name..... Incision Present  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

LOCATION: 85 entries

1. L THORACOTOMY (L THORACOT)  
{313C11A1-559A-4F68-8718-4012416EC189}  
2. R THORACOTOMY (R THORACOT)  
{A18E4BB3-0718-48D6-BD49-720A70C0EF60}  
3. L TRAPEZIUS (L TRAPEZIU) {B74CF943-C10F-4A1B-A19A-4975E674A97A}  
4. R TRAPEZIUS (R TRAPEZIU) {69753B67-AFA1-4C93-BA78-E266F9894E46}  
5. DONOR SITE (DONOR SITE) {F0A65974-7650-4A4B-AC88-0945E37A0AD2}  
6. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}  
7. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}  
8. L LOWER ANTERIOR CHEST (L L A CHES)  
{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}  
9. R LOWER ANTERIOR CHEST (R L A CHES)  
{96BCF731-B661-4455-B5E7-C4AE2509505F}  
10. L MIDDLE ANTERIOR CHEST (L M A CHES)  
{36A83F77-117E-474B-AE34-0B2C02E131AE}  
11. R MIDDLE ANTERIOR CHEST (R M A CHES)  
{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}  
12. L UPPER ANTERIOR CHEST (L U A CHES)  
{FE63B58A-DE39-4C03-AE61-E34A5487C767}  
13. R UPPER ANTERIOR CHEST (R U A CHES)  
{67890049-A4A8-4241-BDF3-573729BD6EB5}  
14. L LOWER POSTERIOR CHEST (L L P CHES)  
{2C19F10B-7546-4A1F-A5DC-3867359ED971}  
15. R LOWER POSTERIOR CHEST (R L P CHES)  
{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}  
16. L MIDDLE POSTERIOR CHEST (L M P CHES)  
{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}  
17. R MIDDLE POSTERIOR CHEST (R M P CHES)  
{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}  
18. L UPPER POSTERIOR CHEST (L U P CHES)  
{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}  
19. R UPPER POSTERIOR CHEST (R U P CHES)  
{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}  
20. MIDLINE ABDOMINAL (MID ABDOMI)  
{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}  
21. UMBILICAL (UMBILICAL) {8874B300-0751-49AF-8211-CF4C009C68B5}  
22. TRANSVERSE ABDOMINAL (TRANS ABDO)  
{1C10FF98-7B20-45D0-B420-714981832B3D}  
23. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

24. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}  
 25. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
 26. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
 27. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
 28. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
 29. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
 30. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
 31. L INGUINAL (L INGUINAL) {627D172E-8F33-48C9-BE89-D036E07D46BF}  
 32. R INGUINAL (R INGUINAL) {395233DF-3B89-49E0-946B-EB5C02E51178}  
 33. L FLANK (L FLANK) {6E453E8D-B456-4BFD-A015-F9C013830F30}  
 34. R FLANK (R FLANK) {F5700ED2-646F-4B75-A55B-111C27FB939C}  
 35. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
 36. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
 37. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}  
 38. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}  
 39. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}  
 40. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}  
 41. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}  
 42. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}  
 43. L CALF (L CALF) {3DAAT817-936B-444F-8A2D-D3AB09144C10}  
 44. R CALF (R CALF) {0298A452-4901-44BF-A7A8-F42DD3BA8B63}  
 45. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}  
 46. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}  
 47. MIDLINE NECK (MID NECK) {FF666713-278D-46D6-8D25-E5D57E78EA08}  
 48. L NECK (L NECK) {C4EA6279-05E2-4195-A638-3794DCBA7B78}  
 49. R NECK (R NECK) {7E4D84D3-535B-6164-C6C1-837C6F997A0D}  
 50. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}  
 51. SPINE CERVICAL (SPINE CERV)  
     {9D28E1BF-D014-4DA4-A832-1F3C25C148E9}  
 52. SPINE THORACIC (SPINE THOR)  
     {2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}  
 53. SPINE LUMBAR (SPINE LUMB) {E7E411AB-5C29-4906-B0A9-E8658AAFFF91}  
 54. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}  
 55. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}  
 56. L THORACIC ANTERIOR (L THOR ANT)  
     {C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}  
 57. R THORACIC ANTERIOR (R THOR ANT)  
     {BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}  
 58. L THORACIC POSTERIOR (L THOR POS)  
     {68E3381F-7605-4786-85A8-523D215A2B97}  
 59. R THORACIC POSTERIOR (R THOR POS)  
     {E91085D2-E665-4EB6-A086-8CF573DECD8F}  
 60. L THORACIC LATERAL (L THOR LAT)  
     {48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}  
 61. R THORACIC LATERAL (R THOR LAT)  
     {55C48294-D3F3-4013-B552-BA3344D9513B}  
 62. L THORACOTOMY (L THORACOT)  
     {313C11A1-559A-4F68-8718-4012416EC189}  
 63. R THORACOTOMY (R THORACOT)  
     {A18E4BB3-0718-48D6-BD49-720A70C0EF60}  
 64. THYROID (THYROID) {6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}  
 65. L PARIETAL (L PARIETAL) {2687ED24-F35E-456C-99C9-F6A8EC4364E0}  
 66. R PARIETAL (R PARIETAL) {28C927CD-1342-483B-B366-0B7EA8ACABAD}  
 67. L ORBIT (L ORBIT) {1D798E35-5095-4BA0-8F9F-FA96668A5239}  
 68. R ORBIT (R ORBIT) {DFFD974A-1684-49AE-8230-8E12411EA62E}  
 69. L MANDIBULAR (L MANDIBUL) {CB9DB373-5F0A-446B-909F-F76392CB3A04}  
 70. R MANDIBULAR (R MANDIBUL) {303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}  
 71. L ORAL (L ORAL) {057B787A-8750-4563-80DB-25110CCC1146}  
 72. R ORAL (R ORAL) {9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}  
 73. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}  
 74. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}  
 75. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}

76. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}  
77. L THUMB (L THUMB) {F82F4731-2CC5-4705-91BE-05E40C25B419}  
78. R THUMB (R THUMB) {B414BD68-4155-45B3-985D-B2F8252A20FE}  
79. L FINGER (L FINGER) {BB825645-1630-498C-A31B-6728D422EEFC}  
80. R FINGER (R FINGER) {E12CA0EF-3267-4B93-8643-230E2226C3D6}  
81. L TOE (L TOE) {C666DE86-E7AE-4AB3-8AE1-91496219E63D}  
82. R TOE (R TOE) {B65727AB-3205-4DCE-833F-6DA8554636F9}  
83. L OCCIPITAL (L OCCIPITAL) {A4234F41-CD6F-4CE1-9210-316DB847BDE2}  
84. R OCCIPITAL (R OCCIPITA) {5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}  
85. OCCIPITAL (OCCIPITAL) {5A3E384B-1C87-4A19-A449-DB91AB443FFC}

UNITS:

---

=====

TERM: INCISION STAPLES INTACT  
ID: {FA75C02B-3698-4D85-A293-0ACC8C1D3252}

=====

Page: 363

Abbreviation..... IN STA INT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Incision Stapes Intact  
Display Name..... Incision Staples Intact  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: INCISION SUTURES INTACT  
ID: {A5C84A03-633B-4A9B-891B-292449B8C409}

=====

Page: 364

Abbreviation..... IN SUT INT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Incision Sutures Intact  
Display Name..... Incision Sutures Intact  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: INCISION TENDER TO PALPATION  
ID: {C6ACAC1F-0AEF-4F1B-A487-35A92207AE22}

=====

Page: 365

Abbreviation..... IN TENDER  
Active..... Yes  
Boolean Value False..... Patient Denies  
Boolean Value True..... Appropriate  
Data Type..... Boolean  
Description..... Incision Tender To Palpation  
Display Name..... Incision Tender To Palpation  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: INFUSION SET CHANGED  
ID: {BA138A48-8B25-40CF-8345-2AD9E12CC840}  
=====

Page: 366

Abbreviation..... INF SET CH  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the infusion set changed?  
Display Name..... Infusion Set Changed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: .....  
-----  
2 entries

- |            |  |
|------------|--|
| 1. NO (n)  | {FC275445-1225-9912-18A3-DF36245893D3} |
| 2. YES (y) | {483DE806-2EDB-34B0-FE11-C29EEEA649CD} |

UNITS:  
-----

=====  
TERM: INHALER  
ID: {6E06DC0C-4FD4-4F60-9B94-D5859949CA66}  
=====

Page: 367

Abbreviation..... Inhaler  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Inhaler  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
10. ADMINISTERED PER MANUFACTURER'S INSTRUCTIONS (ManInstruc)  
{9BEDAD65-822B-4CC1-883D-4E0B9CC1B188}  
20. INHALER EDUCATION COMPLETED (InEdComp )  
{9A262D7B-B213-45A6-A583-CD0EAC2664F3}  
30. INHALER EDUCATION REINFORCED (InEdReinf)  
{8CBC1F13-5B29-4D4E-936B-DAD53B45800D}  
40. INHALER DEMONSTRATION OF USE COMPLETED (InDemoComp)  
{D3C924C1-8AE4-475C-92AD-1625F4686693}  
50. RETURN DEMONSTRATION SUCCESSFUL (InDemoSucc)  
{14D5F114-6B1B-42E4-92E9-A60A84F66B71}  
60. RETURN DEMONSTRATION REINFORCED (RetDemoRe)  
{C98AC84C-8D8B-4908-ACFF-1923F852F9EF}  
70. SPACER PROVIDED (SpacerProv)  
{884E8722-9E64-46C4-BE0C-C7D813820564}

PRODUCT: 5 entries

-----  
10. ALBUTEROL (Albuterol) {2EEA1F33-3555-4ABF-AE7F-C6A08B77A1E0}  
20. METERED DOSE INHALER (MeteredDos)  
{DB69F8CB-3359-4D2D-B444-7B19AEB876A1}  
30. RESPIMAT (Respimat) {DC659CEB-ECF6-4DAF-9431-9E19E3CB5F30}  
40. SPIRIVA (Spiriva) {CB04C459-C463-4C5F-AA29-3501A22CA719}  
50. OTHER (SEE COMMENTS) (Other)  
{E8B97A9D-BA49-45F4-88D0-97E91490B944}

UNITS:

=====

TERM: INSULIN PUMP SQ INFUSION ON?  
ID: {0B8DD5F9-E685-4D44-81D1-04D17DE1E5DA}

=====

Page: 368

Abbreviation..... In Pump on  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Insulin Pump SQ Infusion On?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: INTAKE  
ID: {062BB93E-EECB-A074-63D7-EB95E176D6A3}  
=====

Page: 369

Abbreviation..... Intake  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Intake  
Help Text..... For Volume (ml) inputs use a value  
between 0 and 9999, For Volume (.oz)  
use value between 0 and 64  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 7 entries

- 
1. IV (IV) {52141E2F-7942-4C60-9B08-62F3B4640020}
  2. TPN (TPN) {B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}
  3. ENTERAL FEEDING / SUPPLEMENT (EF/SUPPLEM)  
{8389A9F5-0D48-496D-A605-1560B055DCC0}
  4. ENTERAL FEEDING TUBE (ENT FEED T)  
{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}
  5. P.O. (PO) {7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}
  6. TRANSFUSION (TRANSFUSIO) {9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}
  7. COLLOID (COLLOID M) {2AE33508-5EA2-44DF-A401-74DD7B93AB6E}

PRODUCT: 33 entries

- 
1. FORMULA 1.5 CAL (1.5 C FORM)  
{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}
  2. FORMULA 2.0 CAL (2.0 C FORM)  
{E5FB9590-25AA-435A-B9B4-4812EA15C217}
  3. 25 PERCENT ALBUMIN (25 PERC AL)  
{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
  4. 5 PERCENT ALBUMIN (5 PERC ALB)  
{A2D0F9A0-A9EC-4540-9663-B8B19A189198}
  5. 6 PERCENT HETASTARCH (6 PERC HET)  
{8A82F108-D2FE-4C21-93BB-344502235AE8}
  6. BLOOD PRODUCT (bp) {A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}
  7. CRYOPRECIPITATE (CRYOPRECIP)  
{5329E737-E059-480D-83F8-1146B091C14E}
  8. ELEMENTAL FORMULA (ELE FORM)  
{E85DFA33-7F32-4348-9E0E-249AC301EC03}
  9. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}
  10. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}
  11. FORMULA FIBER (FIBER FORM)  
{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}
  12. GRANULOCYTES PHERESIS (GRAN PHERE)  
{2B90878D-9C29-4731-9525-D7DD7FCB513B}
  13. HEPATIC FORMULA (HEPAT FORM)  
{41DEECAB-168F-4522-852C-C1ED751BFEDC}
  14. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}
  15. NEPRO RENAL FORMULA (NEPR RENAL)  
{59C9B396-A705-445B-B566-F030DA4B2B79}
  16. NOVASOURCE 2.0 (NOVAS 2.0)  
{67D16273-6271-43E1-80D6-D12C4D55E024}
  17. PCA (PCA) {D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}
  18. PLATELETS PHERESIS (PLATELET P)

- {65CBDCBD-99DB-44FE-9230-D62886208EBF}
- 19. PLATELETS PHERESIS IRRADIATED (PLATEL P I)  
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
  - 20. PPN (PPN) {BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}
  - 21. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
  - 22. PRBC - AUTOLOGOUS (PRBC-A)  
{1580990C-0B35-4DDD-84AA-682B341C9B76}
  - 23. PRBC - LEUKOREDUCED (PRBC-L)  
{13DB3170-6C26-4178-B429-C02AFC541AC7}
  - 24. PRBC - LEUKOREDUCED - DIRECTED (PRBC-L-D)  
{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
  - 25. PRBC - LEUKOREDUCED - IRRADIATED (PRBC-L-I)  
{B4431519-0102-49ED-94D6-1738E375C5A4}
  - 26. PRBC - LEUKOREDUCED - WASHED (PRBC-L-W)  
{BB58F35A-1086-4061-B485-FA35DFB79A0D}
  - 27. SANDOSOURCE PEPTIDE (SAND PEPTI)  
{B543461C-7316-4750-9918-B30E96AB3C95}
  - 28. TPN (TPN) {55341B62-E356-4C38-A52D-4F196751E9EB}
  - 29. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
  - 30. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
  - 31. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
  - 32. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}
  - 33. WHOLE BLOOD (WHOL BLOOD) {144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}

UNITS:

---

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
OUNCE	-1 > 0 * 64 < 350	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====  
TERM: INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER) Page: 370  
ID: {182D805C-CF2D-4829-8925-6916D027020D}  
=====

Abbreviation..... CBI Irriga  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Intake - CBI Irrigation to Subtract  
(negative number)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER        -99999 > -99999 \* 0 < 0    Dec Prec: 0

=====  
TERM: INTAKE - DIALYSIS  
ID: {CE3D8DBD-278C-4D3D-AA4F-2E5800C17DBF}

---

Page: 371

Abbreviation..... INT DIALYS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Dialysis Intake  
Display Name..... Dialysis Intake  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 4 entries

---

1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
2. PERITONEAL DIALYSIS (PERI DIALY)  
(6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB)
3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}
4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

---

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - EF/SUPPLEMENT CALORIES  
ID: {58506F9F-9D10-47F6-A195-5CE7D749FFBC}  
=====

Page: 372

Abbreviation..... INT EF CAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Enteral Feeding and Supplement Calories  
Display Name..... Intake - EF/Supplement Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CALORIE                    -1 > 0 \* 500 < 2001        Dec Prec: 0

=====

TERM: INTAKE - ENTERAL FEEDING TUBE  
ID: {769017E8-B98E-45DC-9706-FE6475B7FF8D}

=====

Page: 373

Abbreviation..... INT EF TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake - EF Tube  
Display Name..... Intake - EF Tube  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - ENTERAL TUBE FLUSH  
ID: {9A509673-FD4C-4F7B-BDF4-FD3E6ECD4A64}

=====

Page: 374

Abbreviation..... En Tube Fl  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Intake - Enteral Tube Flush  
Help Text..... Specify water flush for enteral  
feeding tube  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER      0 > 0 \* 9999 < 9999      Dec Prec: 0

=====

TERM: INTAKE - GI TUBE  
ID: {38602EA8-600E-4427-A695-029DFE06883F}

=====

Page: 375

Abbreviation..... INT GI TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Intake  
Display Name..... GI Tube Intake  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - IRRIGATION  
ID: {385178C8-3E17-4CEC-8C4B-3DA83E4ACA8D}  
=====

Page: 376

Abbreviation..... INT IRRIGA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Irrigation Intakes  
Display Name..... Intake - Irrigation  
Help Text..... Fluid intake from irrigations  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 2 entries

1. BLADDER (BLAD) {E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}  
2. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

PRODUCT: 6 entries

1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}  
2. BACTERIOSTATIC WATER (BACTER H2O)  
(EF13BCA6-3AF2-47E9-87A0-82642B529368)  
3. DAKINS SOLUTION (DAKINS SOL)  
(51651D24-B909-427B-9FF0-3C2859A63D73)  
4. AMPHOTERICIN B (AMPHOTER B)  
(E4ED1488-6A27-4622-A8EE-AB6B53DB86D0)  
5. ANTIBIOTIC (AB) {BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}  
6. TAP WATER (Tap Water) {EAAF11A5-6DC5-481F-81D3-A3035812D5C9}

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - IV BLOOD PRODUCTS  
ID: {80BF8A4E-7536-4325-A803-F66E83C11E3B}  
=====

Page: 377

Abbreviation..... INT BLOOD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Blood Products given to patient  
Display Name..... Intake - IV Blood Products  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 18 entries

1. CRYOPRECIPITATE (CRYOPRECIP)  
{5329E737-E059-480D-83F8-1146B091C14E}
2. FFP (FFP) {9DD0ECF5-634F-49CF-A529-A2657240A80C}
3. FFP - THAWED (FFP-THAWED) {AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}
4. GRANULOCYTES PHERESIS (GRAN PHERE)  
{2B90878D-9C29-4731-9525-D7DD7FCB513B}
5. PLATELETS PHERESIS (PLATELET P)  
{65CBDCBD-99DB-44FE-9230-D62886208EBF}
6. PLATELETS PHERESIS IRRADIATED (PLATEL P I)  
{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}
7. PRBC - AUTOLOGOUS (PRBC-A)  
{1580990C-0B35-4DDD-84AA-682B341C9B76}
8. PRBC - LEUKOREDUCED (PRBC-L)  
{13DB3170-6C26-4178-B429-C02AFC541AC7}
9. PRBC - LEUKOREDUCED - DIRECTED (PRBC-L-D)  
{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}
10. PRBC - LEUKOREDUCED - IRRADIATED (PRBC-L-I)  
{B4431519-0102-49ED-94D6-1738E375C5A4}
11. PRBC - LEUKOREDUCED - WASHED (PRBC-L-W)  
{BB58F35A-1086-4061-B485-FA35DFB79A0D}
12. WBC - WASHED (WBC WASHED) {F1460F94-203C-473D-AC7C-92E8ADFFC0F5}
13. PRBC (PRBC) {BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}
14. PLATELETS (PLATELETS) {3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}
15. PLASMAPHERESIS (PLASMAPHER)  
{E1214367-8BB0-4FAA-A916-EC707569A9C4}
16. 25 PERCENT ALBUMIN (25 PERC AL)  
{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}
17. 5 PERCENT ALBUMIN (5 PERC ALB)  
{A2D0F9A0-A9EC-4540-9663-B8B19A189198}
18. Rh IMMUNE GLOBULIN (Rh IM GLOB)  
{1FE7BD0C-7252-427A-8216-36FCA4637089}

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CALORIES  
ID: {868852E2-3D29-4007-BB36-62F6D90B1685}

=====

Page: 378

Abbreviation..... INT IV CAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Calories taken in by IV  
Display Name..... Itake - IV Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CALORIE                  -1 > 0 \* 9999 < 20000      Dec Prec: 0

=====  
TERM: INTAKE - IV CARDIAC OUTPUT INJECTATE  
ID: {FE023C43-32D0-4937-A100-0F14CDCACEF2}  
=====

Page: 379

Abbreviation..... INT CO INJ  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Cardiac Output Injectate  
Display Name..... Cardiac Output Injectate  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - IV COLLOID  
ID: {7CD55D76-7D00-414E-BF24-315A5A92A998}  
=====

Page: 380

Abbreviation..... INT IV COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake of IV Colloids  
Display Name..... Intake IV Colloids  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 4 entries

1. ALBUMIN (ALBUMIN) {EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}  
2. 5 PERCENT ALBUMIN (5 PERC ALB)  
(A2D0F9A0-A9EC-4540-9663-B8B19A189198}  
3. 25 PERCENT ALBUMIN (25 PERC AL)  
(CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}  
4. 6 PERCENT HETASTARCH (6 PERC HET)  
{8A82F108-D2FE-4C21-93BB-344502235AE8}

UNITS:

MILLILITER -1 > 0 \* 9999 < 20000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV CRYSTALLOIDS  
ID: {DD597777-861C-44FD-82E6-1FFF925D0095}

=====

Page: 381

Abbreviation..... INT IV CRY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake of IV Crystalloids  
Display Name..... Intake - IV Crystalloids  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====

TERM: INTAKE - IV FLUID  
ID: {5902ECD7-7C26-481F-AE76-999211321FFD}

=====

Page: 382

Abbreviation..... INT IV FL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake - IV Fluids  
Display Name..... Intake - IV Fluids  
Help Text..... Enter Fluid type as 'Comments',  
Continuous or IVPB  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 20000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - IV MEDS  
ID: {79429ADC-7CFD-48E5-B44C-5159595C10AD}  
=====

Page: 383

Abbreviation..... INT IV MED  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IV Intake of Medicines  
Display Name..... Intake - IV Meds  
Help Text..... Please note the type of med being  
given in the 'comment'  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - IV NUTRITION  
ID: {DDD9CA13-29FA-4BDB-9558-B0DFEF76FA15}

---

Page: 384

Abbreviation..... IN IV NUTR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IV Nutrition  
Display Name..... IV Nutrition  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 3 entries

---

1. CRYSTALLOID (CRYSTALLOI) {F8B0C9B5-F386-4C88-896A-092C4A95A031}
2. COLLOID (COLLOID) {5B912A05-9ECA-43C1-A117-BE0843313CDD}
3. LIPIDS (LIPIDS) {80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}

UNITS:

---

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - LINE FLUSH  
ID: {0DAF17DD-4039-406C-9F53-5AB46E172648}  
=====

Page: 385

Abbreviation..... IN LINE FL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Intake from line flush  
Display Name..... Intake - Line Flush  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 2 entries

1. SALINE (SALINE) {19D84001-70DB-47AA-9149-A37B7E0BAEF1}  
2. LINE FLUSH HEPARIN (LN FL HEPA)  
{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: INTAKE - PCA VOLUME  
ID: {86B055A5-04E4-4C85-B20B-9EA8F02E45AB}  
=====

Page: 386

Abbreviation..... INT PCA VO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Intake PCA Volume  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER        0.00 > 0.00 \* 5000.00 < 5001.00  
                    Dec Prec: 2  
CUBIC CENTIMETER    0.00 > 0.00 \* 5000.00 < 5001.00  
                    Dec Prec: 2

=====  
TERM: INTAKE - PERCENT MEAL CONSUMED  
ID: {A3C27D46-477C-476E-8D56-A652B8BC3933}  
=====

Page: 387

Abbreviation..... INT % MEAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Percentage of meal consumed by patient  
Display Name..... Percent Meal Consumed  
Help Text..... Percentage of meal consumed by patient  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

PERCENTAGE      -1 > 0 \* 100 < 101      Dec Prec: 0

=====

TERM: INTAKE - PO CALORIES  
ID: {DDCB1A84-6EA1-4ECC-AF57-EEA6754E8540}

=====

Page: 388

Abbreviation..... INT PO CAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pharyngeal Oral caloric intake  
Display Name..... Intake - PO Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CALORIE                  -1 > 0 \* 9999 < 10000      Dec Prec: 0

=====  
TERM: INTAKE - PO FLUIDS  
ID: {D6F28CE6-0E98-436E-AAC8-6749BC71F468}  
=====

Page: 389

Abbreviation..... INT PO FLU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Oral intake of fluids  
Display Name..... Intake PO Fluids  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 10 entries

- 1. NUTRITIONAL SUPPLEMENT (NUTR SUPPL)  
{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}
- 2. WATER (WATER) {ACCC998E-0F64-510D-B843-3D30B2AD67CF}
- 3. JUICE (JUICE) {91FFF519-1677-BB1D-D959-65B1BFA10285}
- 4. FULL LIQUID (FL LIQUID) {C8405270-CCA3-4BFF-B9D0-398590FBB1D9}
- 6. OTHER PO FLUID (PO OTHER) {1EA44424-4DE2-42B8-A50F-60DC56204502}
- 70. MILK (Milk) {6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}
- 80. COFFEE (Coffee) {BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}
- 90. SODA: DIET (Soda: Diet) {0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}
- 100. SODA: NON-DIET (Soda: Non)  
{B15D88DC-07B6-4980-98B2-A59B5662797A}
- 110. CLEAR LIQUIDS (Clear Liq)  
{BBE3A652-ACDC-4797-B140-D4DB4F474B13}

UNITS:

MILLILITER 0 > 1 \* 10000 < 10001 Dec Prec: 0  
OUNCE 0 > 1 \* 338 < 339 Dec Prec: 0  
CUBIC CENTIMETER 0 > 1 \* 10000 < 10001 Dec Prec: 0

=====

TERM: INTAKE - TPN CALORIES  
ID: {6AAC56B6-D4B8-4F1C-A4D0-86FDD3B6C72E}

=====

Page: 390

Abbreviation..... INT TPN CA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Total parenteral nutrition calories  
Display Name..... Intake - TPN Calories  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CALORIE -1 > 0 \* 2000 < 2001 Dec Prec: 0

=====  
TERM: INTAKE - TRANSFUSION  
ID: {DCD2263B-0390-4754-950A-6A410C0C59EB}  
=====

Page: 391

Abbreviation..... INT TRANSF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Transfusion Type  
Display Name..... Transfusion  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER      0 > 0 \* 9999 < 10000      Dec Prec: 0  
CUBIC CENTIMETER      0 > 0 \* 9999 < 10000      Dec Prec: 0

=====  
TERM: INTRACRANIAL PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {E11DD9AE-8220-432E-A855-4697F82AC17A}

Page: 392

=====  
Abbreviation..... ICP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Intracranial Pressure - Do Not Check  
Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. VENTRICULAR DRAIN (VENT DRAIN)  
{5FF035D1-9C97-415D-BBEB-943506395A0C}

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 8 \* 20 < 30 Dec Prec: 0

=====  
TERM: ISOLATION PRECAUTIONS  
ID: {B8AADF9F-BDAC-49F7-BAB8-4B6A1E9865D1}  
=====

Page: 393

Abbreviation..... ISOLAT PRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Isolation Precautions  
Help Text..... Environmental Precautions for  
Isolated Patients  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 
- 1. STRICT (STRICT) {5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}
  - 2. CONTACT (CONTACT) {958F2B5E-F980-47B6-A7F7-EE7D5520B61F}
  - 3. NEUTROOPENIC (NEUTROOPENI) {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}
  - 4. STANDARD (STANDARD) {C4B8C06D-BFFE-4438-A43D-926F039E5EE1}
  - 5. AIRBORNE (AIRBORNE) {D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}
  - 6. DROPLET (DROPLET) {CE1DD314-8A30-4785-BD56-1540CDA85146}
  - 7. NEGATIVE PRESSURE (NEG PRESSU) {6D6CB4BB-96B0-4978-97CC-116A03479DAD}

UNITS:

---

=====  
TERM: IV DOSE RATE - UNITS/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 394  
ID: {48FBFFFC-1B66-4439-8B74-ECCDDDE37804}  
=====

Abbreviation..... DR UN HR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Only to be used with products with  
dosage measured in "Units"  
Display Name..... IV DOSE RATE - UNITS/HOUR - Do Not  
Check Total or Subtotals  
Help Text..... Only to be used with products with  
dosage measured in "Units"  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
UNITS PER HOUR      0 > 0 \* 99999 < 99999      Dec Prec: 0

=====  
TERM: IV DOSE RATE - UNITS/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 395  
ID: {D1749D90-3EEE-41BE-BBF5-B3B00C18E8D2}  
=====

Abbreviation..... IVDR UkH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Only to be used with products with  
dosage measured in "Units"  
Display Name..... IV DOSE RATE - UNITS/kg/HOUR - Do Not  
Check Total or Subtotals  
Help Text..... Only to be used with products with  
dosage measured in "Units"  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
UNITS/kg/HOUR      0 > 10 \* 51 < 101      Dec Prec: 0

=====  
TERM: IV DOSE RATE - g/TIME - DO NOT CHECK TOTAL OR SUBTOTALS      Page: 396  
ID: {5D83FE3F-45BC-4D82-A7A7-832DA99A751F}  
=====

Abbreviation..... IVDR g/t  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV DOSE RATE - g/TIME - Do Not Check  
Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
GRAMS PER HOUR      0 > 20 \* 80 < 100      Dec Prec: 0  
GRAMS PER MINUTE      0 > 20 \* 540 < 600      Dec Prec: 0

=====  
TERM: IV DOSE RATE - mcg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS Page: 397  
ID: {24F22E1F-C661-4EAB-8CAE-C8D7E6A0DBFD}  
=====

Abbreviation..... IV DR mc  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV DOSE RATE - mcg/TIME - Do Not  
Check Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS PER HOUR -1.00 > 0.00 \* 9999.00 < 10000.00  
Dec Prec: 2  
MICROGRAMS PER MINUTE -1.00 > 0.00 \* 9999.00 < 10000.00  
Dec Prec: 2

=====  
TERM: IV DOSE RATE - mcg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 398  
ID: {7B983266-54DD-4F13-879B-44719FB91076}  
=====

Abbreviation..... DR mckgH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV DOSE RATE - mcg/kg/HOUR - Do Not  
Check Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MICROGRAMS PER KILOGRAM PER HOUR  
0.000 > 1.000 \* 2000.000 < 9999.000  
Dec Prec: 3

=====  
TERM: IV DOSE RATE - mg/TIME- DO NOT CHECK TOTAL OR SUBTOTALS      Page: 399  
ID: {E4E00CBB-AE1C-48BE-A172-CDEFF039A311}  
=====

Abbreviation..... nt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV DOSE RATE - mg/TIME - Do Not Check  
Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIGRAMS PER HOUR      -1.00 > 0.00 \* 9999.00 < 10000.00  
Dec Prec: 2  
MILLIGRAMS PER MINUTE      -1.00 > 0.00 \* 9999.00 < 10000.00  
Dec Prec: 2

=====  
TERM: IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS Page: 400  
ID: {FE8EB504-6F94-4863-B673-489582F1233C}  
=====

Abbreviation..... IV DR MG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV DOSE RATE - mg/kg/HOUR - Do Not  
Check Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIGRAMS PER KILOGRAM PER HOUR

0 > 1 \* 2000 < 9999 Dec Prec: 0

=====  
TERM: IV DOSE RATE MCG/KG/MIN: DO NOT CHECK TOTAL OR SUBTOTALS      Page: 401  
ID: {48DD4E47-FD10-4425-9FE0-2D8FD499F92B}  
=====

Abbreviation..... mcg/kg/min  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... IV Dose Rate - mcg/kg/min: DO NOT  
                  CHECK TOTALS OR SUBTOTALS  
Help Text..... For Weight-baseed IV med dose rates  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MICROGRAMS PER KILOGRAM PER MINUTE  
0.00 > 0.00 \* 999.99 < 999.99  
Dec Prec: 2

=====  
TERM: IV FLOW RATE - ml/TIME - DO NOT CHECK TOTAL OR SUBTOTALS      Page: 402  
ID: {0ED682FE-21ED-4D08-9250-46CB6FB85146}  
=====

Abbreviation..... IV FLOW R  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... IV Flow Rate in ml / min or hour  
Display Name..... IV Flow Rate - Do Not Check Total or  
Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITERS PER HOUR      -1.00 > 0.00 \* 9999.00 < 10000.00  
Dec Prec: 2  
MILLILITERS PER MINUTE      -1.00 > 0.00 \* 9999.00 < 10000.00  
Dec Prec: 2

=====  
TERM: IV FLOW RATE: ml/kg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS Page: 403  
ID: {5BDF4F11-9713-4B20-8DF1-49BB33DEAB67}  
=====

Abbreviation..... IV FL kg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... IV FLOW RATE: ml/kg/Time - Do Not  
Check Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITERS PER KILOGRAM PER HOUR  
0.00 > 1.00 \* 40.00 < 100.00  
Dec Prec: 2

MILLILITERS PER KILOGRAM PER MINUTE  
0.00 > 0.33 \* 1.33 < 1.70 Dec Prec: 2

=====  
TERM: IV LINE CARE  
ID: {3EC86714-EDBD-4D51-B4B7-465CB386DC72}  
=====

Page: 404

Abbreviation..... IV LI CARE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Care of IV Lines  
Display Name..... IV Line Care  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 20 entries

- 
- 1. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}
  - 2. DRESSING CHANGED (DRESS CHAN)  
{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}
  - 3. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}
  - 4. TUBING CHANGED/LABELED (TUBE CHANG)  
{19BA337C-6E28-411E-9702-48B262C593FA}
  - 5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}
  - 6. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}
  - 7. LEVELED (LEVELED) {D72523B2-E0CD-40E1-AC14-2FA43636A456}
  - 8. PRESSURE CALIBRATION (PRESS CALI)  
{38C12E69-2CD2-4F61-98D9-06AB857DA51A}
  - 9. ARTERIAL LINE CARE (ART LINE C)  
{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}
  - 10. CENTRAL VENOUS CATHETER (CENT VEN C)  
{EE91E841-C09B-4432-A121-8EBAB92E9CD2}
  - 11. PICC (PICC) {3CFE33D0-5A35-88CC-152C-D7501D1858D9}
  - 12. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}
  - 13. CHANGED (CHANGED) {74B14023-D74D-41F6-AA48-B0E5137623CD}
  - 14. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
  - 15. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}
  - 16. ALCOHOL PORT PROTECTOR (AI Port Pr)  
{785F47CF-A279-46F9-9073-B6A6A70E8888}
  - 17. NEUTRAL PRESSURE CONNECTOR (N Pres Con)  
{263F1A2C-4384-4B6A-B930-B9AF85B7F965}
  - 18. POSITIVE PRESSURE CONNECTOR (P Pres Con)  
{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}
  - 19. NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (Needleless)  
{5D9D8D90-9B39-4DF3-8095-755235687F45}
  - 20. MEDICAL NECESSITY CONFIRMED (med nec)  
{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}

UNITS:

---

Abbreviation..... IV PORT #  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... IV Port descriptor or number  
Display Name..... IV Port / Number  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. PROXIMAL PORT (PROX PORT) {3244EF4F-F18A-4250-96F5-ABCEA7BFA578}  
2. MEDIAL PORT (MEDI PORT) {D1734D73-2E1A-4538-8884-05D8A78CF556}  
3. DISTAL PORT (DIST PORT) {E493DF34-AD0E-4951-9715-5AD4EFA14036}  
4. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}  
5. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}  
6. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}  
7. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}  
8. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}  
9. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}  
10. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}  
11. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}  
12. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}  
13. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}  
14. 11 (11) {BD51A7B3-FACF-890C-472E-E3B28519CC16}  
15. 12 (12) {ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}

LOCATION: 20 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}  
3. L ANTECUBITAL (L ANTECUBI)  
(C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}  
4. R ANTECUBITAL (R ANTECUBI)  
(7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}  
5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}  
8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}  
9. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
15. L INTERNAL JUGULAR (L INT JUG)  
(AFBB4FE5-8A11-2047-7900-DADF2FC4430D}  
16. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}  
17. L EXTERNAL JUGULAR (L EXT JUGU)  
(6F7B331B-4F83-0B79-1755-F6F673D647D6}  
18. R EXTERNAL JUGULAR (R EXT JUGU)  
(4D78F704-9E3B-907E-A792-4DC4F4CFF170}  
19. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}  
20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

---

Abbreviation..... IV ST COND  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... IV Site Condition  
Help Text..... Condition of IV Site  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}  
50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}  
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

LOCATION: 20 entries

-----  
1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}  
3. L ANTECUBITAL (L ANTECUBI)  
{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}  
4. R ANTECUBITAL (R ANTECUBI)  
{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}  
5. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
6. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
7. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}  
8. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}  
9. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
10. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
11. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
12. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
13. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
14. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
15. L INTERNAL JUGULAR (L INT JUG)  
{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}  
16. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}  
17. L EXTERNAL JUGULAR (L EXT JUGU)  
{6F7B331B-4F83-0B79-1755-F6F673D647D6}  
18. R EXTERNAL JUGULAR (R EXT JUGU)  
{4D78F704-9E3B-907E-A792-4DC4F4CFF170}  
19. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}  
20. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

=====

TERM: LABS PER ORDERS  
ID: {6D66F3BC-9A35-4CE2-8677-00938428CD19}

=====

Page: 407

Abbreviation..... Labs p/Ord  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Labs per Orders  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: LEFT VENTRICULAR EJECTION FRACTION - CONTINUOUS  
ID: {1D980210-D857-457D-A335-DC248B264B10}

Page: 408

=====  
Abbreviation..... LVEF - CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Continuous Left Ventricular Ejection Fraction  
Display Name..... LVEF - Continuous  
Help Text..... If a range is provided use the midpoint  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 7 entries

1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}
2. NUCLEAR PERfusion IMAGING (NPI)  
{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}
3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)  
{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}
4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)  
{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
5. MAGNETIC RESONANCE IMAGING (MRI)  
{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}
6. COMPUTED TOMOGRAPHY (COM TOMOGR)  
{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}
7. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

PERCENTAGE 0 > 1 \* 99 < 100 Dec Prec: 0

=====  
TERM: LEFT VENTRICULAR EJECTION FRACTION - CATEGORICAL  
ID: {8B4D6E3B-1138-4BC0-A303-44B09F05A058}

Page: 409

Abbreviation..... LVEF - CAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Categorical Left Ventricular Ejection Fraction  
Display Name..... LVEF - Categorical  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

1. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
2. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
3. BORDERLINE REDUCED (BORD REDUC)  
{63703AB1-6249-403B-BDE8-FECA9FA36CF5}
4. MILD-MODERATELY REDUCED (MI-MOD-RED)  
{41DA2518-0E49-4E92-A733-3ACF3D2E8199}
5. MODERATELY REDUCED (MOD REDUCE)  
{91F73300-7EE0-428C-A838-5B3BE062D8BC}
6. MODERATE-SEVERELY REDUCED (MO-SEV RED)  
{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}
7. SEVERELY REDUCED (SEV REDUCE)  
{A895BACE-85AC-45B2-A190-4A6816DEDCC1D}
8. LESS THAN 30 (<30) {5AA98A0D-9B05-425D-97CA-B8B12425AAC}

METHOD: 7 entries

1. ECHOCARDIOGRAPHY (ECG) {CA44697E-3BBA-4767-A30D-6548A72F9639}
2. NUCLEAR PERfusion IMAGING (NPI)  
{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}
3. MULTIGATED NUCLEAR VENTRICULOGRAPHY (MUGA)  
{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}
4. CONTRAST LEFT VENTRICULOGRAPHY (CON L VENT)  
{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}
5. MAGNETIC RESONANCE IMAGING (MRI)  
{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}
6. COMPUTED TOMOGRAPHY (COM TOMOGR)  
{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}
7. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

=====  
TERM: LEFT VENTRICULAR STROKE WORK  
ID: {E9D668F0-920C-7E29-A6A1-618FC8ECD19B}  
=====

Page: 410

Abbreviation..... LVSW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Left Ventricular Stroke Work  
Display Name..... Left Ventricular Stroke Work  
Help Text..... Left Ventricular Stroke Work  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)  
(CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT 29.9 > 30.0 \* 150.0 < 150.1  
Dec Prec: 1

=====  
TERM: LEG MOVEMENTS  
ID: {49E9E897-E19A-8FE9-416C-F98CA66EFBC9}  
=====

Page: 411

Abbreviation..... LEGMOV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Leg Movements  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

=====  
TERM: LEVEL OF CONSCIOUSNESS  
ID: {48EF6B0D-C435-12D4-EA93-F8F5D344E4C5}  
=====

Page: 412

Abbreviation..... LOC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Level of Consciousness  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

-----  
1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}  
2. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}  
3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}  
4. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}  
5. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}  
60. FOLLOWS COMMANDS (Follow Cmd)  
{D5722341-ACC1-4F69-B537-1D3126ADA249}  
70. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}  
80. DELIRIOUS (Delirious) {6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}  
90. OBTUNDED (Obtunded) {356C0511-C91C-4B79-AF10-072F94D4AE09}  
100. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}  
110. UNRESPONSIVE (Unresponsi)  
{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}

UNITS:

-----

=====  
TERM: LIFT/TRANSFER DEVICES NEEDED  
ID: {F2432EB9-EE0D-4D0B-9FF3-180226D58921}  
=====

Page: 413

Abbreviation..... LiftDevNee  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Lift/Transfer Devices Needed  
Help Text..... In addition to selecting the types of  
devices utilized, select Bariatric  
Equipment if appropriate.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 17 entries

- 10. BATHING LIFTS (BathLift) {BD0E8173-171B-4F8E-AA83-5C4B0E39FD10}  
20. LATERAL TRANSFER DEVICE - AIR ASSISTED (LatDevAir)  
{9770E288-F7DB-45DE-8480-4D5BF51FDC46}  
30. LATERAL TRANSFER DEVICE - NON-AIR ASSISTED (LatDevNon)  
{51151B27-56B9-4C8F-8F6E-925C5583AA8B}  
40. LONG HANDLED TRANSFER SHEET (LongHandle)  
{A38E905C-A9C9-4592-8E2E-BE2D0DB01052}  
50. SIT-TO-STAND LIFT - POWERED (SitStanPow)  
{2C100603-C7E2-4CB5-A3AA-74D33737CAD6}  
60. SIT-TO-STAND LIFT - NON-POWERED (SitStanNon)  
{12EB0667-EA7C-484D-A674-0FF5BF32AEEC}  
70. LIFT SEAT COMMODE (LiftSeatCo)  
{5D8A7A79-B5A7-40F1-A6A5-26B5AC084D7A}  
80. CEILING LIFT (CeilLift) {D6D56490-CDFB-4EEA-A372-E590B93F7A6F}  
90. POWER DRIVE STRETCHER (PowerStre)  
{F50829BB-FFC8-4BB6-8BC1-A3C76EAC70C4}  
100. FLOOR LIFT (TOTAL LIFT) (FloorLift)  
{12B1B494-1AF0-428E-8F3F-ADAA18AF5BAA}  
110. OPEN TRANSFER BELT (OpenBelt)  
{05A4B84E-B0E5-44BE-8ACC-71F020127898}  
120. ROTATION DISK (RotatDisk)  
{F2E52737-DEA5-4ACD-A9A6-3018F7FB3C3B}  
130. VERTICAL TRANSFER DEVICE - AIR ASSISTED (VerTranAir)  
{18E2A61B-330A-4570-B8DB-BA7A492F759F}  
140. VERTICAL TRANSFER DEVICE - NON-AIR ASSISTED (VerTranNon)  
{A940FCC4-1C31-4C3E-8C14-AFB5B3EC714B}  
150. WHEELCHAIR MOVER (Wheelchair)  
{21239FE9-B2E0-4945-8F86-575EB92A9AB5}  
160. BARIATRIC EQUIPMENT (Bariatric)  
{D50E0B3F-39A8-4CC5-9FE8-E11EF3386CFC}  
170. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: LOWER LIMB EXTREMITIES STRENGTH  
ID: {9215BD72-FA1A-9146-EA8D-B4A33B455724}  
=====

Page: 414

Abbreviation..... L LOW LIMB  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Lower Limb Extremities Strength  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}  
3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}  
4. REFLEX INTACT (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}  
5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}  
6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDDB8}

LOCATION: 3 entries

-----  
1. L LOWER LIMB (L LOW LIMB) {4838CB05-A1DD-F4FB-587C-2D0C17A2484E}  
2. R LOWER LIMB (R LOW LIMB) {A8E26A05-311A-F196-40B5-B5202D9F8058}  
3. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}

UNITS:

-----

=====

TERM: LWSWI

Page: 415

ID: {7945FB00-2FA8-6D4C-BC85-0110EA75AC5C}

=====

Abbreviation.....LWSWI  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....Numeric  
Description.....Left Ventricular Stroke Work Index  
Display Name.....LWSWI  
Help Text.....Left Ventricular Stroke Work Index  
Multi Select Picklist.....  
Term Type.....OBSERVATION  
Vuid.....

METHOD: .....1 entries

1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

STROKE WORK PER BEAT PER M2 19 > 20 \* 150 < 151 Dec Prec: 0  
GM-M/M2/BEAT 19 > 20 \* 150 < 151 Dec Prec: 0

=====  
TERM: MALLAMPATI SCORE  
ID: {33452BD5-3E25-4B92-8849-F31EE04879AD}  
=====

Page: 416

Abbreviation..... Mallampati  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Mallampati Score  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. CLASS I (Class I) {4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}
  - 2. CLASS II (Class II) {2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}
  - 3. CLASS III (Class III) {C0FFDE12-241C-4087-9404-DB128F6B793A}
  - 4. CLASS IV (Class IV) {176030D0-2576-4D2D-A5AB-E5DA38DADEB5}

UNITS:

---

=====  
TERM: MDS: BATHING-SELF PERFORMANCE  
ID: {273C0E5E-8503-4CBE-8DED-E002126A0BBF}  
=====

Page: 417

Abbreviation..... Bath Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Bathing-Self Performance  
Help Text..... How resident takes full-body  
bath/shower, sponge bath, and  
transfers in/out of tub/shower  
(excludes washing of back and hair)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP PROVIDED (0 ind)  
{07AB4004-1793-410A-9872-00BB0B322DFE}  
20. 1 - SUPERVISION - OVERSIGHT HELP ONLY (1 Supervi)  
{F7DFB6E8-F550-4072-B693-93BF96A23834}  
30. 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (2 Phys Tra)  
{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}  
40. 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (3 Phys Bat)  
{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}  
50. 4 - TOTAL DEPENDENCE (4 Tot Dep)  
{062C8F50-294A-48CF-8E81-0C6D7787A4B1}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{909C971F-9C9F-4D6A-9C33-3447614E9057}

UNITS:

-----

=====  
TERM: MDS: BATHING-SUPPORT  
ID: {34BD5BDF-D8A3-4E46-B930-397C434A0F9F}  
=====

Page: 418

Abbreviation..... Bath Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Bathing-Support  
Help Text..... How resident takes full-body  
bath/shower, sponge bath, and  
transfers in/out of tub/shower  
(excludes washing of back and hair)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

=====  
TERM: MDS: BED MOBILITY-SELF PERFORMANCE  
ID: {5857AA3B-9EDD-4005-BC42-2036C70A016D}  
=====

Page: 419

Abbreviation..... Bed Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Bed Mobility-Self Performance  
Help Text..... How resident moves to and from lying  
position, turns, side to side, and  
positions body while in bed or  
alternate sleep furniture  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

=====  
TERM: MDS: BED MOBILITY-SUPPORT  
ID: {D7946DB1-AEF9-4348-97C3-DF69A93981D7}  
=====

Page: 420

Abbreviation..... Bed Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Bed Mobility-Support  
Help Text..... How resident moves to and from lying  
position, turns, side to side, and  
positions body while in bed or  
alternate sleep furniture  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

TERM: MDS: DRESSING-SELF PERFORMANCE  
ID: {C8A5C323-5655-48FD-B5EB-53B206B60BE1}

Page: 421

Abbreviation.....	Dress Self
Active.....	Yes
Boolean Value False.....	
Boolean Value True.....	
Data Type.....	PickList
Description.....	
Display Name.....	MDS: Dressing-Self Performance
Help Text.....	How resident puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses.
Multi Select Picklist.....	No
Term Type.....	OBSERVATION
Vuid.....	

**DATA VALUE:** 6 entries

- 10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}
- 20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}
- 30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}
- 40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}
- 50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 F)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}
- 60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

## UNITS:

=====  
TERM: MDS: DRESSING-SUPPORT  
ID: {E70C8300-5F54-490F-BDB3-619A15C3CA90}  
=====

Page: 422

Abbreviation..... Dress Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Dressing-Support  
Help Text..... How resident puts on, fastens and  
takes off all items of clothing,  
including donning/removing a  
prosthesis or TED hose. Dressing  
includes putting on and changing  
pajamas and housedresses.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

=====  
TERM: MDS: EATING-SELF PERFORMANCE  
ID: {CF6BFC0A-132B-44C9-939E-C3967C1692F6}  
=====

Page: 423

Abbreviation..... Eat Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Eating-Self Performance  
Help Text..... How resident eats and drinks,  
regardless of skill. Do not include  
eating/drinking during medication  
pass. Includes intakes of nourishment  
by other means (eg. Tube feeding,  
total parenteral nutrition, IV fluids  
administered for nutrition or  
hydration)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

Abbreviation..... Eat Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Eating-Support  
Help Text..... How resident eats and drinks,  
regardless of skill. Do not include  
eating/drinking during medication  
pass. Includes intakes of nourishment  
by other means (eg. Tube feeding,  
total parenteral nutrition, IV fluids  
administered for nutrition or  
hydration)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

Abbreviation..... Locom Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Locomotion Off Unit-Self  
Performance  
Help Text..... How resident moves to and returns  
from off-unit locations (eg. areas  
set aside for dining, activities,  
treatments). If facility only has 1  
floor, how resident moves to/from  
distant areas on floor. If in  
wheelchair, self-sufficiency once in  
chair  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

=====  
TERM: MDS: LOCOMOTION OFF UNIT-SUPPORT  
ID: {E0E6DBB2-AB68-4EDB-9DE9-72FA57B67B75}  
=====

Page: 426

Abbreviation..... Locom Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Locomotion Off Unit-Support  
Help Text..... How resident moves to and returns  
from off-unit locations (eg. areas  
set aside for dining, activities,  
treatments). If facility only has 1  
floor, how resident moves to/from  
distant areas on floor. If in  
wheelchair, self-sufficiency once in  
chair  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

Abbreviation..... Locom Unt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Locomotion on Unit-Self Performance  
Help Text..... How resident moves between locations  
in his/her room and adjacent corridor  
on same floor. If in wheelchair,  
self-sufficiency once in chair  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

Abbreviation..... Loc Un Sup  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Locomotion on Unit-Support  
Help Text..... How resident moves between locations  
in his/her room and adjacent corridor  
on same floor. If in wheelchair,  
self-sufficiency once in chair  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

Abbreviation..... Hygi Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Personal Hygiene-Self Performance  
Help Text..... How resident maintains personal  
hygiene, including combing hair,  
brushing teeth, shaving, applying  
makeup, washing/drying face and hands  
(excludes baths and showers)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

=====  
TERM: MDS: PERSONAL HYGIENE-SUPPORT  
ID: {EC30A02C-DAE9-41A4-A7B3-49CD258A4A48}  
=====

Page: 430

Abbreviation..... Hygi Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Personal Hygiene-Support  
Help Text..... How resident maintains personal  
hygiene, including combing hair,  
brushing teeth, shaving, applying  
makeup, washing/drying face and hands  
(excludes baths and showers)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

Abbreviation..... Toil Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Toilet Use-Self Performance  
Help Text..... How resident uses the toilet room,  
commode, bedpan or urinal; transfers  
on/off toilet; cleanses after  
elimination; changes pad; manages  
ostomy or catheter; adjusts clothes.  
Do not include emptying bedpan,  
urinal, commode, catheter or ostomy  
bag.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

=====  
TERM: MDS: TOILET USE-SUPPORT  
ID: {0555B732-4BD3-44C7-8EC0-F5C8872337B9}  
=====

Page: 432

Abbreviation..... Toil Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Toilet Use-Support  
Help Text..... How resident uses the toilet room,  
commode, bedpan or urinal; transfers  
on/off toilet; cleanses after  
elimination; changes pad; manages  
ostomy or catheter; adjusts clothes.  
Do not include emptying bedpan,  
urinal, commode, catheter or ostomy  
bag.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

=====  
TERM: MDS: TRANSFER-SELF PERFORMANCE  
ID: {E19A7DC4-2086-436B-BBA3-1CB4EF01FDA1}  
=====

Page: 433

Abbreviation..... Trans Self  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Transfer-Self Performance  
Help Text..... How resident moves between surfaces  
including to or from: bed, chair,  
wheelchair, standing position  
(excludes to/from bath/toilet)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

=====  
TERM: MDS: TRANSFER-SUPPORT  
ID: {F2B014BE-D247-421B-BB21-1D63C91C71B1}  
=====

Page: 434

Abbreviation..... Trans Supp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Transfer-Support  
Help Text..... How resident moves between surfaces  
including to or from: bed, chair,  
wheelchair, standing position  
(excludes to/from bath/toilet)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

=====  
TERM: MDS: WALK IN CORRIDOR-SELF PERFORMANCE  
ID: {FB71EEC1-FE9C-4D43-9D07-DB30CF6DD272}  
=====

Page: 435

Abbreviation..... Wlk Cor Sf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Walk in Corridor-Self Performance  
Help Text..... How resident walks in corridor on unit  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

=====  
TERM: MDS: WALK IN CORRIDOR-SUPPORT  
ID: {75F64D4D-D6F5-42CE-9FCC-500565FA6A0F}  
=====

Page: 436

Abbreviation..... Wlk Cor Sp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Walk in Corridor-Support  
Help Text..... How resident walks in corridor on unit  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

=====  
TERM: MDS: WALK IN ROOM-SELF PERFORMANCE  
ID: {1359D4F5-F839-4FC2-AD57-09E0DD5C472D}  
=====

Page: 437

Abbreviation..... Wlk Rm Sel  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Walk in room-Self Performance  
Help Text..... How resident walks between locations  
in his/her room  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (0 Ind)  
{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
20. 1 - SUPERVISION - OVERSIGHT (1 Superv)  
{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
30. 2 - LIMITED ASSISTANCE (2 Limited)  
{35934E53-08EB-46E0-8136-96FD6174ACF1}  
40. 3 - EXTENSIVE ASSISTANCE (3 Extensiv)  
{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
50. 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (4 Full Stf)  
{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
60. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{8B586CC9-2360-4060-B660-021C25E28F0F}

UNITS:

-----

=====  
TERM: MDS: WALK IN ROOM-SUPPORT  
ID: {61872309-8EF3-4CA6-B374-3D88F8563B89}  
=====

Page: 438

Abbreviation..... Wlk Rm Sp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MDS: Walk in Room-Support  
Help Text..... How resident walks between locations  
in his/her room  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 - NO SETUP OR PHYSICAL HELP FROM STAFF (0 No Setup)  
{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
20. 1 - SETUP HELP ONLY (1 Setup )  
{5494773C-99FE-4A96-B12E-D734188517CE}  
30. 2 - ONE PERSON PHYSICAL ASSIST (2 one asst)  
{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
40. 3 - TWO + PERSONS PHYSICAL ASSIST (3 + asst)  
{AE401096-DF23-4A6E-8842-E1F58829902A}  
50. 8 - ACTIVITY DID NOT OCCUR (8 d/n occ)  
{B016EA6E-B60A-4075-9B27-17B7C86D8E9F}

UNITS:

-----

=====  
TERM: MEAL TYPE  
ID: {B7077982-602A-426F-98A8-522722E39393}  
=====

Page: 439

Abbreviation..... Meal Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Meal Type  
Help Text..... Select meal or snack type  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
10. BREAKFAST (Breakfast) {59166132-625E-4E1E-9D97-13BF678EA726}  
20. LUNCH (Lunch) {9CF74807-8CA5-491F-98C4-97A5476FCE30}  
30. SUPPER (Supper) {9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}  
40. SNACK - AM (Snack - AM) {CBF0AFB1-AF1D-4C04-931F-3508D0472E70}  
50. SNACK - PM (Snack - PM) {883C1241-38DA-4C6C-BF3C-CCF3B2378560}  
60. SNACK - HS (Snack - HS) {861B5B9A-D59F-46D2-BA96-4BEAA50654CE}  
70. SNACK - OTHER (Snack - Ot)  
{CDEE1A83-4546-4A81-AA12-5D27DF743E68}

UNITS:

-----

=====  
TERM: MEAN ARTERIAL PRESSURE  
ID: {9D9D9FD8-C352-6434-E796-C583407EBD45}  
=====

Page: 440

Abbreviation..... MAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean Arterial Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

1. CUFF (Cu) {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}
2. ARTERIAL LINE (AL) {D4B3F4ED-8B33-431E-4164-BD165E823776}
3. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}
4. CARDIAC OUTPUT MONITOR (COM)  
(CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3)
5. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}

UNITS:

-----  
MILLIMETERS OF MERCURY 25 > 50 \* 100 < 300 Dec Prec: 0

=====  
TERM: MEAN BLOOD PRESSURE  
ID: {9038EF74-932A-42EE-992F-A20BD8784BB7}  
=====

Page: 441

Abbreviation..... BP MEAN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Mean Blood Pressure  
Display Name..... Mean Blood Pressure  
Help Text..... Mean Blood Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: ..... 5 entries

- |                       |  |
|-----------------------|--|
| 1. ARTERIAL LINE (AL) | {D4B3F4ED-8B33-431E-4164-BD165E823776} |
| 2. NON-INVASIVE (N-I) | {F50ABFED-5FD7-FC95-20FE-1E3038C9F299} |
| 3. CUFF (Cu)          | {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E} |
| 4. IABP (IABP)        | {4352A41F-AAF3-4544-9590-BAFD7977DF49} |
| 5. INVASIVE (I)       | {5DB8746E-5446-F47A-883C-A44B91275A6E} |

UNITS:

-----  
MILLIMETERS OF MERCURY      20 > 50 \* 100 < 200      Dec Prec: 0

=====  
TERM: MEAN BLOOD PRESSURE ARTERIAL LINE  
ID: {4493FB14-8C5E-9995-C08F-D0BC9A3B5D0B}  
=====

Page: 442

Abbreviation..... MBPAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean Blood Pressure Arterial Line  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====  
TERM: MEAN BLOOD PRESSURE NON-INVASIVE  
ID: {A89EC390-60BB-FE79-6F40-F9E2BAFE5BB5}  
=====

Page: 443

Abbreviation..... MBPNI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean Blood Pressure Non-Invasive  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====

TERM: MEAN BP CUFF  
ID: {1F7DAE88-DE53-4807-F51F-47AB8A672EA1}

=====

Page: 444

Abbreviation..... MBPC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Mean BP Cuff  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIMETERS OF MERCURY      24 > 25 \* 200 < 201      Dec Prec: 0

=====  
TERM: MED LAST DOSE: ANTIBIOTIC  
ID: {F521A3A6-27C9-48F7-8203-6E5634783198}  
=====

Page: 445

Abbreviation..... MLD AnBio  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Antibiotic  
Help Text..... Date and time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: MED LAST DOSE: ANTICOAGULANT  
ID: {4404F3B5-B163-4F86-B2B1-E1E9E0687937}

=====

Page: 446

Abbreviation..... MLD AnCoag  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Anticoagulant  
Help Text..... Date and Time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: MED LAST DOSE: ASPIRIN  
ID: {40F5DD1D-4534-463F-B4C8-5FF0D589C878}  
=====

Page: 447

Abbreviation..... MLD Aspiri  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Aspirin  
Help Text..... Date and Time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: MED LAST DOSE: ESA ERYTHROPOETIN  
ID: {E63799D0-44A6-40A0-9968-FD0974BEDD17}

Page: 448

=====  
Abbreviation..... MLD: ESA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: ESA Erythropoetin  
Help Text..... Enter last time/dose of medications  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: MED LAST DOSE: HYPOGLYCEMIC AGENT  
ID: {26E3B7EF-95A6-4ED3-A483-59DF78E4EB94}  
=====

Page: 449

Abbreviation..... MLD: Hypog  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Hypoglycemic Agent  
Help Text..... Enter last time/dose of medications  
for Diabetes  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

TERM: MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG Page: 450  
ID: {69BB442B-01B6-485F-A78D-423A74C18D06}

Abbreviation..... MLD Non-St  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Med Last Dose: Non-steroidal  
Anti-inflammatory Drug  
Help Text..... Date and Time of Last Dose  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

**UNITS:**

=====  
TERM: MENTAL STATUS  
ID: {C5725119-39A5-44C0-B959-4B84D0B440E1}  
=====

Page: 451

Abbreviation..... Mental Sta  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Mental Status  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

-----  
10. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}  
20. DISORIENTED (DISORIENTE) {A7D1F2EA-CD7C-4100-8552-44834684C6DE}  
30. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}  
40. DROWSY (Drowsy) {837DDD3A-DE8F-41E2-82C9-9533052F7B05}  
50. LETHARGIC (I) {4ECA2E44-093A-9354-848E-CDC72B165072}  
60. COMATOSE (Comatose) {BCADA53A-1186-4B73-932B-1BBCB9937308}  
70. COMBATIVE (c) {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}  
80. VISUAL HALLUCINATIONS (Vis Halluc)  
{75364EB9-5053-4040-A775-D5CCABBFC799}  
90. TACTILE HALLUCINATIONS (Tac Halluc)  
{7DF6ACCF-20A9-46EB-93D2-7BB17F27920A}  
110. ATTENTIVE (Attentive) {F7A62675-3DD8-4CE3-A541-24F7D5F9CCF7}  
115. ABLE TO FOLLOW DIRECTION (Follow Dir)  
{72621E3E-A350-4321-8A9C-EFCB0F614D36}  
120. IMPAIRED JUDGEMENT/INSIGHT (ImpairJdmt)  
{A500511F-24DC-4AF1-A0B2-1AC5A40BE258}  
130. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}

UNITS:

Abbreviation..... Metal  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Metal Implant/Shrapnel  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

10. SHRAPNEL (Shrapnel) {72CFD2AD-EAFD-43D7-8860-CB2993655D1A}  
20. METAL IMPLANTS (Metal Impl)  
(E7424C97-0A81-4C4E-916E-0AE812FFDB96)

LOCATION: 63 entries

10. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}  
20. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}  
30. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}  
40. STOMACH (STOMACH) {613C20B9-CC9C-4F5D-B5B1-69B66A663540}  
50. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}  
60. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}  
70. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
80. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}  
90. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}  
100. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}  
110. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}  
120. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}  
130. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}  
140. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}  
150. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}  
160. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}  
170. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}  
180. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}  
190. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
200. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
210. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
220. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
230. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}  
240. GASTROINTESTINAL (GI) {C27C66DB-3A6A-487E-9981-FA7FD323C0C3}  
250. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}  
260. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}  
270. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}  
280. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}  
290. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}  
300. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}  
310. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}  
320. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}  
330. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}  
340. BLADDER (BLADDER) {18E083F2-C4BB-407E-B0A3-20C4942FC97F}  
350. L JAW (L JAW) {65EB3CF-76D8-4F45-9B1B-3575D988BE8E}  
360. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}  
370. TOOTH (TOOTH) {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}  
380. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}

390. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}  
400. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}  
410. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}  
420. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}  
430. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACAO}  
440. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}  
450. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}  
460. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}  
470. INCISIONAL SITE (INCISON SI)  
{EB36A66D-751D-4031-9F68-0BB03E267321}  
480. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}  
490. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}  
500. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}  
510. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}  
520. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}  
530. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
540. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
550. SUBSTERNAL (SUBSTERN) {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}  
560. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
570. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
580. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}  
590. BUTTOCK (Buttock) {7254A44D-91FA-40C7-B179-932AE08AD602}  
600. CERVICAL SPINE (Cerv Spine)  
{6EBB5108-39A4-4A18-9AB3-E91329F469A3}  
610. THORACIC SPINE (Thor Spine)  
(A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2)  
620. LUMBAR SPINE (Lumb Spine)  
(AEA5FA39-E58D-4382-9C33-EAF360395A60}  
630. SACRAL SPINE (Sacr Spine)  
{55FA6213-78BF-4349-B0A3-232191C659A3}

UNITS:

---

=====  
TERM: MEWS: CONSCIOUS LEVEL  
ID: {D13CE4D4-116E-4929-A8DC-740B579E8018}

Page: 453

=====  
Abbreviation..... MEWS: CONS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Conscious Level  
Help Text..... (Modified Early Warning System)  
                    Conscious level (AVPU)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:                         5 entries

-----  
10. 3 - UNRESPONSIVE (Unrespondi)  
                    {F40F8A1E-ED15-424A-9481-3527B0E69DF1}  
20. 2 - RESPONDS TO PAIN (Pain)  
                    {AE6B5DEC-6510-4FEE-8461-D2E930534ACE}  
30. 1 - RESPONDS TO VOICE (Voice)  
                    {69C7DA2C-893A-40AB-969C-E003B5D2F05D}  
40. 0 - ALERT (Alert)        {A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}  
50. 1 - NEW AGITATION CONFUSION (New Agitat)  
                    {F458199B-A547-419B-A691-F15E7CD61F8C}

UNITS:

=====  
TERM: MEWS: HEART RATE  
ID: {6D3266EC-E57D-4299-9AAC-80D0842C0D3F}  
=====

Page: 454

Abbreviation..... MEWS: HR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Heart Rate  
Help Text..... (Modified Early Warning System) Heart  
rate per minute  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 2 - HR 0-39 (HR 0-39) {1243C1C9-C72F-4765-8D19-D689E1FC44F5}  
20. 1 - HR 40-50 (HR 40-50 ) {EC915B1F-BED1-497D-AD10-4FD0C2ADEDCE}  
30. 0 - HR 51-100 (HR 51-100) {6A262124-7FE8-4520-9762-87D0A3DB8AE9}  
40. 1 - HR 101-110 (HR 101-110)  
{FCB6C37E-1BB4-418F-8203-0916B4056DEB}  
50. 2 - HR 111-129 (HR 111-129)  
{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}  
60. 3 - HR 130 OR MORE (HR 130 +)  
{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}

UNITS:

-----

=====  
TERM: MEWS: HOURLY URINE  
ID: {11CAC7DF-6CF0-404C-ADB5-747B1AF6F48E}  
=====

Page: 455

Abbreviation..... MEWS: Urin  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Hourly Urine  
Help Text..... (Modified Early Warning System)  
Hourly urine for 2 hours  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. 3 - LESS THAN 10MLS/HR (< 10mls/hr)  
{E013F8AC-7DBE-4F13-BF48-0317A46332CC}  
20. 2 - LESS THAN 30MLS/HR (< 30mls/hr)  
{A85A05F7-3443-4E62-ACF4-3334E3EF5675}  
30. 1 - LESS THAN 45MLS/HR (< 45mls/hr)  
{3AED380E-00F9-4C29-B303-52E08F8911B3}

UNITS:

-----

=====  
TERM: MEWS: RESPIRATORY  
ID: {BBB4C1F6-B418-4960-A3C7-87BAF9DB7595}  
=====

Page: 456

Abbreviation..... MEWS: Resp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Respiratory  
Help Text..... (Modified Early Warning System)  
Respiratory rate per minute  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 2 - RR 0-8 (RR 0-8) {73DC19E6-865C-4161-9CBE-3A8D44BC4D84}  
20. 0 - RR 9-14 (RR 9-14) {F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}  
30. 1 - RR 15-20 (RR 15-20) {1CF2487B-30C6-46AB-A051-B4499F825DC2}  
40. 2 - RR 21-29 (RR 21-29) {72DF48C2-B8F3-4ED4-91D1-87157707C3EC}  
50. 3 - RR 30 OR MORE (RR 30 or +)  
{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}

UNITS:

-----

=====  
TERM: MEWS: SCORE  
ID: {528BE6FB-ED0A-43FA-A5A4-DF6ADD532CA1}  
=====

Page: 457

Abbreviation..... MEWS-Score  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... (Modified Early Warning System) MEWS  
Score  
Display Name..... MEWS: Score  
Help Text..... (Modified Early Warning System) MEWS  
Score  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MEWS: SCORE UNIT      0 > 0 \* 15 < 15      Dec Prec: 0

TERM: MEWS: SYSTOLIC BLOOD PRESSURE  
ID: {71007A41-8139-4ED7-BE65-4CCE796F430B}

Page: 458

**DATA VALUE:** 5 entries

- 10. 3 - SBP 70 OR LESS (SBP 70 or<) {84DE09CE-FCB0-4E07-A72F-C1064CECF094}
- 20. 2 - SBP 71-80 (SBP 71-80) {063CE20D-435C-4176-9A8B-3FC3DB16FF11}
- 30. 1 - SBP 81-100 (SBP 81-100) {93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}
- 40. 0 - SBP 101-199 (SBP101-199) {ED9B73BA-8B9E-49C0-83A2-5B2397028564}
- 50. 2 - SBP 200 OR MORE (SBP 200+) {C3B80866-749C-402A-B7CA-A1B797D36885}

**UNITS:**

=====  
TERM: MEWS: TEMPERATURE  
ID: {A91CD438-66B0-4809-9A1C-43E979C6C19E}  
=====

Page: 459

Abbreviation..... MEWS-Temp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MEWS: Temperature  
Help Text..... (Modified Early Warning System)  
Temperature in C  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 2 - TEMP 35.0 C OR LESS (35.0 C or<  
{D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}  
20. 1 - TEMP 35.1-36 C (35.1-36 C)  
{AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}  
30. 0 - TEMP 36.1-38 C (36.1-38 C)  
{87CCCC92-0761-47FC-BD44-C37590832EA7}  
40. 1 - TEMP 38.1-38.5 C (38.1-38.5C)  
{21326CB3-A848-4984-BB34-5594AD7E5D32}  
50. 2 - TEMP MORE THAN 38.6 C (> 38.6 C)  
{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}

UNITS:

-----

TERM: MODERATE SEDATION: PRE-ASSESSMENT APPLIANCES REMOVED  
ID: {FC9DA0D4-F8AD-4202-8BA0-CABBB5FA3B47}

Page: 460

DATA VALUE: 6 entries

1. DENTURES (Dentures) {ECABE4D0-97BE-418D-AC7D-29E40D166581}  
2. EYEGLASSES (Eyeglasses) {E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}  
3. CONTACTS (Contacts) {6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}  
4. PROSTHESIS (PROSTHESIS) {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}  
5. HEARING AIDS (Hear Aids) {504FF149-8889-444E-925B-C952314FDF98}  
6. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

## UNITS:

=====  
TERM: MODERATE SEDATION: PRE-ASSESSMENT CPRS HEALTH HX REVIEWED Page: 461  
ID: {84C38C5F-75E6-4CC4-ABD4-3E4DD128082A}  
=====

Abbreviation..... Health HX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Moderate Sedation: Pre-assessment  
CPRS Health HX Reviewed  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

- 
- 1. AICD (AICD) {EDB0E730-A1DC-4639-888B-30E956CCA958}
  - 2. ARTIFICIAL VALVES (Art Valves)  
(088BB4A5-A93E-47E2-B21F-BC2957D52693}
  - 3. BMI>35KG/M2 (BMI>35KG/M) {FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}
  - 4. DIABETES (Diabetes) {E295E970-759D-44CD-AD43-6047382A790D}
  - 5. GRAFTS (Grafts) {E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}
  - 6. IMPLANTS (Implants) {14998852-14FD-4C6A-BB8A-5073D6094B11}
  - 7. PACER (Pacer) {F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}
  - 8. KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (Known/Susp)  
(BD47DD8C-7057-403B-B393-EBCBF9907B68}
  - 10. METAL IMPLANTS (Metal Impl)  
(E7424C97-0A81-4C4E-916E-0AE812FFDB96}
  - 11. PREGNANT, NO (Preg, No) {D08F5D48-965E-4537-83BC-14722E28B0AE}
  - 12. PREGNANT, YES (Preg, Yes) {CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}
  - 13. SEIZURES (Seizures) {DE974E49-2AB6-4781-9930-468F2B781BA9}
  - 14. SHUNTS (Shunts) {8D9CB03B-6D63-4205-86C3-869421BEBD04}
  - 15. SNORES (Snores) {69FE4ECF-E1FE-4235-AD44-5AF9E634E000}
  - 16. STROKE (Stroke) {F0EE98A8-040F-4923-8A21-059DA7B17995}

UNITS:

---

=====  
TERM: MODERATE SEDATION: PRE-ASSESSMENT TIME OUT  
ID: {04BC70CE-732A-404B-94AA-ED9273CFB408}  
=====

Page: 462

Abbreviation..... Pre-Time O  
Active..... Yes  
Boolean Value False..... Not Done  
Boolean Value True..... Done  
Data Type..... Boolean  
Description.....  
Display Name..... Moderate Sedation: Pre-assessment  
Time out  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

TERM: MODERATE SEDATION: PREASSESS: PREVIOUS MOD SED. COMPLICATIONS Page: 463  
ID: {6242F2E9-8402-44B6-B7C3-74B3106314AD}

**DATA VALUE:** 6 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  2. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}
  3. HYPOXIA (Hypoxia) {7599629D-1206-4A1A-9D02-EEE384E5FE51}
  4. APNEA (Apnea) {BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}
  5. ARRHYTHMIA (Arrhythmi) {F12E4852-27E7-4C2C-989F-E973EBDF2C62}
  6. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

**UNITS:**

TERM: MODERATE SEDATION: PREASSESS: SUBSTANCE ABUSE  
ID: {4D7D1A38-3055-4B94-82C0-49803A34C834}

Page: 464

Abbreviation..... Sub Abuse  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Moderate Sedation: PreAssess:  
Substance Abuse  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION

#### **UNITS:**

Abbreviation..... Mod Sed Pr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Moderate Sedation: Preparation  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 6 entries

1. CODE CART IS ASSESSIBLE (Code Cart)  
{DB670E39-CF90-4068-8E38-44DCA5F365B5}
2. BAG/MASK & O2 SET UP (Bag/Mask)  
{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}
3. FUNCTIONAL SECTION SET UP (Func Sect)  
{E156C048-11D5-4F62-8B1A-0CEA931E03EF}
4. CARDIO-RESP MONITOR (Cardio-Re)  
{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}
5. PULSE OXIMETER (Pulse Ox) {773A956B-0B08-4D72-AAD4-630DF8268694}
6. END-TIDAL CO2 MONITOR (End-Tidal)  
{609E3607-E441-465D-B1FC-C6986C58C11C}

UNITS: .....  
=====

Abbreviation..... Pat Ident  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Moderate sedation: Time Out: Patient  
Identifiers  
Help Text..... Patient Identifiers  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. FULL NAME (Full Name) {A915EA98-D18D-4887-8C50-4B6C0DF44D1D}
  - 2. FULL SSN (Full SSN) {3E2887AF-2DC5-40FA-9052-7B04347CC802}
  - 3. DATE OF BIRTH (DOB) {F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}

UNITS:

---

=====

TERM: MONITOR PLACED  
ID: {FA699021-BD76-4DCA-B680-6E0F523B67FF}

=====

Page: 467

Abbreviation..... Monitor  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Monitor Placed  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
4 entries

1. CARDIAC (Cardiac) {2A4308E5-C843-4844-B908-32DA0A0B50E3}
2. RESPIRATION (Respiratio) {5D6198F0-FE26-4F94-9118-D49A7EC44017}
3. BLOOD PRESSURE (Blood Pres)  
{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}
4. PULSE OXIMETER (Pulse Ox) {D681E1E3-E914-421C-A19E-37C72F5E869F}

UNITS: -----

=====

TERM: MONITORING CAMERA  
ID: {3C959476-0C22-4C00-88D8-99C944D2D4A5}

=====

Page: 468

Abbreviation..... MON CAMERA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Monitoring Camera  
Help Text..... Document if patient, family, visitors  
have been informed of monitoring  
camera usage.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. PATIENT INFORMED (PAT INFORM)  
{074A1D19-3920-49F1-8958-2EB6F9CF05BA}
  2. FAMILY INFORMED (FAM INFORM)  
{77135D32-9CDD-4D3F-9B62-6E8189B77844}
  3. UNABLE TO INFORM (UNABLE INF)  
{77428C87-B3F9-4BBD-B781-F7D89BCF9492}
  4. VISITORS INFORMED (V Informed)  
{5E43EFC0-DD13-4EB2-B212-6AF18DCF0C75}
  5. CAMERA NOT IN USE (Not in Use)  
{F385A6A7-F0EB-4E4A-84E7-A87AD31BA2E2}

UNITS:

-----

TERM: MORSE: AMBULATORY AID DURING WALKING  
ID: {472ED5D6-2DFB-4EAF-9CCB-78D77C2D685B}

Page: 469

Abbreviation..... MORSE AID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Morse: Ambulatory Aid During Walking  
Display Name..... Morse: Ambulatory Aid During Walking  
Help Text..... 0: None/bedrest/Nurse Assis./  
                  Wheelchair, 15: Crutches/Cane/Walker,  
                  30: Furniture  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

**DATA VALUE:** 3 entries

1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}  
3. 30 (30) {1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}

**UNITS:**

=====  
TERM: MORSE: GAIT Page: 470  
ID: {7CCE584F-DDAB-090B-9E73-41D5A8696F98}  
=====

Abbreviation..... MORSE GAIT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Morse: Gait  
Help Text..... 0: Normal/Bedrest/Wheelchair, 10:  
Weak, 20: Impaired  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}  
3. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

=====

TERM: MORSE: HISTORY OF FALLING WITHIN LAST THREE MONTHS  
ID: {9E44E0AE-F9AD-25A8-7771-589BF2DBD6B7}

=====

Page: 471

Abbreviation..... MORSE HIST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Morse: History of Falling Within Last  
Three Months  
Help Text..... 0 if NO, 25 if YES  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 25 (25) {42DD0655-142D-6901-D3FE-66D295BBFCDF1}

UNITS:

-----

=====

TERM: MORSE: IV THERAPY SALINE LOCK  
ID: {5FB26C06-AF8D-ECBE-FC10-442510EC52F1}

=====

Page: 472

Abbreviation..... MORSE IV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Morse: IV Therapy Saline Lock  
Help Text..... 0 if NO, 25 if YES  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 20 (20) {532FBDF8-7F7B-9551-300C-F2CFEF656163}

UNITS:

-----

=====  
TERM: MORSE: MENTAL STATUS OF PT OWN ABILITY  
ID: {E15F905B-5D1C-47CA-A23A-5EC47302D9A3}  
=====

Page: 473

Abbreviation..... MORSE PT S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Morse: Mental Status of Patients Own Ability  
Display Name..... Morse: Mental Status of Patients Own Ability  
Help Text..... 0: Oriented to own ability, 15  
Overestimates, forgets limitations  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

-----

=====  
TERM: MORSE: SCORE TOTAL  
ID: {80F2ACB5-5E42-48B8-8EB8-CADAD149E7BB}  
=====

Page: 474

Abbreviation..... MORSE TOTA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Morse Score Total  
Display Name..... Morse: Score Total  
Help Text..... Morse Score Total  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MORSE SCORE      0 > 0 \* 125 < 125      Dec Prec: 0

=====

TERM: MORSE: SECONDARY DIAGNOSIS LISTED ON CHART  
ID: {305B5629-D6B2-440A-B46F-E0535AE843F9}

=====

Page: 475

Abbreviation..... MORSE 2NDA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Morse: Secondary Diagnosis Listed On C  
Help Text..... 0 = No, 25 = Yes  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 15 (15) {FE8C049F-B64C-4991-2F50-3C561BA4825C}

UNITS:

-----

=====  
TERM: MOTOR ACTIVITY  
ID: {C6063BDB-3A3D-A167-3D99-3A49F17FCD0C}  
=====

Page: 476

Abbreviation..... MOTOR ACTI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Activity  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 
- 1. NORMAL POWER (np) {0E45C061-0744-8A21-7256-003702A5005B}
  - 2. NO MOVEMENT (nm) {2618E301-379B-BAB9-9EDE-98FD4B60D311}
  - 3. FLICKER OF CONTRACTION (foc)  
{218B322B-84AA-F6F6-5207-D86F9A4311F0}
  - 4. MOVEMENT WITH GRAVITY ELIMINATED (mwge)  
{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}
  - 5. MOVE AGAINST GRAVITY BUT NO RESISTANCE (magbrn)  
{F995A165-8536-C493-2269-286E8EFF5E43}
  - 6. MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (magareobte)  
{2ECCC197-4A81-025F-3EF3-6214004887A9}

LOCATION: 4 entries

- 
- 1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}
  - 2. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}
  - 3. R LOWER EXTREMITY (R LOW EXTR)  
{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}
  - 4. R UPPER EXTREMITY (R UPP EXTR)  
{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

---

Abbreviation..... Act/Pos  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Motor Activity/Posture  
Help Text..... Assessment of behavioral health  
related motor activity  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

-----  
10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
20. HYPOACTIVITY (PSYCHOMOTOR RETARDATION) (Hypoactive)  
{0A5A49FB-DD28-4C24-A04F-93D92692CCD3}  
30. HYPERACTIVITY (PSYCHOMOTOR AGITATION) (Hyperactiv)  
{AFA25449-696C-49A8-A9F1-6862062819FC}  
40. RELAXED (Relaxed) {B8C15DBC-99FB-4239-8040-C27899120009}  
50. RIGID (Rigid) {2D1427D1-3D9A-41B8-817F-D391B77A1E70}  
60. RESTLESS AGITATED MOTOR MOVEMENTS (Restless)  
{597EFABF-5512-4975-B8CA-7ABDA46F1419}  
70. STAGGERING GAIT (Staggering)  
{676C5784-9ABC-4DBE-B2E6-FC5EA040A662}  
80. SHUFFLING GAIT (Shuffling)  
{D628299F-5393-434C-A609-E1E786A4B3F0}  
90. FACIAL GRIMACES (Grimaces)  
{FEE509E1-5B2F-49C5-A57D-C9D42744037F}  
100. UNUSUAL GESTURES OR MANNERISMS (Mannerisms)  
{41DBAE9A-20CB-4173-BFCD-FFF9B4E42F3B}  
110. TREMORS (Tremors) {C9A636BB-F04B-4D90-8230-D261D18047F2}

UNITS:

-----

=====

TERM: MOTOR CHECK  
ID: {521171CF-BD9D-2F28-4042-EA885C40E556}

=====

Page: 478

Abbreviation..... MOCH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Motor Check  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. INTENTIONAL (i) {D5BBBFFC-F739-1E69-FED4-288D8E803D04}  
2. REFLEX INTACT (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}

UNITS:

=====  
TERM: MUCOUS MEMBRANE CONDITION  
ID: {4D9B0E42-4A15-4699-A80E-31588D8C13FD}  
=====

Page: 479

Abbreviation..... MUC MEMBRA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Mucous Membrane Condition  
Display Name..... Mucous Membrane Condition  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
7 entries

1. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}  
2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}  
3. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}  
40. MOIST (m) {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}  
50. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}  
60. LESION PRESENT (Lesion) {6AA9A82F-917E-45BB-9601-9E53A559006D}  
70. COLOR APPROPRIATE FOR ETHNICITY (Color Appr)  
(C4128AA9-AC26-45CA-8D42-0764AB327C7F)

UNITS: -----

Abbreviation..... Ampu Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Amputation Type  
Help Text..... Select appropriate observations  
present in patient. If more than one  
amputation, describe in comments.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

-----  
10. BELOW THE KNEE (Belowknee)  
{BCFFF8CC-7E7D-44AE-B5CA-A6F2254106C1}  
20. ABOVE THE KNEE (AboveKnee)  
{ED6B70A1-46A8-4C4D-A2E6-5B6DC6733D2F}  
30. BELOW THE ELBOW (BelowElbow)  
{D897F561-6488-401E-B8DD-BD04CBF3B6F5}  
40. ABOVE THE ELBOW (AboveElbow)  
{5149095F-3993-44B7-893F-7A89FB862EDB}  
50. HAND (Hand) {C061465A-7547-4835-9C28-C6BD72843A4A}  
60. FINGER (Finger) {4116E518-D7DC-4419-B663-728F683DD237}  
70. THUMB (Thumb) {CF7D5D2D-0460-4BFE-8AB3-AA5B385434F8}  
80. FOOT (Foot) {6ECAC533-2F5A-4361-AFDF-6A69BA1B6820}  
90. TOE (Toe) {086D2E43-D99F-47E4-9AB1-1E8E4C3A91E8}  
100. PARTIAL (Partial) {5802C13B-8956-49AD-9CD4-218DE10B5987}  
110. TRAUMATIC (Traumatic) {3BE503D9-E7A6-4618-AFE0-B1BEA7A2A0DF}  
120. OTHER (DESCRIBE IN COMMENTS) (Other)  
{C4B3D90E-3A78-435D-A853-5A8281729F7E}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: MUSCULOSKELETAL: ANKLE ROM  
ID: {14D42D36-B9CC-4938-92B9-F8979B38A0C3}  
=====

Page: 481

Abbreviation..... AnkleROM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Ankle ROM  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----  
10. PLANTAR FLEXION WNL (PIFlexWNL)  
{1A6854CF-3296-45F3-B669-C63BE83CCC79}  
20. PLANTAR FLEXION ABNORMAL (PIFlexAbn)  
{44252714-7C03-4159-BE94-26E1C0B81007}  
30. DORSIFLEXION WNL (DorFlexWNL)  
{F0F1B88B-CA88-4BD3-8194-CE8EC1C40C2D}  
40. DORSIFLEXION ABNORMAL (DorFlexAbn)  
{DBF6BB13-2077-4840-A91D-4FBA7B7D5B65}  
50. INVERSION WNL (InverWNL) {BD5A825E-E747-4581-9D58-12D25A569D9B}  
60. INVERSION ABNORMAL (InverAbn)  
{FA444463-5087-4E36-AF26-0301D176A16C}  
70. EVERSTION WNL (EverWNL) {310FF2C1-BEC0-43B9-805F-285F4AA9B3E6}  
80. EVERSTION ABNORMAL (EverAbn)  
{456A3E16-83FD-4366-8A01-D8BCD895C5DE}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

Abbreviation..... Devices  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Assistive Devices  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 19 entries

10. ABDUCTION PILLOW (AbPillow)  
{9D42476C-E777-4D4C-89CF-8FACFEEE19C2}  
20. BACK BRACE (Back Brace) {59B795E9-3010-46FB-B42F-B2907F2FABFB}  
30. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}  
40. CAST BOOT (Cast Boot) {CE9C92F0-8312-49BB-ABAF-BA91A3468664}  
50. CAST SHOE (Cast Shoe) {1E8397A4-E079-4AB1-B59C-4BA4E3D03DB8}  
60. CERVICAL COLLAR (CervCollar)  
{200D3589-1C0A-480F-956A-BC2F175C2AF9}  
70. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}  
80. DORSIFLEXION BOOT (DorsifBoot)  
{6913D726-62AD-4B8A-A9CE-37F476E8F064}  
90. EXTREMITY BRACE (ExtremBrac)  
{83E9AD29-633A-4EE3-8179-3402649310FE}  
100. EXTREMITY IMMOBILIZER (ExtremImmo)  
{25C6E52B-527D-4F9F-A137-3D1E9D7B744A}  
110. MOTORIZED WHEELCHAIR (MO WH CH)  
{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}  
120. PROSTHESIS (PROSTHESIS) {CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}  
130. QUAD CANE (Quad Cane) {6AF0827C-EFB8-4897-B7A0-F3987D99ACA5}  
140. SCOOTER (Scooter) {663BC475-C20E-4B8B-B8B5-B16CC79A93C6}  
150. SLING (Sling) {7BFFE3AC-3FDE-4A91-AB16-0703251914C0}  
160. SPLINT (Splint) {9552B268-2387-4424-985F-A25B1BD6BF2F}  
170. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}  
180. WHEELCHAIR (WH CHAIR) {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}  
190. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

LOCATION: 13 entries

10. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}  
20. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}  
30. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}  
40. SHOULDER (Shoulder) {7133BB16-7AB5-4581-8677-36C4DCD65B45}  
50. UPPER ARM (UpA) {B43A2B31-1F35-3F4D-5D23-882541ABE477}  
60. ELBOW (Elbow) {88F9326B-0B00-4079-8DE1-FA081BC1D884}  
70. FOREARM (Forearm) {F273E086-97A6-4F2A-9010-B0CABE0AD659}  
80. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
90. UPPER LEG (Upper Leg) {CBE2FBBE-7283-4C60-A424-D866D382C3BA}  
100. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}  
110. LOWER LEG (Lower Leg) {75805735-D805-4101-B8C1-965A0E545A42}  
120. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
130. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

---

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

---

UNITS:

---

=====  
TERM: MUSCULOSKELETAL: CONDITIONS  
ID: {A6F0D619-F03E-476E-A631-D8436356EB82}  
=====

Page: 483

Abbreviation..... Mus:Cond  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Conditions  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

10. ARTHRITIS (Arthritis) {D6FF4068-2314-4F19-AFF5-6E3FC8813249}  
20. FRACTURE: COMMENT (Frac:Comm)  
{49008B1C-F25A-4351-9C12-5882BBDBF3CC}  
30. HISTORY OF FALLS (FallHistory)  
{61CC4EBE-2D33-498E-92E0-2BA98429F84C}  
40. CERVICAL SPINE DISEASE (CerSpiDis)  
{3246F061-200A-40F3-8285-1256EFD042F0}  
50. JOINT REPLACEMENT: COMMENT (JointRepla)  
{7FEF67A2-BC80-499C-8D41-ECAD8DADE016}  
60. MUSCLE WEAKNESS (MuscleWeak)  
{5F859239-0750-492F-A256-03AD2B8DB91B}  
70. LOW BACK PAIN (LowBack Pa)  
{C5912D8B-1FED-4EB1-8FE7-3D9B337C0D56}  
80. HEMIPLEGIA (Hemiplegia) {AAC68E8C-A20D-4D14-BEA5-D0A5D604A5CB}  
90. QUADRIPLEGIA (Quadriplegic) {4AE307FE-54FF-411C-9723-4438ED27CFF4}  
100. ABNORMAL GAIT (AbnorGait)  
{C92361C4-7D7A-410A-A8F2-6E274C6CAB81}  
110. ALTERED WEIGHT BEARING (AiWeightBe)  
{80EEA85B-0826-471D-910A-75804678DCAF}  
120. AMPUTATION: COMMENT (Amp:Comm)  
{E9DE9BEB-D6CA-4EEE-A240-D0A5D3F5A9FF}  
130. PROSTHESIS: COMMENT (Pro:Comm)  
{B2C1B6B2-0AE0-41A7-BA36-A55EF7A35096}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: MUSCULOSKELETAL: ELBOW ROM  
ID: {59F5E09E-2027-4F71-8D5D-27E74CC12493}  
=====

Page: 484

Abbreviation..... Elbow ROM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Elbow ROM  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. FLEXION WNL (FlexWNL) {640C9A99-EC93-4A57-AB22-B1E9B2A1BF56}  
20. FLEXION ABNORMAL (FlexAbno)  
{507FA717-B17C-4EE6-8DD7-8F789830E038}  
30. PRONATION WNL (PronWNL) {008140A0-4AF3-4323-BE8D-1807CCF2E6A7}  
40. PRONATION ABNORMAL (PronAb)  
{82E39B3A-BDCB-403B-A8C1-F11A9E613FDA}  
50. SUPINATION WNL (SupiWNL) {B72E16A8-9888-45B6-BD48-1355459C56F9}  
60. SUPINATION ABNORMAL (SupiAbn)  
{794D33D5-3D66-4376-BB60-C2CB36E3F8FA}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

=====  
TERM: MUSCULOSKELETAL: HIP ROM  
ID: {36CC1D51-658F-423D-961E-A442B99FFA19}  
=====

Page: 485

Abbreviation..... ROM Hip  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Hip ROM  
Help Text..... Select appropriate observations  
present in patient  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. ABDUCTION-WNL (Abduct-WNL)  
{68993B64-576D-4C71-B19C-D035532F20B3}  
20. ABDUCTION-DECREASED (Abduct-Dec)  
{3BFD5DE7-A6F8-4850-A17F-55A05CB2FE7A}  
30. INTERNAL ROTATION (Int Rotate)  
{B1FE489B-D82F-49F5-87B9-8645157F23A2}  
40. EXTERNAL ROTATION (Ext Rotate)  
{F06FCEAA-D457-472B-81D1-E0079764BFB2}  
50. CIRCUMDUCTION (Circumduct)  
{1CB99F8A-CEBE-492D-A963-A676A333DA59}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

Abbreviation..... Joint Cond  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Joint Condition  
Help Text..... Choose appropriate items present in  
patient  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

10. REDNESS (Redness) {47BD43B7-3CFB-42A5-BDE6-9F7EEC9CDCA7}  
20. EDEMA (NON-PITTING) (EdemNonPit)  
{A11E7C74-1876-4677-B1D2-062074E85921}  
30. TENDERNESS (Tenderness) {2C554B2D-2CCE-4E39-B02B-44AE156D2404}  
40. STIFFNESS (Stiffness) {0473BB8B-7912-4191-93BF-8662F30199EC}  
50. DECREASED ROM (Decr ROM) {F3C533EE-4528-4164-9F66-F2D4D3F681D5}  
60. DEFORMITY (Deformity) {65563058-DD1A-41D4-89EF-D3C2A6B578BB}  
70. CONTRACTURE (Contractur) {7C8E8122-10BE-4650-91DF-8BAE66102D98}  
80. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}  
90. HEAT/WARMTH (Heat/Warm) {BAF70C58-2C8D-4CB5-BF68-012E43C6D2D1}  
100. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
110. INTERNAL ROTATION (Int Rotate)  
{B1FE489B-D82F-49F5-87B9-8645157F23A2}  
120. EXTERNAL ROTATION (Ext Rotate)  
{F06FCEAA-D457-472B-81D1-E0079764BFB2}  
130. OTHER (DESCRIBE IN COMMENTS) (Other)  
{C4B3D90E-3A78-435D-A853-5A8281729F7E}

LOCATION: 8 entries

10. HIP (Hip) {D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}  
20. SHOULDER (Shoulder) {7133BB16-7AB5-4581-8677-36C4DCD65B45}  
30. KNEE (Kn) {B577308A-4C37-47BD-AD84-38E6342B6DF7}  
40. ELBOW (Elbow) {88F9326B-0B00-4079-8DE1-FA081BC1D884}  
50. ANKLE (Ank) {F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
60. WRIST (Wri) {C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}  
70. HAND/FINGERS (Hd/Fingers) {4AA94130-8A98-48B2-B998-8DA051849FDA}  
80. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: MUSCULOSKELETAL: KNEE ROM  
ID: {BFC0A37A-D1E5-469B-8831-E206EB58C30F}

---

Page: 487

Abbreviation..... ROM Knee  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Knee ROM  
Help Text..... Select appropriate observations  
present in patient  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

---

10. EXTENSION-WNL (Exten-WNL) {85694137-C7B1-40D0-BB35-323734235BB4}  
20. FLEXION-WNL (Flex-WNL) {1DA99A69-8F5C-4345-9190-A62839101AEA}  
30. EXTENSION-ABNORMAL (Exten-Abnl)  
{4EACD15C-1CB5-4D23-A166-88F50C33C725}  
40. FLEXION-ABNORMAL (Flex-Abnl)  
{FE8F1090-BD69-46EC-A4F7-9E40542F60F7}  
50. HYPEREXTENSION (Hyperexten)  
{83A1863C-8DD5-4020-AB0C-73DEE6A33D09}

POSITION: 3 entries

---

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

---

=====  
TERM: MUSCULOSKELETAL: SHOULDER ROM  
ID: {D12A7CD5-5603-4FAB-94E7-CDDF8B64536F}  
=====

Page: 488

Abbreviation..... ROM Should  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Shoulder ROM  
Help Text..... Select appropriate observations  
present in patient  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. ABDUCTION-WNL (Abduct-WNL)  
{68993B64-576D-4C71-B19C-D035532F20B3}  
20. ABDUCTION-DECREASED (Abduct-Dec)  
{3BFD5DE7-A6F8-4850-A17F-55A05CB2FE7A}  
30. INTERNAL ROTATION (Int Rotate)  
{B1FE489B-D82F-49F5-87B9-8645157F23A2}  
40. EXTERNAL ROTATION (Ext Rotate)  
{F06FCEAA-D457-472B-81D1-E0079764BFB2}  
50. CIRCUMDUCTION (Circumduct)  
{1CB99F8A-CEBE-492D-A963-A676A333DA59}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

Abbreviation..... Spine Cond  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Spine Condition  
Help Text..... Choose appropriate items present in  
                          patient  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:                        5 entries

-----  
10. KYPHOSIS (Kyphosis)     {216EFBCA-A523-4F8F-9C23-CAE8349E16A2}  
20. SCOLIOSIS (Scoliosis)    {FF6A5E75-C555-48F4-ABB3-178EFAF159A0}  
30. LORDOSIS (Lordosis)     {DC470CE3-6F6D-4363-B570-DE1A6E73AD48}  
40. FUSED (Fused)            {80EB6D38-649E-4114-AA66-44228A99B1F4}  
50. OTHER DEFORMITY (OtherDefor)  
                                {FEFC7075-0F32-491E-AA90-BAD2D9390733}

LOCATION:                        5 entries

-----  
10. CERVICAL SPINE (Cerv Spine)  
                                    {6EBB5108-39A4-4A18-9AB3-E91329F469A3}  
20. THORACIC SPINE (Thor Spine)  
                                    {A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2}  
30. LUMBAR SPINE (Lumb Spine)   {AEA5FA39-E58D-4382-9C33-EAF360395A60}  
40. SACRAL SPINE (Sacr Spine)   {55FA6213-78BF-4349-B0A3-232191C659A3}  
50. COCCYX (COCCYX)            {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}

UNITS:

=====  
TERM: MUSCULOSKELETAL: WRIST ROM  
ID: {E37A444A-9B5A-4A07-A232-5A4B942044CF}  
=====

Page: 490

Abbreviation..... WristROM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... MUSCULOSKELETAL: Wrist ROM  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----  
10. FLEXION WNL (FlexWNL) {640C9A99-EC93-4A57-AB22-B1E9B2A1BF56}  
20. FLEXION ABNORMAL (FlexAbno)  
{507FA717-B17C-4EE6-8DD7-8F789830E038}  
30. EXTENSION WNL (ExtenWNL) {0A7AE981-CD5A-4401-AFE2-35B56CA97D3B}  
40. EXTENSION ABNORMAL (ExtenAbn)  
{D0E41658-BD04-48C6-94A0-505C7CA6C62D}  
50. RADIAL WNL (RadialWNL) {14392949-BB74-407B-A307-F28C1FCFBF03}  
60. RADIAL ABNORMAL (RadiaAbn)  
{EBF29148-25B1-4B36-A30D-AF1398535653}  
70. ULNAR WNL (UlnarWNL) {C9CEAB83-283A-411C-9B2E-70171341BC09}  
80. ULNAR ABNORMAL (UlnarAbn) {D1B6A95F-82ED-43EB-A106-6B1E0D2CAF09}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

=====  
TERM: NAIL COLOR  
ID: {63FF0B1B-B57D-43A9-A05F-3F2CF6FE8926}  
=====

Page: 491

Abbreviation..... NAIL COLOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 1. NORMAL FOR ETHNIC GROUP (ETH. NORM.)  
{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}
- 2. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}
- 3. DISCOLORATION (DISCOLORAT)  
{BBE3E910-CC49-430C-BD90-FB0A97F1B183}
- 4. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}
- 5. HEMORRHAGE (HEMORRHAGE) {E00AC828-83F3-4F69-B97B-D6AD1D87A440}

UNITS:

=====  
TERM: NAIL SHAPE  
ID: {6351A78B-67BC-46A4-B7E4-72D63C8C2917}  
=====

Page: 492

Abbreviation..... NAIL SHAPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Shape  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
  - 2. CLUBBING (CLUBBING) {AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}
  - 3. SPOONING (SPOONING) {CA384C9F-D87D-4E2D-B4C0-89BD85692B16}

UNITS:

---

=====

TERM: NAIL TEXTURE  
ID: {AD3F008F-6AA8-483F-AAA6-5F797109F4A6}

=====

Page: 493

Abbreviation..... NAIL TEXTU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Nail Texture  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
2. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}  
3. PITTED (PITTED) {BEA42FD8-91C7-4BF6-936E-726D78064F11}

UNITS:

-----

=====  
TERM: NECK EVALUATION  
ID: {6E4F4A2B-D669-4334-BF72-709317A2310F}  
=====

Page: 494

Abbreviation..... Neck Eval  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Neck Evaluation  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
20. DECREASED ROM (Decr ROM) {F3C533EE-4528-4164-9F66-F2D4D3F681D5}  
30. THYROMENTAL DISTANCE LESS THAN 3 PB (T/D <3 PB)  
{D98AED3F-9583-4A86-9D32-13B0AD0A4614}  
40. SHORT NECK (Short Neck) {FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}

UNITS:

=====  
TERM: NECK VEIN CONDITION  
ID: {D76459ED-8572-409E-85A4-F64228AE9A36}

---

Page: 495

Abbreviation..... NECK VEIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Neck Vein Condition  
Display Name..... Neck Vein Condition  
Help Text..... Condition of Neck Veins  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

---

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. FLAT (Flat) {EA4F1980-EDF3-82BC-B677-D747F48F1163}
3. DISTENDED (DISTENDED) {B5C529CA-2BE0-4698-A153-718F4D58E643}

UNITS: .....  
-----

TERM: NEED FOR FLUIDS/TOILETING ASSESSED  
ID: {816D5DB3-7AEA-E73F-08D8-68C58D4FB4FE}

Page: 496

Abbreviation..... NFFTA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Need for Fluids/Toileting Assessed  
Help Text..... For documentation during patient  
rounding  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

10. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
20. YES, NO NEED IDENTIFIED (No Need ID)  
{5E2DE268-5916-4DDF-8727-4EEA81896484}  
30. YES, NEED IDENTIFIED AND ADDRESSED (Need Addr)  
{832EC80D-302F-4E9F-AD60-2B63ACEC8623}

**UNITS:**

=====  
TERM: NEURO ASSESSMENT: AUDITORY  
ID: {B7CA0B48-26A4-4BEE-B1FD-325A68E0CB60}  
=====

Page: 497

Abbreviation..... NA:Auditor  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Auditory  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. NORMAL HEARING (Normal) {FAA674F7-28E8-415C-97B1-B573D7459E31}  
20. HARD OF HEARING (HardofHear)  
{D2D6CAA4-823F-4660-B6B5-4002B06F80AC}  
30. DEAF (Deaf) {174507F3-64D8-4B83-B498-BFDDAC3D38F7}  
40. TINNITUS (Tinnitus) {846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}  
50. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

=====  
TERM: NEURO ASSESSMENT: CORNEAL REFLEX  
ID: {E1D974BC-8A28-4D20-A9CF-3EECF9C113C1}

---

Page: 498

Abbreviation..... NA:Corneal  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Corneal Reflex  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

---

10. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
20. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
30. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}  
40. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

POSITION: 3 entries

---

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

---

=====  
TERM: NEURO ASSESSMENT: COUGH REFLEX  
ID: {02696C93-0FA9-416B-828B-9394EFF9377E}  
=====

Page: 499

Abbreviation..... NA:CoughRe  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Cough Reflex  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

10. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
20. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
30. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}  
40. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

=====  
TERM: NEURO ASSESSMENT: GAG REFLEX  
ID: {FCC688F9-FA84-4444-BD51-702D4453F1EA}  
=====

Page: 500

Abbreviation..... NA:GagRef  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Gag Reflex  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

10. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
20. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
30. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}  
40. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

=====  
TERM: NEURO ASSESSMENT: HAND GRIP  
ID: {79472AD4-09E9-4157-A488-C30A4D1CC3EE}  
=====

Page: 501

Abbreviation..... NA:HandGrp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Hand Grip  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}  
20. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}  
30. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}  
40. UNABLE TO GRIP (UnabletoGr)  
{95F2D06B-1BF9-47F8-B865-0542EF461A5D}  
50. UNABLE TO ASSESS (UNA TO AS)  
{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

Abbreviation..... NA:MenSta  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Mental Status  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

---

10. AWAKE (Awake) {D71412D4-5782-46BA-AE6C-24EDC586AE55}  
20. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}  
30. FOLLOWS COMMANDS (Follow Cmd)  
{D5722341-ACC1-4F69-B537-1D3126ADA249}  
40. RESPONDS APPROPRIATELY TO STIMULI (RespStimu)  
{415ED546-53B7-46C0-94F2-493DB8DBC58A}  
50. ASLEEP (Asleep) {324FBAA2-4C73-4E16-9ECB-10B34EF8DF9B}  
60. LETHARGIC (l) {4ECA2E44-093A-9354-848E-CDC72B165072}  
70. OBTUNDED (Obtunded) {356C0511-C91C-4B79-AF10-072F94D4AE09}  
80. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}  
90. AGITATED (a) {BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}  
100. SOMNOLENT (Somnolent) {008A3F20-DD3D-4775-AA18-CCA7B817A77D}  
110. UNRESPONSIVE/COMATOSE (Unrespon)  
{EF456C13-D797-4FCF-A9D1-17BB6A6AF68A}  
120. MEDICALLY SEDATED (MedSedated)  
{2BC0FD48-74C0-4813-A6E3-4AF1501247E9}  
130. OTHER CHANGES (SEE COMMENTS) (Other)  
{C0DC69BE-1E0C-4C1D-8E23-D1B07E6CBC81}

UNITS:

---

Abbreviation..... NA:LowerEX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Motor Lower  
Extremities  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

---

10. PURPOSEFUL MOVEMENT (PurMove)  
{AE4A23A4-A791-4856-B99D-4383A4A5CE44}  
20. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}  
30. MILDLY WEAK (MildlyWeak) {372004D9-625F-421C-BC90-F3591ED5AD65}  
40. MODERATELY WEAK (ModWeak) {B61A318F-FDE7-42E6-9E14-2025D1634A18}  
45. EXTREMELY WEAK (ExWeak) {87DF01DA-68FF-48EE-8C79-913457AC610D}  
50. TREMORS (Tremors) {C9A636BB-F04B-4D90-8230-D261D18047F2}  
60. FLACCID/PARALYZED (Flaccid)  
{C8884F37-F017-479C-910D-4EBD4306EACC}  
70. AMPUTATION (Amputation) {69C4C0DF-BE02-4E0B-986A-4FF78C4C2B2A}  
80. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

POSITION: 3 entries

---

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

---

Abbreviation..... NA:UpperEx  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Motor Upper  
Extremities  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

10. PURPOSEFUL MOVEMENT (PurMove)  
{AE4A23A4-A791-4856-B99D-4383A4A5CE44}  
20. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}  
30. MILDLY WEAK (MildlyWeak) {372004D9-625F-421C-BC90-F3591ED5AD65}  
40. MODERATELY WEAK (ModWeak) {B61A318F-FDE7-42E6-9E14-2025D1634A18}  
45. EXTREMELY WEAK (ExWeak) {87DF01DA-68FF-48EE-8C79-913457AC610D}  
50. TREMORS (Tremors) {C9A636BB-F04B-4D90-8230-D261D18047F2}  
60. FLACCID/PARALYZED (Flaccid)  
{C8884F37-F017-479C-910D-4EBD4306EACC}  
70. AMPUTATION (Amputation) {69C4C0DF-BE02-4E0B-986A-4FF78C4C2B2A}  
80. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: NEURO ASSESSMENT: ORIENTATION  
ID: {A38331A7-8E8F-4A05-B436-A6B7BA294812}  
=====

Page: 505

Abbreviation..... NA:Orient  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Orientation  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

10. ORIENTED TO PERSON (otp) {9912CFB9-AC55-6445-3EC1-0F1DF98C0561}  
20. ORIENTED TO PLACE (otp) {8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}  
30. ORIENTED TO TIME (ott) {C79EBE25-C51B-478C-CB39-25943792F191}  
40. ORIENTED TO SITUATION (ots)  
{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}  
50. DISORIENTED TO PERSON (DISOR TO P)  
{E5D83C03-7EF5-770B-930F-7B3B3345048C}  
60. DISORIENTED TO PLACE (dtp)  
{00C98809-C0D0-C7B4-0615-8F7D31017FE8}  
70. DISORIENTED TO TIME (dtt) {2AD1A28A-4121-4B82-CFB8-E5A8D3095704}  
80. DISORIENTED TO SITUATION (dts)  
{7143B3D7-5569-4378-D3AA-10C4675F0BA5}

UNITS: .....  
=====

=====  
TERM: NEURO ASSESSMENT: PLANTAR (BABINSKI) REFLEX  
ID: {98B8241F-522F-446D-98B9-1F013C8F82E5}  
=====

Page: 506

Abbreviation..... NA:Babin  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Plantar (Babinski)  
                  Reflex  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:                          4 entries

-----  
10. DOWNWARD (Downward)        {01FC0D148-24BB-40CF-8D31-4C3F6ED5E499}  
20. UPWARD (Upward)            {0755B0AA-8147-43B1-B6E5-D7813B6EE9A5}  
30. INDIFFERENT (NO RESPONSE) (Indifferen)  
                                  {4B17FB78-BE84-4E92-9FC2-F3B7783E483A}  
40. OTHER (SEE COMMENTS) (Other)  
                                  {7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

POSITION:                            3 entries

-----  
10. LEFT (Left)                {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right)            {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral)    {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

=====  
TERM: NEURO ASSESSMENT: PUPIL  
ID: {9FCBF7CF-39B8-9710-6F41-9B7DDDC3BDD2}  
=====

Page: 507

Abbreviation..... PREA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... NEURO ASSESSMENT: Pupil  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

-----  
1. FIXED (f) {697D8C5A-976F-F423-30EC-A04102CF85F0}  
2. SLUGGISH (s) {3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}  
3. EYE CLOSED (ec) {140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}  
4. DRESSING (d) {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}  
5. REACTIVE (Reactive) {31B44ADB-0000-A5B0-5F56-59D4A08C05D2}  
6. NONREACTIVE (nonreact) {AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}  
7. BRISK (brisk) {980AE687-0A78-458B-BA7B-5D646C38A5F5}  
8. PINPOINT (pinpoint) {4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}  
9. DILATED (Dilated) {BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}  
10. ACCOMMODATE (Accommodat) {E3529178-52DF-49C4-9B41-2781AB75DDB9}  
11. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}  
12. ROUND (ROUND) {E8E741F1-F0C5-4B77-B014-63B545BED755}  
13. IRREGULAR (IRREGULAR) {6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}  
14. OTHER CHANGES (SEE COMMENTS) (Other)  
{C0DC69BE-1E0C-4C1D-8E23-D1B07E6CBC81}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: NEURO ASSESSMENT: PUPIL SIZE  
ID: {80D7541F-0EE5-D362-E781-F825A9848E8C}  
=====

Page: 508

Abbreviation..... PS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... NEURO ASSESSMENT: Pupil Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----  
MILLIMETERS 0 > 1 \* 9 < 11 Dec Prec: 0

Abbreviation..... NA:Reflex  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Reflexes Present  
Help Text..... Select all reflexes that are Positive  
(Normal).  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. CORNEAL (Corneal) {BEBC54E6-1B93-4977-97FE-3EE49B69DCAA}  
20. GAG (Gag) {4B2A2B0A-9EE4-4BC3-9790-384A7BD7A689}  
30. COUGH (Cough) {C35A4FE1-B4F5-4F88-B985-62BE359E3F0C}  
40. SWALLOW (Swallow) {DFB67E0A-BCC5-43BF-8A1A-3175F376B811}  
50. PLANTAR (BABINSKI) (Babinski)  
{95928878-A912-40EA-8482-0145A7AA4A83}  
60. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation..... NA:SeizAct  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Seizure Activity  
Help Text..... Document seizure-type activity or  
tremors observed; use Position and  
Location to describe focal activity.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

10. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
20. FOCAL (Focal) {56E20411-BC9A-4868-902D-D1006CF91271}  
30. FOCAL - MOTOR (FocalMotor)  
{2DAA4546-5D04-4A28-8EEA-86D30E3B8B61}  
40. CLONIC (Clonic) {5DD8702A-D0AC-464E-990B-A0FD1BD9A079}  
50. TONIC (Tonic) {E161A7D9-859F-41FE-BE0B-D5059FC673CD}  
60. TONIC/CLONIC (TON/CLON) {81932BAA-6C79-47A3-85B3-592824B6C09C}  
70. PARTIAL (Partial) {5802C13B-8956-49AD-9CD4-218DE10B5987}  
80. SUBTLE (Subtle) {946122D9-3D87-4F6B-87F6-54EC5A6AC382}  
90. TREMORS (Tremors) {C9A636BB-F04B-4D90-8230-D261D18047F2}  
100. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

LOCATION: 9 entries

10. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}  
20. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}  
30. ARM (Arm) {19BD5170-8E49-4B83-85EA-D9BE3087D144}  
40. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
50. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}  
60. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}  
70. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
80. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}  
90. OTHER (SEE COMMENTS) (Other)  
{037C0CCD-7460-406A-A700-19EDE6218C9D}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

Abbreviation..... NA:SenLow  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Sensation lower  
Extremities  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

10. NORMAL (NO DEFICITS) (Normal)  
(41967770-F04A-497E-98BD-2874D67F8B21)  
20. BURNING (BURNING) {D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}  
30. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
40. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
50. PINS & NEEDLES (Pins&Need)  
(BCE9007D-31FC-4834-AF75-E84E09735CC7)  
60. PHANTOM LIMB PAIN (Phantom)  
(C2DB2DC8-EB30-4AC6-ADE5-4914EE3962C7)  
70. ABSENT (NO SENSATION) (Absent)  
(26F22E38-74E2-47F6-B6D2-A2C2674F15FC)  
80. AMPUTATION (Amputation) {69C4C0DF-BE02-4E0B-986A-4FF78C4C2B2A}  
90. OTHER (SEE COMMENTS) (Other)  
(7908D30B-8BD4-4A02-964D-8E6DBCA24A81)

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: NEURO ASSESSMENT: SENSATION UPPER EXTREMITIES  
ID: {4CD0DB8D-110E-492A-B2EA-9731E5973241}  
=====

Page: 512

Abbreviation..... NA:SenUp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Sensation Upper  
Extremities  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

-----  
10. NORMAL (NO DEFICITS) (Normal)  
{41967770-F04A-497E-98BD-2874D67F8B21}  
20. BURNING (BURNING) {D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}  
30. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
40. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
50. PINS & NEEDLES (Pins&Need)  
{BCE9007D-31FC-4834-AF75-E84E09735CC7}  
60. PHANTOM LIMB PAIN (Phantom)  
{C2DB2DC8-EB30-4AC6-ADE5-4914EE3962C7}  
70. ABSENT (NO SENSATION) (Absent)  
{26F22E38-74E2-47F6-B6D2-A2C2674F15FC}  
80. AMPUTATION (Amputation) {69C4C0DF-BE02-4E0B-986A-4FF78C4C2B2A}  
90. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

Abbreviation..... NA:Sensory  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Sensory Testing  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

10. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}  
20. TEMPERATURE (Temp) {5C547D6D-4622-475D-9854-459E5261752B}  
30. TOUCH (Touch) {6BD11175-4390-487B-AB47-47D9F1D76A0B}

LOCATION: 3 entries

10. FINGERS (Fingers) {8EB779B8-66E5-401C-9D63-BFAF92F89FC7}  
20. TOES (Toes) {BA87F52C-BD3A-449A-877E-D4E980E9331E}  
30. OTHER( SEE COMMENTS) (Other)  
{E24A4F24-CDBA-4C8F-B820-FD9E5FE102B0}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: NEURO ASSESSMENT: SHOULDER SHRUG  
ID: {1808B4C0-4FDC-4116-BE45-3EDE4BCBD632}  
=====

Page: 514

Abbreviation..... NA:SShrug  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Shoulder Shrug  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
20. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}  
30. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

Abbreviation..... NA:Sleep  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Sleep  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 17 entries

---

10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
20. DIFFICULTY FALLING ASLEEP (DiffFallAs)  
{956E1F9D-7B7A-4B59-850A-C7491F189AFF}
30. DIFFICULTY STAYING ASLEEP (DiffStayAs)  
{ADF78841-EC65-4DD2-9E97-721F893B3044}
40. DIFFICULTY WAKING UP (DiffWakeUp)  
{AF7098FF-6D4A-4B79-823A-CB2070B9C459}
50. DISRUPTED SLEEP (Disrupted)  
{4F835BC8-D915-4064-BB4E-C9D003670C81}
60. SLEEPING LESS THAN NORMAL (LessThnNor)  
{7C061F5D-F512-4C92-8533-3102B1F969E2}
70. SLEEPING MORE THAN NORMAL (MoreThnNor)  
{C0E9DB21-A1EF-44F5-95EA-0D3CE3033D27}
80. RESTLESS SLEEP (Restless) {02B4E095-D74A-40C3-A45A-138227253840}
90. NOCTURIA (Nocturia) {657EA58E-8629-4F4E-8262-B9221644BF8C}
100. NIGHTMARES (Nightmares) {AEA249BA-4257-4418-B618-3613BDFAB007}
110. REFUSES TO SLEEP (Refuses)  
{3FED23B5-B70F-4808-95B9-4905E60A401A}
120. LIGHT SLEEPER (LightSlper)  
{E78F9C58-9ACF-4F06-BDE2-0C40D972D5D0}
130. NAPS DURING THE DAY (DayNaps)  
{CCEBC786-D8E4-482B-BBDE-FDEF9E557938}
140. SYMPTOMS INTERFERE WITH SLEEP (Symptoms)  
{B469111D-C463-4EE7-B9DB-136AECBF9EAF}
150. SLEEP APNEA (SleepApnea) {EB1196C6-2058-4CDC-A96E-02B88066E586}
160. SLEEPS DURING THE DAY/WORKS NIGHTS (WorksNight)  
{0588960F-EA3C-4872-97BB-42F09282E64A}
170. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

---

=====  
TERM: NEURO ASSESSMENT: SPEECH  
ID: {26617F7F-84D8-429D-8237-293E527319D0}  
=====

Page: 516

Abbreviation..... NA:Speech  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Speech  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

10. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}  
20. APHASIA (ACUTE/NEW) (AphAcute)  
{57AFF847-D6DC-4E8B-B7E5-A9848B8D2B03}  
30. APHASIA (CHRONIC) (AphChronic)  
{75BF4DB8-27F1-4F53-9E9B-F662DA446870}  
40. GARBLED (Garbled) {68EF6B66-C75D-4D63-8A22-7A8E51BEA491}  
50. SLURRED (Slurred) {4C31C626-B013-48EA-AD2C-70EBBE945AA3}  
60. DYSARTHRIA (Dysarthria) {28B14539-7F82-465C-BF57-DEB09FAEB94C}  
70. TRACHEOSTOMY/LARYNGECTOMY (TrachLaryn)  
{88548FE9-1111-4E7F-ADDE-0D9A372D84E3}  
80. OTHER CHANGES (SEE COMMENTS) (Other)  
{C0DC69BE-1E0C-4C1D-8E23-D1B07E6CBC81}

UNITS: .....  
=====

=====  
TERM: NEURO ASSESSMENT: SWALLOW REFLEX  
ID: {D42E7BBD-AC7F-4760-9C0E-052A6769CDE4}  
=====

Page: 517

Abbreviation..... NA:SwallRe  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Swallow Reflex  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
20. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
30. DIMINISHED (d) {49DE419E-DC3C-F7CD-771D-742031E0DEBC}  
40. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

=====  
TERM: NEURO ASSESSMENT: SYMPTOMS  
ID: {794A63AD-352D-478E-9825-918E5105B0C6}  
=====

Page: 518

Abbreviation..... NA:Symptom  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Symptoms  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

-----  
10. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}  
20. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}  
30. PROJECTILE VOMITING (PROJ VOMIT)  
{0D2CB23B-B266-40E1-A6FF-20B733655B69}  
40. MOTION SICKNESS (MotionSick)  
{F6B6C7E8-8F25-46ED-A5C1-3E23C6DDB74A}  
50. DIZZINESS (Dizziness) {0CC2B0FB-E035-43E8-8836-23748851DE90}  
60. SYNCOPES (Syncope) {1F9B0771-BDA9-44A5-A1D6-7680F4EB10BE}  
70. VERTIGO (Vertigo) {74E75A38-E391-4D90-B232-2DA629F084FB}  
80. ATAXIA (Ataxia) {DDF7577A-7611-490D-8401-FFF400EECE01}  
90. UNSTEADY GAIT (UnsteadyGa)  
{60EDC7BE-6627-4C9D-902C-618BA84F21CC}  
100. HEADACHE(S) (Headaches) {5B0E0D82-BED8-4701-B150-89EF2A48A1CD}  
110. MIGRAINE(S) (Migraines) {DFAD0CDD-68DE-4D11-8A07-6D5E54A7A033}  
120. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

=====  
TERM: NEURO ASSESSMENT: VISION  
ID: {2AF591FB-091C-43B1-B7B0-174C4ED2DF5C}  
=====

Page: 519

Abbreviation..... NA:Vision  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NEURO ASSESSMENT: Vision  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
10. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
20. BLURRED (Blurred) {890452C4-B8FB-4343-9724-C6248B13633C}  
30. DIPLOPIA (Diplopia) {7D7F7A2D-0979-4A05-B284-C7E2AF593044}  
40. BLIND (ACUTE CHANGE) (Blind(AC))  
{5844CE77-DFFB-4C45-90E7-469250407BB9}  
50. BLIND (BASELINE/CHRONIC) (BlindChron)  
{DD5D96F1-EB24-43A8-BBAA-ABCC69D4D587}  
60. NYSTAGMUS (Nystagmus) {176E2485-96EA-4618-A489-A1E51F4B0BAB}  
70. OTHER CHANGES (SEE COMMENTS) (Other)  
{C0DC69BE-1E0C-4C1D-8E23-D1B07E6CBC81}

POSITION: 3 entries

-----  
10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

-----

=====  
TERM: NIHSS - BEST GAZE  
ID: {163D9953-B227-46AB-838D-92414FCC982E}  
=====

Page: 520

Abbreviation..... Best Gaze  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Best Gaze  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 = NORMAL (0 = Normal) {97C72AF0-FF56-48E0-A94E-528BB36D0AB9}  
20. 1 = PARTIAL GAZE PALSY (1 = Part)  
{7644667F-2919-4A57-A3A6-EE709CA55960}  
30. 2 = FORCED DEVIATION (2 = Forced)  
{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}  
40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

=====  
TERM: NIHSS - BEST LANGUAGE  
ID: {37841E3D-A4D2-4BA2-863B-366E22F7F010}  
=====

Page: 521

Abbreviation..... Best Lang  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Best Language  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

10. 0 = NO APHASIA (No Aphasia)  
{AD629099-6ED1-4DFE-9D02-075FFD67B083}  
20. 1 = MILD TO MODERATE APHASIA (Mod Aphasi)  
{FFA529FF-EDC0-4768-B308-93656C75E382}  
30. 2 = SEVERE APHASIA (Sev Aphasi)  
{82445D2A-6E9F-4574-B2D1-476E720B9113}  
40. 3 = MUTE, GLOBAL APHASIA (Mute)  
{E357021D-2B57-4AC2-BDA5-73B61726D183}  
50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS: .....  
=====

=====  
TERM: NIHSS - DYSARTHRIA  
ID: {97F76DF4-8BDE-402F-98EA-93F0D8E52AA5}  
=====

Page: 522

Abbreviation..... Dysarthria  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Dysarthria  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 = NORMAL (0 = Normal) {405C2939-8BB2-4890-9548-D9956B297C79}  
20. 1 = MILD TO MODERATE DYSARTHRIA (1 = Mild)  
{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}  
30. 2 = SEVERE DYSARTHRIA (2 = Severe)  
{D9864E04-1962-47AD-B3C5-58CD49CF30FD}  
40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

=====  
TERM: NIHSS - EXTINCTION AND INATTENTION  
ID: {110274E4-8D1D-494A-A8B9-6FE764B67439}  
=====

Page: 523

Abbreviation..... Ext/Inatt  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Extinction and Inattention  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

10. 0 = NO ABNORMALITY (0 = No abn)  
{DE0BF57B-1322-4581-BB38-2A61562DC87F}  
20. 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (1 =  
Inatt) {BEBED217-91CA-47F8-A15D-A548648D09BF}  
30. 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (  
2 = Profnd) {1D3AA69E-2154-4F33-BFFF-42F06365079A}  
40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS: .....  
=====

=====  
TERM: NIHSS - FACIAL PALSY  
ID: {C9692FC3-9FBE-4409-8235-23F713562672}  
=====

Page: 524

Abbreviation..... Facial Pal  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Facial Palsy  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

10. 0 = NORMAL SYMMETRICAL MOVEMENT (0 = Normal)  
{23267CFE-B306-477A-A8B2-60828C1234FA}  
20. 1 = MINOR PARALYSIS (1 = Minor)  
{55A125E8-E83A-4163-AB50-0D3569B502D3}  
30. 2 = PARTIAL PARALYSIS (2 = Part)  
{BC48CC51-609A-4E85-9029-8B4790E9E669}  
40. 3 = COMPLETE PARALYSIS (3 = comple)  
{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}  
50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS: .....  
=====

=====  
TERM: NIHSS - LEVEL OF CONSCIOUSNESS  
ID: {F92A7FCB-5026-49C1-92E3-C6DF86041A29}  
=====

Page: 525

Abbreviation..... Conscious  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Level of Consciousness  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. 0 = ALERT (0 = Alert) {9F918315-BDE7-43D8-BD69-442D74F41C79}  
20. 1 = NOT ALERT, MINOR STIMULATION RESPONSE (1 = Minor)  
{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}  
30. 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (2 = Strong)  
{0F5E13CC-211C-40D0-96CB-8F8D87564612}  
40. 3 = UNRESPONSIVE (3 = Unresp)  
{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}  
50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

=====  
TERM: NIHSS - LIMB ATAXIA  
ID: {BE5E7FDB-CFDC-4B5B-A138-A205C53F2389}  
=====

Page: 526

Abbreviation..... Limb Ataxi  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Limb Ataxia  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 = ABSENT (Absent) {16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}  
20. 1 = PRESENT IN ONE LIMB (One Limb)  
{D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}  
30. 2 = PRESENT IN TWO LIMBS (Two Limbs)  
(ADA3074C-1E75-42BC-B7E6-425C2281FB05)  
40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

=====  
TERM: NIHSS - LOC COMMANDS  
ID: {C5A17B98-FBF2-4B5C-8692-FE5A1601FB1A}  
=====

Page: 527

Abbreviation..... Loc Comm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - LOC Commands  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. 0 = PEFORMS BOTH TASKS CORRECTLY (Both Tasks)  
{08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}  
20. 1 = PERFORMS ONE TASK CORRECTLY (One Task)  
{7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}  
30. 2 = PERFORMS NEITHER TASK CORRECTLY (Neither )  
{8CE75E64-5A4A-45EA-9987-4112AAD54A55}

UNITS:

-----

=====  
TERM: NIHSS - LOC QUESTIONS  
ID: {722E75F9-9F2B-4040-A453-EF6E15738D03}  
=====

Page: 528

Abbreviation..... LOC Ques  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - LOC Questions  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. 0 = ANSWERS BOTH QUESTIONS CORRECTLY (Both)  
{A4380E5F-206A-40CF-B508-6CA61DE87ED2}  
20. 1 = ANSWERS ONE QUESTION CORRECTLY (One Ques)  
{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}  
30. 2 - ANSWERS NEITHER QUESTION CORRECTLY (Neither)  
{181D8ACA-49D0-496E-B22A-2839D0718836}

UNITS:

=====  
TERM: NIHSS - MOTOR ARM  
ID: {8321D970-A029-44B6-92F6-213E1ECF79CC}  
=====

Page: 529

Abbreviation..... Motor Arm  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Motor Arm  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}  
20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}  
30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)  
{63885565-9ADC-4560-BC73-DEA084FB651A}  
40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)  
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}  
50. 4 = NO MOVEMENT (No Movem)  
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}  
60. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

LOCATION: 2 entries

-----  
10. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}  
20. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}

UNITS:

-----

=====  
TERM: NIHSS - MOTOR LEG  
ID: {7FDA8802-03FA-401F-9842-F2558252CC0B}  
=====

Page: 530

Abbreviation..... Motor Leg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Motor Leg  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. 0 = NO DRIFT (No Drift) {6DD3E839-D919-4C90-94F9-216B3268944D}  
20. 1 = DRIFT (Drift) {7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}  
30. 2 = SOME EFFORT AGAINST GRAVITY (Some Effor)  
{63885565-9ADC-4560-BC73-DEA084FB651A}  
40. 3 = NO EFFORT AGAINST GRAVITY (No Effort)  
{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}  
50. 4 = NO MOVEMENT (No Movem)  
{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}  
60. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

LOCATION: 2 entries

-----  
10. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
20. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}

UNITS:

-----

=====  
TERM: NIHSS - SENSORY  
ID: {F2F02471-5F1D-41D3-A599-932F1B67E7B1}  
=====

Page: 531

Abbreviation..... Sensory  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Sensory  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. 0 = NORMAL (Normal) {7739B63B-8623-4ADB-8059-1A26B5A7BEBB}  
20. 1 = MILD TO MODERATE SENSORY LOSS (Moderate)  
{1BF6BC0E-9A83-4589-B849-853585CF4E96}  
30. 2 = SEVERE TO TOTAL SENSORY LOSS (Severe)  
{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}  
40. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS:

-----

=====  
TERM: NIHSS - TOTAL SCORE  
ID: {5B55992D-78A0-42C4-BACA-E88106607888}  
=====

Page: 532

Abbreviation..... NIHSS Tot  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... NIHSS - Total Score  
Help Text..... For computation of NIHSS Total  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
UNITS            0 > 0 \* 42 < 42        Dec Prec: 0

=====  
TERM: NIHSS - VISUAL FIELD  
ID: {87D5D15A-F8CD-4F98-BFEC-57BA48BEE5BA}  
=====

Page: 533

Abbreviation..... Visual  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... NIHSS - Visual Field  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

10. 0 = NO VISUAL LOSS (None) {20347E7B-4A96-4000-B326-0B4B1797738A}  
20. 1 = PARTIAL HEMIANOPIA (Partial)  
{0FDFE052-C438-48AD-A3F8-C3C53E963365}  
30. 2 = COMPLETE HEMIANOPIA (Complete)  
{F995161E-39A0-4010-855D-EE86B1F707BB}  
40. 3 = BILATERAL HEMIANOPIA (Bilateral)  
{89969DC1-30BA-494A-A8C8-4344C2C75D0E}  
50. UN = UNEXAMINABLE (UN = Unex)  
{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}

UNITS: .....  
=====

=====  
TERM: NUMBER OF DAYS  
ID: {C2D0AF1E-C88B-48ED-A8BE-E3C258B4317D}  
=====

Page: 534

Abbreviation..... # of Days  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Number of Days  
Help Text..... Number of days since event or device  
days  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
DAY            -1 > -1 \* 9999 < 9999    Dec Prec: 0

=====  
TERM: OBSERVATION REASON  
ID: {1B131F5A-CD32-38CA-19A5-1038A07C9867}  
=====

Page: 535

Abbreviation..... CO RFP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Observation Reason  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
7 entries

1. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}
3. ASSAULTIVE (a) {99ECD8C7-191A-3B9C-2A7A-803A921065FA}
4. ELOPEMENT (e) {EB030907-FB90-CA9D-CF50-E26C5D9FE671}
5. MEDICAL DEVICE SAFETY (mds)  
{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}
6. MEDICAL (Medical) {8B6301C3-2B52-41A8-B4FA-0A744919FFD3}
7. BEHAVIORAL (Behavioral) {A996A20C-2FD1-497B-857B-2728D18D51FB}
8. DEVICE SAFETY (DeviceSfty)  
{9F092E9D-3371-4EA5-A5E3-AA0C94A89A57}

UNITS: -----

=====  
TERM: OBSERVATION STATUS  
ID: {B9780D75-BFFD-4868-A693-E0303AC89B03}  
=====

Page: 536

Abbreviation..... Observe St  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Observation Status  
Help Text..... Type of observation  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. CLOSE OBSERVATION (co) {2679BCAC-8753-FE73-56F8-3AB632161AF4}  
20. 1:1 OBSERVATION (1o) {B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}  
30. WITHIN SIGHT (Within St) {261C4AAB-98F3-4503-BABF-D206CB1B0348}

UNITS:

-----

=====  
TERM: ORAL CARE  
ID: {0F21C7E0-AD33-46CC-B5BD-40F7A46946D4}  
=====

Page: 537

Abbreviation..... Oral Care  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Oral Care  
Display Name..... Oral Care  
Help Text..... Oral Care  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

- 1. DONE (DONE) {60412C8D-132F-46EA-8DDF-FCC282C4CC8B}
- 2. ASSISTED (ASSISTED) {65069804-39BF-41ED-9EA3-BF2C41389F10}
- 3. SELF CARE (SELF CARE) {0E068188-75B8-46C5-8947-A6CC5C7849B5}
- 4. OFFERED (OFFERED) {715091C2-9668-4678-900E-6D55D3335A30}
- 5. REFUSED (REFUSED) {D5B3E135-4D68-4528-BBC9-6E8A7A997104}
- 6. NOT DONE (NOT DONE) {C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}
- 7. SUCTIONED ONLY (SUCTIONED)  
{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}
- 8. LIP SALVE (LIP SALVE) {612F78AB-7386-4176-9896-02DE5A8E836D}
- 9. TEETH BRUSHED (TEETH BRUS)  
{20841794-6E6D-4262-B1FE-9E3F20F8CC49}
- 10. MOUTHWASH USED (MOUTHWASH)  
{9F7EF355-12A4-4EBA-92ED-0F38273E411B}
- 11. ETT REPOSITIONED (ETT REPOSI)  
{95B35EDB-76B6-433E-B526-01C543A7CCEA}
- 12. ETT RETAPED/SECURED (ETT RETAPE)  
{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}
- 13. REPORTED (REPORTED) {1D13BAC5-D8F9-455C-B815-8E256943492E}
- 14. WITNESSED (Witnessed) {2C11502E-176F-4040-A410-ECE66D15400E}

UNITS:

=====  
TERM: ORAL CARE: DENTURES/REMOVABLE APPLIANCE  
ID: {82DABBF9-0E95-4154-B375-57D9584D0EBE}  
=====

Page: 538

Abbreviation..... OC:Denture  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ORAL CARE: Dentures/Removable Appliance  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
20. REMOVED AND CLEANED (RemovClean)  
{9884A2E8-7205-4705-8757-FEF6F1B29E37}  
30. NOT REMOVED AND CLEANED (SEE COMMENTS) (NotRemove)  
{F36DB58D-D86D-45B8-AD13-4160AB19AC9D}  
40. PATIENT REFUSED (PatientRef)  
{C602ACA8-4735-479D-B0BA-97E2932DA2AA}

LOCATION: 2 entries

-----  
10. UPPER (Upper) {BB6D9E19-8490-4917-9D5A-74A8DF41B4D1}  
20. LOWER (Lower) {024BF281-F2D8-45FC-AFDE-60004AC11AB6}

PRODUCT: 3 entries

-----  
10. COMPLETE DENTURE (CompDentu)  
{B5962EBB-769C-47EE-AC19-D0E03855A8B9}  
20. PARTIAL DENTURE (PartDentu)  
{E09EFE03-B525-4EB1-90D3-D9ACE55B3AC5}  
30. MOUTH GUARD (MouthGuard) {408BA51C-5DB0-49F4-8540-F49B1E80A425}

UNITS:

-----

=====

TERM: ORAL CARE: PATIENT EDUCATION  
ID: {C746BF98-142B-49D4-97CA-EED590F6F282}

=====

Page: 539

Abbreviation..... OC:PatEd  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... ORAL CARE: Patient Education  
Help Text..... The Veteran was educated that poor  
oral hygiene increases the risk of  
hospital acquired pneumonia and  
dental problems like gingivitis and  
tooth decay.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... OC:Perform  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ORAL CARE: Performed/Observed  
Help Text..... Oral care swabs and toothettes are  
NOT a substitute for toothbrushing.  
These are designed for one-time use  
in patients without teeth.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

---

10. SELF INDEPENDENT (SelfIndep)  
{5E470D9A-5783-49D9-8A88-2072EBD14E4D}
20. ASSIST OF STAFF (AssistofSf)  
{BA900A76-8E64-4792-BEB9-1571ED681D73}
30. ASSIST OF FAMILY (AssistofFa)  
{3EB8AE1E-EA3A-4B4A-9226-B87BD0199A38}
40. PATIENT REFUSED (PatientRef)  
{C602ACA8-4735-479D-B0BA-97E2932DA2AA}
50. NOT PERFORMED (SEE COMMENTS) (NotPerform)  
{9535B498-C805-4940-897E-7EF30AF7DA9D}

UNITS:

---

=====  
TERM: ORAL CARE: REFERRAL OR CONSULT TO DENTAL/DENTAL HYGIENE      Page: 541  
ID: {E2AC5960-4558-415C-9573-64639FD00D36}  
=====

Abbreviation..... OC:Referrl  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ORAL CARE: Referral or Consult to  
                  Dental/Dental Hygiene  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:                          4 entries

-----  
10. NONE NEEDED (Noneneed)    {D5FF40F4-B5E4-4BEB-9BB3-B897B2A7C5A4}  
20. REFERRAL/CONSULT ENTERED (RefEntered)  
                                      {EBFFDD51-31F4-4B85-8A69-72558D2D3D80}  
30. REFERRAL/CONSULT COMPLETED (RefComplet)  
                                      {134BF9DB-44C6-4E70-B5E0-4FDE739A5013}  
40. PROVIDER NOTIFIED (ProvNotifd)  
                                      {678DB226-2A20-4B81-81C9-065C8C6E5968}

UNITS:

-----

=====

TERM: ORAL CARE: SUPPLIES IN ROOM  
ID: {68C3CD48-FDE7-4E1F-BDFB-C750A41F3CEC}

=====

Page: 542

Abbreviation..... OC:SupInRm  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... ORAL CARE: Supplies in Room  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... OC:SymProb  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ORAL CARE: Symptoms or Problems  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 6 entries

10. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}  
20. PAIN WITH BRUSHING (PainBrush)  
{2DDE5142-02BB-43C6-AD1A-35A1803328DE}  
30. LOOSE TEETH (LooseTeeth) {8C685B7B-6F62-499F-861C-BDA99AF0836D}  
40. THRUSH (YEAST) (ThrushYees)  
{B5018A8B-A076-4738-86E9-4AF744331AF5}  
50. LESIONS (Lesions) {97560E29-2FA6-4E4E-87A7-90ACEEDECB17}  
60. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS: .....  
=====

=====  
TERM: ORAL CARE: TYPE  
ID: {1A2A6F50-E93A-4D1C-AF68-5E3444A9B4C4}  
=====

Page: 544

Abbreviation..... OC: Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... ORAL CARE: Type  
Help Text..... Oral care swabs and toothettes are  
NOT a substitute for toothbrushing.  
These are designed for one-time use  
in patients without teeth.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. TOOTHBRUSHING (ToothBrush)  
{23FD0844-95C5-4974-A43D-23463E77B381}  
20. TOOTHETTES (EDENTUIOUS) (Toothettes)  
{0D552EED-1B5D-42B0-84F1-7FF014FDC138}  
30. ORAL SWABBING (EDENTUIOUS) (OralSwab)  
{D62A1F96-BF51-4DEA-ABAC-F5CF756C28D9}  
40. SUCTIONING (Suctioning) {8B79211D-3597-40C8-B1BA-66F20CD960BA}  
50. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

=====  
TERM: ORIENTATION  
ID: {656AA278-6C1E-C1B8-6876-A85780A1608A}  
=====

Page: 545

Abbreviation..... ORIENT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Orientation  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

1. ORIENTED TO TIME (ott) {C79EBE25-C51B-478C-CB39-25943792F191}  
2. ORIENTED TO PLACE (otp) {8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}  
3. ORIENTED TO PERSON (otp) {9912CFB9-AC55-6445-3EC1-0F1DF98C0561}  
4. ORIENTED TO SITUATION (ots)  
{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}  
5. DISORIENTED TO TIME (dtt) {2AD1A28A-4121-4B82-CFB8-E5A8D3095704}  
6. DISORIENTED TO PLACE (dtp)  
{00C98809-C0D0-C7B4-0615-8F7D31017FE8}  
7. DISORIENTED TO PERSON (DISOR TO P)  
{E5D83C03-7EF5-770B-930F-7B3B3345048C}  
8. DISORIENTED TO SITUATION (dts)  
{7143B3D7-5569-4378-D3AA-10C4675F0BA5}

UNITS:

TERM: ORTHOTICS  
ID: {EBD57A7A-3D0F-FB10-EA1A-E505DE2FB84C}

Page: 546

Abbreviation..... ORTHOTICS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Devices which support or correct  
human function  
Display Name..... Orthotics  
Help Text..... Devices which support or correct  
human function  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

**DATA VALUE:** 6 entries

1. ORTHOTIC BOOTS (ORTHO BOOT)  
{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}
  2. ORTHOTIC COLLAR (ORTHO COLL)  
{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}
  3. ORTHOTIC SPINE BRACE (ORTH SPINE)  
{B47A3536-FEBC-802E-01A1-E909147D18C2}
  4. ORTHOTIC KNEE IMMOBILIZER (KNEE IMMOB)  
{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}
  5. ORTHOTIC WEDGE PILLOW (WEDG PILLO)  
{20E58D21-399B-85E4-BDAB-93B371395BCF}
  6. ORTHOTIC TED HOSE (TED HOSE)  
{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}

**UNITS:**

=====  
TERM: OSTOMY CARE  
ID: {BB127CE7-04B9-48BA-85CB-AD895D3DA32D}

---

Page: 547

Abbreviation..... Ostomy Car  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Ostomy Care  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

10. APPLIANCE CHANGED (app change)  
{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}  
20. BRIDGE PRESENT (bridge pre)  
{5C474C17-33C9-492D-833E-64F5EF049BF4}  
30. CONNECTED TO DRAINAGE BAG (drain bag)  
{1901C4A7-671C-43BD-BEDD-1D48BCB43465}  
40. PATIENT INSTRUCTED (pat instru)  
{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}  
50. FAMILY INSTRUCTED (fam instru)  
{0FD5988C-2C4D-4786-99B3-3287A355E813}

UNITS: .....  
=====

=====  
TERM: OSTOMY TYPE  
ID: {CA5CC473-EE95-4E81-8E24-DC23B47A7F42}  
=====

Page: 548

Abbreviation..... OSTOMY TYP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Ostomy  
Display Name..... OSTOMY TYPE  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

- 1. COLOSTOMY (COLOSTOMY) {53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}
- 2. JEJUNOSTOMY (JEJUNOSTOM) {1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}
- 3. SIGMOIDOSTOMY (SIGMOIDOST) {0C84B317-59B3-433B-A9AD-6588C1361E0C}
- 4. ILEOSTOMY (ILEOSTOMY) {D5DF49C8-C6BA-44C1-9840-7765907730A3}
- 70. ILEAL-CONDUIT (Ileal-Con) {C91C4E4A-2D0D-438A-8EF5-8717D703A777}

UNITS:

=====  
TERM: OUTPUT - BLOOD  
ID: {F90805CD-A0E1-4943-B871-D93B445EA639}  
=====

Page: 549

Abbreviation..... OUT BLOOD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Output of blood lost  
Display Name..... Output - Blood  
Help Text..... Output of blood lost  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: OUTPUT - CBI DRAINAGE  
ID: {08B2CC2A-AE5A-47C3-9FFE-CD0619F8B3BE}  
=====

Page: 550

Abbreviation..... CBI Drain  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Output - CBI Drainage  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER      0 > 0 \* 99999 < 99999      Dec Prec: 0

=====  
TERM: OUTPUT - CHEST TUBE  
ID: {478FE098-139E-B9EB-9F87-C03A847B6789}  
=====

Page: 551

Abbreviation..... OUT CHE TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... VOLUME OF CHEST TUBE DRAINAGE  
Display Name..... Chest Tube Drainage Volume (ml)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER        -1.0 > 0.0 \* 9999.0 < 10000.0  
                    Dec Prec: 1  
CUBIC CENTIMETER    -1.0 > 0.0 \* 9999.0 < 10000.0  
                    Dec Prec: 1

=====  
TERM: OUTPUT - CHEST TUBE ESTIMATED  
ID: {5623F6F3-3A00-E63F-706E-C9561D206920}  
=====

Page: 552

Abbreviation..... OUT CHTU E  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... AMOUNT OF CHEST TUBE DRAINAGE  
Display Name..... Chest Tube Drainage Amount Estimated  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
  - 2. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
  - 3. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  - 4. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  - 5. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

---

=====  
TERM: OUTPUT - DIALYSIS  
ID: {C7954A6C-4214-4CB2-B80E-8F4128D05847}  
=====

Page: 553

Abbreviation..... OUT DIALYS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Dialysis Output  
Display Name..... Dialysis Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 4 entries

- 
- 1. HEMODIALYSIS (HEMODIALYS) {DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}
  - 2. PERITONEAL DIALYSIS (PERI DIALY)  
(6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB)
  - 3. CVVHD (CVVHD) {4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}
  - 4. CRRT (CRRT) {AB37FC1D-DD7A-4103-A777-7B8D0F876889}

UNITS:

---

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====  
TERM: OUTPUT - EMESIS  
ID: {56BD11AB-FE61-4785-B3CA-C528A5F4EBD6}  
=====

Page: 554

Abbreviation..... OUT EMESIS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Emesis Output  
Display Name..... Emesis Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 1 entries

1. EMESIS (EMESIS) {A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: OUTPUT - GI TUBE  
ID: {CB54872E-CF17-4BA5-BF3B-80B0E6C745F8}  
=====

Page: 555

Abbreviation..... OUT GI TU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... GI Tube Output  
Display Name..... GI Tube Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: OUTPUT - NASOGASTRIC TUBE  
ID: {77D3147A-389D-4E7C-A552-215C948314BC}  
=====

Page: 556

Abbreviation..... Out NG tu  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Output - Nasogastric Tube  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: OUTPUT - STOOL ESTIMATED  
ID: {5BCC5773-0627-CEC5-12D1-4D4BF55ECFB5}  
=====

Page: 557

Abbreviation..... OUT ST EST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Stool Amount Estimated  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. SMEAR (SMEAR) {4B99BBD3-443E-4954-8ADE-5FB3EE50540A}
  - 2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
  - 3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
  - 4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
  - 5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

QUALITY: 1 entries

- 
- 1. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

---

=====  
TERM: OUTPUT - URINE  
ID: {F4998CFC-19CA-402A-AB0F-C32FA194DAA5}  
=====

Page: 558

Abbreviation..... OUT URINE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Urine Output  
Display Name..... Urine Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 10 entries

-----  
10. VOIDED (Voided) {432E7674-7F59-45AC-8BF6-D60B45F7250B}  
20. EXTERNAL CATHETER (Ext. Cathe)  
{69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}  
30. INDWELLING CATHETER (Indw Cath)  
{37577D2A-FAA2-4875-BFF8-09C2F53A2311}  
40. STRAIGHT CATHETER (Str. Cath)  
{9076BBC9-3C76-4445-9F41-E4E59E84BED7}  
50. SUPRAPUBIC (Suprapubic) {4BF7948A-0532-41A3-9C1E-171F11DA1056}  
60. UROSTOMY (Urostomy) {746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}  
70. NEPHROSTOMY - LEFT (Neph Left)  
{E655E1BA-4803-4E19-B387-65B5F4809970}  
80. NEPHROSTOMY - RIGHT (Neph Right)  
{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}  
90. ILEAL CONDUIT (Ileal Cond)  
{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}  
100. PVR (POST VOID RESIDUAL) - CATHED (PVR-Cathed)  
{19DC72C9-FDAD-4F51-A0F7-63510A96829F}

UNITS:

-----  
MILLILITER -1 > 0 \* 9999 < 10000 Dec Prec: 0  
CUBIC CENTIMETER -1 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: OUTPUT - URINE ESTIMATED  
ID: {C5116BFA-332E-4C05-8FF7-4C828D8999BF}  
=====

Page: 559

Abbreviation..... OUT UR EST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Output - Urine Estimated  
Display Name..... Output - Urine Estimated  
Help Text..... Output - Urine Estimated  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. SLIGHT (SLIGHT) {805549C1-5DC5-4A2D-BC1F-046E44928843}  
2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}  
3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}  
4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}

UNITS:

-----

=====  
TERM: OUTPUT: DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {733293B4-0FEC-9D4B-191C-85D490209348}

Page: 560

=====  
Abbreviation..... OUTPUT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Output - Do Not Check Total or  
Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 9 entries

- 2. EF RESIDUAL (EF RESID) {35E269DF-F246-4DF6-9D68-7FD61F8FE088}  
3. NG RESIDUAL (NG RESID) {B03C9557-84B5-4B05-B784-C87FA90D27A7}  
4. HEME (HEME) {A0ADA229-E779-4562-84B5-67121B88C443}  
5. HEMODIALYSIS (HEMODIALYS) {8409B357-C41E-4F4A-BB52-F09AD9704C30}  
6. MEDIASTINAL (MEDIASTINA) {A0550B31-B937-4FC7-8F7E-071F75215311}  
7. BLADDER IRRIGATION (BLAD IRRIG)  
{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}  
8. WOUND VACUUM (WOUND VAC) {9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}  
9. GASTRIC DRAINAGE (GAST DRAIN)  
{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}  
10. WOUND DRAINAGE (WOUN DRAIN)  
{73038CBA-1F31-47E2-A78E-50ED1067CBEA}

UNITS:

-----  
MILLILITER 0 > 0 \* 9999 < 10000 Dec Prec: 0  
OUNCE 0 > 0 \* 338 < 339 Dec Prec: 0  
CUBIC CENTIMETER 0 > 0 \* 9999 < 10000 Dec Prec: 0

=====  
TERM: OUTPUT: DRAIN  
ID: {B8FD2F72-FCDD-484A-98E1-14B3637B797A}  
=====

Page: 561

Abbreviation..... OUT DRAIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Drain Output  
Display Name..... Drain Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

- 
- 1. JP DRAIN (JP DRAIN) {94A32247-6190-4047-B581-A212FE4C9453}
  - 2. HEMOVAC (HEMOVAC) {79DA0646-B811-4954-8BE1-C133398CD574}
  - 3. PENROSE (PENROSE) {CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}
  - 4. CHEST TUBE (CH TUBE M) {F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}
  - 5. OTHER (OTHER) {AED275BD-8A42-46BE-BCDF-472EF4C31D65}

UNITS:

---

MILLILITER	-1 > 0 * 9999 < 10000	Dec Prec: 0
CUBIC CENTIMETER	-1 > 0 * 9999 < 10000	Dec Prec: 0

=====  
TERM: OUTPUT: STOOL  
ID: {8B7CD3AF-5441-40A7-BBAA-11B822B529FD}  
=====

Page: 562

Abbreviation..... OUT STOOL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Measured amount of stool  
Display Name..... Stool Output  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER      0 > 0 \* 9999 < 9999      Dec Prec: 0  
CUBIC CENTIMETER      0 > 0 \* 9999 < 9999      Dec Prec: 0

=====  
TERM: OXYGEN CONSUMPTION  
ID: {5EC773D2-D17D-EE6B-5079-BED57318658D}  
=====

Page: 563

Abbreviation..... V02  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Oxygen Consumption  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITERS PER MINUTE PER METER SQUARE  
0 > 1 \* 300 < 301 Dec Prec: 0

=====  
TERM: OXYGEN SATURATION  
ID: {8013084D-A35E-264A-23EE-8D3D5C5C8382}  
=====

Page: 564

Abbreviation..... O2 SAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Oxygen Saturation percentage  
Display Name..... Oxygen Saturation  
Help Text..... Enter in the percentage of O2  
saturation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500637

UNITS:

-----  
PERCENTAGE      0 > 92 \* 100 < 101      Dec Prec: 0

=====

TERM: PA CATHETER ALARMS ON  
ID: {8129EB35-E85A-4C3B-86AF-34FB2ABE168C}

=====

Page: 565

Abbreviation..... PA ALARM O  
Active..... Yes  
Boolean Value False..... Off  
Boolean Value True..... On  
Data Type..... Boolean  
Description..... PA Catheter Alarms On  
Display Name..... PA Catheter Alarms On  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: PA CATHETER DRESSING TYPE  
ID: {16F7EF6A-E0B6-9931-1F74-039E9D18AC57}

Page: 566

=====  
Abbreviation..... PA DRESSIN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Dressing Type  
Help Text..... Type of dressing on PA Catheter site  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}
2. PRESSURE DRESSING (PRESS DRES)  
(6D9DB9EF-85EB-8321-03FC-879AA4C5615B}

UNITS: .....  
=====

=====  
TERM: PA CATHETER DYNAMIC RESPONSE TEST  
ID: {7ED7B728-5683-4660-B301-79E72C3FD1C9}  
=====

Page: 567

Abbreviation..... PA CATH DR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Dynamic Response Test  
Display Name..... PA Catheter Dynamic Response Test  
Help Text..... PA Catheter Dynamic Response Test  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
3 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}

UNITS: -----

=====

TERM: PA CATHETER INSERTION MARK  
ID: {7E62F0A7-9233-4BD3-870B-189BC86A179E}

=====

Page: 568

Abbreviation..... PA INS MAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... PA Catheter Insertion Mark  
Display Name..... PA Catheter Insertion Mark (cm)  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER      0.0 > 0.0 \* 20.0 < 20.0    Dec Prec: 1

=====  
TERM: PA CATHETER INSERTION TECHNIQUE  
ID: {30F7B681-FCDB-4349-9082-92BDF3618CA3}  
=====

Page: 569

Abbreviation..... PACATH INS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Insertion Technique  
Display Name..... PA Catheter Insertion Technique  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. NEW SITE (NEW SITE) {10B1FF61-E58E-4608-9CCB-9232BC964418}  
2. OVER WIRE (OVER WIRE) {157CD456-1020-43AE-9AAA-1686F1574B6F}  
3. INSERTED THROUGH EXISTING INTRODUCER (INS EXS IN)  
{20BC183A-197F-4464-A27C-47F63C5B842A}  
4. INSERTED THROUGH NEW INTRODUCER (INS NEW IN)  
{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}

UNITS:

-----

=====

TERM: PA CATHETER SITE CARE  
ID: {F5F81475-6135-4B0C-A144-658AB8C075C7}

=====

Page: 570

Abbreviation..... PA SITE CA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... PA Catheter Site Care  
Display Name..... PA Catheter Site Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: PA CATHETER SITE CONDITION  
ID: {00A7358A-DBE8-CB1D-FFC0-046F3C5E266F}  
=====

Page: 571

Abbreviation..... PA CONDITI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Site Condition  
Help Text..... Condition of PA catheter  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
7 entries

2. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
3. SWOLLEN (SWOLLEN) {DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
4. DISCOMFORT (DISCOMFORT) {77D058C9-1EB4-96C0-C9E3-666C840B884C}  
50. PATENT (Patent) {F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
60. CLEAN (Clean) {1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
70. OCCLUDED (Occluded) {25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}  
80. OOZING (Oozing) {C23549D7-3238-4523-BA31-AB71609F01C2}

UNITS: -----

=====

TERM: PA CATHETER SIZE  
ID: {706045DE-B1D4-46DB-B6CE-A171BAFB0CB9}

=====

Page: 572

Abbreviation..... PA CATH SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... PA Catheter Size  
Display Name..... PA Catheter Size  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

FRENCH            0.0 > 0.0 \* 20.0 < 20.0    Dec Prec: 1

=====  
TERM: PA CATHETER TYPE  
ID: {A1F96B2C-AA70-0D43-8F1E-8DD2BDDFA8F3}  
=====

Page: 573

Abbreviation..... PA TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PA Catheter Type  
Help Text..... Type of PA catheter  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. PLAIN (PLAIN) {483EE48F-F72B-A917-DCD0-E8B69A3FA36F}
  - 2. OXIMETRIC (OXIMETRIC) {DA1F5AAA-A349-C17B-74CD-1794492E0A13}
  - 3. PACER (PACER) {79499460-ACAB-33B3-52CF-D2D2E5BCD0EE}
  - 4. VIP PORT (VIP PORT) {3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}

LOCATION: 8 entries

- 
- 1. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}
  - 2. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}
  - 3. L INTERNAL JUGULAR (L INT JUG)  
(AFBB4FE5-8A11-2047-7900-DADF2FC4430D)
  - 4. R INTERNAL JUGULAR (RIJ) {7ABF6916-D379-198D-6454-F0518A74844A}
  - 5. L EXTERNAL JUGULAR (L EXT JUGU)  
(6F7B331B-4F83-0B79-1755-F6F673D647D6)
  - 6. R EXTERNAL JUGULAR (R EXT JUGU)  
(4D78F704-9E3B-907E-A792-4DC4F4CFF170)
  - 7. L SUBCLAVIAN (L SUBCLAVI) {71B93594-15F9-AA4A-AEF2-E222EC28C00D}
  - 8. R SUBCLAVIAN (R SUBCLAV) {53DEAE83-93AE-123B-14E5-4DE38CD4F752}

UNITS:

---

=====  
TERM: PA CATHETER WAVEFORM  
ID: {9EF25DC1-2B10-4248-807E-DDEDB1B76ABC}  
=====

Page: 574

Abbreviation..... PA WAVEFOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... PA Catheter Waveform  
Display Name..... PA Catheter Waveform  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
5 entries

1. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}
2. DAMPENED (DAMPENED) {77C777B3-7E56-41E3-8E70-DE144E6A3424}
3. HYPERDYNAMIC (HYPERDYNAM) {818A8A99-04D9-4989-A9BA-ECFACED74605}
4. POSITIONAL (POSITIONAL) {9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
5. NOT MONITORED (NOT MONITO) {0E6A8A07-48E0-428F-8D86-22572CABCF48}

UNITS: -----

=====  
TERM: PA CATHETER ZEROED  
ID: {E8B0247F-BD12-4902-87F7-012AA4C1D73D}  
=====

Page: 575

Abbreviation..... PA ZEROED  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... PA Catheter Zeroed  
Display Name..... PA Catheter Zeroed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

Abbreviation..... P DIS C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PACU - Discharge Criteria  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 22 entries

1. TOLERATING FLUIDS/NOURISHMENT (TO OR FL)  
{E107F272-CD27-46B8-8C50-F9FF776DDCD9}
2. ABLE TO AMBULATE (AMBULAT)  
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
3. ALERT AND ORIENTED (AL AN OR)  
{C031F776-36DF-4570-AFAF-A30B8BFA635B}
4. PT DENIES NAUSEA / NO VOMITING (DEN NAUS)  
{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}
5. ALDRETE SCORE 8 OR GREATER (ALD 8+)  
{1FACE6D7-BC92-4579-8665-C5E1D3475461}
6. AIRWAY REFLEXES INTACT / SECRECTIONS (AIR REFL)  
{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}
7. PAIN CONTROLLED PER PT (PAIN CON)  
{7EC1AF38-39B1-475E-B58C-E33404A47E96}
8. PT PAIN AT ACCEPTABLE LEVEL (PT PA OK)  
{78489498-4A5B-41C5-98C5-95D56C4A0933}
9. VOIDED (VOIDED) {7F23E601-A1E5-4016-8A12-06B1099041CF}
10. ABSENT TO MINIMAL BLEEDING (ABS BLEE)  
{123460FB-1A8D-45AB-B0A2-489EAB482F67}
11. CMS INTACT DISTAL TO SURGICAL SITE (CMS INTA)  
{CE2D2CDE-71C5-4993-8E46-C4799301A851}
12. SKIN WARM AND DRY COLOR APPROPRIATE (S W A DR)  
{9637D510-C199-4969-8F2D-0A499151E22B}
13. MAINTAINING EFFECTIVE VENTILATION (EFF VENT)  
{18774550-ECBD-412D-AD95-131FAA4CC549}
14. ALDRETE SCORE AT BASELINE (ALD BASE)  
{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}
15. STABLE BP AND PULSE (Stable BP)  
{F07C2F54-1182-4377-A33A-F529884013E8}
16. SaO2% AT ACCEPTABLE LEVEL BY ORDERS (SaO2 by Or)  
{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}
17. SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (SaO2 w/Pre)  
{8DE3440F-8049-4846-89D6-2E2DDEEA362C}
18. 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (20 Min Nar)  
{FBDB50B7-19B5-472C-80E5-F4758E141BB1}
19. RESTING RESPIRATORY RATE BASELINE OR ABOVE (Rest Base)  
{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}
20. MENTAL STATUS - AWAKE ORIENTED (M/S Awake)  
{37818468-4798-4CBE-82ED-A793BDD10874}
21. MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (M/S Demen)  
{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}
22. 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (60 Min Rev)  
{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}

UNITS:

---

=====  
TERM: PACU - DISCHARGE CRITERIA MET  
ID: {3B2F659B-ABA4-41E4-9861-B4B0FE3C873D}  
=====

Page: 577

Abbreviation..... P DIS ME  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Discharge Criteria Met  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}  
2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

=====  
TERM: PACU - DISPOSITION  
ID: {9EADBFE2-2072-4B3F-A077-354B76E5F190}  
=====

Page: 578

Abbreviation..... PAC DISP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PACU - Disposition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

- 1. ICU (ICU) {E7FA69FE-1088-4853-AFB0-2D815E3C2EB0}  
2. MICU (MICU) {28244B62-644C-4DA0-A350-EAFE0D2FA7C0}  
3. SICU (SICU) {EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}  
4. STEP DOWN (STEP DOW) {F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}  
5. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}  
6. AMBULATORY CARE UNIT (ACU)  
    {7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}  
7. PROCEDURE ROOM (PROC ROO) {CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}  
8. IMAGING (IMAGING) {791A322E-F45E-40EB-B95D-E5B62E1D0A75}  
9. OPERATING ROOM (OR) {37DACE14-2A28-45F4-9DEA-35A1A433F4E6}  
10. EMERGENCY DEPARTMENT (ER DEPT)  
    {D2E511F7-8B80-4928-A64B-3F1EE17395F7}  
11. WAITING ROOM (WAIT ROOM) {13476486-F895-4FFC-AB42-B274827B47DA}  
12. HOME (HOME) {C8E5E320-361B-421C-A6A9-13DC16125440}

UNITS:

-----

=====  
TERM: PACU - PT RECEIVED REVERSAL AGENT  
ID: {08A85E74-4365-41AA-8C26-4D712C9364DE}  
=====

Page: 579

Abbreviation..... REV AGEN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Patient Received Reversal Agent  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}  
2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

-----

=====

TERM: PACU - TIME OF REVERSAL AGENT  
ID: {43AD957E-55D2-44BA-B591-C4B31EB64E55}

=====

Page: 580

Abbreviation..... Time of Rv  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... PACU - Time of Reversal Agent  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PAIN DURATION  
ID: {DF714694-E547-4D39-9355-ADF3B419F9CD}

---

Page: 581

Abbreviation..... PAIN DURAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Duration  
Display Name..... Pain Duration  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

---

1. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}
2. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}

UNITS:

---

Abbreviation..... PAIN CHARA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Description of pain patient is experiencing  
Display Name..... Pain: Character  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 29 entries

1. ACHING (ACHING)	{736BC1A4-2DA7-4A56-ACC0-28086EA103E0}
2. AGONIZING (AGONIZING)	{F43DF9E7-555B-49FF-987C-35F083D547AA}
3. ANGINAL (ANGINAL)	{ECF02415-4124-46D3-AA01-F21AC40FEFF7}
4. ANNOYING (ANNOYING)	{53437530-57C9-4EA8-AC0D-36B5F2BD051D}
5. BURNING (BURNING)	{D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}
6. CONSTANT (CONSTANT)	{0FB8E43C-2106-4C37-9430-38675953A85B}
7. CRAMPING (CRAMPING)	{3EC3E352-5469-4A85-80E4-3AFEB61224C4}
8. CRUSHING (CRUSHING)	{92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
9. DEEP (DEEP)	{78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}
10. DULL (DULL)	{F0F80976-F6A0-4363-9C75-AAAE9937DB49}
11. ELECTRIC (ELECTRIC)	{0C221385-61AF-4660-A129-35E610EA71AB}
12. GNAWING (GNAWING)	{8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}
13. HEAVY (HEAVY)	{1F10CD98-03FA-4705-BF7D-941E881C4E3D}
14. INTERMITTENT (INTERMITTE)	{DD09ED7C-B977-412F-A678-5130F77D239E}
15. KNIFE-LIKE (KNIFE-LIKE)	{FBA0EE3F-134B-431B-879A-9B17D65CD464}
16. NUMB (NUMB)	{652634C0-5334-4D56-BE57-5F58F952FF0D}
17. POSITIONAL (POSITIONAL)	{9A74D16B-5E95-4EA8-88AF-E53C80311A5D}
18. PRESSURE (PRESSURE)	{387AFB7F-3973-4D77-B2E6-0724F344D8F6}
19. RADIATING (RADIATING)	{B6807939-F809-45C1-912A-ADEF2E0DB0DC}
20. SHARP (SHARP)	{20608864-E5CF-4FE3-8B6D-AE2FEE086503}
21. SHOOTING (SHOOTING)	{73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}
22. SQUEEZING (SQUEEZING)	{A148587A-1B99-4D0D-B11E-87ADC3D2A811}
23. STABBING (STABBING)	{684640D5-B3AB-47DA-98D8-5434ABF22B7E}
24. STINGING (STINGING)	{DF235170-F501-4E8D-89DD-5A3C76F4B13B}
25. TENDER (TENDER)	{30486CC7-3097-4F95-9238-FD6C2126CD10}
26. THROBBING (THROBBING)	{3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}
27. TINGLING (t)	{AE8E3101-AC3D-DEC3-0293-58F901F82EB8}
28. UNBEARABLE (UNBEARABLE)	{96611993-45F3-4D1D-BF7F-5E5C46E5569E}
29. OTHER (OTHER)	{19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====

TERM: PAIN: CONTROL  
ID: {CBD6868D-1858-40FA-9F80-2EF4303E5817}

=====

Page: 583

Abbreviation..... Pain Ctrl  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Pain: Control  
Help Text..... Select Yes if pain control measures  
have satisfied the patient's level of  
pain.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PAIN: GOAL  
ID: {709DFACE-B211-4160-B291-359777ED8D0F}

Page: 584

=====  
Abbreviation..... PAIN GOAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pain: Goal  
Help Text..... Patient's self-reported goal for pain  
management  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}  
3. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}  
4. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}  
5. 4 (4) {D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}  
6. 5 (5) {188EDCE7-0726-4234-D8D2-92C8052CD221}  
7. 6 (6) {640CF2F9-3BBF-AB13-185B-CD02A609FB5A}  
8. 7 (7) {7A010324-D2C2-5D4B-848A-7B8878666D20}  
9. 8 (8) {518E7CFC-102E-351E-C7AF-FB575E3C8F4D}  
10. 9 (9) {58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}  
11. 10 (10) {0C827160-18DB-816F-7FAA-A3C175C6D33B}

UNITS:

-----

=====  
TERM: PAIN: LEVEL  
ID: {47A83DEA-BA95-38AD-DF2E-1F209122E684}  
=====

Page: 585

Abbreviation..... PAIN LEVEL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Standard pain scale  
Display Name..... Pain: Level  
Help Text..... Enter 0-10, 99 or Unable to respond  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid..... 4500635

DATA VALUE: 12 entries

1. 0 (0)	{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}
2. 1 (1)	{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}
3. 2 (2)	{38E22B79-A2B6-3401-B195-C955F24E1278}
4. 3 (3)	{E714454D-6A67-91F6-2FB7-D8F24F184328}
5. 4 (4)	{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}
6. 5 (5)	{188EDCE7-0726-4234-D8D2-92C8052CD221}
7. 6 (6)	{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}
8. 7 (7)	{7A010324-D2C2-5D4B-848A-7B8878666D20}
9. 8 (8)	{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}
10. 9 (9)	{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}
11. 10 (10)	{0C827160-18DB-816F-7FAA-A3C175C6D33B}
12. 99 (99)	{B013C05B-1AF0-1547-4F03-378883F887C5}

LOCATION: 63 entries

1. HEAD (Hd)	{C3209F44-90C6-FF1B-3169-265B294F276A}
2. FACE (FACE)	{C638EA14-7903-6A94-496A-C6560D51BEE3}
3. NECK (Ne)	{D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
4. STOMACH (STOMACH)	{613C20B9-CC9C-4F5D-B5B1-69B66A663540}
5. ABDOMEN (ABDOMEN)	{109FE041-2521-6EF2-7F95-1FD1587796AB}
6. BACK (BACK)	{22C26239-C692-4E93-B522-E5E8392BA3B1}
7. L ARM (LA)	{567F552F-54B5-A8BB-596F-291001746E31}
8. R ARM (RA)	{1C09017A-F10A-543D-A7EA-F13790D78692}
9. L HAND (L HAND)	{639DF25A-19E3-B504-D323-4B3F6ED39A24}
10. R HAND (R HAND)	{A54D3A80-8537-D079-9CCE-7DC56346D132}
11. L HIP (L HIP)	{786CD881-27AD-4136-B9CC-8423CB38A431}
12. R HIP (R HIP)	{A48CBCAE-5404-4934-9321-ECEF660A5350}
13. L GROIN (L GROIN)	{5488E4EE-C1A2-4B02-8763-A53C412117A7}
14. R GROIN (R GROIN)	{BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
15. L THIGH (L THIGH)	{16C2312F-1E0E-45E0-B675-160F40C23F57}
16. R THIGH (R THIGH)	{B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
17. L KNEE (L KNEE)	{3A9E30B4-09A9-967A-58EF-69A01EC4F859}
18. R KNEE (R KNEE)	{BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
19. L FOOT (L FOOT)	{2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
20. R FOOT (R FOOT)	{7D9F5FF6-232C-2488-4504-A721FF06928F}
21. L LEG (LL)	{B088C809-E528-B785-21C2-14E45E1FD8AF}
22. R LEG (RL)	{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
23. COCCYX (COCCYX)	{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
24. GASTROINTESTINAL (GI)	{C27C66DB-3A6A-487E-9981-FA7FD323C0C3}
25. L EAR (L EAR)	{DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
26. R EAR (R EAR)	{AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
27. L SHOULDER (L SHOULDER)	{91CBD2FA-2743-42EB-946B-6933980D9337}
28. R SHOULDER (R SHOULDER)	{D27AE130-442E-4DD6-B391-8D7E8AD494A2}
29. L ELBOW (L ELBOW)	{BF4317E7-2024-47EF-9E5F-3D21D0547885}

30. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}  
 31. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}  
 32. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}  
 33. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}  
 34. BLADDER (BLADDER) {18E083F2-C4BB-407E-B0A3-20C4942FC97F}  
 35. L JAW (L JAW) {65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}  
 36. R JAW (R JAW) {7846AEE2-B6F4-4B5A-909F-56E386FD82A8}  
 37. TOOTH (TOOTH) {8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}  
 38. TEETH (TEETH) {38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}  
 39. L NOSE (L NOSE) {C7707847-5135-4749-B196-002E3E59BB54}  
 40. R NOSE (R NOSE) {D80BCB19-E71F-43EA-8990-6C121EE7F7A1}  
 41. NOSE (NOSE) {85F7003E-6D4E-4A79-A534-8A57FBC2D106}  
 42. PENIS (PENIS) {2D82CE55-83B6-4160-A754-07C71FD388E8}  
 43. ABDOMEN RUQ (ABD RUQ) {F29C9FA1-717A-49B7-8000-95070E9AACAO}  
 44. ABDOMEN LUQ (ABD LUQ) {3B31E1EC-CE74-4C76-BB61-10C678431FCA}  
 45. ABDOMEN RLQ (ABD RLQ) {2C48394F-6877-4738-856C-E933644D8067}  
 46. ABDOMEN LLQ (ABD LLQ) {39831F59-D7B0-4156-AC57-4C622A93CA58}  
 47. INCISIONAL SITE (INCISON SI) {EB36A66D-751D-4031-9F68-0BB03E267321}  
 48. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}  
 49. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}  
 50. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}  
 51. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}  
 52. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}  
 53. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
 54. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
 55. SUBSTERNAL (SUBSTERN) {3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}  
 56. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
 57. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
 58. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}  
 59. BUTTOCK (Buttock) {7254A44D-91FA-40C7-B179-932AE08AD602}  
 60. CERVICAL SPINE (Cerv Spine) {6EBB5108-39A4-4A18-9AB3-E91329F469A3}  
 61. THORACIC SPINE (Thor Spine) {A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2}  
 62. LUMBAR SPINE (Lumb Spine) {AEA5FA39-E58D-4382-9C33-EAF360395A60}  
 63. SACRAL SPINE (Sacr Spine) {55FA6213-78BF-4349-B0A3-232191C659A3}

UNITS:

---

=====  
TERM: PAIN: NON-VERBAL CUES  
ID: {F875330C-D06C-41A7-877F-FBF07596EFF6}  
=====

Page: 586

Abbreviation..... PAI NONVER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Non-Verbal Cues  
Display Name..... Pain: Non-Verbal Cues  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

1. CRYING (CRYING) {D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}
2. GRIMACING (GRIMACING) {69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}
3. MOANING (MOANING) {A71E3515-AA20-4B0E-9CB8-1612F76BA406}
4. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
5. SPLINTING (SPLINTING) {D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}
6. GUARDING (GUARDING) {9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}
7. PAINFUL EXPRESSION (PAINFUL EX)  
{608554F9-29F9-4B27-BE63-486AF81810BD}
8. IRRITABLE (Irritable) {10651C11-2736-4056-BA84-E544358BA877}
9. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
10. NO SIGNS AND SYMPTOMS (NO SIG&SYM)  
{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}
11. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====  
TERM: PAIN: RELIEVING FACTOR INTERVENTION  
ID: {325DB732-E996-4DF5-9F5F-EF3B55D80935}  
=====

Page: 587

Abbreviation..... PN FACT IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Relieving Factor Intervention  
Display Name..... Pain: Relieving Factor Intervention  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 1. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
- 2. HEAT (HEAT) {E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}
- 3. QUIET ROOM (qr) {CCD96D41-C273-F6F3-DA18-8818B1CC9980}
- 4. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
- 5. MEDICATION (MEDICATION) {22E6DEBB-9662-466B-990C-8DA500C0A183}
- 6. REFUSE MEDICATION (REFUSE MED)  
{17D6956B-4CF6-492C-B113-B5A93D9E215E}
- 7. REQUEST FOR MORE MEDICATION (REQ MOR ME)  
{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}
- 8. PRE-MEDICATED FOR ACTIVITY (PRE-MED AC)  
{D6DA772A-FA22-4170-B928-855A2F68711F}
- 9. PHYSICIAN NOTIFIED (PHYS NOTIF)  
{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}
- 10. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

=====  
TERM: PAIN: SCALE USED  
ID: {201B586E-311C-4C66-BF9E-9C9B62C81109}  
=====

Page: 588

Abbreviation..... Pain Scale  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Pain: Scale Used  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. NUMERIC (Numeric) {5E16B4F7-6008-43A9-9AFA-523D98721F7C}  
20. NON-VERBAL (Non-Verbal) {575EC6EF-2546-40A4-80BD-D4263374AB50}  
30. WONG-BAKER FACES (Wong-Baker)  
{A398DF93-DCC3-42A5-8790-5D8F8B35C90F}  
50. PAINAD (PAINAD) {C1E04374-2FAF-40AE-9108-772520BE7A39}  
60. OTHER (ADD COMMENTS) (Other)  
{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}  
70. UNABLE TO ASSESS (ENTER COMMENT) (Unable)  
{3B071C2E-4E07-4423-8FC3-EEBE9607CEE7}

UNITS:

-----

=====  
TERM: PAIN: TYPE  
ID: {1D6FE4CE-27EC-495A-A077-EE5B001CEFF2}

---

Page: 589

Abbreviation..... Pain: Type  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Pain: Type  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

---

10. ACUTE (Acute) {42CDCFCB-27F4-4511-AF23-D5DB2C6CBE16}  
20. CHRONIC (Chronic) {6A1CBCF6-E407-4064-8C5F-6BDEB2A35363}

UNITS:

---

=====  
TERM: PAINAD BODY LANGUAGE  
ID: {6DF1DD0D-C735-4D34-ABF6-A274621EC177}  
=====

Page: 590

Abbreviation..... PAINAD BL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Body Language  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. PAINAD BL 0 (PAINAD BL0) {C77929DB-A59A-4A24-B57B-BF111770C2AB}
  - 2. PAINAD BL 1 (PAINAD BL1) {CC1E1516-086D-4B79-8264-0C3BD67D8552}
  - 3. PAINAD BL 2 (PAINAD BL2) {34C3E304-DF66-40A7-906F-22AEA3F76FAD}

UNITS:

---

=====  
TERM: PAINAD BREATHING  
ID: {EBF3C2FD-5906-4FC8-8E75-CF998FA797C3}  
=====

Page: 591

Abbreviation..... PAINAD BR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Breathing  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. PAINAD BR 0 (PAINAD B0) {58E71B2E-F5C3-419F-8B71-A9FD701E0202}
  - 2. PAINAD BR 1 (PAINAD BR1) {727D1B04-A702-4806-857B-78BCBACB0FE1}
  - 3. PAINAD BR 2 (PAINAD BR2) {37978012-ADAC-416C-8920-48CDAAA5D59D}

UNITS:

---

=====  
TERM: PAINAD CONSOLABILITY  
ID: {869E7E2E-04C5-46A5-8811-C7F94E066A2C}  
=====

Page: 592

Abbreviation..... PAINAD CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PAINAD Consolability  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. PAINAD CO 0 (PAINAD CO0) {06A89B55-5822-42F7-A689-DBD91B62979F}
  - 2. PAINAD CO 1 (PAINAD CO1) {8E5DDB47-1955-40AD-A008-A9CE4646A707}
  - 3. PAINAD CO 2 (PAINAD CO2) {1DFFB735-6272-4B60-8F42-CCCAA701C7A7}

UNITS:

---

=====  
TERM: PAINAD FACIAL EXPRESSION  
ID: {CB17C4F3-2E4B-4355-9E63-DE165CE47A25}  
=====

Page: 593

Abbreviation..... PAINAD FE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Display Name..... Painad Facial Expression  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. PAINAD FE 0 (PAINAD FE0) {B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}  
2. PAINAD FE 1 (PAINAD FE1) {66C01EE9-8F36-40B5-AED2-DBC2E94F860D}  
3. PAINAD FE 2 (PAINAD FE2) {35688D06-94F2-4B36-8940-529803D4BC43}

UNITS:

-----

=====  
TERM: PAINAD NEGATIVE VOCALIZATION  
ID: {815392EF-49E0-48D9-BCC0-39FD3333B255}  
=====

Page: 594

Abbreviation..... PAINAD NV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Display Name..... PAINAD Negative Vocalization  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. PAINAD NV 0 (PAINAD NV0) {63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}
  - 2. PAINAD NV 1 (PAINAD NV1) {D517E6C9-9D98-4D0F-A8F4-261BED4812D1}
  - 3. PAINAD NV 2 (PAINAD NV2) {3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}

UNITS:

---

=====

TERM: PAINAD TOTAL Page: 595  
ID: {4E35BBC8-DD3C-4EEA-A0BD-DADBD1252F28}

=====

Abbreviation..... PAINAD TO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PAINAD Total Score  
Help Text..... Pain Assessment in Advanced Dementia  
(PAINAD)  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

PAINAD SCALE      0 > 0 \* 10 < 10      Dec Prec: 0

Abbreviation..... POSS Scale  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Pasero Opioid-Induced Sedation Scale  
(POSS)  
Help Text..... Please follow local policy/protocol  
for decision support interventions  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. S = SLEEP, EASY TO AROUSE (POSS Sleep)  
{9AB0CB97-1451-401E-9245-445132934C3B}  
20. 1 = AWAKE AND ALERT (POSS Awake)  
{6D0015F9-BDD1-422C-AD60-1DBE0247D46E}  
30. 2 = SLIGHTLY DROWSY, EASILY AROUSED (POSS 2)  
{3027CED1-70F2-4F2B-9DCC-C6CFCAF1832}  
40. 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (POSS 3)  
{95111092-85B2-463A-8F97-F6E56AEC1730}  
50. 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (POSS 4)  
{7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}

UNITS:

-----

=====

TERM: PATIENT ABLE TO RESPOND  
ID: {08A622B7-3939-427E-A532-7F12F8790EF7}

=====

Page: 597

Abbreviation..... PAT RESPON  
Active..... Yes  
Boolean Value False..... Unable to respond  
Boolean Value True..... Able to repond  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Patient Able To Respond  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

TERM: PATIENT EDUCATION PROVIDED PRIOR TO SEDATION  
ID: {59683A04-FA78-40FA-8DDF-A728BA34C72D}

Page: 598

Abbreviation..... Pat Ed Pro  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Patient Education Provided Prior to Sedation  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION

#### **UNITS:**

Abbreviation..... PS Rounds  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Patient Safety Rounds Completed  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 22 entries

10. Q5MIN (Q5Min) {43D31DCC-0F94-4399-B744-0F65AA665029}  
20. Q10MIN (Q10Min) {E651D12C-FE5E-439A-BA3C-DEA7FDBFEFED}  
30. Q15MIN (Q15Min) {2494092E-F539-4FDD-90A5-0DA633D15275}  
40. Q30MIN (Q30Min) {FFAA43F8-4464-438B-9C32-C3BDB5D00D59}  
50. Q45MIN (Q45Min) {556A7278-1E5C-43A3-AF05-7BFECC155031}  
60. Q90MIN (Q90Min) {6D026A43-1844-48AD-AD1A-EF29EC51BF36}  
70. Q1HR (Q1Hr) {8199AC00-AD44-4DA3-A270-EC8800ED39FD}  
80. Q2HR (Q2Hr) {C089A271-8DEF-404F-B48C-B701265854F8}  
90. Q4HR (Q4Hr) {6EE8BF06-9A1F-420B-AD52-A7C0D53B7859}  
100. Q SHIFT (Q Shift) {07BE9A54-C30D-48BA-972C-1395C656A767}  
110. MORSE FALL RISK SCORE > 45 (FallRsk>45)  
{D2E28A82-0B4C-4C33-81FC-3A615D5F11F6}  
120. CLOSE OBSERVATION (co) {2679BCAC-8753-FE73-56F8-3AB632161AF4}  
130. ELOPEMENT RISK (Elope Risk)  
{4AFA7128-158F-4FAF-9090-FE1791B588D0}  
140. SUICIDE RISK (SuicideRsk)  
{F8C476DB-B671-405D-9CD0-B3F79AC78EE}  
150. CONFUSED (CONFUSED) {31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}  
160. DISORIENTED (DISORIENTE) {A7D1F2EA-CD7C-4100-8552-44834684C6DE}  
170. NON-COOERATIVE WITH PLAN OF CARE (NonCoopPOC)  
{1806E6B4-E88E-42F5-B4D1-7A353BD05C1B}  
180. NON-COOPERATIVE WITH ISOLATION PRECAUTIONS (NonCoopIso)  
{63235927-E20C-43C8-80A7-7B10AA8F897C}  
190. ANXIOUS ABOUT BEING LEFT ALONE (Anxious)  
{1F3963C7-C0D7-4B8B-A5C1-5B391B938840}  
200. PAIN MANAGEMENT ASSESSMENT (PainMgt)  
{8E702786-31C2-478D-9BB9-017F7132CD9F}  
210. PHYSIOLOGICAL ASSESSMENT (PhyAssess)  
{4A9FB1A3-EC4D-4F7B-B667-5D950CB71109}  
220. SEE COMMENT (SeeComment) {52B28A5F-1913-463B-82C7-57DDBE85388A}

UNITS:

=====  
TERM: PCA - CLINICAL BOLUS DOSE  
ID: {3705805D-6ABB-412B-8DF2-648E634237F9}  
=====

Page: 600

Abbreviation..... PCA BOL DO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Clinical Bolus Dose  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS        -1.00 > 0.00 \* 1000000.00 < 1001000.00  
                    Dec Prec: 2  
MILLIGRAMS        -1.00 > 0.00 \* 1000.00 < 1001.00  
                    Dec Prec: 2

=====  
TERM: PCA - CONTINUOUS MCG/HR (BASAL)  
ID: {3E22F87D-E696-4401-90D0-2BE623E75DE9}  
=====

Page: 601

Abbreviation..... PCA - MCG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Continuous mcg/hr (Basal)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS PER HOUR      0.0 > 6.2 \* 100.0 < 300.0 Dec Prec: 1

=====  
TERM: PCA - CONTINUOUS MG/HR (BASAL)  
ID: {39A3FFFD-8AB1-4691-A5CE-7FD268F6F5CB}  
=====

Page: 602

Abbreviation..... PCA - MG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Continuous mg/hr (Basal)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIGRAMS PER HOUR      0.0 > 0.1 \* 8.0 < 20.0      Dec Prec: 1

=====  
TERM: PCA - DEMAND DOSE - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {48E49A30-E83F-4A5B-A1EA-C58D92D08288}

Page: 603

=====  
Abbreviation..... PCA DEM DO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA Demand Dose - Do Not Check Total  
or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MICROGRAMS        -1.00 > 0.00 \* 1000000.00 < 1001000.00  
                    Dec Prec: 2  
MILLIGRAMS        -1.00 > 0.00 \* 1000.00 < 1001.00  
                    Dec Prec: 2

=====  
TERM: PCA - DOSAGE DELIVERED  
ID: {BBD517C0-EDFE-452C-9B2C-5B21400E173A}  
=====

Page: 604

Abbreviation..... PCA DAG DE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Dosage Delivered  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS        -0.01 > 0.00 \* 8000000.00 < 8001000.00  
                    Dec Prec: 2  
MILLIGRAMS        -1.00 > 0.00 \* 8000.00 < 8001.00  
                    Dec Prec: 2

=====  
TERM: PCA - DOSES DELIVERED  
ID: {2F9D23F2-B385-4028-A2F5-F33B83A2D137}  
=====

Page: 605

Abbreviation..... PCA DO DEL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Doses Delivered  
Help Text..... Number of times patient received  
analgesia  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
EVENT(S) -1 > 0 \* 1000 < 1001 Dec Prec: 0

=====  
TERM: PCA - LEVEL OF CONSCIOUSNESS  
ID: {7071DC06-8738-481F-A471-EE7112BB8F10}  
=====

Page: 606

Abbreviation..... Lev of Con  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA - Level of Consciousness  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

1. ALERT (a) {BC7E2630-179A-5C80-E6C7-598D42F0BFD6}  
2. AWAKE (Awake) {D71412D4-5782-46BA-AE6C-24EDC586AE55}  
3. APPEARS ASLEEP (Asleep) {245A1E78-B5E0-4440-963C-A6ABB416D9B9}  
4. EASY TO AROUSE (Easy to Ar)  
    {19BB5A04-F979-449C-AA93-D5A21BD368F6}  
5. DROWSY (d) {6B350814-A88A-0F05-C382-9F27830FBC09}  
6. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}  
7. STUPOROUS (Stuporous) {4C25FF58-3346-4B06-ACE5-6ADB942877A8}  
8. DIFFICULT TO AROUSE (Diff to Ar)  
    {5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}  
9. UNABLE TO AROUSE (Un to Ar)  
    {05B32DD9-E634-4B60-A58B-2E915EA2834D}

UNITS:

=====  
TERM: PCA - LIMIT DOSE - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {854503A0-5C4C-4DBE-B137-A9BE68871874}

Page: 607

=====  
Abbreviation..... PCA LIM DO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Limit Dose - Do Not Check Total  
or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MICROGRAMS        -1.00 > 0.00 \* 8000000.00 < 8001000.00  
                    Dec Prec: 2  
MILLIGRAMS        -1.00 > 0.00 \* 8000.00 < 8001.00  
                    Dec Prec: 2

=====  
TERM: PCA - LIMIT TIME  
ID: {A21D84E2-41B3-46E5-929A-71C24C575163}

Page: 608

Abbreviation..... PCA LIM TI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA - Limit Time  
Help Text..... Once the max is reached the pt will  
not be able to get any futher demand  
doses until the appropriate time has  
passed  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
1. 1 HOUR (1 HOUR) {319BA174-1624-483C-B666-4998127B0800}  
2. 4 HOUR (4 HOUR) {91B2A49D-0308-47C9-B220-63A0E318A201}  
3. 6 HOUR (6 HOUR) {0D1F000A-01F0-422C-9CB8-2A04CD479444}  
4. 8 HOUR (8 HOUR) {05E46D8F-C165-4552-8063-B735DECD4AF3}  
5. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}

UNITS:

-----

=====  
TERM: PCA - LINE CARE  
ID: {B84F9A0A-4353-4480-9DCB-F44437E41F49}  
=====

Page: 609

Abbreviation..... PCA LINE C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA Line Care  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

1. BAG CHANGED (BAG CHANGE) {818990DE-4F95-4F8E-92D8-B4D3B975CB36}  
2. CENTRAL VENOUS CATHETER (CENT VEN C)  
    {EE91E841-C09B-4432-A121-8EBAB92E9CD2}  
3. DISCONTINUED (DISCONTINU) {15E289FB-09DF-4731-9CF3-48A4E0031C31}  
4. DRESSING CHANGED (DRESS CHAN)  
    {E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}  
5. HEPLOCK (HEPLOCK) {C827FEDE-59D6-4C45-BDDA-4884FA0882F3}  
6. PATENT CLEAN (PAT CLEAN) {68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}  
7. SALINE LOCK (SALIN LOCK) {A94D7639-2A45-4319-A6C7-5A892AA6B1F4}  
8. STARTED (STARTED) {D6E105C4-5EAD-424E-8E4C-195EB7783A3D}  
9. SYRINGE CHANGED (SYR CHANGE)  
    {BE84F060-7E03-49DD-A6BC-787375C8E1F1}  
10. TUBING CHANGED/LABELED (TUBE CHANG)  
    {19BA337C-6E28-411E-9702-48B262C593FA}

UNITS:

=====  
TERM: PCA - LOCK OUT- DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {845BF472-0D5F-4B42-964D-8D8DBAD4B1D1}  
=====

Page: 610

Abbreviation..... PCA LOCK  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA Lock Out - Do Not Check Total or  
Subtotals  
Help Text..... If the patient pushes the button to  
get a dose of medication, a dose will  
not be delivered unless the last  
dose has exceeded the lock out  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MINUTE                    -1 > 0 \* 1440 < 1441      Dec Prec: 0

=====  
TERM: PCA - PUMP CLEARED  
ID: {9CD3B8C5-40C0-4EA4-8325-0B4399A91F53}  
=====

Page: 611

Abbreviation..... PCA PUMP C  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA - Pump Cleared  
Help Text..... PCA Pump Usage History Cleared  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}  
2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

=====  
TERM: PCA - REQUESTS  
ID: {851F9560-C9AB-4F6C-AB24-283F64B5943A}

---

Page: 612

Abbreviation..... PCA REQUES  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Requests  
Help Text..... Number of times patient requested  
analgesia  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
EVENT(S) -1 > 0 \* 1000 < 1001 Dec Prec: 0

=====  
TERM: PCA - TOTAL DOSE 24 HR  
ID: {C18B5B5C-B1D5-440C-964B-FD7651AF2F32}  
=====

Page: 613

Abbreviation..... Tot 24 hr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Total Dose 24 hr  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS        -1.00 > -1.00 \* 9999.00 < 9999.00  
                    Dec Prec: 2  
MILLIGRAMS        -1.00 > -1.00 \* 9999.00 < 9999.00  
                    Dec Prec: 2

=====  
TERM: PCA - TOTAL DOSE WASTED  
ID: {1FFE57C3-3A9F-4281-B949-8AABC67CBB99}  
=====

Page: 614

Abbreviation..... Wasted  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA - Total Dose Wasted  
Help Text..... Enter a PCA Total Dose Wasted  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITER        0.00 > 0.00 \* 1000.00 < 1000.00  
                    Dec Prec: 2

=====

TERM: PCA - TOTAL MCG PER SHIFT  
ID: {5EEA95D7-D6D8-4FA4-AD1F-C40303A145A5}

=====

Page: 615

Abbreviation..... PCA mcg sh  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Micrograms per Shift  
Display Name..... PCA - Total mcg Per Shift  
Help Text..... Micrograms per Shift  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS PER SHIFT      0.0 > 0.0 \* 800.0 < 5000.0  
Dec Prec: 1

=====  
TERM: PCA - TOTAL MG PER SHIFT  
ID: {58CCC88B-404B-4D47-A131-472950622B2B}  
=====

Page: 616

Abbreviation..... PCA mg shf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Milligrams per Shift  
Display Name..... PCA - Total mg Per Shift  
Help Text..... Milligrams per Shift  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIGRAMS PER SHIFT      0.0 > 0.0 \* 64.0 < 300.0 Dec Prec: 1

=====  
TERM: PCA - VOLUME REMAINING - DO NOT CHECK TOTAL OR SUBTOTALS      Page: 617  
ID: {7A6CB341-8E80-4F5C-B399-857409777BB1}  
=====

Abbreviation..... PCA VOL RE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Volume Remaining - Do Not Check  
Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER      -1.00 > 0.00 \* 8000.00 < 8001.00  
Dec Prec: 2

=====  
TERM: PCA - VOLUME START - DO NOT CHECK TOTAL OR SUBTOTALS Page: 618  
ID: {B5644934-F363-4BE1-BC2D-473BDECBA9AC}  
=====

Abbreviation..... PCA VOL ST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... PCA - Volume Start - Do Not Check  
Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLILITER        -1.00 > 0.00 \* 8000.00 < 8001.00  
Dec Prec: 2

=====  
TERM: PCA: 2ND VERIFIER  
ID: {490315DA-8504-46D2-BB82-0BAF792FDEEB}  
=====

Page: 619

Abbreviation.....PCA2Verify  
Active.....Yes  
Boolean Value False.....No  
Boolean Value True.....Yes  
Data Type.....Boolean  
Description.....  
Display Name.....PCA 2nd Verifier  
Help Text.....Enter 2nd nurse name in comments for  
initial order, change in order,  
loading dose, and/or bolus doses  
Multi Select Picklist.....  
Term Type.....OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PCA: ABILITY TO REPORT PAIN AND USE PCA WITHOUT REQUIRING CLUES? Page: 620  
ID: {9902F7A3-E3A2-4134-BDDF-54A99CF23D37}

=====

Abbreviation..... PCA: Pain  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... PCA: Ability to Report Pain and Use  
PCA without Requiring Clues?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PCA: AOX3 FOR PCA USE?  
ID: {B93369BE-2CD0-455E-9CF8-DD2FD1AB2768}

=====

Page: 621

Abbreviation..... PCA:AOX3  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... PCA: AOX3 for PCA Use?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PCA: CONTINUOUS RATE  
ID: {59CA3413-FD56-476C-805B-52993B8261FB}  
=====

Page: 622

Abbreviation..... PCA: cont  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA: Continuous Rate  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS -1.00 > 0.00 \* 100.00 < 101.00  
Dec Prec: 2  
MILLIGRAMS -1.00 > 0.00 \* 100.00 < 101.00  
Dec Prec: 2

=====  
TERM: PCA: LOADING DOSE GIVEN  
ID: {5F37A8D2-E833-4D33-BEA3-A258206F4008}  
=====

Page: 623

Abbreviation..... PCA:Load  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA: Loading Dose Given  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS        -1.00 > 0.00 \* 100.00 < 101.00  
                    Dec Prec: 2  
MILLIGRAMS        -1.00 > 0.00 \* 100.00 < 101.00  
                    Dec Prec: 2

=====  
TERM: PCA: MAX LIMIT PER HOUR  
ID: {8BB1920F-C4A6-4C9C-8B7F-17D2FB7852C8}  
=====

Page: 624

Abbreviation..... PCA:Max  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA: Max Limit per Hour  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIGRAMS PER HOUR      0.00 > 0.00 \* 20.00 < 100.00  
                                Dec Prec: 2  
MICROGRAMS PER HOUR      0.00 > 0.00 \* 220.00 < 500.00  
                                Dec Prec: 2

=====  
TERM: PCA: MEDICATION ORDERED  
ID: {20377876-DDB9-49C7-BAC3-C46C515AE968}  
=====

Page: 625

Abbreviation..... PCA:MedOrd  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA: Medication Ordered  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

10. FENTANYL (Fentanyl) {C0740659-05FB-4513-BD0F-4F4111B32215}  
20. HYDROMORPHONE (Hydromorph)  
{8E6E9DB1-C969-4274-9761-C9830A9FCF67}  
30. MORPHINE (Morphine) {E2E532F2-C992-4987-A3F2-80F832D89373}

UNITS:

=====  
TERM: PCA: MODE  
ID: {7CAE5B29-5855-4E16-85DF-4886AF9A75E6}  
=====

Abbreviation..... PCA MODE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... PCA: Mode  
Help Text..... Patient Controlled Analgesia Mode  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. CONTINUOUS ONLY (Cont Only)  
{4BFFF2BC-837C-4D62-B811-0E547247D4D0}
- 2. PCA + CONTINUOUS (PCA+Cont)  
{D711BB51-0662-4DD0-8654-C737F6A6686A}
- 3. PCA ONLY (PCA ONLY) {30E0441A-1098-4FE9-B277-BF2BBD6B1667}

UNITS:

=====  
TERM: PCA: ORDERED DOSE RANGE  
ID: {B3B732E4-786A-403A-9CAC-DA141FF23CDA}  
=====

Page: 627

Abbreviation..... PCA: Range  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... PCA: Ordered Dose Range  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MICROGRAMS -1.00 > 0.00 \* 100.00 < 101.00  
Dec Prec: 2  
MILLIGRAMS -1.00 > 0.00 \* 100.00 < 101.00  
Dec Prec: 2

=====  
TERM: PCA: ORDERED DOSE RANGE (FREE TEXT)  
ID: {26F2926C-025B-4BD0-A6F5-76E2EFEFF15C}

Page: 628

=====  
Abbreviation..... Dose Range  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... PCA: Ordered Dose Range (Free Text)  
Help Text..... Enter the dosage range as ordered by  
provider.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: PCA: ORDERED PROFILE  
ID: {09FF42D5-6401-4B7C-B704-EC9383D1AF8B}  
=====

Page: 629

Abbreviation..... PCA: Prof  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA: Ordered Profile  
Help Text..... Select the PCA Profile ordered by the provider.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 10. OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED) (OP Naive)  
{0092A10D-CD6F-467F-BA67-4CD8F16107B2}  
20. OPIOID TOLERANT (USE OF LONG ACTING ALLOWED; CONT RATE ALLOWED) (OpioidToler)  
{53A60D70-8137-454A-B7FA-8B5193A07B66}  
30. BREAKTHOUGH (SHORT ACTING ORAL OPIOIDS ARE PRIMARY ANALGESIC) (Breakthr)  
u) {6A0E6D5C-F687-411E-8DDE-FA7958AF84D1}  
40. COMFORT CARE (PALLIATIVE CARE CONSULT REQUIRED) (PallConRq)  
{9CFDF433-3F2A-4172-BD56-7EB055EC11E2}  
50. COMFORT CARE SUBCUTANEOUS (CCSub)  
{78E50664-373F-4F55-8359-8BF98917C157}

UNITS:

-----

=====

TERM: PCA: ORIENTED TO PERSON, PLACE, AND TIME?  
ID: {1CCDC902-9C82-405C-8DBE-2C6C5F2517F4}

=====

Page: 630

Abbreviation..... PCA:Orient  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... PCA: Oriented to Person, Place, and  
Time?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PCA: RASS SCORE +1, 0, -1?  
ID: {DC804859-7D4E-482C-9609-B36E39B18AB7}

Page: 631

=====  
Abbreviation..... PCA: Rass  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... PCA: Rass Score +1, 0, -1?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PCA: RESPIRATORY PATTERN  
ID: {5A4D2112-DF03-40EE-98A6-AA6DA83EF36C}  
=====

Page: 632

Abbreviation..... PCA: Resp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA: Respiratory Pattern  
Help Text..... Respiratory pattern as per PCA  
protocol.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 10. NORMAL: NORMAL DEPTH, REGULAR, EFFORTLESS, CLEAR (PCA: Norm)  
{5695B505-985A-48E1-9B75-97BC53D31121}  
20. PARTIALLY BLOCKED: SNORING/NOISY BREATHING (PCA: Part)  
{3E006C3C-CD4E-4B85-ACF5-BAE5D7348184}  
30. OBSTRUCTED: BLOCKED AIRWAY, NO AIR MOVEMENT (PCA:Obstru)  
{6C3B00BE-ECFC-4D17-96F6-B5B52C51AB50}  
40. SHALLOW: SHALLOW RESPIRATIONS (PCA:Shall)  
{CA1E7A66-F03D-4AF3-A36E-23EB45271E62}  
50. DEEP: DEEP RESPIRATIONS (PCA: Deep)  
{E447C08C-786F-4686-AC7E-CB11625A5E3D}  
60. LABORED: INCREASED EFFORT, ACCESSORY MUSCLES/NASAL FLARING (PCA:Labor)  
{D2A21260-C746-4ACA-B738-A1AD838D66FD}

UNITS:

-----

=====

TERM: PCA: RISK FOR RESPIRATORY DEPRESSION ASSESSED?  
ID: {F9169E31-5524-47E5-9E7B-0870F865CF80}

=====

Page: 633

Abbreviation..... PCA:Depres  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... PCA: Risk for Respiratory Depression  
Assessed?  
Help Text..... Increased risk if Opioid naive,  
chronic high dose opioid use, sleep  
apnea, CHF, COPD, obesity, receiving  
drugs that potentiate opioids (i.e.  
Benzodiazapines), older age, etc.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PCA: RR11/MIN OR GREATER?  
ID: {74A1BE8D-645D-436D-B3BC-EA7CD7E66067}  
=====

Page: 634

Abbreviation..... PCA: R>11  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... PCA: RR >11Min or Greater?  
Help Text..... If RR is less than 11/min, follow PCA  
protocol and contact provider.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: PCA: SIDE EFFECTS  
ID: {86D637CB-00FC-4F7D-B504-0124FCB7C1A8}  
=====

Page: 635

Abbreviation..... PCA: Side  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PCA: Side Effects  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

1. NAUSEA (NAUSEA) {6BF33DC3-0300-4643-BB14-27C35692B806}  
2. VOMITING (VOMITING) {921F463C-1639-4D13-8E4E-6D3A1B6927F9}  
3. URINARY RETENTION (Urinary Re)  
    {959EBBDC-7F67-42EC-8CF0-295F709BB433}  
4. WEAKNESS (Weakness) {E4C6D569-7961-4CB4-8E90-A02A31F98094}  
5. HYPOTENSION (Hypotensio) {1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}  
6. ITCHING (Itching) {3A1FB47B-F274-458D-BDF6-E6882D6CB600}  
7. TINNITUS (Tinnitus) {846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}  
8. CONFUSION (Confusion) {4C1B8247-75C4-4C60-970B-3D7F07BD1164}  
9. SOMNOLENT (Somnolent) {008A3F20-DD3D-4775-AA18-CCA7B817A77D}  
10. RESPIRATORY DEPRESSION (Resp Depr)  
    {A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}  
11. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}  
12. MYOCLONUS (Myoclonus) {E2D85E93-CA92-4596-8772-153E890BD704}

UNITS:

=====  
TERM: PEAK INSPIRATORY PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS Page: 636  
ID: {05BD86DC-10C3-C4EB-1359-C2406381F357}  
=====

Abbreviation..... PK INSP PR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Peak Inspiratory Pressure - Do Not  
Check Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 2 entries

-----  
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}  
2. BIPAP (BiPap) {8DB1A535-646B-4A22-9627-DC67F352BBC}

UNITS:

-----  
CENTIMETERS H2O 0 > 5 \* 100 < 200 Dec Prec: 0

=====  
TERM: PERIPHERAL-VASCULAR: COLOR  
ID: {CDBE235C-8B82-4452-B4CA-394C5CF470FC}  
=====

Page: 637

Abbreviation..... PV: Color  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PERIPHERAL-VASCULAR: Color  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

10. PALLOR (Pallor) {AB9133C6-DE43-4BEC-A307-1296CF834E0C}  
20. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
30. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}

LOCATION: 4 entries

10. ARM (Arm) {19BD5170-8E49-4B83-85EA-D9BE3087D144}  
20. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
30. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
40. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

Abbreviation..... PV:Move  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PERIPHERAL-VASCULAR: Movement  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

10. GOOD (GOOD) {39ECA304-49F9-44B7-9735-B33CEC9D8119}  
20. LIMITED (Limited) {07D32A34-3E08-4C57-9918-C1985633D641}  
30. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 4 entries

10. ARM (Arm) {19BD5170-8E49-4B83-85EA-D9BE3087D144}  
20. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}  
30. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
40. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====

Abbreviation..... PV:Sensatn  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PERIPHERAL-VASCULAR: Sensation  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

10. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
20. IMPAIRED (Impaired) {EEC3C3F6-BF3A-4103-B18F-C58D22D41552}  
30. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
40. NUMBNESS (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
50. BURNING (BURNING) {D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}  
60. PHANTOM LIMB (PhanLimb) {C2431341-5151-4EC3-B22E-C46E2448CC6B}  
70. PINS & NEEDLES (Pins&Need)  
{BCE9007D-31FC-4834-AF75-E84E09735CC7}  
80. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
90. UNABLE TO ASSESS: PARALYTICS (UtA:Paraly)  
{F69A0754-5DAE-44CF-888F-5A137206C46B}  
100. UNABLE TO ASSESS: SEDATED (UtA: Sedatd)  
{EEA03C6D-73DE-4F22-882D-536FC99AD66F}  
110. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

LOCATION: 4 entries

10. ARM (Arm) {19BD5170-8E49-4B83-85EA-D9BE3087D144}  
20. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
30. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
40. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: PERIPHERAL-VASCULAR: TEMPERATURE  
ID: {64D756BB-0A6D-4518-8800-3B1A81B34F9A}  
=====

Page: 640

Abbreviation..... PV: Temp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... PERIPHERAL-VASCULAR: Temperature  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

10. COOL (COOL) {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}  
20. WARM (WARM) {E03BBEB4-5643-968F-190F-309A1293FCF9}

LOCATION: 4 entries

10. ARM (Arm) {19BD5170-8E49-4B83-85EA-D9BE3087D144}  
20. HAND (Hand) {1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
30. LEG (Leg) {8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
40. FOOT (Foot) {FA0CD721-5592-49C5-A7FB-CE1D25A26128}

POSITION: 3 entries

10. LEFT (Left) {5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
20. RIGHT (Right) {B66EABF4-A800-40DD-869F-7423173989FB}  
30. BILATERAL (Bilateral) {47B72791-00D4-4444-B765-401038B3D189}

UNITS:

=====  
TERM: PLAN OF CARE - REVISION INDICATED  
ID: {DE8BBB70-21B4-4955-BEC4-C1E71BBA3E31}  
=====

Page: 641

Abbreviation..... POC REV I  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Plan Of Care Revision Indicated  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

=====  
TERM: PLANTAR FLEXION  
ID: {4BBDBB76-053B-CA20-908E-017F5956DF5E}  
=====

Page: 642

Abbreviation..... PLANFL  
Active..... Yes  
Boolean Value False..... Absent  
Boolean Value True..... Present  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Plantar Flexion  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: PR INTERVAL  
ID: {3657545A-7138-94C0-03A5-3136C51B0369}  
=====

Page: 643

Abbreviation..... PR INTERVA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... The PR interval is measured from the  
beginning of the P wave to the  
beginning of the QRS complex  
Display Name..... PR Interval  
Help Text..... The PR interval is measured from the  
beginning of the P wave to the  
beginning of the QRS complex  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
SECOND            0.00 > 0.12 \* 0.20 < 1.00 Dec Prec: 2

Abbreviation..... Precaution  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Precautions  
Help Text..... Identify type of precaution(s)  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

-----  
10. ASPIRATION (ASPIRATION) {68B91085-8E3C-4B94-9F97-6305F5DFD900}  
20. CHEMOTHERAPY (Chemo) {4B0F2808-0090-4646-BE79-A745A9073F2C}  
30. COMBATIVE (c) {DF65D42D-6CAA-657E-AEE1-C070C1FDF177}  
40. ELOPEMENT RISK (Elope Risk)  
{4AFA7128-158F-4FAF-9090-FE1791B588D0}  
50. HOMICIDAL (Homicidal) {0EEDE139-7DBA-4FD3-BC49-F3ED0A5091BA}  
60. RADIATION (Radiation) {D417338D-3C28-4111-9112-C91761FE88EA}  
70. RESTRICTED EXTREMITY (Res Extrem)  
{TBC82415-996E-46F2-B2BC-DF0705AD2AA3}  
80. SEIZURE (Seizure) {8B213452-8875-4607-8875-1EA5D8247C99}  
90. SKIN RISK (Skin Risk) {517CCC23-C401-41A2-999C-262458CC90FA}  
100. SUICIDAL (s) {B104E9C7-A78E-82DC-49A4-19B94A639AFE}  
110. AIRBORNE (AIRBORNE) {D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}  
120. DROPLET (DROPLET) {CE1DD314-8A30-4785-BD56-1540CDA85146}  
130. CONTACT (CONTACT) {958F2B5E-F980-47B6-A7F7-EE7D5520B61F}  
140. NEUTROPENIC (NEUTROPENI) {5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}

UNITS:

-----

=====  
TERM: PRECAUTIONS: SPINAL  
ID: {1203AE6E-7B36-4EF3-A36A-3B242DFA742A}  
=====

Page: 645

Abbreviation..... Prec:Spine  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Precautions: Spine  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. FULL SPINAL PRECAUTIONS (FULL S P)  
{42ADB74D-12CC-4111-B181-626C0F01BC7C}  
20. THORACIC SPINAL PRECAUTIONS (THOR S P)  
{D55AEF23-7F5E-45DD-A178-F217E6AF3873}  
30. CERVICAL SPINAL PRECAUTIONS (CERV S P)  
{A15F7127-2367-464A-AB7D-1E6A7C09AA21}  
40. LUMBAR SPINAL PRECAUTIONS (LUMB S P)  
{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}

UNITS:

=====  
TERM: PREPROCEDURE: 12 LEAD EKG DONE?  
ID: {98DB7D48-ED01-4F73-BD71-82C62F0EBBD2}  
=====

Page: 646

Abbreviation..... Pre-Prc 12  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: 12 lead EKG done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... Pre-Allerg  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Allergies Reassessed  
and Documented  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

---

1. PATIENT STATED (Pat Stated)  
{843654E1-4BC9-4277-9EFC-0B388A70A907}
2. FAMILY STATED (Fam Stated)  
{07A4B749-65F2-48E8-AD93-D142B04055B4}
3. CHART VERIFIED CORRECT (Chart Ver)  
{319E702F-C7A9-409D-881F-3F4D1D9AF393}
4. ALLERGY WRISTBAND (Wristband)  
{BB7F6746-102D-4CBA-8E53-EA465176812B}

UNITS:

---

=====  
TERM: PREPROCEDURE: ANTIBIOTIC GIVEN?  
ID: {07D521A2-01EA-404F-96C9-40EBE772E514}  
=====

Page: 648

Abbreviation..... Pre-Prc Gv  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Antibiotic given?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: ANTIBIOTIC ORDERED?  
ID: {5FBF230D-E096-4980-B96D-B7BB264AE733}

=====

Page: 649

Abbreviation..... Pre-Prc An  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Antibiotic ordered?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?  
ID: {9A3B98C0-9478-4BFA-9274-450D8DF363DC}

---

Page: 650

Abbreviation..... Pre-Prc Bl  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Blood Transfusion  
consent current?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: PREPROCEDURE: BLOOD TRANSFUSION PREFERENCE?  
ID: {42BD0D96-88A9-44CB-94D7-BF43A7F86946}

Page: 651

Abbreviation..... Tran Pref  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Blood Transfusion  
Preference?  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
10. NO PREFERENCE (No Pref) {CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}  
20. AUTOLOGOUS (Autologous) {666DDEC1-5D32-47F6-813C-09F50B4040D2}  
30. KNOWN DONOR (Known) {74BEA6F1-8FA5-49C7-9198-957838B1C971}  
40. DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (Declines)  
{6956B7C1-5996-4ED0-91B7-040992E11DED}

UNITS:

-----

=====  
TERM: PREPROCEDURE: CHEST XRAY DONE?  
ID: {37CC251D-A494-4E4C-AECA-D90C4AEAEF4F}  
=====

Page: 652

Abbreviation..... Pre-Prc Xr  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Chest Xray done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: DENTURES REMOVED?  
ID: {BA505699-D88A-41FB-AAC7-DCBE13D35D0C}  
=====

Page: 653

Abbreviation..... Pre-Dentur  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Dentures removed?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: DISPOSITION OF CLOTHING  
ID: {607C2938-639D-417D-9CFE-6FC1A6CEDB7F}  
=====

Page: 654

Abbreviation..... Clothing  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Disposition of Clothing  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 7 entries

1. CLOTHING ROOM (Cloth Room)  
{8F116C60-10B1-4033-93F2-9121629CD608}
2. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}
3. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
4. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
5. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
6. UNDER STRETCHER/BED (Stretcher)  
{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}
7. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS: .....  
=====

Abbreviation..... Pre-Val  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Disposition of Valuables  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. CLOTHING ROOM (Cloth Room) {8F116C60-10B1-4033-93F2-9121629CD608}
2. AGENT CASHIER (Cashier) {3849A887-F353-4215-88FD-DDD0188BE1BB}
3. LOCKER (Locker) {36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}
4. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
5. FAMILY (FAMILY) {1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}
6. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
7. LOCK BOX (Lock Box) {974A2F44-C918-4E85-ABA0-03A21498F98B}
8. N/A (n) {B3DBE3FD-C5CB-3894-607A-BE13319594D0}

UNITS: .....  
=====

=====

TERM: PREPROCEDURE: DRAINAGE BAG EMPTIED?  
ID: {5520FD8E-7B0B-45AD-A3BC-554CEBBC7109}

=====

Page: 656

Abbreviation..... Dr Bag Emp  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Drainage Bag Emptied?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... Pre-driver  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Driver/Escort to Home  
Confirmed  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
1. SPOUSE (Spouse) {2C601365-23F9-4939-9B63-F73720A17199}
  2. FRIEND (FRIEND) {03902E48-AF86-432A-8372-37796A55F625}
  3. RELATIVE (Relative) {F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}
  4. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}

UNITS:

---

=====

TERM: PREPROCEDURE: FINGERSTICK GLUCOSE DONE?  
ID: {98B3541C-372E-4876-ABD2-74E04AF23DF0}

=====

Page: 658

Abbreviation..... Pre-Finger  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Fingerstick Glucose done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: GLASSES / CONTACTS REMOVED?  
ID: {FBE31829-FEFC-4C11-8D62-EDCF94EA28EF}

=====

Page: 659

Abbreviation..... Pre-Glass  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Glasses / Contacts  
removed?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: H AND P CURRENT?  
ID: {CF191D5F-A3FF-4169-8A47-1C799BA22C48}  
=====

Page: 660

Abbreviation..... Pre-Prc HP  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: H and P current?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: PREPROCEDURE: HEARING AIDS IN PLACE?  
ID: {173DAC5E-4332-4D0B-A232-98DA65305234}

=====

Page: 661

Abbreviation..... Pre-Hear  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Hearing Aids in place?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: HOME MEDICATIONS TAKEN/TIME  
ID: {9700CD4B-2EB1-4205-B88E-405A1F77A025}

Page: 662

=====  
Abbreviation..... Home Meds  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Preprocedure: Home Medications  
taken/time  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: HOSPITAL GOWN ON?  
ID: {62B89BA3-009B-4A2A-A6E4-E82B527FBC40}

=====

Page: 663

Abbreviation..... Pre-Gown  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Hospital Gown on?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: INFORMED CONSENT CURRENT  
ID: {068445ED-622A-4549-842D-0D88922EF8CE}  
=====

Page: 664

Abbreviation..... Pre-Prc In  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Informed Consent current?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: JEWELRY REMOVED?  
ID: {8220E017-8816-452A-B2E1-07209A167781}  
=====

Page: 665

Abbreviation..... Pre-Jewel  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Jewelry Removed?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: LABS DONE?  
ID: {88D2EB1F-C5E5-4190-A697-17C1E078A12B}  
=====

Page: 666

Abbreviation..... Pre-Prc La  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Labs Done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: NPO SINCE (DATE/TIME)  
ID: {64F57F8D-DDB7-4CB7-9C71-F9C6C334F717}

Page: 667

=====  
Abbreviation..... Pre-NPO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Preprocedure: NPO Since (Date/Time)  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: PLANNED DISPOSITION POST PROCEDURE  
ID: {E1A863DE-002C-47DD-A3AF-A5012F878CD6}  
=====

Page: 668

Abbreviation..... Plan Disp  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Disposition Post  
Procedure  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}  
20. WARD (WARD) {A16CB5CB-3401-4F6C-8467-7F78FC929872}  
30. OUTPATIENT (Outpatient) {CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}  
40. CONTRACT CARE FACILITY (Contr Care)  
{74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}  
50. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====  
TERM: PREPROCEDURE: PLANNED PROCEDURE  
ID: {696F0ABC-ADA5-4BDF-8EE6-CF9FCA84581C}  
=====

Page: 669

Abbreviation..... Pre-Prc PI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Preprocedure: Planned Procedure  
Help Text..... Enter name of procedure to be performed  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: PREMEDICATION ADMINISTERED?  
ID: {05DCC583-7E1E-4D21-AED5-726A507C2A07}  
=====

Page: 670

Abbreviation..... Pre-Admin  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Premedication  
Administered?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: PREMEDICATION ORDERED?  
ID: {13AD97AD-C093-4341-BC4E-834A5B016727}

=====

Page: 671

Abbreviation..... Pre-Meds  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Premedication ordered?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY  
ID: {A9CAE001-E29B-42AB-B353-63E255803169}  
=====

Page: 672

Abbreviation..... Site Marke  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Preprocedure: Procedure Site Marked  
                  Correctly  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE:                          4 entries

- 
- 1. YES (y)                         {483DE806-2EDB-34B0-FE11-C29EEEA649CD}
  - 2. NO (n)                         {FC275445-1225-9912-18A3-DF36245893D3}
  - 3. SITE UNABLE TO BE MARKED (Unable/Mar)  
                                       {E7BA9E0F-1F12-4F74-B48E-B6212D217B30}
  - 4. PATIENT REFUSES MARKING (Pat Refuse)  
                                       {93CE893B-AFE1-4047-9EE9-2AD6388C0086}

UNITS:

---

=====

TERM: PREPROCEDURE: PROSTHETICS/IMPLANTS?  
ID: {3D026E62-A5F3-4F9E-93D9-401B23EF32FB}

=====

Page: 673

Abbreviation..... Pre-Pros  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Prosthetics/Implants?  
Help Text..... This can be used for identifying  
implants the patient possess and the  
information captured from patient,  
family or other source  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: PULMONARY FUNCTION TEST DONE?  
ID: {F818A685-84D0-450D-B81A-72F2EE4714D7}

---

Page: 674

Abbreviation..... P/F Test?  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Pulmonary Function Test  
Done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP NIGHT BEFORE? Page: 675  
ID: {6CA6D46F-D9A9-49F3-95C3-EE0F91CB852E}  
=====

Abbreviation..... Chlor PM?  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Shower/Bath W  
Chlorhexidine Soap Night Before?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP THIS AM? Page: 676  
ID: {E88314D8-0870-42E5-84CE-9A9A90151142}  
=====

Abbreviation..... Chlor AM?  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Shower/Bath W  
Chlorhexidine Soap this AM?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: PREPROCEDURE: TYPE AND CROSS MATCH DONE?  
ID: {6CC89C30-4F13-4ECA-9D80-2A80BEB13120}

=====

Page: 677

Abbreviation..... Pre-Prc Cr  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Type and Cross Match  
done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: TYPE AND SCREEN DONE?  
ID: {801BD31C-760C-41DD-BE7B-F55B5C7018AD}  
=====

Page: 678

Abbreviation..... Pre-Prc TS  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Type and Screen done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PREPROCEDURE: VITALS SIGNS DONE?  
ID: {749E6863-8E6B-43F2-A521-84959FF0260B}  
=====

Page: 679

Abbreviation..... Pre-Vitals  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Vitals Signs done?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: PREPROCEDURE: VOIDED?  
ID: {F35A4852-958D-4F51-A36F-1730EC7629E3}  
=====

Page: 680

Abbreviation..... Pre-Voided  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Preprocedure: Voided?  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: PRESSURE ULCER COLOR  
ID: {CC98B260-63A7-43DF-956C-AFE2EE8974D4}  
=====

Page: 681

Abbreviation..... PR UL COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Color  
Display Name..... Pressure Ulcer Color  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 6 entries

2. BLACK/NECROTIC (BLACK/NECR)  
{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}  
3. YELLOW/FIBRINOUS (YELLOW/FIB)  
{47CF52FE-0374-4690-ADA1-643E0954E035}  
40. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
50. PINK / GRANULATING (Pink/Gran)  
{05245B27-3292-48B2-9F37-6AB9BB92395B}  
60. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}  
70. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

=====  
TERM: PRESSURE ULCER DEPTH  
ID: {A829C7B5-B0E5-4B7B-882A-BA63337C65F8}  
=====

Page: 682

Abbreviation..... PR UL DEPT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Ulcer Depth  
Display Name..... Pressure Ulcer Depth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER        -1.00 > 0.00 \* 20.00 < 40.00  
                    Dec Prec: 2

=====  
TERM: PRESSURE ULCER DRAINAGE CHARACTER  
ID: {A1A771D4-AF2C-4023-9265-461975D995CF}  
=====

Page: 683

Abbreviation..... PR UL DRAI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Drainage Character  
Display Name..... Pressure Ulcer Drainage  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 9 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
3. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
4. SEROSANGUINOUS (SEROSANGUI)  
{19A8D332-899D-177A-2247-ABCDAAE3BFA8}
5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
8. VISCOUS (VISCOUS) {0E8019D5-F2DB-46B8-B750-41568DD0179C}
90. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS: .....  
=====

Abbreviation..... PR UL D P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Pressure Ulcer Dressing Prevents  
Assessment  
Display Name..... Pressure Ulcer Dressing Prevents  
Assessment  
Help Text..... Does the pressure ulcer dressing  
prevent a full assessment?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: PRESSURE ULCER LENGTH  
ID: {B31F418F-99E1-4273-BB5B-3C56745B38C5}  
=====

Page: 685

Abbreviation..... PR UL LENG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Ulcer Length  
Display Name..... Pressure Ulcer Length  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER        -1.00 > 0.00 \* 50.00 < 100.00  
                    Dec Prec: 2

=====  
TERM: PRESSURE ULCER ODOR  
ID: {48FE49CA-D1FE-4812-ACB2-D4540B0EC2B9}  
=====

Page: 686

Abbreviation..... PR UL ODOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Odor  
Display Name..... Pressure Ulcer Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
2. FOUL SMELLING (FOUL SMELL)  
{761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS: .....  
=====

=====  
TERM: PRESSURE ULCER PHOTOGRAPHED  
ID: {453C53C4-516D-4FE6-9032-496517880D3F}  
=====

Page: 687

Abbreviation..... PR UL PHOT  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the pressure ulcer photographed?  
Display Name..... Pressure Ulcer Photographed  
Help Text..... Was the pressure ulcer photographed?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: PRESSURE ULCER PREVENTION DEVICE TYPE  
ID: {4C16776B-B53E-441C-AA73-BA1083D9F626}

Page: 688

Abbreviation..... PR ULC BOO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Prevention Boots  
Display Name..... Pressure Ulcer Prevention Devices  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 1. ELBOW PAD (ELBOW PAD) {26942F81-1E33-4962-B772-A96FFBCED814}  
2. FOAM AIR HEEL ELEVATOR (FO AI HEEL)  
{4EC26AA3-4577-4808-8728-F360C5C5A0D4}  
3. HEEL LIFT (HEEL LIFT) {974F90E6-382D-421A-A4CE-94A74CBEFC32}  
5. INFLATABLE HEEL LIFT (INF HEEL L)  
{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}  
6. RIGID HEEL SPLINT (RIG HEEL S)  
{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}  
7. MULTIPODOUS (MULTIPODOU) {ED098F9D-B204-4310-813A-98D91FF9DD25}  
8. WAFFLE (WAFFLE) {29A0FA73-CAA7-4660-9861-79A09F6DD98C}  
90. SPECIALTY MATTRESS/BED (Specialty)  
{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}  
100. OTHER (ADD COMMENTS) (Other)  
{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}

UNITS:

Abbreviation..... PRE ULC RF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Pressure Ulcer Risk Factors  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 9 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. BARIATRIC PATIENT (BARIAC PAT)  
(6F614334-685E-4533-A475-BDF5440855EA}
3. DEVICE RELATED PRESSURE (DEV REL PR)  
(3AED6107-A173-4B53-8EB5-2FB2B3336FC5}
4. END OF LIFE CARE (END LIFE)  
(047D8977-0567-4B90-AD6A-3AAF8DB35238}
5. HYPOALBUMINEMIA (HYPOALBUM)  
(A3397F38-2491-48E7-8366-A6FA2D91E866}
6. VASOPRESSOR (VASOPRESS) {591FCB09-1287-48C6-8007-4CE961296BA9}
7. REFUSE TO MOVE (REF TO MOV)  
(E14588CE-2498-4FE8-AB0B-E954DC1696AC}
8. UNSTABLE (UNSTABLE) {5841C521-8070-4034-A69D-27DAB2990EB3}
9. VERY LOW BMI (LOW BMI) {78B3A37B-938B-42E5-A403-75E206722BC3}

UNITS: .....  
=====

=====  
TERM: PRESSURE ULCER SINUS/UNDERMINING  
ID: {CAE9260D-3B9E-433E-8FCD-F5D98A0EB02D}  
=====

Page: 690

Abbreviation..... PR UL SINU  
Active..... Yes  
Boolean Value False..... Not Present  
Boolean Value True..... Present  
Data Type..... Boolean  
Description..... Pressure Ulcer Sinus/Undermining  
Display Name..... Pressure Ulcer Sinus/Undermining  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: PRESSURE ULCER STAGE/SITE  
ID: {4DA7EC17-AF79-4FCC-A75F-F1CEB4FE1172}

Page: 691

Abbreviation..... PR UL STAG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Pressure Ulcer Stage  
Display Name..... Pressure Ulcer Stage  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

7. SUSPECTED DEEP TISSUE INJURY (SUS DEEP T)  
(E82B4082-646F-4B5A-B68E-BB0872A4F6D2}  
8. STAGE I (STAGE I) {B376AAAF-7143-4422-BCA2-CACF1201817C}  
9. STAGE II (STAGE II) {B520BEA3-841E-490A-A3CD-63D1027B561F}  
10. STAGE III (STAGE III) {A2F0866C-ECEE-4FC3-A34B-498232662D7E}  
11. STAGE IV (STAGE IV) {284334AA-E488-4D45-93EF-9B93B2086A63}  
12. UNSTAGEABLE (UNSTAGEABL) {5C507F64-2EC0-4FD8-A786-94D76D90C0D1}

LOCATION: 51 entries

1. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}  
2. HEAD OCCIPITAL (HEAD OCCIP)  
(2066CA47-5A16-447F-9919-24ED435B627F}  
3. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}  
4. L ANTECUBITAL (L ANTECUBI)  
(C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}  
5. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}  
6. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}  
7. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
8. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
9. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}  
10. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}  
11. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}  
12. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}  
13. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}  
14. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
15. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}  
16. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}  
17. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}  
18. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}  
19. L TROCHANter (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}  
20. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
21. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}  
22. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}  
23. R ANTECUBITAL (R ANTECUBI)  
(7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}  
24. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}  
25. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}  
26. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
27. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}  
28. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}  
29. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}  
30. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}  
31. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}

32. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}  
33. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
34. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}  
35. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}  
36. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}  
37. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}  
38. R TROCHANTER (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}  
39. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
40. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}  
41. FOREHEAD (FOREHEAD) {5F892722-956E-474C-BA08-4074142D49F6}  
42. L LATERAL HEEL (L LAT HEEL)  
{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}  
43. R LATERAL HEEL (R LAT HEEL)  
{A1896CF9-0246-4323-8DED-E4B5FB12CACE}  
44. L MEDIAL HEEL (L MED HEEL)  
{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}  
45. R MEDIAL HEEL (R MED HEEL)  
{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}  
46. L LATERAL MALLEOLUS (L LAT MALL)  
{9A523B7C-64DD-4E47-9543-165788108D4C}  
47. R LATERAL MALLEOLUS (R LAT MALL)  
{950FC45B-93E8-424F-A5D4-DE646166D7B0}  
48. L MEDIAL MALLEOLUS (L MED MALL)  
{330E7682-407F-43CD-84FC-1CDA41F08C68}  
49. R MEDIAL MALLEOLUS (R MED MALL)  
{C70FB4FA-6516-4567-8E26-46BA439F1DF4}  
50. SCROTUM (SCROTUM) {BDC109F5-0D30-4914-A62C-CEFEB448B547}  
51. TRACHEOSTOMY (TRACHEOSTO) {4D12329A-56C8-4175-986F-2F0B68EB7E6D}

UNITS:

---

=====  
TERM: PRESSURE ULCER TREATMENT  
ID: {669EE6DD-D4AA-417C-BB27-81F648BE25F3}  
=====

Page: 692

Abbreviation..... PR UL TREA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Methods used for treatment of  
Pressure Ulcer  
Display Name..... Pressure Ulcer Treatment  
Help Text..... Methods used for treatment of  
Pressure Ulcer  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 25 entries

1. ANTIBIOTIC OINTMENT (AB OINTMEN)  
{352D9690-77BB-44DC-919E-5357876DEAC4}
2. BACTERICIDAL (BACTERIOCI) {680E4A3C-A40A-461E-818D-003AE8A1EFC8}
3. BACTERIOSTATIC (BACTERIOST)  
{AB74D109-8ED7-4A6C-B028-7A041781DF67}
4. CADEXOMER IODINE (CADEXO IOD)  
{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}
5. CALCIUM ALGINATE (CA ALGINAT)  
{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}
6. COLLAGEN (COLLAGEN) {8D734495-2FAF-41C0-9146-55B22583A830}
7. DILUTE DAKINS SOLUTION (DL DAKINS)  
{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}
8. ENZYMATIC OINTMENT (ENZY OINTM)  
{E781DA75-8777-4884-A093-FB623774DB8F}
9. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}
10. GAUZE PACKING (GAUZE PACK)  
{6C093717-82CB-4966-929E-C909310649C1}
11. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}
12. HYDROCOLLOIDAL DRESSING (HCOLL DRES)  
{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
13. HYDROFIBER (H-FIBER) {42740A7F-A831-4FBD-9E59-88F315176674}
14. HYDROFIBER WITH SILVER (HYFIB W SI)  
{04BD9512-DE5D-421A-9818-8A33D1F0693D}
15. HYDROGEL DRESSING (H-GEL DRES)  
{F6192D10-D6EA-42C2-AB15-270659D9925C}
16. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}
17. NEGATIVE PRESSURE THERAPY DEVICE (NEG PRE TH)  
{8AF0A069-66AD-4114-99D8-238AD987F0FF}
18. SALINE MOIST DRESSING (SAL MOI DR)  
{19F98514-8ABF-461C-9969-C31177FE7DE7}
19. TRANSPARENT DRESSING (TRANSP DRE)  
{777C7722-AEA8-4A0B-9ADD-1157D37AE539}
20. PETROLATUM (PETROLATUM) {DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}
21. PORCINE SUBMUCOSA (PORC SUBMU)  
{6F3917DA-74BD-4790-9D4D-B284E27B7623}
22. SILVADENE (SILVADENE) {0889134F-C419-4366-B12E-EAB775719410}
23. XENADERM (XENADERM) {F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}
24. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AE8E4}
30. OTHER (OTHER) {19094E5B-AEC3-44B0-9BD5-44E79E7EB105}

UNITS:

-----

=====

TERM: PRESSURE ULCER TUNNEL  
ID: {584775CB-EB35-47BB-A7D4-62966A23D0DF}

=====

Page: 693

Abbreviation..... PRE ULC TU  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pressure Ulcer Tunnelling  
Help Text..... Is the Pressure Ulcer Tunnelling?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: PRESSURE ULCER TUNNEL LENGTH  
ID: {D7FC23D9-8C2B-42F0-A545-5102AFC22335}  
=====

Page: 694

Abbreviation..... PR UL TU L  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pressure Ulcer Tunnel Length  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER -1.0 > 0.0 \* 15.9 < 16.0 Dec Prec: 1

=====  
TERM: PRESSURE ULCER UNDERMINING  
ID: {CF9D2160-4E70-452C-B0D1-D14A4E5662CE}  
=====

Page: 695

Abbreviation..... PRE ULC UM  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pressure Ulcer Undermining  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====

TERM: PRESSURE ULCER WIDTH Page: 696  
ID: {2C1FCC95-E9D1-40A6-ACD7-58E0D4324E4E}

=====

Abbreviation..... PR UL WIDT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Ulcer Width  
Display Name..... Pressure Ulcer Width  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER -1.00 > 0.00 \* 50.00 < 100.00  
Dec Prec: 2

=====  
TERM: PROCEDURE LOCATION  
ID: {81AEBA1E-F786-4091-A3E3-C9516318234B}  
=====

Page: 697

Abbreviation..... Proc Loc  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Procedure Location  
Help Text..... Document physical environment in  
which the procedure is occurring.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 12 entries

1. PULMONARY PROCEDURE ROOM (Pul Prc Rm)  
{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}
2. CARDIOLOGY PROCEDURE ROOM (Cardio Rm)  
{744142F5-D301-4509-A96D-06AB8C1D2C81}
3. SPECIAL PROCEDURE ROOM (Special Rm)  
{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}
4. EMERGENCY DEPT (Emer Dept)  
{E8490DF5-278C-4102-9675-C9B40D596A10}
5. GI PROCEDURE ROOM (GI Proc Rm)  
{924532F4-B52F-4EA9-8C7D-59168B340118}
6. GU PROCEDURE ROOM (GU Proc Rm)  
{D4B6678F-C1DD-4A23-9045-574251F6CD74}
7. DENTAL (Dental) {0A60F06A-ED63-4B06-8FF9-EEFB12567D65}
8. RADIOLOGY (Radiology) {AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}
9. INTERVENTIONAL RADIOLOGY (Interv Rad)  
{322B66E6-814F-43AF-B669-E503519DB72F}
10. ICU (ICU) {E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}
11. BEDSIDE (Bedside) {481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}
12. OTHER (Other) {4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}

UNITS:

Abbreviation..... Proc Pers  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Procedure Personnel  
Help Text..... Identify personnel present  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 17 entries

10. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}  
20. NP (NP) {E7EA4017-4374-41A1-9D3D-54051CEDF63C}  
30. PA (PA) {C057C47D-780A-4230-B577-2C528AD09DEB}  
40. DENTIST (Dentist) {DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}  
50. CNS (CNS) {487A4DE0-A822-437D-87A2-75FA86D7BBDE}  
60. ANESTHESIOLOGIST (Anesthesio)  
{44BAD970-DD8F-4015-9C41-AC7868CEBE79}  
70. CRNA (CRNA) {41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}  
80. LVN/LPN (LVN/LPN) {DC89CD99-80C5-4455-A280-3A19E74DCE7D}  
90. HEALTH TECH (Health Tec) {7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}  
100. RESP TECH (Resp Tech) {8A7BA130-3EDC-4D07-A852-846B37399FC9}  
110. RAD TECH (Rad Tech) {EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}  
120. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}  
130. RN (RN) {A103E506-EAA5-4777-8126-268CD723AD87}  
140. NSG ASSIST (Nsg Assist) {14FA9638-3786-4FEA-BE8F-2345C1F455C3}  
150. VENDOR REP (Vendor Rep) {4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}  
160. TECH (Tech) {13AAF5D5-FEBC-4E09-B972-5D86BA02F307}  
170. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

=====  
TERM: PROCEDURE TIME  
ID: {709E6959-A58C-454C-A2A4-2AF69483F21B}  
=====

Page: 699

Abbreviation..... Proc Time  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Procedure Time  
Help Text..... When entering data, make sure the  
save date/time reflects the start or  
stop time.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. START TIME: (Start Time) {4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}  
2. STOP TIME: (Stop Time:) {784CA4D8-988F-4A59-8AB5-48AFC9CA210B}

UNITS:

-----

=====  
TERM: PROCEDURE, PLANNED  
ID: {87C9E441-B4EA-4F72-9CDF-B9DCC072F86A}  
=====

Page: 700

Abbreviation..... Proc, Plan  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... Procedure, Planned  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... ProsDevice  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Prosthetic Devices  
Help Text..... Select all prosthetic devices in use  
by the patient  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

-----  
10. EYE LENS (Eye Lens) {9EA92925-0EA1-4E20-9B46-1848B03F72E9}  
20. OCULAR PROSTHESIS (OcularPro)  
{6A4D5E59-FB7E-4D75-8F30-A30949DA9475}  
30. EAR (Ear) {2FCF5F1B-70ED-4994-B9E6-83FA29F1D088}  
40. BREAST (Breast) {31ABEC65-FAEE-44F9-8E1E-BD62E22E9AAE}  
50. ED IMPLANT (ED Implant) {A3BC0444-EDB8-4852-82A2-EA07B0C37D51}  
60. FACIAL (Facial) {7229B242-4C9B-4881-B7C8-A71351754DD7}  
70. JOINT (SPECIFY IN COMMENTS) (Joint)  
{7EF927CA-073D-425B-B8A8-E400E0E3C468}  
80. SPINE (Spine) {8907E33B-B967-45F1-AB1F-1A4F79D1C506}  
90. PACEMAKER (Pacemaker) {8B0A1765-9D93-4A03-96A2-D8EC0CF487D9}  
100. AICD (AICD) {EDB0E730-A1DC-4639-888B-30E956CCA958}  
110. MEDIPORT (Mediport) {E223C221-A1ED-4FC0-969F-16E33E3A0897}  
120. DIALYSIS ACCESS (Dialysis)  
{6465ED36-0818-48EC-AFE7-3BEE513770A2}  
130. TENS (TENS) {73D73BCF-D9C3-4154-8C5C-D11E62A2D328}  
140. RADIATION SEEDS (RadSeeds)  
{9285EFB0-3DEA-4E2E-BD0D-C34248065F1F}  
150. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: PULMONARY ARTERY DIASTOLIC  
ID: {A7126912-49DD-A952-8731-D06A323D2C3E}  
=====

Page: 702

Abbreviation..... PAD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pulmonary Artery Diastolic Pressure  
Display Name..... Pulmonary Artery Diastolic Pressure  
Help Text..... Pulmonary Artery Diastolic Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      0 > 8 \* 15 < 30      Dec Prec: 0

=====  
TERM: PULMONARY ARTERY MEAN PRESSURE  
ID: {BE486939-CA23-58EF-ADE2-A34D19C4F41F}  
=====

Page: 703

Abbreviation..... PAM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pulmonary Artery Mean Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)  
(CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3)

UNITS:

MILLIMETERS OF MERCURY 0 > 9 \* 19 < 50 Dec Prec: 0

=====  
TERM: PULMONARY ARTERY SYSTOLIC  
ID: {4DFDF10B-3501-87E1-0EB8-AD3772E60012}  
=====

Page: 704

Abbreviation..... PAS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pulmonary Artery Systolic  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      0 > 15 \* 25 < 50      Dec Prec: 0

=====

TERM: PULMONARY CAPILLARY WEDGE PRESSURE  
ID: {9D3EB2BE-9492-CDE3-03EC-07FE580E22E0}

=====

Page: 705

Abbreviation..... PCWP WEDGE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Pulmonary Capillary Wedge Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 8 \* 12 < 30 Dec Prec: 0

=====  
TERM: PULMONARY CARE  
ID: {A7906E15-CBF1-A881-F3C7-4DF41A6A85B6}  
=====

Page: 706

Abbreviation..... PUL CARE  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Pulmonary Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: PULMONARY SECRETION AMOUNT  
ID: {FEED2CE3-F697-D1AB-AB1B-72A7968F0EB0}  
=====

Page: 707

Abbreviation..... PUL SEC AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... AMOUNT OF SPUTUM FROM PATIENT  
Display Name..... Pulmonary Secretion Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. SCANT (SCANT) {8EF6C62D-0D94-37BB-60AD-86E306E8120D}
2. SMALL (s) {5991F892-B28C-3998-E733-D8FFA26D7E21}
3. MODERATE (MODERATE) {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}
4. LARGE (l) {E60D5CF9-920D-44E2-8A83-136DAB1FE251}
5. COPIUS (COPIUS) {C74A6979-0E35-AA12-F992-69ACA3B0FA23}

UNITS:

=====  
TERM: PULMONARY SECRETION COLOR  
ID: {52529F3D-B461-1C5E-892A-1E46DFB8C003}  
=====

Page: 708

Abbreviation..... SPUTUM COL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Color of sputum  
Display Name..... Pulmonary Secretion Color  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

1. CLEAR (c)	{8981C365-2B46-704F-C9F4-975DF1C23C2D}
2. WHITE (WHITE)	{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
3. YELLOW (YELLOW)	{90DC31AD-6211-9F25-4237-79F7122A2763}
4. TAN (TAN)	{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
5. BROWN (BROWN)	{A1C32FBC-7B4D-707C-CA58-92A2E201368E}
6. GREEN (GREEN)	{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
7. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
8. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}

UNITS:

=====  
TERM: PULMONARY SECRETION CONSISTENCY  
ID: {633A949F-FED1-7A86-5DEA-C62DAC802B7B}  
=====

Page: 709

Abbreviation..... P SECR CON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Sputum Consistency  
Display Name..... Pulmonary Secretion Consistency  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
3 entries

1. THICK (THICK) {1554A49E-1468-46B2-F851-531DDB1D1A98}
2. TENACIOUS (TENACIOUS) {EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}
3. THIN (THIN) {CB8D8B5C-E824-D030-1241-D8EB814671E9}

UNITS: -----

=====  
TERM: PULMONARY SUCTIONING EVENT  
ID: {6A5A8DA3-859F-4BE3-9673-EA26D463D5F7}  
=====

Page: 710

Abbreviation..... PUL SUC EV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Patient needed and got Pulmonary  
Suctioning  
Display Name..... Pulmonary Suctioning Event  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
EVENT(S) -1 > 0 \* 30 < 100 Dec Prec: 0

=====  
TERM: PULMONARY SUCTIONING FREQUENCY  
ID: {2B44A4A5-9DEA-0B46-777F-CE2C3822A514}  
=====

Page: 711

Abbreviation..... PUL SUC FR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... FREQUENCY OF PATIENT'S PULMONARY  
SUCTIONING  
Display Name..... Pulmonary Suctioning Frequency  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
EVENTS PER HOUR -1 > 0 \* 100 < 101 Dec Prec: 0  
EVENTS/2 HOURS 0 > 0 \* 100 < 100 Dec Prec: 0  
EVENTS/4 HOURS 0 > 0 \* 100 < 100 Dec Prec: 0

=====  
TERM: PULMONARY SUCTIONING SITE  
ID: {D011DC21-02E6-463B-DF02-6E4ADD94D703}  
=====

Page: 712

Abbreviation..... PUL SUC SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... SITE OF PATIENTS PULMONARY SUCTIONING  
Display Name..... Pulmonary Suctioning Site  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. ORAL (ORAL) {BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}
2. NASAL (NASAL) {0F73F0CB-E25E-4611-9625-62E6F1596A9B}
3. ARTIFICIAL AIRWAY (ART AIRWAY)  
{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}
4. TRACHEOSTOMY (TRACHEOSTO) {2B0B7599-847E-852F-D16F-091CAAA4B205}

UNITS:

=====  
TERM: PULMONARY VASCULAR RESISTANCE  
ID: {56E4D7F3-EC49-B76A-B223-3C9E62E8B0ED}  
=====

Page: 713

Abbreviation..... PVR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pulmonary Vascular Resistance  
Display Name..... Pulmonary Vascular Resistance  
Help Text..... Pulmonary Vascular Resistance  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

DYNE \* SECONDS / CM(-5) \* M2 50 > 150 \* 250 < 500 Dec Prec: 0

=====  
TERM: PULMONARY VASCULAR RESISTANCE INDEX  
ID: {F98F291B-14F4-AA32-F218-E146364D9754}  
=====

Page: 714

Abbreviation..... PVRI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pulmonary Vascular Resistance Index  
Display Name..... Pulmonary Vascular Resistance Index  
Help Text..... Pulmonary Vascular Resistance Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
DYNE \* SECONDS / CM(-5) / M2 20 > 80 \* 240 < 350 Dec Prec: 0

=====  
TERM: PULSE - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {FCA63B76-EF4C-EBE5-33C1-F1EEBD7A7BC4}  
=====

Page: 715

Abbreviation..... P  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Beats per minute  
Display Name..... Pulse - Do Not Check Total or Subtotals  
Help Text..... Heart beats per minute,  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500636

LOCATION: 12 entries

1. APICAL (Ap) {C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}  
2. AV FISTULA (AVF) {F977EEF6-EA6A-D56D-D1F7-29B91510A02F}  
3. BILATERAL PERIPHERALS (BILAT PERI)  
{7F134529-36C5-E9D4-ABD5-64B404F9E706}  
4. BRACHIAL (Bra) {67426127-09E1-E566-F31E-15714A5B2B7C}  
5. CAROTID (Car) {9536F203-1797-9336-6F69-604249E1B3A0}  
6. DORSALIS PEDIS (DP) {9657D743-1632-2044-B4C5-9EF291A2F6D0}  
7. FEMORAL (Fem) {E3442C9E-8677-7296-D314-7365319C3716}  
8. PERIPHERAL (Per) {36B31698-E84A-5792-8EAE-F374DFD1B55A}  
9. POPLITEAL (Pop) {77030DF2-CE06-D9E2-0684-EE70209CBE73}  
10. POSTERIOR TIBIAL (PT) {010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}  
11. RADIAL (RADIAL) {D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}  
12. ULNAR (Uln) {81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}

METHOD: 13 entries

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}  
2. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}  
3. AUSCULTATE (Aus) {0C629C1F-92D3-C641-B02C-9EA43B401DC9}  
4. DOPPLER (Dop) {52683C19-F9DC-876B-CA3F-53E7C864CF04}  
5. INVASIVE (I) {5DB8746E-5446-F47A-883C-A44B91275A6E}  
6. LEAD (L) {B628FDCE-05E0-DACF-E66E-0F8380AB465A}  
7. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}  
8. NON-INVASIVE (N-I) {F50ABFED-5FD7-FC95-20FE-1E3038C9F299}  
9. PALPATED (Pal) {295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}  
10. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}  
11. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}  
12. ELECTROCARDIOGRAM TRACE 1 (ECG TR 1)  
{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}  
13. ELECTROCARDIOGRAM TRACE 2 (ECG TR 2)  
{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}

POSITION: 4 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}  
2. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}  
3. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}  
4. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}

QUALITY: 2 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}  
2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

-----  
BEATS PER MINUTE       $0 > 60 * 100 < 300$       Dec Prec: 0

=====  
TERM: QRS Page: 716  
ID: {7E76309C-0486-40CC-B14F-0D9B042C1D83}  
=====

Abbreviation..... QRS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... The QRS complex is a structure on the  
ECG that corresponds to the  
depolarization of the ventricles.  
Display Name..... QRS Complex  
Help Text..... The QRS complex is a structure on the  
ECG that corresponds to the  
depolarization of the ventricles.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
SECOND            0.02 > 0.04 \* 0.12 < 0.24 Dec Prec: 2

=====

TERM: QT

Page: 717

ID: {5226FEC7-8AD3-AE64-4122-6F9D2925448A}

=====

Abbreviation..... QT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... The QT interval is measured from the  
beginning of the QRS complex to the  
end of the T wave.  
Display Name..... QT Interval  
Help Text..... The QT interval is measured from the  
beginning of the QRS complex to the  
end of the T wave.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
SECOND            0.10 > 0.30 \* 0.46 < 1.00 Dec Prec: 2

=====  
TERM: RECTAL TUBE PRESENT  
ID: {D05DB527-8EDD-4324-B7B5-989AC004486E}  
=====

Page: 718

Abbreviation..... REC TU PRE  
Active..... Yes  
Boolean Value False..... Not Present  
Boolean Value True..... Present  
Data Type..... Boolean  
Description..... Rectal Tube Present  
Display Name..... Rectal Tube Present  
Help Text..... Rectal Tube Present  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

=====  
TERM: RESPIRATION: END-TIDAL CO2  
ID: {08E66099-B598-4126-925C-57592446916D}  
=====

Page: 719

Abbreviation..... End-Tidal  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... Respiration: End-Tidal CO2  
Help Text..... The measurement of carbon dioxide  
concentration in a patient's breath,  
assumed to reflect arterial carbon  
dioxide tension.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIMETERS OF MERCURY      0.0 > 0.0 \* 120.0 < 120.0 Dec Prec: 1

=====  
TERM: RESPIRATORY PATTERN  
ID: {5E7469A0-F426-2342-DA03-7054F44D7614}  
=====

Page: 720

Abbreviation..... RESP PATT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Respiratory Pattern  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

1. REGULAR (REGULAR) {3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}  
2. IRREGULAR (IRREGULAR) {6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}  
3. DEEP (DEEP) {78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}  
4. SHALLOW (SHALLOW) {CD205617-BF98-4177-971A-056AFEC823A}  
5. DYSPNEIC (DYSPECNIC) {4C6B42D9-694F-5EB2-6396-7ED85D5B154E}  
6. ORTHOPNEIC (ORTHOPNIC) {FF373BD7-FD84-DF43-7A44-1B8E62917116}  
7. ABDOMINAL (ABDOMINAL) {29E279F4-5D2E-4644-A2FA-CF85BEDFD480}  
8. CHEYNE-STOKES (CHEYNE-STO) {58DD2B80-B522-499C-2C60-C48A654BAD84}  
9. KUSSMAUL (KUSSMAUL) {0C5ED066-F445-ABFE-F7B1-D158EC7C2976}  
10. AGONAL (a) {1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}  
11. VENTILATOR (v) {A5A647ED-A56D-5012-AD5B-788B3DCB3498}

UNITS:

=====  
TERM: RESPIRATORY RATE - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {973ED2C0-0625-7DF9-17DC-8FFF7E376F23}  
=====

Page: 721

Abbreviation..... RR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... RESPIRATIONS PER MINUTE  
Display Name..... Respiratory Rate - Do Not Check Total  
or Subtotals  
Help Text..... Breaths per minute  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688725

METHOD: 8 entries

1. AFTER EXERCISE (AE) {D129EF4B-3A99-9966-54F1-2C01A36814EE}
2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}
3. AT REST (AR) {E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}
4. CONTROLLED VENTILATOR (CV)  
{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}
5. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}
6. SPONTANEOUS (S) {5E9463BC-C871-54FD-F800-DCFDEDDB8A93B}
7. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}
8. WITH ACTIVITY (Act) {544A262B-EA34-F82A-46A9-F80740515D65}

POSITION: 6 entries

1. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
4. SEMIFOWLERS (Sfl) {C2F6A945-3829-AABA-3D67-54D1829D3EB9}
5. SUPINE (SUPINE) {DEA8A744-B445-4A9E-875D-485E060F2ACC}
6. TRENDELENBURG (Tr) {42F3353B-7041-EEE1-A87E-941D3BE1CBED}

UNITS:

BREATHS PER MINUTE -1 > 12 \* 20 < 201 Dec Prec: 0

=====

TERM: RESTORATIVE CARE: AMPUTATION/PROSTHETIC CARE  
ID: {7236F0B3-64D9-4D67-9C38-C9DC0D0B18B4}

=====

Page: 722

Abbreviation..... RC:AmpCare  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Amputation Care  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MINUTE            0 > 0 \* 60 < 60            Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: BED MOBILITY SUPINE TO SITTING - LEGS IN BED Page: 723  
ID: {A6443E58-2AFF-43D1-AC3E-17A73AEB7814}  
=====

Abbreviation..... RC:LegsBed  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Bed Sit - Legs in Bed  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: BED MOBILITY SUPINE TO SITTING - LEGS DANGLING Page: 724  
ID: {58AB686D-95AE-4F15-93A5-1BB6856BE864}  
=====

Abbreviation..... RC:LegsDan  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Bed Sit - Legs Dangling  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

Abbreviation..... RC:SidRolL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Bed Side Roll Left  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

TERM: RESTORATIVE CARE: BED MOBILITY SUPINE - SIDE ROLL RIGHT Page: 726  
ID: {80EB8856-6139-42F2-912D-22BE9BFD3029}

Abbreviation..... RC:SidRolR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Bed Side Roll Right  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... **OBSERVATION**  
Vuid

## METHOD: 6 entries

- 10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}
  - 20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}
  - 30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}
  - 40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}
  - 50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}
  - 60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

**QUALITY:** 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

**UNITS:**

MINUTE                    0 > 0 \* 60 < 60            Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: COMMUNICATION  
ID: {E8494C59-68AB-42A0-B021-1077161E2867}  
=====

Page: 727

Abbreviation..... RC:Communi  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Communication  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

QUALITY: ..... 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE ..... 0 > 0 \* 60 < 60 Dec Prec: 0

Abbreviation..... RC:ComDev  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... RC: Communication Device  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 9 entries

10. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
20. ELECTRONIC LARYNX (ElecLarynx)  
{6614E813-0FBB-4F5A-A89B-3C02FE906983}  
30. VOICE AMPLIFIER (Voice Amp)  
{8BC8AE0B-5887-4581-87D7-5B0D8DB52275}  
40. TRACH TALKING VALVE (TrachValve)  
{AB6632B0-B220-4608-978F-6F2084175377}  
50. PICTURE BOARD (PictuBoard)  
{9BD2908F-C5FE-4866-A265-AAEB60A8E878}  
60. ALPHABET BOARD (AlphaBoard)  
{FAB01262-6E11-4B09-9C23-58AE735E1DF2}  
70. LAPTOP/TABLET (Laptop/Tab)  
{F49B59C2-EEB5-4712-BF8C-9FCA32B68488}  
80. ASSISTIVE LISTENING DEVICE (HEARING AID, HEARING AMPLIFIER) (AssistList  
) {5F2027AC-BAD1-4BD4-A729-6143FB7EEE4F}  
90. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS: .....  
=====

Abbreviation..... RC:Dressin  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Dressing  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: EATING  
ID: {4BB71E3E-A375-4EAF-B84F-28BB13797774}  
=====

Page: 730

Abbreviation..... RC:Eating  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Eating  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: EATING ASSISTIVE DEVICE  
ID: {E0C879AA-46CF-47AA-B952-AF0FB6A3D5DC}  
=====

Page: 731

Abbreviation..... RC:EatDev  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... RC: Eating Assist Device  
Help Text..... Use Comments if needed to add devices  
not in the list.  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
10. WEIGHTED UTENSILS (Weighted)  
{5B19B4CB-92F4-4AD3-AC93-C5840F37C938}  
20. LONG-HANDED UTENSILS (Long-Hand)  
{E7615F55-6520-4C95-9447-3BEBB725CAAD}  
30. PLATE GUARD (PlateGuard) {1B3015C1-B8BC-4482-AD5D-83ACA7CC7E70}  
40. NOSE CUP OR NOSE CUTOUT CUP (Nose Cup)  
{F2057A75-0D06-40A8-AA7F-E716044C078A}  
50. NO ASSISTIVE DEVICE (NoAsstDev)  
{F2A8CFD5-D67D-4A20-A860-6E622E715D22}  
60. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

Abbreviation..... RC:Groomin  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Grooming  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE LEFT UPPER EXTREMITY Page: 733  
ID: {48FB5B7D-C359-4D48-A2C5-5E0E416C2671}  
=====

Abbreviation..... RC:ROMLUE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Active ROM LUE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE RIGHT UPPER EXTREMITY Page: 734  
ID: {4929EF8E-A052-4E48-9214-8A8650FEFC09}  
=====

Abbreviation..... RC:ROMRUE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Active ROM RUE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE LEFT LOWER EXTREMITY Page: 735  
ID: {84A03E64-D48F-4F1A-BC2A-F30778729393}  
=====

Abbreviation..... RC:ROMLLE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Active ROM LLE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE RIGHT LOWER EXTREMITY Page: 736  
ID: {B682FF57-DA65-45EE-B4C1-267D730912D3}  
=====

Abbreviation..... RC:ROMLRLE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Active ROM RLE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

TERM: RESTORATIVE CARE: RANGE OF MOTION ACTIVE SIT AND STAND Page: 737  
ID: {8CA4AED4-3FCE-43B3-9113-28D6FFAE45BC}

Abbreviation..... RC:ROMSS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Active ROM Sit/Stand  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Uuid.....

## METHOD: 6 entries

- 10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}
  - 20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}
  - 30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}
  - 40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}
  - 50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}
  - 60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

## QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

#### **UNITS:**

MINUTE                     $0 \geq 0 * 60 < 60$                     Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE LEFT UPPER EXTREMITY Page: 738  
ID: {F37955DD-31E2-4DA0-9A52-71719FF8B9CC}  
=====

Abbreviation..... RC:PassLUE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Passive ROM LUE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE RIGHT UPPER EXTREMITY Page: 739  
ID: {3D61A77D-C01E-43BE-8830-631717E1CC2E}  
=====

Abbreviation..... RC:PassRUE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Passive ROM RUE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE LEFT LOWER EXTREMITY Page: 740  
ID: {B91B253E-FE02-4712-A6BC-845F77BA84AC}  
=====

Abbreviation..... RC:PassLLE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Passive ROM LLE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE RIGHT LOWER EXTREMITY Page: 741  
ID: {FFFCBE6B-5116-48DD-B602-4912169171D3}  
=====

Abbreviation..... RC:PasLRLE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Passive ROM RLE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

TERM: RESTORATIVE CARE: RANGE OF MOTION PASSIVE SIT AND STAND Page: 742  
ID: {2FA4D54F-157D-4074-A092-E9D4B10CCD1E}

Abbreviation..... RC:PassSS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Passive ROM Sit/Stand  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Uuid.....

## METHOD: 6 entries

- 10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}
  - 20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}
  - 30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}
  - 40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}
  - 50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}
  - 60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

**QUALITY:** 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

#### **UNITS:**

MINUTE                     $0 > 0 * 60 < 60$                     Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE LEFT UPPER EXTREMITY Page: 743  
ID: {ADC96BD5-70FF-4463-BD69-F9D68391000D}  
=====

Abbreviation..... RC:S/B LUE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Splint/Brace LUE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

-----  
10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

-----  
MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE RIGHT UPPER EXTREMITY Page: 744  
ID: {A58979EB-4F71-4192-9073-4B45AE27474C}  
=====

Abbreviation..... RC:S/B RUE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Splint/Brace RUE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

- 10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

-----  
MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE LEFT LOWER EXTREMITY Page: 745  
ID: {6CAEB07B-39CD-46F8-8F76-6C0C7D57AA89}  
=====

Abbreviation..... RC:S/B LLE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Splint/Brace LLE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

-----  
10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

-----  
MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE RIGHT LOWER EXTREMITY Page: 746  
ID: {433F7D64-B483-40D7-8BA0-79E17E26A95F}  
=====

Abbreviation..... RC:S/B RLE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Splint/Brace RLE  
Help Text..... Document # minutes; use qualifiers  
for additional details.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

-----  
10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

UNITS:

-----  
MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: SWALLOWING PRECAUTIONS  
ID: {455994F4-3F47-4CDE-BEF3-2A02AC0F4D34}  
=====

Page: 747

Abbreviation..... RC:Swallow  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... RC: Swallowing Precautions  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
10. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}  
20. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

-----

=====

TERM: RESTORATIVE CARE: TOILETING BOWEL CONTINENT INCIDENTS  
ID: {48E52F8D-903A-40E8-9E05-756B7C6218A6}

=====

Page: 748

Abbreviation..... RC:BowCont  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Bowel Continent  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

STOOL            0 > 0 \* 25 < 25            Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: TOILETING BOWEL INCONTINENT INCIDENTS      Page: 749  
ID: {75365160-0FA8-4F24-95E6-8D9A0D4E3886}  
=====

Abbreviation..... RC:BowlInco  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Bowel Incontinent  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

STOOL      0 > 0 \* 25 < 25      Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: TOILETING PROGRAM URINARY  
ID: {8B515A51-1A69-4834-978C-F31C75BEDB0D}

Page: 750

Abbreviation..... RC:ToiPgUr  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... RC: Toilet Urinary  
Help Text..... For use in Restorative Care  
documentation  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----  
10. SCHEDULED TOILETING (Sched Toil)  
{8743BCF8-0EDC-40E6-B158-A62FCAAD559D}  
20. PROMPTED VOIDING (PromptVoid)  
{5877FEC8-F348-440C-B19D-0D73DAC33253}  
30. BLADDER TRAINING (Blad Train)  
{DB8DD0C-C61F-4B40-93CE-A24759080974}  
40. DECLINED TO PARTICIPATE (Declined)  
{B16DB033-15D2-41F6-9D2F-4D37BD3CADE5}  
50. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}  
60. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}  
70. DID NOT VOID THIS OBSERVATION PERIOD (NoVoid)  
{C8DB4921-CE75-42D9-870C-62DB5FC9F45F}  
80. MONITORED Q 1 HOUR (Mon 1 Hr)  
{AA2C7F42-7088-40C0-93AE-79A3AB3F167B}  
90. MONITORED Q 2 HOURS (Mon 2 Hrs)  
{05FE2250-ED7F-4120-88D5-E069BA8A31FE}  
100. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

Abbreviation..... RC:ToiBow  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... RC:Toilet Bowel  
Help Text..... For use in Restorative Care  
documentation  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

-----  
10. SCHEDULED TOILETING (Sched Toil)  
{8743BCF8-0EDC-40E6-B158-A62FCAAD559D}  
20. PROMPTED VOIDING (PromptVoid)  
{5877FEC8-F348-440C-B19D-0D73DAC33253}  
30. BOWEL TRAINING (BowelTrain)  
{071E4311-63C0-4FA1-8AAE-4D54D5912E68}  
40. DECLINED TO PARTICIPATE (Declined)  
{B16DB033-15D2-41F6-9D2F-4D37BD3CADE5}  
50. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}  
60. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}  
70. DID NOT MOVE BOWELS THIS OBSERVATION PERIOD (DidNotMove)  
{BB562067-B313-4281-B75A-200FDF0EDE28}  
80. MONITORED Q 1 HOUR (Mon 1 Hr)  
{AA2C7F42-7088-40C0-93AE-79A3AB3F167B}  
90. MONITORED Q 2 HOURS (Mon 2 Hrs)  
{05FE2250-ED7F-4120-88D5-E069BA8A31FE}  
100. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

=====  
TERM: RESTORATIVE CARE: TOILETING URINARY CONTINENT INCIDENTS      Page: 752  
ID: {A12774C3-E335-4C61-AD47-33039527DB6D}  
=====

Abbreviation..... RC:UrCont  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Urinary Continent  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

VOID                  0 > 0 \* 50 < 50                  Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: TOILETING URINARY INCONTINENT INCIDENTS Page: 753  
ID: {39D6E315-C809-4F99-848D-1CB00A022E95}  
=====

Abbreviation..... RC:UrIncon  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Urinary Incontinent  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

VOID                  0 > 0 \* 50 < 50                  Dec Prec: 0

Abbreviation..... RC:TrAssis  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... RC: Transfer Assist  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 10. NO ASSISTIVE DEVICE (NoAsstDev)  
{F2A8CFD5-D67D-4A20-A860-6E622E715D22}  
20. SIT TO STAND LIFT (SitToStand)  
{A209ACE5-C6D7-48EA-A7F2-09E3B3657FDF}  
30. SLIDING BOARD (SlideBoard)  
{53DC7B5B-CDA9-4A8C-B18E-670EB15036A4}  
40. CONTACT GLIDE (ContactGli)  
{4AAB02A6-E90E-46D7-AE9D-A5F6E3865AF5}  
50. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}  
60. PHYSICAL ASSIST (PhysAssist)  
{DBB651FC-018D-40C6-BF11-441E8D8606F8}  
70. GAIT BELT (GAIT BELT) {AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}  
80. CEILING LIFT (CeilingLft) {57DEDAC4-F6A4-481C-96BA-D943F4FAD886}  
90. BARIATRIC EQUIPMENT (BariEquip)  
{B13C27DC-2D7D-4ADE-AEBE-521B6F8EC871}  
100. OTHER (SEE COMMENTS) (Other)  
{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}

UNITS:

-----

Abbreviation..... RC:TrfTime  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Transfer Time  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 6 entries

10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (TotalDepen)  
{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
60. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

QUALITY: 5 entries

10. POOR (Poor) {A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
20. FAIR (Fair) {6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
30. GOOD (Good) {655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
40. EXCELLENT (Excellent) {69C28725-C59B-40D4-85FF-20F265E75356}  
50. UNABLE TO TOLERATE (UnableTol)  
{974A3EF4-74FA-4462-A2BF-34A20D875029}

UNITS:

MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: WALKING DISTANCE  
ID: {606EC5A9-EB47-4C3B-8AE7-2441B1C314E2}  
=====

Page: 756

Abbreviation..... RC:WalkDis  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Walking Distance  
Help Text..... Enter distance walked, in feet.  
Select Assistive Devices for walking  
from Products drop-down.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

-----  
10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

PRODUCT: 5 entries

-----  
10. NONE (None) {F023B077-AFDB-46A1-9E1F-49B5C80A2D63}  
20. CANE (Cane) {5D669D6F-AE43-4A66-8A5F-0679B1E12FFD}  
30. WALKER (Walker) {BA1E31F8-ECC6-44EB-88D7-1578F96FE0B4}  
40. WHEELCHAIR (Wheelchair) {18D64450-A01F-4562-8C1B-AE7577A14890}  
50. OTHER (USE COMMENTS) (Other)  
{23302A01-D187-43C9-A7AA-27AE87EF850E}

UNITS:

-----  
FEET 0 > 0 \* 10000 < 10000 Dec Prec: 0

=====  
TERM: RESTORATIVE CARE: WALKING TIME SPENT  
ID: {9DE73EEB-B302-43D9-A60D-8DC9AF798023}  
=====

Page: 757

Abbreviation..... RC:WalkTim  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... RC: Walking Time  
Help Text..... Use Comments if needed to describe  
walking locations. Select Assistive  
Devices for walking from Products  
drop-down.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 5 entries

-----  
10. INDEPENDENT (Independen) {664D85CE-63C3-4234-901B-451588FD7367}  
20. SUPERVISION-OVERSIGHT (Supervisio)  
{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
30. LIMITED ASSISTANCE (LimitAssis)  
{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
40. EXTENSIVE ASSISTANCE (ExtenAssis)  
{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
50. ACTIVITY DID NOT OCCUR (DidNotOcc)  
{CD805D91-8575-4DD1-B17A-0E138331748A}

PRODUCT: 5 entries

-----  
10. NONE (None) {F023B077-AFDB-46A1-9E1F-49B5C80A2D63}  
20. CANE (Cane) {5D669D6F-AE43-4A66-8A5F-0679B1E12FFD}  
30. WALKER (Walker) {BA1E31F8-ECC6-44EB-88D7-1578F96FE0B4}  
40. WHEELCHAIR (Wheelchair) {18D64450-A01F-4562-8C1B-AE7577A14890}  
50. OTHER (USE COMMENTS) (Other)  
{23302A01-D187-43C9-A7AA-27AE87EF850E}

UNITS:

-----  
MINUTE 0 > 0 \* 60 < 60 Dec Prec: 0

=====

TERM: RESTRAINT CIRCULATION CHECK  
ID: {8EC55F7A-AEAB-4734-86CA-7573FC938138}

=====

Page: 758

Abbreviation..... Res Cir Ck  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint Circulation Check  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: RESTRAINT CRITERIA  
ID: {4B4C42F3-0F9E-40BE-90AB-C744E91228B0}  
=====

Page: 759

Abbreviation..... RES CRITER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Criteria  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
7 entries

1. LINES (R.C. LINE) {27F545F2-5338-4BC8-B5CE-1D321D28F8D6}
2. EQUIPMENT (R.C. EQUI) {38C2C56C-6D57-4750-8E68-F1193B16190A}
3. AMBULATE (R.C. AMBU) {54B72608-2C13-46CD-8034-00179669762C}
4. UNABLE TO FOLLOW DIRECTIONS (R.C. DIRE)  
{41358EAE-9912-48F8-8931-D3C635406D21}
5. COMBATIVE (R.C. COMB) {38DBF61A-D364-4215-B4AA-36B660F96462}
6. AGGRESSIVE (R.C. AGGR) {7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}
7. HARM TO SELF (R.C. HARM) {4DC33341-8F53-4D30-BC28-1E32DB54F30D}

UNITS: -----

=====  
TERM: RESTRAINT DEVICE TRIAL RELEASE  
ID: {90F7D38E-9E01-4907-8729-8ED436424CCC}  
=====

Page: 760

Abbreviation..... Res Tr Rel  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint Device Trial Release  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: RESTRAINT EDUCATION  
ID: {08B0A919-200B-4874-993B-E9924E9A439F}

=====

Page: 761

Abbreviation..... RES EDUCAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Education  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. FAMILY INFORMED (FAM INFORM)  
{77135D32-9CDD-4D3F-9B62-6E8189B77844}  
2. PATIENT INFORMED (PAT INFORM)  
{074A1D19-3920-49F1-8958-2EB6F9CF05BA}

UNITS:

=====  
TERM: RESTRAINT EDUCATION TYPE  
ID: {05693D33-977E-4089-988F-4FE029D64BE4}  
=====

Page: 762

Abbreviation..... RES EDU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Education Type  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. RESTRAINTS EXPLAINED (RES EXPL)  
{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}
2. RESTRAINT TYPE (RES ED TY)  
{5560A332-C365-4DAF-BA33-610C4AE301F5}
3. REMOVAL CRITERIA (RES ED REM)  
{B19316C8-687B-48FB-9EBC-9857662B9F85}
4. RESTRAINTS BROCHURE (RES BRO P)  
{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}
5. RESTRAINTS TIME LIMIT (RES TIME L)  
{513B483E-AD7B-4B1A-BD01-91133C605C3C}

UNITS: .....  
=====

=====  
TERM: RESTRAINT EVAL - ELIMINATION MONITORED  
ID: {6553B5FA-F6D5-4FE4-B2B6-E55723D11907}  
=====

Page: 763

Abbreviation..... R.E. ELIM  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Elimination Monitored  
Help Text..... Restraint Evaluation: Elimination  
Monitored  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====

TERM: RESTRAINT EVAL - FLUID/NUTRITION INTAKE  
ID: {0695905D-42DC-4903-98E1-1C89CFAB2A08}

=====

Page: 764

Abbreviation..... R.E. INTA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Fluid / Nutrition Intake Evaluated  
Help Text..... Restraint Evaluation: Fluid /  
Nutrition Intake Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: RESTRAINT EVAL - HYGIENE/COMFORT  
ID: {EE9BB547-79C9-4C0D-9D46-5F24835F37F9}  
=====

Page: 765

Abbreviation..... R.E. HYGI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Hygiene / Comfort Evaluated  
Help Text..... Restraint Evaluation: Hygiene /  
Comfort Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEAA649CD}

UNITS:

---

Abbreviation..... RES EV LRM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Least Restrictive Measures Evaluated  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 1. RESTRAINTS LIMIT SETTING (RES LIM SE)  
{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}
- 2. REDIRECT PATIENT ACTIVITY (REDIR ACT)  
{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}
- 3. REMOVE FROM STIM. SETTING (REM SET)  
{2010BA89-B399-4A30-9ACF-C65AB57B6351}
- 4. OFFER PRN MEDS (OFFER PRN)  
{B7AF4903-913C-4848-A255-0B4767B81AE2}
- 5. VERBAL DE-ESCALATION (VERB DE-ES)  
{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}
- 6. ONE TO ONE SUPERVISION (1 SUPERV)  
{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}
- 7. FREQUENT VERBAL REMINDERS (FR VER RE)  
{F30D791D-BB80-4AB3-B37F-22B6B547EA65}
- 8. PREVENT ACCESS TO DEVICE (PREV ACCE)  
{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}
- 9. REORIENTED TO ENVIRONMENT (REORIENT)  
{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}
- 10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

TERM: RESTRAINT EVAL - MENTAL  
ID: {5F3119EB-85AC-4EC1-9B11-029B147D1FCE}

Page: 767

Abbreviation..... R.E. MENT  
Active..... No  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Mental Status Evaluated  
Help Text..... Restraint Evaluation: Mental Status  
Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid

DATA VALUE: 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEAA649CD}

## UNITS:

Abbreviation..... R.E. DIGN  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Maintain Privacy and Dignity Evaluated  
Help Text..... Restraint Evaluation: Maintain  
Privacy and Dignity Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: RESTRAINT EVAL - REPOSITION/RANGE OF MOTION  
ID: {54C82D71-B32F-48A2-87A9-683D6023D905}  
=====

Page: 769

Abbreviation..... R.E. REPOS  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Reposition / Range of Motion Evaluated  
Help Text..... Restraint Evaluation: Reposition /  
Range of Motion Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: RESTRAINT EVAL: ALT. MEASURES ATTEMPTED  
ID: {B3B065C3-2612-45C0-9127-3CB42BDA99B6}  
=====

Page: 770

Abbreviation..... R.E. ALT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Alternative Measures Attempted  
Help Text..... Restraint Evaluation: Alternative  
Measures Attempted  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

1. DECREASE STIMULATION (R.E. DECR)  
{0841626E-994E-4346-B701-1662A00209EB}
2. REALITY ORIENTATION (R.E. REALI)  
{221C363C-2261-40FC-8400-8B1D2E693F69}
3. RELOCATE (R.E. RELO) {D8165678-ECEF-4F4D-A1C4-C616349E1873}
4. INVOLVEMENT WITH FAMILY (R.E. INVO)  
{0EF31047-70A5-4072-953A-B62E1ACDF84B}
5. AMBULATION/EXERCISE (R.E. EXER)  
{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}
6. EDUCATION (R.E. EDUC) {76341E6E-7F0A-429C-B768-9CA83C452FD7}
7. DIVERSIONAL ACTIVITIES (R.E. DIVER)  
{569F6D49-C564-4910-835A-B05179086E1F}
8. MEDICATION REVIEW (R.E. REVI)  
{914A0F82-5863-4C84-B3AB-D5A22BD340D8}
9. UNABLE TO ATTEMPT (R.E. UNAB)  
{979B0477-5789-4319-9562-6752048C4005}
10. BED EXIT ALARM (BED EXIT A)  
{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}
11. WHEELCHAIR EXIT ALARM (WHEEL EXIT)  
{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}

UNITS:

=====  
TERM: RESTRAINT EVAL: SKIN INTEGRITY  
ID: {1EE22D46-855D-4705-858B-D7623CC79F83}  
=====

Page: 771

Abbreviation..... R.E. SKIN  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Skin Integrity Evaluated  
Help Text..... Restraint Evaluation: Assess Skin  
Integrity Evaluated  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEAA649CD}

UNITS:

-----

=====  
TERM: RESTRAINT FAMILY ED. UNDERSTANDING  
ID: {5EE7B156-51FF-4819-A0F4-8796D518B092}  
=====

Page: 772

Abbreviation..... RES FM U  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Family Understanding Of Restraints  
Education  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. INDICATES UNDERSTANDING (UNDERSTAND)  
{C4AEFE5F-C388-4E00-9663-6B308934284B}  
2. NEEDS REINFORCEMENT (NEED REINF)  
{B6171F65-4530-418D-A63B-65DFFF522786}  
3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:

-----

=====  
TERM: RESTRAINT INITIATED BY  
ID: {6939E11B-F414-435F-93B2-D69334A50FA1}  
=====

Page: 773

Abbreviation..... RES INIT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Seclusion/Restraint Initiated By  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. REGISTERED NURSE (RN) {524F344F-FDCD-423F-AD34-291D5DB4271B}  
2. PHYSICIAN ORDER (PHY ORDER)  
{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}

UNITS: .....  
=====

=====  
TERM: RESTRAINT LEAST RESTRICTIVE MEASURES  
ID: {1132E26A-19E0-40D0-9602-68AB41F415FA}

Page: 774

=====  
Abbreviation..... RES LRME  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Least Restrictive Measures Evaluated  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 1. RES LRM: LIMIT SETTING (RLRM SETT)  
{96417DDF-8562-4EFF-B4F6-0933FD91CD36}  
2. RES LRM: REDIRECT (RLRM REDI)  
{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}  
3. RES LRM: REMOVE FROM SETTING (RLRM REMO)  
{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}  
4. RES LRM: PRN MEDS (RLRM: MEDS)  
{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}  
5. RES LRM: VERBAL DE-ESCALATION (RLRM VERB)  
{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}  
6. RES LRM: SUPERVISION (RLRM SUPR)  
{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}  
7. RES LRM: VERBAL REMINDERS (RLRM REMI)  
{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}  
8. RES LRM: DEVICE ACCESS (RLRM ACCE)  
{1662F5E1-30E7-4E8A-BCC5-1738868435B8}  
9. RES LRM: REORIENT (RLRM REOR)  
{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}  
10. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}

UNITS:

-----

=====  
TERM: RESTRAINT MENTAL ASSESSMENT  
ID: {78C70CF3-3253-46B1-AD61-4A6E7C72442E}  
=====

Page: 775

Abbreviation..... RES MENTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Mental Assessment Patient Evaluation  
Display Name..... Mental Assessment  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 7 entries

1. ORIENTED (ORIENTED) {B8DC9245-6D81-40E4-8B47-B6413E49F152}
2. DISORIENTED (DISORIENTE) {A7D1F2EA-CD7C-4100-8552-44834684C6DE}
3. RESTLESS (r) {8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}
4. SLEEPING (s) {87338420-F351-F98C-7A80-4990B87ACE2B}
5. SEDATED (s) {29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}
6. CALM (c) {E206C3F5-6977-302C-51FB-AF2155B5FFD9}
7. AGITATED/HOSTILE (Agita/Host) {B690A9D1-2686-465B-A0AA-12C04E80B210}

UNITS: .....  
=====

=====  
TERM: RESTRAINT ORDER TYPE  
ID: {843976A3-7C4A-4E09-A273-4589923DDDC2}  
=====

Page: 776

Abbreviation..... RES ORD TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Order Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. SECLUSION (SECLUSION) {65B57F6C-C849-4BF7-8705-175361BC900F}  
2. RESTRAINT (RESTRAINT) {0429322D-A987-4913-B64D-A6414645B214}

UNITS:

-----

Abbreviation..... RES PT U  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Patient Understanding Of Restraints  
Education  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. INDICATES UNDERSTANDING (UNDERSTAND)  
{C4AEFE5F-C388-4E00-9663-6B308934284B}  
2. NEEDS REINFORCEMENT (NEED REINF)  
{B6171F65-4530-418D-A63B-65DFFF522786}  
3. UNSUCCESSFUL (UNSUCCESSF) {54DC58A1-7585-4A32-B810-90B586ED9332}

UNITS:

-----

=====  
TERM: RESTRAINT SAFETY CARE  
ID: {1450E52B-CBF3-BA02-F4E0-4AE793AE9614}  
=====

Page: 778

Abbreviation..... RESSC  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Safety Care  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. CIRCULATION CHECK (ccq) {BA32C2A8-F15C-84EF-4859-6277EFA6463A}  
2. DEVICE RELEASE (drq) {9F97947F-CFFE-3285-F4C3-A8DF294DA46C}

UNITS:

=====  
TERM: RESTRAINT TYPE ALL  
ID: {696245B7-717E-4CF4-3C92-7E0F4DFDEDDE}  
=====

Page: 779

Abbreviation..... RES TYPE A  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Restraint Type  
Help Text..... Location and type of restraint used  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 19 entries

1. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BEC0-0C0820EDA39B}
2. RESTRAINT SOFT 2 POINT (RES S2POIN)  
{66B71CFE-2603-40C9-9625-24448012BAB5}
3. RESTRAINT SOFT 4 POINT (RES S4POIN)  
{6820E997-60A0-4802-BE26-CA29B4F48F32}
4. RESTRAINT SOFT ARMS + WAIST (RES S A+W)  
{4A322BB6-0F63-4BB7-9290-C0655BD7D772}
5. RESTRAINT SOFT ARMS + LOCKED WAIST (RES S A+LW)  
{C480D67C-958C-42F9-9203-98E2F2BDBEC8}
6. RESTRAINT SINGLE HAND MITT (RES S HA M)  
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
7. RESTRAINT BILATERAL HAND MITT (RES BI H M)  
{5E293110-1235-4307-80C2-0FFFA007E1DA}
8. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
9. RESTRAINT BILATERAL ANKLE (RES BI ANK)  
{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}
10. RESTRAINT WRIST (RES WRIST)  
{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}
11. RESTRAINT GERI CHAIR (RES GERI C)  
{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}
12. RESTRAINT HARD PLASTIC/LEATHER 2 POINT (RES P/L 2P)  
{17CB8739-612A-4319-946A-2062C5245C90}
13. RESTRAINT HARD PLASTIC/LEATHER 4 POINT (RES P/L 4P)  
{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}
14. RESTRAINT ONE ARM (RES ONE AR)  
{839914DA-6D63-43EB-961E-70DA56737A92}
15. RESTRAINT ONE LEG (RES ONE LE)  
{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}
16. RESTRAINT WAIST LOCKED (RES WAI LO)  
{1EE7AB42-CE17-4D49-849B-CA550966E58C}
17. RESTRAINT WAIST (RES WAIST)  
{253E2757-5A57-4410-9C0E-F4A907A1EC16}
18. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
19. RESTRAINT STRAP (RES STRAP)  
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION: 11 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
4. BILATERAL WRIST (BILAT WRIS)

{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}  
5. BILATERAL LEG (BILAT LEG) {0713761D-E0FC-DA03-02A1-F20EFEB99F45}  
6. BILATERAL ANKLES (BILA ANKLE)  
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}  
7. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}  
8. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}  
9. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
10. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}  
11. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

---

=====  
TERM: RESTRAINT TYPE ARMS  
ID: {0A2CB443-AA1A-4526-9BF0-9C63B49D7603}  
=====

Page: 780

Abbreviation..... RES TY ARM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Arm Restraints  
Display Name..... Arm Restraints  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

1. RESTRAINT SINGLE HAND MITT (RES S HA M)  
{A5F1D037-FB5E-402B-9F25-22DE48404D57}
2. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
3. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}

LOCATION: 6 entries

1. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
2. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
3. BOTH ARMS (BOTH ARMS) {A493AB32-9DE9-40AC-8C46-7EFF395B63B5}
4. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
5. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
6. BILATERAL WRIST (BILAT WRIS)  
{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}

UNITS:

=====  
TERM: RESTRAINT TYPE LEGS  
ID: {C3B1D18A-FF73-4362-8FCF-7AFB5304A4CF}  
=====

Page: 781

Abbreviation..... RES TY LEG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Leg Restraints  
Display Name..... Leg Restraints  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
1. RESTRAINT HARD PLASTIC/LEATHER (RES H PL/L)  
{9BB528F4-7016-4030-B73F-4037ADF2621D}
  2. RESTRAINT SOFT (RESTR SOFT)  
{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}
  3. RESTRAINT STRAP (RES STRAP)  
{642FDACE-B320-42BC-9514-F5FCD6583B19}

LOCATION: 6 entries

- 
1. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
  2. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
  3. BOTH LEGS (BOTH LEGS) {5A15A231-4695-4CF3-AD0F-2E7950208967}
  4. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}
  5. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}
  6. BILATERAL ANKLES (BILA ANKLE)  
{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}

UNITS:

---

=====  
TERM: RESTRAINT TYPE OTHER  
ID: {40448F75-66C2-4FA1-AA02-6B827C9A06F8}  
=====

Page: 782

Abbreviation..... RES TYP OT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Restraint Type Other  
Display Name..... Restraint Type Other  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. GERI-CHAIR (g) {167F9786-8F24-054F-020A-658A6EE5B0B4}
  - 2. RESTRAINT VEST (RES VEST) {643378B2-86D7-4DB7-93ED-9DCE16D85E27}
  - 3. RESTRAINT WAIST (RES WAIST)  
{253E2757-5A57-4410-9C0E-F4A907A1EC16}

LOCATION: 3 entries

- 
- 1. TORSO (TORSO) {EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}
  - 2. CHEST (CHEST) {8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
  - 3. WAIST (WAIST) {784DD311-8B48-4FE3-96B6-471CCE453CD5}

UNITS:

---

=====  
TERM: RESTRAINT- ACTIVE ORDER  
ID: {C950673E-C098-4C68-A62D-ACDA3DB25A8A}  
=====

Page: 783

Abbreviation..... Restraint  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint- Active Order  
Help Text..... Is there an Active Order for  
restraints?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: RESTRAINT/SECLUSION DISCONTINUED  
ID: {048B5F3A-6B94-4E15-935F-CC8EA8A6079B}  
=====

Page: 784

Abbreviation..... Res Discon  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Restraint/Seclusion Discontinued  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

Abbreviation..... Restr/Beha  
Active..... Yes  
Boolean Value False..... Unmet  
Boolean Value True..... Met  
Data Type..... Boolean  
Description.....  
Display Name..... Restraints: Behavior criteria for  
discontinue  
Help Text..... Refer to local policy for list of  
behaviors that meet discontinuation  
criteria or as specified in order  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: RIGHT VENTRICULAR STROKE WORK  
ID: {3A72DA75-5112-7980-4F4F-E1E34FFCD1A6}  
=====

Page: 786

Abbreviation..... RVSW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Right Ventricular Stroke Work  
Display Name..... Right Ventricular Stroke Work  
Help Text..... Right Ventricular Stroke Work  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
STROKE WORK PER BEAT 0.0 > 5.0 \* 30.0 < 50.0 Dec Prec: 1

=====  
TERM: RIGHT VENTRICULAR STROKE WORK INDEX  
ID: {EE450A40-E87C-1F5C-FDEF-BAAD030B8149}  
=====

Page: 787

Abbreviation..... RWSWI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Right Ventricular Stroke Work Index  
Display Name..... Right Ventricular Stroke Work Index  
Help Text..... Right Ventricular Stroke Work Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. CARDIAC OUTPUT MONITOR (COM)  
(CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3)

UNITS:

STROKE WORK PER BEAT PER M2 1.9 > 2.0 \* 18.0 < 18.1 Dec Prec: 1  
GM-M/M2/BEAT 3.9 > 4.0 \* 18.0 < 18.1 Dec Prec: 1

=====  
TERM: ROUNDING  
ID: {D4E10994-81D6-45D8-9466-8C8F572DAF4F}  
=====

Page: 788

Abbreviation..... Rounding  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Rounding  
Help Text.....  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

-----  
10. FALL PREVENTION REVIEWED (FallPrevRw)  
{ECA5757D-40DF-485E-A660-5600F73D6EDC}  
20. FLUIDS OFFERED (Fluids) {F204692B-41E8-44F4-BEDA-909FE29ACA8E}  
30. SAFETY CHECK (SafetyChec) {E9945D8D-A4D6-4A48-8CB0-1812707B150A}  
40. TOILETING (Toileting) {7C5F5DC9-5A03-42A7-91B0-9491D9D00A20}  
50. PAIN (PAIN) {F2F23EE7-0A06-46B8-A496-B7A4651A551F}

UNITS:

=====  
TERM: ROUNDING: PATIENT OFF UNIT  
ID: {EDE48032-D655-4125-8A4F-4B113F67D656}

Page: 789

=====  
Abbreviation..... RD:PtOffUn  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... ROUNDING: Patient Off Unit  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: ROUNDING: PRIVACY MAINTAINED  
ID: {E12F61B7-3B37-49B9-B7DF-C67BF582A081}  
=====

Page: 790

Abbreviation..... RD:PriMain  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... ROUNDING: Privacy Maintained  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: ROUNDING: TOILETING  
ID: {35F4E934-522D-49F3-9728-059BF6964BE7}

=====

Page: 791

Abbreviation..... RD:Toilet  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... ROUNDING: Toileting  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: SAFETY DEVICE WAIST BELT APPLIED  
ID: {27E75399-989F-4598-A972-646FBFF51A20}  
=====

Page: 792

Abbreviation..... WAIST BE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Safety Device Waist Belt Applied  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}  
2. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}

UNITS:

Abbreviation..... Seclu/Cri  
Active..... Yes  
Boolean Value False..... Unmet  
Boolean Value True..... Met  
Data Type..... Boolean  
Description.....  
Display Name..... Seclusion: Behavior criteria for discontinuation  
Help Text..... Refer to local policy for list of behaviors that meet discontinuation criteria or as specified in order  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: SECOND VERIFIER  
ID: {97EB4C11-C7C5-4F6D-9488-DA9369CC5060}  
=====

Page: 794

Abbreviation..... 2nd Verf  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Second Verifier  
Help Text.....  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

-----  
10. RN (RN) {A103E506-EAA5-4777-8126-268CD723AD87}  
20. LVN (LVN) {8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}  
30. NA (NA) {1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}  
40. MD (MD) {9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}  
50. DO (DO) {F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}  
60. RT (RT) {6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}  
70. NP (NP) {E7EA4017-4374-41A1-9D3D-54051CEDF63C}  
80. PA (PA) {C057C47D-780A-4230-B577-2C528AD09DEB}

UNITS:

-----

=====  
TERM: SEDATION SCALE - RAMSAY  
ID: {CF2E7E29-8C96-461B-9074-CA94455F62D6}

Page: 795

Abbreviation..... SED RAMSAY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Ramsay Sedation Scale  
Display Name..... RAMSAY  
Help Text..... Ramsay Sedation Scale  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

- 1. RAMSAY ANXIOUS (RAM ANXIOU)  
{88205A0C-7065-4616-8FCF-75059462DD15}
- 2. RAMSAY COOPERATIVE (RAM COOPER)  
{56846ADA-0F0E-44AA-9779-A567B9D24C4F}
- 3. RAMSAY SEDATED (RAM SEDATE)  
{CC12405F-60DB-485F-94E5-78C1EB32AB74}
- 4. RAMSAY ASLEEP BRISK RESPONSE (RAM ASL BR)  
{00F4A117-F9E7-4B60-A521-F2E8725AECD3}
- 5. RAMSAY ASLEEP SLUGGISH (RAM ASL SL)  
{AA61604F-00F9-4103-B27F-E817FBC9577B}
- 6. RAMSAY ASLEEP NO RESPONSE (RAM ASL NO)  
{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}

UNITS:

=====  
TERM: SEDATION SCALE - RASS  
ID: {F4900650-2584-4A5B-9F97-171A9552C7BA}  
=====

Page: 796

Abbreviation..... RASS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Richmond Agitation Sedation Scale  
Display Name..... RASS  
Help Text..... Richmond Agitation Sedation Scale  
with numeric scores  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
1. +4 = COMBATIVE (RASS COMBA)  
{A97E064A-7709-42F9-9A88-4AAFF1020883}
  2. +3 = VERY AGITATED (RASS V AGI)  
{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}
  3. +2 = AGITATED (RASS AGITA)  
{D81A5D5D-E7FC-445A-A814-495731ABA0F8}
  4. +1 = RESTLESS (RASS RESTL)  
{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}
  5. 0 = ALERT AND CALM (RASS AL CA)  
{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}
  6. -1 = DROWSY (RASS DROWS) {5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}
  7. -2 = LIGHT SEDATION (RASS LT SE)  
{FDEEC084-3922-4065-A863-4893E42F8F93}
  8. -3 = MODERATE SEDATION (RASS MD SE)  
{D12B0A3E-B80E-494F-B89F-A79E8B81B080}
  9. -4 = DEEP SEDATION (RASS DP SE)  
{83CB4E64-3581-452F-987A-D31CB3AB38D2}
  10. -5 = UNAROUSABLE (RASS UNARO)  
{1578E147-7D2C-4469-828E-FCA97109B27C}

UNITS:

---

=====  
TERM: SEDATION SCALE - SAS  
ID: {8281E806-CEC9-4236-B984-495B8A3973E5}  
=====

Page: 797

Abbreviation..... SED SC SAS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Riker Sedation-Agitation Scale  
Display Name..... SAS  
Help Text..... Riker Sedation-Agitation Scale with  
numeric scores  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

1. 7 = DANGEROUS AGITATION (SAS DA AGI)  
{0701FB25-1DF0-4771-8C81-AC19A985A3B6}  
2. 6 = VERY AGITATED (SAS VY AGI)  
{B501606A-EEA7-470E-81BE-F51D422272F1}  
3. 5 = AGITATED (SAS AGITAT) {107143D4-9527-4A26-8CB7-EEBB656B68B3}  
4. 4 = CALM AND COOPERATIVE (SAS C COOP)  
{F0633778-280C-43C3-9E6E-9C35C18179F6}  
5. 3 = SEDATED (SAS SEDATE) {AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}  
6. 2 = VERY SEDATED (SAS VY SED)  
{4B13529B-61C5-4B68-857A-3A5351DC4BE2}  
7. 1 = UNAROUSABLE (SAS UNAROU)  
{3DDFF9FE-A88A-471F-BF36-E5B569DEBDAA}

UNITS:

=====  
TERM: SEE CPRS PROGRESS NOTE FOR ADDITIONAL DATA AND ASSESSMENTS      Page: 798  
ID: {5B11E0C7-C95C-440B-BA16-EEA0B8AED008}  
=====

Abbreviation..... CPRS note  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description.....  
Display Name..... See CPRS Progress Note for Additional  
                  Data and Assessments  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: SEIZURE CHARACTER  
ID: {15B23878-6E4C-4FCE-9F49-1C728A4A65D2}  
=====

Page: 799

Abbreviation..... SEIZU CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Seizure Character  
Display Name..... Seizure Character  
Help Text..... Character of Seizure  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

1. TONIC/CLONIC (TON/CLON) {81932BAA-6C79-47A3-85B3-592824B6C09C}
2. PARTIAL IMPAIRED (PART IMPAI)  
{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}
3. PARTIAL SIMPLE (PART SIMP)  
{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}

UNITS:

=====  
TERM: SEIZURE DURATION  
ID: {DAABDF54-F64C-6306-87EA-B8F5DE034DA0}  
=====

Page: 800

Abbreviation..... SEID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Seizure Duration  
Help Text..... Value in minutes  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MINUTE            0 > 0 \* 30 < 9999            Dec Prec: 0

=====  
TERM: SEIZURE FOCI  
ID: {719641C6-BA10-0BA3-65F1-17DC4B1B92E0}

Page: 801

=====  
Abbreviation.....SEIF  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....PickList  
Description.....No Description  
Display Name.....Seizure FOCI  
Help Text.....No Help Text  
Multi Select Picklist.....No  
Term Type.....OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 1. STARTED ON LEFT (sol) {AA6767EE-57F6-F565-76E9-EB219644492F}  
2. STARTED ON RIGHT (sor) {0C690E36-E710-244D-44FC-5DB5BCC0FF7E}  
3. UNKNOWN (u) {1F872397-8635-18A3-E252-AE9B20B88C7D}

UNITS:

-----

=====  
TERM: SEIZURE PRECAUTIONS  
ID: {9BD54461-23E5-F317-E5AC-5FAF87EECA0C}  
=====

Page: 802

Abbreviation..... SEI PREC  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Seizure Precautions  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: SEIZURES  
ID: {BB006255-D69A-E29C-1286-D71E6FF15830}

---

Page: 803

Abbreviation..... SEI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Seizures  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

---

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: SENSATION FOOT  
ID: {CCF961DC-8590-2498-3836-0F010461F69A}  
=====

Page: 804

Abbreviation.....SENSF  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....PickList  
Description.....No Description  
Display Name.....Sensation Foot  
Help Text.....No Help Text  
Multi Select Picklist.....Yes  
Term Type.....OBSESSION  
Vuid.....

DATA VALUE: 4 entries

-----  
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
2. NUMBNES (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-----  
1. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
2. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}

UNITS:

-----

=====  
TERM: SENSATION HAND  
ID: {7B880F9C-83F8-3395-9983-F10A1EF2F97A}  
=====

Page: 805

Abbreviation.....SENSH  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....PickList  
Description.....No Description  
Display Name.....Sensation Hand  
Help Text.....No Help Text  
Multi Select Picklist.....Yes  
Term Type.....OBSESSION  
Vuid.....

DATA VALUE: 4 entries

-----  
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
2. NUMBNES (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-----  
1. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}  
2. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}

UNITS:

-----

=====  
TERM: SENSATION LOWER EXTREMITY  
ID: {EB69E23D-9C3B-F2AB-B7F6-CAE402C87DE9}  
=====

Page: 806

Abbreviation..... SLEX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Lower Extremity  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
2. NUMBNESs (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-----  
1. L LOWER EXTREMITY (LLEX) {FC6F5056-779A-BF76-86D0-A237936C1ECC}  
2. R LOWER EXTREMITY (R LOW EXTR)  
{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}

UNITS:

-----

=====  
TERM: SENSATION UPPER EXTREMITY  
ID: {25313956-8B3E-FA21-0AA7-8E9DD4ABFF8D}  
=====

Page: 807

Abbreviation..... SUEX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sensation Upper Extremity  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
2. NUMBNESs (n) {037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
3. TINGLING (t) {AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
4. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 2 entries

-----  
1. L UPPER EXTREMITY (LUEX) {48806E79-B1DA-129B-EB52-453292A3DDC6}  
2. R UPPER EXTREMITY (R UPP EXTR)  
{C65BA269-8F05-6FB9-62CB-466A286CF2C0}

UNITS:

-----

=====  
TERM: SEQUENTIAL COMPRESSION DEVICE APPLICATION  
ID: {1D7F207B-7808-4280-8CA6-8A59478DAB7B}  
=====

Page: 808

Abbreviation..... SEQ DEV AP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sequential Compression Device  
Application  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

- 
1. INITIATED (INITIATED) {562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}
  2. CONTINUOUS (CONTINUOUS) {676CD2DA-F882-4BE5-99BB-510EA7669749}
  3. INTERRUPTED (INTERRUPTED) {AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}
  4. DISCONTINUED (DISCONTINUED) {15E289FB-09DF-4731-9CF3-48A4E0031C31}
  5. REPOSITION (REPOSITION) {DF3039CA-5977-4454-81D4-DB0AF966F85D}
  6. OFF WHILE AMBULATORY (OFF AMBULA)  
(FF4610BF-8C92-408F-882A-1D6B2C2F146F}
  7. ON WHILE SITTING IN CHAIR (ON IN CHAI)  
(4139F4C3-BB68-4477-BF63-9BE7813AADAA7}
  8. OFF DURING BATHING (OFF BATHIN)  
(5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}

UNITS:

---

=====  
TERM: SEWS - DISORIENTATION NAME PLACE  
ID: {A6E459CA-ADEF-4EA5-8B24-11300836DE9A}  
=====

Page: 809

Abbreviation..... SEWS N PL  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Disorientation: Knows Name and Place  
Help Text..... Disorientation: Knows name and place  
but not date  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

-----

=====  
TERM: SEWS - HALLUCINATION AUDITORY ONLY  
ID: {6C720EBC-4E08-44B5-BAFC-7473E0E7E6DD}  
=====

Page: 810

Abbreviation..... SEWS HAL A  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Hallucination: Auditory Only  
Help Text..... Auditory Only (Check for major  
psychotic disorder)  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}

UNITS:

-----

=====  
TERM: SEWS - NAME ONLY  
ID: {7F010DD2-E6C5-45EF-800D-37C238ED69A1}  
=====

Page: 811

Abbreviation..... SEWS N ONL  
Active..... No  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Disorientation: Knows Name Only  
Help Text..... Disorientation: Knows Name Only  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====  
TERM: SEWS: AGITATION  
ID: {012BB6B1-0CF8-4F51-832C-D85EF58C0831}  
=====

Page: 812

Abbreviation..... SEWS AGITA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Agitation  
Help Text..... Agitation: fidgety, restless, pacing?  
Score = 3  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====  
TERM: SEWS: ANXIETY  
ID: {1F7184F3-45F0-4D93-808C-FB797589814F}  
=====

Page: 813

Abbreviation..... SEWS ANXIE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity of Ethanol Withdrawl Scale  
Display Name..... Anxiety  
Help Text..... Do you feel that something bad is  
about to happen to you right now?  
Score = 3  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====  
TERM: SEWS: HALLUCINATION ANY  
ID: {4CDA775D-987A-442E-A260-82DE115FC127}  
=====

Page: 814

Abbreviation..... SEWS H ANY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Hallucinations Visual, Tactile,  
                  Olfactory, Gustatory (any)  
Help Text..... Hallucinations: Any Visual, Tactile,  
                  Olfactory, Gustatory. Score = 3  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0)        {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3)        {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====

TERM: SEWS: NAUSEA  
ID: {168E97DD-48FA-45BF-A3C0-8FCB5B316B6D}

=====

Page: 815

Abbreviation..... SEWS NAUSEA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawl Scale  
Display Name..... Nausea and Dry Heaves or Vomitting?  
Help Text..... "Severity of Ethanol Withdrawal  
Scale. Nausea AND Dry Heaves or  
Vomitting? Score = 3."  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====  
TERM: SEWS: ORIENTATION  
ID: {1B925D5C-1222-4FD8-A350-2C4A52AEA964}  
=====

Page: 816

Abbreviation..... SEWSOrient  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... SEWS: Orientation  
Help Text..... Severity of Ethanol Withdrawal Scale.  
Orientation to Name, Place, Date:  
All 3 Score =  
0; Any two Score = 1; Only one or  
none Score = 3.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
20. 1 (1) {8F5D10A8-FE17-47BC-DACA-6972D12CC00A}  
30. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====  
TERM: SEWS: SWEATING  
ID: {4B7D9035-79F8-4736-9A20-87671D76E12B}  
=====

Page: 817

Abbreviation..... SEWS SWEAT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawal Scale  
Display Name..... Sweating  
Help Text..... Severity of Ethanol Withdrawal Scale.  
Sweating: Includes moist palms,  
sweating now? Score = 2.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}

UNITS:

-----

=====  
TERM: SEWS: TOTAL  
ID: {6220504D-6961-4138-B1EC-1257142F5E49}  
=====

Page: 818

Abbreviation..... SEWS TOTAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Severity Of Ethanol Withdrawal Scale  
Total  
Display Name..... SEWS: TOTAL  
Help Text..... Severity of Ethanol Withdrawal Scale.  
Total Score Withdrawal Risk: 0-6  
Mild, 7-12 Moderate, 13 or greater  
Severe.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
SEWS SCALE            0 > 0 \* 6 < 22            Dec Prec: 0

=====  
TERM: SEWS: TREMOR  
ID: {8BC41692-A9A8-4900-BB2D-5E60E5625798}  
=====

Page: 819

Abbreviation..... SEWS TREMO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawal Scale  
Display Name..... Tremor  
Help Text..... Severity of Ethanol Withdrawal Scale.  
Tremor: with arms extended, eyes  
closed? Score = 2.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 2 (2) {38E22B79-A2B6-3401-B195-C955F24E1278}

UNITS:

-----

=====  
TERM: SEWS: VITAL SIGNS  
ID: {657A9E0B-12CC-4D33-B4A8-99827CAE5CFF}  
=====

Page: 820

Abbreviation..... SEWS VITAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Severity Of Ethanol Withdrawal Scale  
Display Name..... Vitals: Pulse > 110, Diastolic BP >  
90, Temp > 99.6  
Help Text..... Severity of Ethanol Withdrawal Scale.  
Vitals: Pulse > 110, Diastolic BP >  
90, Temp > 99.6 F Score = 3.  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. 0 (0) {2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
2. 3 (3) {E714454D-6A67-91F6-2FB7-D8F24F184328}

UNITS:

-----

=====  
TERM: SIDE RAILS  
ID: {1BE3FF8D-BC95-CE9E-ABFB-9C94CF591F24}  
=====

Page: 821

Abbreviation..... SD RAIL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Side Rails  
Help Text..... Side Rail Positions  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

- 
- 1. ALL UP (ALL UP) {48199083-ACC2-408C-9242-7A6313CD7A7F}
  - 2. ALL DOWN (ALL DOWN) {76C14E79-95E2-49B7-B847-3B114653E98C}
  - 3. HEAD UP (hu) {BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}
  - 4. R HEAD UP (R HEAD UP) {D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}
  - 5. L HEAD UP (L HEAD UP) {BB39792D-B572-4A10-BA81-8685809E7437}
  - 6. HEAD DOWN (hd) {80BF3425-D252-F917-052E-DC54D39E464E}
  - 7. R HEAD DOWN (R HEAD DOW) {FDDE0638-444C-4023-B586-985E84EEA1FA}
  - 8. L HEAD DOWN (L HEAD DOW) {3C919CB8-1C0A-498D-95A6-C46D25744CEC}
  - 9. FOOT UP (fu) {49CCC59E-002E-8387-E8D6-D57AAC089EF3}
  - 10. R FOOT UP (R FOOT UP) {5928B710-6EB1-4183-93CB-6C72B37A97C3}
  - 11. L FOOT UP (L FOOT UP) {A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}
  - 12. FOOT DOWN (fd) {13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}
  - 13. R FOOT DOWN (R FOOT DOW) {DBCC0BA2-3097-42C7-AE9E-DF71FA779162}
  - 14. L FOOT DOWN (L FOOT DOW) {5B18895B-DAD5-4874-87DB-DACFFF88B170}

UNITS:

---

=====  
TERM: SIGNIFICANT EVENT  
ID: {0DBEF78C-8CFC-0173-2A39-02C24EB10A5F}  
=====

Page: 822

Abbreviation..... se  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... String  
Description..... No Description  
Display Name..... Significant Event  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: SINUS DRAINAGE CHARACTER  
ID: {05B77F59-77DE-424F-ACD1-413E70D52429}  
=====

Page: 823

Abbreviation..... SIN DRA CH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sinus Drainage Character  
Help Text..... Describe The Sinus Drainage  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. SEROUS (SEROUS) {9BDA347E-29E9-80C7-91FA-016192D4257E}
2. SEROSANGUINOUS (SEROSANGUI) {19A8D332-899D-177A-2247-ABCDAEE3BFA8}
3. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
4. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}

UNITS: .....  
=====

=====  
TERM: SINUS DRAINAGE PRESENT  
ID: {0F9CDF0D-A7A8-408D-BBFD-A6F74E5B8D6F}  
=====

Page: 824

Abbreviation..... SIN DRAI P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Drainage Present  
Help Text..... Is Sinus Drainage Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: SINUS NECROTIC TISSUE APPEARANCE  
ID: {0578E21E-CFBE-440A-A532-8135AD414085}  
=====

Page: 825

Abbreviation..... SNEC TI AP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sinus Necrotic Tissue Appearance  
Help Text..... Sinus Necrotic Tissue Appearance  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 
- 1. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
  - 2. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}
  - 3. HARD (HARD) {7934B543-7028-4CBC-9308-99F5A952A1DE}
  - 4. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}

UNITS:

---

=====  
TERM: SINUS NECROTIC TISSUE PRESENT  
ID: {299921C9-5A13-4D9E-BC0D-8F777ED490D4}  
=====

Page: 826

Abbreviation..... SIN NEC TI  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Necrotic Tissue Present  
Help Text..... Is Sinus Necrotic Tissue Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: SINUS TRACT SURROUNDING TISSUE CHARACTER  
ID: {59D298AC-1BE0-4C13-B75B-1CE331454151}  
=====

Page: 827

Abbreviation..... SIN TI CHA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sinus Tract Surrounding Tissue  
Character  
Help Text..... Sinus Tract Surrounding Tissue  
Character  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. ERYTHEMA (ERYTHEMA) {0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}  
2. DISCOLORATION (DISCOLORAT)  
{BBE3E910-CC49-430C-BD90-FB0A97F1B183}  
3. INDURATION (INDURAITON) {A1669576-45D9-435C-87B9-488E9CF6BBA4}  
4. MACERATION (MACERATION) {B7C63E05-E193-40AA-A572-F1ACA0162B8B}

UNITS:

-----

=====

TERM: SINUS TRACT ULCER  
ID: {D89C6750-E1F0-4817-9EDD-205EE310A09A}

=====

Page: 828

Abbreviation..... SIN TRA UL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Tract Ulcer  
Help Text..... Is a Sinus Tract Ulcer Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: SINUS TRACT ULCER EPITHELIALIZATION  
ID: {63375C18-43BF-4969-989F-8239440E4040}  
=====

Page: 829

Abbreviation..... SIN ULC EP  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Tract Ulcer Epithelialization  
Help Text..... Is Sinus Tract Ulcer  
Epithelialization Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: SINUS TRACT ULCER GRANULIZATION  
ID: {64BE9437-2EAB-40F2-93BC-2D0C9DBDC1EB}  
=====

Page: 830

Abbreviation..... SIN ULC GR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Sinus Tract Ulcer Granulization  
Help Text..... Is Sinus Tract Ulcer Granulization  
Present?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: SKIN ALTERATION  
ID: {6B4325F4-F776-48C1-902D-2CFFC73A22BB}

---

Page: 831

Abbreviation..... SKIN ALTER  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Alteration  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

---

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
2. WOUND (WOUND) {1EC40149-051E-4750-8651-2B2D0DD2DEAC}

UNITS:

---

=====  
TERM: SKIN COLOR  
ID: {8D3A8036-39B5-AA2B-BF62-CC1EB134BB19}  
=====

Page: 832

Abbreviation..... SKIN COLOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Observation of Patients Skin Color  
Display Name..... Skin Color  
Help Text..... Observation of Patients Skin Color  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

- 1. PALE (p) {0EB39D28-7ABE-A4AB-D334-3F795E65618D}  
2. MOTTLED (m) {4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}  
3. ICTERIC (ICTERIC) {274ED5BB-5A34-20EE-A9B0-81AB7803780E}  
4. JAUNDICE (j) {B17F4603-7C68-660D-96A7-119140A998D3}  
5. FLUSHED (nt) {C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}  
6. DUSKY (d) {2ABF845E-4E2F-883F-3FCC-F72B8507FF85}  
7. CYANOTIC (c) {06BD77DB-1849-D731-0F27-F8CE48755EA9}  
8. ASHEN (ASHEN) {7431E4EC-DCF1-4966-85CB-29BF65311855}  
9. NORMAL FOR ETHNIC GROUP (ETH. NORM.)  
{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}  
10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}  
11. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}  
12. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}  
13. ECCHYMOSIS (ECCHYMOSIS) {DF076906-CC17-6AD1-76E7-B07678A126DE}

UNITS:

-----

=====

TERM: SKIN CONDITION  
ID: {831BEB82-92CE-07A0-F36B-09C94030D088}

=====

Page: 833

Abbreviation..... SKIN COND.  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Condition  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. INTACT (i) {935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
2. BREAKDOWN (BREAKDOWN) {9CFD21C0-A805-47C4-E559-8033C754DE80}

UNITS:

-----

=====  
TERM: SKIN DRAINAGE AMOUNT  
ID: {B973CF56-27AD-447B-9B12-A4326997E027}  
=====

Page: 834

Abbreviation..... SKI DRA AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Device Drainage Amount  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

- |                        |  |
|------------------------|--|
| 1. NONE (NONE)         | {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65} |
| 2. SCANT (SCANT)       | {8EF6C62D-0D94-37BB-60AD-86E306E8120D} |
| 3. SMALL (s)           | {5991F892-B28C-3998-E733-D8FFA26D7E21} |
| 4. MODERATE (MODERATE) | {C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3} |
| 5. HEAVY (HEAVY)       | {1F10CD98-03FA-4705-BF7D-941E881C4E3D} |

UNITS:

=====  
TERM: SKIN ERYTHEMA EXTENDS AROUND INCISION  
ID: {A88D0DBE-7CC6-4983-B9AC-AF9CCF9653AB}

Page: 835

=====  
Abbreviation..... ER EXI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Erythema Extension Around Incision  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. EXTENDS AROUND INCISION NONE (ER EXI NON)  
{91F1A7C5-885C-4B13-9F7F-189C93E505CC}  
2. EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (ER EXI <  
1) {095709D0-6190-49A3-AB08-BF4575DC8396}  
3. EXTENDS AROUND INCISION MORE THAN 1 CM (ER EXI >1)  
{11F13A1F-7AC2-4629-A960-CD92655EE101}  
4. LIMITED TO INCISION (ER EXI LIM)  
{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}

UNITS:

=====  
TERM: SKIN ERYTHEMA EXTENSION AROUND WOUND  
ID: {6BABC71-2C62-41A7-83E2-F5F4B5ACE087}

Page: 836

Abbreviation..... ERY EX  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Erythema Extension Around Wound  
Display Name..... Erythema Extension Around Wound  
Help Text..... Skin Erythema Extension Around Wound  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

- 1. EXTENSION AROUND WOUND NONE (ERY EX NON)  
{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}
- 2. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (ERY EX >1)  
) {175B2505-C596-4036-8FC3-DFEA8EFB76F9}
- 3. EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (ERY EX <1)  
) {48C7FA69-D31A-4AAA-84F3-79AC863B71FD}
- 4. EXTENSION AROUND WOUND LIMITED TO WOUND (ERY EX LIM)  
{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}

UNITS:

=====  
TERM: SKIN INCISION CLOSURE  
ID: {210023AD-813A-05F9-29E5-9F4339FD8BFE}

Page: 837

=====  
Abbreviation..... INCI CLOSU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Incision Closure  
Help Text..... Type of material used to close incision  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. SKIN INCISION WOUND CLOSURE SUTURES (INC CL SUT)  
{DED8DEDA-82C9-4D3A-A81E-641583314919}
2. INCISION WOUND CLOSURE GLUE (IN CL GLU)  
{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}
3. SKIN INCISION WOUND CLOSURE STAPLES (INC CL STA)  
{4F48D42D-C206-423C-970B-02C03B2EE0B6}
4. SKIN INCISION WOUND CLOSURE STERI-STRIPS (INC CL STE)  
{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}
5. INCISION WOUND CLOSURE NOT CLOSED (INC CL)  
{D63A05BF-1205-45F6-A78D-15D198BCB1C6}
6. SKIN INCISION WOUND CLOSURE OPEN WOUND (INC CL OPE)  
{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}
7. INCISION WOUND CLOSURE APPROXIMATED (INC CL APP)  
{2DD5713E-D81C-484B-A0DF-6A5730B396DF}
8. INCISION WOUND CLOSURE DEHISCENCE (INC CL DEH)  
{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}

UNITS: .....  
=====

=====  
TERM: SKIN INDURATION EXTENSION AROUND INCISION  
ID: {36580CA5-4FB0-4562-9652-0B3BD7D04307}  
=====

Page: 838

Abbreviation..... INC IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Induration Extension Around Incision  
Display Name..... Induration Extension Around Incision  
Help Text..... Induration Extension Around Incision  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. SKIN INDURATION AROUND INCISION NONE (INC IN NON)  
(A9B95680-F9A0-44C0-929C-70C00B9AA5B7)
2. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm ( INC IN <1) {2A5097BF-955C-4F79-B483-7EE14AF05786}
3. SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm ( INC IN >1) {D8EE448D-00EB-412D-95AC-2E2E92C53EEB}
4. SKIN INDURATION AROUND INCISION LIMITED TO INCISION (INC IN LIM)  
(88BCE7F9-F21F-427A-A50B-C1BA831639AB)

UNITS: .....  
=====

=====  
TERM: SKIN INDURATION EXTENSION AROUND WOUND  
ID: {20391515-609B-4D18-AE79-533E47AFCAA8}  
=====

Page: 839

Abbreviation..... WOU IN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Induration Extension Around Wound  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. SKIN INDURATION EXTENSION AROUND WOUND NONE (WOU IN NON)  
{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}
2. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (W  
OU IN <1) {3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}
3. SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (W  
OU IN >1) {7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}
4. SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (WOU IN LIM)  
{1828A9EA-FF9D-4A49-9543-15B85FBF211E}

UNITS: .....  
=====

=====

TERM: SKIN MOISTURE  
ID: {BE934424-A7CF-EEF0-8098-26B3AFC4B2FE}

=====

Page: 840

Abbreviation..... SKIN MOIST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Moisture  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 4 entries

-----  
1. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}  
2. MOIST (m) {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}  
3. DIAPHORETIC (d) {F5F1E644-A1BD-0137-54B5-1C02678C1D5A}  
4. NORMAL (n) {553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}

UNITS:

-----

=====  
TERM: SKIN PATCHES PRESENT  
ID: {D48AF8EF-A439-4D1B-9987-A04D9E030B45}  
=====

Page: 841

Abbreviation..... SKIN PAT P  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Are Skin Patches Present  
Display Name..... Skin Patches Present  
Help Text..... Are Skin Patches Present? (EKG,  
Medication...)  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: SKIN RISK FACTORS PRESENT  
ID: {8258C84C-8C09-417D-8FB2-FC1999456654}  
=====

Page: 842

Abbreviation..... SK RISK PR  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Are Skin Risk Factors Present?  
Display Name..... Skin Risk Factors Present  
Help Text..... Does The Patient Have Spinal Cord  
Injury, Paralysis, Or Neurological  
Disease?  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: SKIN SWELLING EXTENSION AROUND INCISION  
ID: {AB9716EF-235C-4434-A96D-5BC289C9458A}

Page: 843

=====  
Abbreviation..... INC SW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Swelling Extension Around Incision  
Display Name..... Skin Swelling Extension Around Incision  
Help Text..... Skin Swelling Extension Around Incision  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. SKIN SWELLING EXTENSION AROUND INCISION NONE (INC SW NON)  
{54C9FC46-899C-460B-9524-D6F196B9FF31}
2. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (INC SW <1)  
{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}
3. SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (INC SW >1)  
{106A2AD3-F482-4DEE-967E-6F06C6026944}
4. SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (INC SW LIM)  
{B8503D54-6925-430E-8AB6-692412347D5D}
5. SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (INC SW FLU)  
{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}

UNITS: .....  
=====

=====  
TERM: SKIN SWELLING EXTENSION AROUND WOUND  
ID: {FE9F8966-B828-473C-9285-E189A448E304}  
=====

Page: 844

Abbreviation..... WOU SW  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Swelling Extension Around Wound  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. SKIN SWELLING EXTENSION AROUND WOUND NONE (WOU SW NON)  
{550E3B92-2C69-403B-A997-2DBE61374ABF}
2. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (WOU SW <1)  
{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}
3. SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (WOU SW >1)  
{EA6AC933-0737-4C28-9F31-D36F3452DA96}
4. SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND (WOU SW LIM)  
{413CD1EC-309C-45D0-A1E0-E829EA615E2A}
5. SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT (WOU SW FLU)  
{DB5077E7-D339-4C87-B8CA-D16269DB2935}

UNITS: .....  
=====

Abbreviation..... SKIN TEMP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Temperature  
Display Name..... Skin Temperature  
Help Text..... Skin Temperature  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

1. COOL (COOL) {48A1FEA8-FD75-DAF8-174A-9C6AB2044439}
2. WARM (WARM) {E03BBEB4-5643-968F-190F-309A1293FCF9}
3. COLD (COLD) {B7B422BA-22EC-117D-0A0C-8419E9447D46}
4. HOT (HOT) {401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}
5. CONSISTENT WITH BODY TEMPERATURE (CON W TEMP)  
{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}
6. WARMER THAN GENERAL BODY TEMP (WARM B TEM)  
{AE43F2B4-B585-43F4-9E97-D61E225A803B}
7. WARMER THAN OPPOSITE BODY PART (WARM OPP P)  
{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}
8. COOLER THAN OPPOSITE BODY PART (COOL OPP P)  
{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}
9. COOLER THAN GENERAL BODY TEMPERATURE (CoolGenT)  
{03D7D4CF-9B3C-49CA-9650-213E9BABE064}

LOCATION: 49 entries

1. HEAD (Hd) {C3209F44-90C6-FF1B-3169-265B294F276A}
2. FACE (FACE) {C638EA14-7903-6A94-496A-C6560D51BEE3}
3. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
4. ABDOMEN (ABDOMEN) {109FE041-2521-6EF2-7F95-1FD1587796AB}
5. BACK (BACK) {22C26239-C692-4E93-B522-E5E8392BA3B1}
6. L ARM (LA) {567F552F-54B5-A8BB-596F-291001746E31}
7. R ARM (RA) {1C09017A-F10A-543D-A7EA-F13790D78692}
8. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
9. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
10. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
11. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
12. L GROIN (L GROIN) {5488E4EE-C1A2-4B02-8763-A53C412117A7}
13. R GROIN (R GROIN) {BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}
14. L THIGH (L THIGH) {16C2312F-1E0E-45E0-B675-160F40C23F57}
15. R THIGH (R THIGH) {B7A2D4A0-801E-4578-967A-F1CFB86FB96B}
16. L KNEE (L KNEE) {3A9E30B4-09A9-967A-58EF-69A01EC4F859}
17. R KNEE (R KNEE) {BCD18D53-07B6-2C41-64FC-3A07A7E979E7}
18. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
19. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
20. L LEG (LL) {B088C809-E528-B785-21C2-14E45E1FD8AF}
21. R LEG (RL) {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}
22. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
23. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
24. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
25. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
26. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
27. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}

28. R ANKLE (R ANKLE)	{4E6DF352-F399-4CE9-908C-48132C3D856B}
29. COCCYX (COCCYX)	{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}
30. L JAW (L JAW)	{65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}
31. R JAW (R JAW)	{7846AEE2-B6F4-4B5A-909F-56E386FD82A8}
32. L NOSE (L NOSE)	{C7707847-5135-4749-B196-002E3E59BB54}
33. R NOSE (R NOSE)	{D80BCB19-E71F-43EA-8990-6C121EE7F7A1}
34. NOSE (NOSE)	{85F7003E-6D4E-4A79-A534-8A57FBC2D106}
35. PENIS (PENIS)	{2D82CE55-83B6-4160-A754-07C71FD388E8}
36. ABDOMEN LUQ (ABD LUQ)	{3B31E1EC-CE74-4C76-BB61-10C678431FCA}
37. ABDOMEN RUQ (ABD RUQ)	{F29C9FA1-717A-49B7-8000-95070E9AACAO}
38. ABDOMEN LLQ (ABD LLQ)	{39831F59-D7B0-4156-AC57-4C622A93CA58}
39. ABDOMEN RLQ (ABD RLQ)	{2C48394F-6877-4738-856C-E933644D8067}
40. L CHEST (L CHEST)	{E332E497-FE0C-47CB-A0A7-217FBF52DC97}
41. R CHEST (R CHEST)	{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}
42. CHEST (CHEST)	{8C3C30FE-6E06-C35E-8226-CBF0C94014CC}
43. L SCAPULA (L SCAPULA)	{3381EC50-771B-41C8-85C8-6EB0D208D54E}
44. R SCAPULA (R SCAPULA)	{EA657261-4D72-40C2-B70D-2A2E27556A01}
45. L UPPER ARM (L UPP ARM)	{5F915696-1B08-32E9-6B95-49246117D660}
46. R UPPER ARM (R UPP ARM)	{3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}
47. L LOWER ARM (L LOW ARM)	{63AA95E8-256D-4390-8CB3-F00A1B3F91CD}
48. R LOWER ARM (R LOW ARM)	{8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}
49. SCROTUM (SCROTUM)	{BDC109F5-0D30-4914-A62C-CEFEB448B547}

UNITS:

---

=====  
TERM: SKIN TEMPERATURE AT INCISION SITE  
ID: {832CCFB8-A5D4-49C0-A97D-2079E698D0EA}  
=====

Page: 846

Abbreviation..... INC TP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Temperature at Incision Site  
Display Name..... Skin Temperature at Incision Site  
Help Text..... Skin Temperature at Incision Site  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE (INC TP CON) {D349175A-4B20-4243-BE40-E01E50C5583F}
2. SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE (WARM BD OP) {5F888E9D-8F65-49ED-BC5D-F6F287A9D478}
3. SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART (WARM R OP) {F518787A-325A-45F3-82B4-73C856802073}
4. SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE (INC TP CBT) {D357C975-857D-4293-B3EF-EFA7A4586357}
5. SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART (INC T P COP) {85307AD8-F730-43F0-BCB3-882594D9DDF8}

UNITS: .....  
=====

=====  
TERM: SKIN TEMPERATURE AT WOUND SITE  
ID: {52AE1F41-553B-4D21-8A65-33B4CEDFA783}  
=====

Page: 847

Abbreviation..... WOU TP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Skin Temperature at Wound Site  
Display Name..... Skin Temperature at Wound Site  
Help Text..... Skin Temperature at Wound Site  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE (WOU TP CBT) {672D56C1-D1A3-4DDF-8815-F05DEE197061}
2. SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE (WOU TP WGB) {03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}
3. SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART (WOU TP WOB) {6290BD23-24BF-4A3A-8555-DCE52D2274B3}
4. SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART (WOU TP C OB) {A904C666-2810-4211-B53A-2961DCE6894E}
5. SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE (WOU TP CGB) {7203993E-3334-44EC-9FD9-14224253283D}

UNITS: .....  
=====

=====

TERM: SKIN TURGOR  
ID: {4D90E9F2-5E61-67AA-1ACA-874AED4E6C79}

=====

Page: 848

Abbreviation..... SKIN TURG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Skin Turgor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

1. GOOD (GOOD) {39ECA304-49F9-44B7-9735-B33CEC9D8119}  
2. DECREASED (DECREASED) {D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}  
3. POOR (POOR) {A3D75A12-A791-446D-AF63-9435054DFC4C}

UNITS:

-----

=====  
TERM: SKIN WOUND CLOSURE  
ID: {975D025B-F852-4212-A182-1D9469BCA5B1}  
=====

Page: 849

Abbreviation..... WOU CLOSUR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Closure  
Help Text..... Type of material used to close wound  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. SKIN WOUND CLOSURE APPROXIMATED (WOU CL APP)  
{83D48E0F-8643-436B-9ECC-80795857C322}
2. SKIN WOUND CLOSURE DEHISCENCE (WOU CL DEH)  
{425A460F-19C0-4A4A-8E4E-712C66968C38}
3. SKIN WOUND CLOSURE GLUE (WOU CL GLU)  
{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}
4. SKIN WOUND CLOSURE NOT CLOSED (WOU CL NOT)  
{0E69F1FA-35F6-4F34-8547-CC3602670A7B}
5. SKIN WOUND CLOSURE OPEN WOUND (WOU CL OPE)  
{C6F2AD2C-932F-434A-8A7A-513029092FFD}
6. SKIN WOUND CLOSURE STAPLES (WOU CL STA)  
{FE04BFE3-DF81-48E7-9FA1-1CF4ECAD71}
7. SKIN WOUND CLOSURE STERI-STRIPS (WOU CL STE)  
{AD451791-6B49-4A51-ABC3-796D08BEF910}
8. SKIN WOUND CLOSURE SUTURES (WOU CL SUT)  
{F2840AE4-216B-477C-9FE6-DC91E8CE5364}

UNITS: .....  
=====

=====

TERM: SLEEP AMOUNT  
ID: {E68F85F4-35A1-4FAC-BA86-90BF1FD5D63F}

=====

Page: 850

Abbreviation..... SLEEP AMOU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Sleep Amount  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

HOUR -0.1 > 0.0 \* 24.0 < 24.1 Dec Prec: 1

=====  
TERM: SLEEP QUALIFIERS  
ID: {7727D9C8-C3F2-4676-A2B8-23F4DAC72B90}  
=====

Page: 851

Abbreviation..... SLEEP QUAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Sleep Qualifiers  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 6 entries

1. NAPS ONLY (NAPS ONLY) {CF749F5C-2E4B-419A-B020-C81B30A7E482}
2. HAS NOT SLEPT (NO SLEEP) {3BF9DB54-5D1E-422D-90AF-918F81C9EA85}
3. ASLEEP AT ROUNDS (SLEEP ROUN)  
{24E1D9F0-D8F1-4DC8-911F-6170F343C087}
4. DENIES HAVING SLEPT (DENIES SL)  
{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}
5. SLEPT WELL (SLEPT WELL) {18573E82-568F-4D2E-B9E1-6E4589EBEE2D}
6. INTERMITTENT SLEEP (INT SLEEP)  
{5005C433-5892-4F4D-A64D-4C94AD1853E2}

UNITS: .....  
=====

=====  
TERM: SPECIALTY BED/MATTRESS  
ID: {274B7CFD-D091-47F2-9F35-602F14D75340}  
=====

Page: 852

Abbreviation..... SPEC BED/M  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of specialty Bed or Mattress  
Display Name..... Specialty Bed/Mattress  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 9 entries

1. BARIATRIC FRAME (BARI FRAME)  
{CF95B426-F280-451B-86F2-CEF7A1A2B967}
2. BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (BAR L AIR)  
{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}
3. LOW AIRLOSS/ALTERNATING PRESSURE COMBO (L AIRL ALT)  
{ADDD1260-C95B-4D7B-AB89-3749D76A3700}
4. LOW AIRLOSS OVERLAY (L AIR OVRL)  
{282C439C-A697-43E6-85C1-786352EB56BC}
5. PERCUSSION BED (PERC BED) {BE0B086B-A2F3-446A-ADE0-9589E92689FE}
6. ROTATIONAL THERAPY (ROT THERAP)  
{BB795594-720C-40D7-9B7C-6792BC849DA0}
7. STANDARD PRESSURE REDUCTION (STAN P RED)  
{556537CD-A84D-4493-81F6-51CBD844B5B7}
8. STRYKER FRAME (STRYKER FR)  
{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}
9. FLOTATION BED (FLOT BED) {FA6329AB-85A6-4301-BC14-D0D089249356}

UNITS: .....  
=====

=====  
TERM: SPECIFIC GRAVITY  
ID: {CFB61154-54BD-4DE2-B83B-BC497AEC0F33}  
=====

Page: 853

Abbreviation..... SPEC GRAVI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Specific Gravity  
Display Name..... Specific Gravity  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

PRODUCT: 1 entries

1. URINE (u) {1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}

UNITS:

SI UNIT 0.500 > 1.000 \* 1.030 < 2.000  
Dec Prec: 3

=====  
TERM: SPEECH  
ID: {499E62FB-134E-4D72-8BEF-D8E0EAE42BEE}  
=====

Page: 854

Abbreviation..... Speech  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Speech  
Help Text..... Assessment of Speech (especially in  
Behavioral Health settings). Speech  
Method = Rate; Quality = Volume  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

-----  
10. ARTICULATE (Articulate) {BB0EB19F-896F-4792-BA28-5D040DD029E2}  
20. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}  
30. DISORGANIZED (Disorganiz) {E8382FF8-BC64-415D-9142-CEEA707CF77C}  
40. FRAGMENTED (Fragmented) {EB6A8E89-8D25-4ED6-AE53-225134603381}  
50. MONOTONE (Monotone) {67E54F45-C750-4357-B616-ED1CF6FD9203}  
60. POVERTY OF CONTENT (PovofCont)  
{E0DAF10C-AC3D-4E63-9045-4507D09F01BE}  
70. POVERTY OF SPEECH (PovofSpeec)  
{85D68BCC-93EF-4F62-A8A4-333B3D90B1BD}  
80. PRESSURED (Pressured) {A2167296-ECE0-405A-A11D-A1C66D58F219}  
90. REPETITIVE (Repetitive) {49B13886-E18C-42A8-90AD-31A6844CD473}  
100. SLURRED (Slurred) {4C31C626-B013-48EA-AD2C-70EBBE945AA3}  
110. SPONTANEOUS (SPONTANEOU) {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}  
120. STAMMERING (Stammering) {D01420BA-5B54-4F1D-B532-8A647D909948}  
130. TALKATIVE (Talkative) {E9BF2028-E7A7-4B16-B1E6-411856997A14}

METHOD: 3 entries

-----  
10. SLOW (Slow) {651F65B1-E939-47B8-8153-5BDEF2DF8CF6}  
20. RAPID (Rapid) {3F1B14F1-67B1-4325-862F-7345F921A8F1}  
30. NORMAL (Normal) {B6023DE3-081D-473C-81F1-03E22757E648}

QUALITY: 4 entries

-----  
10. MUTE (Mute) {BE487084-2C18-48DE-B23F-7C704804AB6C}  
20. SOFT (Soft) {56901AD6-57B1-40CD-AF35-E0562EF0EEEB}  
30. NORMAL (Normal) {266B7051-608B-4AA9-8CC0-220CE6FDFDF1}  
40. LOUD (Loud) {47D5B61A-25DE-4CCB-A1F8-1B554719B4D1}

UNITS:

-----

=====  
TERM: ST SEGMENT AVF  
ID: {F5ECC376-8003-62AF-64E7-08D52B244095}  
=====

Page: 855

Abbreviation..... STAVF  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment Average Vector Foot  
Display Name..... ST Segment AVF  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT AVL  
ID: {BB728DEB-4928-4714-9D0D-051EBC0187D2}  
=====

Page: 856

Abbreviation..... STAVL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment Average Vector Left  
Display Name..... ST Segment AVL  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT AVR  
ID: {AE4E7CCA-2453-99B2-B345-6A03580214AD}  
=====

Page: 857

Abbreviation..... STAVR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment Average Vector Right  
Display Name..... ST Segment AVR  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT I  
ID: {6D678028-BDCB-65D9-6F76-455102C8B05A}  
=====

Page: 858

Abbreviation..... ST1  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment 1  
Display Name..... ST Segment 1  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT II  
ID: {6F42CE65-5097-918C-93B6-7D3000CA402E}  
=====

Page: 859

Abbreviation..... ST2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment 2  
Display Name..... ST Segment 2  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT III  
ID: {C2D177EB-A435-9EAA-E518-2039E8592E69}  
=====

Page: 860

Abbreviation..... ST 3  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment 3  
Display Name..... ST Segment 3  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====

TERM: ST SEGMENT V1  
ID: {6D9794A3-5374-CE1D-6AD4-D4601683F6F0}

=====

Page: 861

Abbreviation.....STV1  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....Numeric  
Description.....ST Segment from Lead V1  
Display Name.....ST Segment V1  
Help Text.....The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave from Lead  
V1  
Multi Select Picklist.....  
Term Type.....OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT V2  
ID: {BA2FE2E9-D587-5F6C-66D4-B046A3746ADE}  
=====

Page: 862

Abbreviation..... STV2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment from Lead V2  
Display Name..... ST Segment V2  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave from Lead  
V2  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT V3  
ID: {ACEEBB4D-FDFD-31BA-7151-446EAB274549}  
=====

Page: 863

Abbreviation..... STV3  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment from Lead v3  
Display Name..... ST Segment V3  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave from Lead  
V3

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00

Dec Prec: 2

MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00

Dec Prec: 2

=====

TERM: ST SEGMENT V4  
ID: {A48D67C4-49D9-4EFD-DF99-7088D8E2DFBA}

=====

Page: 864

Abbreviation..... STV4  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment from Lead 4  
Display Name..... ST Segment V4  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave from Lead  
V4

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: ST SEGMENT V5  
ID: {0B6F3CF6-9DDB-17EC-EFC0-37610387E274}  
=====

Page: 865

Abbreviation..... STV5  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ST Segment from Lead 5  
Display Name..... ST Segment V5  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave from Lead  
V5  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====

TERM: ST SEGMENT V6  
ID: {4D796057-5561-652D-D6A0-387DB5D16973}

=====

Page: 866

Abbreviation.....STV6  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....Numeric  
Description.....ST Segment from Lead 6  
Display Name.....ST Segment V6  
Help Text.....The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave from Lead  
V6  
Multi Select Picklist.....  
Term Type.....OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====

TERM: ST/T WAVE MEASUREMENT  
ID: {F825C20C-82DE-4DD6-BC78-4E25030D0DB1}

=====

Page: 867

Abbreviation..... ST/T measu  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description.....  
Display Name..... ST/T Wave Measurement  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLIMETERS      -9.0 > -9.0 \* 9.0 < 9.0    Dec Prec: 1

=====  
TERM: STOOL: CHARACTERISTICS  
ID: {811C87C7-BC37-72E2-98B5-AF4E61976DBB}  
=====

Page: 868

Abbreviation..... STOOL CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Stool Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

- 
- 1. NORMAL STOOL (NORM STOOL) {486B0693-CAC5-48EE-B2E6-1F73C651418A}
  - 2. LOOSE (LOOSE) {1346A74E-3AA1-4D81-876B-91201F9717A5}
  - 3. SOFT (SOFT) {E68B4D4B-B86B-4004-A861-986645267F6E}
  - 4. DIARRHEA (DIARRHEA) {353472EF-3499-46B1-AD7C-554FE01D8CE2}
  - 5. CONSTIPATION (CONSTIPAT.) {4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}
  - 6. TARRY (TARRY) {09364271-6307-471F-A334-A8F7E051EF46}
  - 7. MUCOID (MUCOID) {073E5514-DACE-4F43-ADE5-91A1A87D6601}
  - 8. BLOODY (BLOODY) {D7904E84-8331-D6DD-F2C0-7F3039C5746A}
  - 9. FRANK BLOOD (FRANK BLD) {CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}
  - 10. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}

UNITS:

---

=====  
TERM: STOOL: COLOR  
ID: {85012C5D-09F3-4078-9A4D-82564BF57235}  
=====

Page: 869

Abbreviation..... STOOL COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Stool Color  
Display Name..... Stool Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
8 entries

1. BROWN (BROWN) {A1C32FBC-7B4D-707C-CA58-92A2E201368E}
2. YELLOW/GREEN (YELLOW/GRN) {1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}
3. BLACK (BLACK) {7A55AFB9-6861-4918-0746-3D67D47FE5C3}
4. RED (RED) {515D7CFB-3527-30E7-EC4B-B607C272DFA0}
5. MAROON (MAROON) {1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
6. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
7. GREEN (GREEN) {3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
9. YELLOW (YELLOW) {90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS: -----

=====  
TERM: STOOL: NUMBER OF STOOLS  
ID: {85348D14-F821-4043-A1C6-07D5BA407198}  
=====

Page: 870

Abbreviation..... NUM STOOLS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Number of stools  
Display Name..... Number of stools  
Help Text..... Number of stools  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

STOOL            0 > 0 \* 15 < 30            Dec Prec: 0

=====

TERM: STROKE INDEX  
ID: {14D70939-EDAB-9318-200B-D71EF2F38570}

=====

Page: 871

Abbreviation..... SI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Stroke Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

MILLILITERS PER BEAT      10 > 25 \* 45 < 100      Dec Prec: 0

=====  
TERM: STROKE VOLUME  
ID: {97938D03-0837-552B-5BC2-3F8D1A38E386}  
=====

Page: 872

Abbreviation..... SV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Stroke Volume  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
MILLILITERS PER BEAT      30 > 60 \* 130 < 200      Dec Prec: 0

=====  
TERM: STROKE VOLUME INDEX  
ID: {0FFED66D-43F3-E4CA-18B7-DBFCAA2F5EC5}  
=====

Page: 873

Abbreviation..... SVI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Stroke Volume Index  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
MILLILITERS PER BEAT PER METER SQUARE (BSA)  
20 > 41 \* 51 < 100 Dec Prec: 0

=====  
TERM: SUPPLEMENTAL OXYGEN CONCENTRATION  
ID: {56F82CAC-3564-46CE-A520-1025020DADE9}  
=====

Page: 874

Abbreviation..... FIO2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... This is the level of O2 that is set  
on the machine to be delivered to the  
patient  
Display Name..... FiO2  
Help Text..... Fraction of Inspired Oxygen  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 8 entries

1. AEROSOL/HUMIDIFIED MASK (AM) {CAF54B28-D5D2-8481-FAE3-9C74C2D51551}
2. ASSISTED VENTILATOR (AV) {A540F333-5A09-5F21-7B51-2B5DF05E32C0}
3. FACE TENT (FT) {1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}
4. LARYNGEAL MASK (LARYNGMASK) {DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}
5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
6. T-PIECE (TP) {27FC4BC6-2F25-2154-553C-2B452E28A91C}
7. TRACHEOSTOMY COLLAR (TC) {CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}
8. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

PERCENTAGE 0 > 21 \* 100 < 101 Dec Prec: 0

=====  
TERM: SUPPLEMENTAL OXYGEN FLOW RATE  
ID: {3BB314E8-9BBB-480E-B34E-B56EDE43BAC4}  
=====

Page: 875

Abbreviation..... O2FLOWRATE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Supplemental Oxygen Flow Rate  
Display Name..... Supplemental Oxygen Flow Rate  
Help Text..... Supplemental Oxygen Flow Rate  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 12 entries

1. AMBU BAG (AB) {E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}
2. BIPAP (BIP) {3CFD1D11-EF8D-58BA-6381-B24956344D2E}
3. BIPAP-CPAP (PAP) {2BCBE562-8F44-662F-469B-13AC0E863A3D}
4. CPAP (CP) {A041FB71-08EF-F3FE-82FA-051FF74C824F}
5. MASK (M) {4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}
6. NASAL CANNULA (NC) {E7FD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}
7. NEBULIZER (NEBULIZER) {3CF184A3-2688-4988-B956-D5B0F303E8E8}
8. NON RE-BREATHER (NRB) {1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}
9. PARTIAL RE-BREATHER (PRB) {6F1DF170-5128-2E3F-1831-12FB0BB5E95C}
10. PENDANT CANNULA (PC) {A1451228-4ABB-DBCB-31AD-578BCD93012F}
11. RESERVOIR CANNULA (RC) {B332C44D-29BE-765C-932C-63EBFC9631FC}
12. VENTURI MASK (VM) {E0401675-9C4E-2AFA-2B93-F352B781E963}

UNITS:

LITERS PER MINUTE -1 > 0 \* 20 < 21 Dec Prec: 0

=====  
TERM: SYSTEMIC VASCULAR RESISTANCE  
ID: {BD2C3F43-186B-A312-2514-186EFE223B65}  
=====

Page: 876

Abbreviation..... SVR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Systemic Vascular Resistance  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
DYNE \* SECONDS / CM(-5) \* M2 400 > 800 \* 1200 < 3000 Dec Prec: 0

=====  
TERM: SYSTEMIC VASCULAR RESISTANCE INDEX  
ID: {62C5A9F1-C0D2-DD0C-5A01-459C833375EE}  
=====

Page: 877

Abbreviation..... SVRI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Systemic Vascular Resistance Index  
Display Name..... Systemic Vascular Resistance Index  
Help Text..... Systemic Vascular Resistance Index  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. CARDIAC OUTPUT MONITOR (COM)  
{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}

UNITS:

-----  
DYNE \* SECONDS / CM(-5) / M2 1500 > 1760 \* 2600 < 4000 Dec Prec: 0

=====  
TERM: SYSTOLIC PRESSURE  
ID: {D66590AE-5D02-A206-A7CD-7EFB22AE591D}

Page: 878

Abbreviation..... SYSTOL PRE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Systolic Pressure  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

LOCATION: 4 entries

- |               |  |
|---------------|--|
| 1. L ARM (LA) | {567F552F-54B5-A8BB-596F-291001746E31} |
| 2. L LEG (LL) | {B088C809-E528-B785-21C2-14E45E1FD8AF} |
| 3. R ARM (RA) | {1C09017A-F10A-543D-A7EA-F13790D78692} |
| 4. R LEG (RL) | {C5E40A7B-6FC4-267D-8CE8-3571D21D81FD} |

METHOD: 5 entries

- |                       |  |
|-----------------------|--|
| 1. CUFF (Cu)          | {E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E} |
| 2. DOPPLER (Dop)      | {52683C19-F9DC-876B-CA3F-53E7C864CF04} |
| 3. ARTERIAL LINE (AL) | {D4B3F4ED-8B33-431E-4164-BD165E823776} |
| 4. INVASIVE (I)       | {5DB8746E-5446-F47A-883C-A44B91275A6E} |
| 5. NON-INVASIVE (N-I) | {F50ABFED-5FD7-FC95-20FE-1E3038C9F299} |

POSITION: 3 entries

- |                  |  |
|------------------|--|
| 1. LYING (Ly)    | {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9} |
| 2. SITTING (Sit) | {DD4DCDF1-0A22-2CC5-404F-0E472C73961C} |
| 3. STANDING (St) | {0776AE42-C370-B7B3-9B4D-9C914BA8F231} |

UNITS:

MILLIMETERS OF MERCURY 0 > 80 \* 150 < 300 Dec Prec: 0

=====  
TERM: SaO2% Page: 879  
ID: {D2D98D5C-552B-9913-31FB-E4FE5BB32912}  
=====

Abbreviation..... SaO2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Arterial Oxygen Saturation  
Display Name..... SaO2%  
Help Text..... Arterial Oxygen Saturation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

PERCENTAGE 50 > 92 \* 100 < 101 Dec Prec: 0

=====  
TERM: SpO2% Page: 880  
ID: {5F84DD55-3CCF-094C-2536-B51EB7FAD999}  
=====

Abbreviation..... SpO2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Spot Oxygen Saturation  
Display Name..... SpO2%  
Help Text..... Oxygen Saturation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500637

METHOD: 2 entries

-----  
13. MONITOR (Mo) {63FC24EA-50B8-B302-D948-ABE3517CF6FC}  
19. PULSE OX MONITOR (POM) {A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}

UNITS:

-----  
PERCENTAGE 50 > 92 \* 100 < 101 Dec Prec: 0

=====  
TERM: SvO2% Page: 881  
ID: {A7862F66-E515-838A-6F71-2099DCC02C9E}  
=====

Abbreviation..... SvO2%  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Venous Oxygen Saturation  
Display Name..... SvO2%  
Help Text..... Venous Oxygen Saturation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

PERCENTAGE 30 > 60 \* 75 < 100 Dec Prec: 0

=====  
TERM: TEMPERATURE  
ID: {0F33223E-DF2C-6B8B-5201-5E091C5F9065}  
=====

Page: 882

Abbreviation..... T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Internal body temperature of a patient.  
Display Name..... Temperature  
Help Text..... Enter in the numeric value of the  
patients temperature with up to one  
decimal.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500638

LOCATION: 7 entries

- 
- 1. AXILLARY (Ax) {135AA5F4-A1C7-978D-E9AB-6873841AEB57}
  - 2. CORE (C) {5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}
  - 3. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
  - 4. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
  - 5. SKIN (SKIN) {0803BC59-1582-AEC8-3DA2-A81363038210}
  - 6. TEMPORAL (TEMPORAL) {E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}
  - 7. TYMPANIC (Tym) {0A58C14C-E447-E034-AA93-D41E6E0D2F69}

QUALITY: 2 entries

- 
- 1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
  - 2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}

UNITS:

---

DEGREES F	70.0 > 95.0 * 100.9 < 108.0 Dec Prec: 1
DEGREES C	21.1 > 35.0 * 38.3 < 42.2 Dec Prec: 1

=====

TERM: THRILL

Page: 883

ID: {03A59127-CB5C-4DA6-91C4-5AA02DDE2C66}

=====

Abbreviation.....THRILL  
Active.....Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type.....PickList  
Description.....No Description  
Display Name.....Thrill  
Help Text.....No Help Text  
Multi Select Picklist.....No  
Term Type.....OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
2. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}

LOCATION: 10 entries

1. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
2. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
3. R CAROTID (R CAROTID) {8280ACD2-72D6-202A-89AF-86BCA7736427}  
4. L CAROTID (L CAROTID) {FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}  
5. R TEMPORAL (R TEMPOR) {1F50461D-5ECF-25B2-A29A-E02803CB7814}  
6. L TEMPORAL (L TEMPO) {375E65CF-A59E-A1E9-EB6D-D53CD818939E}  
7. ABDOMINAL AORTA (ABD AORTA)  
{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}  
8. HEART (HEART) {F7D48A36-B512-42DD-B92F-07ACF2B95E08}  
9. GRAFT SITE (Graft Site) {56ABE088-8047-4335-9F61-4FF69B9B81D8}  
10. FISTULA SITE (Fist Site) {9959E3F8-D744-45F0-BB6B-4A132F8D87A0}

UNITS:

=====

=====

TERM: TIME OUT: PATIENT IDENTIFICATION METHOD  
ID: {339EAE62-5A1A-4F43-8D83-F9152EE5AB94}

=====

Page: 884

Abbreviation..... ID Method  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Time Out: Patient Identification Method  
Help Text..... Method of Patient Identification  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 3 entries

1. VERBALIZED BY PATIENT (Verbal)  
{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}
2. ID BAND (ID Band) {5526C5AB-64C8-4AB1-B77F-DAF45D26B439}
3. ID CARD (ID Card ) {CFD540F0-3D73-498F-B590-CCEF11499078}

UNITS: .....

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED

Page: 885

ID: {AD9203C2-342A-4397-B71D-1AE9F36D4582}

=====

Abbreviation..... T/O Confir  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Time Out: Verbal confirmation by team  
of procedure to be performed  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY  
Page: 886  
ID: {C90F1CBF-5CC7-49DB-8643-D220B20D954C}

=====

Abbreviation..... T/O Lat  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Time Out: Verbal confirmation by team  
of procedure and laterality  
Help Text.....  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: TONGUE POSITION  
ID: {1A1007C3-2485-483F-8CBF-D6153DE4DEAF}

=====

Page: 887

Abbreviation..... Tongue Pos  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Tongue Position  
Help Text..... Neurological Testing  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

-----  
10. MIDLINE (Midline) {3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}  
20. DEVIATION RIGHT (DeviationR)  
{D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}  
30. DEVIATION LEFT (DeviationL)  
{B8F53B29-9BE7-4681-8AFF-DE5D3F962755}

UNITS:

-----

=====  
TERM: TONOMETRY Page: 888  
ID: {C06989EF-4B0F-4941-B1A7-FA9D81A480FF}  
=====

Abbreviation..... TON  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Tonometry  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688726

UNITS:

-----  
MILLIMETERS OF MERCURY 0 > 0 \* 80 < 80 Dec Prec: 0

=====  
TERM: TRACE ST SEGMENT  
ID: {8A29B49B-7338-7943-B6C0-9027BE094607}  
=====

Page: 889

Abbreviation..... TSS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Electrocardiogram Reading  
Display Name..... Trace ST Segment  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: TRACE ST SEGMENT 2  
ID: {ED106F43-5AB7-8B5C-D282-8458B35169C2}  
=====

Page: 890

Abbreviation..... TSS2  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... ECG Reading  
Display Name..... Trace ST Segment 2  
Help Text..... The part of an electrocardiogram  
immediately following the QRS complex  
and merging into the T wave  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. ELECTROCARDIOGRAM (ECG) {CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}

UNITS:

-----  
MILLIVOLTS -0.50 > -0.05 \* 0.10 < 1.00  
Dec Prec: 2  
MILLIMETERS -5.00 > -0.50 \* 1.00 < 10.00  
Dec Prec: 2

=====  
TERM: TRACHEA MIDLINE DEVIATED  
ID: {E952DF23-0FC7-5809-2135-C8AA60FE159B}  
=====

Page: 891

Abbreviation..... TRACH MIDL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... No Description  
Display Name..... Trachea Midline Deviated  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

- 
- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
  - 2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====  
TERM: TRACHEOSTOMY ASSESSMENT  
ID: {E13FDCF4-1C28-4FF8-A856-0000E1C5D72A}  
=====

Page: 892

Abbreviation..... TrchAssess  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Tracheostomy Assessment  
Help Text..... Documentation of Trach Site or Stoma  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

-----  
10. PINK (PINK) {1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}  
20. ERYTHEMATOUS (Erythema) {99C72386-619A-4CB4-BEB2-6F0BFF9283FC}  
30. BLEEDING (Bleeding) {B04CC38B-CB59-4E71-A3E0-1DBF11D152CD}  
40. MOIST (m) {AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}  
50. DRY (d) {D8F4F0FD-1B19-2515-3815-EC88D175B305}  
60. MUCUS (Mucus) {FDD0A5FD-9C87-47F0-AC2A-AD49ABB492BA}  
70. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

-----

=====  
TERM: TRACHEOSTOMY CARE  
ID: {9A187B99-7EA5-479F-B7A8-7909786EDD71}  
=====

Page: 893

Abbreviation..... TrachCare  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Tracheostomy Care  
Help Text..... Documentation of trach interventions  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

- 10. DONE AS PER POLICY (PerPolicy)  
{9D246DC9-B054-4AB2-9D72-C2E3C3A12FC1}  
20. SUCTIONED (Suctioned) {D1EA37C9-C8F1-4306-8A86-3B839638712C}  
30. PRE-SUCTIONING OXYGENATION (PreSuct)  
{8C41E387-F15A-4DDD-BC04-259F8F403C2B}  
40. POST-SUCTIONING OXYGENATION (PostSuct)  
{EF142F10-335F-4B47-9F3D-195D7E508D72}  
50. INNER CANNULA CHANGED (InnerCann)  
{4C0CA35F-2B7F-47C1-91E0-9159383BC17C}  
60. STOMA CARE (Stoma Care) {700D1811-5B1C-47DE-B0A7-EBF560B598FF}  
70. TRACH DRESSING (TrachDress)  
{778C9378-071D-44F6-8306-705D5D2F19D7}  
80. TRACH TIES/HOLDER CHANGED (Trach Ties)  
{B49A3A50-8516-4423-896A-67643822E674}  
90. OBTURATOR AT BEDSIDE (Obturator)  
{65D0889C-3987-48AA-9E63-C9878ADE1DDD}  
100. TOLERATED WELL (TolerWell)  
{E1846192-BB56-463F-A112-6E3DD649D3C3}  
110. TOLERATED FAIR (TolerFair)  
{341FC827-1B34-4836-A74F-1C8C466DD4F0}  
120. TOLERATED POOR (TolerPoor)  
{C3EE2266-1EBE-4113-8C87-BC1049B3B1DE}  
130. TRACH COLLAR O2 (TrachColl)  
{8189D676-B602-4A29-A7AF-1A8FD7F4B50B}  
140. HUMIDIFIED AIR (HumidAir)  
{4FC8D9E9-9638-48E9-82F9-2FC144185569}  
150. OTHER (ENTER COMMENT) (Other)  
{7BBBF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: TRACHEOSTOMY TYPE  
ID: {AECBE6C4-8A4D-473A-854B-8482340F36A5}  
=====

Page: 894

Abbreviation..... TrachType  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description.....  
Display Name..... Tracheostomy Type  
Help Text..... Identify the type of trach patient has  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

-----  
10. STOMA ONLY (StomaOnly) {34B3AEE4-2B03-4B14-846D-C00FDA3415FC}  
20. SHILEY (Shiley) {F639982A-8BA6-4381-AACD-3310C8400135}  
30. PLASTIC (Plastic) {65AFD48A-137C-4539-8C9E-40F2D0547AF6}  
40. SILICON (Silicon) {C50E8765-2850-4C40-A8BE-346B55544AFB}  
50. METAL (Metal) {817B2544-725A-4B92-93AC-49650A5C1009}  
60. FENESTRATED (Fenestrated) {B17FE19B-D8B9-4DAA-A2D1-4ED9C8E6591D}  
70. CUFFED (Cuffed) {C8C62FC0-BEC5-4880-9568-157E35C89CDF}  
80. UNCUFFED (Uncuffed) {2AAD702B-570C-4BEA-8F33-6527F0DF9CEB}  
90. STOMA BUTTON (StoButton) {8F01105E-AB8C-44F0-8F2C-A37D423C9310}  
100. SPEAKING VALVE (SpeakValve)  
{DB3DE301-C965-4566-B43C-7CC8D8F04252}  
110. DUAL CANNULA (DualCannul)  
{BEAA57AB-9C9E-47F9-B942-DD6730CB559C}  
120. SINGLE CANNULA (SingleCann)  
{DDA5F6C8-F26E-47EF-9C91-E94C539AF967}  
130. OTHER (ENTER COMMENT) (Other)  
{7BBBFCF8-B8DB-44EC-830A-7894242D219F}

UNITS:

=====  
TERM: TRACTION TYPE  
ID: {5A9CB3E0-7141-45E9-BE82-AA026A7889AB}  
=====

Page: 895

Abbreviation..... TRACT TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Traction Type  
Display Name..... Traction Type  
Help Text..... Type of traction used  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. BUCKS TRACTION (BUCK TRACT)  
{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}
  - 2. SLING TRACTION (SLING TRAC)  
{304E924C-C95A-4DBE-B30B-191BC4D26EF7}
  - 3. PIN TRACTION (PIN TRACT) {C75104A5-3B6B-4CFE-8E2E-05877522C811}

UNITS:

---

=====  
TERM: TRACTION WEIGHT - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {0C913807-C678-4E94-BD20-B8B2EBE697BE}

Page: 896

=====  
Abbreviation..... TRACT WEIG  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Weight used in traction  
Display Name..... Traction Weight - Do Not Check Total  
or Subtotals  
Help Text..... Weight used in traction  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
POUND                  0 > 0 \* 30 < 30                  Dec Prec: 0

=====  
TERM: TRAIN OF FOUR RESPONSE  
ID: {86E4352A-A72E-4287-8C17-ABCF97DCAF94}  
=====

Page: 897

Abbreviation..... TOF RESP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Train of Four response  
Display Name..... Train of Four Response  
Help Text..... Record the number of responses  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: -----  
4 entries

1. 1:4 (1:4)	{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}
2. 2:4 (2:4)	{7D423C9A-42B3-4FDD-999B-889193492F5C}
3. 3:4 (3:4)	{E4EB0E2-FE8C-40FA-9DCA-475DCE43B1A2}
4. 4:4 (4:4)	{E9FCD5A0-995A-401D-8E85-6F0C753609B6}

UNITS: -----

=====

TERM: TRAIN OF FOUR SMS  
ID: {63E1D230-3238-4D03-95C5-24BF51FD0CEF}

=====

Page: 898

Abbreviation..... TOF SMS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Train of Four sms  
Display Name..... Train of Four SMS  
Help Text..... Record current setting in millamps  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----  
MILLIAMPS            -1.0 > 10.0 \* 100.0 < 1000.0  
                      Dec Prec: 1

=====  
TERM: TRANSPORT FACILITATOR  
ID: {9F4001FD-C520-4360-87CC-1420803FF72A}  
=====

Page: 899

Abbreviation..... TRANS FA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Transport Facilitator  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. VOLUNTEER (VOLUNTEE) {F5406412-DE48-4F84-8A31-0B1D79DB576D}
2. STAFF (STAFF) {BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}
3. PHYSICIAN (PHYSICIA) {DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}
4. STUDENT (STUDENT) {613AFF67-9121-4F6C-A44F-1ACFEF10E612}
5. FAMILY/FRIEND (FAM/FRIE) {FA8FE272-E659-41EF-A394-F907A5F55ED8}

UNITS:

=====  
TERM: TRANSPORTATION MODE/DEVICE  
ID: {976E8051-8473-4FBE-B4EA-CF96762CACC5}  
=====

Page: 900

Abbreviation..... TRANS MO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Transportation Mode/Device  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

1. ABLE TO AMBULATE (AMBULAT)  
{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}
2. CRUTCH (CRUTCH) {2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}
3. CRUTCHES (CRUTCHES) {DDA81269-B25C-4F7D-A059-BB1602B2B179}
4. CANE (CANE) {562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}
5. CANES (CANES) {DF37C541-1C7D-4527-A4D2-31867B5ED438}
6. MOTORIZED WHEELCHAIR (MO WH CH)  
{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}
7. WHEELCHAIR (WH CHAIR) {EC1B82CE-4037-466F-90AC-52CD5C3B26BE}
8. STRETCHER (STRETCHER) {93CB521A-3A67-41FB-A59C-3DD54D810B11}
9. WALKER (WALKER) {91247001-5E89-46A0-A841-B4FAE9226E63}
10. CHAIR (CHAIR) {5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}

UNITS:

TERM: TREMULOUS  
ID: {72BADC86-F225-A686-F5E6-F395AEC2D5B6}

Page: 901

DATA VALUE: 2 entries

1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

**UNITS:**

=====  
TERM: TUBE POSITION VERIFIED  
ID: {1B065DF3-2D96-4F90-8CA2-7F377A0C2D28}  
=====

Page: 902

Abbreviation..... TUBE POS V  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Was the tube position verified  
Display Name..... Tube Position Verified  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

- 1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

-----

=====  
TERM: TURN AND SKIN CARE  
ID: {42B46B96-C43B-4F36-B7F9-A3413F02EEA7}  
=====

Page: 903

Abbreviation..... TURN SKIN  
Active..... Yes  
Boolean Value False..... Not Done  
Boolean Value True..... Done  
Data Type..... Boolean  
Description..... Turn and Skin Care  
Display Name..... Turn and Skin Care  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

=====  
TERM: ULNAR DRIFT  
ID: {70284DFB-2F51-403D-54BE-DA51C83F2DDD}  
=====

Page: 904

Abbreviation..... ULDT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ulnar Drift  
Help Text..... position of the metacarpophalangeal  
joints  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. PRESENT (p) {384DC20F-1625-CE1E-1C85-A3B3924BB2A0}

UNITS:

-----

=====  
TERM: UPPER LIMB EXTREMITIES STRENGTH  
ID: {C713F418-605C-1E77-7834-610B6394D5F2}  
=====

Page: 905

Abbreviation..... UP. LIM. S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Upper Limb Extremities Strength  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 6 entries

-----  
1. ABSENT (a) {6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
2. WEAK (w) {BE2D9305-E2DA-F492-66CF-164EE58B8179}  
3. STRONG (s) {A12154E1-544E-F372-3839-0D44E5BC476B}  
4. REFLEX INTACT (r) {F21585F9-5206-A6B3-2BF6-F416E5842366}  
5. EQUAL (Equal) {AC079584-158D-EBF2-E13A-C2E919375E4D}  
6. UNEQUAL (Unequal) {73319200-164F-B39F-649C-B7FB1AFBDDB8}

LOCATION: 3 entries

-----  
1. L UPPER LIMB (L Upp Limb) {E6453716-62D3-DFCB-F84D-F6F2FDFA20B7}  
2. R UPPER LIMB (R UPP LIMB) {5E028BFF-ED9B-014F-74F0-C4137DB074FB}  
3. BILATERAL WRIST (BILAT WRIS)  
(89B4D30F-9E46-F8D6-14F6-1CC0843DDC21)

UNITS:

=====  
TERM: URINE COLOR  
ID: {80D67904-3FE2-98BA-6810-F15D88A637B3}  
=====

Page: 906

Abbreviation..... URINE COLO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Color of urine  
Display Name..... Urine Color  
Help Text..... Color of urine  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 14 entries

1. YELLOW (YELLOW)	{90DC31AD-6211-9F25-4237-79F7122A2763}
2. WHITE (WHITE)	{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
3. BROWN (BROWN)	{A1C32FBC-7B4D-707C-CA58-92A2E201368E}
4. GREEN (GREEN)	{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
5. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
6. TAN (TAN)	{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
7. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
8. CLEAR (c)	{8981C365-2B46-704F-C9F4-975DF1C23C2D}
9. AMBER (AMBER)	{90A13048-4C35-E01D-3482-64D782001D4A}
10. BLACK (BLACK)	{7A55AFB9-6861-4918-0746-3D67D47FE5C3}
11. CLAY (CLAY)	{A4E4D16C-B45C-0934-ED22-8BF640080108}
12. ORANGE (ORANGE)	{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
13. DYE PRESENT (DYE PRESEN)	{E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}
14. TEA (TEA)	{E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}

UNITS:

=====  
TERM: URINE: CHARACTERISTICS  
ID: {3112FF47-AF91-5D4B-AD9B-1A2D95AA9CA7}  
=====

Page: 907

Abbreviation..... URINE CHAR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Urine: Characteristics  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 9 entries

- 
- 1. ANURIC (ANURIC) {0CCA4B44-7A59-4042-BAB9-EB2395A63C51}
  - 2. CLEAR (c) {8981C365-2B46-704F-C9F4-975DF1C23C2D}
  - 3. CLOUDY (CLOUDY) {3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}
  - 4. HEMATURIA (HEMATURIA) {ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}
  - 5. PURULENT (PURULENT) {86C01494-743A-C6A2-8883-01CA5200C79B}
  - 6. SEDIMENT (SEDIMENT) {4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}
  - 7. CLOTS (CLOTS) {B52B88E0-6D23-4657-97CD-81E3EF64991B}
  - 8. THREADS (Threads) {029BB303-B428-41D0-978B-6A8176108D7D}
  - 9. ODOROUS (Odorous) {1900B8A2-67A4-40CB-B0AA-94E914E343C7}

UNITS:

---

=====

TERM: URINE: NUMBER OF VOIDS  
ID: {298781A7-DC46-4065-AA8E-1567F72FBCB8}

=====

Page: 908

Abbreviation..... URINE VOID  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Urine Voids  
Help Text..... Number of urine voids since last entry  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

VOID            0 > 0 \* 15 < 60            Dec Prec: 0

=====  
TERM: URINE: VOIDING METHOD  
ID: {CF4BE586-DB30-CD14-BEE1-704461E412C5}  
=====

Page: 909

Abbreviation..... VOIDING  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Urine Voiding Method  
Help Text..... No Help Text  
Multi Select Picklist..... Yes  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. CONTINENT (CONTINENT) {3B658506-F42E-BAF5-04C4-5AD49699E0D2}  
2. DYSURIA (DYSURIA) {75AC5ECD-8975-406A-30C7-E2EB23F10F84}  
3. INCONTINENT (INCONTINEN) {BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}  
4. DIVERSION (DIVERSION) {087AAE9F-7FE1-5717-6423-07574C637875}  
5. INDWELLING CATHETER (INDW CATH)  
{EC16724C-D1EA-5650-58D4-38A89D4456F9}  
6. EXTERNAL CATHETER (EXT. CATHE)  
{C8AEE936-DD91-FE91-4DD6-6F210FB59726}  
7. STRAIGHT CATHETER (STR. CATH)  
{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}  
8. ILEAL CONDUIT (ILEAL COND)  
{032CB6FE-77D2-702E-A0AE-46176F5CAA57}  
9. SUPRAPUBIC (SUPRAPUBIC) {69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}  
10. L NEPHROSTOMY (L NEPHROST)  
{D8FC4C18-081E-A7B9-E394-25F194BE9757}  
11. R NEPHROSTOMY (R NEPHROST)  
{33661137-688D-5611-4368-B1DFD8DB1469}  
12. REPORTED (REPORTED) {1D13BAC5-D8F9-455C-B815-8E256943492E}  
13. BEDPAN (Bedpan) {9DA7CF44-CB93-40E9-8505-CB2DAB4357DC}  
14. URINAL (Urinal) {304CF5C4-1DDD-4E09-A0C1-679B012C7872}  
15. TOILET (Toilet) {0E749B59-5D37-415F-8563-642DD488A57C}

QUALITY: 2 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}  
2. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

=====  
TERM: VENTILATOR AUTO PEEP - DO NOT CHECK TOTAL OR SUBTOTALS      Page: 910  
ID: {EA42E7E0-23CA-43D3-984E-CC421E0A90DF}  
=====

Abbreviation..... VENT AU PE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Auto Peep  
Display Name..... Ventilator Auto Peep - Do Not Check  
Total or Subtotals  
Help Text..... Ventilator Auto Peep  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD:                          1 entries

-----  
1. VENTILATOR (Ven)      {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----  
CENTIMETERS H2O      -1.00 > 0.00 \* 10.00 < 100.00  
Dec Prec: 2

=====  
TERM: VENTILATOR CIRCUIT CHANGE  
ID: {C0494BB3-5896-41BD-89B4-86C684078604}  
=====

Page: 911

Abbreviation..... VENT CIR C  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Ventilator Circuit Change  
Display Name..... Ventilator Circuit Change  
Help Text..... Ventilator Circuit Change  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

METHOD: 1 entries

-----  
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

=====  
TERM: VENTILATOR EXHALED VOLUME  
ID: {404A3850-382D-4E86-B7F3-29DDAF1616BC}  
=====

Page: 912

Abbreviation..... VENT EXHAL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Exhaled Volume  
Display Name..... Ventilator Exhaled Volume  
Help Text..... Ventilator Exhaled Volume  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITER 0.0 > 1.0 \* 99.0 < 100.0 Dec Prec: 1

=====  
TERM: VENTILATOR EXPIRATORY TIME  
ID: {004C6736-FFB2-4002-B92C-E2F17D03AF4E}  
=====

Page: 913

Abbreviation..... VENT EXP T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Expiratory Time  
Display Name..... Ventilator Expiratory Time  
Help Text..... Ventilator Expiratory Time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

SECOND 0.00 > 0.01 \* 9.99 < 10.00  
Dec Prec: 2

=====

TERM: VENTILATOR FLOW RATE  
ID: {548E1F72-B501-49DD-B22B-1366CE06C2BE}

=====

Page: 914

Abbreviation..... VENT FL RA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Flow Rate  
Display Name..... Ventilator Flow Rate  
Help Text..... Ventilator Flow Rate  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -1 > 0 \* 150 < 151 Dec Prec: 0

=====  
TERM: VENTILATOR INSPIRATORY TIME  
ID: {35948B65-6D8F-4BD4-8F4E-CE785D8D829D}  
=====

Page: 915

Abbreviation..... VENT INS T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Inspiratory Time  
Display Name..... Ventilator Inspiratory Time  
Help Text..... Ventilator Inspiratory Time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

SECOND 0.00 > 0.01 \* 9.99 < 10.00  
Dec Prec: 2

=====  
TERM: VENTILATOR MEAN AIR PRESSURE  
ID: {BD28B791-7E79-4116-8DF1-6296B60FCC57}  
=====

Page: 916

Abbreviation..... VENT MAP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Mean Air Pressure  
Display Name..... Ventilator Mean Air Pressure  
Help Text..... Ventilator Mean Air Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0  
MILLIBAR 0 > 20 \* 80 < 100 Dec Prec: 0

=====  
TERM: VENTILATOR MINUTE VOLUME  
ID: {1C718F1D-EE59-4743-888D-7767864C4EB0}  
=====

Page: 917

Abbreviation..... VENT MIN V  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Minute Volume  
Display Name..... Ventilator Minute Volume  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

LITERS PER MINUTE -1 > -1 \* 30 < 30 Dec Prec: 0

=====  
TERM: VENTILATOR MODE  
ID: {21CF6705-7597-53D0-F5EA-CBB704128A4B}  
=====

Page: 918

Abbreviation..... VENT MODE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Ventilator Mode  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

1. CONTROL MODE VENTILATION (CMV) {2E79351C-BA31-FC04-B636-F39728B23EA6}
2. ASSIST CONTROL (AC) {862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}
3. SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (SIMV) {A606BB2B-5C00-FEA1-127F-1D3455AE5996}
4. CONTINUOUS POSITIVE AIR PRESSURE (CPAP) {387B42F0-F587-AAFC-ECA0-66067F18BEC6}
5. PRESSURE CONTROL (PRESS CONT) {C3CDF756-484F-1483-9883-9B63DEF3B012}
6. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP) {4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}
7. SPONTANEOUS (SPONTANEOU) {C137C4A7-08A6-4064-8F95-4A4476E2E3A8}

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====

=====

TERM: VENTILATOR PATIENT EXHALE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 919

ID: {A125A0E0-8385-43F0-9A55-56D18B33CA24}

=====

Abbreviation..... VT PT EX V

Active..... Yes

Boolean Value False.....

Boolean Value True.....

Data Type..... Numeric

Description..... Exhale Volume that the patient  
actually achieved

Display Name..... Ventilator Patient Exhale Volume - Do  
Not Check Total or Subtotals

Help Text..... Exhale Volume that the patient  
actually achieved

Multi Select Picklist.....

Term Type..... OBSERVATION

Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

CUBIC CENTIMETER 0 > 1 \* 499 < 500 Dec Prec: 0

=====

TERM: VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS

Page: 920

ID: {0E7E1130-0CC0-4D61-9BA4-7E88B18A7A77}

=====

Abbreviation..... VT PT MN V  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Minute Volume that the patient  
actually achieved  
Display Name..... Ventilator Patient Minute Volume - Do  
Not Check Total or Subtotals  
Help Text..... Minute Volume that the patient  
actually achieved  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----

LITERS PER MINUTE -0.1 > 0.0 \* 4.9 < 5.0 Dec Prec: 1

=====  
TERM: VENTILATOR PATIENT RATE - DO NOT CHECK TOTAL OR SUBTOTALS Page: 921  
ID: {4266EFCB-CF00-4363-8E5A-244653F6F17A}  
=====

Abbreviation..... VT PT RATE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Rate that the patient actually achieved  
Display Name..... Ventilator Patient Rate - Do Not  
Check Total or Subtotals  
Help Text..... Value that is determined by taking  
the number of breaths total per  
minute minus the breaths set to be  
delivered by the machine  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----  
BREATHS PER MINUTE 0 > 1 \* 119 < 120 Dec Prec: 0

=====  
TERM: VENTILATOR PATIENT RATE TOTAL - DO NOT CHECK TOTAL OR SUBTOTALS Page: 922  
ID: {B2681753-B7DE-4E0B-8901-B7CDF22D0E45}  
=====

Abbreviation..... VT PT R TO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Total rate that the patient actually  
achieved  
Display Name..... Ventilator Patient Rate Total - Do  
Not Check Total or Subtotals  
Help Text..... Value of breaths delivered by the  
machine plus any additional breaths  
that the patient takes on their own  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

-----  
1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

-----  
BREATHS PER MINUTE 0 > 1 \* 119 < 120 Dec Prec: 0

=====  
TERM: VENTILATOR PCV SET PRESSURE  
ID: {BC521E68-B7AA-4B6E-AAC1-0594EE27D94E}  
=====

Page: 923

Abbreviation..... VENT PCV S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Control Ventilator Pressure  
Display Name..... Ventilator PCV Set Pressure  
Help Text..... Pressure Control Ventilator Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

=====  
TERM: VENTILATOR PEAK PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS Page: 924  
ID: {F955312E-79E0-A72D-1F93-533B1B6EAD04}  
=====

Abbreviation..... PEAK PRESS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Ventilator Peak Pressure - Do Not  
Check Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

=====  
TERM: VENTILATOR PEEP  
ID: {4847847A-7EB7-9A8F-D565-1DF26438A616}  
=====

Page: 925

Abbreviation..... VENT PEEP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... PEEP: Positive End Expiratory Pressure  
Display Name..... Ventilator PEEP  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1 > 0 \* 20 < 21 Dec Prec: 0

=====  
TERM: VENTILATOR PRESSURE SUPPORT  
ID: {B6ABD066-7B39-126F-C4C2-A4243C2F93E9}  
=====

Page: 926

Abbreviation..... V PRES SUP  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Ventilator Pressure Support  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -1 > 0 \* 20 < 40 Dec Prec: 0

=====  
TERM: VENTILATOR PSV SET PRESSURE  
ID: {B2494FE0-0B78-4BD9-97B6-DE604B711801}  
=====

Page: 927

Abbreviation..... VENT PSV S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Pressure Support Ventilator Pressure  
Display Name..... Ventilator PSV Set Pressure  
Help Text..... Pressure Support Ventilator Pressure  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O 0 > 1 \* 99 < 100 Dec Prec: 0

=====  
TERM: VENTILATOR RATE  
ID: {001D591B-6CE7-F51F-098C-79AC6B3E0E09}  
=====

Page: 928

Abbreviation..... VENT RATE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Ventilator Rate Set  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

BREATHS PER MINUTE 0 > 8 \* 40 < 120 Dec Prec: 0

=====  
TERM: VENTILATOR SENSITIVITY  
ID: {52F9AF8D-CF31-430B-8A11-A8115BFF4B2E}  
=====

Page: 929

Abbreviation..... VENT SENSI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Ventilator Sensitivity  
Display Name..... Ventilator Sensitivity  
Help Text..... Ventilator Sensitivity  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

CENTIMETERS H2O -10.0 > -9.9 \* -0.1 < 0.0 Dec Prec: 1

=====  
TERM: VENTILATOR TIDAL VOLUME ACTUAL - DO NOT CHECK TOTAL OR SUBTOTALS Page: 930  
ID: {0592309F-98B7-DBF1-F9F7-94051584BF9F}  
=====

Abbreviation..... TIDL VOL A  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Tidal Volume Actual - Do Not Check  
Total or Subtotals  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

MILLILITER 0 > 400 \* 1200 < 5000 Dec Prec: 0  
LITER 0.000 > 0.400 \* 1.200 < 5.000  
Dec Prec: 3

=====  
TERM: VENTILATOR TIDAL VOLUME SET  
ID: {90D4A5CA-E21B-06F6-7AAC-FC6D4B11E7AC}  
=====

Page: 931

Abbreviation..... TIDL VOL S  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Tidal Volume Set  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

MILLILITER 0 > 800 \* 1200 < 5000 Dec Prec: 0  
LITER 0.000 > 0.800 \* 1.200 < 5.000  
Dec Prec: 3

=====  
TERM: VENTILATOR TYPE  
ID: {58151FCB-646B-4CC5-A89F-6D34DFB7E622}  
=====

Page: 932

Abbreviation..... VENT TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of Ventilator  
Display Name..... Ventilator Type  
Help Text..... Type of Ventilator  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 13 entries

1. VENTILATOR PB 840 (PB 840)  
{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}
2. VENTILATOR ACHIEVA P5O2 (ACHIEVA P5)  
{1690EEA5-3C3B-4D30-AC5C-214C94626699}
3. VENTILATOR ADULT STAR (ADULT STAR)  
{879B13DA-4874-42D4-99EC-8E4ADB31B14E}
4. VENTILATOR BEAR 1000 (BEAR 1000)  
{03C30F99-A27C-427C-B0ED-872F0DE646BD}
5. VENTILATOR DRAEGER (DRAEGER)  
{DD18C42F-EF13-460B-8676-9ED1E429B54B}
6. VENTILATOR PB 7200ae (PB7200ae)  
{86AE485F-ECD1-4B8E-820F-71CF159F318B}
7. VENTILATOR SERVO (SERVO) {D6F06715-1ADD-4941-B026-B9A5E463943E}
8. BIPHASIC POSITIVE AIRWAY PRESSURE (BiPAP)  
{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}
9. CONTINUOUS POSITIVE AIR PRESSURE (CPAP)  
{387B42F0-F587-AAFC-ECA0-66067F18BEC6}
10. VENTILATOR OTHER (VENT OTHER)  
{138B7B3D-9F8B-447A-9785-12AB396AE6DE}
11. BIPAP - RESPIRONICS (BIPAP RESP)  
{AA94A723-4C68-489F-88AC-2C6F276EAB76}
12. BIPAP - VISION (BIPAP VISI)  
{AA39C765-BA1F-4289-B459-200A57C07FFF}
13. BIPAP/CPAP (BIPAP/CPAP) {8D767C67-3712-410F-A96B-69C731E03C5D}

METHOD: 1 entries

1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

=====  
TERM: VENTILATOR WAVE FORM  
ID: {17F52B3E-B4C9-483A-B02F-0F4DD809E673}  
=====

Page: 933

Abbreviation..... VENT WA FO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Ventilator Wave Form Setting  
Display Name..... Ventilator Wave Form  
Help Text..... Ventilator Wave Form Setting  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 3 entries

- 
- 1. SQUARE (SQUARE) {63F70678-2CAF-48E8-964D-2805D8B9A43B}
  - 2. ACCELERATING (ACCELERATI) {514FE300-87EE-4C2C-AC70-5E57DBECAFF7}
  - 3. DECELERATING (DECELERATI) {B259D4D4-82B8-454A-B53D-F12F4952BB61}

METHOD: 1 entries

- 
- 1. VENTILATOR (Ven) {416FCBD3-5370-15B9-C480-48855ED486D9}

UNITS:

---

=====  
TERM: VERIFY TIME RANGE  
ID: {21EB0485-9590-4C54-B821-E7C2AE300D8B}  
=====

Page: 934

Abbreviation..... Verify  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... Verify Time Range  
Help Text..... Change time range to view data  
                  accordingly  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====  
TERM: VISION CORRECTED  
ID: {ED022AC1-EBE4-E708-684D-63D00628A94C}  
=====

Page: 935

Abbreviation..... VC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Vision Corrected  
Help Text..... Enter Acuity value XX/20  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688727

LOCATION: 2 entries

1. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}  
2. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}

UNITS:

FOOT -1 > 0 \* 200 < 201 Dec Prec: 0

=====

TERM: VISION UNCORRECTED  
ID: {BEA5E565-D728-F5B3-0A3A-0528C42A45C4}

=====

Page: 936

Abbreviation..... VU  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Vision Uncorrected  
Help Text..... Enter Acuity value XX/20  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4688728

UNITS:

-----

FOOT                    -1 > 0 \* 200 < 201            Dec Prec: 0

=====  
TERM: VISITORS  
ID: {C0C8630F-6535-4C89-9556-D97CFCB41952}

---

Page: 937

Abbreviation..... ADL VISITO  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Visitors  
Display Name..... Visitors  
Help Text..... Has the patient had any visitors today.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

---

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS:

---

=====

TERM: VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS  
ID: {FF8D8ABA-E89E-429A-AE65-7C25E22EF199}

=====

Page: 938

Abbreviation..... VT/VC  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Tidal Volume / Vital Capacity  
Display Name..... Vt/VC - Do Not Check Total or Subtotals  
Help Text..... Tidal Volume / Vital Capacity  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

LITER            0.00 > 1.00 \* 99.00 < 100.00  
                  Dec Prec: 2

=====  
TERM: WARMING COOLING DEVICE  
ID: {34F4BAF5-8388-4431-8AE1-F04670A25FE4}  
=====

Page: 939

Abbreviation..... WM CL DEV  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Warming, Cooling Device  
Help Text..... Warming or Cooling Device  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 11 entries

- 1. AIR FLOW DEVICE (AIR FLOW D)  
{60AF6215-CE2A-4EEE-9596-909E3E50BE71}
- 2. K-PAD (K-PAD) {10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}
- 3. WARMING BLANKET (WARM BLANK)  
{23D20AE5-DE25-4456-8F77-BF0411FB19A6}
- 4. HUMIDIFIER (HUMIDIFIER) {A4CE67D1-F885-423B-B914-392D8CAC697E}
- 5. HEAT LAMP (HEAT LAMP) {4E9DE229-F810-4AB0-9FD7-4596759CEA11}
- 6. HEAT CHEM PACK (HT CHEM PA)  
{D759F891-2535-40C2-A68C-678170E56F7A}
- 7. COOL CHEM PACK (CO CHEM PA)  
{6DE5E644-28C2-4190-A2EF-1A766E014A65}
- 8. ICE PACK (ICE PACK) {E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}
- 9. WARMING BOTTLE (WARM BOTT)  
{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}
- 10. WARM HUMIDITY WITH O2 (WM HUM O2)  
{E62E07C3-4CA2-426B-8EBA-48C406837D9C}
- 11. COOLING BLANKET (COOL BLANK)  
{13A42B12-4959-4674-AF97-2D1242CFD934}

UNITS:

=====

TERM: WARMING COOLING DEVICE APPLICATION  
ID: {17908A29-AF84-4217-A035-1CE6CA0F7316}

=====

Page: 940

Abbreviation..... WM CL APPL  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Warming/Cooling Device Application  
Help Text..... Current State of Warming/Cooling Device  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 4 entries

1. WARMING ON (WARMING ON) {6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}
2. WARMING OFF (WARMING OF) {98FAC977-8E2E-406A-9217-A77E1DDCDF50}
3. COOLING ON (COOLING ON) {911CA17D-614E-445A-969E-4F5220E469EB}
4. COOLING OFF (COOLING OF) {14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}

UNITS: .....

=====  
TERM: WEIGHT  
ID: {CD2D8263-6B71-0E1C-0AFE-87B4B2C12632}

---

Page: 941

Abbreviation..... WT  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Weight of patient  
Display Name..... Weight  
Help Text..... Patients weight in lb or kg.  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid..... 4500639

METHOD: 8 entries

---

1. BED (B) {20188D9F-3815-1F7F-34EC-BA77F75B310E}
2. CHAIR (Ch) {BBF5C05C-220D-D052-C7E8-236E791A4FC9}
3. LIFT SCALE (LS) {8D741461-25C5-3955-BE2C-CBD27317CBA1}
4. STANDING WEIGHT (SW) {BE16FA09-16DA-510B-D235-B7F0F93AB105}
5. WHEELCHAIR SCALE (Wcs) {8C496753-9F42-2A36-E5CA-750188306ED4}
6. WITH CAST OR BRACE (WCB) {47709C05-DF21-FB7D-DE7F-0699D1B7E457}
7. WITH PROSTHESIS (WP) {73C93D2D-934B-CA55-3557-E756A89710F5}
8. WITHOUT PROSTHESIS (WOP) {9AACAA852-E70D-1048-FCE7-112D46C12619}

POSITION: 3 entries

---

1. STANDING (St) {0776AE42-C370-B7B3-9B4D-9C914BA8F231}
2. SITTING (Sit) {DD4DCDF1-0A22-2CC5-404F-0E472C73961C}
3. LYING (Ly) {DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}

QUALITY: 4 entries

---

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}
2. DRY (D) {B319EFF4-BA4A-85B1-2617-E00E46A54ABE}
3. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}
4. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

---

POUND 0.0 > 1.0 \* 1499.0 < 1500.0  
Dec Prec: 1  
KILOGRAM 0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1

=====  
TERM: WEIGHT AT ADMISSION  
ID: {F9C859E2-ACD7-44F5-8E0D-3166C3D0A61F}  
=====

Page: 942

Abbreviation..... WT AT ADMI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Weight at Admission  
Help Text..... Weight of patient at admission time  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

POUND            0.0 > 1.0 \* 1499.0 < 1500.0  
                  Dec Prec: 1  
KILOGRAM        0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1

=====  
TERM: WEIGHT DRY  
ID: {8594A12F-97BD-41A5-802A-76E5317448C6}  
=====

Page: 943

Abbreviation..... WEIGHT DRY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... No Description  
Display Name..... Dry Weight  
Help Text..... Patient Dry Weight  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

QUALITY: ..... 3 entries

1. ACTUAL (A) {5842A4D9-56A1-7A5A-13C9-F481699C3A09}  
2. ESTIMATED (E) {9EAFF26B-7D87-DA66-F991-022D095FB5A0}  
3. STATED (Sta) {6362C194-B7F2-D38C-5B72-3BE5DE09438E}

UNITS:

POUND 0.0 > 1.0 \* 1499.0 < 1500.0  
Dec Prec: 1  
KILOGRAM 0.0 > 0.5 \* 680.3 < 680.4 Dec Prec: 1

=====

TERM: WNL: CARDIOVASCULAR SYSTEM  
ID: {51AD3B36-2136-4FD6-94A9-26D41385254F}

=====

Page: 944

Abbreviation..... Cardio WNL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... WNL: Cardiovascular  
Help Text..... Yes if Cardio system is within normal  
limits; No if cardio is not WNL and  
describe or follow facility policy  
for documentation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: WNL: GASTROINTESTINAL  
ID: {14FD3E98-BE89-42BE-9D03-78AD6D638A61}

=====

Page: 945

Abbreviation..... GI WNL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... WNL: Gastrointestinal  
Help Text..... Yes if GI is WNL; No if GI is not WNL  
& describe variance in comments  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: WNL: GENITOURINARY  
ID: {05639B24-5E69-44B3-8B26-0719739102C8}

=====

Page: 946

Abbreviation..... GU WNL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... WNL: Genitourinary  
Help Text..... Yes if the GU system is WNL; No if  
the GU system is not WNL and describe  
variance in comments  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: WNL: MUSCULAR  
ID: {21A99720-EFF5-4287-8E24-C1CF23C7AFB5}  
=====

Page: 947

Abbreviation..... Muscle WNL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... WNL: Muscular  
Help Text..... Yes if WNL; No if not WNL and  
document abnormal observations  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:  
-----

=====

TERM: WNL: NEUROLOGICAL SYSTEM  
ID: {4344C361-9878-4C6F-B6BA-7E5EB86ADA7F}

=====

Page: 948

Abbreviation..... Neuro WNL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... WNL: Neuro  
Help Text..... Yes if neurological system is within  
normal limits; No if neuro system is  
not WNL and describe or follow  
facility policy for documentation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====

TERM: WNL: RESPIRATORY SYSTEM  
ID: {EF7CB575-50F3-4FB9-BBF1-275D7F77A54E}

=====

Page: 949

Abbreviation..... Resp WNL  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description.....  
Display Name..... WNL: Respiratory  
Help Text..... Yes if RESP system WNL; No if RESP  
not WNL and describe or follow  
facility policy for documentation  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

-----

=====  
TERM: WOUND BED COLOR  
ID: {2B890957-8886-4BC8-84AC-D46DDAE733A0}  
=====

Page: 950

Abbreviation..... WOU BED CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Bed Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 8 entries

1. BLACK (BLACK)	{7A55AFB9-6861-4918-0746-3D67D47FE5C3}
2. GRAY (GRAY)	{D38ABEE0-52D7-4316-A713-40ACF4250599}
3. GREEN (GREEN)	{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
4. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
5. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
6. TAN (TAN)	{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
7. WHITE (WHITE)	{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
8. YELLOW (YELLOW)	{90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

=====  
TERM: WOUND CARE TYPE  
ID: {09114B46-DF13-431B-B9F3-C15667811A2C}  
=====

Page: 951

Abbreviation..... WOU CARE T  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Care Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. TOPICAL TREATMENT (TOPICAL T)  
{4E995342-8A6F-4B21-8013-F8C6A9FC7658}  
2. DRESSING (d) {FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}

UNITS:

=====

TERM: WOUND DEPTH  
ID: {B8FDF2BE-E6ED-49E3-8F42-4CEF94E29C47}

=====

Page: 952

Abbreviation..... WOU DEPTH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Wound Depth  
Display Name..... Wound Depth  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER        -1.00 > 0.00 \* 200.00 < 400.00  
                    Dec Prec: 2

=====  
TERM: WOUND DISCHARGE CHARACTERISTICS  
ID: {02DD62D6-E771-43DB-8CDF-F45A27263CFC}  
=====

Page: 953

Abbreviation..... WOU DR CHA  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Drainage  
Display Name..... Wound Discharge Characteristics  
Help Text..... Wound Discharge Characteristics Pick  
One  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 7 entries

- 1. WOUND DISCHARGE CHARACTERISTICS NONE (WOU DI NON)  
{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}
- 2. WOUND DISCHARGE CHARACTERISTICS BLOODY (WOU DI BLO)  
{628DBFBC-9B77-48EA-99FE-0DF000376506}
- 3. WOUND DISCHARGE CHARACTERISTICS CLOUDY (WOU DI CLO)  
{159C9993-A2E1-4133-9D5F-315EF9985EC4}
- 4. WOUND DISCHARGE CHARACTERISTICS PURULENT (WOU DI PUR)  
{C1E10410-B6D8-4429-BD94-0B179992EAAB}
- 5. WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (WOU DI SSA)  
{B431D8EF-5B53-4DCF-A390-431EB5ED3704}
- 6. WOUND DISCHARGE CHARACTERISTICS SEROUS (WOU DI SER)  
{2124005E-5C36-48AC-AA6B-03E06510D70A}
- 7. WOUND DISCHARGE CHARACTERISTICS VISCOUS (WOU DI VIS)  
{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}

UNITS:

=====  
TERM: WOUND DISCHARGE COLOR  
ID: {6BF2AAEF-0D62-4D2D-9E41-F2EDCA714150}  
=====

Page: 954

Abbreviation..... WOU DIS CO  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Discharge Color  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. AMBER (AMBER)	{90A13048-4C35-E01D-3482-64D782001D4A}
2. BLACK (BLACK)	{7A55AFB9-6861-4918-0746-3D67D47FE5C3}
3. BLUE (BLUE)	{8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}
4. BROWN (BROWN)	{A1C32FBC-7B4D-707C-CA58-92A2E201368E}
5. COLORLESS (COLORLESS)	{D093D8C5-E284-47D4-8FA6-DCD5B030B10E}
6. CLAY (CLAY)	{A4E4D16C-B45C-0934-ED22-8BF640080108}
7. GREEN (GREEN)	{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}
8. MAROON (MAROON)	{1F518B23-C79F-4F06-9DF3-ADC5C96D3029}
9. ORANGE (ORANGE)	{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}
10. PINK (PINK)	{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}
11. RED (RED)	{515D7CFB-3527-30E7-EC4B-B607C272DFA0}
12. TAN (TAN)	{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}
13. VIOLET (VIOLET)	{1249AE97-CF1F-4604-A17A-5FC85F6D0185}
14. WHITE (WHITE)	{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}
15. YELLOW (YELLOW)	{90DC31AD-6211-9F25-4237-79F7122A2763}

UNITS:

=====  
TERM: WOUND DISCHARGE ODOR  
ID: {67D752F7-CC83-4D76-96EB-ECE6DBA40210}  
=====

Page: 955

Abbreviation..... WOU DIS OD  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Discharge Odor  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
2. FOUL SMELLING (FOUL SMELL)  
{761346A9-329D-4F42-8D80-0E9D8D40653C}

UNITS:

=====  
TERM: WOUND DRAIN TYPE  
ID: {8EC56666-A337-AA7F-5109-A10155D4FD58}

Page: 956

=====  
Abbreviation..... WOU DR TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of drain used  
Display Name..... Wound Drain Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 10 entries

1. BULB SUCTION (Bulb Sucti) {B0839A82-BB79-BB9F-5E4E-0ED67F716A50}  
2. HEMOVAC (HEMOVAC) {82DA2DA7-E20B-E571-659C-457DF42472C2}  
3. JP DRAIN (JP Drain) {20F3B3D5-D3A4-96FD-5446-253FD031DF2B}  
4. LUMBAR DRAIN (LUM DRAIN) {FF36A046-1799-0734-286B-2272C34E3056}  
5. PENROSE DRAIN (Penrose D) {DE508E95-D044-ACCA-EE69-33B9A8454E6C}  
6. SUMP (Sump) {DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}  
7. TWILL TAPE (Twill Tape) {C52BE250-732D-03BB-B8F9-72BE4D546807}  
8. VENTRICULOSTOMY (Ventriculo)  
{ECF20317-4708-7661-D4C2-9BDB4CAC4FA}  
9. WOUND VAC DEVICE (WOUND VAC)  
(A03F4978-969D-DCB8-DCE2-26EB33F097B3)  
10. VACUUM ASSISTED CLOSURE (VAC ASS CL)  
(9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}

UNITS:

=====  
TERM: WOUND DRAINAGE AMOUNT  
ID: {3BABF5D4-BD30-4814-A397-EEEAE0EE1D13}

Page: 957

Abbreviation..... WOU DRA AM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Amount of drainage from wound  
Display Name..... Wound Drainage Amount  
Help Text..... Amount of drainage from wound  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. WOUND DRAINAGE AMOUNT NONE (WOU DR A N)  
{92910398-311F-D4D7-8BD5-AB66C3DC5E72}
2. WOUND DRAINAGE AMOUNT SCANT (W DR SCANT)  
{9C3CD0BD-F960-4098-B14C-17B20703B242}
3. WOUND DRAINAGE AMOUNT SMALL (W DR A SMA)  
{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}
4. WOUND DRAINAGE AMOUNT MODERATE (W DR A MOD)  
{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}
5. WOUND DRAINAGE AMOUNT HEAVY (W DR A HEA)  
{BF959172-6672-4FEB-8FB7-0568405F3C83}

UNITS: .....

=====  
TERM: WOUND DRESSING CHANGE  
ID: {01A45F49-9EBB-44E7-8B9A-6920886F51BB}  
=====

Page: 958

Abbreviation..... WOU DR CHA  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Has Wound Dressing Been Changed?  
Display Name..... Wound Dressing Changed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

=====  
TERM: WOUND DRESSING TYPE  
ID: {4C47F5C1-BA38-4FDC-A334-32EA297D8A16}

=====

Page: 959

Abbreviation..... WOU DR TY  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Dressing Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 15 entries

1. NONE (NONE) {D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}
2. ANTI-MICROBIAL DRESSING (AB DRESSIN)  
{9734C5E9-D099-47EB-93B1-D82201F64331}
3. ANTIMICROBIAL DISK (WOU DR ADI)  
{1F1745EA-D763-4AFD-9CED-82E974E57692}
4. BALSAM OF PERU (WOU DR PER)  
{DD412BB1-B1C1-4A48-A38F-832629448E06}
5. BISMUTH GAUZE (WOU DR BIS)  
{010DED59-C808-4D92-A7F8-87AEB86B4439}
6. CALCIUM ALGINATE (CA ALGINAT)  
{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}
7. FOAM DRESSING (WOU DR FOA)  
{D18A5EDD-0EF6-470E-8370-4EDB6D322477}
8. GAUZE (GAUZE) {CF10C658-4334-4F3B-A38E-E98894458333}
9. GAUZE PACKING (GAUZE PACK)  
{6C093717-82CB-4966-929E-C909310649C1}
10. GAUZE WRAP (GAUZE WRAP) {040A9648-E6E1-4AC5-93C7-53A49537B15C}
11. HYDROCOLLOIDAL DRESSING (HCOLL DRES)  
{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
12. HYDROGEL DRESSING (H-GEL DRES)  
{F6192D10-D6EA-42C2-AB15-270659D9925C}
13. HYPERTONIC HYDROGEL (WOU DR HYP)  
{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}
14. PRESSURE (PRESSURE) {387AFB7F-3973-4D77-B2E6-0724F344D8F6}
15. TRANSPARENT (TRANSPAREN) {0E73D24D-0EFC-08F9-196A-D30DD1BB3228}

UNITS:

=====  
TERM: WOUND EDGE  
ID: {BC1B996C-35E6-4A05-BDF6-00DF84EA90EF}  
=====

Page: 960

Abbreviation..... WOU ED  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Edge  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
1. WOUND EDGE INDISTINCT/ATTACHED (WOU ED IND)  
{C899235C-4A07-4420-92BC-8F818B8E0A7F}
  2. WOUND EDGE NON-ATTACHED (WOU ED NON)  
{1D5C1317-B4FF-421C-96A0-C20C1089E672}
  3. WOUND EDGE TUNNELING (WOU ED TUN)  
{97425206-5261-46C1-905F-E03E2F071381}
  4. WOUND EDGE UNDERMINING (WOU ED UND)  
{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}
  5. WOUND EDGE ROLLED (WOU ED ROL)  
{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}

UNITS:

---

=====  
TERM: WOUND HEALING STATUS  
ID: {687C2787-FDDF-4796-8195-23152E8A9FD9}  
=====

Page: 961

Abbreviation..... WOU HEA ST  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Wound Healing Status  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 8 entries

1. EPITHELIALIZATION (EPITHELIAL) {5FC43A6D-921D-4736-A234-9993DB6499B7}
2. ESCHAR (ESCHAR) {555E03C5-FBFE-4EB9-816F-25CE34476B3C}
3. FIBRINOUS (FIBRINOUS) {D286EAE2-6902-4B7E-845D-BBB316941B2C}
4. GRANULATING (GRANULATI) {F8930276-3954-4BFE-82B0-6C44A8E9CAE0}
5. HYPERGRANULIZATION (HYPERGRANU) {C14B9FB0-6F33-4ACB-88B3-4B799594F845}
6. NECROTIC (NECROTIC) {86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}
7. SLOUGH (SLOUGH) {548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}
8. SMOOTH (SMOOTH) {5D71A0D5-52ED-4B8D-B359-AC7D500660D8}

UNITS: .....  
=====

Abbreviation..... WOU IDENTI  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Identified  
Display Name..... Wound Identified  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 5 entries

- 
- 1. ADMISSION (ADMISSION) {483C2830-813A-46C3-A012-CCD70044B2A2}
  - 2. DISCHARGE (DISCHARGE) {ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}
  - 3. TRANSFER (TRANSFER) {DFDB4783-25BE-485B-A9BA-621F1004AAF2}
  - 4. POST-OPERATIVE (POST-OP) {9FA19656-849F-4A65-92FC-755A4C9E8056}
  - 5. POST-FALL (POST-FALL) {9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}

LOCATION: 70 entries

- 
- 1. R WRIST (R WRIST) {FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}
  - 2. L WRIST (L WRIST) {7BCAFACE-FF3B-46DA-99F9-6437A90B7126}
  - 3. R TESTICLE (R TESTICLE) {0947D277-50AD-47F8-A76D-0EC34EB3B168}
  - 4. L TESTICLE (L TESTICLE) {1E376539-E89F-4472-8274-CFD11275E11F}
  - 5. R SHOULDER (R SHOULDER) {D27AE130-442E-4DD6-B391-8D7E8AD494A2}
  - 6. L SHOULDER (L SHOULDER) {91CBD2FA-2743-42EB-946B-6933980D9337}
  - 7. RECTAL (RECTAL) {0E7069F4-D3E6-67A1-E821-EF1879C3C267}
  - 8. NECK (Ne) {D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}
  - 9. ORAL (O) {7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}
  - 10. R UPPER LEG (R UPPER LE) {113BD5ED-5A0A-47CA-B100-91B244BFD04A}
  - 11. L UPPER LEG (L UPPER LE) {1DB35895-F74C-4B88-A3EE-3E556CB6559A}
  - 12. R LOWER LEG (R LOW LEG) {C8EA4D71-D97E-46BD-AE9D-C10954C525CD}
  - 13. L LOWER LEG (L LOW LEG) {7B8E92FA-E065-4D06-9FB6-4234656CFD61}
  - 14. R INNER KNEE (R INN KNEE) {2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}
  - 15. R OUTER KNEE (R OUT KNEE) {330F1DF1-8C99-4984-9965-7404ABC9562D}
  - 16. L INNER KNEE (L INN KNEE) {79853581-CCF0-49E9-9D91-D16DE02A836D}
  - 17. L OUTER KNEE (L OUT KNEE) {B143C935-2687-49C3-9F65-8D69C1775ABC}
  - 18. R HIP (R HIP) {A48CBCAE-5404-4934-9321-ECEF660A5350}
  - 19. L HIP (L HIP) {786CD881-27AD-4136-B9CC-8423CB38A431}
  - 20. L HEAD (L HEAD) {3737DC2D-DC9E-4FC8-839D-0355987B62D1}
  - 21. R HEAD (R HEAD) {42A95AAE-3DA9-4C96-A4E7-A15C9840217A}
  - 22. R HAND (R HAND) {A54D3A80-8537-D079-9CCE-7DC56346D132}
  - 23. L HAND (L HAND) {639DF25A-19E3-B504-D323-4B3F6ED39A24}
  - 24. GENITALS (GENITALS) {83437106-3336-4925-92C8-F959561687FC}
  - 25. GENERALIZED (GENERALIZED) {17073C6C-8691-CADC-2238-CBAAB0A5C648}
  - 26. R FOOT (R FOOT) {7D9F5FF6-232C-2488-4504-A721FF06928F}
  - 27. L FOOT (L FOOT) {2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}
  - 28. R FACE (R FACE) {D1B15677-EF6F-0125-3601-68C1FE6386CE}
  - 29. L FACE (L FACE) {06F00A70-F475-CD40-665D-AF0569A1E75F}
  - 30. R EYE (R EYE) {258F0C1D-67BD-ECF8-3152-EB289DEF4681}
  - 31. L EYE (L EYE) {D714A0CA-EAD6-EC35-DA54-FF027C23FF45}
  - 32. R ELBOW (R ELBOW) {5BAFF87B-6993-4E76-862F-9F386D9B71C5}
  - 33. L ELBOW (L ELBOW) {BF4317E7-2024-47EF-9E5F-3D21D0547885}
  - 34. R EAR (R EAR) {AE31327D-A03C-488C-8A8E-084E7E6E7FDE}
  - 35. L EAR (L EAR) {DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}
  - 36. R CHEST (R CHEST) {7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}

37. L CHEST (L CHEST) {E332E497-FE0C-47CB-A0A7-217FBF52DC97}  
 38. R GLUTEUS (R GLUTEUS) {B4D32045-68D1-4457-9106-7937887FA6F6}  
 39. L GLUTEUS (L GLUTEUS) {88C4E547-04CD-4D52-9416-CAEB6D898D21}  
 40. UPPER BACK (UPPER BACK) {C1DA4294-E0DC-438B-810D-7F91E170244A}  
 41. MID BACK (MID BACK) {F8C515E0-F437-4596-B030-DA1811038CDF}  
 42. LOWER BACK (LOWER BACK) {7E761680-61BC-450F-9905-C45CE760EC45}  
 43. R UPPER ARM (R UPP ARM) {3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
 44. L UPPER ARM (L UPP ARM) {5F915696-1B08-32E9-6B95-49246117D660}  
 45. R LOWER ARM (R LOW ARM) {8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
 46. L LOWER ARM (L LOW ARM) {63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
 47. R ANKLE (R ANKLE) {4E6DF352-F399-4CE9-908C-48132C3D856B}  
 48. L ANKLE (L ANKLE) {D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}  
 49. UPPER ABDOMEN (UP ABDOM) {234C677B-1CE6-498B-9375-BB5DC3958842}  
 50. R ABDOMEN (R ABDOMEN) {5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}  
 51. LOWER ABDOMEN (LO ABDOM) {077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}  
 52. L ABDOMEN (L ABDOMEN) {46B37481-4105-492D-96F0-E2D3895379C1}  
 53. COCCYX (COCCYX) {49D65E9D-3D5B-40E3-B7CF-1003F80B852C}  
 54. HEAD OCCIPITAL (HEAD OCCIP)  
     {2066CA47-5A16-447F-9919-24ED435B627F}  
 55. L ANTECUBITAL (L ANTECUBI)  
     {C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}  
 56. R ANTECUBITAL (R ANTECUBI)  
     {7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}  
 57. L FEMORAL (L FEMORAL) {50AF6A08-CE37-6859-F4E6-762660A982F7}  
 58. R FEMORAL (R FEM) {B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
 59. L HEEL (L HEEL) {C9154881-17C7-4921-A0EE-BFB962C59CEF}  
 60. R HEEL (R HEEL) {0020DD20-2EA4-4362-ADF0-07BFA220C60E}  
 61. L ISCHIAL (L ISCHIAL) {DCDAD741-9599-4479-9D55-3279F800DBE6}  
 62. R ISCHIAL (R ISCHIAL) {97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}  
 63. L RIBS (L RIBS) {BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}  
 64. R RIBS (R RIBS) {260FD564-5E58-419B-9F73-62B6037D1572}  
 65. L SCAPULA (L SCAPULA) {3381EC50-771B-41C8-85C8-6EB0D208D54E}  
 66. R SCAPULA (R SCAPULA) {EA657261-4D72-40C2-B70D-2A2E27556A01}  
 67. L TROCHANter (L TROCHANT) {C91647A4-255D-40E4-A24D-01274E5D799F}  
 68. R TROCHANter (R TROCHANT) {1A3E21B2-C391-40D2-8059-12290E667D9E}  
 69. PERINEAL (PERINEAL) {1801441C-D5EF-4775-9E58-E4985496F7E0}  
 70. SACRAL (SACRAL) {0CF8A8A7-AB35-B803-4544-0C91645D9D1C}

UNITS:

---

=====

TERM: WOUND LENGTH  
ID: {B43EAD3E-A282-4351-B83A-1A4F9ADD0B46}

=====

Page: 963

Abbreviation..... WOU LEN  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Wound Length  
Display Name..... Wound Length  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER        -1.00 > 0.00 \* 200.00 < 400.00  
                    Dec Prec: 2

=====

TERM: WOUND ODOR  
ID: {F71814E1-2D36-4074-B8F4-253AC6BDA1AA}

=====

Page: 964

Abbreviation..... WOU ODOR  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Odor  
Display Name..... Wound Odor  
Help Text..... Wound Odor  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

1. WOUND ODOR NONE (WOU OD NON)  
{D2E388F7-B531-4D60-A2BE-830F11B9AA75}  
2. WOUND ODOR FOUL (WOU OD FOU)  
{99A74112-EA71-4896-A4DD-911379E5B453}

UNITS:

=====  
TERM: WOUND PHOTOGRAPHED  
ID: {398E171E-93A6-4DB3-82E7-5C0D118A80EE}  
=====

Page: 965

Abbreviation..... WOU PHOTOG  
Active..... Yes  
Boolean Value False..... No  
Boolean Value True..... Yes  
Data Type..... Boolean  
Description..... Has Wound Been Photographed  
Display Name..... Wound Photographed  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 2 entries

1. NO (n) {FC275445-1225-9912-18A3-DF36245893D3}  
2. YES (y) {483DE806-2EDB-34B0-FE11-C29EEEA649CD}

UNITS: .....  
=====

=====  
TERM: WOUND TREATMENT  
ID: {4883E272-E8D4-48D4-A7C5-B00F5315B6DC}  
=====

Page: 966

Abbreviation..... WOU TREATM  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Wound Treatment  
Display Name..... Wound Treatment  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: ..... 5 entries

1. HYDROCOLLOIDAL DRESSING (HCOLL DRES)  
{D85741EF-0DB3-48CF-BC9A-88C834A72F36}
2. TRANSPARENT DRESSING (TRANSP DRE)  
{77C7722-AEA8-4A0B-9ADD-1157D37AE539}
3. SALINE MOIST DRESSING (SAL MOI DR)  
{19F98514-8ABF-461C-9969-C31177FE7DE7}
4. OPEN TO AIR (OPE TO AIR) {EFB715D0-5666-4281-9034-A0326A14B2BB}
5. XEROFORM (XEROFORM) {7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}

UNITS: .....  
=====

=====  
TERM: WOUND TYPE  
ID: {1DCC28AC-700F-4E61-85BC-71D00758F9EB}  
=====

Page: 967

Abbreviation..... WOU TYPE  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... Type of wound  
Display Name..... Wound Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 29 entries

1. ABRASION (ABRASION) {7E962B43-24B1-46D2-A79A-54811117271A}
2. BLISTERING (BLISTERING) {3A4212D5-F2A8-4636-BB7F-F36FA8CED192}
3. BRUISED (BRUISED) {FA5B38A7-7744-186F-055A-8458D696AF33}
4. BURN (BURN) {97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}
5. CELLULITIS (CELLULITIS) {709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}
6. CRUSHING (CRUSHING) {92D4BAF1-63E3-4FC0-B096-B5CBC4736245}
7. DIABETIC/VASCULAR ULCER (DIA/VAS UL)  
{E209E53E-EFF1-48F5-9581-75236C89D9B9}
8. HEMATOMA (HEMATOMA) {6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}
9. PREVIOUS PERCUTANEOUS SITE (PRE PER SI)  
{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}
10. RASH/EXFOLIATION (RASH/EXFOL)  
{AB83ABA9-28A7-6484-67E7-4E66B5526942}
11. SKIN TEAR (SKIN TEAR) {2E230C6E-119F-4F9F-8797-2FFA9D76F337}
12. SKIN TRAUMA (SKIN TRAUM) {91C8EE13-2C4A-468C-94EB-C53E0D153EBA}
13. SURGICAL DONOR (SURG DONOR)  
{F3EE10EA-5776-479B-A58C-F59D6526F90B}
14. SURGICAL GRAFT (SURG GRAFT)  
{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}
15. SURGICAL (SURGICAL) {2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}
16. VASCULAR (VASCULAR) {60523BF8-6372-4760-881C-A62F85D2A0F6}
17. VASCULAR/NEUROPATHIC (VASC/NEURO)  
{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}
18. BITE (Bite) {FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}
19. BULLET (BULLET) {1570D8E2-D936-494D-AF6E-13838EA34EFD}
20. CONTUSION (Contusion) {5285197A-CC0A-4D12-A1F8-966765C687F1}
21. INCONTENENCE DERMATITIS (INCON DERM)  
{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}
22. LACERATION (LACERATION) {F4548BB2-39AF-4E0D-B52F-472EA080D6FF}
23. PENETRATING (PENETRATIN) {00A2D4C8-EDDE-4593-A1F8-A87A836B3379}
24. PRESSURE ULCER (PRE ULCER)  
{7279639E-498D-4EA3-A3FA-4A6D611E6F48}
25. PUNCTURE (PUNCTURE) {28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}
26. TAPE BURN (TAPE BURN) {DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}
27. VASCULAR LESION ARTERIAL (VASLES ART)  
{EA565D3F-D984-4553-B597-DFE844554CE9}
28. VASCULAR LESION MIXED (VASLES MIX)  
{8684AB2D-9162-4DC2-A5FA-A14558678689}
29. VASCULAR LESION VENOUS (VASLES VEN)  
{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}

UNITS:

=====  
TERM: WOUND VACUUM ASSISTED CLOSURE  
ID: {04748983-B61B-4121-AF49-FA1FDA1D9646}  
=====

Page: 968

Abbreviation..... WOU VAC AS  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... PickList  
Description..... No Description  
Display Name..... Vacuum Assisted Closure Type  
Help Text..... No Help Text  
Multi Select Picklist..... No  
Term Type..... OBSERVATION  
Vuid.....

DATA VALUE: 2 entries

-----  
1. INTERMITTENT (INTERMITTE) {DD09ED7C-B977-412F-A678-5130F77D239E}  
2. CONSTANT (CONSTANT) {0FB8E43C-2106-4C37-9430-38675953A85B}

UNITS:

-----

=====  
TERM: WOUND WIDTH  
ID: {7EED882C-3CAE-4A54-88FA-D0B380D81658}  
=====

Page: 969

Abbreviation..... WOU WIDTH  
Active..... Yes  
Boolean Value False.....  
Boolean Value True.....  
Data Type..... Numeric  
Description..... Wound Width  
Display Name..... Wound Width  
Help Text..... No Help Text  
Multi Select Picklist.....  
Term Type..... OBSERVATION  
Vuid.....

UNITS:

CENTIMETER        -1.00 > 0.00 \* 200.00 < 400.00  
                    Dec Prec: 2



DATA VALUE: 0

---

ABBREVIATION.....0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0  
HELP\_TEXT.....No Help Text  
ID.....{2B57EA26-2ACE-1CD8-EC5A-73E999C4F3FF}  
TERM.....0

DATA VALUE: 1

---

ABBREVIATION.....1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1  
HELP\_TEXT.....No Help Text  
ID.....{8F5D10A8-FE17-47BC-DACA-6972D12CC00A}  
TERM.....1

DATA VALUE: 2

---

ABBREVIATION.....2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2  
HELP\_TEXT.....No Help Text  
ID.....{38E22B79-A2B6-3401-B195-C955F24E1278}  
TERM.....2

DATA VALUE: 3

---

ABBREVIATION.....3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3  
HELP\_TEXT.....No Help Text  
ID.....{E714454D-6A67-91F6-2FB7-D8F24F184328}  
TERM.....3

DATA VALUE: 4

---

ABBREVIATION.....4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4  
HELP\_TEXT.....No Help Text  
ID.....{D2280C7E-DE50-5A8D-C3FD-5862B69C0E1A}  
TERM.....4

DATA VALUE: 4.5

-----  
ABBREVIATION.....4.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4.5  
HELP\_TEXT.....No Help Text  
ID.....{EC6C0C72-8C49-4535-92B2-7E543007EE32}  
TERM.....4.5

DATA VALUE: 5

-----  
ABBREVIATION.....5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5  
HELP\_TEXT.....No Help Text  
ID.....{188EDCE7-0726-4234-D8D2-92C8052CD221}  
TERM.....5

DATA VALUE: 5.5

-----  
ABBREVIATION.....5.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5.5  
HELP\_TEXT.....No Help Text  
ID.....{4878F059-EC9D-44FC-9A61-734C291530E7}  
TERM.....5.5

DATA VALUE: 6

-----  
ABBREVIATION.....6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6  
HELP\_TEXT.....No Help Text  
ID.....{640CF2F9-3BBF-AB13-185B-CD02A609FB5A}  
TERM.....6

DATA VALUE: 6.5

-----  
ABBREVIATION.....6.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6.5  
HELP\_TEXT.....No Help Text  
ID.....{CAFCBDB1-8533-4C10-8DD1-2BD07A4CF6D3}  
TERM.....6.5

DATA VALUE: 7

-----  
ABBREVIATION.....7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7  
HELP\_TEXT.....No Help Text  
ID.....{7A010324-D2C2-5D4B-848A-7B8878666D20}  
TERM.....7

DATA VALUE: 7.5

-----  
ABBREVIATION.....7.5  
ACTIVE.....Yes  
DESCRIPTION.....7.5  
DISPLAY\_NAME.....7.5  
HELP\_TEXT.....No Help Text  
ID.....{7517EE9C-7C8B-4AF0-B60A-88F4E24BFA5E}  
TERM.....7.5

DATA VALUE: 8

-----  
ABBREVIATION.....8  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....8  
HELP\_TEXT.....No Help Text  
ID.....{518E7CFC-102E-351E-C7AF-FB575E3C8F4D}  
TERM.....8

DATA VALUE: 8.5

-----  
ABBREVIATION.....8.5  
ACTIVE.....Yes  
DESCRIPTION.....8.5  
DISPLAY\_NAME.....8.5  
HELP\_TEXT.....8.5  
ID.....{96723567-151D-4B5C-9C65-B3EB6D584272}  
TERM.....8.5

DATA VALUE: 9

-----  
ABBREVIATION.....9  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....9  
HELP\_TEXT.....No Help Text  
ID.....{58FF2FD4-569F-F454-9F5B-FE6F9E34D8CC}  
TERM.....9

DATA VALUE: 9.5

---

ABBREVIATION.....9.5  
ACTIVE.....Yes  
DESCRIPTION.....9.5  
DISPLAY\_NAME.....9.5  
HELP\_TEXT.....9.5  
ID.....{252555A1-ADB2-4948-8764-C952F2587DC5}  
TERM.....9.5

DATA VALUE: 10

---

ABBREVIATION.....10  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....10  
HELP\_TEXT.....No Help-Text  
ID.....{0C827160-18DB-816F-7FAA-A3C175C6D33B}  
TERM.....10

DATA VALUE: 11

---

ABBREVIATION.....11  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....11  
HELP\_TEXT.....11  
ID.....{BD51A7B3-FACF-890C-472E-E3B28519CC16}  
TERM.....11

DATA VALUE: 12

---

ABBREVIATION.....12  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....12  
HELP\_TEXT.....No Help Text  
ID.....{ACC5CA06-3ABC-476D-EFB0-D82FEEE129C7}  
TERM.....12

DATA VALUE: 12.5

---

ABBREVIATION.....12.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....12.5  
HELP\_TEXT.....No Help Text  
ID.....{97A947AE-2BCC-F75D-1794-6AF9BAC1497B}  
TERM.....12.5

DATA VALUE: 13

-----  
ABBREVIATION.....13  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....13  
HELP\_TEXT.....No Help Text  
ID.....{030242DB-3F82-7517-3DEE-4D50E3E8AE23}  
TERM.....13

DATA VALUE: 13.5

-----  
ABBREVIATION.....13.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....13.5  
HELP\_TEXT.....No Help Text  
ID.....{34D24648-B2D9-9C6C-6D71-F80E977CE185}  
TERM.....13.5

DATA VALUE: 14

-----  
ABBREVIATION.....14  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....14  
HELP\_TEXT.....No Help Text  
ID.....{EDF1C2B1-123B-011F-9B02-7D71088971C1}  
TERM.....14

DATA VALUE: 14.5

-----  
ABBREVIATION.....14.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....14.5  
HELP\_TEXT.....No Help Text  
ID.....{373C8F8C-5D36-4AD6-6A76-513064669CB5}  
TERM.....14.5

DATA VALUE: 15

-----  
ABBREVIATION.....15  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....15  
HELP\_TEXT.....No Help Text  
ID.....{FE8C049F-B64C-4991-2F50-3C561BA4825C}  
TERM.....15

DATA VALUE: 15.5

---

ABBREVIATION.....15.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....15.5  
HELP\_TEXT.....No Help Text  
ID.....{1BBF5122-2FFA-6B27-445B-3291C3F83A36}  
TERM.....15.5

DATA VALUE: 16

---

ABBREVIATION.....16  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....16  
HELP\_TEXT.....No Help Text  
ID.....{9E4B84FF-430A-39FB-E6AA-E1031814796D}  
TERM.....16

DATA VALUE: 16.5

---

ABBREVIATION.....16.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....16.5  
HELP\_TEXT.....No Help Text  
ID.....{7D4EA1D4-5233-760F-FD2B-A70FB0969815}  
TERM.....16.5

DATA VALUE: 17

---

ABBREVIATION.....17  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....17  
HELP\_TEXT.....No Help Text  
ID.....{2E89B9C8-5E80-F3C9-FE66-4396CB63201A}  
TERM.....17

DATA VALUE: 17.5

---

ABBREVIATION.....17.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....17.5  
HELP\_TEXT.....No Help Text  
ID.....{FDE6FFD9-00D0-9C55-1A7F-4AA70CE313BA}  
TERM.....17.5

DATA VALUE: 18

---

ABBREVIATION.....18  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....18  
HELP\_TEXT.....No Help Text  
ID.....{F2815231-0FCE-4988-95E9-D9AF46C57086}  
TERM.....18

DATA VALUE: 18.5

---

ABBREVIATION.....18.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....18.5  
HELP\_TEXT.....No Help Text  
ID.....{75ABCB85-4D6E-0BBC-157F-CA69B7737402}  
TERM.....18.5

DATA VALUE: 19

---

ABBREVIATION.....19  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....19  
HELP\_TEXT.....No Help Text  
ID.....{478FFB89-4941-1474-04E1-C838B2467439}  
TERM.....19

DATA VALUE: 19.5

---

ABBREVIATION.....19.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....19.5  
HELP\_TEXT.....No Help Text  
ID.....{58F0F98D-299A-8C4E-F50F-AE21B6E696D6}  
TERM.....19.5

DATA VALUE: 20

---

ABBREVIATION.....20  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....20  
HELP\_TEXT.....No Help Text  
ID.....{532FBDF8-7F7B-9551-300C-F2CFEF656163}  
TERM.....20

DATA VALUE: 20.5

-----  
ABBREVIATION.....20.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....20.5  
HELP\_TEXT.....No Help Text  
ID.....{DB1F50D2-AF99-7BB3-88F5-B58C0BDE7987}  
TERM.....20.5

DATA VALUE: 21

-----  
ABBREVIATION.....21  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....21  
HELP\_TEXT.....No Help Text  
ID.....{C6188159-9EF1-DA5C-C015-2142A1205C4C}  
TERM.....21

DATA VALUE: 21.5

-----  
ABBREVIATION.....21.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....21.5  
HELP\_TEXT.....No Help Text  
ID.....{A259E466-773F-519C-7B5B-1570D1B03B70}  
TERM.....21.5

DATA VALUE: 22

-----  
ABBREVIATION.....22  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....22  
HELP\_TEXT.....No Help Text  
ID.....{DA839156-C7A9-76D7-58CD-7EC2B016EF40}  
TERM.....22

DATA VALUE: 22.5

-----  
ABBREVIATION.....22.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....22.5  
HELP\_TEXT.....No Help Text  
ID.....{D402D24F-1EF2-1AA0-DD1C-FA8320AA929A}  
TERM.....22.5

DATA VALUE: 23

-----  
ABBREVIATION.....23  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....23  
HELP\_TEXT.....No Help Text  
ID.....{8FB6A8B1-B692-BDC7-43B9-0332F33D826A}  
TERM.....23

DATA VALUE: 23.5

-----  
ABBREVIATION.....23.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....23.5  
HELP\_TEXT.....No Help Text  
ID.....{DDB76295-7E4A-FEAC-324D-37878F62771A}  
TERM.....23.5

DATA VALUE: 24

-----  
ABBREVIATION.....24  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....24  
HELP\_TEXT.....No Help Text  
ID.....{2BE934CF-40B3-2263-9FA7-6AC9DE0C7C8A}  
TERM.....24

DATA VALUE: 24.5

-----  
ABBREVIATION.....24.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....24.5  
HELP\_TEXT.....No Help Text  
ID.....{D815830B-5D94-0975-D007-E4FDD966155B}  
TERM.....24.5

DATA VALUE: 25

-----  
ABBREVIATION.....25  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....25  
HELP\_TEXT.....No Help Text  
ID.....{42DD0655-142D-6901-D3FE-66D295BBFCD1}  
TERM.....25

DATA VALUE: 25.5

-----  
ABBREVIATION.....25.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....25.5  
HELP\_TEXT.....No Help Text  
ID.....{9D704E9E-FB1D-FB83-2142-EDBF3805E8F7}  
TERM.....25.5

DATA VALUE: 26

-----  
ABBREVIATION.....26  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....26  
HELP\_TEXT.....No Help Text  
ID.....{181395F6-29FD-5A41-5AD7-BFC9CF564F3B}  
TERM.....26

DATA VALUE: 26.5

-----  
ABBREVIATION.....26.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....26.6  
HELP\_TEXT.....No Help Text  
ID.....{1D464967-6CFA-E29E-548D-EF68AFCDEC61}  
TERM.....26.5

DATA VALUE: 27

-----  
ABBREVIATION.....27  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....27  
HELP\_TEXT.....No Help Text  
ID.....{64D25A86-6516-0910-B4B5-644B85378876}  
TERM.....27

DATA VALUE: 27.5

-----  
ABBREVIATION.....27.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....27.5  
HELP\_TEXT.....No Help Text  
ID.....{8C7BE365-AFD0-3FFD-B8EC-6EC914763CFC}  
TERM.....27.5

DATA VALUE: 28

---

ABBREVIATION.....28  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....28  
HELP\_TEXT.....No Help Text  
ID.....{66B5A1F5-5396-10C4-643E-3E8CAB6D6CC8}  
TERM.....28

DATA VALUE: 28.5

---

ABBREVIATION.....28.5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....28.5  
HELP\_TEXT.....No Help Text  
ID.....{C99C9298-D4D2-BC02-36D3-F612B6080A87}  
TERM.....28.5

DATA VALUE: 29

---

ABBREVIATION.....29  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....29  
HELP\_TEXT.....29  
ID.....{93F62F6F-5EFE-C451-5908-47C895B7177C}  
TERM.....29

DATA VALUE: 30

---

ABBREVIATION.....30  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....30  
HELP\_TEXT.....30  
ID.....{1CF40F33-4B6B-FE03-98FB-55DFA8FB4145}  
TERM.....30

DATA VALUE: 31

---

ABBREVIATION.....31  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....31  
HELP\_TEXT.....31  
ID.....{5EEDDCF5-7D59-1526-2522-FA59099C8C21}  
TERM.....31

DATA VALUE: 99

-----  
ABBREVIATION.....99  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....99  
HELP\_TEXT.....No Help Text  
ID.....{B013C05B-1AF0-1547-4F03-378883F887C5}  
TERM.....99

DATA VALUE: +1 = RESTLESS

-----  
ABBREVIATION.....RASS RESTL  
ACTIVE.....Yes  
DESCRIPTION.....Anxious but movements not aggressive  
                  vigorous  
DISPLAY\_NAME..... +1 = Restless  
HELP\_TEXT.....Anxious but movements not aggressive  
                  vigorous  
ID.....{2CCFC1ED-D807-45F0-AE69-980E214AD5C3}  
TERM..... +1 = RESTLESS

DATA VALUE: +2 = AGITATED

-----  
ABBREVIATION.....RASS AGITA  
ACTIVE.....Yes  
DESCRIPTION.....Frequent non-purposeful movement,  
                  fights ventilator  
DISPLAY\_NAME..... +2 = Agitated  
HELP\_TEXT.....Frequent non-purposeful movement,  
                  fights ventilator  
ID.....{D81A5D5D-E7FC-445A-A814-495731ABA0F8}  
TERM..... +2 = AGITATED

DATA VALUE: +3 = VERY AGITATED

-----  
ABBREVIATION.....RASS V AGI  
ACTIVE.....Yes  
DESCRIPTION.....Pulls or removes tube(s) or  
                  catheter(s); aggressive  
DISPLAY\_NAME..... +3 = Very Agitated  
HELP\_TEXT.....Pulls or removes tube(s) or  
                  catheter(s); aggressive  
ID.....{7528CA1D-A9A4-4F4E-8943-E69F3B42E189}  
TERM..... +3 = VERY AGITATED

DATA VALUE: +4 = COMBATIVE

-----  
ABBREVIATION.....RASS COMBA  
ACTIVE.....Yes  
DESCRIPTION.....Overtly combative, violent, immediate  
                  danger to staff  
DISPLAY\_NAME..... +4 = Combative  
HELP\_TEXT.....Overtly combative, violent, immediate  
                  danger to staff  
ID.....{A97E064A-7709-42F9-9A88-4AAFF1020883}  
TERM..... +4 = COMBATIVE

DATA VALUE: -1 = DROWSY

-----  
ABBREVIATION.....RASS DROWS  
ACTIVE.....Yes  
DESCRIPTION.....Not fully alert, but has sustained awakening (eye-opening/eye contact) to voice (>10 seconds)  
DISPLAY\_NAME..... -1 = Drowsy  
HELP\_TEXT.....Not fully alert, but has sustained awakening (eye-opening/eye contact) to voice (>10 seconds)  
ID.....{5E6BDAC6-4F81-4110-A0AF-FED746D9FF0D}  
TERM..... -1 = DROWSY

DATA VALUE: -2 = LIGHT SEDATION

-----  
ABBREVIATION.....RASS LT SE  
ACTIVE.....Yes  
DESCRIPTION.....Briefly awakens with eye contact to voice (<10 seconds)  
DISPLAY\_NAME..... -2 = Light Sedation  
HELP\_TEXT.....Briefly awakens with eye contact to voice (<10 seconds)  
ID.....{FDEEC084-3922-4065-A863-4893E42F8F93}  
TERM..... -2 = LIGHT SEDATION

DATA VALUE: -3 = MODERATE SEDATION

-----  
ABBREVIATION.....RASS MD SE  
ACTIVE.....Yes  
DESCRIPTION.....Movement or eye opening to voice (but no eye contact)  
DISPLAY\_NAME..... -3 = Moderate Sedation  
HELP\_TEXT.....Movement or eye opening to voice (but no eye contact)  
ID.....{D12B0A3E-B80E-494F-B89F-A79E8B81B080}  
TERM..... -3 = MODERATE SEDATION

DATA VALUE: -4 = DEEP SEDATION

-----  
ABBREVIATION.....RASS DP SE  
ACTIVE.....Yes  
DESCRIPTION.....No response to voice, but movement or eye opening to physical stimulation  
DISPLAY\_NAME..... -4 = Deep Sedation  
HELP\_TEXT.....No response to voice, but movement or eye opening to physical stimulation  
ID.....{83CB4E64-3581-452F-987A-D31CB3AB38D2}  
TERM..... -4 = DEEP SEDATION

DATA VALUE: 0 = ALERT AND CALM

-----  
ABBREVIATION.....RASS AL CA  
ACTIVE.....Yes  
DESCRIPTION.....Alert and Calm  
DISPLAY\_NAME..... 0 = Alert and Calm  
HELP\_TEXT.....Alert and Calm  
ID.....{F1834BF6-F8F1-4E13-BC25-B13E756E0FF0}  
TERM..... 0 = ALERT AND CALM

DATA VALUE: 4+ - BOUNDING, SOMETIMES VISIBLE

-----  
ABBREVIATION.....4+  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4+ - Bounding, Sometimes Visible  
HELP\_TEXT.....  
ID.....{949B749E-E0D9-4C99-9091-EE950AFAEA51}  
TERM..... 4+ - BOUNDING, SOMETIMES VISIBLE

DATA VALUE: LARYNGEAL MASK AIRWAY

-----  
ABBREVIATION.....La Mask AW  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Laryngeal Mask Airway  
HELP\_TEXT.....  
ID.....{B5902B8C-F1C9-4376-A9A9-3013F4DFF1F7}  
TERM..... LARYNGEAL MASK AIRWAY

DATA VALUE: +1 = SLIGHT

-----  
ABBREVIATION.....+1 SLIGHT  
ACTIVE.....Yes  
DESCRIPTION.....+1 = Slight  
DISPLAY\_NAME.....+1 = Slight  
HELP\_TEXT.....No Help Text  
ID.....{7C0245BA-B261-4B68-A84C-D737CA634230}  
TERM.....+1 = SLIGHT

DATA VALUE: +2 = MODERATE

-----  
ABBREVIATION.....+2 = MODER  
ACTIVE.....Yes  
DESCRIPTION.....+2 = Moderate  
DISPLAY\_NAME.....+2 = Moderate  
HELP\_TEXT.....No Help Text  
ID.....{CCF23A60-068C-443F-AFD0-2D56EEE0446C}  
TERM.....+2 = MODERATE

DATA VALUE: +3 = MARKED

-----  
ABBREVIATION.....+3 = MARKE  
ACTIVE.....Yes  
DESCRIPTION.....+3 = Marked  
DISPLAY\_NAME.....+3 = Marked  
HELP\_TEXT.....No Help Text  
ID.....{41ACC586-0C68-4780-8B2D-F36B21FCEDB2}  
TERM.....+3 = MARKED

DATA VALUE: +4 = VERY MARKED

-----  
ABBREVIATION.....+4 = VY MA  
ACTIVE.....Yes  
DESCRIPTION.....+4 = Very Marked  
DISPLAY\_NAME.....+4 = Very Marked  
HELP\_TEXT.....No Help Text  
ID.....{55EF9D42-B4F8-4468-BA1B-98BCD4075E58}  
TERM.....+4 = VERY MARKED

DATA VALUE: -5 = UNAROUSABLE

-----  
ABBREVIATION.....RASS UNARO  
ACTIVE.....Yes  
DESCRIPTION.....No response to voice or physical  
                  stimulation  
DISPLAY\_NAME.....-5 = Unarousable  
HELP\_TEXT.....No response to voice or physical  
                  stimulation  
ID.....{1578E147-7D2C-4469-828E-FCA97109B27C}  
TERM.....-5 = UNAROUSABLE

DATA VALUE: 0 - ABLE TO SIT STILL

-----  
ABBREVIATION.....COWS:Rest0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Able to Sit Still  
HELP\_TEXT.....  
ID.....{3183B1D3-BD5D-4756-86CA-74C2739F4A3A}  
TERM.....0 - ABLE TO SIT STILL

DATA VALUE: 0 - ABSENT

-----  
ABBREVIATION.....0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Absent  
HELP\_TEXT.....  
ID.....{A40D0A56-825E-4A12-B0CF-1D4B10351426}  
TERM.....0 - ABSENT

DATA VALUE: 0 - ALERT

-----  
ABBREVIATION.....Alert  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Alert  
HELP\_TEXT.....  
ID.....{A144FB6A-D6FA-4E0F-9F3C-3F1756464D05}  
TERM.....0 - ALERT

DATA VALUE: 0 - HR 51-100

---

ABBREVIATION.....HR 51-100  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - HR 51-100  
HELP\_TEXT.....  
ID.....{6A262124-7FE8-4520-9762-87D0A3DB8AE9}  
TERM.....0 - HR 51-100

DATA VALUE: 0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT

---

ABBREVIATION.....0 Ind  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Independent - No Help or Staff  
Oversight  
HELP\_TEXT.....  
ID.....{4A125BF9-A2C1-4503-9182-BF3E2A708547}  
TERM.....0 - INDEPENDENT - NO HELP OR STAFF  
OVERSIGHT

DATA VALUE: 0 - INDEPENDENT - NO HELP PROVIDED

---

ABBREVIATION.....0 ind  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Independent - No Help Provided  
HELP\_TEXT.....  
ID.....{07AB4004-1793-410A-9872-00BB0B322DFE}  
TERM.....0 - INDEPENDENT - NO HELP PROVIDED

DATA VALUE: 0 - NO ANXIETY AT EASE

---

ABBREVIATION.....CIWA AX 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - No Anxiety, At Ease  
HELP\_TEXT.....No Help Text  
ID.....{DA61A13E-6443-4E8A-9C76-762FEACDB4E7}  
TERM.....0 - NO ANXIETY AT EASE

DATA VALUE: 0 - NO GI SYMPTOMS

---

ABBREVIATION.....COWS:GIUp0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - No GI Symptoms  
HELP\_TEXT.....  
ID.....{2EB125DC-DDFE-478D-ACB6-05472259E967}  
TERM.....0 - NO GI SYMPTOMS

DATA VALUE: 0 - NO NAUSEA/VOMITING

-----  
ABBREVIATION.....CIWA NV 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - No Nausea / Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{0569555E-E7B3-49E3-9A18-68D23CFB2B8D}  
TERM.....0 - NO NAUSEA/VOMITING

DATA VALUE: 0 - NO REPORT OF CHILLS OR FLUSHING

-----  
ABBREVIATION.....0-NoChills  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - No Report of Chills or Flushing  
HELP\_TEXT.....  
ID.....{94FBB3F8-36F1-480F-A0E2-4F724F9BCD01}  
TERM.....0 - NO REPORT OF CHILLS OR FLUSHING

DATA VALUE: 0 - NO SETUP OR PHYSICAL HELP FROM STAFF

-----  
ABBREVIATION.....0 No Setup  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - No Setup or Physical Help from  
Staff  
HELP\_TEXT.....  
ID.....{730049CC-4CD5-449E-A0E8-389AB61A02BD}  
TERM.....0 - NO SETUP OR PHYSICAL HELP FROM  
STAFF

DATA VALUE: 0 - NO SWEAT VISIBLE

-----  
ABBREVIATION.....CIWA PS 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - No Sweat Visible  
HELP\_TEXT.....No Help Text  
ID.....{7C83E616-4414-4766-AAF5-5F5442FFBF09}  
TERM.....0 - NO SWEAT VISIBLE

DATA VALUE: 0 - NO TREMOR

-----  
ABBREVIATION.....COWS:Trem0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - No Tremor  
HELP\_TEXT.....  
ID.....{25CCF5BE-1D1F-4FE7-8040-17ADFD9724A5}  
TERM.....0 - NO TREMOR

DATA VALUE: 0 - NO YAWNING

-----  
ABBREVIATION.....COWS:Yawn0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - No Yawning  
HELP\_TEXT.....  
ID.....{A13697C7-5B22-4DC6-92E9-8CBDF056C08E}  
TERM.....0 - NO YAWNING

DATA VALUE: 0 - NONE

-----  
ABBREVIATION.....COWS:Anx0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - None  
HELP\_TEXT.....  
ID.....{4B20FAC9-9597-41D5-9B06-5ED5805E4367}  
TERM.....0 - NONE

DATA VALUE: 0 - NORMAL ACTIVITY

-----  
ABBREVIATION.....CIWA AG 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - Normal Activity  
HELP\_TEXT.....No Help Text  
ID.....{9FF32084-A432-467C-B0A2-C8BC9F3D6D13}  
TERM.....0 - NORMAL ACTIVITY

DATA VALUE: 0 - NOT PRESENT

-----  
ABBREVIATION.....COWS:Run0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Not Present  
HELP\_TEXT.....  
ID.....{1BA6AA6E-21A7-42CF-9079-685357BEB0BF}  
TERM.....0 - NOT PRESENT

DATA VALUE: 0 - ORIENTED AND CAN DO SERIAL ADDITIONS

-----  
ABBREVIATION.....CIWA OR 0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 - Oriented And Can Do Serial  
Additions  
HELP\_TEXT.....No Help Text  
ID.....{D8015F54-6E9E-457A-955C-38565BDDDBB6}  
TERM.....0 - ORIENTED AND CAN DO SERIAL  
ADDITIONS

DATA VALUE: 0 - PULSE RATE 80 OR BELOW

-----  
ABBREVIATION.....0-80/Below  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Pulse Rate 80 or Below  
HELP\_TEXT.....  
ID.....{60BC905C-8235-493A-B0A5-9E0DF72AFE09}  
TERM.....0 - PULSE RATE 80 OR BELOW

DATA VALUE: 0 - PUPILS PINNED OR NORMAL SIZE FOR ROOM LIGHT

-----  
ABBREVIATION.....COWS:Pupi0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Pupils Pinned or Normal Size for  
Room Light  
HELP\_TEXT.....  
ID.....{636C3F4E-49EA-4525-AAD1-11C2F922FA64}  
TERM.....0 - PUPILS PINNED OR NORMAL SIZE FOR  
ROOM LIGHT

DATA VALUE: 0 - RR 9-14

-----  
ABBREVIATION.....RR 9-14  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - RR 9-14  
HELP\_TEXT.....  
ID.....{F32D69EF-7AC9-4A59-A63B-6E941BF5F06B}  
TERM.....0 - RR 9-14

DATA VALUE: 0 - SBP 101-199

-----  
ABBREVIATION.....SBP101-199  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - SBP 101-199  
HELP\_TEXT.....  
ID.....{ED9B73BA-8B9E-49C0-83A2-5B2397028564}  
TERM.....0 - SBP 101-199

DATA VALUE: 0 - SKIN IS SMOOTH

-----  
ABBREVIATION.....COWS:Goos0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Skin is Smooth  
HELP\_TEXT.....  
ID.....{4B6290C2-BCC7-45B0-A861-30BB65BFB887}  
TERM.....0 - SKIN IS SMOOTH

DATA VALUE: 0 - TEMP 36.1-38 C

-----  
ABBREVIATION.....36.1-38 C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 - Temp 36.1-38 C  
HELP\_TEXT.....  
ID.....{87CCCC92-0761-47FC-BD44-C37590832EA7}  
TERM.....0 - TEMP 36.1-38 C

DATA VALUE: 0 = 0 EXTREMITIES

-----  
ABBREVIATION.....ALD ACT 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = 0 Extremities  
DISPLAY\_NAME.....0 = Moves 0 Extremities  
HELP\_TEXT.....0 = 0 Extremities  
ID.....{6E248A9A-B509-4BD0-A01D-9ED5CE5B8FC9}  
TERM.....0 = 0 EXTREMITIES

DATA VALUE: 0 = <90%

-----  
ABBREVIATION.....ALD O2 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = <90% with O2  
DISPLAY\_NAME.....0 = <90% with O2  
HELP\_TEXT.....0 = <90% with O2  
ID.....{30042730-F600-44FD-A3D0-53172B70082B}  
TERM.....0 = <90%

DATA VALUE: 0 = ABSENT

-----  
ABBREVIATION.....Absent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Absent  
HELP\_TEXT.....  
ID.....{16281EF6-8C86-4E92-A05D-EBBC9DBC72DA}  
TERM.....0 = ABSENT

DATA VALUE: 0 = ABSENT PULSE

-----  
ABBREVIATION.....0p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Absent Pulse  
HELP\_TEXT.....No Help Text  
ID.....{4253CB74-51AE-BBFA-214F-937762F7638C}  
TERM.....0 = ABSENT PULSE

DATA VALUE: 0 = ALERT

-----  
ABBREVIATION.....0 = Alert  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Alert  
HELP\_TEXT.....  
ID.....{9F918315-BDE7-43D8-BD69-442D74F41C79}  
TERM.....0 = ALERT

DATA VALUE: 0 = ANSWERS BOTH QUESTIONS CORRECTLY

-----  
ABBREVIATION.....Both  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Answers Both Questions Correctly  
HELP\_TEXT.....  
ID.....{A4380E5F-206A-40CF-B508-6CA61DE87ED2}  
TERM.....0 = ANSWERS BOTH QUESTIONS CORRECTLY

DATA VALUE: 0 = APNEIC

-----  
ABBREVIATION.....ALD RESP 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = Apneic  
DISPLAY\_NAME.....0 = Apneic  
HELP\_TEXT.....0 = Apneic  
ID.....{649C42B0-6E0A-4E86-AAC5-70A8C20EC511}  
TERM.....0 = APNEIC

DATA VALUE: 0 = BP +/- 50% PREOP

-----  
ABBREVIATION.....ALD CIR 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = BP +/- 50% Preop  
DISPLAY\_NAME.....0 = BP +/- 50% Preop  
HELP\_TEXT.....0 = BP +/- 50% Preop  
ID.....{675F2CD1-DD7B-473B-B8EC-C2BFBF4AC3B2}  
TERM.....0 = BP +/- 50% PREOP

DATA VALUE: 0 = NO ABNORMALITY

-----  
ABBREVIATION.....0 = No abn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Abnormality  
HELP\_TEXT.....  
ID.....{DE0BF57B-1322-4581-BB38-2A61562DC87F}  
TERM.....0 = NO ABNORMALITY

DATA VALUE: 0 = NO APHASIA

---

ABBREVIATION.....No Aphasia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Aphasia  
HELP\_TEXT.....  
ID.....{AD629099-6ED1-4DFE-9D02-075FFD67B083}  
TERM.....0 = NO APHASIA

DATA VALUE: 0 = NO DRIFT

---

ABBREVIATION.....No Drift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Drift  
HELP\_TEXT.....  
ID.....{6DD3E839-D919-4C90-94F9-216B3268944D}  
TERM.....0 = NO DRIFT

DATA VALUE: 0 = NO VISUAL LOSS

---

ABBREVIATION.....None  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = No Visual Loss  
HELP\_TEXT.....  
ID.....{20347E7B-4A96-4000-B326-0B4B1797738A}  
TERM.....0 = NO VISUAL LOSS

DATA VALUE: 0 = NORMAL

---

ABBREVIATION.....Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Normal  
HELP\_TEXT.....  
ID.....{7739B63B-8623-4ADB-8059-1A26B5A7BEBB}  
TERM.....0 = NORMAL

DATA VALUE: 0 = NORMAL SYMMETRICAL MOVEMENT

---

ABBREVIATION.....0 = Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Normal Symmetrical Movement  
HELP\_TEXT.....  
ID.....{23267CFE-B306-477A-A8B2-60828C1234FA}  
TERM.....0 = NORMAL SYMMETRICAL MOVEMENT

DATA VALUE: 0 = NOT RESPONDING

-----  
ABBREVIATION.....ALD CON 0  
ACTIVE.....Yes  
DESCRIPTION.....0 = Not Responding  
DISPLAY\_NAME.....0 = Not Responding  
HELP\_TEXT.....0 = Not Responding  
ID.....{E8765215-B0B0-430C-8C89-AB969A6AD12E}  
TERM.....0 = NOT RESPONDING

DATA VALUE: 0 = PEFORMS BOTH TASKS CORRECTLY

-----  
ABBREVIATION.....Both Tasks  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....0 = Performs Both Tasks Correctly  
HELP\_TEXT.....  
ID.....{08B7AA60-AFEE-41F6-AA1E-0855D1A2946C}  
TERM.....0 = PEFORMS BOTH TASKS CORRECTLY

DATA VALUE: 1 - HR 101-110

-----  
ABBREVIATION.....HR 101-110  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - HR 101-110  
HELP\_TEXT.....  
ID.....{FCB6C37E-1BB4-418F-8203-0916B4056DEB}  
TERM.....1 - HR 101-110

DATA VALUE: 1 - BARELY PERCEPTIBLE SWEATING / PALMS MOIST

-----  
ABBREVIATION.....CIWA PS 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Barely Perceptible Sweating /  
Palms Moist  
HELP\_TEXT.....No Help Text  
ID.....{93B5B833-14B5-4ADD-97E8-7BF14A8BA01A}  
TERM.....1 - BARELY PERCEPTIBLE SWEATING /  
PALMS MOIST

DATA VALUE: 1 - CANNOT DO SERIAL ADDITIONS

-----  
ABBREVIATION.....CIWA OR 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Cannot Do Serial Additions Or Is  
Uncertain About Date  
HELP\_TEXT.....No Help Text  
ID.....{F4446E01-E326-420E-8EA8-04451AA9D963}  
TERM.....1 - CANNOT DO SERIAL ADDITIONS

DATA VALUE: 1 - HR 40-50

-----  
ABBREVIATION.....HR 40-50  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - HR 40-50  
HELP\_TEXT.....  
ID.....{EC915B1F-BED1-497D-AD10-4FD0C2ADEDCE}  
TERM.....1 - HR 40-50

DATA VALUE: 1 - LESS THAN 45MLS/HR

-----  
ABBREVIATION.....< 45mls/hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Less than 45mls/hr  
HELP\_TEXT.....  
ID.....{3AED380E-00F9-4C29-B303-52E08F8911B3}  
TERM.....1 - LESS THAN 45MLS/HR

DATA VALUE: 1 - MILD DIFFUSE DISCOMFORT

-----  
ABBREVIATION.....COWS:Ache1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Mild Diffuse Discomfort  
HELP\_TEXT.....  
ID.....{78E68AC6-2325-4A04-989E-C3C8B624EEF7}  
TERM.....1 - MILD DIFFUSE DISCOMFORT

DATA VALUE: 1 - MILD NAUSEA / NO VOMITING

-----  
ABBREVIATION.....CIWA NV 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Mild Nausea / No Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{582CBFB6-60A0-4F6D-936A-9D2D6F871B4A}  
TERM.....1 - MILD NAUSEA / NO VOMITING

DATA VALUE: 1 - MILDLY ANXIOUS

-----  
ABBREVIATION.....CIWA AX 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Mildly Anxious  
HELP\_TEXT.....No Help Text  
ID.....{401113EE-5CE7-4AE9-80C1-1C3252E706D0}  
TERM.....1 - MILDLY ANXIOUS

DATA VALUE: 1 - NASAL STUFFINESS OR UNUSUALLY MOIST EYES

-----  
ABBREVIATION.....COWS:Run1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Nasal Stuffiness or Unusually  
Moist Eyes  
HELP\_TEXT.....  
ID.....{18CCB8C9-D1CD-4228-A01A-4E74D405A493}  
TERM.....1 - NASAL STUFFINESS OR UNUSUALLY  
MOIST EYES

DATA VALUE: 1 - NEW AGITATION CONFUSION

-----  
ABBREVIATION.....New Agitat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - New Agitation Confusion  
HELP\_TEXT.....  
ID.....{F458199B-A547-419B-A691-F15E7CD61F8C}  
TERM.....1 - NEW AGITATION CONFUSION

DATA VALUE: 1 - NO RESPONSE

-----  
ABBREVIATION.....1-nr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - No Response  
HELP\_TEXT.....No Help Text  
ID.....{26D3168D-40EA-C918-D321-54BED4837311}  
TERM.....1 - NO RESPONSE

DATA VALUE: 1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP

-----  
ABBREVIATION.....CIWA TR 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Not Visible But Can Be Felt  
Fingertip To Fingertip  
HELP\_TEXT.....No Help Text  
ID.....{31833D55-9018-47EE-8341-A0863744CEF8}  
TERM.....1 - NOT VISIBLE BUT CAN BE FELT  
FINGERTIP

DATA VALUE: 1 - PATIENT REPORTS INCREASING IRRITABILITY OR ANXIOUSNESS

-----  
ABBREVIATION.....COWS:Anx1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Patient Reports Increasing  
Irritability or Anxiousness  
HELP\_TEXT.....  
ID.....{808C7811-ED7E-48D0-8BB7-72C3E8034648}  
TERM.....1 - PATIENT REPORTS INCREASING  
IRRITABILITY OR ANXIOUSNESS

DATA VALUE: 1 - PULSE RATE 81-100

-----  
ABBREVIATION.....1 - 80-100  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Pulse Rate 81-100  
HELP\_TEXT.....  
ID.....{0051037D-F6FA-4295-820A-456095AB5E1F}  
TERM.....1 - PULSE RATE 81-100

DATA VALUE: 1 - REPORTS DIFFICULTY SITTING STILL, BUT IS ABLE TO DO SO

-----  
ABBREVIATION.....COWS:Rest1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Reports Difficulty Sitting Still,  
but is able to do so  
HELP\_TEXT.....  
ID.....{12A7E70F-C76A-4AFA-82C2-1C4A40AB6CAC}  
TERM.....1 - REPORTS DIFFICULTY SITTING STILL,  
BUT IS ABLE TO DO SO

DATA VALUE: 1 - RESPONDS TO VOICE

-----  
ABBREVIATION.....Voice  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Responds to Voice  
HELP\_TEXT.....  
ID.....{69C7DA2C-893A-40AB-969C-E003B5D2F05D}  
TERM.....1 - RESPONDS TO VOICE

DATA VALUE: 1 - RR 15-20

-----  
ABBREVIATION.....RR 15-20  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - RR 15-20  
HELP\_TEXT.....  
ID.....{1CF2487B-30C6-46AB-A051-B4499F825DC2}  
TERM.....1 - RR 15-20

DATA VALUE: 1 - SBP 81-100

-----  
ABBREVIATION.....SBP 81-100  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - SBP 81-100  
HELP\_TEXT.....  
ID.....{93D627C1-2FF3-4FCC-B0AF-83A54183AE3D}  
TERM.....1 - SBP 81-100

DATA VALUE: 1 - SETUP HELP ONLY

-----  
ABBREVIATION.....1 Setup  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Setup Help Only  
HELP\_TEXT.....  
ID.....{5494773C-99FE-4A96-B12E-D734188517CE}  
TERM.....1 - SETUP HELP ONLY

DATA VALUE: 1 - STOMACH CRAMPS

-----  
ABBREVIATION.....COWS:GIUp1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Stomach Cramps  
HELP\_TEXT.....  
ID.....{B874B32F-E106-49F6-8BA0-73637FAEB54E}  
TERM.....1 - STOMACH CRAMPS

DATA VALUE: 1 - SUBJECTIVE REPORT OF CHILLS OR FLUSHING

-----  
ABBREVIATION.....1-SubChill  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Subjective Report of Chills or  
Flushing  
HELP\_TEXT.....  
ID.....{7603511C-234D-4578-8B7A-4976C715BD87}  
TERM.....1 - SUBJECTIVE REPORT OF CHILLS OR  
FLUSHING

DATA VALUE: 1 - SUPERVISION - OVERSIGHT

-----  
ABBREVIATION.....1 Superv  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Supervision - Oversight  
HELP\_TEXT.....  
ID.....{7400DA9E-E89A-44F4-8516-CB6D5931D97D}  
TERM.....1 - SUPERVISION - OVERSIGHT

DATA VALUE: 1 - SUPERVISION - OVERSIGHT HELP ONLY

-----  
ABBREVIATION.....1 Supervi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Supervision - Oversight Help Only  
HELP\_TEXT.....  
ID.....{F7DFB6E8-F550-4072-B693-93BF96A23834}  
TERM.....1 - SUPERVISION - OVERSIGHT HELP ONLY

DATA VALUE: 1 - TEMP 35.1-36 C

-----  
ABBREVIATION.....35.1-36 C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Temp 35.1-36 C  
HELP\_TEXT.....  
ID.....{AF9BC2E6-9C52-4030-8422-28DCBDD43DD9}  
TERM.....1 - TEMP 35.1-36 C

DATA VALUE: 1 - TEMP 38.1-38.5 C

-----  
ABBREVIATION.....38.1-38.5C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Temp 38.1-38.5 C  
HELP\_TEXT.....  
ID.....{21326CB3-A848-4984-BB34-5594AD7E5D32}  
TERM.....1 - TEMP 38.1-38.5 C

DATA VALUE: 1 - TREMOR CAN BE FELT, BUT NOT OBSERVED

-----  
ABBREVIATION.....COWS:Trem1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Tremor can be Felt, but not  
                  Observed  
HELP\_TEXT.....  
ID.....{D0051619-DA7A-451F-AE6B-EF1AC7BCA36E}  
TERM.....1 - TREMOR CAN BE FELT, BUT NOT  
                  OBSERVED

DATA VALUE: 1 - VERY MILD

-----  
ABBREVIATION.....CIWA HA 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild  
HELP\_TEXT.....No Help Text  
ID.....{F789C1EA-CC7A-4368-87BA-08AFFE492EE6}  
TERM.....1 - VERY MILD

DATA VALUE: 1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----  
ABBREVIATION.....CIWA AU 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Harshness Or Ability To  
                  Frighten  
HELP\_TEXT.....No Help Text  
ID.....{E7D03A9C-B975-48B2-8CA6-2FC6616C6AF6}  
TERM.....1 - VERY MILD HARSHNESS OR ABILITY TO  
                  FRIGHTEN

DATA VALUE: 1 - VERY MILD ITCHING PINS/NEEDLES BURNING

-----  
ABBREVIATION.....CIWA TC 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Itching, Pins/Needles,  
                  Burning, Numbness  
HELP\_TEXT.....No Help Text  
ID.....{00642E0D-E1CF-4EE0-91F4-CBAF209AA54C}  
TERM.....1 - VERY MILD ITCHING PINS/NEEDLES  
                  BURNING

DATA VALUE: 1 - VERY MILD SENSITIVITY

-----  
ABBREVIATION.....CIWA VS 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Very Mild Sensitivity  
HELP\_TEXT.....No Help Text  
ID.....{8BF96CF1-3EA7-468C-838A-284430EA850D}  
TERM.....1 - VERY MILD SENSITIVITY

DATA VALUE: 1 - WEAK

-----  
ABBREVIATION.....1 - WEAK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Weak  
HELP\_TEXT.....No Help Text  
ID.....{A41570DC-2F35-DDF6-977B-7C262150DFA2}  
TERM.....1 - WEAK

DATA VALUE: 1 - YAWNING ONCE OR TWICE DURING ASSESSMENT

-----  
ABBREVIATION.....COWS:Yawn1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Yawning Once or Twice During  
                  Assessment  
HELP\_TEXT.....  
ID.....{0D44EECB-D75E-4F0B-B784-6F727143F9AD}  
TERM.....1 - YAWNING ONCE OR TWICE DURING  
                  ASSESSMENT

DATA VALUE: 1 = 2 EXTREMITIES

-----  
ABBREVIATION.....ALD ACT 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = 2 Extremities  
DISPLAY\_NAME.....1 = Moves 2 Extremities  
HELP\_TEXT.....1 = 2 Extremities  
ID.....{6DCB4762-72CE-48C2-9AFE-B19969ED1DE0}  
TERM.....1 = 2 EXTREMITIES

DATA VALUE: 1 = ANSWERS ONE QUESTION CORRECTLY

-----  
ABBREVIATION.....One Ques  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Answers One Question Correctly  
HELP\_TEXT.....  
ID.....{9E3CB281-8D9E-463B-B8C3-A1D71C576FB5}  
TERM.....1 = ANSWERS ONE QUESTION CORRECTLY

DATA VALUE: 1 = AROUSABLE

-----  
ABBREVIATION.....ALD CON 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Arousalable with minimal stimulation  
DISPLAY\_NAME.....1 = Arousalable with minimal stimulation  
HELP\_TEXT.....1 = Arousalable with minimal stimulation  
ID.....{B2A07804-9829-42D0-9C49-A61FD51EEAA0}  
TERM.....1 = AROUSABLE

DATA VALUE: 1 = AWAKE AND ALERT

-----  
ABBREVIATION.....POSS Awake  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Awake and Alert  
HELP\_TEXT.....  
ID.....{6D0015F9-BDD1-422C-AD60-1DBE0247D46E}  
TERM.....1 = AWAKE AND ALERT

DATA VALUE: 1 = BP +/- 20-49% PREOP

-----  
ABBREVIATION.....ALD CIR 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = BP +/- 20-49% Preop  
DISPLAY\_NAME.....1 = BP +/- 20-49% Preop  
HELP\_TEXT.....1 = BP +/- 20-49% Preop  
ID.....{D4A6100D-1228-4860-9BD6-B43F30D4FF94}  
TERM.....1 = BP +/- 20-49% PREOP

DATA VALUE: 1 = DRIFT

-----  
ABBREVIATION.....Drift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Drift  
HELP\_TEXT.....  
ID.....{7D3D4880-ED2F-459B-B0AB-FF0E300C1C97}  
TERM.....1 = DRIFT

DATA VALUE: 1 = DYSPNEA

-----  
ABBREVIATION.....ALD RESP 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Dyspnea, shallow or limited  
DISPLAY\_NAME.....1 = Dyspnea, shallow or limited  
HELP\_TEXT.....1 = Dyspnea, shallow or limited  
ID.....{3DAE60A2-57DA-4121-A507-BC43497C7B67}  
TERM.....1 = DYSPNEA

DATA VALUE: 1 = MILD TO MODERATE APHASIA

-----  
ABBREVIATION.....Mod Aphasi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Mild to Moderate Aphasia  
HELP\_TEXT.....  
ID.....{FFA529FF-EDC0-4768-B308-93656C75E382}  
TERM.....1 = MILD TO MODERATE APHASIA

DATA VALUE: 1 = MILD TO MODERATE DYSARTHRIA

-----  
ABBREVIATION.....1 = Mild  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Mild to Moderate Dysarthria  
HELP\_TEXT.....  
ID.....{0EFCBA9C-36E4-4046-9A55-DAD58F08C516}  
TERM.....1 = MILD TO MODERATE DYSARTHRIA

DATA VALUE: 1 = MILD TO MODERATE SENSORY LOSS

-----  
ABBREVIATION.....Moderate  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Mild to Moderate Sensory Loss  
HELP\_TEXT.....  
ID.....{1BF6BC0E-9A83-4589-B849-853585CF4E96}  
TERM.....1 = MILD TO MODERATE SENSORY LOSS

DATA VALUE: 1 = MINOR PARALYSIS

-----  
ABBREVIATION.....1 = Minor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Minor Paralysis  
HELP\_TEXT.....  
ID.....{55A125E8-E83A-4163-AB50-0D3569B502D3}  
TERM.....1 = MINOR PARALYSIS

DATA VALUE: 1 = NEEDS O2

-----  
ABBREVIATION.....ALD O2 1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Needs O2 to maintain >90%  
DISPLAY\_NAME.....1 = Needs O2 to maintain >90%  
HELP\_TEXT.....1 = Needs O2 to maintain >90%  
ID.....{5D97F6BB-7B02-4644-8CE5-014C89826731}  
TERM.....1 = NEEDS O2

DATA VALUE: 1 = NOT ALERT, MINOR STIMULATION RESPONSE

-----  
ABBREVIATION.....1 = Minor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Not Alert, Minor Stimulation  
Response  
HELP\_TEXT.....  
ID.....{29268B78-0FF2-48EE-8EA1-4BDE6C39739E}  
TERM.....1 = NOT ALERT, MINOR STIMULATION  
RESPONSE

DATA VALUE: 1 = PARTIAL GAZE PALSY

-----  
ABBREVIATION.....1 = Part  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Partial Gaze Palsy  
HELP\_TEXT.....  
ID.....{7644667F-2919-4A57-A3A6-EE709CA55960}  
TERM.....1 = PARTIAL GAZE PALSY

DATA VALUE: 1 = PARTIAL HEMIANOPIA

-----  
ABBREVIATION.....Partial  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Partial Hemianopia  
HELP\_TEXT.....  
ID.....{0FDFE052-C438-48AD-A3F8-C3C53E963365}  
TERM.....1 = PARTIAL HEMIANOPIA

DATA VALUE: 1 = PERFORMS ONE TASK CORRECTLY

-----  
ABBREVIATION.....One Task  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Performs One Task Correctly  
HELP\_TEXT.....  
ID.....{7DBE49B4-067F-4BA7-807F-A4A5FAC1BCFB}  
TERM.....1 = PERFORMS ONE TASK CORRECTLY

DATA VALUE: 1 = PRESENT IN ONE LIMB

-----  
ABBREVIATION.....One Limb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1= Present in One Limb  
HELP\_TEXT.....  
ID.....{D8A1D78F-14F8-43B6-9D68-4C9FAE400A40}  
TERM.....1 = PRESENT IN ONE LIMB

DATA VALUE: 1 = UNAROUSABLE

-----  
ABBREVIATION.....SAS UNAROU  
ACTIVE.....Yes  
DESCRIPTION.....Minimal or no response to noxious  
stimuli, does not communicate or  
follow commands  
DISPLAY\_NAME.....1 = Unarousable  
HELP\_TEXT.....Minimal or no response to noxious  
stimuli, does not communicate or  
follow commands  
ID.....{3DDFF9FE-A88A-471F-BF36-E5B569DEBDA}  
TERM.....1 = UNAROUSABLE

DATA VALUE: 1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION

-----  
ABBREVIATION.....1 = Inatt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 = Visual, Tactile, Auditory,  
Spatial, or 2 Personal Inattention  
HELP\_TEXT.....  
ID.....{BEBED217-91CA-47F8-A15D-A548648D09BF}  
TERM.....1 = VISUAL, TACTILE, AUDITORY,  
SPATIAL, OR 2 PERSONAL INATTENTION

DATA VALUE: 1 HOUR

-----  
ABBREVIATION.....1 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 Hour  
HELP\_TEXT.....No Help Text  
ID.....{319BA174-1624-483C-B666-4998127B0800}  
TERM.....1 HOUR

DATA VALUE: 1+ - WEAK, BARELY PALPABLE

-----  
ABBREVIATION.....1+  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1+ - Weak, Barely Palpable  
HELP\_TEXT.....  
ID.....{BBE0CCB0-2E46-4EF7-96C8-2E4A54181CB5}  
TERM.....1+ - WEAK, BARELY PALPABLE

DATA VALUE: 1+=PALPABLE, THREADY, EASILY OBLITERATED

-----  
ABBREVIATION.....1teo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1+=Palpable, Thready, Easily  
                  Obliterated  
HELP\_TEXT.....No Help Text  
ID.....{3AE92556-1337-BFE2-C3EE-9676327935C3}  
TERM.....1+=PALPABLE, THREADY, EASILY  
                  OBLITERATED

DATA VALUE: 1- MILD ANXIOUS

-----  
ABBREVIATION.....CIWA AX 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Mild Anxious  
HELP\_TEXT.....No Help Text  
ID.....{CAB6FB3A-4088-4D2C-AE1E-623352511D73}  
TERM.....1- MILD ANXIOUS

DATA VALUE: 1- PUPILS POSSIBLY LARGER THAN NORMAL FOR ROOM LIGHT

-----  
ABBREVIATION.....COWS:Pupi1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1 - Pupils Possibly Larger than  
                  Normal for Room Light  
HELP\_TEXT.....  
ID.....{9D4BFC0A-804D-46A1-A8E7-D3E2FA22A5BD}  
TERM.....1- PUPILS POSSIBLY LARGER THAN NORMAL  
                  FOR ROOM LIGHT

DATA VALUE: 1- SOMEWHAT MORE THAN NORMAL ACTIVITY

-----  
ABBREVIATION.....CIWA AG 1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 - Somewhat More Than Normal Activity  
HELP\_TEXT.....No Help Text  
ID.....{497F7A3D-72C8-4986-A1E6-74EA0E5704F9}  
TERM.....1- SOMEWHAT MORE THAN NORMAL ACTIVITY

DATA VALUE: 1. DRY

-----  
ABBREVIATION.....1. Dry  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....1. Dry  
HELP\_TEXT.....  
ID.....{E6C8E56E-DFC8-42FE-9D49-BED30EC37491}  
TERM.....1. DRY

DATA VALUE: 1800 CALORIE CONTROLLED

---

ABBREVIATION.....1800 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1800 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{C564D7FE-EC2C-401E-A77D-79CC5FC2B2F8}  
TERM.....1800 CALORIE CONTROLLED

DATA VALUE: 1800 DIABETIC

---

ABBREVIATION.....1800 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....1800 Calorie Diabetic Diet  
DISPLAY\_NAME.....1800 Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{FC71C7D7-F24E-4316-A455-8674804BE092}  
TERM.....1800 DIABETIC

DATA VALUE: 1:1

---

ABBREVIATION.....1:1  
ACTIVE.....Yes  
DESCRIPTION.....1 to 1 ratio  
DISPLAY\_NAME.....1:1  
HELP\_TEXT.....No Help Text  
ID.....{5C07BBD0-FDB9-0CD7-F2C2-616913E0281B}  
TERM.....1:1

DATA VALUE: 1:1 OBSERVATION

---

ABBREVIATION.....1o  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1:1 Observation  
HELP\_TEXT.....No Help Text  
ID.....{B1A7AF4B-9BD2-5F48-79B3-F35861AA5C45}  
TERM.....1:1 OBSERVATION

DATA VALUE: 1:2

---

ABBREVIATION.....1:2  
ACTIVE.....Yes  
DESCRIPTION.....1 to 2 ratio  
DISPLAY\_NAME.....1:2  
HELP\_TEXT.....No Help Text  
ID.....{287CDCE0-36F3-65F6-E6A5-9EF7CF8976AE}  
TERM.....1:2

DATA VALUE: 1:3

-----  
ABBREVIATION.....1:3  
ACTIVE.....Yes  
DESCRIPTION.....1 to 3 ratio  
DISPLAY\_NAME.....1:3  
HELP\_TEXT.....No Help Text  
ID.....{062B4F93-8F48-7373-F679-11F57CE98BB3}  
TERM.....1:3

DATA VALUE: 1:4

-----  
ABBREVIATION.....1:4  
ACTIVE.....Yes  
DESCRIPTION.....1 to 4 ratio  
DISPLAY\_NAME.....1:4  
HELP\_TEXT.....No Help Text  
ID.....{3F1B75FF-C168-D413-0BDF-6581E7A4EEAD}  
TERM.....1:4

DATA VALUE: 1:8

-----  
ABBREVIATION.....1:8  
ACTIVE.....Yes  
DESCRIPTION.....1 to 8 ratio  
DISPLAY\_NAME.....1:8  
HELP\_TEXT.....No Help Text  
ID.....{94790C4C-3AF2-6F4C-58B8-87021CA97A53}  
TERM.....1:8

DATA VALUE: 1A + 2V

-----  
ABBREVIATION.....1+2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1A + 2V  
HELP\_TEXT.....No Help Text  
ID.....{FE47CEC3-C3A5-0F5C-3EE8-50F30FD4E0C4}  
TERM.....1A + 2V

DATA VALUE: 1A + 3V

-----  
ABBREVIATION.....1+3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1A + 3V  
HELP\_TEXT.....No Help Text  
ID.....{CEDF220D-E593-B8F9-DB08-D32800AF3F5E}  
TERM.....1A + 3V

DATA VALUE: 1A +1V

-----  
ABBREVIATION.....1+  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1A +1V  
HELP\_TEXT.....No Help Text  
ID.....{31711946-9F1B-0AD9-BDBE-846EDBC86AE2}  
TERM.....1A +1V

DATA VALUE: 2 - ABNORMAL EXTENSION FROM PAIN

-----  
ABBREVIATION.....2-aefp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Abnormal Extension From Pain  
HELP\_TEXT.....No Help Text  
ID.....{9B4951D8-B271-DFC3-0A00-1DC9984039E3}  
TERM.....2 - ABNORMAL EXTENSION FROM PAIN

DATA VALUE: 2 - ANSWERS NEITHER QUESTION CORRECTLY

-----  
ABBREVIATION.....Neither  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Answers Neither Question Correctly  
HELP\_TEXT.....  
ID.....{181D8ACA-49D0-496E-B22A-2839D0718836}  
TERM.....2 - ANSWERS NEITHER QUESTION CORRECTLY

DATA VALUE: 2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----  
ABBREVIATION.....CIWA PS 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Beads Of Sweat Obvious On Forehead  
HELP\_TEXT.....No Help Text  
ID.....{38EA4194-F5F4-42CB-8DE2-715167888F86}  
TERM.....2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS

-----  
ABBREVIATION.....CIWA OR 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Disoriented For Date By No More  
Than 2 Calendar Days  
HELP\_TEXT.....No Help Text  
ID.....{01B894B0-3E70-47FA-820A-83CA48B93EF9}  
TERM.....2 - DISORIENTED FOR DATE < 2 CALENDAR  
DAYS

DATA VALUE: 2 - HR 0-39

-----  
ABBREVIATION.....HR 0-39  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - HR 0-39  
HELP\_TEXT.....  
ID.....{1243C1C9-C72F-4765-8D19-D689E1FC44F5}  
TERM.....2 - HR 0-39

DATA VALUE: 2 - HR 111-129

-----  
ABBREVIATION.....HR 111-129  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - HR 111-129  
HELP\_TEXT.....  
ID.....{6E1B9533-ECBE-4E2E-90D8-50C9C72AE0D3}  
TERM.....2 - HR 111-129

DATA VALUE: 2 - INCOMPREHENSIBLE SOUNDS

-----  
ABBREVIATION.....2-is  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Incomprehensible Sounds  
HELP\_TEXT.....No Help Text  
ID.....{F2261C3D-79A3-055B-702D-446B7A6A3113}  
TERM.....2 - INCOMPREHENSIBLE SOUNDS

DATA VALUE: 2 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----  
ABBREVIATION.....CIWA NV 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Intermittent Nausea With Dry Heaves  
HELP\_TEXT.....No Help Text  
ID.....{E92221EE-1298-4D9D-9EFD-35F615118C96}  
TERM.....2 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 2 - LESS THAN 30MLS/HR

-----  
ABBREVIATION.....< 30mls/hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Less than 30mls/hr  
HELP\_TEXT.....  
ID.....{A85A05F7-3443-4E62-ACF4-3334E3EF5675}  
TERM.....2 - LESS THAN 30MLS/HR

DATA VALUE: 2 - LIMITED ASSISTANCE

---

ABBREVIATION.....2 Limited  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Limited Assistance  
HELP\_TEXT.....  
ID.....{35934E53-08EB-46E0-8136-96FD6174ACF1}  
TERM.....2 - LIMITED ASSISTANCE

DATA VALUE: 2 - MILD

---

ABBREVIATION.....CIWA HA 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild  
HELP\_TEXT.....No Help Text  
ID.....{6B752397-0A4F-4176-90E7-E220DB2BF1C4}  
TERM.....2 - MILD

DATA VALUE: 2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN

---

ABBREVIATION.....CIWA AU 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Harshness Or Ability To  
Frighten  
HELP\_TEXT.....No Help-Text  
ID.....{71204969-E614-46A4-ADA5-39FAF81A79B5}  
TERM.....2 - MILD HARSHNESS OR ABILITY TO  
FRIGHTEN

DATA VALUE: 2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS

---

ABBREVIATION.....CIWA TC 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Itching, Pins/Needles,  
Burning, Numbness  
HELP\_TEXT.....No Help Text  
ID.....{1A591F17-CFB3-4B24-8AD6-ECF09318E2B6}  
TERM.....2 - MILD ITCHING PINS/NEEDLES BURNING  
NUBNESS

DATA VALUE: 2 - MILD SENSITIVITY

---

ABBREVIATION.....CIWA VS 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Sensitivity  
HELP\_TEXT.....No Help Text  
ID.....{ED600249-E5E8-4020-955E-A5CDA18B5DE9}  
TERM.....2 - MILD SENSITIVITY

DATA VALUE: 2 - MODERATE WITH PATIENTS ARMS EXTENDED

-----  
ABBREVIATION.....CIWA TR 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Moderate With Patient's Arms  
                  Extended  
HELP\_TEXT.....No Help Text  
ID.....{B4E7B7FB-B88E-435A-904E-C613AC937323}  
TERM.....2 - MODERATE WITH PATIENTS ARMS  
                  EXTENDED

DATA VALUE: 2 - NAUSEA OR LOOSE STOOL

-----  
ABBREVIATION.....COWS:GIUp2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Nausea or Loose Stool  
HELP\_TEXT.....  
ID.....{D8B05449-84E2-431F-AC62-16DD978F8D4F}  
TERM.....2 - NAUSEA OR LOOSE STOOL

DATA VALUE: 2 - NORMAL

-----  
ABBREVIATION.....2-n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Normal  
HELP\_TEXT.....No Help Text  
ID.....{25FAADFC-D280-78AC-4F01-CFCF34ECD3FF}  
TERM.....2 - NORMAL

DATA VALUE: 2 - NOSE RUNNING OR TEARING

-----  
ABBREVIATION.....COWS:Run2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Nose Running or Tearing  
HELP\_TEXT.....  
ID.....{DBF3F0B8-57A8-41F1-BE5B-05EA607A8458}  
TERM.....2 - NOSE RUNNING OR TEARING

DATA VALUE: 2 - ONE PERSON PHYSICAL ASSIST

-----  
ABBREVIATION.....2 one asst  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - One Person Physical Assist  
HELP\_TEXT.....  
ID.....{C675F08C-1BEE-4CDC-AE01-5CE429AB2105}  
TERM.....2 - ONE PERSON PHYSICAL ASSIST

DATA VALUE: 2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS

-----  
ABBREVIATION.....COWS:Anx2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Patient Obviously Irritable/Anxious  
HELP\_TEXT.....  
ID.....{39ED63B3-B00F-4BD9-8DBB-399AB8136360}  
TERM.....2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS

DATA VALUE: 2 - PATIENT REPORTS SEVERE DIFFUSE ACHING OF JOINT/MUSCLES

-----  
ABBREVIATION.....COWS:Ache2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Patient Reports Severe Diffuse  
Aching of Joint/Muscles  
HELP\_TEXT.....  
ID.....{56FA2033-6F45-45F8-81D3-76D655F33C71}  
TERM.....2 - PATIENT REPORTS SEVERE DIFFUSE  
ACHING OF JOINT/MUSCLES

DATA VALUE: 2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY

-----  
ABBREVIATION.....2 Phys Tra  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Physical Help Limited to Transfer  
Only  
HELP\_TEXT.....  
ID.....{0D087E2B-ACB7-47DD-A1F8-30C0F89CE2DE}  
TERM.....2 - PHYSICAL HELP LIMITED TO TRANSFER  
ONLY

DATA VALUE: 2 - PULSE RATE 101-120

-----  
ABBREVIATION.....2 -101-120  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Pulse Rate 101-120  
HELP\_TEXT.....  
ID.....{10AF1ABF-1F86-4DC3-B194-D3AFECFBF909}  
TERM.....2 - PULSE RATE 101-120

DATA VALUE: 2 - PUPILS MODERATELY DILATED

-----  
ABBREVIATION.....COWS:Pupi2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Pupils Moderately Dilated  
HELP\_TEXT.....  
ID.....{56E7BD48-810D-4AB4-8EC5-846309C96F4D}  
TERM.....2 - PUPILS MODERATELY DILATED

DATA VALUE: 2 - RESPONDS TO PAIN

-----  
ABBREVIATION.....Pain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Responds to Pain  
HELP\_TEXT.....  
ID.....{AE6B5DEC-6510-4FEE-8461-D2E930534ACE}  
TERM.....2 - RESPONDS TO PAIN

DATA VALUE: 2 - RR 0-8

-----  
ABBREVIATION.....RR 0-8  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - RR 0-8  
HELP\_TEXT.....  
ID.....{73DC19E6-865C-4161-9CBE-3A8D44BC4D84}  
TERM.....2 - RR 0-8

DATA VALUE: 2 - RR 21-29

-----  
ABBREVIATION.....RR 21-29  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - RR 21-29  
HELP\_TEXT.....  
ID.....{72DF48C2-B8F3-4ED4-91D1-87157707C3EC}  
TERM.....2 - RR 21-29

DATA VALUE: 2 - SBP 200 OR MORE

-----  
ABBREVIATION.....SBP 200+  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - SBP 200 or more  
HELP\_TEXT.....  
ID.....{C3B80866-749C-402A-B7CA-A1B797D36885}  
TERM.....2 - SBP 200 OR MORE

DATA VALUE: 2 - SBP 71-80

-----  
ABBREVIATION.....SBP 71-80  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - SBP 71-80  
HELP\_TEXT.....  
ID.....{063CE20D-435C-4176-9A8B-3FC3DB16FF11}  
TERM.....2 - SBP 71-80

DATA VALUE: 2 - SLIGHT TREMOR OBSERVABLE

-----  
ABBREVIATION.....COWS:Trem2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Slight Tremor Observable  
HELP\_TEXT.....  
ID.....{195BF393-2B78-4BFB-9304-B5778B65D1F3}  
TERM.....2 - SLIGHT TREMOR OBSERVABLE

DATA VALUE: 2 - TEMP 35.0 C OR LESS

-----  
ABBREVIATION.....35.0 C or<  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Temp 35.0 C or less  
HELP\_TEXT.....  
ID.....{D7987CD3-1866-4AE9-A2EA-C96F2CFE2850}  
TERM.....2 - TEMP 35.0 C OR LESS

DATA VALUE: 2 - TEMP MORE THAN 38.6 C

-----  
ABBREVIATION.....> 38.6 C  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Temp more than 38.6 C  
HELP\_TEXT.....  
ID.....{B45FAD7F-9438-488D-BDE1-8A64A84E51F6}  
TERM.....2 - TEMP MORE THAN 38.6 C

DATA VALUE: 2 - TO PAIN

-----  
ABBREVIATION.....2-tp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - To Pain  
HELP\_TEXT.....No Help Text  
ID.....{49CE3C40-5FC2-002E-1C89-3E5DFA4CCF0F}  
TERM.....2 - TO PAIN

DATA VALUE: 2 - YAWNING THREE OR MORE TIMES DURING ASSESSMENT

-----  
ABBREVIATION.....COWS:Yawn2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 - Yawning Three or More Times  
During Assessment  
HELP\_TEXT.....  
ID.....{5C5A7A3F-C439-4DE2-AB52-59D613B92669}  
TERM.....2 - YAWNING THREE OR MORE TIMES  
DURING ASSESSMENT

DATA VALUE: 2 = 4 EXTREMITIES

---

ABBREVIATION.....ALD ACT 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = 4 Extremities  
DISPLAY\_NAME.....2 = Moves 4 Extremities  
HELP\_TEXT.....2 = 4 Extremities  
ID.....{3434DF4B-5CB6-417F-B5BE-CEF2D63FE8E0}  
TERM.....2 = 4 EXTREMITIES

DATA VALUE: 2 = BP +/- 20% PREOP

---

ABBREVIATION.....ALD CIR 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = BP +/- 20% Preop  
DISPLAY\_NAME.....2 = BP +/- 20% Preop  
HELP\_TEXT.....2 = BP +/- 20% Preop  
ID.....{04B67413-7A88-409B-8005-471A7C84B879}  
TERM.....2 = BP +/- 20% PREOP

DATA VALUE: 2 = BREATHES FREELY

---

ABBREVIATION.....ALD RESP 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Breathes freely, coughs freely  
DISPLAY\_NAME.....2 = Breathes freely, coughs freely  
HELP\_TEXT.....2 = Breathes freely, coughs freely  
ID.....{278CD44C-538E-4015-9D98-D9312A7039BA}  
TERM.....2 = BREATHES FREELY

DATA VALUE: 2 = COMPLETE HEMIANOPIA

---

ABBREVIATION.....Complete  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Complete Hemianopia  
HELP\_TEXT.....  
ID.....{F995161E-39A0-4010-855D-EE86B1F707BB}  
TERM.....2 = COMPLETE HEMIANOPIA

DATA VALUE: 2 = FORCED DEVIATION

---

ABBREVIATION.....2 = Forced  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Forced Deviation  
HELP\_TEXT.....  
ID.....{FBDD1306-DEB9-44E6-8E75-F312C73DFE9B}  
TERM.....2 = FORCED DEVIATION

DATA VALUE: 2 = FULLY AWAKE

-----  
ABBREVIATION.....ALD CON 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Fully awake  
DISPLAY\_NAME.....2 = Fully awake  
HELP\_TEXT.....2 = Fully awake  
ID.....{903D0F56-ADEC-4527-BA66-C8A568E3EAC0}  
TERM.....2 = FULLY AWAKE

DATA VALUE: 2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE

-----  
ABBREVIATION.....2 = Strong  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Not Alert, repeat/strong  
stimulation response  
HELP\_TEXT.....  
ID.....{0F5E13CC-211C-40D0-96CB-8F8D87564612}  
TERM.....2 = NOT ALERT, REPEAT/STRONG  
STIMULATION RESPONSE

DATA VALUE: 2 = ON ROOM AIR

-----  
ABBREVIATION.....ALD O2 2  
ACTIVE.....Yes  
DESCRIPTION.....2 = On room air  
DISPLAY\_NAME.....2 = >92% on room air  
HELP\_TEXT.....2 = On room air  
ID.....{D58C5B46-CCD3-4E6D-86E8-7A1CFA92BC1C}  
TERM.....2 = ON ROOM AIR

DATA VALUE: 2 = PARTIAL PARALYSIS

-----  
ABBREVIATION.....2 = Part  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Partial Paralysis  
HELP\_TEXT.....  
ID.....{BC48CC51-609A-4E85-9029-8B4790E9E669}  
TERM.....2 = PARTIAL PARALYSIS

DATA VALUE: 2 = PERFORMS NEITHER TASK CORRECTLY

-----  
ABBREVIATION.....Neither  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Performs Neither Task Correctly  
HELP\_TEXT.....  
ID.....{8CE75E64-5A4A-45EA-9987-4112AAD54A55}  
TERM.....2 = PERFORMS NEITHER TASK CORRECTLY

DATA VALUE: 2 = PRESENT IN TWO LIMBS

-----  
ABBREVIATION.....Two Limbs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Present in Two Limbs  
HELP\_TEXT.....  
ID.....{ADA3074C-1E75-42BC-B7E6-425C2281FB05}  
TERM.....2 = PRESENT IN TWO LIMBS

DATA VALUE: 2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY

-----  
ABBREVIATION.....2 = Profnd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Profound Hemi-Inattention or  
Extinction to More than One Modality  
HELP\_TEXT.....  
ID.....{1D3AA69E-2154-4F33-BFFF-42F06365079A}  
TERM.....2 = PROFOUND HEMI-INATTENTION OR  
EXTINCTION TO MORE THAN ONE MODALITY

DATA VALUE: 2 = SEVERE APHASIA

-----  
ABBREVIATION.....Sev Aphasi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Severe Aphasia  
HELP\_TEXT.....  
ID.....{82445D2A-6E9F-4574-B2D1-476E720B9113}  
TERM.....2 = SEVERE APHASIA

DATA VALUE: 2 = SEVERE DYSARTHRIA

-----  
ABBREVIATION.....2 = Severe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Severe Dysarthria  
HELP\_TEXT.....  
ID.....{D9864E04-1962-47AD-B3C5-58CD49CF30FD}  
TERM.....2 = SEVERE DYSARTHRIA

DATA VALUE: 2 = SEVERE TO TOTAL SENSORY LOSS

-----  
ABBREVIATION.....Severe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Severe to Total Sensory Loss  
HELP\_TEXT.....  
ID.....{C3959DA5-9108-4E35-B81A-6F4FB135B3BD}  
TERM.....2 = SEVERE TO TOTAL SENSORY LOSS

DATA VALUE: 2 = SLIGHTLY DROWSY, EASILY AROUSED

-----  
ABBREVIATION.....POSS 2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Slightly Drowsy, Easily Aroused  
HELP\_TEXT.....  
ID.....{3027CED1-70F2-4F2B-9DCC-C6CFCAFD1832}  
TERM.....2 = SLIGHTLY DROWSY, EASILY AROUSED

DATA VALUE: 2 = SOME EFFORT AGAINST GRAVITY

-----  
ABBREVIATION.....Some Effor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2 = Some Effort Against Gravity  
HELP\_TEXT.....  
ID.....{63885565-9ADC-4560-BC73-DEA084FB651A}  
TERM.....2 = SOME EFFORT AGAINST GRAVITY

DATA VALUE: 2 = VERY SEDATED

-----  
ABBREVIATION.....SAS VY SED  
ACTIVE.....Yes  
DESCRIPTION.....Arouses to physical stimuli but does  
not communicate or follow commands,  
may move spontaneously  
DISPLAY\_NAME.....2 = Very Sedated  
HELP\_TEXT.....Arouses to physical stimuli but does  
not communicate or follow commands,  
may move spontaneously  
ID.....{4B13529B-61C5-4B68-857A-3A5351DC4BE2}  
TERM.....2 = VERY SEDATED

DATA VALUE: 2+ - NORMAL, PALPABLE

-----  
ABBREVIATION.....2+  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2+ - Normal, Palpable  
HELP\_TEXT.....  
ID.....{0EA80599-EE42-498F-BEF6-35CBD1BB003F}  
TERM.....2+ - NORMAL, PALPABLE

DATA VALUE: 2+=NORMAL, NOT EASILY OBLITERATED

-----  
ABBREVIATION.....2neo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2+=Normal, Not Easily Obliterated  
HELP\_TEXT.....No Help Text  
ID.....{50484DA4-EC15-47E5-3923-268C4B5D6428}  
TERM.....2+=NORMAL, NOT EASILY OBLITERATED

DATA VALUE: 2- MILD HARSHNESS OR ABILITY TO FRIGHTEN

-----  
ABBREVIATION.....CIWA AU 2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 - Mild Harshness Or Ability To  
                  Frighten  
HELP\_TEXT.....No Help Text  
ID.....{42DAFBBC-E9AF-4558-95D4-2FFF7BE779F1}  
TERM.....2- MILD HARSHNESS OR ABILITY TO  
                  FRIGHTEN

DATA VALUE: 2. INTACT

-----  
ABBREVIATION.....2. Intact  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....2. Intact  
HELP\_TEXT.....  
ID.....{6F977B33-94E0-4F40-A5B2-9D1EBFB8433}  
TERM.....2. INTACT

DATA VALUE: 2.0 CAL FORMULA

-----  
ABBREVIATION.....2.0 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....2.0 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....2.0 Cal Formula  
HELP\_TEXT.....No Help Text  
ID.....{4A595230-45D1-40F0-AEF3-11E75DF418CB}  
TERM.....2.0 CAL FORMULA

DATA VALUE: 20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE

-----  
ABBREVIATION.....20 Min Nar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20 Minutes Since Last IV  
                  Narcotic/Sedative  
HELP\_TEXT.....  
ID.....{FBDB50B7-19B5-472C-80E5-F4758E141BB1}  
TERM.....20 MINUTES SINCE LAST IV  
                  NARCOTIC/SEDATIVE

DATA VALUE: 20/100

-----  
ABBREVIATION.....20/100  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/100  
HELP\_TEXT.....  
ID.....{ECB85701-8B21-407A-9E0B-C015834E984B}  
TERM.....20/100

DATA VALUE: 20/15

-----  
ABBREVIATION.....20/15  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/15  
HELP\_TEXT.....  
ID.....{0DB4E45B-A96C-4D11-B59E-A89C9F531146}  
TERM.....20/15

DATA VALUE: 20/20

-----  
ABBREVIATION.....20/20  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/20  
HELP\_TEXT.....  
ID.....{FE086353-09B2-4314-84E9-FA909253AAED}  
TERM.....20/20

DATA VALUE: 20/200

-----  
ABBREVIATION.....20/200  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/200  
HELP\_TEXT.....  
ID.....{C3CAF0D6-22A6-4FD5-B8BB-55771F416D4E}  
TERM.....20/200

DATA VALUE: 20/25

-----  
ABBREVIATION.....20/25  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/25  
HELP\_TEXT.....  
ID.....{4A5CBDA4-00D2-479E-A6C8-CCD8B40AECFB}  
TERM.....20/25

DATA VALUE: 20/30

-----  
ABBREVIATION.....20/30  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/30  
HELP\_TEXT.....  
ID.....{667B5FCD-A85D-4054-BFA9-3DA9DDD21306}  
TERM.....20/30

DATA VALUE: 20/300

-----  
ABBREVIATION.....20/300  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/300  
HELP\_TEXT.....  
ID.....{E6976753-667B-418B-A6E3-0A7CD010CAC0}  
TERM.....20/300

DATA VALUE: 20/40

-----  
ABBREVIATION.....20/40  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/40  
HELP\_TEXT.....  
ID.....{048C6D5D-B7BF-4F2B-BFCC-BB4328A333CF}  
TERM.....20/40

DATA VALUE: 20/400

-----  
ABBREVIATION.....20/400  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/400  
HELP\_TEXT.....  
ID.....{AE8E4C3E-D031-4047-B44E-06F4EB29C73B}  
TERM.....20/400

DATA VALUE: 20/50

-----  
ABBREVIATION.....20/50  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/50  
HELP\_TEXT.....  
ID.....{C679C160-D93A-431C-8F28-800D64A019D5}  
TERM.....20/50

DATA VALUE: 20/60

-----  
ABBREVIATION.....20/60  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/60  
HELP\_TEXT.....  
ID.....{AEAA52C2-1450-45B4-A512-73E339718B02}  
TERM.....20/60

DATA VALUE: 20/70

-----  
ABBREVIATION.....20/70  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/70  
HELP\_TEXT.....  
ID.....{B0279832-605C-4441-B568-C131636EB634}  
TERM.....20/70

DATA VALUE: 20/80

-----  
ABBREVIATION.....20/80  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/80  
HELP\_TEXT.....  
ID.....{60F51F22-C739-4BD1-A77E-D224517F861F}  
TERM.....20/80

DATA VALUE: 20/800

-----  
ABBREVIATION.....20/800  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....20/800  
HELP\_TEXT.....  
ID.....{1303A571-B57C-4757-AC5B-286E6B09343A}  
TERM.....20/800

DATA VALUE: 2000 CALORIE CONTROLLED

-----  
ABBREVIATION.....2000 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....2000 Calorie Controlled Diet  
DISPLAY\_NAME.....2000 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{DB2FF9DC-298E-4881-94D4-47A7AF0E2BD7}  
TERM.....2000 CALORIE CONTROLLED

DATA VALUE: 2000 DIABETIC

-----  
ABBREVIATION.....2000 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....2000 Diabetic Diet  
DISPLAY\_NAME.....2000 Diabetic Diet  
HELP\_TEXT.....No Help Text  
ID.....{DF3056C9-3AEA-4F4E-B758-E35590080AFB}  
TERM.....2000 DIABETIC

DATA VALUE: 2200 CALORIE CONTROLLED

-----  
ABBREVIATION.....2200 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....2200 Calorie Controlled Diet  
DISPLAY\_NAME.....2200 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{77F7C138-B2CB-4D76-8C0B-D68F317D4DE0}  
TERM.....2200 CALORIE CONTROLLED

DATA VALUE: 2200 DIABETIC

-----  
ABBREVIATION.....2200 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....2200 Diabetic Diet  
DISPLAY\_NAME.....2200 Diabetic Diet  
HELP\_TEXT.....No Help Text  
ID.....{1FB3EFB6-B92F-44FB-831E-4641C91C7A8D}  
TERM.....2200 DIABETIC

DATA VALUE: 2400 CALORIE CONTROLLED

-----  
ABBREVIATION.....2400 CAL C  
ACTIVE.....Yes  
DESCRIPTION.....2400 Calorie Controlled Diet  
DISPLAY\_NAME.....2400 Calorie Controlled Diet  
HELP\_TEXT.....No Help Text  
ID.....{F3EA28B5-FC96-4F34-B2BE-A96A196B38A2}  
TERM.....2400 CALORIE CONTROLLED

DATA VALUE: 2400 DIABETIC

-----  
ABBREVIATION.....2400 DIAB  
ACTIVE.....Yes  
DESCRIPTION.....2400 Diabetic Diet  
DISPLAY\_NAME.....2400 Diabetic Diet  
HELP\_TEXT.....No Help Text  
ID.....{2018FB65-3D4E-47E0-90E9-205A45EDF130}  
TERM.....2400 DIABETIC

DATA VALUE: 25 PERCENT ALBUMIN

-----  
ABBREVIATION.....25 PERC AL  
ACTIVE.....Yes  
DESCRIPTION.....25 Percent Albumin  
DISPLAY\_NAME.....25 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{2FCE19CA-B5AB-4F15-8FEA-CF156D1E4CBC}  
TERM.....25 PERCENT ALBUMIN

DATA VALUE: 2:4

-----  
ABBREVIATION.....2:4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2:4  
HELP\_TEXT.....No Help Text  
ID.....{7D423C9A-42B3-4FDD-999B-889193492F5C}  
TERM.....2:4

DATA VALUE: 2A

-----  
ABBREVIATION.....2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2A  
HELP\_TEXT.....No Help Text  
ID.....{C75BDC9F-C756-9051-CAA3-A27DDD94B35E}  
TERM.....2A

DATA VALUE: 2A + 1V

-----  
ABBREVIATION.....2+1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2A + 1V  
HELP\_TEXT.....No Help Text  
ID.....{1849AA0D-1572-55E0-A780-ACE602E2C72D}  
TERM.....2A + 1V

DATA VALUE: 2A + 2V

-----  
ABBREVIATION.....2+2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2A + 2V  
HELP\_TEXT.....No Help Text  
ID.....{17203251-68E8-A00A-CF54-E2CC55B8EEDD}  
TERM.....2A + 2V

DATA VALUE: 2V

-----  
ABBREVIATION.....2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2V  
HELP\_TEXT.....No Help Text  
ID.....{D24B5FA4-1DA6-36DE-49DB-627A9B82E968}  
TERM.....2V

DATA VALUE: 3 - HR 130 OR MORE

-----  
ABBREVIATION.....HR 130 +  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - HR 130 or More  
HELP\_TEXT.....  
ID.....{CBDB9BE1-832D-4F4A-9CF3-8768F054DDD2}  
TERM.....3 - HR 130 OR MORE

DATA VALUE: 3 - ABNORMAL FLEXION FROM PAIN

-----  
ABBREVIATION.....3-affp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Abnormal Flexion From Pain  
HELP\_TEXT.....No Help Text  
ID.....{9AED8954-5F5D-D2C2-3CAF-4F8EF92009C2}  
TERM.....3 - ABNORMAL FLEXION FROM PAIN

DATA VALUE: 3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----  
ABBREVIATION.....CIWA PS 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Beads Of Sweat Obvious On Forehead  
HELP\_TEXT.....No Help Text  
ID.....{663591B6-3FB4-4060-8A49-18747F857B16}  
TERM.....3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 3 - BEADS OF SWEAT ON BROW OR FACE

-----  
ABBREVIATION.....3-BeadsSwe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Beads of Sweat on Brow or Face  
HELP\_TEXT.....  
ID.....{482938DF-E2F4-441A-9FD9-A09A2544FD24}  
TERM.....3 - BEADS OF SWEAT ON BROW OR FACE

DATA VALUE: 3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS

-----  
ABBREVIATION.....CIWA OR 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Disoriented For Date By More Than  
2 Calendar Days  
HELP\_TEXT.....No Help Text  
ID.....{68C351F9-C8DE-49C5-B3BD-D69E97F3E516}  
TERM.....3 - DISORIENTED FOR DATE > 2 CALENDAR  
DAYS

DATA VALUE: 3 - EXTENSIVE ASSISTANCE

-----  
ABBREVIATION.....3 Extensiv  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Extensive Assistance  
HELP\_TEXT.....  
ID.....{4B1FCD6E-7211-4151-ACD8-DF2F614A4337}  
TERM.....3 - EXTENSIVE ASSISTANCE

DATA VALUE: 3 - FREQUENT SHIFTING OR EXTRANEous MOVEMENTS OF LEGS/ARMS

-----  
ABBREVIATION.....COWS:Rest3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Frequent Shifting or Extraneous  
                  Movements of Legs/Arms  
HELP\_TEXT.....  
ID.....{18FBB2C6-DB3E-4E9D-83DA-7CFD702A1465}  
TERM.....3 - FREQUENT SHIFTING OR EXTRANEous  
                  MOVEMENTS OF LEGS/ARMS

DATA VALUE: 3 - INAPPROPRIATE WORDS

-----  
ABBREVIATION.....3-iw  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Inappropriate Words  
HELP\_TEXT.....No Help Text  
ID.....{FE000191-243E-4D32-1E1E-546EE2CF88A5}  
TERM.....3 - INAPPROPRIATE WORDS

DATA VALUE: 3 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----  
ABBREVIATION.....CIWA NV 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Intermittent Nausea With Dry Heaves  
HELP\_TEXT.....No Help Text  
ID.....{D299B4E1-0FF4-474D-BECD-5537391EEE7A}  
TERM.....3 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 3 - LESS THAN 10MLS/HR

-----  
ABBREVIATION.....< 10mls/hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Less than 10mls/hr  
HELP\_TEXT.....  
ID.....{E013F8AC-7DBE-4F13-BF48-0317A46332CC}  
TERM.....3 - LESS THAN 10MLS/HR

DATA VALUE: 3 - MODERATE

-----  
ABBREVIATION.....CIWA HA 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate  
HELP\_TEXT.....No Help Text  
ID.....{F26EB828-6864-4384-9EBB-35A6CDCACC59}  
TERM.....3 - MODERATE

DATA VALUE: 3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN

-----  
ABBREVIATION.....CIWA AU 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate Harshness Or Ability To  
                  Frighten  
HELP\_TEXT.....No Help Text  
ID.....{77F59277-6CE4-4323-8531-3CA26E13C9C4}  
TERM.....3 - MODERATE HARSHNESS OR ABILITY TO  
                  FRIGHTEN

DATA VALUE: 3 - MODERATE ITCHING PINS/NEEDLES BURNING

-----  
ABBREVIATION.....CIWA TC 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate Itching, Pins/Needles,  
                  Burning, Numbness  
HELP\_TEXT.....No Help Text  
ID.....{B7E2BFDD-7D85-4BCB-BE1D-0A220C1CEDAE}  
TERM.....3 - MODERATE ITCHING PINS/NEEDLES  
                  BURNING

DATA VALUE: 3 - MODERATE SENSITIVITY

-----  
ABBREVIATION.....CIWA VS 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate Sensitivity  
HELP\_TEXT.....No Help Text  
ID.....{D673A630-1F1E-4734-AADE-17586C48E8B9}  
TERM.....3 - MODERATE SENSITIVITY

DATA VALUE: 3 - MODERATE WITH PATIENTS ARMS EXTENDED

-----  
ABBREVIATION.....CIWA TR 3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Moderate With Patient's Arms  
                  Extended  
HELP\_TEXT.....No Help Text  
ID.....{36FF0AB3-F5ED-4CBA-A6F3-110DFCB65244}  
TERM.....3 - MODERATE WITH PATIENTS ARMS  
                  EXTENDED

DATA VALUE: 3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY

-----  
ABBREVIATION.....3 Phys Bat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Physical Help in Part of Bathing  
Activity  
HELP\_TEXT.....  
ID.....{1F24B08B-A5C1-4430-AC56-B40C347E1DDE}  
TERM.....3 - PHYSICAL HELP IN PART OF BATHING  
ACTIVITY

DATA VALUE: 3 - PILOERECTION OF SKIN CAN BE FELT OR HAIRS STANDING UP ON ARMS

-----  
ABBREVIATION.....COWS:Goos3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Piloerection of Skin can be Felt  
or Hairs Standing Up on Arms  
HELP\_TEXT.....  
ID.....{F2766A37-D6A1-4453-8205-1EE4B04FD051}  
TERM.....3 - PILOERECTION OF SKIN CAN BE FELT  
OR HAIRS STANDING UP ON ARMS

DATA VALUE: 3 - PULSE RATE GREATER THAN 120

-----  
ABBREVIATION.....3 - >120  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Pulse Rate Greater Than 120  
HELP\_TEXT.....  
ID.....{DBADEF02-6F98-435D-87A8-E369F331BA48}  
TERM.....3 - PULSE RATE GREATER THAN 120

DATA VALUE: 3 - RR 30 OR MORE

-----  
ABBREVIATION.....RR 30 or +  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - RR 30 or More  
HELP\_TEXT.....  
ID.....{6BFA9D84-AAD7-4DC0-BA75-530CE5C12E77}  
TERM.....3 - RR 30 OR MORE

DATA VALUE: 3 - SBP 70 OR LESS

-----  
ABBREVIATION.....SBP 70 or <  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - SBP 70 or less  
HELP\_TEXT.....  
ID.....{84DE09CE-FCB0-4E07-A72F-C1064CECF094}  
TERM.....3 - SBP 70 OR LESS

DATA VALUE: 3 - STRONG

---

ABBREVIATION.....3-s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - Strong  
HELP\_TEXT.....No Help Text  
ID.....{C55EAB72-7816-5440-84E9-6E7E190ED197}  
TERM.....3 - STRONG

DATA VALUE: 3 - TO VERBAL COMMAND

---

ABBREVIATION.....3-tvc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 - To Verbal Command  
HELP\_TEXT.....No Help Text  
ID.....{EBF4B748-2861-C81F-C0D0-B9FE99FC7A8F}  
TERM.....3 - TO VERBAL COMMAND

DATA VALUE: 3 - TWO + PERSONS PHYSICAL ASSIST

---

ABBREVIATION.....3 + asst  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Two + Persons Physical Assist  
HELP\_TEXT.....  
ID.....{AE401096-DF23-4A6E-8842-E1F58829902A}  
TERM.....3 - TWO + PERSONS PHYSICAL ASSIST

DATA VALUE: 3 - UNRESPONSIVE

---

ABBREVIATION.....Unresponsi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Unresponsive  
HELP\_TEXT.....  
ID.....{F40F8A1E-ED15-424A-9481-3527B0E69DF1}  
TERM.....3 - UNRESPONSIVE

DATA VALUE: 3 - VOMITING OR DIARRHEA

---

ABBREVIATION.....COWS:GIUp3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 - Vomiting or Diarrhea  
HELP\_TEXT.....  
ID.....{B500439E-CF24-4F47-9AC5-2C88330EAE6D}  
TERM.....3 - VOMITING OR DIARRHEA

DATA VALUE: 3 = BILATERAL HEMIANOPIA

-----  
ABBREVIATION.....Bilateral  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Bilateral Hemianopia  
HELP\_TEXT.....  
ID.....{89969DC1-30BA-494A-A8C8-4344C2C75D0E}  
TERM.....3 = BILATERAL HEMIANOPIA

DATA VALUE: 3 = COMPLETE PARALYSIS

-----  
ABBREVIATION.....3 = comple  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Complete Paralysis  
HELP\_TEXT.....  
ID.....{F8AF46D3-8193-4939-ACA5-5DAEAE5B8D82}  
TERM.....3 = COMPLETE PARALYSIS

DATA VALUE: 3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION

-----  
ABBREVIATION.....POSS 3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Frequently Drowsy, Arousable,  
Drifts Off to Sleep During  
Conversation  
HELP\_TEXT.....  
ID.....{95111092-85B2-463A-8F97-F6E56AEC1730}  
TERM.....3 = FREQUENTLY DROWSY, AROUSABLE,  
DRIFTS OFF TO SLEEP DURING  
CONVERSATION

DATA VALUE: 3 = MUTE, GLOBAL APHASIA

-----  
ABBREVIATION.....Mute  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Mute, Global Aphasia  
HELP\_TEXT.....  
ID.....{E357021D-2B57-4AC2-BDA5-73B61726D183}  
TERM.....3 = MUTE, GLOBAL APHASIA

DATA VALUE: 3 = NO EFFORT AGAINST GRAVITY

-----  
ABBREVIATION.....No Effort  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = No Effort Against Gravity  
HELP\_TEXT.....  
ID.....{FA33E5E1-49ED-43E9-97CE-FD883B4EA51E}  
TERM.....3 = NO EFFORT AGAINST GRAVITY

DATA VALUE: 3 = SEDATED

-----  
ABBREVIATION.....SAS SEDATE  
ACTIVE.....Yes  
DESCRIPTION.....Difficult to arouse but awakens to  
verbal stimuli or gentle shaking,  
follows simple commands but drifts  
off again  
DISPLAY\_NAME.....3 = Sedated  
HELP\_TEXT.....Difficult to arouse but awakens to  
verbal stimuli or gentle shaking,  
follows simple commands but drifts  
off again  
ID.....{AFEC3F29-52D3-4A49-91F8-05AA3891FEC8}  
TERM.....3 = SEDATED

DATA VALUE: 3 = UNRESPONSIVE

-----  
ABBREVIATION.....3 = Unresp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3 = Unresponsive  
HELP\_TEXT.....  
ID.....{A52DFB03-2D7F-40DE-B0F5-F1590D953FE6}  
TERM.....3 = UNRESPONSIVE

DATA VALUE: 3 WAY FOLEY

-----  
ABBREVIATION.....3WAY FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3 Way Foley  
HELP\_TEXT.....No Help Text  
ID.....{32408760-F517-4530-AEC0-54FE0A6A062B}  
TERM.....3 WAY FOLEY

DATA VALUE: 3+ - STRONG, EASILY PALPABLE

-----  
ABBREVIATION.....3+  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3+ - Strong, Easily Palpable  
HELP\_TEXT.....  
ID.....{724597F3-9347-4FCB-B3B0-AB57A0ACEAC8}  
TERM.....3+ - STRONG, EASILY PALPABLE

DATA VALUE: 3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED

-----  
ABBREVIATION.....3epcbo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....3+=Bounding, Easily Palpable, Cannot  
Be Obliterated  
HELP\_TEXT.....No Help Text  
ID.....{7A7A07ED-26B6-A3BF-C564-94BD4F6D4E1C}  
TERM.....3+=BOUNDING, EASILY PALPABLE, CANNOT  
BE OBLITERATED

DATA VALUE: 3. CHANGED

-----  
ABBREVIATION.....3. Changed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....3. Changed  
HELP\_TEXT.....  
ID.....{1F23AD0D-376F-4F2D-ADF4-ADF5CD475633}  
TERM.....3. CHANGED

DATA VALUE: 34 ml

-----  
ABBREVIATION.....34 ml  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....34 ml  
HELP\_TEXT.....No Help Text  
ID.....{25952BB5-50B1-4CC0-9483-8AF891767045}  
TERM.....34 ml

DATA VALUE: 3:4

-----  
ABBREVIATION.....3:4  
ACTIVE.....Yes  
DESCRIPTION.....3:4  
DISPLAY\_NAME.....3:4  
HELP\_TEXT.....No Help Text  
ID.....{E4EB0E2-FE8C-40FA-9DCA-475DCE43B1A2}  
TERM.....3:4

DATA VALUE: 4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

-----  
ABBREVIATION.....CIWA PS 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Beads Of Sweat Obvious On Forehead  
HELP\_TEXT.....No Help Text  
ID.....{8388B1A0-46EA-4003-A32B-A2C708A6F056}  
TERM.....4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD

DATA VALUE: 4 - DISORIENTED AND CONVERSES

-----  
ABBREVIATION.....4-dac  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Disoriented And Converses  
HELP\_TEXT.....No Help Text  
ID.....{D43F646D-A130-5D06-6DC6-DDB971027231}  
TERM.....4 - DISORIENTED AND CONVERSES

DATA VALUE: 4 - DISORIENTED FOR PLACE OR PERSON

-----  
ABBREVIATION.....CIWA OR 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Disoriented For Place/Or Person  
HELP\_TEXT.....No Help Text  
ID.....{03BBFFA2-233A-41A1-8212-F988889C5E72}  
TERM.....4 - DISORIENTED FOR PLACE OR PERSON

DATA VALUE: 4 - GROSS TREMOR OR MUSCLE TWITCHING

-----  
ABBREVIATION.....COWS:Trem4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Gross Tremor or Muscle Twitching  
HELP\_TEXT.....  
ID.....{38150DB0-0B35-49EE-8919-3DED4B3B24BC}  
TERM.....4 - GROSS TREMOR OR MUSCLE TWITCHING

DATA VALUE: 4 - INTERMITTENT NAUSEA WITH DRY HEAVES

-----  
ABBREVIATION.....CIWA NV 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Intermittent Nausea With Dry Heaves  
HELP\_TEXT.....No Help Text  
ID.....{7FBE10F0-472F-4F21-BE55-0892259141B5}  
TERM.....4 - INTERMITTENT NAUSEA WITH DRY HEAVES

DATA VALUE: 4 - MODERATE WITH PATIENTS ARMS EXTENDED

-----  
ABBREVIATION.....CIWA TR 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderate With Patient's Arms  
Extended  
HELP\_TEXT.....No Help Text  
ID.....{79CE1486-151C-4492-AFD2-7845DD69DA9E}  
TERM.....4 - MODERATE WITH PATIENTS ARMS  
EXTENDED

DATA VALUE: 4 - MODERATELY ANXIOUS

-----  
ABBREVIATION.....CIWA AX 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Anxious, Or Guarded,  
Anxiety Is Inferred  
HELP\_TEXT.....No Help Text  
ID.....{9A01FEFD-844C-4FAB-BEC3-96333495FA62}  
TERM.....4 - MODERATELY ANXIOUS

DATA VALUE: 4 - MODERATELY FIDGETY AND RESTLESS

-----  
ABBREVIATION.....CIWA AG 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Fidgety And Restless  
HELP\_TEXT.....No Help Text  
ID.....{B1515E1F-4305-40D5-84B4-5E37AEF0AD3D}  
TERM.....4 - MODERATELY FIDGETY AND RESTLESS

DATA VALUE: 4 - MODERATELY SEVERE

-----  
ABBREVIATION.....CIWA HA 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Severe  
HELP\_TEXT.....No Help Text  
ID.....{83B3DE0F-3BA4-4B0A-A222-F372BD403094}  
TERM.....4 - MODERATELY SEVERE

DATA VALUE: 4 - MODERATELY SEVERE HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Moderately Severe Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{13FCDA97-A967-4993-AED5-13EBA61F3102}  
TERM.....4 - MODERATELY SEVERE HALLUCINATIONS

DATA VALUE: 4 - NOSE CONSTANLY RUNNING OR TEARS STREAMING DOWN FACE

-----  
ABBREVIATION.....COWS:Run4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Nose Constantly Running or Tears  
Streaming Down Face  
HELP\_TEXT.....  
ID.....{6CDC87E9-57DD-4333-ADD4-AAB311C897C5}  
TERM.....4 - NOSE CONSTANLY RUNNING OR TEARS  
STREAMING DOWN FACE

DATA VALUE: 4 - PT. RUBBING JOINTS/MUSCLES & UNABLE TO SIT STILL BECAUSE OF  
DISCOMFORT

-----  
ABBREVIATION.....COWS:Ache4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - pt. rubbing joints/muscles &  
unable to sit still because of  
discomfort  
HELP\_TEXT.....  
ID.....{E216254A-E09E-4134-BEF2-E34711EE8A7F}  
TERM.....4 - PT. RUBBING JOINTS/MUSCLES &  
UNABLE TO SIT STILL BECAUSE OF  
DISCOMFORT

DATA VALUE: 4 - PT. SO IRRITABLE/ANXIOUS THAT PARTICIPATION IN ASSESSMENT IS DIFFICULT

---

ABBREVIATION.....COWS:Anx4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - pt. so irritable/anxious that participation in assessment is difficult  
HELP\_TEXT.....  
ID.....{952B2616-AC6B-41E4-805A-FDEE24C01285}  
TERM.....4 - PT. SO IRRITABLE/ANXIOUS THAT PARTICIPATION IN ASSESSMENT IS DIFFICULT

DATA VALUE: 4 - SPONTANEOUSLY

---

ABBREVIATION.....4-s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Spontaneously  
HELP\_TEXT.....No Help Text  
ID.....{4612FC84-FCA8-8C85-50DC-A9A42C195F51}  
TERM.....4 - SPONTANEOUSLY

DATA VALUE: 4 - SWEAT STREAMING OFF FACE

---

ABBREVIATION.....4-SweatStr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Sweat Streaming Off Face  
HELP\_TEXT.....  
ID.....{FD040160-5AD6-4C12-B36F-A2B23D1ED95D}  
TERM.....4 - SWEAT STREAMING OFF FACE

DATA VALUE: 4 - TOTAL DEPENDENCE

---

ABBREVIATION.....4 Tot Dep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Total Dependence  
HELP\_TEXT.....  
ID.....{062C8F50-294A-48CF-8E81-0C6D7787A4B1}  
TERM.....4 - TOTAL DEPENDENCE

DATA VALUE: 4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE

---

ABBREVIATION.....4 Full Stf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Total Dependence - Full Staff Performance  
HELP\_TEXT.....  
ID.....{E8B7D02B-E80A-4851-A0E2-EF27CF75A5BB}  
TERM.....4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE

DATA VALUE: 4 - WITHDRAWS FROM PAIN

-----  
ABBREVIATION.....4-wfp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 - Withdraws From Pain  
HELP\_TEXT.....No Help Text  
ID.....{D808ACF1-30CB-29AB-4957-E91D63C4DF18}  
TERM.....4 - WITHDRAWS FROM PAIN

DATA VALUE: 4 - YAWNING SEVERAL TIMES/MINUTE

-----  
ABBREVIATION.....COWS:Yawn4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 - Yawning Several Times/Minute  
HELP\_TEXT.....  
ID.....{35BA9653-A2EA-49F1-911D-97B966BFB1B5}  
TERM.....4 - YAWNING SEVERAL TIMES/MINUTE

DATA VALUE: 4 = CALM AND COOPERATIVE

-----  
ABBREVIATION.....SAS C COOP  
ACTIVE.....Yes  
DESCRIPTION.....Calm, easily arousable, follows  
commands  
DISPLAY\_NAME.....4 = Calm and Cooperative  
HELP\_TEXT.....Calm, easily arousable, follows  
commands  
ID.....{F0633778-280C-43C3-9E6E-9C35C18179F6}  
TERM.....4 = CALM AND COOPERATIVE

DATA VALUE: 4 = NO MOVEMENT

-----  
ABBREVIATION.....No Movem  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 = No Movement  
HELP\_TEXT.....  
ID.....{6FBAED0C-6463-4DFA-BEAD-BEA96400BF04}  
TERM.....4 = NO MOVEMENT

DATA VALUE: 4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION

-----  
ABBREVIATION.....POSS 4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4 = Somnolent, Minimal or No Response  
to Verbal or Physical Stimulation  
HELP\_TEXT.....  
ID.....{7CC72ED2-FB08-4CE3-BD56-674D0DD6D3C2}  
TERM.....4 = SOMNOLENT, MINIMAL OR NO RESPONSE  
TO VERBAL OR PHYSICAL STIMULATION

DATA VALUE: 4 HOUR

-----  
ABBREVIATION.....4 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....4 Hour  
HELP\_TEXT.....No Help Text  
ID.....{91B2A49D-0308-47C9-B220-63A0E318A201}  
TERM.....4 HOUR

DATA VALUE: 4. REINFORCED

-----  
ABBREVIATION.....4. Reinfor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....4. Reinforced  
HELP\_TEXT.....  
ID.....{5D06DC53-DB40-47B2-9257-8FD206463014}  
TERM.....4. REINFORCED

DATA VALUE: 40 ml

-----  
ABBREVIATION.....40 ml  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....40 ml  
HELP\_TEXT.....No Help Text  
ID.....{37A2998F-AB1C-4493-9C7A-FFCB05ED2302}  
TERM.....40 ml

DATA VALUE: 4:4

-----  
ABBREVIATION.....4:4  
ACTIVE.....Yes  
DESCRIPTION.....4:4  
DISPLAY\_NAME.....4:4  
HELP\_TEXT.....No Help Text  
ID.....{E9FCD5A0-995A-401D-8E85-6F0C753609B6}  
TERM.....4:4

DATA VALUE: 5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----  
ABBREVIATION.....CIWA NV 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Constant Nausea W Frequent Heaves  
and Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{3A90064F-0B58-48AB-ABEE-188F215F4E33}  
TERM.....5 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 5 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{4CAA2CFF-6DA5-4238-A25B-4D3A960808A9}  
TERM.....5 - DRENCHING SWEAT

DATA VALUE: 5 - LOCALIZES PAIN

-----  
ABBREVIATION.....5-lp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Localizes Pain  
HELP\_TEXT.....No Help Text  
ID.....{CF13650F-899B-6AE1-5913-DC1F4776E5E4}  
TERM.....5 - LOCALIZES PAIN

DATA VALUE: 5 - MULTIPLE EPISODES OF DIARRHEA OR VOMITING

-----  
ABBREVIATION.....COWS:GIUp5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....5 - Multiple Episodes of Diarrhea or  
Vomiting  
HELP\_TEXT.....  
ID.....{1A589930-ABF3-4CDE-8753-29A0B150EBD2}  
TERM.....5 - MULTIPLE EPISODES OF DIARRHEA OR  
VOMITING

DATA VALUE: 5 - ORIENTED AND CONVERSES

-----  
ABBREVIATION.....5-oac  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Oriented And Converses  
HELP\_TEXT.....No Help Text  
ID.....{53AD29B1-BA51-4BDE-4F4C-4268619C93A4}  
TERM.....5 - ORIENTED AND CONVERSES

DATA VALUE: 5 - PROMINENT PILOERCTION

-----  
ABBREVIATION.....COWS:Goos5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....5 - Prominent Piloerection  
HELP\_TEXT.....  
ID.....{1762037D-1982-40C9-8AB7-9CE7B5F5ACDC}  
TERM.....5 - PROMINENT PILOERCTION

DATA VALUE: 5 - PUPILS SO DILATED THAT ONLY THE RIM OF THE IRIS IS VISIBLE

-----  
ABBREVIATION.....COWS:Pupi5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....5 - Pupils so Dilated that only the  
                  Rim of the Iris is Visible  
HELP\_TEXT.....  
ID.....{1FB3D558-AFCD-44AB-A0EB-B10220BBDCF3}  
TERM.....5 - PUPILS SO DILATED THAT ONLY THE  
                  RIM OF THE IRIS IS VISIBLE

DATA VALUE: 5 - SEVERE

-----  
ABBREVIATION.....CIWA HA 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Severe  
HELP\_TEXT.....No Help Text  
ID.....{7BD7B91F-DF6F-47B9-BAA6-3EF249340578}  
TERM.....5 - SEVERE

DATA VALUE: 5 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----  
ABBREVIATION.....CIWA TR 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Severe Even With Arms Not Extended  
HELP\_TEXT.....No Help Text  
ID.....{611A344A-C540-4861-81D7-681DAF1AA473}  
TERM.....5 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 5 - SEVERE HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....5 - Severe Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{14DB90F7-0182-44AC-8B5B-CE86A0E5A9E6}  
TERM.....5 - SEVERE HALLUCINATIONS

DATA VALUE: 5 - UNABLE TO SIT STILL FOR MORE THAN A FEW SECONDS

-----  
ABBREVIATION.....COWS:Rest5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....5 - Unable to Sit Still for more than  
                  a few seconds  
HELP\_TEXT.....  
ID.....{ED0F4C4E-10F6-4576-9393-7D296D0F21AC}  
TERM.....5 - UNABLE TO SIT STILL FOR MORE THAN  
                  A FEW SECONDS

DATA VALUE: 5 = AGITATED

-----  
ABBREVIATION.....SAS AGITAT  
ACTIVE.....Yes  
DESCRIPTION.....Anxious or physically agitated, calms  
to verbal instructions  
DISPLAY\_NAME.....5 = Agitated  
HELP\_TEXT.....Anxious or physically agitated, calms  
to verbal instructions  
ID.....{107143D4-9527-4A26-8CB7-EEBB656B68B3}  
TERM.....5 = AGITATED

DATA VALUE: 5 PERCENT ALBUMIN

-----  
ABBREVIATION.....5 PERC ALB  
ACTIVE.....Yes  
DESCRIPTION.....5 Percent Albumin  
DISPLAY\_NAME.....5 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{38CE47CB-736B-475E-8E89-C4C13F2DF184}  
TERM.....5 PERCENT ALBUMIN

DATA VALUE: 6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

-----  
ABBREVIATION.....CIWA NV 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Constant Nausea W Frequent Heaves  
and Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{446FE39A-EB53-4D6B-B5B8-1370A5D55EEB}  
TERM.....6 - CONSTANT NAUSEA W FREQUENT HEAVES  
AND VOMITING

DATA VALUE: 6 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{7294B311-9032-4FE1-9779-363D19FD1FD3}  
TERM.....6 - DRENCHING SWEAT

DATA VALUE: 6 - EXTREMELY SEVERE HALLUCINATIONS

-----  
ABBREVIATION.....CIWA 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Extremely Severe Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{9C63ED29-2B47-4E59-A026-1FDB0666AFCB}  
TERM.....6 - EXTREMELY SEVERE HALLUCINATIONS

DATA VALUE: 6 - OBEYS COMMANDS

-----  
ABBREVIATION.....6-oc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Obeys Commands  
HELP\_TEXT.....No Help Text  
ID.....{0D4956F4-7E79-8D17-EDF3-274B96BBC89A}  
TERM.....6 - OBEYS COMMANDS

DATA VALUE: 6 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----  
ABBREVIATION.....CIWA TR 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Severe Even With Arms Not Extended  
HELP\_TEXT.....No Help Text  
ID.....{9BCF893C-76D0-4A3E-80D0-281A917F1A08}  
TERM.....6 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 6 - VERY SEVERE

-----  
ABBREVIATION.....CIWA HA 6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 - Very Severe  
HELP\_TEXT.....No Help Text  
ID.....{241C1EF4-2E2A-4D65-9991-607BB6B29E01}  
TERM.....6 - VERY SEVERE

DATA VALUE: 6 = VERY AGITATED

-----  
ABBREVIATION.....SAS VY AGI  
ACTIVE.....Yes  
DESCRIPTION.....Requiring restraint and frequent  
verbal reminding of limits, biting  
ETT  
DISPLAY\_NAME.....6 = Very Agitated  
HELP\_TEXT.....Requiring restraint and frequent  
verbal reminding of limits, biting  
ETT  
ID.....{B501606A-EEA7-470E-81BE-F51D422272F1}  
TERM.....6 = VERY AGITATED

DATA VALUE: 6 HOUR

-----  
ABBREVIATION.....6 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....6 Hour  
HELP\_TEXT.....No Help Text  
ID.....{0D1F000A-01F0-422C-9CB8-2A04CD479444}  
TERM.....6 HOUR

DATA VALUE: 6 PERCENT HETASTARCH

---

ABBREVIATION.....6 PERC HET  
ACTIVE.....Yes  
DESCRIPTION.....6 Percent Hetastarch  
DISPLAY\_NAME.....6 Percent Hetastarch  
HELP\_TEXT.....No Help Text  
ID.....{D94072C9-87E8-46CA-929F-4904F3BD964C}  
TERM.....6 PERCENT HETASTARCH

DATA VALUE: 60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT

---

ABBREVIATION.....60 Min Rev  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....60 Minutes Since Administration of  
                  Reversal Agent  
HELP\_TEXT.....  
ID.....{87627CD7-2DA9-4BDA-BB74-68C4F03AA3D9}  
TERM.....60 MINUTES SINCE ADMINISTRATION OF  
                  REVERSAL AGENT

DATA VALUE: 7 - ACUTE PANIC

---

ABBREVIATION.....CIWA AX 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Equivalent To Acute Panic States  
HELP\_TEXT.....No Help Text  
ID.....{3F5E6786-FD67-405F-A535-EC1609910F14}  
TERM.....7 - ACUTE PANIC

DATA VALUE: 7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING

---

ABBREVIATION.....CIWA NV 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Constant Nausea W Frequent Heaves  
                  and Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{7F1076C4-C655-4BF2-8BB1-036F5169B619}  
TERM.....7 - CONSTANT NAUSEA W FREQUENT HEAVES  
                  AND VOMITING

DATA VALUE: 7 - CONTINUOUS HALLUCINATIONS

---

ABBREVIATION.....CIWA 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Continuous Hallucinations  
HELP\_TEXT.....No Help Text  
ID.....{(19ECC57C-26A6-4CAE-97C4-2A860F337BE2}  
TERM.....7 - CONTINUOUS HALLUCINATIONS

DATA VALUE: 7 - DRENCHING SWEAT

-----  
ABBREVIATION.....CIWA PS 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Drenching Sweat  
HELP\_TEXT.....No Help Text  
ID.....{15D2E2CC-BAED-403B-A141-B848FFE4A9D0}  
TERM.....7 - DRENCHING SWEAT

DATA VALUE: 7 - EXTREMELY SEVERE

-----  
ABBREVIATION.....CIWA HA 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Extremely Severe  
HELP\_TEXT.....No Help Text  
ID.....{F8DCC910-D36D-480E-867E-B45221170C49}  
TERM.....7 - EXTREMELY SEVERE

DATA VALUE: 7 - PACING BACK AND FORTH MOST OF THE INTERVIEW

-----  
ABBREVIATION.....CIWA AG 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Pacing Back And Forth The  
Interview/Thrashing  
HELP\_TEXT.....No Help Text  
ID.....{9F03A167-CC40-4D65-9FD8-CFB3FEEAF833}  
TERM.....7 - PACING BACK AND FORTH MOST OF THE  
INTERVIEW

DATA VALUE: 7 - SEVERE EVEN WITH ARMS NOT EXTENDED

-----  
ABBREVIATION.....CIWA TR 7  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....7 - Severe Even With Arms Not Extended  
HELP\_TEXT.....No Help Text  
ID.....{FE0BE72E-913A-48CD-BABF-C5B742AFED93}  
TERM.....7 - SEVERE EVEN WITH ARMS NOT EXTENDED

DATA VALUE: 7 = DANGEROUS AGITATION

-----  
ABBREVIATION.....SAS DA AGI  
ACTIVE.....Yes  
DESCRIPTION.....Pulling at ET tube, trying to remove  
catheters, climbing over bedrail,  
striking at staff, thrashing  
side-to-side  
DISPLAY\_NAME.....7 = Dangerous Agitation  
HELP\_TEXT.....Pulling at ET tube, trying to remove  
catheters, climbing over bedrail,  
striking at staff, thrashing  
side-to-side  
ID.....{0701FB25-1DF0-4771-8C81-AC19A985A3B6}  
TERM.....7 = DANGEROUS AGITATION

DATA VALUE: 8 - ACTIVITY DID NOT OCCUR

-----  
ABBREVIATION.....8 d/n occ  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....8 - Activity Did Not Occur  
HELP\_TEXT.....  
ID.....{8B586CC9-2360-4060-B660-021C25E28F0F}  
TERM.....8 - ACTIVITY DID NOT OCCUR

DATA VALUE: 8 HOUR

-----  
ABBREVIATION.....8 HOUR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....8 Hour  
HELP\_TEXT.....No Help Text  
ID.....{05E46D8F-C165-4552-8063-B735DECD4AF3}  
TERM.....8 HOUR

DATA VALUE: AAI

-----  
ABBREVIATION.....AAI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAI  
HELP\_TEXT.....No Help Text  
ID.....{2DD18ACA-B98E-24D3-E760-6D082A76074B}  
TERM.....AAI

DATA VALUE: AAIR

-----  
ABBREVIATION.....AAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAIR  
HELP\_TEXT.....No Help Text  
ID.....{3B4B6F37-B631-BE32-F1C1-65B99D0C5018}  
TERM.....AAIR

DATA VALUE: AAO

-----  
ABBREVIATION.....AAO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AAO  
HELP\_TEXT.....No Help Text  
ID.....{E87E0670-2C0F-6E6A-DEC9-F52E5C530A2A}  
TERM.....AAO

DATA VALUE: ABDOMINAL

---

ABBREVIATION.....ABDOMINAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{29E279F4-5D2E-4644-A2FA-CF85BEDFD480}  
TERM.....ABDOMINAL

DATA VALUE: ABDUCTION PILLOW

---

ABBREVIATION.....AbPillow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Abduction Pillow  
HELP\_TEXT.....  
ID.....{9D42476C-E777-4D4C-89CF-8FACFEEE19C2}  
TERM.....ABDUCTION PILLOW

DATA VALUE: ABDUCTION-DECREASED

---

ABBREVIATION.....Abduct-Dec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Abduction-Decreased  
HELP\_TEXT.....  
ID.....{3BFD5DE7-A6F8-4850-A17F-55A05CB2FE7A}  
TERM.....ABDUCTION-DECREASED

DATA VALUE: ABDUCTION-WNL

---

ABBREVIATION.....Abduct-WNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Abduction-WNL  
HELP\_TEXT.....  
ID.....{68993B64-576D-4C71-B19C-D035532F20B3}  
TERM.....ABDUCTION-WNL

DATA VALUE: ABLE TO AMBULATE

---

ABBREVIATION.....AMBULAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Able to Ambulate  
HELP\_TEXT.....No Help Text  
ID.....{4E1D40CA-F5C4-442E-8BBA-C6E4C4781F57}  
TERM.....ABLE TO AMBULATE

DATA VALUE: ABLE TO FOLLOW DIRECTION

---

ABBREVIATION.....Follow Dir  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Able to Follow Direction  
HELP\_TEXT.....  
ID.....{72621E3E-A350-4321-8A9C-EFCB0F614D36}  
TERM.....ABLE TO FOLLOW DIRECTION

DATA VALUE: ABNORMAL

---

ABBREVIATION.....Abnormal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Abnormal  
HELP\_TEXT.....  
ID.....{2469E391-60C5-4FF8-BEF7-809CD0F6E7F2}  
TERM.....ABNORMAL

DATA VALUE: ABNORMAL GAIT

---

ABBREVIATION.....AbnorGait  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Abnormal Gait  
HELP\_TEXT.....  
ID.....{C92361C4-7D7A-410A-A8F2-6E274C6CAB81}  
TERM.....ABNORMAL GAIT

DATA VALUE: ABOVE THE ELBOW

---

ABBREVIATION.....AboveElbow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Above the Elbow  
HELP\_TEXT.....  
ID.....{5149095F-3993-44B7-893F-7A89FB862EDB}  
TERM.....ABOVE THE ELBOW

DATA VALUE: ABOVE THE KNEE

---

ABBREVIATION.....AboveKnee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Above the Knee  
HELP\_TEXT.....  
ID.....{ED6B70A1-46A8-4C4D-A2E6-5B6DC6733D2F}  
TERM.....ABOVE THE KNEE

DATA VALUE: ABRASION

---

ABBREVIATION.....ABRASION  
ACTIVE.....Yes  
DESCRIPTION.....Abrasion  
DISPLAY\_NAME.....Abrasion  
HELP\_TEXT.....No Help Text  
ID.....{7E962B43-24B1-46D2-A79A-54811117271A}  
TERM.....ABRASION

DATA VALUE: ABSENT

---

ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Absent  
HELP\_TEXT.....No Help Text  
ID.....{6DB90FB5-3CC2-B19D-1265-48EAC64F1BC0}  
TERM.....ABSENT

DATA VALUE: ABSENT (NO SENSATION)

---

ABBREVIATION.....Absent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Absent (No Sensation)  
HELP\_TEXT.....  
ID.....{26F22E38-74E2-47F6-B6D2-A2C2674F15FC}  
TERM.....ABSENT (NO SENSATION)

DATA VALUE: ABSENT TO MINIMAL BLEEDING

---

ABBREVIATION.....ABS BLEE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Absent to Minimal Bleeding  
HELP\_TEXT.....No Help Text  
ID.....{123460FB-1A8D-45AB-B0A2-489EAB482F67}  
TERM.....ABSENT TO MINIMAL BLEEDING

DATA VALUE: ACCELERATING

---

ABBREVIATION.....ACCELERATI  
ACTIVE.....Yes  
DESCRIPTION.....Accelerating  
DISPLAY\_NAME.....Accelerating  
HELP\_TEXT.....Accelerating  
ID.....{514FE300-87EE-4C2C-AC70-5E57DBECAFF7}  
TERM.....ACCELERATING

DATA VALUE: ACCOMMODATE

---

ABBREVIATION.....Accommodat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Accommodate  
HELP\_TEXT.....  
ID.....{E3529178-52DF-49C4-9B41-2781AB75DDB9}  
TERM.....ACCOMMODATE

DATA VALUE: ACE WRAP

---

ABBREVIATION.....Ace Wrap  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ace Wrap  
HELP\_TEXT.....  
ID.....{F7D2CBD9-3095-4425-907B-23DAC80F8237}  
TERM.....ACE WRAP

DATA VALUE: ACHING

---

ABBREVIATION.....ACHING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aching  
HELP\_TEXT.....No Help Text  
ID.....{736BC1A4-2DA7-4A56-ACC0-28086EA103E0}  
TERM.....ACHING

DATA VALUE: ACID REFLUX

---

ABBREVIATION.....AcidReflux  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Acid Reflux  
HELP\_TEXT.....  
ID.....{B27EE895-8D22-408D-A436-0A249CCADF22}  
TERM.....ACID REFLUX

DATA VALUE: ACTIVE RANGE OF MOTION

---

ABBREVIATION.....ACTIVE ROM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Active Range Of Motion  
HELP\_TEXT.....No Help Text  
ID.....{F55E68F3-6788-47AE-B962-119413B4A089}  
TERM.....ACTIVE RANGE OF MOTION

DATA VALUE: ACTIVITIES OF DAILY LIVING

-----  
ABBREVIATION.....ADL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Activities of Daily Living  
HELP\_TEXT.....No Help Text  
ID.....{12F2CA66-3DCE-443D-883C-119CE4838B4A}  
TERM.....ACTIVITIES OF DAILY LIVING

DATA VALUE: ACUTE

-----  
ABBREVIATION.....Acute  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Acute  
HELP\_TEXT.....  
ID.....{42CDCFCB-27F4-4511-AF23-D5DB2C6CBE16}  
TERM.....ACUTE

DATA VALUE: ADMINISTERED PER MANUFACTURER'S INSTRUCTIONS

-----  
ABBREVIATION.....ManInstruc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Administered per Manufacturer's  
Instructions  
HELP\_TEXT.....  
ID.....{9BEDAD65-822B-4CC1-883D-4E0B9CC1B188}  
TERM.....ADMINISTERED PER MANUFACTURER'S  
INSTRUCTIONS

DATA VALUE: ADMINISTRATION OF MEDS/FLUIDS/ENTERAL FEEDINGS

-----  
ABBREVIATION.....Adm M/F/EF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Administration of Meds/Fluids/Enteral  
Feedings  
HELP\_TEXT.....  
ID.....{17B15FC3-59D8-4897-A330-BC20382A6A47}  
TERM.....ADMINISTRATION OF MEDS/FLUIDS/ENTERAL  
FEEDINGS

DATA VALUE: ADMISSION

-----  
ABBREVIATION.....ADMISSION  
ACTIVE.....Yes  
DESCRIPTION.....Admission  
DISPLAY\_NAME.....Admission  
HELP\_TEXT.....No Help Text  
ID.....{483C2830-813A-46C3-A012-CCD70044B2A2}  
TERM.....ADMISSION

DATA VALUE: ADMISSION DIAGNOSIS

---

ABBREVIATION.....ADM DIAG  
ACTIVE.....Yes  
DESCRIPTION.....Admission Diagnosis  
DISPLAY\_NAME.....Admission Diagnosis  
HELP\_TEXT.....Admission Diagnosis  
ID.....{2EEC3F2F-9802-46C5-AB47-008AFA093A7F}  
TERM.....ADMISSION DIAGNOSIS

DATA VALUE: ADULT

---

ABBREVIATION.....ADULT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult  
HELP\_TEXT.....No Help Text  
ID.....{37B557BE-B932-4757-8E08-5EA315E8AD1F}  
TERM.....ADULT

DATA VALUE: ADULT LARGE

---

ABBREVIATION.....AD LARGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Large  
HELP\_TEXT.....No Help Text  
ID.....{38E64D72-2806-47FA-B82F-51844574F850}  
TERM.....ADULT LARGE

DATA VALUE: ADULT SMALL

---

ABBREVIATION.....AD SMALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Small  
HELP\_TEXT.....No Help Text  
ID.....{0161A4E5-713A-406B-B3FD-9ED13BEB5366}  
TERM.....ADULT SMALL

DATA VALUE: ADVANCED CARE PLANNING

---

ABBREVIATION.....ADV CAR PL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Advanced Care Planning  
HELP\_TEXT.....No Help Text  
ID.....{F0ED0F8A-1AD6-4F3E-A4C8-4FB915474FE7}  
TERM.....ADVANCED CARE PLANNING

DATA VALUE: AGENT CASHIER

---

ABBREVIATION.....Cashier  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Agent Cashier  
HELP\_TEXT.....  
ID.....{3849A887-F353-4215-88FD-DDD0188BE1BB}  
TERM.....AGENT CASHIER

DATA VALUE: AGGRESSIVE

---

ABBREVIATION.....R.C. AGGR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aggressive  
HELP\_TEXT.....No Help Text  
ID.....{7A47B361-85EA-4C88-A1AF-CD8FF7D35D97}  
TERM.....AGGRESSIVE

DATA VALUE: AGITATED

---

ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Agitated  
HELP\_TEXT.....No Help Text  
ID.....{BAD2CCCE-9083-6F61-1196-C0C9A8DDBFFC}  
TERM.....AGITATED

DATA VALUE: AGITATED/HOSTILE

---

ABBREVIATION.....Agita/Host  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Agitated/Hostile  
HELP\_TEXT.....  
ID.....{B690A9D1-2686-465B-A0AA-12C04E80B210}  
TERM.....AGITATED/HOSTILE

DATA VALUE: AGONAL

---

ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Agonal  
HELP\_TEXT.....No Help Text  
ID.....{1621B411-33E3-3A6A-78A6-40B7BDC3E8CB}  
TERM.....AGONAL

DATA VALUE: AGONIZING

---

ABBREVIATION.....AGONIZING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Agonizing  
HELP\_TEXT.....No Help Text  
ID.....{F43DF9E7-555B-49FF-987C-35F083D547AA}  
TERM.....AGONIZING

DATA VALUE: AICD

---

ABBREVIATION.....AICD  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....AICD  
HELP\_TEXT.....  
ID.....{EDB0E730-A1DC-4639-888B-30E956CCA958}  
TERM.....AICD

DATA VALUE: AIR FLOW DEVICE

---

ABBREVIATION.....AIR FLOW D  
ACTIVE.....Yes  
DESCRIPTION.....Air Flow Device  
DISPLAY\_NAME.....Air Flow Device  
HELP\_TEXT.....Air Flow Device  
ID.....{60AF6215-CE2A-4EEE-9596-909E3E50BE71}  
TERM.....AIR FLOW DEVICE

DATA VALUE: AIR LEAK

---

ABBREVIATION.....AIR LEAK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Air Leak  
HELP\_TEXT.....No Help Text  
ID.....{52E40E25-6D28-53EC-BC05-D1FEAA4616EF}  
TERM.....AIR LEAK

DATA VALUE: AIRBORNE

---

ABBREVIATION.....AIRBORNE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Airborne  
HELP\_TEXT.....No Help Text  
ID.....{D2F281F7-DC09-4CA2-B5B3-F92ACBC63A0A}  
TERM.....AIRBORNE

DATA VALUE: AIRWAY REFLEXES INTACT / SECRECTIONS

-----  
ABBREVIATION.....AIR REFL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Airway Reflexes Intact Manages  
                  Secretions  
HELP\_TEXT.....No Help Text  
ID.....{88A7E7D3-6283-4640-A5FD-0F1E37FB8249}  
TERM.....AIRWAY REFLEXES INTACT / SECRECTIONS

DATA VALUE: ALARMS ON

-----  
ABBREVIATION.....Alarms On  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Alarms On  
HELP\_TEXT.....  
ID.....{A07F739F-3E78-405D-9012-E43CD84B2CBC}  
TERM.....ALARMS ON

DATA VALUE: ALBUMIN

-----  
ABBREVIATION.....ALBUMIN  
ACTIVE.....Yes  
DESCRIPTION.....Albumin  
DISPLAY\_NAME.....Albumin  
HELP\_TEXT.....No Help Text  
ID.....{4CC265EE-F506-4752-8309-E569A25B40E5}  
TERM.....ALBUMIN

DATA VALUE: ALCOHOL PORT PROTECTOR

-----  
ABBREVIATION.....Al Port Pr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Alcohol Port Protector  
HELP\_TEXT.....  
ID.....{785F47CF-A279-46F9-9073-B6A6A70E8888}  
TERM.....ALCOHOL PORT PROTECTOR

DATA VALUE: ALDRETE SCORE 8 OR GREATER

-----  
ABBREVIATION.....ALD 8+  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aldrete Score 8 or Greater  
HELP\_TEXT.....No Help Text  
ID.....{1FACE6D7-BC92-4579-8665-C5E1D3475461}  
TERM.....ALDRETE SCORE 8 OR GREATER

DATA VALUE: ALDRETE SCORE AT BASELINE

---

ABBREVIATION.....ALD BASE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aldrete Score at Baseline  
HELP\_TEXT.....No Help Text  
ID.....{CC86D48F-9473-4AD8-AA5B-3BA0D1CCA8FD}  
TERM.....ALDRETE SCORE AT BASELINE

DATA VALUE: ALERT

---

ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alert  
HELP\_TEXT.....No Help Text  
ID.....{BC7E2630-179A-5C80-E6C7-598D42F0BFD6}  
TERM.....ALERT

DATA VALUE: ALERT AND ORIENTED

---

ABBREVIATION.....AL AN OR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alert and Oriented  
HELP\_TEXT.....No Help Text  
ID.....{C031F776-36DF-4570-AFAF-A30B8BFA635B}  
TERM.....ALERT AND ORIENTED

DATA VALUE: ALL DOWN

---

ABBREVIATION.....ALL DOWN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....All Down  
HELP\_TEXT.....No Help Text  
ID.....{76C14E79-95E2-49B7-B847-3B114653E98C}  
TERM.....ALL DOWN

DATA VALUE: ALL UP

---

ABBREVIATION.....ALL UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....All Up  
HELP\_TEXT.....No Help Text  
ID.....{48199083-ACC2-408C-9242-7A6313CD7A7F}  
TERM.....ALL UP

DATA VALUE: ALLERGY

---

ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Allergy  
HELP\_TEXT.....No Help Text  
ID.....{EBF87F6F-1BDB-6147-C444-2FF787DEAC7E}  
TERM.....ALLERGY

DATA VALUE: ALLERGY WRISTBAND

---

ABBREVIATION.....Wristband  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Allergy Wristband  
HELP\_TEXT.....  
ID.....{BB7F6746-102D-4CBA-8E53-EA465176812B}  
TERM.....ALLERGY WRISTBAND

DATA VALUE: ALOPECIA PARTIAL

---

ABBREVIATION.....ALOPE PART  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alopecia Partial  
HELP\_TEXT.....No Help Text  
ID.....{98EDBD8D-205A-4630-A09D-6B4222F5B2A2}  
TERM.....ALOPECIA PARTIAL

DATA VALUE: ALOPECIA TOTAL

---

ABBREVIATION.....ALOPE TOTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Alopecia Total  
HELP\_TEXT.....No Help Text  
ID.....{ECDCE3C4-81F6-4FA1-BADA-97A20BD9A826}  
TERM.....ALOPECIA TOTAL

DATA VALUE: ALPHABET BOARD

---

ABBREVIATION.....AlphaBoard  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Alphabet Board  
HELP\_TEXT.....  
ID.....{FAB01262-6E11-4B09-9C23-58AE735E1DF2}  
TERM.....ALPHABET BOARD

DATA VALUE: ALTERED WEIGHT BEARING

---

ABBREVIATION.....AlWeightBe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Altered Weight Bearing  
HELP\_TEXT.....  
ID.....{80EEA85B-0826-471D-910A-75804678DCAF}  
TERM.....ALTERED WEIGHT BEARING

DATA VALUE: AMBER

---

ABBREVIATION.....AMBER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Amber  
HELP\_TEXT.....No Help Text  
ID.....{90A13048-4C35-E01D-3482-64D782001D4A}  
TERM.....AMBER

DATA VALUE: AMBULATE

---

ABBREVIATION.....R.C. AMBU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Attempting To Ambulate When  
                  Unable/High Injury Risk  
HELP\_TEXT.....No Help Text  
ID.....{54B72608-2C13-46CD-8034-00179669762C}  
TERM.....AMBULATE

DATA VALUE: AMBULATE AND ASSIST

---

ABBREVIATION.....AMB ASSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulate and Assist  
HELP\_TEXT.....No Help Text  
ID.....{EB53ADD9-B5B0-4174-95C7-C4B33E80DBDC}  
TERM.....AMBULATE AND ASSIST

DATA VALUE: AMBULATED

---

ABBREVIATION.....AMBULATED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulated  
HELP\_TEXT.....No Help Text  
ID.....{017D99FE-91D5-49F1-AC15-50620879C466}  
TERM.....AMBULATED

DATA VALUE: AMBULATION/EXERCISE

---

ABBREVIATION.....R.E. EXER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulation / Exercise  
HELP\_TEXT.....No Help Text  
ID.....{46F4D1EB-3439-4BE4-A78C-453BDBF6C230}  
TERM.....AMBULATION/EXERCISE

DATA VALUE: AMBULATORY CARE UNIT

---

ABBREVIATION.....ACU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambulatory Care Unit  
HELP\_TEXT.....No Help Text  
ID.....{7FB7FBC5-42A6-4BA4-9CA6-494D77C4C549}  
TERM.....AMBULATORY CARE UNIT

DATA VALUE: AMPUTATION

---

ABBREVIATION.....Amputation  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Amputation  
HELP\_TEXT.....  
ID.....{69C4C0DF-BE02-4E0B-986A-4FF78C4C2B2A}  
TERM.....AMPUTATION

DATA VALUE: AMPUTATION: COMMENT

---

ABBREVIATION.....Amp:Comm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Amputation: Comment  
HELP\_TEXT.....  
ID.....{E9DE9BEB-D6CA-4EEE-A240-D0A5D3F5A9FF}  
TERM.....AMPUTATION: COMMENT

DATA VALUE: AMPUTEE

---

ABBREVIATION.....AMPUTEE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Amputee  
HELP\_TEXT.....No Help-Text  
ID.....{5804286F-2B23-91BD-FCB5-6AD18C918203}  
TERM.....AMPUTEE

DATA VALUE: ANALGESIA

---

ABBREVIATION.....ANALGESIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Analgesia  
HELP\_TEXT.....No Help Text  
ID.....{5452ED11-25E1-437B-8048-3BB3E03BE3B9}  
TERM.....ANALGESIA

DATA VALUE: ANESTHESIOLOGIST

---

ABBREVIATION.....Anesthesia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Anesthesiologist  
HELP\_TEXT.....  
ID.....{44BAD970-DD8F-4015-9C41-AC7868CEBE79}  
TERM.....ANESTHESIOLOGIST

DATA VALUE: ANGINAL

---

ABBREVIATION.....ANGINAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Anginal  
HELP\_TEXT.....No Help Text  
ID.....{ECF02415-4124-46D3-AA01-F21AC40FEFF7}  
TERM.....ANGINAL

DATA VALUE: ANGRY

---

ABBREVIATION.....Angry  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Angry  
HELP\_TEXT.....  
ID.....{73D509EF-1B12-4985-A6A2-EC3656282C22}  
TERM.....ANGRY

DATA VALUE: ANNOYING

---

ABBREVIATION.....ANNOYING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Annoying  
HELP\_TEXT.....No Help Text  
ID.....{53437530-57C9-4EA8-AC0D-36B5F2BD051D}  
TERM.....ANNOYING

DATA VALUE: ANTI-EMBOLUS STOCKINGS KNEE HIGH

-----  
ABBREVIATION.....ANT EMB KN  
ACTIVE.....Yes  
DESCRIPTION.....ANTI-EMBOLUS STOCKINGS KNEE HIGH  
DISPLAY\_NAME.....Anti-EMBOLUS STOCKINGS KNEE HIGH  
HELP\_TEXT.....ANTI-EMBOLUS STOCKINGS KNEE HIGH  
ID.....{4FBFF7A8-D719-98B9-4A46-D76D7BB5213E}  
TERM.....ANTI-EMBOLUS STOCKINGS KNEE HIGH

DATA VALUE: ANTI-EMBOLUS STOCKINGS THIGH HIGH

-----  
ABBREVIATION.....ANT EMB ST  
ACTIVE.....Yes  
DESCRIPTION.....ANTI-EMBOLUS STOCKINGS THIGH HIGH  
DISPLAY\_NAME.....Anti-EMBOLUS STOCKINGS THIGH HIGH  
HELP\_TEXT.....ANTI-EMBOLUS STOCKINGS THIGH HIGH  
ID.....{9B32D3F3-47F1-886F-A59A-D8AB38A34754}  
TERM.....ANTI-EMBOLUS STOCKINGS THIGH HIGH

DATA VALUE: ANTI-MICROBIAL DRESSING

-----  
ABBREVIATION.....AB DRESSIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Anti-Microbial Dressing  
HELP\_TEXT.....No Help Text  
ID.....{9734C5E9-D099-47EB-93B1-D82201F64331}  
TERM.....ANTI-MICROBIAL DRESSING

DATA VALUE: ANTIBIOTIC OINTMENT

-----  
ABBREVIATION.....AB OINTMEN  
ACTIVE.....Yes  
DESCRIPTION.....Antibiotic Ointment  
DISPLAY\_NAME.....Antibiotic Ointment  
HELP\_TEXT.....No Help Text  
ID.....{352D9690-77BB-44DC-919E-5357876DEAC4}  
TERM.....ANTIBIOTIC OINTMENT

DATA VALUE: ANTIMICROBIAL DISK

-----  
ABBREVIATION.....WOU DR ADI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Antimicrobial Disk  
HELP\_TEXT.....No Help-Text  
ID.....{1F1745EA-D763-4AFD-9CED-82E974E57692}  
TERM.....ANTIMICROBIAL DISK

DATA VALUE: ANURIC

-----  
ABBREVIATION.....ANURIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Anuric  
HELP\_TEXT.....No Help Text  
ID.....{0CCA4B44-7A59-4042-BAB9-EB2395A63C51}  
TERM.....ANURIC

DATA VALUE: ANXIOUS

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Anxious  
HELP\_TEXT.....No Help Text  
ID.....{381BDB41-7E8A-6FDB-841B-2ECC1889B9EF}  
TERM.....ANXIOUS

DATA VALUE: ANXIOUS ABOUT BEING LEFT ALONE

-----  
ABBREVIATION.....Anxious  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Anxious About Being Left Alone  
HELP\_TEXT.....  
ID.....{1F3963C7-C0D7-4B8B-A5C1-5B391B938840}  
TERM.....ANXIOUS ABOUT BEING LEFT ALONE

DATA VALUE: AOO

-----  
ABBREVIATION.....AOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AOO  
HELP\_TEXT.....No Help Text  
ID.....{86F25E48-AADB-5B30-4B89-E8BE63DAE7D9}  
TERM.....AOO

DATA VALUE: APATHETIC

-----  
ABBREVIATION.....Apathetic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Apathetic  
HELP\_TEXT.....  
ID.....{6942F95A-112E-4FF8-86DD-2108823015BC}  
TERM.....APATHETIC

DATA VALUE: APHASIA (ACUTE/NEW)

---

ABBREVIATION.....AphAcute  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Aphasia (Acute/New)  
HELP\_TEXT.....  
ID.....{57AFF847-D6DC-4E8B-B7E5-A9848B8D2B03}  
TERM.....APHASIA (ACUTE/NEW)

DATA VALUE: APHASIA (CHRONIC)

---

ABBREVIATION.....AphChronic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Aphasia (Chronic)  
HELP\_TEXT.....  
ID.....{75BF4DB8-27F1-4F53-9E9B-F662DA446870}  
TERM.....APHASIA (CHRONIC)

DATA VALUE: APIXABAN

---

ABBREVIATION.....Apixaban  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Apixaban  
HELP\_TEXT.....  
ID.....{690C9278-225B-4437-A666-B7CD8A7D7629}  
TERM.....APIXABAN

DATA VALUE: APNEA

---

ABBREVIATION.....Apnea  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Apnea  
HELP\_TEXT.....  
ID.....{BF6A89F6-146B-4BE9-AD36-FF2E2C79022E}  
TERM.....APNEA

DATA VALUE: APPEARS ASLEEP

---

ABBREVIATION.....App Asleep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Appears Asleep  
HELP\_TEXT.....  
ID.....{8D1436B8-ADBO-4092-A0CE-383D74131AA8}  
TERM.....APPEARS ASLEEP

DATA VALUE: APPLIANCE CHANGED

---

ABBREVIATION.....app change  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Appliance Changed  
HELP\_TEXT.....  
ID.....{CB4BC887-F738-4EE3-9A5A-39C9CDF7488C}  
TERM.....APPLIANCE CHANGED

DATA VALUE: APPROPRIATE

---

ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Appropriate  
HELP\_TEXT.....No Help Text  
ID.....{1CFB285F-34DF-73A2-B89C-F6EE1F40E7E9}  
TERM.....APPROPRIATE

DATA VALUE: ARGUMENTATIVE

---

ABBREVIATION.....Argumenta  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Argumentative  
HELP\_TEXT.....  
ID.....{C47051A5-653A-4B5E-9019-52A33BF9CED7}  
TERM.....ARGUMENTATIVE

DATA VALUE: ARRHYTHMIA

---

ABBREVIATION.....Arrhythmi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Arrhythmia  
HELP\_TEXT.....  
ID.....{F12E4852-27E7-4C2C-989F-E973EBDF2C62}  
TERM.....ARRHYTHMIA

DATA VALUE: ARTERIAL LINE

---

ABBREVIATION.....Art Line  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Arterial Line  
HELP\_TEXT.....  
ID.....{03E84782-4771-4412-8686-8E368AF29B34}  
TERM.....ARTERIAL LINE

DATA VALUE: ARTERIAL LINE CARE

---

ABBREVIATION.....ART LINE C  
ACTIVE.....Yes  
DESCRIPTION.....Arterial Line Care  
DISPLAY\_NAME.....Arterial Line Care  
HELP\_TEXT.....No Help Text  
ID.....{787D232D-DFB8-44E2-8A0C-9D7D6B80764E}  
TERM.....ARTERIAL LINE CARE

DATA VALUE: ARTHRITIS

---

ABBREVIATION.....Arthritis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Arthritis  
HELP\_TEXT.....  
ID.....{D6FF4068-2314-4F19-AFF5-6E3FC8813249}  
TERM.....ARTHRITIS

DATA VALUE: ARTICULATE

---

ABBREVIATION.....Articulate  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Articulate  
HELP\_TEXT.....  
ID.....{BB0EB19F-896F-4792-BA28-5D040DD029E2}  
TERM.....ARTICULATE

DATA VALUE: ARTIFICIAL AIRWAY

---

ABBREVIATION.....ART AIRWAY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Artificial Airway  
HELP\_TEXT.....No Help Text  
ID.....{8DEE2358-8892-4BFB-AFAE-6C134D1CCAD4}  
TERM.....ARTIFICIAL AIRWAY

DATA VALUE: ARTIFICIAL VALVES

---

ABBREVIATION.....Art Valves  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Artificial Valves  
HELP\_TEXT.....  
ID.....{088BB4A5-A93E-47E2-B21F-BC2957D52693}  
TERM.....ARTIFICIAL VALVES

DATA VALUE: ASA PS 1

-----  
ABBREVIATION.....ASA PS 1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 1  
HELP\_TEXT.....  
ID.....{BAF1730E-C358-17F1-8DB8-4B6097AFF066}  
TERM.....ASA PS 1

DATA VALUE: ASA PS 2

-----  
ABBREVIATION.....ASA PS 2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 2  
HELP\_TEXT.....  
ID.....{070C0F56-3D9C-5430-EF9E-BF3B96DFB595}  
TERM.....ASA PS 2

DATA VALUE: ASA PS 3

-----  
ABBREVIATION.....ASA PS 3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 3  
HELP\_TEXT.....  
ID.....{B041CE25-82D0-EDAD-C673-A64BCD6647F4}  
TERM.....ASA PS 3

DATA VALUE: ASA PS 4

-----  
ABBREVIATION.....ASA PS 4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 4  
HELP\_TEXT.....  
ID.....{040841C3-D933-E687-C7E0-29F439C08778}  
TERM.....ASA PS 4

DATA VALUE: ASA PS 5

-----  
ABBREVIATION.....ASA PS 5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ASA PS 5  
HELP\_TEXT.....  
ID.....{1F7B73A6-3F8E-E230-1C23-C7DF92032E58}  
TERM.....ASA PS 5

DATA VALUE: ASEPTIC TECHNIQUE FOLLOWED

-----  
ABBREVIATION.....Aseptic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Aseptic Technique Followed  
HELP\_TEXT.....  
ID.....{2DE69DDB-F455-4570-A821-C81F39FD2574}  
TERM.....ASEPTIC TECHNIQUE FOLLOWED

DATA VALUE: ASHEN

-----  
ABBREVIATION.....ASHEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ashen  
HELP\_TEXT.....No Help-Text  
ID.....{7431E4EC-DCF1-4966-85CB-29BF65311855}  
TERM.....ASHEN

DATA VALUE: ASLEEP

-----  
ABBREVIATION.....Asleep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Asleep  
HELP\_TEXT.....  
ID.....{324FBAA2-4C73-4E16-9ECB-10B34EF8DF9B}  
TERM.....ASLEEP

DATA VALUE: ASLEEP AT ROUNDS

-----  
ABBREVIATION.....SLEEP ROUN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Appeared Asleep At All Rounds  
HELP\_TEXT.....No Help Text  
ID.....{24E1D9F0-D8F1-4DC8-911F-6170F343C087}  
TERM.....ASLEEP AT ROUNDS

DATA VALUE: ASPIRATION

-----  
ABBREVIATION.....ASPIRATION  
ACTIVE.....Yes  
DESCRIPTION.....Aspiration  
DISPLAY\_NAME.....Aspiration  
HELP\_TEXT.....No Help Text  
ID.....{68B91085-8E3C-4B94-9F97-6305F5DFD900}  
TERM.....ASPIRATION

DATA VALUE: ASPIRATION OF GASTRIC CONTENTS FOR SPECIMEN

-----  
ABBREVIATION.....AspofGastr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Aspiration of Gastric Contents for  
Specimen  
HELP\_TEXT.....  
ID.....{67DD42D8-E1D9-4A06-A49C-E331CBC4EA8D}  
TERM.....ASPIRATION OF GASTRIC CONTENTS FOR  
SPECIMEN

DATA VALUE: ASSAULTIVE

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assaultive  
HELP\_TEXT.....No Help Text  
ID.....{99ECD8C7-191A-3B9C-2A7A-803A921065FA}  
TERM.....ASSAULTIVE

DATA VALUE: ASSESS FOR CONTINUING NEED FOR DEVICE

-----  
ABBREVIATION.....AssessNeed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Assess for Continuing Need for Device  
HELP\_TEXT.....  
ID.....{C6407B93-3747-4A0F-9158-C2EC75FB896B}  
TERM.....ASSESS FOR CONTINUING NEED FOR DEVICE

DATA VALUE: ASSIGNED ONE TO ONE SITTER

-----  
ABBREVIATION.....One to One  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Assigned One to One Sitter  
HELP\_TEXT.....  
ID.....{07D48368-101F-4974-9EC5-7CB182A39281}  
TERM.....ASSIGNED ONE TO ONE SITTER

DATA VALUE: ASSIST CONTROL

-----  
ABBREVIATION.....AC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assist Control  
HELP\_TEXT.....No Help Text  
ID.....{862ED94C-9DC3-DFAF-F824-0F7DE348C2CB}  
TERM.....ASSIST CONTROL

DATA VALUE: ASSIST OF FAMILY

-----  
ABBREVIATION.....AssistofFa  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Assist Of Family  
HELP\_TEXT.....  
ID.....{3EB8AE1E-EA3A-4B4A-9226-B87BD0199A38}  
TERM.....ASSIST OF FAMILY

DATA VALUE: ASSIST OF STAFF

-----  
ABBREVIATION.....AssistofSf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Assist Of Staff  
HELP\_TEXT.....  
ID.....{BA900A76-8E64-4792-BEB9-1571ED681D73}  
TERM.....ASSIST OF STAFF

DATA VALUE: ASSISTED

-----  
ABBREVIATION.....ASSISTED  
ACTIVE.....Yes  
DESCRIPTION.....Assisted  
DISPLAY\_NAME.....Assisted  
HELP\_TEXT.....No Help Text  
ID.....{65069804-39BF-41ED-9EA3-BF2C41389F10}  
TERM.....ASSISTED

DATA VALUE: ASSISTIVE LISTENING DEVICE (HEARING AID, HEARING AMPLIFIER)

-----  
ABBREVIATION.....AssistList  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Assistive Listening Device (Hearing  
Aid, Hearing Amplifier)  
HELP\_TEXT.....  
ID.....{5F2027AC-BAD1-4BD4-A729-6143FB7EEE4F}  
TERM.....ASSISTIVE LISTENING DEVICE (HEARING  
AID, HEARING AMPLIFIER)

DATA VALUE: ASYSTOLE

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Asystole  
HELP\_TEXT.....No Help Text  
ID.....{6E87ECBC-3160-2CEF-D2FF-EEBD1DAA96F2}  
TERM.....ASYSTOLE

DATA VALUE: ATAXIA

-----  
ABBREVIATION.....Ataxia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ataxia  
HELP\_TEXT.....  
ID.....{DDF7577A-7611-490D-8401-FFF400EECE01}  
TERM.....ATAXIA

DATA VALUE: ATRIAL

-----  
ABBREVIATION.....a  
ACTIVE.....Yes  
DESCRIPTION.....ATRIAL  
DISPLAY\_NAME.....Atrial  
HELP\_TEXT.....No Help Text  
ID.....{266D2FDA-5D6A-203D-6FF0-8282D49BFD67}  
TERM.....ATRIAL

DATA VALUE: ATRIAL FIB/FLUTTER

-----  
ABBREVIATION.....af  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Atrial Fib/Flutter  
HELP\_TEXT.....No Help Text  
ID.....{9C1BC2F6-3BF0-BEBB-BE87-50E9F7984544}  
TERM.....ATRIAL FIB/FLUTTER

DATA VALUE: ATRIAL FIBRILLATION

-----  
ABBREVIATION.....a fib  
ACTIVE.....Yes  
DESCRIPTION.....Atrial Fibrillation  
DISPLAY\_NAME.....Atrial Fibrillation  
HELP\_TEXT.....Atrial Fibrillation  
ID.....{7B5EBAF2-55B6-2905-3D89-B28CE6A509CB}  
TERM.....ATRIAL FIBRILLATION

DATA VALUE: ATRIAL FLUTTER

-----  
ABBREVIATION.....af  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Atrial Flutter  
HELP\_TEXT.....No Help Text  
ID.....{9CB8D413-6762-D78E-F40E-25DB66CD23B3}  
TERM.....ATRIAL FLUTTER

DATA VALUE: ATTENDS/BRIEFS

---

ABBREVIATION.....Briefs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Attends/Briefs  
HELP\_TEXT.....  
ID.....{6F05A79D-CF1C-49AD-90F5-F000F200183B}  
TERM.....ATTENDS/BRIEFS

DATA VALUE: ATTENTIVE

---

ABBREVIATION.....Attentive  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Attentive  
HELP\_TEXT.....  
ID.....{F7A62675-3DD8-4CE3-A541-24F7D5F9CCF7}  
TERM.....ATTENTIVE

DATA VALUE: ATTIRE APPROPRIATE

---

ABBREVIATION.....Attire App  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Attire Appropriate  
HELP\_TEXT.....  
ID.....{92C2EEFD-DAE4-4DC6-89C0-D21E2B8C1545}  
TERM.....ATTIRE APPROPRIATE

DATA VALUE: ATTIRE IN APPROPRIATE

---

ABBREVIATION.....Attire In  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Attire Inappropriate  
HELP\_TEXT.....  
ID.....{51A9920F-B920-4E62-BF5F-5EAC9324007A}  
TERM.....ATTIRE IN APPROPRIATE

DATA VALUE: AUDIBLE "SCUFFING TOE"

---

ABBREVIATION.....Scuff Toe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Audible "Scuffing Toe"  
HELP\_TEXT.....  
ID.....{FF11D53C-0251-43D6-9CA4-D669A62C1EC6}  
TERM.....AUDIBLE "SCUFFING TOE"

DATA VALUE: AUSCULTATION

---

ABBREVIATION.....AUSCULTATI  
ACTIVE.....Yes  
DESCRIPTION.....Auscultation  
DISPLAY\_NAME.....Auscultation  
HELP\_TEXT.....Auscultation  
ID.....{B9D756DF-74F5-4604-B781-D7BC512FC453}  
TERM.....AUSCULTATION

DATA VALUE: AUTOLOGOUS

---

ABBREVIATION.....Autologous  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Autologous  
HELP\_TEXT.....  
ID.....{666DDEC1-5D32-47F6-813C-09F50B4040D2}  
TERM.....AUTOLOGOUS

DATA VALUE: AVF

---

ABBREVIATION.....AVF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVF  
HELP\_TEXT.....No Help Text  
ID.....{C8E97206-58AA-47C0-BD2E-7A30E56DB46A}  
TERM.....AVF

DATA VALUE: AVI

---

ABBREVIATION.....AVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVI  
HELP\_TEXT.....No Help Text  
ID.....{8BB49456-FB80-4916-6EBE-06837BF12B0C}  
TERM.....AVI

DATA VALUE: AVL

---

ABBREVIATION.....AVL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVL  
HELP\_TEXT.....No Help Text  
ID.....{9124A193-5F50-448D-9E60-C5869EC4029C}  
TERM.....AVL

DATA VALUE: AVO

-----  
ABBREVIATION.....AVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVO  
HELP\_TEXT.....No Help Text  
ID.....{02EA752A-D156-96E6-3D28-3D389FFC7B58}  
TERM.....AVO

DATA VALUE: AVOIDANT

-----  
ABBREVIATION.....Avoidant  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Avoidant  
HELP\_TEXT.....  
ID.....{4979C5A5-C03B-4893-8155-40CDC1833C05}  
TERM.....AVOIDANT

DATA VALUE: AVOIDED LIGHT AND NOISE OVERSTIMULATION

-----  
ABBREVIATION.....Avoid Lght  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Avoided Light and Noise Overstimulation  
HELP\_TEXT.....  
ID.....{135BE5DC-B93B-4A72-97AC-B423A6E81538}  
TERM.....AVOIDED LIGHT AND NOISE OVERSTIMULATION

DATA VALUE: AVR

-----  
ABBREVIATION.....AVR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AVR  
HELP\_TEXT.....No Help Text  
ID.....{04AF2551-1185-4BA9-AEED-977D562D188A}  
TERM.....AVR

DATA VALUE: AWAKE

-----  
ABBREVIATION.....Awake  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Awake  
HELP\_TEXT.....  
ID.....{D71412D4-5782-46BA-AE6C-24EDC586AE55}  
TERM.....AWAKE

DATA VALUE: BACK BRACE

---

ABBREVIATION.....Back Brace  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Back Brace  
HELP\_TEXT.....  
ID.....{59B795E9-3010-46FB-B42F-B2907F2FABFB}  
TERM.....BACK BRACE

DATA VALUE: BACTERICIDAL

---

ABBREVIATION.....BACTERIOCI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bactericidal  
HELP\_TEXT.....No Help-Text  
ID.....{680E4A3C-A40A-461E-818D-003AE8A1EFC8}  
TERM.....BACTERICIDAL

DATA VALUE: BACTERIOSTATIC

---

ABBREVIATION.....BACTERIOST  
ACTIVE.....Yes  
DESCRIPTION.....Bacteriostatic  
DISPLAY\_NAME.....Bacteriostatic  
HELP\_TEXT.....No Help Text  
ID.....{AB74D109-8ED7-4A6C-B028-7A041781DF67}  
TERM.....BACTERIOSTATIC

DATA VALUE: BAG - CONTINUOUS

---

ABBREVIATION.....Bag - cont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag - Continuous  
HELP\_TEXT.....  
ID.....{F072EF8A-B38B-4D75-82BF-D5EF851784B0}  
TERM.....BAG - CONTINUOUS

DATA VALUE: BAG - INTERMITTENT

---

ABBREVIATION.....Bag - inte  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag - Intermittent  
HELP\_TEXT.....  
ID.....{3761CDD3-AA2A-4F2B-9954-865E0A3D8C9A}  
TERM.....BAG - INTERMITTENT

DATA VALUE: BAG CHANGE

---

ABBREVIATION.....Bag Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag Change  
HELP\_TEXT.....  
ID.....{BC58D518-A742-410B-BE33-732C04D303BD}  
TERM.....BAG CHANGE

DATA VALUE: BAG CHANGED

---

ABBREVIATION.....BAG CHANGE  
ACTIVE.....Yes  
DESCRIPTION.....Changed Bag  
DISPLAY\_NAME.....Bag Changed  
HELP\_TEXT.....No Help Text  
ID.....{818990DE-4F95-4F8E-92D8-B4D3B975CB36}  
TERM.....BAG CHANGED

DATA VALUE: BAG/MASK & O2 SET UP

---

ABBREVIATION.....Bag/Mask  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bag/Mask & O2 Set Up  
HELP\_TEXT.....  
ID.....{248ECF6D-D89B-4318-BFB7-D28CF5C9C5B0}  
TERM.....BAG/MASK & O2 SET UP

DATA VALUE: BALANCE IMPAIRMENT

---

ABBREVIATION.....Balance  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Balance Impairment  
HELP\_TEXT.....  
ID.....{412DDCDD-4CB0-4AE4-A591-E11419EB9AF0}  
TERM.....BALANCE IMPAIRMENT

DATA VALUE: BALSAM OF PERU

---

ABBREVIATION.....WOU DR PER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Balsam Of Peru  
HELP\_TEXT.....No Help-Text  
ID.....{DD412BB1-B1C1-4A48-A38F-832629448E06}  
TERM.....BALSAM OF PERU

DATA VALUE: BARIATRIC EQUIPMENT

---

ABBREVIATION.....Bariatric  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bariatric Equipment  
HELP\_TEXT.....  
ID.....{D50E0B3F-39A8-4CC5-9FE8-E11EF3386CFC}  
TERM.....BARIATRIC EQUIPMENT

DATA VALUE: BARIATRIC FRAME

---

ABBREVIATION.....BARI FRAME  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bariatric Frame  
HELP\_TEXT.....No Help Text  
ID.....{CF95B426-F280-451B-86F2-CEF7A1A2B967}  
TERM.....BARIATRIC FRAME

DATA VALUE: BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT

---

ABBREVIATION.....BAR L AIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bariatric Low Airloss Mattress  
Replacement  
HELP\_TEXT.....No Help Text  
ID.....{220C6E92-1D0A-4513-B3A9-8065A6EC7DB1}  
TERM.....BARIATRIC LOW AIRLOSS MATTRESS  
REPLACEMENT

DATA VALUE: BARIATRIC PATIENT

---

ABBREVIATION.....BARIAC PAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bariatric Patient  
HELP\_TEXT.....No Help Text  
ID.....{6F614334-685E-4533-A475-BDF5440855EA}  
TERM.....BARIATRIC PATIENT

DATA VALUE: BATHING LIFTS

---

ABBREVIATION.....BathLift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bathing Lifts  
HELP\_TEXT.....  
ID.....{BD0E8173-171B-4F8E-AA83-5C4B0E39FD10}  
TERM.....BATHING LIFTS

DATA VALUE: BATHROOM

---

ABBREVIATION.....b  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bathroom  
HELP\_TEXT.....No Help Text  
ID.....{D20D91A7-E9F5-D000-5E0B-772BA9F5F72E}  
TERM.....BATHROOM

DATA VALUE: BATHROOM PRIVILEGES

---

ABBREVIATION.....BATHR PRIV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bathroom Privileges  
HELP\_TEXT.....No Help Text  
ID.....{29C1B6DD-3308-4DED-9970-1322A97C633B}  
TERM.....BATHROOM PRIVILEGES

DATA VALUE: BED

---

ABBREVIATION.....BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed  
HELP\_TEXT.....No Help Text  
ID.....{7E447C9C-41A0-43C9-AF63-38D6EA68279C}  
TERM.....BED

DATA VALUE: BED EXIT ALARM

---

ABBREVIATION.....BED EXIT A  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed Exit Alarm  
HELP\_TEXT.....No Help Text  
ID.....{AC53759E-FFAE-5E0F-2EBA-E56A2712357C}  
TERM.....BED EXIT ALARM

DATA VALUE: BEDPAN

---

ABBREVIATION.....Bedpan  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bedpan  
HELP\_TEXT.....  
ID.....{9DA7CF44-CB93-40E9-8505-CB2DAB4357DC}  
TERM.....BEDPAN

DATA VALUE: BEDREST

---

ABBREVIATION.....BEDREST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bedrest  
HELP\_TEXT.....No Help Text  
ID.....{8CD28057-132E-4CEE-9EA1-F03C8AF50CE8}  
TERM.....BEDREST

DATA VALUE: BEDSIDE

---

ABBREVIATION.....Bedside  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bedside  
HELP\_TEXT.....  
ID.....{481BBBB3-A1F0-4F49-96DA-06BF3884E9BD}  
TERM.....BEDSIDE

DATA VALUE: BEDSIDE COMMODE

---

ABBREVIATION.....Bedside Cm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bedside Commode  
HELP\_TEXT.....  
ID.....{E2B0C66F-335A-418E-AEB8-C7B666AE2F8D}  
TERM.....BEDSIDE COMMODE

DATA VALUE: BEHAVIORAL

---

ABBREVIATION.....Behavioral  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Behavioral  
HELP\_TEXT.....  
ID.....{A996A20C-2FD1-497B-857B-2728D18D51FB}  
TERM.....BEHAVIORAL

DATA VALUE: BELCHING

---

ABBREVIATION.....Belching  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Belching  
HELP\_TEXT.....  
ID.....{F0BF9D4D-F89E-41A1-A99F-90089FC619BD}  
TERM.....BELCHING

DATA VALUE: BELOW THE ELBOW

---

ABBREVIATION.....BelowElbow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Below the Elbow  
HELP\_TEXT.....  
ID.....{D897F561-6488-401E-B8DD-BD04CBF3B6F5}  
TERM.....BELOW THE ELBOW

DATA VALUE: BELOW THE KNEE

---

ABBREVIATION.....Belowknee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Below the Knee  
HELP\_TEXT.....  
ID.....{BCFFF8CC-7E7D-44AE-B5CA-A6F2254106C1}  
TERM.....BELOW THE KNEE

DATA VALUE: BIER BLOCK

---

ABBREVIATION.....Bier Blk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bier Block  
HELP\_TEXT.....  
ID.....{241C28E7-6040-4ABC-B76C-4255452C66FD}  
TERM.....BIER BLOCK

DATA VALUE: BIGEMINY

---

ABBREVIATION.....Bigeminy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bigeminy  
HELP\_TEXT.....  
ID.....{729FCAD7-EDA1-4CFD-A6CB-E291DDCF0255}  
TERM.....BIGEMINY

DATA VALUE: BILATERAL

---

ABBREVIATION.....Bilateral  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{FCD5361B-C674-473C-8F29-7B08650BA338}  
TERM.....BILATERAL

DATA VALUE: BIPAP - RESPIRONICS

-----  
ABBREVIATION.....BIPAP RESP  
ACTIVE.....Yes  
DESCRIPTION.....BiPap machine by Respiromics  
DISPLAY\_NAME.....Bipap - Respiromics  
HELP\_TEXT.....No Help Text  
ID.....{AA94A723-4C68-489F-88AC-2C6F276EAB76}  
TERM.....BIPAP - RESPIRONICS

DATA VALUE: BIPAP - VISION

-----  
ABBREVIATION.....BIPAP VISI  
ACTIVE.....Yes  
DESCRIPTION.....BiPap ventilator made by Vision  
DISPLAY\_NAME.....Bipap - Vision  
HELP\_TEXT.....No Help Text  
ID.....{AA39C765-BA1F-4289-B459-200A57C07FFF}  
TERM.....BIPAP - VISION

DATA VALUE: BIPAP/CPAP

-----  
ABBREVIATION.....BIPAP/CPAP  
ACTIVE.....Yes  
DESCRIPTION.....BiPap / CPAP machine  
DISPLAY\_NAME.....BiPap / CPAP machine  
HELP\_TEXT.....No Help Text  
ID.....{8D767C67-3712-410F-A96B-69C731E03C5D}  
TERM.....BIPAP/CPAP

DATA VALUE: BIPHASIC POSITIVE AIRWAY PRESSURE

-----  
ABBREVIATION.....BiPAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....BiPap  
HELP\_TEXT.....No Help Text  
ID.....{4802AB1E-A0AD-BB9F-E8BA-33863BCD3466}  
TERM.....BIPHASIC POSITIVE AIRWAY PRESSURE

DATA VALUE: BISMUTH GAUZE

-----  
ABBREVIATION.....WOU DR BIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bismuth Gauze  
HELP\_TEXT.....No Help-Text  
ID.....{010DED59-C808-4D92-A7F8-87AEB86B4439}  
TERM.....BISMUTH GAUZE

DATA VALUE: BITE

---

ABBREVIATION.....Bite  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bite  
HELP\_TEXT.....No Help Text  
ID.....{FC33E0AE-3130-4881-B9EF-9B81FBEC6AC0}  
TERM.....BITE

DATA VALUE: BITE BLOCK

---

ABBREVIATION.....BITE BLOCK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bite Block  
HELP\_TEXT.....No Help Text  
ID.....{E7CC51F3-08A8-5FEE-38B2-16B74E1F542E}  
TERM.....BITE BLOCK

DATA VALUE: BIVENTRICULAR

---

ABBREVIATION.....Biventricu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Biventricular  
HELP\_TEXT.....  
ID.....{6CF31D1A-5355-4E24-ACB1-8CC77089C528}  
TERM.....BIVENTRICULAR

DATA VALUE: BIZARRE

---

ABBREVIATION.....Bizarre  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bizarre  
HELP\_TEXT.....  
ID.....{1B03F376-6BD7-4FD3-BD43-26B1A95B4F57}  
TERM.....BIZARRE

DATA VALUE: BLACK

---

ABBREVIATION.....BLACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Black  
HELP\_TEXT.....No Help Text  
ID.....{7A55AFB9-6861-4918-0746-3D67D47FE5C3}  
TERM.....BLACK

DATA VALUE: BLACK/NECROTIC

---

ABBREVIATION.....BLACK/NECR  
ACTIVE.....Yes  
DESCRIPTION.....Black / Necrotic  
DISPLAY\_NAME.....Black / Necrotic  
HELP\_TEXT.....No Help Text  
ID.....{53519F9A-B844-41C7-A013-F9D2EA8E4BC0}  
TERM.....BLACK/NECROTIC

DATA VALUE: BLADDER SCAN

---

ABBREVIATION.....Blad Scan  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bladder Scan  
HELP\_TEXT.....  
ID.....{6C66BC97-1042-4E53-A49F-69AB7ABEE551}  
TERM.....BLADDER SCAN

DATA VALUE: BLADDER TRAINING

---

ABBREVIATION.....Blad Train  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bladder Training  
HELP\_TEXT.....  
ID.....{DB8DDD0C-C61F-4B40-93CE-A24759080974}  
TERM.....BLADDER TRAINING

DATA VALUE: BLANCHED

---

ABBREVIATION.....Blanched  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blanched  
HELP\_TEXT.....  
ID.....{EBB2EA8D-04BC-49E7-812A-62B46F0F4678}  
TERM.....BLANCHED

DATA VALUE: BLAND

---

ABBREVIATION.....BLAND  
ACTIVE.....Yes  
DESCRIPTION.....BLAND DIET  
DISPLAY\_NAME.....BLAND  
HELP\_TEXT.....No Help Text  
ID.....{38930AFE-ECF7-4548-857C-854E1B5BE148}  
TERM.....BLAND

DATA VALUE: BLEEDING

---

ABBREVIATION.....Bleeding  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bleeding  
HELP\_TEXT.....  
ID.....{B04CC38B-CB59-4E71-A3E0-1DBF11D152CD}  
TERM.....BLEEDING

DATA VALUE: BLIND (ACUTE CHANGE)

---

ABBREVIATION.....Blind(AC)  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blind (Acute Change)  
HELP\_TEXT.....  
ID.....{5844CE77-DFFB-4C45-90E7-469250407BB9}  
TERM.....BLIND (ACUTE CHANGE)

DATA VALUE: BLIND (BASELINE/CHRONIC)

---

ABBREVIATION.....BlindChron  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blind (Baseline/Chronic)  
HELP\_TEXT.....  
ID.....{DD5D96F1-EB24-43A8-BBAA-ABCC69D4D587}  
TERM.....BLIND (BASELINE/CHRONIC)

DATA VALUE: BLISTERING

---

ABBREVIATION.....BLISTERING  
ACTIVE.....Yes  
DESCRIPTION.....Blistering  
DISPLAY\_NAME.....Blistering  
HELP\_TEXT.....No Help Text  
ID.....{3A4212D5-F2A8-4636-BB7F-F36FA8CED192}  
TERM.....BLISTERING

DATA VALUE: BLOATING

---

ABBREVIATION.....Bloating  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bloating  
HELP\_TEXT.....  
ID.....{5B8258C5-9C46-4071-B4A6-E94632252A88}  
TERM.....BLOATING

DATA VALUE: BLOCKING

---

ABBREVIATION.....Blocking  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blocking  
HELP\_TEXT.....  
ID.....{031E84F8-95F8-4B2B-93A1-DEACB4A702BA}  
TERM.....BLOCKING

DATA VALUE: BLOOD CELL DISORDERS

---

ABBREVIATION.....BloodDisor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blood Cell Disorders  
HELP\_TEXT.....  
ID.....{69379614-22CB-43B2-9F04-4FCAA2B7A8C7}  
TERM.....BLOOD CELL DISORDERS

DATA VALUE: BLOOD GLUCOSE MONITORING

---

ABBREVIATION.....Bl Glu Mon  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blood Glucose Monitoring  
HELP\_TEXT.....  
ID.....{525C8F3C-F8F5-4158-9CDE-3A7B306BADC5}  
TERM.....BLOOD GLUCOSE MONITORING

DATA VALUE: BLOOD PRESSURE

---

ABBREVIATION.....Blood Pres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blood Pressure  
HELP\_TEXT.....  
ID.....{D6E2D19A-0B74-476A-90BF-B7C98CC7361A}  
TERM.....BLOOD PRESSURE

DATA VALUE: BLOOD STREAKED

---

ABBREVIATION.....BLOOD STRE  
ACTIVE.....Yes  
DESCRIPTION.....Blood Streaked  
DISPLAY\_NAME.....Blood Streaked  
HELP\_TEXT.....Blood Streaked  
ID.....{AEC5607D-806F-49AE-8436-DC47F49F39BC}  
TERM.....BLOOD STREAKED

DATA VALUE: BLOOD TRANSFUSION IV

-----  
ABBREVIATION.....BI TRAN IV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Blood Transfusion IV  
HELP\_TEXT.....No Help Text  
ID.....{27A0BE4C-433C-F920-BAC2-066F304BDF59}  
TERM.....BLOOD TRANSFUSION IV

DATA VALUE: BLOOD TRANSFUSION REACTIONS

-----  
ABBREVIATION.....TransReact  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blood Transfusion Reactions  
HELP\_TEXT.....  
ID.....{6FF74FA2-458A-4F3A-8C20-0E12F23DD933}  
TERM.....BLOOD TRANSFUSION REACTIONS

DATA VALUE: BLOODY

-----  
ABBREVIATION.....BLOODY  
ACTIVE.....Yes  
DESCRIPTION.....Containing blood  
DISPLAY\_NAME.....Bloody  
HELP\_TEXT.....No Help Text  
ID.....{D7904E84-8331-D6DD-F2C0-7F3039C5746A}  
TERM.....BLOODY

DATA VALUE: BLUE

-----  
ABBREVIATION.....BLUE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Blue  
HELP\_TEXT.....No Help Text  
ID.....{8FA78575-E1DD-4E6E-BC43-9E5C92E2B7E5}  
TERM.....BLUE

DATA VALUE: BLUNTED

-----  
ABBREVIATION.....Blunted  
ACTIVE.....Yes  
DESCRIPTION.....Blunted  
DISPLAY\_NAME.....Blunted  
HELP\_TEXT.....No Help Text  
ID.....{F119F2DA-9182-2480-BA75-02D39F4FF69B}  
TERM.....BLUNTED

DATA VALUE: BLURRED

---

ABBREVIATION.....Blurred  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blurred  
HELP\_TEXT.....  
ID.....{890452C4-B8FB-4343-9724-C6248B13633C}  
TERM.....BLURRED

DATA VALUE: BLURRED VISION

---

ABBREVIATION.....Blurred Vi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Blurred Vision  
HELP\_TEXT.....  
ID.....{1CD10C9B-28E5-49BA-AA6A-0FA3686A9E85}  
TERM.....BLURRED VISION

DATA VALUE: BMI>35KG/M2

---

ABBREVIATION.....BMI>35KG/M  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....BMI > 35kg/m2  
HELP\_TEXT.....  
ID.....{FD3D1D68-DD58-44B5-BEB2-0D4324F8353E}  
TERM.....BMI>35KG/M2

DATA VALUE: BODY ODOR

---

ABBREVIATION.....Body Odor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Body Odor  
HELP\_TEXT.....  
ID.....{4EBF01BA-0BBF-4DDD-828F-01489D95B41E}  
TERM.....BODY ODOR

DATA VALUE: BONE

---

ABBREVIATION.....BONE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bone  
HELP\_TEXT.....No Help Text  
ID.....{3729DEB9-0967-4B32-86B7-409CF27C8625}  
TERM.....BONE

DATA VALUE: BOOST

---

ABBREVIATION.....Boost  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Boost  
HELP\_TEXT.....  
ID.....{2D15A3E9-41D2-4099-ADDC-7A1FAD770FF5}  
TERM.....BOOST

DATA VALUE: BOOST PLUS

---

ABBREVIATION.....Boost Plus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Boost Plus  
HELP\_TEXT.....  
ID.....{432C8151-10CE-4804-939D-6B6B609BE54A}  
TERM.....BOOST PLUS

DATA VALUE: BORDERLINE REDUCED

---

ABBREVIATION.....BORD REDUC  
ACTIVE.....Yes  
DESCRIPTION.....Borderline Reduced  
DISPLAY\_NAME.....Borderline Reduced  
HELP\_TEXT.....No Help Text  
ID.....{63703AB1-6249-403B-BDE8-FECA9FA36CF5}  
TERM.....BORDERLINE REDUCED

DATA VALUE: BOWEL TRAINING

---

ABBREVIATION.....BowelTrain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bowel Training  
HELP\_TEXT.....  
ID.....{071E4311-63C0-4FA1-8AAE-4D54D5912E68}  
TERM.....BOWEL TRAINING

DATA VALUE: BRADEN FRICTION AND SHEAR 1 PROBLEM

---

ABBREVIATION.....BS F/S 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Friction and Shear 1  
Problem  
DISPLAY\_NAME.....1 - Problem  
HELP\_TEXT.....Requires moderate to maximum  
assistance in moving. Complete  
lifting without sliding against  
sheets is impossible. Frequently  
slides down in bed or chair,  
requiring frequent repositioning with  
maximum assistance.  
ID.....{AF8D2952-E0DA-411E-91CC-0114F4EB1C33}  
TERM.....BRADEN FRICTION AND SHEAR 1 PROBLEM

DATA VALUE: BRADEN SCALE ACTIVITY 1 BEDFAST

-----  
ABBREVIATION.....BS ACT 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 1 Bedfast  
DISPLAY\_NAME.....1 - Bedfast  
HELP\_TEXT.....Confined to bed  
ID.....{B9382966-5DE9-4D1C-BEC7-4DEBC5D6DCF5}  
TERM.....BRADEN SCALE ACTIVITY 1 BEDFAST

DATA VALUE: BRADEN SCALE ACTIVITY 2 CHAIRFAST

-----  
ABBREVIATION.....BS ACT 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 2 Chairfast  
DISPLAY\_NAME.....2 - Chairfast  
HELP\_TEXT.....Ability to walk severely limited or  
non-existent. Cannot bear own weight  
and/or must be assisted into chair or  
wheelchair.  
ID.....{CDBB8C3B-B53A-4A0D-91ED-8A53CFE1485F}  
TERM.....BRADEN SCALE ACTIVITY 2 CHAIRFAST

DATA VALUE: BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY

-----  
ABBREVIATION.....BS ACT 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 3 Walks  
Occasionally  
DISPLAY\_NAME.....3 - Walks Occasionally  
HELP\_TEXT.....Walks occasionally during day, but  
for very short distances, with or  
without assistance. Spends majority  
of each shift in bed or chair.  
ID.....{E47B47BC-6097-4602-9184-BF5A4F6D686A}  
TERM.....BRADEN SCALE ACTIVITY 3 WALKS  
OCCASIONALLY

DATA VALUE: BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY

-----  
ABBREVIATION.....BS ACT 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Activity 4 Walks  
Frequently  
DISPLAY\_NAME.....4 - Walks Frequently  
HELP\_TEXT.....Walks outside room at least twice a  
day and inside room at least once  
every two hours during waking hours.  
ID.....{C5A8C2EA-E042-4804-9812-77603C47FC6A}  
TERM.....BRADEN SCALE ACTIVITY 4 WALKS  
FREQUENTLY

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM

-----  
ABBREVIATION.....BS F/S 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Friction and Shear 2  
Potential Problem  
DISPLAY\_NAME.....2 - Potential Problem  
HELP\_TEXT.....Moves feebly or requires minimum

assistance. During a move skin  
probably slides to some extent  
against sheets, chair, restraints or  
other devices. Maintains relatively  
good position in chair or bed most of  
the time but occasionally slides down

ID.....{B56338A9-8956-4D27-8BA0-DA50E07359E0}

TERM.....BRADEN SCALE FRICTION AND SHEAR 2  
POTENTIAL PROBLEM

DATA VALUE: BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM

-----  
ABBREVIATION.....BS F/S 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Friction and Shear 3 No  
                  Apparent Problem  
DISPLAY\_NAME.....3 - No Apparent Problem  
HELP\_TEXT.....No Apparent Problem  
ID.....{9850E2BF-6600-4E66-8FCD-1517D903BC0F}  
TERM.....BRADEN SCALE FRICTION AND SHEAR 3 NO  
                  APPARENT PROBLEM

DATA VALUE: BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE

-----  
ABBREVIATION.....BS MOB 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 1 Completely  
                  Immobile  
DISPLAY\_NAME.....1 - Completely Immobile  
HELP\_TEXT.....Does not make even slight changes in  
                  body or extremity position without  
                  assistance  
ID.....{7607574E-D4C2-4E64-8DC5-ABE7D00917A6}  
TERM.....BRADEN SCALE MOBILITY 1 COMPLETELY  
                  IMMOBILE

DATA VALUE: BRADEN SCALE MOBILITY 2 VERY LIMITED

-----  
ABBREVIATION.....BS MOB 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 2 Very Limited  
DISPLAY\_NAME.....2 - Very Limited  
HELP\_TEXT.....Makes occasional slight changes in  
                  body or extremity position but unable  
                  to make frequent or significant  
                  changes independently  
ID.....{868EFA33-877E-4B91-B4FD-9655F66A7160}  
TERM.....BRADEN SCALE MOBILITY 2 VERY LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED

-----  
ABBREVIATION.....BS MOB 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 3 Slightly  
                  Limited  
DISPLAY\_NAME.....3 - Slightly Limited  
HELP\_TEXT.....Makes frequent though slight changes  
                  in body or extremity position  
                  independently  
ID.....{C54B0A8F-46F1-4DFA-9C24-AB6C2A29CA82}  
TERM.....BRADEN SCALE MOBILITY 3 SLIGHTLY  
                  LIMITED

DATA VALUE: BRADEN SCALE MOBILITY 4 NO LIMITATION

-----  
ABBREVIATION.....BS MOB 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Mobility 4 No Limitation  
DISPLAY\_NAME.....4 - No Limitation  
HELP\_TEXT.....Makes major and frequent changes in

position without assistance

ID.....{84BFB8D0-D6E4-4384-88EE-28B7C4EDB275}  
TERM.....BRADEN SCALE MOBILITY 4 NO LIMITATION

DATA VALUE: BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST

-----  
ABBREVIATION.....BS MOI 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 1 Constantly  
Moist  
DISPLAY\_NAME.....1 - Constantly Moist  
HELP\_TEXT.....Skin is kept moist almost constantly  
by perspiration, urine, etc. Dampness  
is detected every time patient is  
moved or turned  
ID.....{3E2569BA-ECF0-4622-8F4A-26378A2CB466}  
TERM.....BRADEN SCALE MOISTURE 1 CONSTANTLY  
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 2 VERY MOIST

-----  
ABBREVIATION.....BS MOI 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 2 Very Moist  
DISPLAY\_NAME.....2 - Very Moist  
HELP\_TEXT.....Skin is often, but not always moist.  
Linen must be changed at least once a  
shift  
ID.....{2C6D15A3-6166-4D7D-B200-B58EC9C2CABE}  
TERM.....BRADEN SCALE MOISTURE 2 VERY MOIST

DATA VALUE: BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST

-----  
ABBREVIATION.....BS MOI 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 3 Occasionally  
Moist  
DISPLAY\_NAME.....3 - Occasionally Moist  
HELP\_TEXT.....Skin is occasionally moist, requiring  
an extra linen change approximately  
once a day  
ID.....{D7F2714B-B0C7-4000-8588-8582C1B32ECE}  
TERM.....BRADEN SCALE MOISTURE 3 OCCASIONALLY  
MOIST

DATA VALUE: BRADEN SCALE MOISTURE 4 RARELY MOIST

-----  
ABBREVIATION.....BS MOI 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Moisture 4 Rarely Moist  
DISPLAY\_NAME.....4 - Rarely Moist  
HELP\_TEXT.....Skin is usually dry, linen only  
requires changing at routine  
intervals  
ID.....{745EA3B9-18C9-4CF3-9DB8-9806A02656E8}  
TERM.....BRADEN SCALE MOISTURE 4 RARELY MOIST

DATA VALUE: BRADEN SCALE NUTRITION 1 VERY POOR

-----  
ABBREVIATION.....BS NUT 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 1 Very Poor  
DISPLAY\_NAME.....1 - Very Poor  
HELP\_TEXT.....Never eats a complete meal. Rarely

eats more than 1/2 of any food offered. Eats 2 servings or less of protein per day. Takes fluids poorly, does not take a liquid supplement. OR is NPO maintained on clear liquids or IV's for more than 5 days

ID.....{28A86074-A6B2-455E-ABA4-19195C2E3679}  
TERM.....BRADEN SCALE NUTRITION 1 VERY POOR

DATA VALUE: BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE

-----  
ABBREVIATION.....BS NUT 2  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 2 Probably  
Inadequate  
DISPLAY\_NAME.....2 - Probably Inadequate  
HELP\_TEXT.....Rarely eats a complete meal and  
generally eats only about 2 of any  
food offered. Protein intake includes  
only 3 servings of meat or dairy  
products per day. Occasionally will  
take a dietary supplement. OR  
receives less than optimum amount of  
liquid.  
ID.....{7DAB22F6-22E4-4A8B-A6A5-CD1277EB6B87}  
TERM.....BRADEN SCALE NUTRITION 2 PROBABLY  
INADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 3 ADEQUATE

-----  
ABBREVIATION.....BS NUT 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 3 Adequate  
DISPLAY\_NAME.....3 - Adequate  
HELP\_TEXT.....Eats over half of most meals. Eats a  
total of 4 servings of protein (meat,  
dairy products) per day. Occasionally  
will refuse a meal, but will usually  
take a supplement when offered. OR is  
on a tube feeding or TPN regimen.  
ID.....{3A8A9C59-8DC5-49A9-BAC9-882CB75D8FD5}  
TERM.....BRADEN SCALE NUTRITION 3 ADEQUATE

DATA VALUE: BRADEN SCALE NUTRITION 4 EXCELLENT

-----  
ABBREVIATION.....BS NUT 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Nutrition 4 Excellent  
DISPLAY\_NAME.....4 - Excellent  
HELP\_TEXT.....Eats most of every meal. Never  
refuses a meal. Usually eats a total  
of 4 or more servings of meat and  
dairy products. Occasionally eats  
between meals. Does NOT require  
supplements  
ID.....{F09E4D35-1AA8-49A5-9B38-FBFFAFCF181}  
TERM.....BRADEN SCALE NUTRITION 4 EXCELLENT

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED

-----  
ABBREVIATION.....BS SENC 1  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Sensory Perception 1  
Completely Limited  
DISPLAY\_NAME.....1 - Completely Limited  
HELP\_TEXT.....Unresponsive (does not moan, flinch  
or grasp) to painful stimuli, due to  
diminished level of consciousness or  
sedation. OR limited ability to feel

pain over most of body

ID.....{60F646B3-790F-4C5A-B2A0-845915E120E6}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 1  
COMPLETELY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED

---

ABBREVIATION.....BS SENC 2

ACTIVE.....Yes

DESCRIPTION.....Braden Scale Sensory Perception 2  
Very Limited

DISPLAY\_NAME.....2 - Very Limited

HELP\_TEXT.....Responds only to painful stimuli.

Cannot Communicate discomfort except  
by moaning or restlessness. OR has a  
sensory impairment which limits the  
ability to feel pain or discomfort  
over 1/2 of the body

ID.....{98362E63-7245-4E7F-8C30-896A9B923199}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 2  
VERY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED

-----  
ABBREVIATION.....BS SENC 3  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Sensory Perception 3  
              Slightly Limited  
DISPLAY\_NAME.....3 - Slightly Limited  
HELP\_TEXT.....Responds to verbal commands, but  
              cannot always communicate discomfort  
              or the need to be turned. OR has some  
              sensory impairment which limits  
              ability to feel pain or discomfort in  
              one or two extremities.  
ID.....{1D01D47D-CDC2-40EE-837B-5417D6EE47D6}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 3  
              SLIGHTLY LIMITED

DATA VALUE: BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT

-----  
ABBREVIATION.....BS SENC 4  
ACTIVE.....Yes  
DESCRIPTION.....Braden Scale Sensory Perception 4 No  
              Impairment  
DISPLAY\_NAME.....4 - No Impairment  
HELP\_TEXT.....Responds to verbal commands. Has no  
              sensory deficit which would limit  
              ability to feel or voice pain or  
              discomfort.  
ID.....{10304656-E5E8-4F32-8358-A9F80511EFDA}  
TERM.....BRADEN SCALE SENSORY PERCEPTION 4 NO  
              IMPAIRMENT

DATA VALUE: BRAWNY (CHRONIC DISCOLORED)

-----  
ABBREVIATION.....Brawny  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Brawny (Chronic Discolored)  
HELP\_TEXT.....  
ID.....{1EF19911-1556-42D0-BDF7-37858BD40E24}  
TERM.....BRAWNY (CHRONIC DISCOLORED)

DATA VALUE: BREAKDOWN

-----  
ABBREVIATION.....BREAKDOWN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Breakdown  
HELP\_TEXT.....Use comment to describe breakdown  
ID.....{9CFD21C0-A805-47C4-E559-8033C754DE80}  
TERM.....BREAKDOWN

DATA VALUE: BREAKFAST

-----  
ABBREVIATION.....Breakfast  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Breakfast  
HELP\_TEXT.....  
ID.....{59166132-625E-4E1E-9D97-13BF678EA726}

TERM.....BREAKFAST

DATA VALUE: BREAKTHROUGH (SHORT ACTING ORAL OPIOIDS ARE PRIMARY ANALGESIC)

---

ABBREVIATION.....Breakthru  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Breakthrough (Short Acting Oral  
                  Opioids are Primary analgesic)  
HELP\_TEXT.....  
ID.....{6A0E6D5C-F687-411E-8DDE-FA7958AF84D1}  
TERM.....BREAKTHROUGH (SHORT ACTING ORAL  
                  OPIOIDS ARE PRIMARY ANALGESIC)

DATA VALUE: BREAST

---

ABBREVIATION.....Breast  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Breast  
HELP\_TEXT.....  
ID.....{31ABEC65-FAEE-44F9-8E1E-BD62E22E9AAE}  
TERM.....BREAST

DATA VALUE: BRIDGE PRESENT

---

ABBREVIATION.....bridge pre  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bridge Present  
HELP\_TEXT.....  
ID.....{5C474C17-33C9-492D-833E-64F5EF049BF4}  
TERM.....BRIDGE PRESENT

DATA VALUE: BRIDLE

---

ABBREVIATION.....Bridle  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bridle  
HELP\_TEXT.....  
ID.....{A9E6BF67-D674-4764-9E4C-153270872CEA}  
TERM.....BRIDLE

DATA VALUE: BRIGHT

---

ABBREVIATION.....Bright  
ACTIVE.....Yes  
DESCRIPTION.....Bright  
DISPLAY\_NAME.....Bright  
HELP\_TEXT.....No Help Text  
ID.....{D16542CE-0403-2C68-A361-125CB3C75ABA}  
TERM.....BRIGHT

DATA VALUE: BRISK

---

ABBREVIATION.....brisk  
ACTIVE.....Yes  
DESCRIPTION.....Brisk  
DISPLAY\_NAME.....Brisk  
HELP\_TEXT.....No Help Text  
ID.....{980AE687-0A78-458B-BA7B-5D646C38A5F5}  
TERM.....BRISK

DATA VALUE: BROWN

---

ABBREVIATION.....BROWN  
ACTIVE.....Yes  
DESCRIPTION.....The color brown  
DISPLAY\_NAME.....Brown  
HELP\_TEXT.....The color brown  
ID.....{A1C32FBC-7B4D-707C-CA58-92A2E201368E}  
TERM.....BROWN

DATA VALUE: BRUISED

---

ABBREVIATION.....bruised  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bruised  
HELP\_TEXT.....No Help Text  
ID.....{FA5B38A7-7744-186F-055A-8458D696AF33}  
TERM.....BRUISED

DATA VALUE: BRUIT

---

ABBREVIATION.....BRUIT  
ACTIVE.....Yes  
DESCRIPTION.....Bruit  
DISPLAY\_NAME.....Bruit  
HELP\_TEXT.....No Help Text  
ID.....{2627E78A-B8B3-44EE-BC6F-4DAB16394F8C}  
TERM.....BRUIT

DATA VALUE: BUCKS TRACTION

---

ABBREVIATION.....BUCK TRACT  
ACTIVE.....Yes  
DESCRIPTION.....Buck's Traction  
DISPLAY\_NAME.....Buck's Traction  
HELP\_TEXT.....Buck's Traction  
ID.....{5E63F920-02D7-4729-8F30-A53A0A6E1EA0}  
TERM.....BUCKS TRACTION

DATA VALUE: BULB

---

ABBREVIATION.....Bulb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bulb  
HELP\_TEXT.....  
ID.....{2390453E-3353-40EB-B2D7-EF770B67F037}  
TERM.....BULB

DATA VALUE: BULB SUCTION

---

ABBREVIATION.....Bulb Sucti  
ACTIVE.....Yes  
DESCRIPTION.....Bulb Suction Drain  
DISPLAY\_NAME.....Bulb Suction Drain  
HELP\_TEXT.....No Help Text  
ID.....{B0839A82-BB79-BB9F-5E4E-0ED67F716A50}  
TERM.....BULB SUCTION

DATA VALUE: BULLET

---

ABBREVIATION.....BULLET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bullet  
HELP\_TEXT.....No Help Text  
ID.....{1570D8E2-D936-494D-AF6E-13838EA34EFD}  
TERM.....BULLET

DATA VALUE: BUPIVACAINE

---

ABBREVIATION.....Bupivicain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bupivacaine  
HELP\_TEXT.....  
ID.....{03B908B3-365A-47F6-8D71-8F8FE1D2C16B}  
TERM.....BUPIVACAINE

DATA VALUE: BURN

---

ABBREVIATION.....BURN  
ACTIVE.....Yes  
DESCRIPTION.....Burn  
DISPLAY\_NAME.....Burn  
HELP\_TEXT.....No Help Text  
ID.....{97B37D7A-28C6-4ABF-8D09-1FC49D5F160F}  
TERM.....BURN

DATA VALUE: BURNING

---

ABBREVIATION.....BURNING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Burning  
HELP\_TEXT.....No Help Text  
ID.....{D75E2D5D-9CF9-4E70-A2EB-0632EBDB82C9}  
TERM.....BURNING

DATA VALUE: BY PROVIDER ORDER

---

ABBREVIATION.....BY ORDER  
ACTIVE.....Yes  
DESCRIPTION.....By Provider Order  
DISPLAY\_NAME.....By Provider Order  
HELP\_TEXT.....No Help Text  
ID.....{C038BC16-44CF-4933-BECC-B0F1A1B12603}  
TERM.....BY PROVIDER ORDER

DATA VALUE: C1

---

ABBREVIATION.....C1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C1  
HELP\_TEXT.....  
ID.....{F942693D-F272-4A70-81FF-E750BAF082B9}  
TERM.....C1

DATA VALUE: C2

---

ABBREVIATION.....C2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C2  
HELP\_TEXT.....  
ID.....{EE1C5D26-12DE-42ED-A46C-63D66BC145C5}  
TERM.....C2

DATA VALUE: C3

---

ABBREVIATION.....C3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C3  
HELP\_TEXT.....  
ID.....{B53D0E0E-7BF0-4D26-B4DD-D072035E307E}  
TERM.....C3

DATA VALUE: C4

-----  
ABBREVIATION.....C4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C4  
HELP\_TEXT.....  
ID.....{A7B5DC47-8E3E-4B23-826C-7F7D5FE0C6BF}  
TERM.....C4

DATA VALUE: C5

-----  
ABBREVIATION.....C5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....C5  
HELP\_TEXT.....  
ID.....{30EA5569-8E29-4B5E-ABA3-598B7C39A8D4}  
TERM.....C5

DATA VALUE: CADEXOMER IODINE

-----  
ABBREVIATION.....CADEXO IOD  
ACTIVE.....Yes  
DESCRIPTION.....Cadexomer Iodine  
DISPLAY\_NAME.....Cadexomer Iodine  
HELP\_TEXT.....No Help Text  
ID.....{C83E41AA-6A1F-43CC-AB2E-7F6555FECD92}  
TERM.....CADEXOMER IODINE

DATA VALUE: CALCIUM ALGINATE

-----  
ABBREVIATION.....CA ALGINAT  
ACTIVE.....Yes  
DESCRIPTION.....Calcium Alginate  
DISPLAY\_NAME.....Calcium Alginate  
HELP\_TEXT.....No Help Text  
ID.....{2B2ACD25-A77B-4D39-8598-B26FD9BAFFC2}  
TERM.....CALCIUM ALGINATE

DATA VALUE: CALM

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Calm  
HELP\_TEXT.....No Help Text  
ID.....{E206C3F5-6977-302C-51FB-AF2155B5FFD9}  
TERM.....CALM

DATA VALUE: CAMERA NOT IN USE

---

ABBREVIATION.....Not in Use  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Camera Not in Use  
HELP\_TEXT.....  
ID.....{F385A6A7-F0EB-4E4A-84E7-A87AD31BA2E2}  
TERM.....CAMERA NOT IN USE

DATA VALUE: CANE

---

ABBREVIATION.....CANE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cane  
HELP\_TEXT.....No Help Text  
ID.....{562B2E0B-0298-44C6-B33B-BC57DE6CBC3C}  
TERM.....CANE

DATA VALUE: CANES

---

ABBREVIATION.....CANES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Canes  
HELP\_TEXT.....No Help Text  
ID.....{DF37C541-1C7D-4527-A4D2-31867B5ED438}  
TERM.....CANES

DATA VALUE: CARDIAC

---

ABBREVIATION.....Cardiac  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardiac  
HELP\_TEXT.....  
ID.....{2A4308E5-C843-4844-B908-32DA0A0B50E3}  
TERM.....CARDIAC

DATA VALUE: CARDIAC CHAIR

---

ABBREVIATION.....cc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cardiac Chair  
HELP\_TEXT.....No Help Text  
ID.....{D4A2CFC1-D3A4-696B-4062-AFB2DAFFD76A}  
TERM.....CARDIAC CHAIR

DATA VALUE: CARDIAC DIET

-----  
ABBREVIATION.....CARD DIET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CARDIAC DIET  
HELP\_TEXT.....No Help Text  
ID.....{218A883D-32A0-438D-B453-7CBCE02693A3}  
TERM.....CARDIAC DIET

DATA VALUE: CARDIAC OUTPUT INJECTATE

-----  
ABBREVIATION.....CARD OUT I  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Output Injectate  
DISPLAY\_NAME.....Cardiac Output Injectate  
HELP\_TEXT.....No Help Text  
ID.....{19605CAB-8D54-4704-819B-20ABDAB6C604}  
TERM.....CARDIAC OUTPUT INJECTATE

DATA VALUE: CARDIAC REPOSITION

-----  
ABBREVIATION.....CARD REPOS  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Reposition  
DISPLAY\_NAME.....Cardiac Reposition  
HELP\_TEXT.....No Help Text  
ID.....{E133FE5A-20E1-418F-BD90-D2DFE14908C0}  
TERM.....CARDIAC REPOSITION

DATA VALUE: CARDIAC/HEMODYNAMIC INSTABILITY

-----  
ABBREVIATION.....CarHemInst  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardiac/Hemodynamic Instability  
HELP\_TEXT.....  
ID.....{312130CF-224F-435B-8A9F-D3C2F6795A0A}  
TERM.....CARDIAC/HEMODYNAMIC INSTABILITY

DATA VALUE: CARDIO-RESP MONITOR

-----  
ABBREVIATION.....Cardio-Re  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardio-Resp Monitor  
HELP\_TEXT.....  
ID.....{4402EC2C-2096-4DF7-BD4A-AE66C67035E0}  
TERM.....CARDIO-RESP MONITOR

DATA VALUE: CARDIOLOGY PROCEDURE ROOM

-----  
ABBREVIATION.....Cardio Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardiology Procedure Room  
HELP\_TEXT.....  
ID.....{744142F5-D301-4509-A96D-06AB8C1D2C81}  
TERM.....CARDIOLOGY PROCEDURE ROOM

DATA VALUE: CAREGIVER

-----  
ABBREVIATION.....CAREGIVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Caregiver  
HELP\_TEXT.....No Help Text  
ID.....{F9B8BABE-2F05-437D-85C8-585FC1FFC07F}  
TERM.....CAREGIVER

DATA VALUE: CAREGIVER STRESS

-----  
ABBREVIATION.....Care Stres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Caregiver Stress  
HELP\_TEXT.....  
ID.....{A6A201E7-259C-485E-A35E-9F2F3489B24F}  
TERM.....CAREGIVER STRESS

DATA VALUE: CASS ENDOTRACHEAL TUBE

-----  
ABBREVIATION.....CASS  
ACTIVE.....Yes  
DESCRIPTION.....CASS Endotracheal Tube  
DISPLAY\_NAME.....CASS Endotracheal Tube  
HELP\_TEXT.....Mucous Slurping Endotracheal Tube  
ID.....{02BF805C-DF35-4DAB-A99F-2ED673174E49}  
TERM.....CASS ENDOTRACHEAL TUBE

DATA VALUE: CAST BOOT

-----  
ABBREVIATION.....Cast Boot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cast Boot  
HELP\_TEXT.....  
ID.....{CE9C92F0-8312-49BB-ABA5-BA91A3468664}  
TERM.....CAST BOOT

DATA VALUE: CAST SHOE

-----  
ABBREVIATION.....Cast Shoe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cast Shoe  
HELP\_TEXT.....  
ID.....{1E8397A4-E079-4AB1-B59C-4BA4E3D03DB8}  
TERM.....CAST SHOE

DATA VALUE: CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL

-----  
ABBREVIATION.....Cath Secur  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cath Secured with Drain Bag Below  
Pt's Bladder Level  
HELP\_TEXT.....  
ID.....{A2D2ABF1-88D4-46A2-B935-33211292FF25}  
TERM.....CATH SECURED WITH DRAIN BAG BELOW  
PT'S BLADDER LEVEL

DATA VALUE: CATH SIZE DOCUMENTED

-----  
ABBREVIATION.....Cath Size  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cath Size Documented  
HELP\_TEXT.....  
ID.....{FB8BE4D4-41C7-4F8C-AD17-74F8FE170BC3}  
TERM.....CATH SIZE DOCUMENTED

DATA VALUE: CATHETER

-----  
ABBREVIATION.....CATHETER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Catheter  
HELP\_TEXT.....No Help Text  
ID.....{B0D1AAD7-012D-D3E8-3216-1F71A1EC685E}  
TERM.....CATHETER

DATA VALUE: CATHETERIZATION TIME DOCUMENTED

-----  
ABBREVIATION.....Cath Time  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME..... Catheterization Time Documented  
HELP\_TEXT.....  
ID.....{4EF58FCA-A5E1-454C-B435-5BFB487618F4}  
TERM.....CATHETERIZATION TIME DOCUMENTED

DATA VALUE: CEILING LIFT

---

ABBREVIATION.....CeilLift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ceiling Lift  
HELP\_TEXT.....  
ID.....{D6D56490-CDFB-4EEA-A372-E590B93F7A6F}  
TERM.....CEILING LIFT

DATA VALUE: CELLULITIS

---

ABBREVIATION.....CELLULITIS  
ACTIVE.....Yes  
DESCRIPTION.....Cellulitis  
DISPLAY\_NAME.....Cellulitis  
HELP\_TEXT.....No Help Text  
ID.....{709F8795-0D4A-4E98-AB82-DD3E2AA7EA7B}  
TERM.....CELLULITIS

DATA VALUE: CENTRAL ECG

---

ABBREVIATION.....cecg  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Central ECG  
HELP\_TEXT.....No Help Text  
ID.....{26D36175-E4E3-C364-3018-1B0DB4DC4793}  
TERM.....CENTRAL ECG

DATA VALUE: CENTRAL VENOUS CATHETER

---

ABBREVIATION.....CENT VEN C  
ACTIVE.....Yes  
DESCRIPTION.....Central Venous Catheter  
DISPLAY\_NAME.....Central Venous Catheter  
HELP\_TEXT.....No Help Text  
ID.....{EE91E841-C09B-4432-A121-8EBAB92E9CD2}  
TERM.....CENTRAL VENOUS CATHETER

DATA VALUE: CERVICAL COLLAR

---

ABBREVIATION.....CervCollar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cervical Collar  
HELP\_TEXT.....  
ID.....{200D3589-1C0A-480F-956A-BC2F175C2AF9}  
TERM.....CERVICAL COLLAR

DATA VALUE: CERVICAL SPINAL PRECAUTIONS

---

ABBREVIATION.....CERV S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cervical Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{A15F7127-2367-464A-AB7D-1E6A7C09AA21}  
TERM.....CERVICAL SPINAL PRECAUTIONS

DATA VALUE: CEVICAL SPINE DISEASE

---

ABBREVIATION.....CerSpiDis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cevical Spine Disease  
HELP\_TEXT.....  
ID.....{3246F061-200A-40F3-8285-1256EFD042F0}  
TERM.....CEVICAL SPINE DISEASE

DATA VALUE: CF: COUNTING FINGERS

---

ABBREVIATION.....CF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CF: Counting Fingers  
HELP\_TEXT.....  
ID.....{3AFD9EDB-98A2-498A-AD95-F5285130CC03}  
TERM.....CF: COUNTING FINGERS

DATA VALUE: CHAIR

---

ABBREVIATION.....CHAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chair  
HELP\_TEXT.....No Help Text  
ID.....{5B8A5DBD-7462-4653-8D1F-CA8B1226DE38}  
TERM.....CHAIR

DATA VALUE: CHANGED

---

ABBREVIATION.....CHANGED  
ACTIVE.....Yes  
DESCRIPTION.....Changed  
DISPLAY\_NAME.....Changed  
HELP\_TEXT.....No Help Text  
ID.....{74B14023-D74D-41F6-AA48-B0E5137623CD}  
TERM.....CHANGED

DATA VALUE: CHART VERIFIED CORRECT

---

ABBREVIATION.....Chart Ver  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Chart Verified Correct  
HELP\_TEXT.....  
ID.....{319E702F-C7A9-409D-881F-3F4D1D9AF393}  
TERM.....CHART VERIFIED CORRECT

DATA VALUE: CHEMOTHERAPY

---

ABBREVIATION.....Chemo  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Chemotherapy  
HELP\_TEXT.....  
ID.....{4B0F2808-0090-4646-BE79-A745A9073F2C}  
TERM.....CHEMOTHERAPY

DATA VALUE: CHEST PAIN (ANGINA)

---

ABBREVIATION.....Chest Pain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Chest Pain (Angina)  
HELP\_TEXT.....  
ID.....{510CBEB1-FB0F-4FC0-8462-28C9A543C895}  
TERM.....CHEST PAIN (ANGINA)

DATA VALUE: CHEYNE-STOKES

---

ABBREVIATION.....CHEYNE-STO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cheyne-Stokes  
HELP\_TEXT.....No Help Text  
ID.....{58DD2B80-B522-499C-2C60-C48A654BAD84}  
TERM.....CHEYNE-STOKES

DATA VALUE: CHRONIC

---

ABBREVIATION.....Chronic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Chronic  
HELP\_TEXT.....  
ID.....{6A1CBCF6-E407-4064-8C5F-6BDEB2A35363}  
TERM.....CHRONIC

DATA VALUE: CIRCULATION CHECK

---

ABBREVIATION.....ccq  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Circulation Check  
HELP\_TEXT.....No Help Text  
ID.....{BA32C2A8-F15C-84EF-4859-6277EFA6463A}  
TERM.....CIRCULATION CHECK

DATA VALUE: CIRCUMDUCTION

---

ABBREVIATION.....Circumduct  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Circumduction  
HELP\_TEXT.....  
ID.....{1CB99F8A-CEBE-492D-A963-A676A333DA59}  
TERM.....CIRCUMDUCTION

DATA VALUE: CLAMPED

---

ABBREVIATION.....CLAMPED  
ACTIVE.....Yes  
DESCRIPTION.....Clamped  
DISPLAY\_NAME.....Clamped  
HELP\_TEXT.....No Help Text  
ID.....{B86865B8-078A-4996-B5EC-46A4A99D5A7D}  
TERM.....CLAMPED

DATA VALUE: CLASS I

---

ABBREVIATION.....Class I  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class I  
HELP\_TEXT.....  
ID.....{4A1B7DD6-3846-4455-A06D-0E3C0FB3752A}  
TERM.....CLASS I

DATA VALUE: CLASS II

---

ABBREVIATION.....Class II  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class II  
HELP\_TEXT.....  
ID.....{2F5F3798-3EFD-4DEA-9FAB-883F9E326EA7}  
TERM.....CLASS II

DATA VALUE: CLASS III

-----  
ABBREVIATION.....Class III  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class III  
HELP\_TEXT.....  
ID.....{C0FFDE12-241C-4087-9404-DB128F6B793A}  
TERM.....CLASS III

DATA VALUE: CLASS IV

-----  
ABBREVIATION.....Class IV  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Class IV  
HELP\_TEXT.....  
ID.....{176030D0-2576-4D2D-A5AB-E5DA38DADEB5}  
TERM.....CLASS IV

DATA VALUE: CLAY

-----  
ABBREVIATION.....CLAY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clay  
HELP\_TEXT.....No Help Text  
ID.....{A4E4D16C-B45C-0934-ED22-8BF640080108}  
TERM.....CLAY

DATA VALUE: CLEAN

-----  
ABBREVIATION.....Clean  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clean  
HELP\_TEXT.....  
ID.....{1F187B99-9963-4AD5-98F6-D8D24D2DDD30}  
TERM.....CLEAN

DATA VALUE: CLEAR

-----  
ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clear  
HELP\_TEXT.....No Help Text  
ID.....{8981C365-2B46-704F-C9F4-975DF1C23C2D}  
TERM.....CLEAR

DATA VALUE: CLEAR LIQUID

---

ABBREVIATION.....Clr Liquid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clear Liquid  
HELP\_TEXT.....  
ID.....{390666D6-6371-4E0A-B475-C730C134CC95}  
TERM.....CLEAR LIQUID

DATA VALUE: CLEAR LIQUID DIET

---

ABBREVIATION.....CL LI DIET  
ACTIVE.....Yes  
DESCRIPTION.....Clear Liquid Diet  
DISPLAY\_NAME.....Clear Liquid Diet  
HELP\_TEXT.....No Help Text  
ID.....{D540348D-3E1D-4E42-9EDC-43C56CF56206}  
TERM.....CLEAR LIQUID DIET

DATA VALUE: CLICK

---

ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Click  
HELP\_TEXT.....No Help Text  
ID.....{F1F3A1A8-35E1-61B4-C783-3314C8247380}  
TERM.....CLICK

DATA VALUE: CLINICAL ASSESSMENT

---

ABBREVIATION.....CLIN ASSME  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clinical Assessment  
HELP\_TEXT.....No Help Text  
ID.....{803BEA4B-E22F-48C2-B20E-D5B3C8C7084C}  
TERM.....CLINICAL ASSESSMENT

DATA VALUE: CLONIC

---

ABBREVIATION.....Clonic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clonic  
HELP\_TEXT.....  
ID.....{5DD8702A-D0AC-464E-990B-A0FD1BD9A079}  
TERM.....CLONIC

DATA VALUE: CLOSE OBSERVATION

---

ABBREVIATION.....co  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Close Observation  
HELP\_TEXT.....No Help Text  
ID.....{2679BCAC-8753-FE73-56F8-3AB632161AF4}  
TERM.....CLOSE OBSERVATION

DATA VALUE: CLOSED

---

ABBREVIATION.....CLOSED  
ACTIVE.....Yes  
DESCRIPTION.....CLOSED  
DISPLAY\_NAME.....CLOSED  
HELP\_TEXT.....No Help Text  
ID.....{9BA6EE03-F562-4DE2-99A7-337F5A5E34F2}  
TERM.....CLOSED

DATA VALUE: CLOSED DRAINAGE SYSTEM

---

ABBREVIATION.....Closed Drn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Closed Drainage System  
HELP\_TEXT.....  
ID.....{98A38592-89A5-4ADE-B81C-1FEA9D2CAC0D}  
TERM.....CLOSED DRAINAGE SYSTEM

DATA VALUE: CLOSED SYSTEM

---

ABBREVIATION.....Closed sys  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Closed System  
HELP\_TEXT.....  
ID.....{D076BAB6-C4D1-42F1-9036-80BF4B72E695}  
TERM.....CLOSED SYSTEM

DATA VALUE: CLOTHED SELF

---

ABBREVIATION.....CLOTH S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clothed Self  
HELP\_TEXT.....No Help Text  
ID.....{33802A30-FAA7-426B-ADAC-5297818DA7DE}  
TERM.....CLOTHED SELF

DATA VALUE: CLOTHING ROOM

---

ABBREVIATION.....Cloth Room  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clothing Room  
HELP\_TEXT.....  
ID.....{8F116C60-10B1-4033-93F2-9121629CD608}  
TERM.....CLOTHING ROOM

DATA VALUE: CLOTS

---

ABBREVIATION.....CLOTS  
ACTIVE.....Yes  
DESCRIPTION.....Clots Present  
DISPLAY\_NAME.....Clots  
HELP\_TEXT.....No Help Text  
ID.....{B52B88E0-6D23-4657-97CD-81E3EF64991B}  
TERM.....CLOTS

DATA VALUE: CLOUDY

---

ABBREVIATION.....CLOUDY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cloudy  
HELP\_TEXT.....No Help Text  
ID.....{3CCFCCCC-00FC-6B00-1D58-A77C02FDB401}  
TERM.....CLOUDY

DATA VALUE: CLUBBING

---

ABBREVIATION.....CLUBBING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Clubbing  
HELP\_TEXT.....No Help Text  
ID.....{AE77D344-6F0F-452B-B1AA-EC8D9F092CFC}  
TERM.....CLUBBING

DATA VALUE: CMS INTACT DISTAL TO SURGICAL SITE

---

ABBREVIATION.....CMS INTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CMS Intact Distal to Surgical Site  
HELP\_TEXT.....No Help Text  
ID.....{CE2D2CDE-71C5-4993-8E46-C4799301A851}  
TERM.....CMS INTACT DISTAL TO SURGICAL SITE

DATA VALUE: CNS

-----  
ABBREVIATION.....CNS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CNS  
HELP\_TEXT.....  
ID.....{487A4DE0-A822-437D-87A2-75FA86D7BBDE}  
TERM.....CNS

DATA VALUE: CNS DEPRESSION

-----  
ABBREVIATION.....CNS Depres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CNS Depression  
HELP\_TEXT.....  
ID.....{EE349460-8B60-427B-AE98-72007DFD2F6A}  
TERM.....CNS DEPRESSION

DATA VALUE: CODE CART IS ASSESSIBLE

-----  
ABBREVIATION.....Code Cart  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Code Cart is Accessible  
HELP\_TEXT.....  
ID.....{DB670E39-CF90-4068-8E38-44DCA5F365B5}  
TERM.....CODE CART IS ASSESSIBLE

DATA VALUE: COFFEE GROUND

-----  
ABBREVIATION.....COFFEE GRO  
ACTIVE.....Yes  
DESCRIPTION.....Coffee Ground  
DISPLAY\_NAME.....Coffee Ground  
HELP\_TEXT.....Coffee Ground  
ID.....{A5B3119A-C739-4B8D-87C2-7D858B94F380}  
TERM.....COFFEE GROUND

DATA VALUE: COGNITIVE IMPAIRMENT

-----  
ABBREVIATION.....Cog Impair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cognitive Impairment  
HELP\_TEXT.....  
ID.....{6D051F44-2124-4914-A415-B98B2AC516E9}  
TERM.....COGNITIVE IMPAIRMENT

DATA VALUE: COGNITIVELY IMPAIRED

-----  
ABBREVIATION.....Cog Impair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cognitively Impaired  
HELP\_TEXT.....  
ID.....{E469C3D0-8BF7-4E20-8CF2-61120DDA0ACB}  
TERM.....COGNITIVELY IMPAIRED

DATA VALUE: COLD

-----  
ABBREVIATION.....COLD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cold  
HELP\_TEXT.....No Help Text  
ID.....{B7B422BA-22EC-117D-0A0C-8419E9447D46}  
TERM.....COLD

DATA VALUE: COLLAGEN

-----  
ABBREVIATION.....COLLAGEN  
ACTIVE.....Yes  
DESCRIPTION.....Collagen  
DISPLAY\_NAME.....Collagen  
HELP\_TEXT.....No Help Text  
ID.....{8D734495-2FAF-41C0-9146-55B22583A830}  
TERM.....COLLAGEN

DATA VALUE: COLOR AND CONSISTENCY OF ASPIRATED SECRETIONS

-----  
ABBREVIATION.....Color/Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Color and consistency of aspirated  
secretions  
HELP\_TEXT.....  
ID.....{02E87CEB-DCD2-4AC0-A753-984C0C54CD16}  
TERM.....COLOR AND CONSISTENCY OF ASPIRATED  
SECRETIONS

DATA VALUE: COLOR APPROPRIATE FOR ETHNICITY

-----  
ABBREVIATION.....Color Appr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Color Appropriate for Ethnicity  
HELP\_TEXT.....  
ID.....{C4128AA9-AC26-45CA-8D42-0764AB327C7F}  
TERM.....COLOR APPROPRIATE FOR ETHNICITY

DATA VALUE: COLORLESS

---

ABBREVIATION.....COLORLESS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Colorless  
HELP\_TEXT.....No Help Text  
ID.....{D093D8C5-E284-47D4-8FA6-DCD5B030B10E}  
TERM.....COLORLESS

DATA VALUE: COLOSTOMY

---

ABBREVIATION.....COLOSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Colostomy  
DISPLAY\_NAME.....Colostomy  
HELP\_TEXT.....No Help Text  
ID.....{53F939AB-6AF4-4DD5-8D64-17AC1D1736B7}  
TERM.....COLOSTOMY

DATA VALUE: COMATOSE

---

ABBREVIATION.....Comatose  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comatose  
HELP\_TEXT.....  
ID.....{BCADA53A-1186-4B73-932B-1BBCB9937308}  
TERM.....COMATOSE

DATA VALUE: COMBATIVE

---

ABBREVIATION.....R.C. COMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Combative  
HELP\_TEXT.....No Help Text  
ID.....{38DBF61A-D364-4215-B4AA-36B660F96462}  
TERM.....COMBATIVE

DATA VALUE: COMFORT CARE

---

ABBREVIATION.....Comfort Ca  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comfort Care  
HELP\_TEXT.....  
ID.....{51669E41-DF78-4E49-BA5F-DE6F1B5F1148}  
TERM.....COMFORT CARE

DATA VALUE: COMFORT CARE (PALLIATIVE CARE CONSULT REQUIRED)

---

ABBREVIATION.....PallConRq  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comfort Care (Palliative Care Consult  
Required)  
HELP\_TEXT.....  
ID.....{9CFDF433-3F2A-4172-BD56-7EB055EC11E2}  
TERM.....COMFORT CARE (PALLIATIVE CARE CONSULT  
REQUIRED)

DATA VALUE: COMFORT CARE SUBCUTANEOUS

---

ABBREVIATION.....CCSub  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comfort Care Subcutaneous  
HELP\_TEXT.....  
ID.....{78E50664-373F-4F55-8359-8BF98917C157}  
TERM.....COMFORT CARE SUBCUTANEOUS

DATA VALUE: COMFORT MEASURES

---

ABBREVIATION.....Com Measu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Comfort Measures  
HELP\_TEXT.....  
ID.....{A5F09A1F-921E-4469-9652-0A136BCD9C07}  
TERM.....COMFORT MEASURES

DATA VALUE: COMMODE

---

ABBREVIATION.....COMMODE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Commode  
HELP\_TEXT.....No Help-Text  
ID.....{75C896CA-F105-4EF0-B641-3F2B1F984F1B}  
TERM.....COMMODE

DATA VALUE: COMMUNICATION BARRIER

---

ABBREVIATION.....COMM BARRI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Communication Barrier  
HELP\_TEXT.....No Help Text  
ID.....{1A24946D-D966-4FAB-B6EA-940FA9EF60D3}  
TERM.....COMMUNICATION BARRIER

DATA VALUE: COMMUNITY RESOURCES

---

ABBREVIATION.....Comm Res  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Community Resources  
HELP\_TEXT.....  
ID.....{0088604F-6A99-4D99-B451-5262734E0D17}  
TERM.....COMMUNITY RESOURCES

DATA VALUE: COMPLETE BATH

---

ABBREVIATION.....COMP BATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Complete Bath  
HELP\_TEXT.....No Help Text  
ID.....{A7CB1F56-F88E-403B-AABC-105BE129FBB0}  
TERM.....COMPLETE BATH

DATA VALUE: COMPLIANCE

---

ABBREVIATION.....COMPLIANC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Compliance  
HELP\_TEXT.....No Help Text  
ID.....{EF43367E-9898-44C3-8AC8-F5BD28051F1D}  
TERM.....COMPLIANCE

DATA VALUE: COMPULSIVE

---

ABBREVIATION.....Compulsive  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Compulsive  
HELP\_TEXT.....  
ID.....{2A94E47E-A62B-4B17-98B6-275FBC343EAE}  
TERM.....COMPULSIVE

DATA VALUE: CONFUSED

---

ABBREVIATION.....CONFUSED  
ACTIVE.....Yes  
DESCRIPTION.....Confused  
DISPLAY\_NAME.....Confused  
HELP\_TEXT.....No Help Text  
ID.....{31DAAA60-BE89-49A7-A10D-EB0DA82F12C0}  
TERM.....CONFUSED

DATA VALUE: CONFUSION

---

ABBREVIATION.....Confusion  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Confusion  
HELP\_TEXT.....  
ID.....{4C1B8247-75C4-4C60-970B-3D7F07BD1164}  
TERM.....CONFUSION

DATA VALUE: CONNECTED TO DRAINAGE BAG

---

ABBREVIATION.....drain bag  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Connected to Drainage Bag  
HELP\_TEXT.....  
ID.....{1901C4A7-671C-43BD-BEDD-1D48BCB43465}  
TERM.....CONNECTED TO DRAINAGE BAG

DATA VALUE: CONSISTENT WITH BODY TEMPERATURE

---

ABBREVIATION.....CON W TEMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Consistent With Body Temperature  
HELP\_TEXT.....No Help Text  
ID.....{941FC5EF-6AF8-4DA1-A43C-95575AC74B57}  
TERM.....CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: CONSTANT

---

ABBREVIATION.....CONSTANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Constant  
HELP\_TEXT.....No Help Text  
ID.....{0FB8E43C-2106-4C37-9430-38675953A85B}  
TERM.....CONSTANT

DATA VALUE: CONSTANT CARBOHYDRATE

---

ABBREVIATION.....Con Carbs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Constant Carbohydrate  
HELP\_TEXT.....  
ID.....{D6A8AA11-BCB1-40E8-B63D-167864EE2537}  
TERM.....CONSTANT CARBOHYDRATE

DATA VALUE: CONSTIPATION

---

ABBREVIATION.....CONSTIPAT.  
ACTIVE.....Yes  
DESCRIPTION.....Constipation  
DISPLAY\_NAME.....Constipation  
HELP\_TEXT.....No Help Text  
ID.....{4A3B0D47-88BF-4FEB-AA0D-7AD7FED2C5C3}  
TERM.....CONSTIPATION

DATA VALUE: CONSTRICTED

---

ABBREVIATION.....Constrict  
ACTIVE.....Yes  
DESCRIPTION.....Constricted  
DISPLAY\_NAME.....Constricted  
HELP\_TEXT.....No Help Text  
ID.....{A7F66C5B-89EF-DEEE-A6C0-0DCDFEB3AEB4}  
TERM.....CONSTRICTED

DATA VALUE: CONTACT

---

ABBREVIATION.....CONTACT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contact  
HELP\_TEXT.....No Help Text  
ID.....{958F2B5E-F980-47B6-A7F7-EE7D5520B61F}  
TERM.....CONTACT

DATA VALUE: CONTACT GLIDE

---

ABBREVIATION.....ContactGli  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Contact Glide  
HELP\_TEXT.....  
ID.....{4AAB02A6-E90E-46D7-AE9D-A5F6E3865AF5}  
TERM.....CONTACT GLIDE

DATA VALUE: CONTACTS

---

ABBREVIATION.....Contacts  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Contacts  
HELP\_TEXT.....  
ID.....{6BB5B9A8-6AB0-4EF3-B8B6-C4243AD1B806}  
TERM.....CONTACTS

DATA VALUE: CONTEMPLATIVE

---

ABBREVIATION.....CONTEMPLAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contemplative  
HELP\_TEXT.....No Help Text  
ID.....{5194DB04-7A68-491E-B117-BD089C912DFB}  
TERM.....CONTEMPLATIVE

DATA VALUE: CONTINENT

---

ABBREVIATION.....CONTINENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Continent  
HELP\_TEXT.....No Help Text  
ID.....{3B658506-F42E-BAF5-04C4-5AD49699E0D2}  
TERM.....CONTINENT

DATA VALUE: CONTINUOUS

---

ABBREVIATION.....CONTINUOUS  
ACTIVE.....Yes  
DESCRIPTION.....Continuous  
DISPLAY\_NAME.....Continuous  
HELP\_TEXT.....No Help Text  
ID.....{676CD2DA-F882-4BE5-99BB-510EA7669749}  
TERM.....CONTINUOUS

DATA VALUE: CONTINUOUS ONLY

---

ABBREVIATION.....Cont Only  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Continuous Only  
HELP\_TEXT.....No Help Text  
ID.....{4BFFF2BC-837C-4D62-B811-0E547247D4D0}  
TERM.....CONTINUOUS ONLY

DATA VALUE: CONTINUOUS POSITIVE AIR PRESSURE

---

ABBREVIATION.....CPAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CPAP  
HELP\_TEXT.....No Help Text  
ID.....{387B42F0-F587-AAFC-ECA0-66067F18BEC6}  
TERM.....CONTINUOUS POSITIVE AIR PRESSURE

DATA VALUE: CONTINUOUS SUCTION

---

ABBREVIATION.....CONT SUCTI  
ACTIVE.....Yes  
DESCRIPTION.....Continuous Suction  
DISPLAY\_NAME.....Continuous Suction  
HELP\_TEXT.....No Help Text  
ID.....{8C10DAC2-9AE5-40B9-99C7-25D47F4F13BA}  
TERM.....CONTINUOUS SUCTION

DATA VALUE: CONTRACT CARE FACILITY

---

ABBREVIATION.....Contr Care  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Contract Care Facility  
HELP\_TEXT.....  
ID.....{74CA0AAE-119B-4D54-B7A1-3DA5B8CA6AF6}  
TERM.....CONTRACT CARE FACILITY

DATA VALUE: CONTRACTURE

---

ABBREVIATION.....Contractur  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Contracture  
HELP\_TEXT.....  
ID.....{7C8E8122-10BE-4650-91DF-8BAE66102D98}  
TERM.....CONTRACTURE

DATA VALUE: CONTRACTURES/SPASMS

---

ABBREVIATION.....Contractur  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Contractures/Spasms  
HELP\_TEXT.....  
ID.....{E3251324-1B36-4F83-8E0A-005401A034CE}  
TERM.....CONTRACTURES/SPASMS

DATA VALUE: CONTROL MODE VENTILATION

---

ABBREVIATION.....CMV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Control Mode Ventilation  
HELP\_TEXT.....No Help Text  
ID.....{2E79351C-BA31-FC04-B636-F39728B23EA6}  
TERM.....CONTROL MODE VENTILATION

DATA VALUE: CONTUSION

---

ABBREVIATION.....Contusion  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Contusion  
HELP\_TEXT.....No Help Text  
ID.....{5285197A-CC0A-4D12-A1F8-966765C687F1}  
TERM.....CONTUSION

DATA VALUE: COOL

---

ABBREVIATION.....COOL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cool  
HELP\_TEXT.....No Help Text  
ID.....{48A1FEA8-FD75-DAF8-174A-9C6AB2044439}  
TERM.....COOL

DATA VALUE: COOL CHEM PACK

---

ABBREVIATION.....CO CHEM PA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cool Chem Pack  
HELP\_TEXT.....No Help Text  
ID.....{6DE5E644-28C2-4190-A2EF-1A766E014A65}  
TERM.....COOL CHEM PACK

DATA VALUE: COOLER THAN GENERAL BODY TEMPERATURE

---

ABBREVIATION.....CoolGenT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooler Than General Body Temperature  
HELP\_TEXT.....No Help Text  
ID.....{03D7D4CF-9B3C-49CA-9650-213E9BABE064}  
TERM.....COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: COOLER THAN OPPOSITE BODY PART

---

ABBREVIATION.....COOL OPP P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooler Than Opposite Body Part  
HELP\_TEXT.....No Help Text  
ID.....{AFA2635C-8E80-4C71-A1B4-4AB117096FD2}  
TERM.....COOLER THAN OPPOSITE BODY PART

DATA VALUE: COOLING BLANKET

---

ABBREVIATION.....COOL BLANK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling Blanket  
HELP\_TEXT.....No Help Text  
ID.....{13A42B12-4959-4674-AF97-2D1242CFD934}  
TERM.....COOLING BLANKET

DATA VALUE: COOLING OFF

---

ABBREVIATION.....COOLING OF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling Off  
HELP\_TEXT.....No Help Text  
ID.....{14F573ED-0D10-4E0F-A1F3-A11F29D6DB11}  
TERM.....COOLING OFF

DATA VALUE: COOLING ON

---

ABBREVIATION.....COOLING ON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooling On  
HELP\_TEXT.....No Help Text  
ID.....{911CA17D-614E-445A-969E-4F5220E469EB}  
TERM.....COOLING ON

DATA VALUE: COOPERATIVE

---

ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cooperative  
HELP\_TEXT.....No Help Text  
ID.....{C176406E-EBDE-4ADE-53DE-CF191D8AFC85}  
TERM.....COOPERATIVE

DATA VALUE: COPIUS

---

ABBREVIATION.....COPIUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Copius  
HELP\_TEXT.....No Help Text  
ID.....{C74A6979-0E35-AA12-F992-69ACA3B0FA23}  
TERM.....COPIUS

DATA VALUE: CORNEAL

---

ABBREVIATION.....Corneal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Corneal  
HELP\_TEXT.....  
ID.....{BEBC54E6-1B93-4977-97FE-3EE49B69DCAA}  
TERM.....CORNEAL

DATA VALUE: COUGH

---

ABBREVIATION.....Cough  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cough  
HELP\_TEXT.....  
ID.....{C35A4FE1-B4F5-4F88-B985-62BE359E3F0C}  
TERM.....COUGH

DATA VALUE: CRACKLES

---

ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crackles  
HELP\_TEXT.....No Help Text  
ID.....{6B64C108-4424-00D9-525F-D89D549476D6}  
TERM.....CRACKLES

DATA VALUE: CRAMPING

---

ABBREVIATION.....CRAMPING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cramping  
HELP\_TEXT.....No Help Text  
ID.....{3EC3E352-5469-4A85-80E4-3AFEB61224C4}  
TERM.....CRAMPING

DATA VALUE: CREPITUS

---

ABBREVIATION.....CREPITUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crepitus  
HELP\_TEXT.....No Help Text  
ID.....{56A97506-05F0-4F37-8FD9-3AA82191408A}  
TERM.....CREPITUS

DATA VALUE: CRNA

-----  
ABBREVIATION.....CRNA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CRNA  
HELP\_TEXT.....  
ID.....{41D71B84-D87B-4219-8E1F-AF0FF5CF5EDF}  
TERM.....CRNA

DATA VALUE: CRUSHING

-----  
ABBREVIATION.....CRUSHING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crushing  
HELP\_TEXT.....No Help Text  
ID.....{92D4BAF1-63E3-4FC0-B096-B5CBC4736245}  
TERM.....CRUSHING

DATA VALUE: CRUTCH

-----  
ABBREVIATION.....CRUTCH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crutch  
HELP\_TEXT.....No Help Text  
ID.....{2F040C2C-7A95-4FFA-8DAC-8B2EA9A90259}  
TERM.....CRUTCH

DATA VALUE: CRUTCHES

-----  
ABBREVIATION.....CRUTCHES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crutches  
HELP\_TEXT.....No Help Text  
ID.....{DDA81269-B25C-4F7D-A059-BB1602B2B179}  
TERM.....CRUTCHES

DATA VALUE: CRYING

-----  
ABBREVIATION.....CRYING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Crying  
HELP\_TEXT.....No Help Text  
ID.....{D87AB50C-0B18-40DD-884C-6AAEE4DD97FC}  
TERM.....CRYING

DATA VALUE: CRYSTALLOID

---

ABBREVIATION.....CRYSTALLOI  
ACTIVE.....Yes  
DESCRIPTION.....Crystalloid  
DISPLAY\_NAME.....Crystalloid  
HELP\_TEXT.....No Help Text  
ID.....{4EC07E19-88B2-4C13-99B6-8233DF612997}  
TERM.....CRYSTALLOID

DATA VALUE: CSM: CENTRAL STEADY MAINTAINED

---

ABBREVIATION.....CSM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....CSM: Central Steady Maintained  
HELP\_TEXT.....  
ID.....{43085BCB-4264-4E4A-BC17-A9C252A89BA8}  
TERM.....CSM: CENTRAL STEADY MAINTAINED

DATA VALUE: CUFFED

---

ABBREVIATION.....Cuffed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cuffed  
HELP\_TEXT.....  
ID.....{C8C62FC0-BEC5-4880-9568-157E35C89CDF}  
TERM.....CUFFED

DATA VALUE: CULTURAL

---

ABBREVIATION.....CULTURAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cultural  
HELP\_TEXT.....No Help Text  
ID.....{530D166D-D7C1-4204-94DC-83F4E140F11C}  
TERM.....CULTURAL

DATA VALUE: CYANOTIC

---

ABBREVIATION.....c  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cyanotic  
HELP\_TEXT.....No Help Text  
ID.....{06BD77DB-1849-D731-0F27-F8CE48755EA9}  
TERM.....CYANOTIC

DATA VALUE: D - DOPPLER

---

ABBREVIATION.....d-d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....D - Doppler  
HELP\_TEXT.....No Help Text  
ID.....{2B77F099-0520-474D-A4BC-22BF824C8364}  
TERM.....D - DOPPLER

DATA VALUE: D - DOPPLER AUDIBLE ONLY

---

ABBREVIATION.....DoppOnly  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....D - Doppler Audible Only  
HELP\_TEXT.....  
ID.....{D106DE72-0D2E-48B9-A4F5-51FA6BBDF2FB}  
TERM.....D - DOPPLER AUDIBLE ONLY

DATA VALUE: D10W ENTERAL NUTRITION

---

ABBREVIATION.....D10W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D10W Enteral Nutrition Type  
DISPLAY\_NAME.....D10W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{5049BCEF-CAE5-490D-9EB5-4A204A4D85E1}  
TERM.....D10W ENTERAL NUTRITION

DATA VALUE: D50W ENTERAL NUTRITION

---

ABBREVIATION.....D50W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D50W Enteral Nutrition Type  
DISPLAY\_NAME.....D50W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{528A4339-0261-4EC5-821C-7CE5592666DC}  
TERM.....D50W ENTERAL NUTRITION

DATA VALUE: D5W ENTERAL NUTRITION

---

ABBREVIATION.....D5W  
ACTIVE.....Yes  
DESCRIPTION.....D5W Enteral Nutrition Type  
DISPLAY\_NAME.....D5W Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{D6664641-BF43-4157-9A30-8AD8CFE96518}  
TERM.....D5W ENTERAL NUTRITION

DATA VALUE: D=DOPPLER

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....D=Doppler  
HELP\_TEXT.....No Help Text  
ID.....{BCF37855-1E6E-9544-B316-D80A651697E4}  
TERM.....D=DOPPLER

DATA VALUE: DABIGATRAN

-----  
ABBREVIATION.....Dabigatran  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dabigatran  
HELP\_TEXT.....  
ID.....{B940DD7D-809C-4651-9FF3-979F2EA8EB9D}  
TERM.....DABIGATRAN

DATA VALUE: DAILY ASSESSMENT OF NEED

-----  
ABBREVIATION.....Dly Assess  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Daily Assessment of Need  
HELP\_TEXT.....  
ID.....{3A47013F-0027-4D8F-8142-6DBD57787D6C}  
TERM.....DAILY ASSESSMENT OF NEED

DATA VALUE: DAILY HYGIENE

-----  
ABBREVIATION.....Dly Hyg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Daily Hygiene  
HELP\_TEXT.....  
ID.....{12D42549-58A5-4079-A226-99928B93A306}  
TERM.....DAILY HYGIENE

DATA VALUE: DAILY PLAN

-----  
ABBREVIATION.....DAILY PLAN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Daily Plan  
HELP\_TEXT.....No Help Text  
ID.....{B29357A5-4294-4EA0-A0D3-59182F3C94FB}  
TERM.....DAILY PLAN

DATA VALUE: DAMPENED

-----  
ABBREVIATION.....DAMPENED  
ACTIVE.....Yes  
DESCRIPTION.....Dampened  
DISPLAY\_NAME.....Dampened  
HELP\_TEXT.....No Help Text  
ID.....{77C777B3-7E56-41E3-8E70-DE144E6A3424}  
TERM.....DAMPENED

DATA VALUE: DANGLED

-----  
ABBREVIATION.....DANGED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dangled  
HELP\_TEXT.....No Help Text  
ID.....{40665750-112F-401D-AEFA-8E19F45EC0C9}  
TERM.....DANGED

DATA VALUE: DATE OF BIRTH

-----  
ABBREVIATION.....DOB  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Date of Birth  
HELP\_TEXT.....  
ID.....{F5EA7F14-946E-4B4A-A7AC-613D0CBC3D6F}  
TERM.....DATE OF BIRTH

DATA VALUE: DAY ROOM

-----  
ABBREVIATION.....dr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Day Room  
HELP\_TEXT.....No Help Text  
ID.....{269125EF-FA82-B17A-6B56-0CEAB4788899}  
TERM.....DAY ROOM

DATA VALUE: DDD

-----  
ABBREVIATION.....DDD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDD  
HELP\_TEXT.....No Help Text  
ID.....{7AA7152E-48F0-8550-AD0D-9F298E90B765}  
TERM.....DDD

DATA VALUE: DDDR

-----  
ABBREVIATION.....DDDR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDDR  
HELP\_TEXT.....No Help Text  
ID.....{A3CC0D9D-D329-1A52-2DD1-911A1E04B871}  
TERM.....DDDR

DATA VALUE: DDI

-----  
ABBREVIATION.....DDI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DDI  
HELP\_TEXT.....No Help Text  
ID.....{0C1E359F-B1F4-7994-D337-37622CB14BC8}  
TERM.....DDI

DATA VALUE: DDIR

-----  
ABBREVIATION.....DDIR  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....DDIR  
HELP\_TEXT.....  
ID.....{DF2197EC-CFA8-426D-9CEB-79EFF0A41E36}  
TERM.....DDIR

DATA VALUE: DEAF

-----  
ABBREVIATION.....Deaf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deaf  
HELP\_TEXT.....  
ID.....{174507F3-64D8-4B83-B498-BFDDAC3D38F7}  
TERM.....DEAF

DATA VALUE: DECELERATING

-----  
ABBREVIATION.....DECCELERATI  
ACTIVE.....Yes  
DESCRIPTION.....Decelerating  
DISPLAY\_NAME.....Decelerating  
HELP\_TEXT.....Decelerating  
ID.....{B259D4D4-82B8-454A-B53D-F12F4952BB61}  
TERM.....DECCELERATING

DATA VALUE: DECLINED TO PARTICIPATE

---

ABBREVIATION.....Declined  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Declined to Participate  
HELP\_TEXT.....  
ID.....{B16DB033-15D2-41F6-9D2F-4D37BD3CADE5}  
TERM.....DECLINED TO PARTICIPATE

DATA VALUE: DECLINES BLOOD PRODUCT(S) - SEE COMMENTS

---

ABBREVIATION.....Declines  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Declines Blood Product(s) - See  
Comments  
HELP\_TEXT.....  
ID.....{6956B7C1-5996-4ED0-91B7-040992E11DED}  
TERM.....DECLINES BLOOD PRODUCT(S) - SEE  
COMMENTS

DATA VALUE: DECREASE STIMULATION

---

ABBREVIATION.....R.E. DECR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Decrease Stimulation  
HELP\_TEXT.....No Description  
ID.....{0841626E-994E-4346-B701-1662A00209EB}  
TERM.....DECREASE STIMULATION

DATA VALUE: DECREASED

---

ABBREVIATION.....DECREASED  
ACTIVE.....Yes  
DESCRIPTION.....Decreased  
DISPLAY\_NAME.....Decreased  
HELP\_TEXT.....No Help Text  
ID.....{D910FE54-A6AC-4BE3-AE35-C9E6679A93BD}  
TERM.....DECREASED

DATA VALUE: DECREASED ROM

---

ABBREVIATION.....Decr ROM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Decreased ROM  
HELP\_TEXT.....  
ID.....{F3C533EE-4528-4164-9F66-F2D4D3F681D5}  
TERM.....DECREASED ROM

DATA VALUE: DEEP

---

ABBREVIATION.....DEEP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Deep  
HELP\_TEXT.....No Help Text  
ID.....{78AD569C-16D4-CFC3-6B6F-41FB9FFAB9D7}  
TERM.....DEEP

DATA VALUE: DEEP: DEEP RESPIRATIONS

---

ABBREVIATION.....PCA: Deep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deep: Deep Respirations  
HELP\_TEXT.....  
ID.....{E447C08C-786F-4686-AC7E-CB11625A5E3D}  
TERM.....DEEP: DEEP RESPIRATIONS

DATA VALUE: DEFFLATE BALLOON

---

ABBREVIATION.....Deflate Ba  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deflate Balloon  
HELP\_TEXT.....  
ID.....{35425FEE-DEF6-4880-8F56-6A6745E76604}  
TERM.....DEFLATE BALLOON

DATA VALUE: DEFORMITY

---

ABBREVIATION.....Deformity  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deformity  
HELP\_TEXT.....  
ID.....{65563058-DD1A-41D4-89EF-D3C2A6B578BB}  
TERM.....DEFORMITY

DATA VALUE: DELIRIOUS

---

ABBREVIATION.....Delirious  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Delirious  
HELP\_TEXT.....  
ID.....{6FDC56BE-BF1D-4FF1-AACC-5B7752ED9210}  
TERM.....DELIRIOUS

DATA VALUE: DELUSIONS

---

ABBREVIATION.....Delusions  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Delusions  
HELP\_TEXT.....  
ID.....{C0945F9A-3F8B-4202-A177-AADCBA93831C}  
TERM.....DELUSIONS

DATA VALUE: DEMANDING

---

ABBREVIATION.....Demanding  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Demanding  
HELP\_TEXT.....  
ID.....{F9C0729C-9168-4585-8E9A-33F9964F0F43}  
TERM.....DEMANDING

DATA VALUE: DEMENTIA

---

ABBREVIATION.....Dementia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dementia  
HELP\_TEXT.....  
ID.....{CA24B020-15E7-4888-83DC-7203C5630D28}  
TERM.....DEMENTIA

DATA VALUE: DENIES HAVING SLEPT

---

ABBREVIATION.....DENIES SL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Denies Having Slept  
HELP\_TEXT.....No Help Text  
ID.....{1AC4B0CF-EC41-426B-89AB-68D5A9BAFADA}  
TERM.....DENIES HAVING SLEPT

DATA VALUE: DENIES NEED

---

ABBREVIATION.....DENIES NE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Denies Need  
HELP\_TEXT.....No Help Text  
ID.....{28C8C733-5A28-4DDC-8D2E-F9D0E6CD9B28}  
TERM.....DENIES NEED

DATA VALUE: DENTAL

---

ABBREVIATION.....Dental  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dental  
HELP\_TEXT.....  
ID.....{0A60F06A-ED63-4B06-8FF9-EFB12567D65}  
TERM.....DENTAL

DATA VALUE: DENTAL IMPLANTS

---

ABBREVIATION.....Implants  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dental Implants  
HELP\_TEXT.....  
ID.....{D3AF96DE-6920-4C93-8105-99EE574FC092}  
TERM.....DENTAL IMPLANTS

DATA VALUE: DENTIST

---

ABBREVIATION.....Dentist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dentist  
HELP\_TEXT.....  
ID.....{DE4A47EB-35D3-4992-B8DA-3E5D51E0EA3C}  
TERM.....DENTIST

DATA VALUE: DENTURES

---

ABBREVIATION.....Dentures  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dentures  
HELP\_TEXT.....  
ID.....{ECABE4D0-97BE-418D-AC7D-29E40D166581}  
TERM.....DENTURES

DATA VALUE: DEPRESSED ST

---

ABBREVIATION.....Depress ST  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Depressed ST  
HELP\_TEXT.....  
ID.....{5A1DBEF1-F1C5-4674-91B9-691A3D5D0BA9}  
TERM.....DEPRESSED ST

DATA VALUE: DESCRIPT

-----  
ABBREVIATION.....N  
ACTIVE.....Yes  
DESCRIPTION.....1.5 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....N  
HELP\_TEXT.....No Help Text  
ID.....{47FD2D75-2C45-476F-82AF-7B40108E9C07}  
TERM.....DESCRIPT

DATA VALUE: DEVIATION LEFT

-----  
ABBREVIATION.....DeviationL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deviation Left  
HELP\_TEXT.....  
ID.....{B8F53B29-9BE7-4681-8AFF-DE5D3F962755}  
TERM.....DEVIATION LEFT

DATA VALUE: DEVIATION RIGHT

-----  
ABBREVIATION.....DeviationR  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Deviation Right  
HELP\_TEXT.....  
ID.....{D716E41B-4042-4C35-8FE3-6B7BDC3DB1A9}  
TERM.....DEVIATION RIGHT

DATA VALUE: DEVICE RELATED PRESSURE

-----  
ABBREVIATION.....DEV REL PR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Device Related Pressure  
HELP\_TEXT.....No Help Text  
ID.....{3AED6107-A173-4B53-8EB5-2FB2B3336FC5}  
TERM.....DEVICE RELATED PRESSURE

DATA VALUE: DEVICE RELEASE

-----  
ABBREVIATION.....drq  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Device Release  
HELP\_TEXT.....No Help Text  
ID.....{9F97947F-CFFE-3285-F4C3-A8DF294DA46C}  
TERM.....DEVICE RELEASE

DATA VALUE: DEVICE SAFETY

---

ABBREVIATION.....DeviceSfty  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Device Safety  
HELP\_TEXT.....  
ID.....{9F092E9D-3371-4EA5-A5E3-AA0C94A89A57}  
TERM.....DEVICE SAFETY

DATA VALUE: DIABETES

---

ABBREVIATION.....Diabetes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diabetes  
HELP\_TEXT.....  
ID.....{E295E970-759D-44CD-AD43-6047382A790D}  
TERM.....DIABETES

DATA VALUE: DIABETIC/VASCULAR ULCER

---

ABBREVIATION.....DIA/VAS UL  
ACTIVE.....Yes  
DESCRIPTION.....Type of wound  
DISPLAY\_NAME.....Diabetic / Vascular Ulcer  
HELP\_TEXT.....No Help Text  
ID.....{E209E53E-EFF1-48F5-9581-75236C89D9B9}  
TERM.....DIABETIC/VASCULAR ULCER

DATA VALUE: DIAGNOSIS/HEALTH STATUS

---

ABBREVIATION.....Diag/Healt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diagnosis/Health Status  
HELP\_TEXT.....  
ID.....{42F128CE-63B7-4AA9-A121-B08C507F9941}  
TERM.....DIAGNOSIS/HEALTH STATUS

DATA VALUE: DIALYSIS ACCESS

---

ABBREVIATION.....Dialysis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dialysis Access  
HELP\_TEXT.....  
ID.....{6465ED36-0818-48EC-AFE7-3BEE513770A2}  
TERM.....DIALYSIS ACCESS

DATA VALUE: DIALYSIS LINE

-----  
ABBREVIATION.....DialLine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dialysis Line  
HELP\_TEXT.....  
ID.....{0371E9EE-D643-4104-BC36-94C0B8F06052}  
TERM.....DIALYSIS LINE

DATA VALUE: DIAPHORETIC

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diaphoretic  
HELP\_TEXT.....No Help Text  
ID.....{F5F1E644-A1BD-0137-54B5-1C02678C1D5A}  
TERM.....DIAPHORETIC

DATA VALUE: DIARRHEA

-----  
ABBREVIATION.....DIARRHEA  
ACTIVE.....Yes  
DESCRIPTION.....Diarrhea  
DISPLAY\_NAME.....Diarrhea  
HELP\_TEXT.....No Help Text  
ID.....{353472EF-3499-46B1-AD7C-554FE01D8CE2}  
TERM.....DIARRHEA

DATA VALUE: DIASTOLIC

-----  
ABBREVIATION.....DIASTOLIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diastolic  
HELP\_TEXT.....No Help Text  
ID.....{3E9D1DCF-6B3B-482C-AE5F-442814F4B5C0}  
TERM.....DIASTOLIC

DATA VALUE: DID NOT MOVE BOWELS THIS OBSERVATION PERIOD

-----  
ABBREVIATION.....DidNotMove  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Did Not Move Bowels this Observation  
Period  
HELP\_TEXT.....  
ID.....{BB562067-B313-4281-B75A-200FDF0EDE28}  
TERM.....DID NOT MOVE BOWELS THIS OBSERVATION  
PERIOD

DATA VALUE: DID NOT VOID THIS OBSERVATION PERIOD

-----  
ABBREVIATION.....NoVoid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Did Not Void this Observation Period  
HELP\_TEXT.....  
ID.....{C8DB4921-CE75-42D9-870C-62DB5FC9F45F}  
TERM.....DID NOT VOID THIS OBSERVATION PERIOD

DATA VALUE: DIFFICULT TO AROUSE

-----  
ABBREVIATION.....Diff to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Difficult to Arouse  
HELP\_TEXT.....  
ID.....{5EF640D1-CE7F-49AB-80DC-6BCFF47BC86C}  
TERM.....DIFFICULT TO AROUSE

DATA VALUE: DIFFICULTY FALLING ASLEEP

-----  
ABBREVIATION.....DiffFallAs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Difficulty Falling Asleep  
HELP\_TEXT.....  
ID.....{956E1F9D-7B7A-4B59-850A-C7491F189AFF}  
TERM.....DIFFICULTY FALLING ASLEEP

DATA VALUE: DIFFICULTY STAYING ASLEEP

-----  
ABBREVIATION.....DiffStayAs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Difficulty Staying Asleep  
HELP\_TEXT.....  
ID.....{ADF78841-EC65-4DD2-9E97-721F893B3044}  
TERM.....DIFFICULTY STAYING ASLEEP

DATA VALUE: DIFFICULTY WAKING UP

-----  
ABBREVIATION.....DiffWakeUp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Difficulty Waking Up  
HELP\_TEXT.....  
ID.....{AF7098FF-6D4A-4B79-823A-CB2070B9C459}  
TERM.....DIFFICULTY WAKING UP

DATA VALUE: DIGITAL STIMULATION

---

ABBREVIATION.....Dig Stim  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Digital Stimulation  
HELP\_TEXT.....  
ID.....{44F30BAF-C8E2-484B-8572-66B86BBC868}  
TERM.....DIGITAL STIMULATION

DATA VALUE: DILATED

---

ABBREVIATION.....Dilated  
ACTIVE.....Yes  
DESCRIPTION.....Dilated  
DISPLAY\_NAME.....Dilated  
HELP\_TEXT.....No Help Text  
ID.....{BF98ADC4-C69E-B17A-9BDE-D426D7F4C395}  
TERM.....DILATED

DATA VALUE: DILUTE DAKINS SOLUTION

---

ABBREVIATION.....DL\_DAKINS  
ACTIVE.....Yes  
DESCRIPTION.....Dilute Dakins Solution  
DISPLAY\_NAME.....Dilute Dakins Solution  
HELP\_TEXT.....No Help Text  
ID.....{66DEF4D0-54C0-4ADF-8FFD-F4E022C30F43}  
TERM.....DILUTE DAKINS SOLUTION

DATA VALUE: DILUTE SODIUM HYPOCHLORITE SOLUTION

---

ABBREVIATION.....D\_NA\_HYPO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dilute Sodium Hypochlorite Solution  
HELP\_TEXT.....No Help Text  
ID.....{14D2B1FB-1A5D-42AA-ACCF-A5033741DB61}  
TERM.....DILUTE SODIUM HYPOCHLORITE SOLUTION

DATA VALUE: DIMINISHED

---

ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diminished  
HELP\_TEXT.....No Help Text  
ID.....{49DE419E-DC3C-F7CD-771D-742031E0DEBC}  
TERM.....DIMINISHED

DATA VALUE: DINING ROOM

---

ABBREVIATION.....Dining Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dining Room  
HELP\_TEXT.....  
ID.....{9E120E65-9968-4083-961C-D741FCFB420B}  
TERM.....DINING ROOM

DATA VALUE: DIPLOPIA

---

ABBREVIATION.....Diplopia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diplopia  
HELP\_TEXT.....  
ID.....{7D7F7A2D-0979-4A05-B284-C7E2AF593044}  
TERM.....DIPLOPIA

DATA VALUE: DISCHARGE

---

ABBREVIATION.....DISCHARGE  
ACTIVE.....Yes  
DESCRIPTION.....Discharge  
DISPLAY\_NAME.....Discharge  
HELP\_TEXT.....No Help Text  
ID.....{ADF67CC2-E05B-4B8D-A233-4AE1C35B2D20}  
TERM.....DISCHARGE

DATA VALUE: DISCHARGE MEDS PLANNED

---

ABBREVIATION.....DI ME PL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discharge Meds Planned  
HELP\_TEXT.....No Help Text  
ID.....{04E9DF8B-8807-47A5-AE88-180F431F3BDE}  
TERM.....DISCHARGE MEDS PLANNED

DATA VALUE: DISCHARGE ORDER ON CHART

---

ABBREVIATION.....DI OR CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discharge Order On Chart  
HELP\_TEXT.....No Help Text  
ID.....{F7267E73-07BC-44FB-AB0F-FAA07F6E2C1B}  
TERM.....DISCHARGE ORDER ON CHART

DATA VALUE: DISCOLORATION

---

ABBREVIATION.....DISCOLORAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discoloration  
HELP\_TEXT.....No Help Text  
ID.....{BBE3E910-CC49-430C-BD90-FB0A97F1B183}  
TERM.....DISCOLORATION

DATA VALUE: DISCOMFORT

---

ABBREVIATION.....DISCOMFORT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Discomfort  
HELP\_TEXT.....No Help Text  
ID.....{77D058C9-1EB4-96C0-C9E3-666C840B884C}  
TERM.....DISCOMFORT

DATA VALUE: DISCONTINUED

---

ABBREVIATION.....DISCONTINU  
ACTIVE.....Yes  
DESCRIPTION.....Discontinued  
DISPLAY\_NAME.....Discontinued  
HELP\_TEXT.....No Help Text  
ID.....{15E289FB-09DF-4731-9CF3-48A4E0031C31}  
TERM.....DISCONTINUED

DATA VALUE: DISEASE PROCESS

---

ABBREVIATION.....DISEA PROC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disease Process  
HELP\_TEXT.....No Help Text  
ID.....{E80807AE-6208-421D-BE4C-445C470D32FA}  
TERM.....DISEASE PROCESS

DATA VALUE: DISHEVELED

---

ABBREVIATION.....DISHEVEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disheveled  
HELP\_TEXT.....No Help Text  
ID.....{0455549E-5CCB-470D-9D7F-F3959E6D55FE}  
TERM.....DISHEVELED

DATA VALUE: DISORGANIZED

---

ABBREVIATION.....Disorganiz  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Disorganized  
HELP\_TEXT.....  
ID.....{E8382FF8-BC64-415D-9142-CEEA707CF77C}  
TERM.....DISORGANIZED

DATA VALUE: DISORIENTED

---

ABBREVIATION.....DISORIENTE  
ACTIVE.....Yes  
DESCRIPTION.....Disoriented  
DISPLAY\_NAME.....Disoriented  
HELP\_TEXT.....No Help Text  
ID.....{A7D1F2EA-CD7C-4100-8552-44834684C6DE}  
TERM.....DISORIENTED

DATA VALUE: DISORIENTED TO PERSON

---

ABBREVIATION.....DISOR TO P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Person  
HELP\_TEXT.....No Help Text  
ID.....{E5D83C03-7EF5-770B-930F-7B3B3345048C}  
TERM.....DISORIENTED TO PERSON

DATA VALUE: DISORIENTED TO PLACE

---

ABBREVIATION.....dtp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Place  
HELP\_TEXT.....No Help Text  
ID.....{00C98809-C0D0-C7B4-0615-8F7D31017FE8}  
TERM.....DISORIENTED TO PLACE

DATA VALUE: DISORIENTED TO SITUATION

---

ABBREVIATION.....dts  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Situation  
HELP\_TEXT.....No Help Text  
ID.....{7143B3D7-5569-4378-D3AA-10C4675F0BA5}  
TERM.....DISORIENTED TO SITUATION

DATA VALUE: DISORIENTED TO TIME

---

ABBREVIATION.....dtt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Disoriented To Time  
HELP\_TEXT.....No Help Text  
ID.....{2AD1A28A-4121-4B82-CFB8-E5A8D3095704}  
TERM.....DISORIENTED TO TIME

DATA VALUE: DISRUPTED SLEEP

---

ABBREVIATION.....Disrupted  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Disrupted Sleep  
HELP\_TEXT.....  
ID.....{4F835BC8-D915-4064-BB4E-C9D003670C81}  
TERM.....DISRUPTED SLEEP

DATA VALUE: DISTAL PORT

---

ABBREVIATION.....DIST PORT  
ACTIVE.....Yes  
DESCRIPTION.....Distal Port  
DISPLAY\_NAME.....Distal Port  
HELP\_TEXT.....No Help Text  
ID.....{E493DF34-AD0E-4951-9715-5AD4EFA14036}  
TERM.....DISTAL PORT

DATA VALUE: DISTANT

---

ABBREVIATION.....Distant  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Distant  
HELP\_TEXT.....  
ID.....{0E033768-83F4-4A05-AEEA-7D385E3A5755}  
TERM.....DISTANT

DATA VALUE: DISTENDED

---

ABBREVIATION.....DISTENDED  
ACTIVE.....Yes  
DESCRIPTION.....Distended  
DISPLAY\_NAME.....Distended  
HELP\_TEXT.....No Help Text  
ID.....{B5C529CA-2BE0-4698-A153-718F4D58E643}  
TERM.....DISTENDED

DATA VALUE: DISTENDED WITH HOB 30 DEGREES

-----  
ABBREVIATION.....Distended  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Distended with HOB 30 Degrees  
HELP\_TEXT.....  
ID.....{10ADE2D9-8CF0-4870-A4A6-1BF93CC6CC8F}  
TERM.....DISTENDED WITH HOB 30 DEGREES

DATA VALUE: DIVERSION

-----  
ABBREVIATION.....DIVERSION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diversion  
HELP\_TEXT.....No Help Text  
ID.....{087AAE9F-7FE1-5717-6423-07574C637875}  
TERM.....DIVERSION

DATA VALUE: DIVERSIONAL ACTIVITIES

-----  
ABBREVIATION.....R.E. DIVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Diversonal Activities  
HELP\_TEXT.....No Help Text  
ID.....{569F6D49-C564-4910-835A-B05179086E1F}  
TERM.....DIVERSIONAL ACTIVITIES

DATA VALUE: DIVIATION TO ONE SIDE

-----  
ABBREVIATION.....Diviation  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Diviation to One Side  
HELP\_TEXT.....  
ID.....{49BC09BA-73B8-4FD4-8FBD-79D2EBAC7B82}  
TERM.....DIVIATION TO ONE SIDE

DATA VALUE: DIZZINESS

-----  
ABBREVIATION.....Dizziness  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dizziness  
HELP\_TEXT.....  
ID.....{0CC2B0FB-E035-43E8-8836-23748851DE90}  
TERM.....DIZZINESS

DATA VALUE: DO

-----  
ABBREVIATION.....DO  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....DO  
HELP\_TEXT.....  
ID.....{F70738A6-7BFA-4D76-881C-6A4B4F4E41E4}  
TERM.....DO

DATA VALUE: DO NOT INTUBATE

-----  
ABBREVIATION.....Do Not Int  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Do Not Intubate  
HELP\_TEXT.....  
ID.....{88F9A76A-43BC-4BD9-A567-C8FE5A868544}  
TERM.....DO NOT INTUBATE

DATA VALUE: DO NOT RESUSCITATE

-----  
ABBREVIATION.....dnr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Do Not Resuscitate  
HELP\_TEXT.....No Help Text  
ID.....{0BD8A134-C563-7E00-A6B1-F7C543CEF6FF}  
TERM.....DO NOT RESUSCITATE

DATA VALUE: DONE

-----  
ABBREVIATION.....DONE  
ACTIVE.....Yes  
DESCRIPTION.....Done  
DISPLAY\_NAME.....Done  
HELP\_TEXT.....No Help Text  
ID.....{60412C8D-132F-46EA-8DDF-FCC282C4CC8B}  
TERM.....DONE

DATA VALUE: DONE AS PER POLICY

-----  
ABBREVIATION.....PerPolicy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Done as per Policy  
HELP\_TEXT.....  
ID.....{9D246DC9-B054-4AB2-9D72-C2E3C3A12FC1}  
TERM.....DONE AS PER POLICY

DATA VALUE: DOO

-----  
ABBREVIATION.....DOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DOO  
HELP\_TEXT.....No Help Text  
ID.....{749BCE3D-FF09-B796-FF2A-ECD2D116C96F}  
TERM.....DOO

DATA VALUE: DORSIFLEXION ABNORMAL

-----  
ABBREVIATION.....DorFlexAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dorsiflexion Abnormal  
HELP\_TEXT.....  
ID.....{DBF6BB13-2077-4840-A91D-4FBA7B7D5B65}  
TERM.....DORSIFLEXION ABNORMAL

DATA VALUE: DORSIFLEXION BOOT

-----  
ABBREVIATION.....DorsifBoot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dorsiflexion Boot  
HELP\_TEXT.....  
ID.....{6913D726-62AD-4B8A-A9CE-37F476E8F064}  
TERM.....DORSIFLEXION BOOT

DATA VALUE: DORSIFLEXION WNL

-----  
ABBREVIATION.....DorFlexWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dorsiflexion WNL  
HELP\_TEXT.....  
ID.....{F0F1B88B-CA88-4BD3-8194-CE8EC1C40C2D}  
TERM.....DORSIFLEXION WNL

DATA VALUE: DOUBLE

-----  
ABBREVIATION.....DOUBLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Double  
HELP\_TEXT.....No Help Text  
ID.....{A486852F-150B-24E3-8EB3-8CAABB3D0520}  
TERM.....DOUBLE

DATA VALUE: DOWN

-----  
ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Down  
HELP\_TEXT.....No Help Text  
ID.....{36ECC86E-2D73-D4A9-5E13-9972E2ECF2E2}  
TERM.....DOWN

DATA VALUE: DOWNWARD

-----  
ABBREVIATION.....Downward  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Downward  
HELP\_TEXT.....  
ID.....{01FCD148-24BB-40CF-8D31-4C3F6ED5E499}  
TERM.....DOWNWARD

DATA VALUE: DRAINAGE FLOW IS UNOBSTRUCTED

-----  
ABBREVIATION.....Unobstruct  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Drainage Flow is Unobstructed  
HELP\_TEXT.....  
ID.....{DB66B2DD-50FE-468B-8892-1A8FF157BCB0}  
TERM.....DRAINAGE FLOW IS UNOBSTRUCTED

DATA VALUE: DRAINING POORLY

-----  
ABBREVIATION.....DrainPoor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Draining Poorly  
HELP\_TEXT.....  
ID.....{C3EF5A17-30FC-49B6-9F9E-51A34F45F295}  
TERM.....DRAINING POORLY

DATA VALUE: DRAINING WELL

-----  
ABBREVIATION.....DrainWell  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Draining Well  
HELP\_TEXT.....  
ID.....{594713DB-C44A-4B57-8B1C-784C7763F80B}  
TERM.....DRAINING WELL

DATA VALUE: DRESSING

---

ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dressing  
HELP\_TEXT.....No Help Text  
ID.....{FFEF0714-3B5B-E2B4-D760-3C03D45E59EA}  
TERM.....DRESSING

DATA VALUE: DRESSING CHANGED

---

ABBREVIATION.....DRESS CHAN  
ACTIVE.....Yes  
DESCRIPTION.....Changed Dressing  
DISPLAY\_NAME.....Dressing Changed  
HELP\_TEXT.....No Help Text  
ID.....{E8CF4B7A-D1AB-49A2-8E7C-3375C3BC436F}  
TERM.....DRESSING CHANGED

DATA VALUE: DRESSING WITH PRESCRIPTION RX

---

ABBREVIATION.....DR W RX  
ACTIVE.....Yes  
DESCRIPTION.....Dressing With Prescription Rx  
DISPLAY\_NAME.....Dressing With Prescription Rx  
HELP\_TEXT.....No Help Text  
ID.....{AD5F9FDC-F280-4F1C-99E9-2BE0F9FFB15C}  
TERM.....DRESSING WITH PRESCRIPTION RX

DATA VALUE: DRESSINGS CHECKED

---

ABBREVIATION.....DRESS CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dressings Checked  
HELP\_TEXT.....No Help Text  
ID.....{21014F53-29CE-4914-8760-6976D8DBA742}  
TERM.....DRESSINGS CHECKED

DATA VALUE: DROPLET

---

ABBREVIATION.....DROPLET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Droplet  
HELP\_TEXT.....No Help Text  
ID.....{CE1DD314-8A30-4785-BD56-1540CDA85146}  
TERM.....DROPLET

DATA VALUE: DROPPING FOOT

---

ABBREVIATION.....Drop Foot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dropping Foot  
HELP\_TEXT.....  
ID.....{973DF7B5-4845-46F8-BD5F-D20BB7FF708F}  
TERM.....DROPPING FOOT

DATA VALUE: DROWSY

---

ABBREVIATION.....Drowsy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Drowsy  
HELP\_TEXT.....  
ID.....{837DDD3A-DE8F-41E2-82C9-9533052F7B05}  
TERM.....DROWSY

DATA VALUE: DRY

---

ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry  
HELP\_TEXT.....No Help Text  
ID.....{D8F4F0FD-1B19-2515-3815-EC88D175B305}  
TERM.....DRY

DATA VALUE: DRY AND INTACT

---

ABBREVIATION.....DRY INTACT  
ACTIVE.....Yes  
DESCRIPTION.....Dry and Intact  
DISPLAY\_NAME.....Dry and Intact  
HELP\_TEXT.....No Help Text  
ID.....{77B62A18-F098-4764-86FA-66373E08E8C3}  
TERM.....DRY AND INTACT

DATA VALUE: DRY HEAVES

---

ABBREVIATION.....Dry Heaves  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dry Heaves  
HELP\_TEXT.....  
ID.....{340B9BAD-5F37-42D1-843B-A4AB9908DFDD}  
TERM.....DRY HEAVES

DATA VALUE: DRY SHAMPOO

-----  
ABBREVIATION.....DRY SHAMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry Shampoo  
HELP\_TEXT.....No Help Text  
ID.....{8910A186-2590-4352-A884-7D692A9D2B3C}  
TERM.....DRY SHAMPOO

DATA VALUE: DRY STERILE DRESSING

-----  
ABBREVIATION.....DRY ST DRE  
ACTIVE.....Yes  
DESCRIPTION.....Dry Sterile Dressing  
DISPLAY\_NAME.....Dry Sterile Dressing  
HELP\_TEXT.....No Help Text  
ID.....{3069DFCE-1B59-467C-97CE-9DBAF9AF42CC}  
TERM.....DRY STERILE DRESSING

DATA VALUE: DUAL CANNULA

-----  
ABBREVIATION.....DualCannul  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dual Cannula  
HELP\_TEXT.....  
ID.....{BEAA57AB-9C9E-47F9-B942-DD6730CB559C}  
TERM.....DUAL CANNULA

DATA VALUE: DULL

-----  
ABBREVIATION.....DULL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dull  
HELP\_TEXT.....No Help Text  
ID.....{F0F80976-F6A0-4363-9C75-AAAE9937DB49}  
TERM.....DULL

DATA VALUE: DUMPING SYNDROME

-----  
ABBREVIATION.....DUMP SYND  
ACTIVE.....Yes  
DESCRIPTION.....Dumping Syndrome Diet  
DISPLAY\_NAME.....Dumping Syndrome Diet  
HELP\_TEXT.....No Help Text  
ID.....{0173C971-63CB-45A5-9E93-D966EB3B957D}  
TERM.....DUMPING SYNDROME

DATA VALUE: DUODENOSTOMY

---

ABBREVIATION.....DUODENOSTO  
ACTIVE.....Yes  
DESCRIPTION.....Duodenostomy  
DISPLAY\_NAME.....Duodenostomy  
HELP\_TEXT.....No Help Text  
ID.....{FA44135D-6806-42E7-B371-8C3912B3582E}  
TERM.....DUODENOSTOMY

DATA VALUE: DUSKY

---

ABBREVIATION.....d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dusky  
HELP\_TEXT.....No Help Text  
ID.....{2ABF845E-4E2F-883F-3FCC-F72B8507FF85}  
TERM.....DUSKY

DATA VALUE: DVI

---

ABBREVIATION.....DVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....DVI  
HELP\_TEXT.....No Help Text  
ID.....{4D6E3081-7BB5-45DB-E8E6-0D3D7869E6BD}  
TERM.....DVI

DATA VALUE: DYE PRESENT

---

ABBREVIATION.....DYE PRESEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dye Present  
HELP\_TEXT.....No Help Text  
ID.....{E865AD3E-6DAD-C3F9-6F93-7AD6F71234A4}  
TERM.....DYE PRESENT

DATA VALUE: DYSARTHRIA

---

ABBREVIATION.....Dysarthria  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dysarthria  
HELP\_TEXT.....  
ID.....{28B14539-7F82-465C-BF57-DEB09FAEB94C}  
TERM.....DYSARTHRIA

DATA VALUE: DYSPHAGIA

---

ABBREVIATION.....Dysphagia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dysphagia  
HELP\_TEXT.....  
ID.....{CC69271C-B4DF-42D1-BA91-0832DBC45E31}  
TERM.....DYSPHAGIA

DATA VALUE: DYSPHAGIA PHASE I

---

ABBREVIATION.....DYSP PH I  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage I Diet  
DISPLAY\_NAME.....Dysphagia Stage I Diet  
HELP\_TEXT.....No Help Text  
ID.....{8011795B-77A5-4FF4-8EB9-EB6E1AA1FD4D}  
TERM.....DYSPHAGIA PHASE I

DATA VALUE: DYSPHAGIA STAGE II

---

ABBREVIATION.....DYSP ST II  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage II Diet  
DISPLAY\_NAME.....Dysphagia Stage II Diet  
HELP\_TEXT.....No Help Text  
ID.....{294BF58A-47FD-43A1-8A1E-9E348987B004}  
TERM.....DYSPHAGIA STAGE II

DATA VALUE: DYSPHAGIA STAGE III

---

ABBREVIATION.....DYS ST III  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage III Diet  
DISPLAY\_NAME.....Dysphagia Stage III Diet  
HELP\_TEXT.....No Help Text  
ID.....{DCF91830-C5CA-47B2-A7C6-4DD971F953EA}  
TERM.....DYSPHAGIA STAGE III

DATA VALUE: DYSPHAGIA STAGE IV

---

ABBREVIATION.....DYSP ST IV  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage IV Diet  
DISPLAY\_NAME.....Dysphagia Stage IV Diet  
HELP\_TEXT.....No Help Text  
ID.....{E738569A-5104-4C93-8EFC-47D80765F739}  
TERM.....DYSPHAGIA STAGE IV

DATA VALUE: DYSPHAGIA STAGE V

-----  
ABBREVIATION.....DYSPH ST V  
ACTIVE.....Yes  
DESCRIPTION.....Dysphagia Stage V Diet  
DISPLAY\_NAME.....Dysphagia Stage V Diet  
HELP\_TEXT.....No Help Text  
ID.....{ABE7D85D-1821-4592-B4E8-84670EE484E4}  
TERM.....DYSPHAGIA STAGE V

DATA VALUE: DYSPNEA

-----  
ABBREVIATION.....Dyspnea  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dyspnea  
HELP\_TEXT.....  
ID.....{832BD195-52F1-450B-9466-C6DEEBF49406}  
TERM.....DYSPNEA

DATA VALUE: DYSPNEIC

-----  
ABBREVIATION.....DYSPECNIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dyspnic  
HELP\_TEXT.....No Help Text  
ID.....{4C6B42D9-694F-5EB2-6396-7ED85D5B154E}  
TERM.....DYSPNEIC

DATA VALUE: DYSURIA

-----  
ABBREVIATION.....DYSURIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dysuria  
HELP\_TEXT.....No Help Text  
ID.....{75AC5ECD-8975-406A-30C7-E2EB23F10F84}  
TERM.....DYSURIA

DATA VALUE: EAGER TO LEARN

-----  
ABBREVIATION.....EAGER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Eager To Learn  
HELP\_TEXT.....No Help Text  
ID.....{A20AF51B-C89C-4308-AE17-C66144FE68BE}  
TERM.....EAGER TO LEARN

DATA VALUE: EAR

-----  
ABBREVIATION.....Ear  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ear  
HELP\_TEXT.....  
ID.....{2FCF5F1B-70ED-4994-B9E6-83FA29F1D088}  
TERM.....EAR

DATA VALUE: EASY TO AROUSE

-----  
ABBREVIATION.....Easy to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Easy to Arouse  
HELP\_TEXT.....  
ID.....{19BB5A04-F979-449C-AA93-D5A21BD368F6}  
TERM.....EASY TO AROUSE

DATA VALUE: ECCHYMOYSIS

-----  
ABBREVIATION.....ECCHYMOYSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ecchymosis  
HELP\_TEXT.....No Help Text  
ID.....{DF076906-CC17-6AD1-76E7-B07678A126DE}  
TERM.....ECCHYMOYSIS

DATA VALUE: ED IMPLANT

-----  
ABBREVIATION.....ED Implant  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ED Implant  
HELP\_TEXT.....  
ID.....{A3BC0444-EDB8-4852-82A2-EA07B0C37D51}  
TERM.....ED IMPLANT

DATA VALUE: EDEMA (NON-PITTING)

-----  
ABBREVIATION.....EdemNonPit  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Edema (Non-pitting)  
HELP\_TEXT.....  
ID.....{A11E7C74-1876-4677-B1D2-062074E85921}  
TERM.....EDEMA (NON-PITTING)

DATA VALUE: EDUCATION

---

ABBREVIATION.....R.E. EDUC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education  
HELP\_TEXT.....No Help Text  
ID.....{76341E6E-7F0A-429C-B768-9CA83C452FD7}  
TERM.....EDUCATION

DATA VALUE: ELASTIC WRAP

---

ABBREVIATION.....ELAST WRAP  
ACTIVE.....Yes  
DESCRIPTION.....ELASTIC WRAP  
DISPLAY\_NAME.....Elastic Wrap  
HELP\_TEXT.....ELASTIC WRAP  
ID.....{9EB52FA5-32D8-823F-2E3C-83375DA62342}  
TERM.....ELASTIC WRAP

DATA VALUE: ELBOW PAD

---

ABBREVIATION.....ELBOW PAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Elbow Pad  
HELP\_TEXT.....No Help Text  
ID.....{26942F81-1E33-4962-B772-A96FFBCED814}  
TERM.....ELBOW PAD

DATA VALUE: ELECTRIC

---

ABBREVIATION.....ELECTRIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Electric  
HELP\_TEXT.....No Help Text  
ID.....{0C221385-61AF-4660-A129-35E610EA71AB}  
TERM.....ELECTRIC

DATA VALUE: ELECTRONIC LARYNX

---

ABBREVIATION.....ElecLarynx  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Electronic Larynx  
HELP\_TEXT.....  
ID.....{6614E813-0FBB-4F5A-A89B-3C02FE906983}  
TERM.....ELECTRONIC LARYNX

DATA VALUE: ELEMENTAL FORMULA

---

ABBREVIATION.....ELE FORM  
ACTIVE.....Yes  
DESCRIPTION.....Elemental Enteral Nutrition Formula  
DISPLAY\_NAME.....Elemental Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{DCE1E81C-1AC7-48F4-97AA-F1FC4D0601D8}  
TERM.....ELEMENTAL FORMULA

DATA VALUE: ELEVATED ST

---

ABBREVIATION.....Elevate ST  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Elevated ST  
HELP\_TEXT.....  
ID.....{7663CF04-7A89-4228-9DB4-80504A417EA8}  
TERM.....ELEVATED ST

DATA VALUE: ELIMINATED ENVIRONMENTAL HAZARDS

---

ABBREVIATION.....Eli Env Hz  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Eliminated Environmental Hazards  
HELP\_TEXT.....  
ID.....{78E77129-F53F-491D-8C86-36AE948FCCC6}  
TERM.....ELIMINATED ENVIRONMENTAL HAZARDS

DATA VALUE: ELOPEMENT

---

ABBREVIATION.....e  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Elopement  
HELP\_TEXT.....No Help Text  
ID.....{EB030907-FB90-CA9D-CF50-E26C5D9FE671}  
TERM.....ELOPEMENT

DATA VALUE: ELOPEMENT RISK

---

ABBREVIATION.....Elope Risk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Elopement Risk  
HELP\_TEXT.....  
ID.....{4AFA7128-158F-4FAF-9090-FE1791B588D0}  
TERM.....ELOPEMENT RISK

DATA VALUE: EMERGENCY

---

ABBREVIATION.....Emergency  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Emergency  
HELP\_TEXT.....  
ID.....{3C7B5E35-63CA-32EE-3D64-AE4A052F55E1}  
TERM.....EMERGENCY

DATA VALUE: EMERGENCY DEPARTMENT

---

ABBREVIATION.....ER DEPT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Emergency Department  
HELP\_TEXT.....No Help Text  
ID.....{D2E511F7-8B80-4928-A64B-3F1EE17395F7}  
TERM.....EMERGENCY DEPARTMENT

DATA VALUE: EMERGENCY DEPT

---

ABBREVIATION.....Emer Dept  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Emergency Dept  
HELP\_TEXT.....  
ID.....{E8490DF5-278C-4102-9675-C9B40D596A10}  
TERM.....EMERGENCY DEPT

DATA VALUE: EMOTIONAL

---

ABBREVIATION.....EMOTIONAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Emotional  
HELP\_TEXT.....No Help Text  
ID.....{626C22E6-EF2A-489F-AA79-D27541A0BC45}  
TERM.....EMOTIONAL

DATA VALUE: END OF LIFE CARE

---

ABBREVIATION.....END LIFE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....End Of Life Care  
HELP\_TEXT.....No Help Text  
ID.....{047D8977-0567-4B90-AD6A-3AAF8DB35238}  
TERM.....END OF LIFE CARE

DATA VALUE: END-TIDAL CO2 MONITOR

---

ABBREVIATION.....End-Tidal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....End-Tidal CO2 Monitor  
HELP\_TEXT.....  
ID.....{609E3607-E441-465D-B1FC-C6986C58C11C}  
TERM.....END-TIDAL CO2 MONITOR

DATA VALUE: ENEMA

---

ABBREVIATION.....Enema  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enema  
HELP\_TEXT.....  
ID.....{34E6D2F2-9A36-45EC-83DA-37B8266065D5}  
TERM.....ENEMA

DATA VALUE: ENOXAPARIN

---

ABBREVIATION.....Enoxaparin  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enoxaparin  
HELP\_TEXT.....  
ID.....{D90F0502-4EF4-4BFA-A8E9-1BA716F5805F}  
TERM.....ENOXAPARIN

DATA VALUE: ENSURE PLUS

---

ABBREVIATION.....Ensure Plu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ensure Plus  
HELP\_TEXT.....  
ID.....{519D1249-B6C0-49ED-BA86-1B27C0F964C9}  
TERM.....ENSURE PLUS

DATA VALUE: ENTERAL FEEDING FORMULA/WATER ADMINISTRATION

---

ABBREVIATION.....Feed Form  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Feeding Formula/Water  
Administration  
HELP\_TEXT.....  
ID.....{D2EA8840-1123-4660-AD25-587458BF1E89}  
TERM.....ENTERAL FEEDING FORMULA/WATER  
ADMINISTRATION

DATA VALUE: ENTERAL FEEDING PUMP

-----  
ABBREVIATION.....Feed Pump  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Feeding Pump  
HELP\_TEXT.....  
ID.....{31FF069C-0060-45C3-898F-20F1A9D1552B}  
TERM.....ENTERAL FEEDING PUMP

DATA VALUE: ENTERAL TUBE MEDICATION ADMINISTRATION

-----  
ABBREVIATION.....Med Admin  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Tube Medication Administration  
HELP\_TEXT.....  
ID.....{68D124A7-69CF-414B-8A47-BC666A373E24}  
TERM.....ENTERAL TUBE MEDICATION ADMINISTRATION

DATA VALUE: ENTERAL TUBE/STOMA CARE

-----  
ABBREVIATION.....Tube/Stoma  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Enteral Tube/Stoma Care  
HELP\_TEXT.....  
ID.....{B91B94EF-CFE6-4628-BEF2-D06E5870D574}  
TERM.....ENTERAL TUBE/STOMA CARE

DATA VALUE: ENVIRONMENT

-----  
ABBREVIATION.....ENVIRO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Environment  
HELP\_TEXT.....No Help Text  
ID.....{C61AA262-F6AF-46AC-A215-0D56FD01B234}  
TERM.....ENVIRONMENT

DATA VALUE: ENZYMATIC OINTMENT

-----  
ABBREVIATION.....ENZY OINTM  
ACTIVE.....Yes  
DESCRIPTION.....Enzymatic Ointment  
DISPLAY\_NAME.....Enzymatic Ointment  
HELP\_TEXT.....No Help Text  
ID.....{E781DA75-8777-4884-A093-FB623774DB8F}  
TERM.....ENZYMATIC OINTMENT

DATA VALUE: EPICARDIAL LEADS

---

ABBREVIATION.....el  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Epicardial Leads  
HELP\_TEXT.....No Help Text  
ID.....{2B551575-3D50-96BD-7BAA-50CC9796361E}  
TERM.....EPICARDIAL LEADS

DATA VALUE: EPIDURAL

---

ABBREVIATION.....Epidural  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Epidural  
HELP\_TEXT.....  
ID.....{63317A63-16FF-4D55-A034-420C65B17AEB}  
TERM.....EPIDURAL

DATA VALUE: EPIDURAL PUMP

---

ABBREVIATION.....Epid Pump  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Epidural Pump  
HELP\_TEXT.....  
ID.....{26C83111-5FA8-4398-8D3E-787B31A2A9E9}  
TERM.....EPIDURAL PUMP

DATA VALUE: EPITHELIALIZATION

---

ABBREVIATION.....EPITHELIAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Epithelialization  
HELP\_TEXT.....No Help Text  
ID.....{5FC43A6D-921D-4736-A234-9993DB6499B7}  
TERM.....EPITHELIALIZATION

DATA VALUE: EQUAL

---

ABBREVIATION.....Equal  
ACTIVE.....Yes  
DESCRIPTION.....Equal  
DISPLAY\_NAME.....Equal  
HELP\_TEXT.....No Help Text  
ID.....{AC079584-158D-EBF2-E13A-C2E919375E4D}  
TERM.....EQUAL

DATA VALUE: EQUIPMENT

---

ABBREVIATION.....EQUIPMENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Equipment  
HELP\_TEXT.....No Help Text  
ID.....{04C0F805-C7B3-4A9A-91D8-0F32F3265874}  
TERM.....EQUIPMENT

DATA VALUE: ERYTHEMA

---

ABBREVIATION.....ERYTHEMA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Erythema  
HELP\_TEXT.....No Help Text  
ID.....{0083E1B3-AE2B-4CCF-8794-86E612B9DCEA}  
TERM.....ERYTHEMA

DATA VALUE: ERYTHEMATOUS

---

ABBREVIATION.....Erythemato  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Erythematous  
HELP\_TEXT.....  
ID.....{99C72386-619A-4CB4-BEB2-6F0BFF9283FC}  
TERM.....ERYTHEMATOUS

DATA VALUE: ESCAPE

---

ABBREVIATION.....e  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Escape  
HELP\_TEXT.....No Help Text  
ID.....{965F3201-9D63-66AB-FA25-99479AE7145A}  
TERM.....ESCAPE

DATA VALUE: ESCHAR

---

ABBREVIATION.....ESCHAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Eschar  
HELP\_TEXT.....No Help Text  
ID.....{555E03C5-FBFE-4EB9-816F-25CE34476B3C}  
TERM.....ESCHAR

DATA VALUE: ESTABLISHED ROUTINE TOILETING SCHEDULE

-----  
ABBREVIATION.....Toil Sched  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Established Routine Toiling Schedule  
HELP\_TEXT.....  
ID.....{A66F5259-5C01-4597-B881-9267DEBC017C}  
TERM.....ESTABLISHED ROUTINE TOILETING SCHEDULE

DATA VALUE: ETT REPOSITIONED

-----  
ABBREVIATION.....ETT REPOSI  
ACTIVE.....Yes  
DESCRIPTION.....ETT Repositioned  
DISPLAY\_NAME.....ETT Repositioned  
HELP\_TEXT.....No Help Text  
ID.....{95B35EDB-76B6-433E-B526-01C543A7CCEA}  
TERM.....ETT REPOSITIONED

DATA VALUE: ETT RETAPED/SECURED

-----  
ABBREVIATION.....ETT RETAPE  
ACTIVE.....Yes  
DESCRIPTION.....ETT Retaped / Secured  
DISPLAY\_NAME.....ETT Retaped / Secured  
HELP\_TEXT.....No Help Text  
ID.....{6D8A2EDA-CAC9-44D2-BDA9-3B7F20908F1E}  
TERM.....ETT RETAPED/SECURED

DATA VALUE: EUPHORIC

-----  
ABBREVIATION.....Euphoric  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Euphoric  
HELP\_TEXT.....  
ID.....{581BBFEE-B167-446A-A6DF-536D9B832421}  
TERM.....EUPHORIC

DATA VALUE: EVERSION ABNORMAL

-----  
ABBREVIATION.....EverAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Eversion Abnormal  
HELP\_TEXT.....  
ID.....{456A3E16-83FD-4366-8A01-D8BCD895C5DE}  
TERM.....EVERSION ABNORMAL

DATA VALUE: EVERSION WNL

---

ABBREVIATION.....EverWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Eversion WNL  
HELP\_TEXT.....  
ID.....{310FF2C1-BEC0-43B9-805F-285F4AA9B3E6}  
TERM.....EVERSION WNL

DATA VALUE: EWALD TUBE

---

ABBREVIATION.....EWALD TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Ewald Tube  
DISPLAY\_NAME.....Ewald Tube  
HELP\_TEXT.....No Help Text  
ID.....{B83AB4C1-A098-4FAB-A645-61FE1FEADBEB}  
TERM.....EWALD TUBE

DATA VALUE: EXPIRATORY WHEEZES

---

ABBREVIATION.....EXP WHEEZE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Expiratory Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{CFC103A8-8B02-4942-BBDD-8D24C930883E}  
TERM.....EXPIRATORY WHEEZES

DATA VALUE: EXTENDED PERIOD OF IMMOBILITY

---

ABBREVIATION.....Ex Pd Immo  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extended Period of Immobility  
HELP\_TEXT.....  
ID.....{3DD00E20-6B5E-47EF-B23C-ABA2C1ABAFOA}  
TERM.....EXTENDED PERIOD OF IMMOBILITY

DATA VALUE: EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM

---

ABBREVIATION.....ER EXI <1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Less Than 1 cm  
HELP\_TEXT.....No Help-Text  
ID.....{095709D0-6190-49A3-AB08-BF4575DC8396}  
TERM.....EXTENDS AROUND INCISION EXTENDS INTO  
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION MORE THAN 1 CM

-----  
ABBREVIATION.....ER EXI >1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extends Into Periwound More Than 1 cm  
HELP\_TEXT.....No Help-Text  
ID.....{11F13A1F-7AC2-4629-A960-CD92655EE101}  
TERM.....EXTENDS AROUND INCISION MORE THAN 1 CM

DATA VALUE: EXTENDS AROUND INCISION NONE

-----  
ABBREVIATION.....ER EXI NON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help-Text  
ID.....{91F1A7C5-885C-4B13-9F7F-189C93E505CC}  
TERM.....EXTENDS AROUND INCISION NONE

DATA VALUE: EXTENDS INTO PERIWOUND <1CM

-----  
ABBREVIATION.....EX IN PER<  
ACTIVE.....Yes  
DESCRIPTION.....Extends Into Periwound <1cm  
DISPLAY\_NAME.....Extends Into Periwound <1cm  
HELP\_TEXT.....No Help Text  
ID.....{0EBCEAE0-E17A-484F-BFE2-51F17AA761CB}  
TERM.....EXTENDS INTO PERIWOUND <1CM

DATA VALUE: EXTENDS INTO PERIWOUND>1CM

-----  
ABBREVIATION.....EX IN PER>  
ACTIVE.....Yes  
DESCRIPTION.....Extends Into Periwound > 1cm  
DISPLAY\_NAME.....Extends Into Periwound > 1cm  
HELP\_TEXT.....No Help Text  
ID.....{1F31FEBB-DA19-434C-8C58-67CDC5385231}  
TERM.....EXTENDS INTO PERIWOUND>1CM

DATA VALUE: EXTENDS TO PAIN

-----  
ABBREVIATION.....EXT TO PAI  
ACTIVE.....Yes  
DESCRIPTION.....Extends To Pain  
DISPLAY\_NAME.....Extends To Pain  
HELP\_TEXT.....No Help Text  
ID.....{A62B2C4D-BDB7-49FA-9669-DF6732063DA6}  
TERM.....EXTENDS TO PAIN

DATA VALUE: EXTENSION ABNORMAL

-----  
ABBREVIATION.....ExtenAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extension Abnormal  
HELP\_TEXT.....  
ID.....{D0E41658-BD04-48C6-94A0-505C7CA6C62D}  
TERM.....EXTENSION ABNORMAL

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM

-----  
ABBREVIATION.....ERY EX <1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extends Into Periwound Less Than 1 cm  
HELP\_TEXT.....No Help-Text  
ID.....{48C7FA69-D31A-4AAA-84F3-79AC863B71FD}  
TERM.....EXTENSION AROUND WOUND EXTENDS INTO  
PERIWOUND LESS THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM

-----  
ABBREVIATION.....ERY EX >1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extends Into Periwound Greater Than 1  
cm  
HELP\_TEXT.....No Help-Text  
ID.....{175B2505-C596-4036-8FC3-DFEA8EFB76F9}  
TERM.....EXTENSION AROUND WOUND EXTENDS INTO  
PERIWOUND MORE THAN 1 CM

DATA VALUE: EXTENSION AROUND WOUND LIMITED TO WOUND

-----  
ABBREVIATION.....ERY EX LIM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited To Wound  
HELP\_TEXT.....No Help-Text  
ID.....{2DC83B85-B3B6-4679-9F48-7DD26EFFC4D4}  
TERM.....EXTENSION AROUND WOUND LIMITED TO WOUND

DATA VALUE: EXTENSION AROUND WOUND NONE

-----  
ABBREVIATION.....ERY EX NON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help-Text  
ID.....{815C7BDF-C9A8-4AFE-B2BE-2C2FF24AA495}  
TERM.....EXTENSION AROUND WOUND NONE

DATA VALUE: EXTENSION WNL

-----  
ABBREVIATION.....ExtenWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extension WNL  
HELP\_TEXT.....  
ID.....{0A7AE981-CD5A-4401-AFE2-35B56CA97D3B}  
TERM.....EXTENSION WNL

DATA VALUE: EXTENSION-ABNORMAL

-----  
ABBREVIATION.....Exten-Abnl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extension-Abnormal  
HELP\_TEXT.....  
ID.....{4EACD15C-1CB5-4D23-A166-88F50C33C725}  
TERM.....EXTENSION-ABNORMAL

DATA VALUE: EXTENSION-WNL

-----  
ABBREVIATION.....Exten-WNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extension-WNL  
HELP\_TEXT.....  
ID.....{85694137-C7B1-40D0-BB35-323734235BB4}  
TERM.....EXTENSION-WNL

DATA VALUE: EXTENSIVE ASSISTANCE

-----  
ABBREVIATION.....EXT ASSIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extensive Assistance  
HELP\_TEXT.....No Help Text  
ID.....{C402B659-E880-4070-8345-13E5508B4D29}  
TERM.....EXTENSIVE ASSISTANCE

DATA VALUE: EXTERNAL CATHETER

-----  
ABBREVIATION.....EXT. CATHE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....External Catheter  
HELP\_TEXT.....No Help Text  
ID.....{C8AEE936-DD91-FE91-4DD6-6F210FB59726}  
TERM.....EXTERNAL CATHETER

DATA VALUE: EXTERNAL CONDOM CATH

-----  
ABBREVIATION.....Ex Con Cat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....External Condom Cath  
HELP\_TEXT.....  
ID.....{747E493A-C535-44EA-AD6D-27CE3E8E8CAC}  
TERM.....EXTERNAL CONDOM CATH

DATA VALUE: EXTERNAL FECAL INCONTINENCE DEVICE

-----  
ABBREVIATION.....FID Ext  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....External Fecal Incontinence Device  
HELP\_TEXT.....  
ID.....{6FD2A67E-5CDD-4654-8C2A-7BD851D032EF}  
TERM.....EXTERNAL FECAL INCONTINENCE DEVICE

DATA VALUE: EXTERNAL ORTHOPEDIC HARDWARE

-----  
ABBREVIATION.....ExOrtho  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....External Orthopedic Hardware  
HELP\_TEXT.....  
ID.....{7E6D78DE-2CE0-4FCA-BF31-5BC9C8BD2CA6}  
TERM.....EXTERNAL ORTHOPEDIC HARDWARE

DATA VALUE: EXTERNAL ROTATION

-----  
ABBREVIATION.....Ext Rotate  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....External Rotation  
HELP\_TEXT.....  
ID.....{F06FCEAA-D457-472B-81D1-E0079764BFB2}  
TERM.....EXTERNAL ROTATION

DATA VALUE: EXTRA MOVEMENTS THAT AFFECT GAIT

-----  
ABBREVIATION.....Extra Move  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extra Movements that Affect Gait  
HELP\_TEXT.....  
ID.....{DB1191F0-540F-4E62-B4D9-03DE316E4B5A}  
TERM.....EXTRA MOVEMENTS THAT AFFECT GAIT

DATA VALUE: EXTREMELY DRY

---

ABBREVIATION.....EXTR DRY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Extremely Dry  
HELP\_TEXT.....No Help Text  
ID.....{51677B19-80B9-4787-B6E2-E0BCF6601AA1}  
TERM.....EXTREMELY DRY

DATA VALUE: EXTREMELY WEAK

---

ABBREVIATION.....ExWeak  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extremely Weak  
HELP\_TEXT.....  
ID.....{87DF01DA-68FF-48EE-8C79-913457AC610D}  
TERM.....EXTREMELY WEAK

DATA VALUE: EXTREMITY BRACE

---

ABBREVIATION.....ExtremBrac  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extremity Brace  
HELP\_TEXT.....  
ID.....{83E9AD29-633A-4EE3-8179-3402649310FE}  
TERM.....EXTREMITY BRACE

DATA VALUE: EXTREMITY IMMOBILIZER

---

ABBREVIATION.....ExtremImmo  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extremity Immobilizer  
HELP\_TEXT.....  
ID.....{25C6E52B-527D-4F9F-A137-3D1E9D7B744A}  
TERM.....EXTREMITY IMMOBILIZER

DATA VALUE: EYE CLOSED

---

ABBREVIATION.....ec  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Eye Closed  
HELP\_TEXT.....No Help Text  
ID.....{140B7D2F-F9C2-0B4C-3CDC-7355EDDB5030}  
TERM.....EYE CLOSED

DATA VALUE: EYE LENS

---

ABBREVIATION.....Eye Lens  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Eye Lens  
HELP\_TEXT.....  
ID.....{9EA92925-0EA1-4E20-9B46-1848B03F72E9}  
TERM.....EYE LENS

DATA VALUE: EYEGLASSES

---

ABBREVIATION.....Eyeglasses  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Eyeglasses  
HELP\_TEXT.....  
ID.....{E4E5B291-CE6D-409F-A0A0-33EAA47C0C27}  
TERM.....EYEGLASSES

DATA VALUE: Edoxaban

---

ABBREVIATION.....Edoxaban  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Edoxaban  
HELP\_TEXT.....  
ID.....{549DA385-3F6C-453D-9C2A-87D3DFFDF2A5}  
TERM.....Edoxaban

DATA VALUE: FACE WASH

---

ABBREVIATION.....FACE WASH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Face Wash  
HELP\_TEXT.....No Help Text  
ID.....{E1162A8B-D26D-4EB3-988F-50583B1849EA}  
TERM.....FACE WASH

DATA VALUE: FACIAL

---

ABBREVIATION.....Facial  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Facial  
HELP\_TEXT.....  
ID.....{7229B242-4C9B-4881-B7C8-A71351754DD7}  
TERM.....FACIAL

DATA VALUE: FACIAL GRIMACES

---

ABBREVIATION.....Grimaces  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Facial Grimaces  
HELP\_TEXT.....  
ID.....{FEE509E1-5B2F-49C5-A57D-C9D42744037F}  
TERM.....FACIAL GRIMACES

DATA VALUE: FAINTING

---

ABBREVIATION.....Fainting  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fainting  
HELP\_TEXT.....  
ID.....{08BF714A-B109-4DF4-8B21-E87E7A637BD6}  
TERM.....FAINTING

DATA VALUE: FALL PREVENTION REVIEWED

---

ABBREVIATION.....FallPrevRw  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fall Prevention Reviewed  
HELP\_TEXT.....  
ID.....{ECA5757D-40DF-485E-A660-5600F73D6EDC}  
TERM.....FALL PREVENTION REVIEWED

DATA VALUE: FALL RISK ID

---

ABBREVIATION.....Fall Risk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fall Risk ID  
HELP\_TEXT.....  
ID.....{EF1BE81B-656B-474C-B19E-CCDAD8BB4100}  
TERM.....FALL RISK ID

DATA VALUE: FALL RISK SIGN

---

ABBREVIATION.....Fall Sign  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fall Risk Sign  
HELP\_TEXT.....  
ID.....{E9670720-957E-487E-B0F0-7F7A8AEF69DE}  
TERM.....FALL RISK SIGN

DATA VALUE: FAMILY

---

ABBREVIATION.....FAMILY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family  
HELP\_TEXT.....No Help Text  
ID.....{1233C4BB-5AC5-4883-AF2A-F5C93CD8814F}  
TERM.....FAMILY

DATA VALUE: FAMILY INFORMED

---

ABBREVIATION.....FAM INFORM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family Informed  
HELP\_TEXT.....No Help Text  
ID.....{77135D32-9CDD-4D3F-9B62-6E8189B77844}  
TERM.....FAMILY INFORMED

DATA VALUE: FAMILY INSTRUCTED

---

ABBREVIATION.....fam instru  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Family Instructed  
HELP\_TEXT.....  
ID.....{0FD5988C-2C4D-4786-99B3-3287A355E813}  
TERM.....FAMILY INSTRUCTED

DATA VALUE: FAMILY NEEDS

---

ABBREVIATION.....Fam Needs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Family Needs  
HELP\_TEXT.....  
ID.....{CEB07929-0A6E-47E9-99CD-BD9333304C9C}  
TERM.....FAMILY NEEDS

DATA VALUE: FAMILY STATED

---

ABBREVIATION.....Fam Stated  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Family Stated  
HELP\_TEXT.....  
ID.....{07A4B749-65F2-48E8-AD93-D142B04055B4}  
TERM.....FAMILY STATED

DATA VALUE: FAMILY/FRIEND

---

ABBREVIATION.....FAM/FRIE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Family/Friend  
HELP\_TEXT.....No Help Text  
ID.....{FA8FE272-E659-41EF-A394-F907A5F55ED8}  
TERM.....FAMILY/FRIEND

DATA VALUE: FASCIA

---

ABBREVIATION.....FASCIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fascia  
HELP\_TEXT.....No Help Text  
ID.....{EEE8535C-B887-4A34-A93F-C1C4AFC1296F}  
TERM.....FASCIA

DATA VALUE: FAT RESTRICTED 50 GM DIET

---

ABBREVIATION.....F RES 50gm  
ACTIVE.....Yes  
DESCRIPTION.....Fat Restricted 50 gm Diet  
DISPLAY\_NAME.....Fat Restricted 50 gm Diet  
HELP\_TEXT.....No Help Text  
ID.....{8E97A639-B7A6-4B3B-9BEF-0A46F3B46E43}  
TERM.....FAT RESTRICTED 50 GM DIET

DATA VALUE: FATIGUE

---

ABBREVIATION.....Fatigue  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fatigue  
HELP\_TEXT.....  
ID.....{B1A6EDDC-6763-490E-B560-87028FD884E2}  
TERM.....FATIGUE

DATA VALUE: FECAL FAT TEST DIET

---

ABBREVIATION.....FEC F TEST  
ACTIVE.....Yes  
DESCRIPTION.....Fecal Fat Test Diet  
DISPLAY\_NAME.....Fecal Fat Test Diet  
HELP\_TEXT.....No Help Text  
ID.....{BA1E8E4A-7698-4EFB-B1DD-18C444EE82D5}  
TERM.....FECAL FAT TEST DIET

DATA VALUE: FENESTRATED

-----  
ABBREVIATION.....Fenestratd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fenestrated  
HELP\_TEXT.....  
ID.....{B17FE19B-D8B9-4DAA-A2D1-4ED9C8E6591D}  
TERM.....FENESTRATED

DATA VALUE: FENTANYL

-----  
ABBREVIATION.....Fentanyl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fentanyl  
HELP\_TEXT.....  
ID.....{C0740659-05FB-4513-BD0F-4F4111B32215}  
TERM.....FENTANYL

DATA VALUE: FHWN1

-----  
ABBREVIATION.....FHWN1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....FHWN1  
HELP\_TEXT.....No Help Text  
ID.....{93B28875-51BF-4294-B2F9-58BE9365DC81}  
TERM.....FHWN1

DATA VALUE: FIBER FORMULA

-----  
ABBREVIATION.....FIBER FORM  
ACTIVE.....Yes  
DESCRIPTION.....Fiber Enteral Nutrition Formula  
DISPLAY\_NAME.....Fiber Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{1AF14DA4-8D59-420B-9895-4256E7A818BE}  
TERM.....FIBER FORMULA

DATA VALUE: FIBER STAT

-----  
ABBREVIATION.....Fiber Stat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fiber Stat  
HELP\_TEXT.....  
ID.....{201C8A8B-4417-4BD1-AAE1-FE8CBABF2511}  
TERM.....FIBER STAT

DATA VALUE: FIBERSOURCE

---

ABBREVIATION.....FiberSrc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fibersource  
HELP\_TEXT.....  
ID.....{0BD55DE7-8524-4A21-A694-218A19EF0CE6}  
TERM.....FIBERSOURCE

DATA VALUE: FIBRINOUS

---

ABBREVIATION.....FIBRINOUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fibrinous  
HELP\_TEXT.....No Help Text  
ID.....{D286EAE2-6902-4B7E-845D-BBB316941B2C}  
TERM.....FIBRINOUS

DATA VALUE: FINANCIAL CONCERNS

---

ABBREVIATION.....Fin Concer  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Financial Concerns  
HELP\_TEXT.....  
ID.....{A7D1159D-DCA1-47AF-8A07-3EB05493CEFD}  
TERM.....FINANCIAL CONCERNS

DATA VALUE: FINGER

---

ABBREVIATION.....Finger  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Finger  
HELP\_TEXT.....  
ID.....{4116E518-D7DC-4419-B663-728F683DD237}  
TERM.....FINGER

DATA VALUE: FIRM

---

ABBREVIATION.....FIRM  
ACTIVE.....Yes  
DESCRIPTION.....Firm  
DISPLAY\_NAME.....Firm  
HELP\_TEXT.....No Help Text  
ID.....{11E23F20-39A0-4A6D-B198-04BB36B0C909}  
TERM.....FIRM

DATA VALUE: FIRST DEGREE AV BLOCK

---

ABBREVIATION.....fdab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....First Degree Av Block  
HELP\_TEXT.....No Help Text  
ID.....{4FF046C9-B638-F86C-5D51-006B3D5225E3}  
TERM.....FIRST DEGREE AV BLOCK

DATA VALUE: FIXED

---

ABBREVIATION.....f  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fixed  
HELP\_TEXT.....No Help Text  
ID.....{697D8C5A-976F-F423-30EC-A04102CF85F0}  
TERM.....FIXED

DATA VALUE: FLACCID/PARALYZED

---

ABBREVIATION.....Flaccid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flaccid/Paralyzed  
HELP\_TEXT.....  
ID.....{C8884F37-F017-479C-910D-4EBD4306EACC}  
TERM.....FLACCID/PARALYZED

DATA VALUE: FLAT

---

ABBREVIATION.....Flat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flat  
HELP\_TEXT.....No Help Text  
ID.....{EA4F1980-EDF3-82BC-B677-D747F48F1163}  
TERM.....FLAT

DATA VALUE: FLATTENED T WAVE

---

ABBREVIATION.....Flat T  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flattened T Wave  
HELP\_TEXT.....  
ID.....{8CAEE4C4-895C-4FC2-95A9-1C84D5305586}  
TERM.....FLATTENED T WAVE

DATA VALUE: FLATULENCE

---

ABBREVIATION.....FLATULENCE  
ACTIVE.....Yes  
DESCRIPTION.....Flatulence  
DISPLAY\_NAME.....Flatulence  
HELP\_TEXT.....No Help Text  
ID.....{F6ECE7D8-D9C8-485C-8FAC-03DA9D7E0B66}  
TERM.....FLATULENCE

DATA VALUE: FLATUS

---

ABBREVIATION.....Flatus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flatus  
HELP\_TEXT.....  
ID.....{F3FE38C4-CB0B-4141-ACFB-57326B0B2746}  
TERM.....FLATUS

DATA VALUE: FLEXION ABNORMAL

---

ABBREVIATION.....FlexAbno  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flexion Abnormal  
HELP\_TEXT.....  
ID.....{507FA717-B17C-4EE6-8DD7-8F789830E038}  
TERM.....FLEXION ABNORMAL

DATA VALUE: FLEXION TO PAIN

---

ABBREVIATION.....FLEX TO PA  
ACTIVE.....Yes  
DESCRIPTION.....Flexion To Pain  
DISPLAY\_NAME.....Flexion To Pain  
HELP\_TEXT.....No Help Text  
ID.....{B9F5046F-4F8A-4A20-9D47-90432DC8FEC2}  
TERM.....FLEXION TO PAIN

DATA VALUE: FLEXION WNL

---

ABBREVIATION.....FlexWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flexion WNL  
HELP\_TEXT.....  
ID.....{640C9A99-EC93-4A57-AB22-B1E9B2A1BF56}  
TERM.....FLEXION WNL

DATA VALUE: FLEXION-ABNORMAL

-----  
ABBREVIATION.....Flex-Abnl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flexion-Abnormal  
HELP\_TEXT.....  
ID.....{FE8F1090-BD69-46EC-A4F7-9E40542F60F7}  
TERM.....FLEXION-ABNORMAL

DATA VALUE: FLEXION-WNL

-----  
ABBREVIATION.....Flex-WNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flexion-WNL  
HELP\_TEXT.....  
ID.....{1DA99A69-8F5C-4345-9190-A62839101AEA}  
TERM.....FLEXION-WNL

DATA VALUE: FLICKER OF CONTRACTION

-----  
ABBREVIATION.....foc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flicker Of Contraction  
HELP\_TEXT.....No Help Text  
ID.....{218B322B-84AA-F6F6-5207-D86F9A4311F0}  
TERM.....FLICKER OF CONTRACTION

DATA VALUE: FLIGHT OF IDEAS

-----  
ABBREVIATION.....Fl of Idea  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Flight of Ideas  
HELP\_TEXT.....  
ID.....{23048412-DE2D-4493-8BA5-EC1EB523A9FC}  
TERM.....FLIGHT OF IDEAS

DATA VALUE: FLOOR LIFT (TOTAL LIFT)

-----  
ABBREVIATION.....FloorLift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Floor Lift (Total Lift)  
HELP\_TEXT.....  
ID.....{12B1B494-1AF0-428E-8F3F-ADAA18AF5BAA}  
TERM.....FLOOR LIFT (TOTAL LIFT)

DATA VALUE: FLOTATION BED

---

ABBREVIATION.....FLOT BED  
ACTIVE.....Yes  
DESCRIPTION.....Flotation Bed  
DISPLAY\_NAME.....Flotation Bed  
HELP\_TEXT.....No Help Text  
ID.....{FA6329AB-85A6-4301-BC14-D0D089249356}  
TERM.....FLOTATION BED

DATA VALUE: FLUCTUANCE

---

ABBREVIATION.....FLUCTUANCE  
ACTIVE.....Yes  
DESCRIPTION.....Fluctuance  
DISPLAY\_NAME.....Fluctuance  
HELP\_TEXT.....No Help Text  
ID.....{A6AD2660-621D-4F39-8485-A013D7491566}  
TERM.....FLUCTUANCE

DATA VALUE: FLUCTUATES

---

ABBREVIATION.....Fluctuates  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Fluctuates  
HELP\_TEXT.....No Help Text  
ID.....{C2697650-EF53-5F2E-EEE3-7B2E298F2FA0}  
TERM.....FLUCTUATES

DATA VALUE: FLUIDS OFFERED

---

ABBREVIATION.....Fluids  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fluids Offered  
HELP\_TEXT.....  
ID.....{F204692B-41E8-44F4-BEDA-909FE29ACA8E}  
TERM.....FLUIDS OFFERED

DATA VALUE: FLUSHED

---

ABBREVIATION.....nt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Flushed  
HELP\_TEXT.....No Help Text  
ID.....{C7C54C1A-6E75-4BCF-4C57-0F8622A5BD16}  
TERM.....FLUSHED

DATA VALUE: FOAM AIR HEEL ELEVATOR

-----  
ABBREVIATION.....FO AI HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foam Air Heel Elevator  
HELP\_TEXT.....No Help Text  
ID.....{4EC26AA3-4577-4808-8728-F360C5C5A0D4}  
TERM.....FOAM AIR HEEL ELEVATOR

DATA VALUE: FOAM DRESSING

-----  
ABBREVIATION.....WOU DR FOA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foam Dressing  
HELP\_TEXT.....No Help-Text  
ID.....{D18A5EDD-0EF6-470E-8370-4EDB6D322477}  
TERM.....FOAM DRESSING

DATA VALUE: FOCAL

-----  
ABBREVIATION.....Focal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Focal  
HELP\_TEXT.....  
ID.....{56E20411-BC9A-4868-902D-D1006CF91271}  
TERM.....FOCAL

DATA VALUE: FOCAL - MOTOR

-----  
ABBREVIATION.....FocalMotor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Focal - Motor  
HELP\_TEXT.....  
ID.....{2DAA4546-5D04-4A28-8EEA-86D30E3B8B61}  
TERM.....FOCAL - MOTOR

DATA VALUE: FOLEY

-----  
ABBREVIATION.....FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foley  
HELP\_TEXT.....No Help Text  
ID.....{9FE7D3A7-67CF-CF54-F721-2F8035CE2BF1}  
TERM.....FOLEY

DATA VALUE: FOLLOWS COMMANDS

---

ABBREVIATION.....Follow Cmd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Follows Commands  
HELP\_TEXT.....  
ID.....{D5722341-ACC1-4F69-B537-1D3126ADA249}  
TERM.....FOLLOWS COMMANDS

DATA VALUE: FONDAPARINUX

---

ABBREVIATION.....Fondaparin  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fondaparinux  
HELP\_TEXT.....  
ID.....{29A3A3D9-E414-44DB-B508-555C1675703E}  
TERM.....FONDAPARINUX

DATA VALUE: FOOT

---

ABBREVIATION.....Foot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Foot  
HELP\_TEXT.....  
ID.....{6ECAC533-2F5A-4361-AFDF-6A69BA1B6820}  
TERM.....FOOT

DATA VALUE: FOOT CARE

---

ABBREVIATION.....FOOT CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Care  
HELP\_TEXT.....No Help Text  
ID.....{332E8338-6DAE-4BC9-B195-63DAD57937D0}  
TERM.....FOOT CARE

DATA VALUE: FOOT DOWN

---

ABBREVIATION.....fd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Down  
HELP\_TEXT.....No Help Text  
ID.....{13F73BE9-2FA8-FE88-443B-9BA3FE6EDFD7}  
TERM.....FOOT DOWN

DATA VALUE: FOOT DRAGGING

---

ABBREVIATION.....Foot Drag  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Foot Dragging  
HELP\_TEXT.....  
ID.....{6545B9D2-143C-4551-9D93-5D93AD79C65E}  
TERM.....FOOT DRAGGING

DATA VALUE: FOOT UP

---

ABBREVIATION.....fu  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot Up  
HELP\_TEXT.....No Help Text  
ID.....{49CCC59E-002E-8387-E8D6-D57AAC089EF3}  
TERM.....FOOT UP

DATA VALUE: FOUL SMELLING

---

ABBREVIATION.....FOUL SMELL  
ACTIVE.....Yes  
DESCRIPTION.....Foul Smelling  
DISPLAY\_NAME.....Foul Smelling  
HELP\_TEXT.....No Help Text  
ID.....{761346A9-329D-4F42-8D80-0E9D8D40653C}  
TERM.....FOUL SMELLING

DATA VALUE: FOWLER'S

---

ABBREVIATION.....FOWLER'S  
ACTIVE.....Yes  
DESCRIPTION.....Fowler's  
DISPLAY\_NAME.....Fowler's  
HELP\_TEXT.....No Help Text  
ID.....{8E691813-A9AC-48BE-9401-528A7D762A32}  
TERM.....FOWLER'S

DATA VALUE: FRACTURE: COMMENT

---

ABBREVIATION.....Frac:Comm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fracture: Comment  
HELP\_TEXT.....  
ID.....{49008B1C-F25A-4351-9C12-5882BBDBF3CC}  
TERM.....FRACTURE: COMMENT

DATA VALUE: FRACTURES

---

ABBREVIATION.....Fractures  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fractures  
HELP\_TEXT.....  
ID.....{1C3CD0BC-5B3C-4664-885C-C5BD01E5E664}  
TERM.....FRACTURES

DATA VALUE: FRAGMENTED

---

ABBREVIATION.....Fragmented  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fragmented  
HELP\_TEXT.....  
ID.....{EB6A8E89-8D25-4ED6-AE53-225134603381}  
TERM.....FRAGMENTED

DATA VALUE: FRANK BLOOD

---

ABBREVIATION.....FRANK BLD  
ACTIVE.....Yes  
DESCRIPTION.....Frank Blood  
DISPLAY\_NAME.....Frank Blood  
HELP\_TEXT.....No Help Text  
ID.....{CFAE6E6B-87B2-4CBA-A280-C5233B7995ED}  
TERM.....FRANK BLOOD

DATA VALUE: FREQUENT VERBAL REMINDERS

---

ABBREVIATION.....FR VER RE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Frequent Verbal Reminders  
HELP\_TEXT.....No Help Text  
ID.....{F30D791D-BB80-4AB3-B37F-22B6B547EA65}  
TERM.....FREQUENT VERBAL REMINDERS

DATA VALUE: FRIEND

---

ABBREVIATION.....FRIEND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Friend  
HELP\_TEXT.....No Help Text  
ID.....{03902E48-AF86-432A-8372-37796A55F625}  
TERM.....FRIEND

DATA VALUE: FROM A NON-VA OUTSIDE FACILITY

-----  
ABBREVIATION.....Fr Non-VA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From a Non-VA Outside Facility  
HELP\_TEXT.....  
ID.....{8090F49E-5056-4F7C-932C-538581996F8F}  
TERM.....FROM A NON-VA OUTSIDE FACILITY

DATA VALUE: FROM ANOTHER UNIT

-----  
ABBREVIATION.....Fr An Unit  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Another Unit  
HELP\_TEXT.....  
ID.....{D94B5252-7E8A-48EB-A481-0B18C68CAEF7}  
TERM.....FROM ANOTHER UNIT

DATA VALUE: FROM ANOTHER VA FACILITY

-----  
ABBREVIATION.....Fr Oth VA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Another VA Facility  
HELP\_TEXT.....  
ID.....{66AF9A88-6404-4E05-9640-4FB0C6513BAF}  
TERM.....FROM ANOTHER VA FACILITY

DATA VALUE: FROM CLC

-----  
ABBREVIATION.....From CLC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From CLC  
HELP\_TEXT.....  
ID.....{8B7B82C4-2307-47B7-87D7-88F70CF3B9FB}  
TERM.....FROM CLC

DATA VALUE: FROM EMERGENCY DEPARTMENT

-----  
ABBREVIATION.....Fr Emergen  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Emergency Department  
HELP\_TEXT.....  
ID.....{9F4AA078-FFA2-4F04-A171-BA0486FCCA0E}  
TERM.....FROM EMERGENCY DEPARTMENT

DATA VALUE: FROM HOME

---

ABBREVIATION.....From Home  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Home  
HELP\_TEXT.....  
ID.....{2BB78383-F1D2-4FF8-AAE2-C16DC3BD4E8F}  
TERM.....FROM HOME

DATA VALUE: FROM INTERVENTIONAL RADIOLOGY

---

ABBREVIATION.....Fr Int Rad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Interventional Radiology  
HELP\_TEXT.....  
ID.....{617DA086-B121-4E2F-8B02-41133EEDD50D}  
TERM.....FROM INTERVENTIONAL RADIOLOGY

DATA VALUE: FROM MICU

---

ABBREVIATION.....From MICU  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From MICU  
HELP\_TEXT.....  
ID.....{971D83AE-B75C-420B-B23D-844397CEE968}  
TERM.....FROM MICU

DATA VALUE: FROM OPERATING ROOM

---

ABBREVIATION.....From Op Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From Operating Room  
HELP\_TEXT.....  
ID.....{2B26BD84-3D4D-4931-99C7-8204E9D49827}  
TERM.....FROM OPERATING ROOM

DATA VALUE: FROM SICU

---

ABBREVIATION.....From SICU  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....From SICU  
HELP\_TEXT.....  
ID.....{892002CC-E07A-49A5-B909-1F88665B3D65}  
TERM.....FROM SICU

DATA VALUE: FULL CODE

-----  
ABBREVIATION.....fc  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Full Code  
HELP\_TEXT.....No Help Text  
ID.....{1DED65E6-2F2E-8C5F-D009-BE6467A9A2AA}  
TERM.....FULL CODE

DATA VALUE: FULL LIQUID

-----  
ABBREVIATION.....Ful Liquid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Liquid  
HELP\_TEXT.....  
ID.....{6D075973-CE7E-49CA-9A3E-8EE0F3CC1003}  
TERM.....FULL LIQUID

DATA VALUE: FULL LIQUID DIABETIC

-----  
ABBREVIATION.....FULL L DIA  
ACTIVE.....Yes  
DESCRIPTION.....Full Liquid Diabetic  
DISPLAY\_NAME.....Full Liquid Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{B89FAE3C-07EB-4AF6-B123-1153ADADC79F}  
TERM.....FULL LIQUID DIABETIC

DATA VALUE: FULL LIQUID DIET

-----  
ABBREVIATION.....FULL LIQ D  
ACTIVE.....Yes  
DESCRIPTION.....Full Liquid Diet  
DISPLAY\_NAME.....Full Liquid Diet  
HELP\_TEXT.....No Help Text  
ID.....{CAC22234-7B69-44C3-8A0E-9A84A684E429}  
TERM.....FULL LIQUID DIET

DATA VALUE: FULL LOWER

-----  
ABBREVIATION.....Full Low  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Lower  
HELP\_TEXT.....  
ID.....{D38022EF-F4F0-44A7-82FE-B277A2A0A165}  
TERM.....FULL LOWER

DATA VALUE: FULL NAME

-----  
ABBREVIATION.....Full Name  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Name  
HELP\_TEXT.....  
ID.....{A915EA98-D18D-4887-8C50-4B6C0DF44D1D}  
TERM.....FULL NAME

DATA VALUE: FULL SPINAL PRECAUTIONS

-----  
ABBREVIATION.....FULL S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Full Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{42ADB74D-12CC-4111-B181-626C0F01BC7C}  
TERM.....FULL SPINAL PRECAUTIONS

DATA VALUE: FULL SSN

-----  
ABBREVIATION.....Full SSN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full SSN  
HELP\_TEXT.....  
ID.....{3E2887AF-2DC5-40FA-9052-7B04347CC802}  
TERM.....FULL SSN

DATA VALUE: FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO

-----  
ABBREVIATION.....F SK L MBS  
ACTIVE.....Yes  
DESCRIPTION.....Full Thickness Skin Loss Involving  
    Muscle, Bone, or Supporting Tissue  
DISPLAY\_NAME.....Full Thickness Skin Loss Involving  
    Muscle, Bone, or Supporting Tissue  
HELP\_TEXT.....No Help Text  
ID.....{E027FBF-1C83-41B7-B848-26D9D62F4266}  
TERM.....FULL THICK SKIN LOSS INVOLVING  
    MUSCLE, BONE, SUPPO

DATA VALUE: FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE

-----  
ABBREVIATION.....FULL SKINL  
ACTIVE.....Yes  
DESCRIPTION.....Full Thickness Skin Loss Involving  
    Subcutaneous Tissue  
DISPLAY\_NAME.....Full Thickness Skin Loss Involving  
    Subcutaneous Tissue  
HELP\_TEXT.....No Help Text  
ID.....{14C31B14-1D35-4CCB-81A3-C6E30801950D}  
TERM.....FULL THICK SKIN LOSS INVOLVING  
    SUBCUTANEOUS TISSUE

DATA VALUE: FULL UPPER

---

ABBREVIATION.....Full Up  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Full Upper  
HELP\_TEXT.....  
ID.....{1808E638-62BB-4978-8706-34BD74B427DE}  
TERM.....FULL UPPER

DATA VALUE: FUNCTIONAL SECTION SET UP

---

ABBREVIATION.....Func Sect  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Functional Suction Set Up  
HELP\_TEXT.....  
ID.....{E156C048-11D5-4F62-8B1A-0CEA931E03EF}  
TERM.....FUNCTIONAL SECTION SET UP

DATA VALUE: FUSED

---

ABBREVIATION.....Fused  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fused  
HELP\_TEXT.....  
ID.....{80EB6D38-649E-4114-AA66-44228A99B1F4}  
TERM.....FUSED

DATA VALUE: GAG

---

ABBREVIATION.....Gag  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Gag  
HELP\_TEXT.....  
ID.....{4B2A2B0A-9EE4-4BC3-9790-384A7BD7A689}  
TERM.....GAG

DATA VALUE: GAIT BELT

---

ABBREVIATION.....GAIT BELT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gait Belt  
HELP\_TEXT.....No Help Text  
ID.....{AD9AB19B-92B6-40BE-B906-FBFC46C39E0D}  
TERM.....GAIT BELT

DATA VALUE: GARBLED

-----  
ABBREVIATION.....Garbled  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Garbled  
HELP\_TEXT.....  
ID.....{68EF6B66-C75D-4D63-8A22-7A8E51BEA491}  
TERM.....GARBLED

DATA VALUE: GASTRIC BYPASS CLEAR LIQUID

-----  
ABBREVIATION.....GAS BYP LI  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Clear Liquid  
DISPLAY\_NAME.....Gastric Bypass Clear Liquid  
HELP\_TEXT.....No Help Text  
ID.....{6A87E820-7BEA-4636-B102-F9CB83BDD4D9}  
TERM.....GASTRIC BYPASS CLEAR LIQUID

DATA VALUE: GASTRIC BYPASS PUREED

-----  
ABBREVIATION.....GAS BY PUR  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Pureed  
DISPLAY\_NAME.....Gastric Bypass Pureed  
HELP\_TEXT.....No Help Text  
ID.....{9F9EEB7F-7211-45A2-BCDE-B8398596CBF6}  
TERM.....GASTRIC BYPASS PUREED

DATA VALUE: GASTRIC BYPASS REGULAR

-----  
ABBREVIATION.....GAS BY REG  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Bypass Regular  
DISPLAY\_NAME.....Gastric Bypass Regular  
HELP\_TEXT.....No Help Text  
ID.....{EE831906-EA51-4EE4-AAF2-583DF366A942}  
TERM.....GASTRIC BYPASS REGULAR

DATA VALUE: GASTRIC DECOMPRESSION

-----  
ABBREVIATION.....GastrDecom  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Gastric Decompression  
HELP\_TEXT.....  
ID.....{EFFD3462-0384-46F1-A072-31C6ACF6E8C4}  
TERM.....GASTRIC DECOMPRESSION

DATA VALUE: GASTRIC IRRIGATION

---

ABBREVIATION.....GastricIrr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Gastric Irrigation  
HELP\_TEXT.....  
ID.....{6AA2256B-A212-4205-85D7-1FD34E928941}  
TERM.....GASTRIC IRRIGATION

DATA VALUE: GASTRIC LAVAGE

---

ABBREVIATION.....GastricLav  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Gastric Lavage  
HELP\_TEXT.....  
ID.....{77C3A1C6-73DD-43D4-B5FA-568BE9544218}  
TERM.....GASTRIC LAVAGE

DATA VALUE: GASTRIC TUBE

---

ABBREVIATION.....G TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Feeding Tube  
DISPLAY\_NAME.....G Tube  
HELP\_TEXT.....No Help Text  
ID.....{65F774BA-F977-46D3-AE41-7F7C74CFF47E}  
TERM.....GASTRIC TUBE

DATA VALUE: GASTROSTOMY FEEDING BUTTON

---

ABBREVIATION.....GAST F BUT  
ACTIVE.....Yes  
DESCRIPTION.....Gastrostomy Feeding Button  
DISPLAY\_NAME.....Gastrostomy Feeding Button  
HELP\_TEXT.....No Help Text  
ID.....{1627B53B-374B-42B4-BBFE-463EE37B6110}  
TERM.....GASTROSTOMY FEEDING BUTTON

DATA VALUE: GASTROSTOMY TUBE

---

ABBREVIATION.....GAST TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Gastrostomy Tube  
DISPLAY\_NAME.....Gastrostomy Tube  
HELP\_TEXT.....No Help Text  
ID.....{EF017A39-745E-4C29-821A-5B25F103DF99}  
TERM.....GASTROSTOMY TUBE

DATA VALUE: GAUZE

---

ABBREVIATION.....GAUZE  
ACTIVE.....Yes  
DESCRIPTION.....Gauze  
DISPLAY\_NAME.....Gauze  
HELP\_TEXT.....No Help Text  
ID.....{CF10C658-4334-4F3B-A38E-E98894458333}  
TERM.....GAUZE

DATA VALUE: GAUZE AND TAPE

---

ABBREVIATION.....GAU & TAPE  
ACTIVE.....Yes  
DESCRIPTION.....Gauze And Tape Dressing  
DISPLAY\_NAME.....Gauze and Tape  
HELP\_TEXT.....No Help Text  
ID.....{5BC40405-B5C4-47CF-81C3-520732E100AC}  
TERM.....GAUZE AND TAPE

DATA VALUE: GAUZE PACKING

---

ABBREVIATION.....GAUZE PACK  
ACTIVE.....Yes  
DESCRIPTION.....Gauze Packing  
DISPLAY\_NAME.....Gauze Packing  
HELP\_TEXT.....No Help Text  
ID.....{6C093717-82CB-4966-929E-C909310649C1}  
TERM.....GAUZE PACKING

DATA VALUE: GAUZE WRAP

---

ABBREVIATION.....GAUZE WRAP  
ACTIVE.....Yes  
DESCRIPTION.....Gauze Wrap  
DISPLAY\_NAME.....Gauze Wrap  
HELP\_TEXT.....No Help Text  
ID.....{040A9648-E6E1-4AC5-93C7-53A49537B15C}  
TERM.....GAUZE WRAP

DATA VALUE: GENERAL

---

ABBREVIATION.....General  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....General  
HELP\_TEXT.....  
ID.....{6ED377F7-55E4-4743-B781-124267567200}  
TERM.....GENERAL

DATA VALUE: GENERAL HEALTH

---

ABBREVIATION.....Gen Healt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....General Health  
HELP\_TEXT.....  
ID.....{D1B589E7-2F59-4A76-8E7B-945F345FA1A0}  
TERM.....GENERAL HEALTH

DATA VALUE: GERI-CHAIR

---

ABBREVIATION.....g  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Geri-Chair  
HELP\_TEXT.....No Help Text  
ID.....{167F9786-8F24-054F-020A-658A6EE5B0B4}  
TERM.....GERI-CHAIR

DATA VALUE: GI PROCEDURE ROOM

---

ABBREVIATION.....GI Proc Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....GI Procedure Room  
HELP\_TEXT.....  
ID.....{924532F4-B52F-4EA9-8C7D-59168B340118}  
TERM.....GI PROCEDURE ROOM

DATA VALUE: GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING

---

ABBREVIATION.....DI IN UN  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Given Discharge Instructions and  
Verbalizes Understanding  
HELP\_TEXT.....No Help Text  
ID.....{C9A61418-88B2-42C4-B5F4-FC3CF76AB39D}  
TERM.....GIVEN DISCHARGE INSTRUCTION AND  
VERBALIZES UNDERSTANDING

DATA VALUE: GLUCERNA 1.0

---

ABBREVIATION.....Glu 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Glucerna 1.0  
HELP\_TEXT.....  
ID.....{1C465710-80F2-4C13-B8D5-B1D084151104}  
TERM.....GLUCERNA 1.0

DATA VALUE: GLUCERNA 1.2

-----  
ABBREVIATION.....Glu 1.2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Glucerna 1.2  
HELP\_TEXT.....  
ID.....{F58F1014-D1C4-44EB-9B01-FB88F2B3D751}  
TERM.....GLUCERNA 1.2

DATA VALUE: GLUTEN RESTRICTED

-----  
ABBREVIATION.....GLUT RESTR  
ACTIVE.....Yes  
DESCRIPTION.....Gluten Restricted  
DISPLAY\_NAME.....Gluten Restricted  
HELP\_TEXT.....No Help Text  
ID.....{0805A164-D387-4E67-9D42-BAF1F2543337}  
TERM.....GLUTEN RESTRICTED

DATA VALUE: GNAWING

-----  
ABBREVIATION.....GNAWING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gnawing  
HELP\_TEXT.....No Help Text  
ID.....{8AC8EDB0-D7B7-4368-BE95-C35CBADD43E0}  
TERM.....GNAWING

DATA VALUE: GOLD

-----  
ABBREVIATION.....Gold  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Gold  
HELP\_TEXT.....  
ID.....{1D1A2586-C13C-41FA-A3AD-39294BEBA83E}  
TERM.....GOLD

DATA VALUE: GOOD

-----  
ABBREVIATION.....GOOD  
ACTIVE.....Yes  
DESCRIPTION.....Good  
DISPLAY\_NAME.....Good  
HELP\_TEXT.....No Help Text  
ID.....{39ECA304-49F9-44B7-9735-B33CEC9D8119}  
TERM.....GOOD

DATA VALUE: GRAFTS

---

ABBREVIATION.....Grafts  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Grafts  
HELP\_TEXT.....  
ID.....{E2AEE65A-7387-4A58-80E6-0212A1F3D1C7}  
TERM.....GRAFTS

DATA VALUE: GRANULATING

---

ABBREVIATION.....GRANULATI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Granulating  
HELP\_TEXT.....No Help Text  
ID.....{F8930276-3954-4BFE-82B0-6C44A8E9CAE0}  
TERM.....GRANULATING

DATA VALUE: GRAVITY

---

ABBREVIATION.....GRAVITY  
ACTIVE.....Yes  
DESCRIPTION.....Gravity  
DISPLAY\_NAME.....Gravity  
HELP\_TEXT.....No Help Text  
ID.....{C0233F70-376D-41CE-9F14-714C7B35244F}  
TERM.....GRAVITY

DATA VALUE: GRAY

---

ABBREVIATION.....GRAY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gray  
HELP\_TEXT.....No Help Text  
ID.....{D38ABEE0-52D7-4316-A713-40ACF4250599}  
TERM.....GRAY

DATA VALUE: GREEN

---

ABBREVIATION.....GREEN  
ACTIVE.....Yes  
DESCRIPTION.....The color green  
DISPLAY\_NAME.....Green  
HELP\_TEXT.....The color green  
ID.....{3D1F1553-56FC-68CE-79A9-E4F6357B6AAF}  
TERM.....GREEN

DATA VALUE: GRIMACING

---

ABBREVIATION.....GRIMACING  
ACTIVE.....Yes  
DESCRIPTION.....Grimacing  
DISPLAY\_NAME.....Grimacing  
HELP\_TEXT.....No Help Text  
ID.....{69EFDB2D-A0C4-48D4-A7E0-A862F34545C8}  
TERM.....GRIMACING

DATA VALUE: GROUP ROOM

---

ABBREVIATION.....gr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Group Room  
HELP\_TEXT.....No Help Text  
ID.....{D41C3D9F-8F10-1A0F-D571-20DE0EA36328}  
TERM.....GROUP ROOM

DATA VALUE: GU PROCEDURE ROOM

---

ABBREVIATION.....GU Proc Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....GU Procedure Room  
HELP\_TEXT.....  
ID.....{D4B6678F-C1DD-4A23-9045-574251F6CD74}  
TERM.....GU PROCEDURE ROOM

DATA VALUE: GUARDED

---

ABBREVIATION.....Guarded  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Guarded  
HELP\_TEXT.....  
ID.....{E777731C-F6E0-4C77-86B0-6494A4F4D37F}  
TERM.....GUARDED

DATA VALUE: GUARDING

---

ABBREVIATION.....GUARDING  
ACTIVE.....Yes  
DESCRIPTION.....Guarding  
DISPLAY\_NAME.....Guarding  
HELP\_TEXT.....No Help Text  
ID.....{9EFD10A7-B1B7-43DA-B289-646AF5C0A25C}  
TERM.....GUARDING

DATA VALUE: GURNEY CHAIR

---

ABBREVIATION.....GURN CHAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gurney Chair  
HELP\_TEXT.....No Help Text  
ID.....{B6EA0944-8414-42FD-88C0-50155DE82896}  
TERM.....GURNEY CHAIR

DATA VALUE: HALL

---

ABBREVIATION.....h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hall  
HELP\_TEXT.....No Help Text  
ID.....{BFCEA10F-2663-199E-88D8-E263122D7D26}  
TERM.....HALL

DATA VALUE: HAND

---

ABBREVIATION.....Hand  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hand  
HELP\_TEXT.....  
ID.....{C061465A-7547-4835-9C28-C6BD72843A4A}  
TERM.....HAND

DATA VALUE: HAND HYGIENE BEFORE AND AFTER

---

ABBREVIATION.....Hand Hyg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hand Hygiene Before and After  
HELP\_TEXT.....  
ID.....{6005023D-3C02-4C93-99E8-2A8167574E93}  
TERM.....HAND HYGIENE BEFORE AND AFTER

DATA VALUE: HARD

---

ABBREVIATION.....HARD  
ACTIVE.....Yes  
DESCRIPTION.....Hard  
DISPLAY\_NAME.....Hard  
HELP\_TEXT.....No Help Text  
ID.....{7934B543-7028-4CBC-9308-99F5A952A1DE}  
TERM.....HARD

DATA VALUE: HARD OF HEARING

---

ABBREVIATION.....HardofHear  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hard of Hearing  
HELP\_TEXT.....  
ID.....{D2D6CAA4-823F-4660-B6B5-4002B06F80AC}  
TERM.....HARD OF HEARING

DATA VALUE: HARM TO SELF

---

ABBREVIATION.....R.C. HARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Risk of Physical Harm To Self  
HELP\_TEXT.....No Help Text  
ID.....{4DC33341-8F53-4D30-BC28-1E32DB54F30D}  
TERM.....HARM TO SELF

DATA VALUE: HAS NOT SLEPT

---

ABBREVIATION.....NO SLEEP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Has Not Slept  
HELP\_TEXT.....No Help Text  
ID.....{3BF9DB54-5D1E-422D-90AF-918F81C9EA85}  
TERM.....HAS NOT SLEPT

DATA VALUE: HEAD DOWN

---

ABBREVIATION.....hd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Head Down  
HELP\_TEXT.....No Help Text  
ID.....{80BF3425-D252-F917-052E-DC54D39E464E}  
TERM.....HEAD DOWN

DATA VALUE: HEAD UP

---

ABBREVIATION.....hu  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Head Up  
HELP\_TEXT.....No Help Text  
ID.....{BB1C79C0-80F1-7CDE-CC10-7CA0C704AE35}  
TERM.....HEAD UP

DATA VALUE: HEADACHE

---

ABBREVIATION.....Headache  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Headache  
HELP\_TEXT.....  
ID.....{9338E67C-201C-4066-A734-8BD4B47462BD}  
TERM.....HEADACHE

DATA VALUE: HEADACHE(S)

---

ABBREVIATION.....Headaches  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Headache(s)  
HELP\_TEXT.....  
ID.....{5B0E0D82-BED8-4701-B150-89EF2A48A1CD}  
TERM.....HEADACHE(S)

DATA VALUE: HEALTH TECH

---

ABBREVIATION.....Health Tec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Health Tech  
HELP\_TEXT.....  
ID.....{7C5F34C7-DBE6-4FCB-B46D-F802FBBE4CEF}  
TERM.....HEALTH TECH

DATA VALUE: HEARING

---

ABBREVIATION.....HEARING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hearing  
HELP\_TEXT.....No Help Text  
ID.....{D1A8AC66-1A5F-4F7D-AA89-529AF7A4AA11}  
TERM.....HEARING

DATA VALUE: HEARING AIDS

---

ABBREVIATION.....Hear Aids  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hearing Aids  
HELP\_TEXT.....  
ID.....{504FF149-8889-444E-925B-C952314FDF98}  
TERM.....HEARING AIDS

DATA VALUE: HEARTBURN

---

ABBREVIATION.....HEARTBURN  
ACTIVE.....Yes  
DESCRIPTION.....Heartburn  
DISPLAY\_NAME.....Heartburn  
HELP\_TEXT.....Heartburn  
ID.....{5ECEAF5E-6B18-4177-A18D-2DEE87796CC2}  
TERM.....HEARTBURN

DATA VALUE: HEAT

---

ABBREVIATION.....HEAT  
ACTIVE.....Yes  
DESCRIPTION.....Heat  
DISPLAY\_NAME.....Heat  
HELP\_TEXT.....No Help Text  
ID.....{E0FCA383-3AB8-4E03-9ABC-00DE3FE01431}  
TERM.....HEAT

DATA VALUE: HEAT CHEM PACK

---

ABBREVIATION.....HT CHEM PA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heat Chemi Pack  
HELP\_TEXT.....No Help Text  
ID.....{D759F891-2535-40C2-A68C-678170E56F7A}  
TERM.....HEAT CHEM PACK

DATA VALUE: HEAT LAMP

---

ABBREVIATION.....HEAT LAMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heat Lamp  
HELP\_TEXT.....Heat Lamp  
ID.....{4E9DE229-F810-4AB0-9FD7-4596759CEA11}  
TERM.....HEAT LAMP

DATA VALUE: HEAT/WARMTH

---

ABBREVIATION.....Heat/Warm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Heat/Warmth  
HELP\_TEXT.....  
ID.....{BAF70C58-2C8D-4CB5-BF68-012E43C6D2D1}  
TERM.....HEAT/WARMTH

DATA VALUE: HEAVY

---

ABBREVIATION.....HEAVY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....No Help Text  
ID.....{1F10CD98-03FA-4705-BF7D-941E881C4E3D}  
TERM.....HEAVY

DATA VALUE: HEEL LIFT

---

ABBREVIATION.....HEEL LIFT  
ACTIVE.....Yes  
DESCRIPTION.....Heel Lift  
DISPLAY\_NAME.....Heel Lift  
HELP\_TEXT.....No Help Text  
ID.....{974F90E6-382D-421A-A4CE-94A74CBEFC32}  
TERM.....HEEL LIFT

DATA VALUE: HEEL PILLOW

---

ABBREVIATION.....HEEL PILLO  
ACTIVE.....Yes  
DESCRIPTION.....Heel Pillow  
DISPLAY\_NAME.....Heel Pillow  
HELP\_TEXT.....No Help Text  
ID.....{F0F1D997-C780-40BF-AA88-78262E81BFAA}  
TERM.....HEEL PILLOW

DATA VALUE: HEIMLICH VALVE

---

ABBREVIATION.....Heim Valve  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Heimlich Valve  
HELP\_TEXT.....  
ID.....{8140240C-8068-4BF2-BE26-4E2C2BE041A7}  
TERM.....HEIMLICH VALVE

DATA VALUE: HELMET

---

ABBREVIATION.....Helmet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Helmet  
HELP\_TEXT.....  
ID.....{E65974F8-BCE7-4361-868D-C0B4D780EA21}  
TERM.....HELMET

DATA VALUE: HEMATEMESIS

-----  
ABBREVIATION.....Hematemesis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hematemesis  
HELP\_TEXT.....  
ID.....{7BAB8FEB-1B77-450D-88A0-F59E3D3C4DA8}  
TERM.....HEMATEMESIS

DATA VALUE: HEMATOMA

-----  
ABBREVIATION.....HEMATOMA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hematoma  
HELP\_TEXT.....No Help Text  
ID.....{6A24B7EE-62F3-C952-C1A3-086CDBB1FE68}  
TERM.....HEMATOMA

DATA VALUE: HEMATURIA

-----  
ABBREVIATION.....HEMATURIA  
ACTIVE.....Yes  
DESCRIPTION.....Blood present in urine  
DISPLAY\_NAME.....Hematuria  
HELP\_TEXT.....Blood present in urine  
ID.....{ABD21F4E-BC48-D43A-38CF-75DB7704C4B8}  
TERM.....HEMATURIA

DATA VALUE: HEMIPLEGIA

-----  
ABBREVIATION.....Hemiplegia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hemiplegia  
HELP\_TEXT.....  
ID.....{AAC68E8C-A20D-4D14-BEA5-D0A5D604A5CB}  
TERM.....HEMIPLEGIA

DATA VALUE: HEMODYNAMIC

-----  
ABBREVIATION.....Hemodynam  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hemodynamic  
HELP\_TEXT.....  
ID.....{2E9AF889-0AE6-493A-AED3-F2AD9E6CE988}  
TERM.....HEMODYNAMIC

DATA VALUE: HEMORRHAGE

---

ABBREVIATION.....HEMORRHAGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hemorrhage  
HELP\_TEXT.....No Help Text  
ID.....{E00AC828-83F3-4F69-B97B-D6AD1D87A440}  
TERM.....HEMORRHAGE

DATA VALUE: HEMOVAC

---

ABBREVIATION.....HEMOVAC  
ACTIVE.....Yes  
DESCRIPTION.....Hemovac  
DISPLAY\_NAME.....Hemovac  
HELP\_TEXT.....No Help Text  
ID.....{82DA2DA7-E20B-E571-659C-457DF42472C2}  
TERM.....HEMOVAC

DATA VALUE: HEPARIN

---

ABBREVIATION.....Heparin  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Heparin  
HELP\_TEXT.....  
ID.....{7191C4B3-8A63-4179-8734-C7DDF6B7A14B}  
TERM.....HEPARIN

DATA VALUE: HEPATIC FORMULA

---

ABBREVIATION.....HEPAT FORM  
ACTIVE.....Yes  
DESCRIPTION.....Hepatic Enteral Nutrition Formula  
DISPLAY\_NAME.....Hepatic Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{1BC0A09A-CCD7-457F-BC08-9B6FC5144BF3}  
TERM.....HEPATIC FORMULA

DATA VALUE: HEPLOCK

---

ABBREVIATION.....HEPLOCK  
ACTIVE.....Yes  
DESCRIPTION.....Heplock  
DISPLAY\_NAME.....Heplock  
HELP\_TEXT.....No Help Text  
ID.....{C827FEDE-59D6-4C45-BDDA-4884FA0882F3}  
TERM.....HEPLOCK

DATA VALUE: HESITATION AND FREEZING

---

ABBREVIATION.....Hesitate  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hesitation and Freezing  
HELP\_TEXT.....  
ID.....{01295D78-9305-4D6B-B1BC-53CBDDA17956}  
TERM.....HESITATION AND FREEZING

DATA VALUE: HICCUPS

---

ABBREVIATION.....Hiccups  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hiccups  
HELP\_TEXT.....  
ID.....{2FCEC774-3E4A-4A65-919C-02221E890EA3}  
TERM.....HICCUPS

DATA VALUE: HIGH

---

ABBREVIATION.....h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....High  
HELP\_TEXT.....No Help Text  
ID.....{D88CB5EC-2AD4-2F80-2D43-40ECB0B7D390}  
TERM.....HIGH

DATA VALUE: HIGH CALORIE

---

ABBREVIATION.....HIGH CALOR  
ACTIVE.....Yes  
DESCRIPTION.....High Calorie  
DISPLAY\_NAME.....High Calorie  
HELP\_TEXT.....No Help Text  
ID.....{FC453BF0-1E7E-4733-9605-AC3425F16205}  
TERM.....HIGH CALORIE

DATA VALUE: HIGH FALL RISK

---

ABBREVIATION.....hfr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....High Fall Risk  
HELP\_TEXT.....No Help Text  
ID.....{276C15F3-5BED-0FE0-5649-337A23AB1386}  
TERM.....HIGH FALL RISK

DATA VALUE: HIGH FIBER

---

ABBREVIATION.....HIGH FIBER  
ACTIVE.....Yes  
DESCRIPTION.....High Fiber  
DISPLAY\_NAME.....High Fiber  
HELP\_TEXT.....No Help Text  
ID.....{3CAF7EE0-6A2D-41A3-BEDC-C57ECBBA72A2}  
TERM.....HIGH FIBER

DATA VALUE: HIGH FOWLER'S

---

ABBREVIATION.....HIGH FOWLE  
ACTIVE.....Yes  
DESCRIPTION.....High Fowler's  
DISPLAY\_NAME.....High Fowler's  
HELP\_TEXT.....No Help Text  
ID.....{EA23C94D-EE91-4552-9F74-E051FAF3E194}  
TERM.....HIGH FOWLER'S

DATA VALUE: HIGH PROTEIN

---

ABBREVIATION.....HIGH PROTE  
ACTIVE.....Yes  
DESCRIPTION.....High Protein  
DISPLAY\_NAME.....High Protein  
HELP\_TEXT.....No Help Text  
ID.....{1595A29D-CA91-45AE-893B-856EB909E4DD}  
TERM.....HIGH PROTEIN

DATA VALUE: HIGH STEPPAGE

---

ABBREVIATION.....High Step  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....High Steppage  
HELP\_TEXT.....  
ID.....{69B697DB-695F-4ACE-A55B-5B2890CC86CE}  
TERM.....HIGH STEPPAGE

DATA VALUE: HIP-PROTECTORS

---

ABBREVIATION.....Hip-Prot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hip-Protectors  
HELP\_TEXT.....  
ID.....{EA08514E-84C1-4CF4-B5B1-E5E14EDA82C1}  
TERM.....HIP-PROTECTORS

DATA VALUE: HIP/KNEE/SHOULDER REPLACEMENTS

---

ABBREVIATION.....Replacemn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hip/Knee/Shoulder Replacements  
HELP\_TEXT.....  
ID.....{91A7211C-DCB6-47A7-AF15-F64C565AB321}  
TERM.....HIP/KNEE/SHOULDER REPLACEMENTS

DATA VALUE: HIRSUTISM

---

ABBREVIATION.....HIRSUTISM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hirsutism  
HELP\_TEXT.....No Help Text  
ID.....{A909A4FC-080A-4E9A-867A-0B30D4633602}  
TERM.....HIRSUTISM

DATA VALUE: HISTORY OF FALLS

---

ABBREVIATION.....FallHistry  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....History of Falls  
HELP\_TEXT.....  
ID.....{61CC4EBE-2D33-498E-92E0-2BA98429F84C}  
TERM.....HISTORY OF FALLS

DATA VALUE: HM: HAND MOTIONS

---

ABBREVIATION.....HM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....HM: Hand Motions  
HELP\_TEXT.....  
ID.....{5180AD3D-4377-435B-9F47-FE59F3E3501B}  
TERM.....HM: HAND MOTIONS

DATA VALUE: HOME

---

ABBREVIATION.....HOME  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Home  
HELP\_TEXT.....No Help Text  
ID.....{C8E5E320-361B-421C-A6A9-13DC16125440}  
TERM.....HOME

DATA VALUE: HOME HEALTH

---

ABBREVIATION.....HOME HEALT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Home Health  
HELP\_TEXT.....No Help Text  
ID.....{F94FB70A-AFFD-4A5E-A829-0AF933B044BB}  
TERM.....HOME HEALTH

DATA VALUE: HOMICIDAL

---

ABBREVIATION.....Homicidal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Homicidal  
HELP\_TEXT.....  
ID.....{0EEDE139-7DBA-4FD3-BC49-F3ED0A5091BA}  
TERM.....HOMICIDAL

DATA VALUE: HOSTILE

---

ABBREVIATION.....h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hostile  
HELP\_TEXT.....No Help Text  
ID.....{29EF2C04-7DB0-4491-2B5E-D92A6A558721}  
TERM.....HOSTILE

DATA VALUE: HOT

---

ABBREVIATION.....HOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hot  
HELP\_TEXT.....No Help Text  
ID.....{401EA6CD-12DE-AB0E-2B52-8B2E62F7C34E}  
TERM.....HOT

DATA VALUE: HUMIDIFIED AIR

---

ABBREVIATION.....HumidAir  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Humidified Air  
HELP\_TEXT.....  
ID.....{4FC8D9E9-9638-48E9-82F9-2FC144185569}  
TERM.....HUMIDIFIED AIR

DATA VALUE: HUMIDIFIER

---

ABBREVIATION.....HUMIDIFIER  
ACTIVE.....Yes  
DESCRIPTION.....Humidifier  
DISPLAY\_NAME.....Humidifier  
HELP\_TEXT.....Humidifier  
ID.....{A4CE67D1-F885-423B-B914-392D8CAC697E}  
TERM.....HUMIDIFIER

DATA VALUE: HYDROCOLLOIDAL DRESSING

---

ABBREVIATION.....HCOLL DRES  
ACTIVE.....Yes  
DESCRIPTION.....Hydrocolloidal Dressing  
DISPLAY\_NAME.....Hydrocolloidal Dressing  
HELP\_TEXT.....No Help Text  
ID.....{D85741EF-0DB3-48CF-BC9A-88C834A72F36}  
TERM.....HYDROCOLLOIDAL DRESSING

DATA VALUE: HYDROFIBER

---

ABBREVIATION.....H-FIBER  
ACTIVE.....Yes  
DESCRIPTION.....Hydrofiber  
DISPLAY\_NAME.....Hydrofiber  
HELP\_TEXT.....No Help Text  
ID.....{42740A7F-A831-4FBD-9E59-88F315176674}  
TERM.....HYDROFIBER

DATA VALUE: HYDROFIBER WITH SILVER

---

ABBREVIATION.....HYFIB W SI  
ACTIVE.....Yes  
DESCRIPTION.....Hydrofiber With Silver  
DISPLAY\_NAME.....Hydrofiber With Silver  
HELP\_TEXT.....No Help Text  
ID.....{04BD9512-DE5D-421A-9818-8A33D1F0693D}  
TERM.....HYDROFIBER WITH SILVER

DATA VALUE: HYDROGEL DRESSING

---

ABBREVIATION.....H-GEL DRES  
ACTIVE.....Yes  
DESCRIPTION.....Hydrogel Dressing  
DISPLAY\_NAME.....Hydrogel Dressing  
HELP\_TEXT.....No Help Text  
ID.....{F6192D10-D6EA-42C2-AB15-270659D9925C}  
TERM.....HYDROGEL DRESSING

DATA VALUE: HYDROMORPHONE

---

ABBREVIATION.....Hydromorph  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hydromorphone  
HELP\_TEXT.....  
ID.....{8E6E9DB1-C969-4274-9761-C9830A9FCF67}  
TERM.....HYDROMORPHONE

DATA VALUE: HYPERACTIVE

---

ABBREVIATION.....HYPERACTIV  
ACTIVE.....Yes  
DESCRIPTION.....Hyperactive  
DISPLAY\_NAME.....Hyperactive  
HELP\_TEXT.....No Help Text  
ID.....{1A548FFE-8645-4C0D-899D-5D91430CC1B1}  
TERM.....HYPERACTIVE

DATA VALUE: HYPERACTIVITY

---

ABBREVIATION.....Hyperactiv  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hyperactivity  
HELP\_TEXT.....  
ID.....{56D44F75-08D4-4B1E-8AD1-7E43A756AB2E}  
TERM.....HYPERACTIVITY

DATA VALUE: HYPERACTIVITY (PSYCHOMOTOR AGITATION)

---

ABBREVIATION.....Hyperactiv  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hyperactivity (Phychomotor Agitation)  
HELP\_TEXT.....  
ID.....{AFA25449-696C-49A8-A9F1-6862062819FC}  
TERM.....HYPERACTIVITY (PSYCHOMOTOR AGITATION)

DATA VALUE: HYPERDYNAMIC

---

ABBREVIATION.....HYPERDYNAM  
ACTIVE.....Yes  
DESCRIPTION.....Hyperdynamic  
DISPLAY\_NAME.....Hyperdynamic  
HELP\_TEXT.....No Help Text  
ID.....{818A8A99-04D9-4989-A9BA-ECFACED74605}  
TERM.....HYPERDYNAMIC

DATA VALUE: HYPEREXTENSION

---

ABBREVIATION.....Hyperexten  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hyperextension  
HELP\_TEXT.....  
ID.....{83A1863C-8DD5-4020-AB0C-73DEE6A33D09}  
TERM.....HYPEREXTENSION

DATA VALUE: HYPERGRANULIZATION

---

ABBREVIATION.....HYPERGRANU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypergranulization  
HELP\_TEXT.....No Help Text  
ID.....{C14B9FB0-6F33-4ACB-88B3-4B799594F845}  
TERM.....HYPERGRANULIZATION

DATA VALUE: HYPERTONIC HYDROGEL

---

ABBREVIATION.....WOU DR HYP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypertonic Hydrogel  
HELP\_TEXT.....No Help-Text  
ID.....{533D6FC3-5183-4417-AB89-9FAD9BAD0F44}  
TERM.....HYPERTONIC HYDROGEL

DATA VALUE: HYPOACTIVE

---

ABBREVIATION.....HYPOACTIVE  
ACTIVE.....Yes  
DESCRIPTION.....Hypoactive  
DISPLAY\_NAME.....Hypoactive  
HELP\_TEXT.....No Help Text  
ID.....{2E0C516D-3858-4A1F-A2F3-BF0AB9E3A7FC}  
TERM.....HYPOACTIVE

DATA VALUE: HYPOACTIVITY

---

ABBREVIATION.....Hypoactive  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypoactivity  
HELP\_TEXT.....  
ID.....{AE242A17-D9F0-4A94-B836-B292D5D20FB7}  
TERM.....HYPOACTIVITY

DATA VALUE: HYPOACTIVITY (PSYCHOMOTOR RETARDATION)

---

ABBREVIATION.....Hypoactive  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypoactivity (Psychomotor Retardation)  
HELP\_TEXT.....  
ID.....{0A5A49FB-DD28-4C24-A04F-93D92692CCD3}  
TERM.....HYPOACTIVITY (PSYCHOMOTOR RETARDATION)

DATA VALUE: HYPOALBUMINEMIA

---

ABBREVIATION.....HYPOALBUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hypoalbuminemia  
HELP\_TEXT.....No Help Text  
ID.....{A3397F38-2491-48E7-8366-A6FA2D91E866}  
TERM.....HYPOALBUMINEMIA

DATA VALUE: HYPOALLERGENIC TAPE

---

ABBREVIATION.....HypoTape  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypoallergenic Tape  
HELP\_TEXT.....  
ID.....{7169C252-192C-4F36-8553-3B3C8DA8123F}  
TERM.....HYPOALLERGENIC TAPE

DATA VALUE: HYPOTENSION

---

ABBREVIATION.....Hypotensio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypotension  
HELP\_TEXT.....  
ID.....{1AE4E3BB-3B78-42D2-BDAC-83563A0546E1}  
TERM.....HYPOTENSION

DATA VALUE: HYPOXIA

---

ABBREVIATION.....Hypoxia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hypoxia  
HELP\_TEXT.....  
ID.....{7599629D-1206-4A1A-9D02-EEE384E5FE51}  
TERM.....HYPOXIA

DATA VALUE: I

-----  
ABBREVIATION.....I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....I  
HELP\_TEXT.....No Help Text  
ID.....{BEEDFF9A-9401-4D2A-8345-126D8CFFC8D8}  
TERM.....I

DATA VALUE: IABP

-----  
ABBREVIATION.....IABP  
ACTIVE.....Yes  
DESCRIPTION.....Intra-Aortic Balloon Pump  
DISPLAY\_NAME.....IABP  
HELP\_TEXT.....No Help Text  
ID.....{763FE975-F5E5-80A6-AB16-E903A829E665}  
TERM.....IABP

DATA VALUE: ICE PACK

-----  
ABBREVIATION.....ICE PACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ice Pack  
HELP\_TEXT.....No Help Text  
ID.....{E46ED309-D60D-45DF-BFA3-F74DD13FC4AE}  
TERM.....ICE PACK

DATA VALUE: ICTERIC

-----  
ABBREVIATION.....ICTERIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Icteric  
HELP\_TEXT.....Relating to or affected with jaundice  
ID.....{274ED5BB-5A34-20EE-A9B0-81AB7803780E}  
TERM.....ICTERIC

DATA VALUE: ICU

-----  
ABBREVIATION.....ICU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ICU  
HELP\_TEXT.....No Help Text  
ID.....{E7FA69FE-1088-4853-AFBD-2D815E3C2EB0}  
TERM.....ICU

DATA VALUE: ID BAND

---

ABBREVIATION.....ID Band  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ID Band  
HELP\_TEXT.....  
ID.....{5526C5AB-64C8-4AB1-B77F-DAF45D26B439}  
TERM.....ID BAND

DATA VALUE: ID CARD

---

ABBREVIATION.....ID Card  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ID Card  
HELP\_TEXT.....  
ID.....{CFD540F0-3D73-498F-B590-CCEF11499078}  
TERM.....ID CARD

DATA VALUE: IDENTIFICATION

---

ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Identification  
HELP\_TEXT.....No Help Text  
ID.....{39274F69-556C-7F05-6D17-CE8A03D1867D}  
TERM.....IDENTIFICATION

DATA VALUE: IDIOVENTRICULAR

---

ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Idioventricular  
HELP\_TEXT.....No Help Text  
ID.....{8BD08966-F536-8E74-0BDA-A95D0D7F8B6C}  
TERM.....IDIOVENTRICULAR

DATA VALUE: II

---

ABBREVIATION.....II  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....II  
HELP\_TEXT.....No Help Text  
ID.....{F165C13B-397E-4182-8D72-BD1D74CFBA00}  
TERM.....II

DATA VALUE: III

-----  
ABBREVIATION.....III  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....III  
HELP\_TEXT.....No Help Text  
ID.....{D8FE8FA9-9BB5-416E-AE2C-60E627F76E5A}  
TERM.....III

DATA VALUE: ILEAL CONDUIT

-----  
ABBREVIATION.....ILEAL COND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ileal Conduit  
HELP\_TEXT.....No Help Text  
ID.....{032CB6FE-77D2-702E-A0AE-46176F5CAA57}  
TERM.....ILEAL CONDUIT

DATA VALUE: ILEAL-CONDUIT

-----  
ABBREVIATION.....Ileal-Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ileal-Conduit  
HELP\_TEXT.....  
ID.....{C91C4E4A-2D0D-438A-8EF5-8717D703A777}  
TERM.....ILEAL-CONDUIT

DATA VALUE: ILEOSTOMY

-----  
ABBREVIATION.....ILEOSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Ileostomy  
DISPLAY\_NAME.....Ileostomy  
HELP\_TEXT.....No Help Text  
ID.....{D5DF49C8-C6BA-44C1-9840-7765907730A3}  
TERM.....ILEOSTOMY

DATA VALUE: ILLOGICAL

-----  
ABBREVIATION.....Illogical  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Illogical  
HELP\_TEXT.....  
ID.....{79A0885E-115B-4D12-A018-3829CB7DFB1F}  
TERM.....ILLOGICAL

DATA VALUE: IMAGING

---

ABBREVIATION.....IMAGING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Imaging  
HELP\_TEXT.....No Help Text  
ID.....{791A322E-F45E-40EB-B95D-E5B62E1D0A75}  
TERM.....IMAGING

DATA VALUE: IMPACTION

---

ABBREVIATION.....Impaction  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Impaction  
HELP\_TEXT.....  
ID.....{6F4370A1-03FE-488F-9F95-EF36321270A1}  
TERM.....IMPACTION

DATA VALUE: IMPAIRED

---

ABBREVIATION.....Impaired  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Impaired  
HELP\_TEXT.....  
ID.....{EEC3C3F6-BF3A-4103-B18F-C58D22D41552}  
TERM.....IMPAIRED

DATA VALUE: IMPAIRED JUDGEMENT/INSIGHT

---

ABBREVIATION.....ImpairJdmt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Impaired Judgement/Insight  
HELP\_TEXT.....  
ID.....{A500511F-24DC-4AF1-A0B2-1AC5A40BE258}  
TERM.....IMPAIRED JUDGEMENT/INSIGHT

DATA VALUE: IMPAIRED LISTENING SKILLS

---

ABBREVIATION.....IMP LIS SK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Impaired Listening Skills  
HELP\_TEXT.....No Help Text  
ID.....{9CE0E7E7-79E5-4910-918C-2022C9830171}  
TERM.....IMPAIRED LISTENING SKILLS

DATA VALUE: IMPLANTS

---

ABBREVIATION.....Implants  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Implants  
HELP\_TEXT.....  
ID.....{14998852-14FD-4C6A-BB8A-5073D6094B11}  
TERM.....IMPLANTS

DATA VALUE: IMPULSIVE

---

ABBREVIATION.....Impulsive  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Impulsive  
HELP\_TEXT.....  
ID.....{EBBDB9DE-B190-4CFF-885D-758A98C4CAE3}  
TERM.....IMPULSIVE

DATA VALUE: IN HEARING

---

ABBREVIATION.....In Hearing  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....In Hearing  
HELP\_TEXT.....  
ID.....{1D72DFE6-3090-4A2C-B234-6885E794C842}  
TERM.....IN HEARING

DATA VALUE: INAPPROPRIATE

---

ABBREVIATION.....Inappropri  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inappropriate  
HELP\_TEXT.....No Help Text  
ID.....{7E3B54C2-8A49-28EC-055E-FEA87599421C}  
TERM.....INAPPROPRIATE

DATA VALUE: INAPPROPRIATE OR BIZARRE FOOT PLACEMENT

---

ABBREVIATION.....Foot Place  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inappropriate or Bizarre Foot Placement  
HELP\_TEXT.....  
ID.....{9B943C60-F11A-46FC-843B-275837644CDB}  
TERM.....INAPPROPRIATE OR BIZARRE FOOT PLACEMENT

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS BLOODY

-----  
ABBREVIATION.....INC DI BLO  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
    Bloody  
DISPLAY\_NAME.....Bloody  
HELP\_TEXT.....Incision Discharge Characteristics  
    Bloody  
ID.....{D185E55B-EC21-49B6-A040-5422382C3B90}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
    BLOODY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS CLOUDY

-----  
ABBREVIATION.....INC DI CLO  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
    Cloudy  
DISPLAY\_NAME.....Cloudy  
HELP\_TEXT.....Incision Discharge Characteristics  
    Cloudy  
ID.....{3EBBB25E-1B90-415B-BCB5-3C3DAC33C118}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
    CLOUDY

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS NONE

-----  
ABBREVIATION.....INC DI NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Discharge Characteristics None  
ID.....{4F118F41-8C09-400E-A303-0955DFDF54E2}  
TERM.....INCISION DISCHARGE CHARACTERISTICS NONE

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS PURULENT

-----  
ABBREVIATION.....INC DI PUR  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
    Purulent  
DISPLAY\_NAME.....Purulent  
HELP\_TEXT.....Incision Discharge Characteristics  
    Purulent  
ID.....{B2D71BDF-41AB-4F10-ABE3-A9D9F338F6F1}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
    PURULENT

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS

-----  
ABBREVIATION.....INC DI SSA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
    Serosanguinous  
DISPLAY\_NAME.....Serosanguinous  
HELP\_TEXT.....Incision Discharge Characteristics  
    Serosanguinous  
ID.....{102F19A9-CC28-4156-88DE-1B4C8A682AC2}  
TERM.....INCISION DISCHARGE CHARACTERISTICS

SEROSANGUINOUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS SEROUS

-----  
ABBREVIATION.....INC DI SER  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
    Serous  
DISPLAY\_NAME.....Serous  
HELP\_TEXT.....Incision Discharge Characteristics  
    Serous  
ID.....{CC4F3BA1-AD0D-42BA-9D76-1FE66F864FC8}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
    SEROUS

DATA VALUE: INCISION DISCHARGE CHARACTERISTICS VISCOSUS

-----  
ABBREVIATION.....INC DI VIS  
ACTIVE.....Yes  
DESCRIPTION.....Incision Discharge Characteristics  
    Viscous  
DISPLAY\_NAME.....Viscous  
HELP\_TEXT.....Incision Discharge Characteristics  
    Viscous  
ID.....{A38C2D8C-25B1-41E5-A69F-7A5C439C6EB9}  
TERM.....INCISION DISCHARGE CHARACTERISTICS  
    VISCOSUS

DATA VALUE: INCISION DRAINAGE AMOUNT HEAVY

-----  
ABBREVIATION.....I DR A HEA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Heavy  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....Incision Drainage Amount Heavy  
ID.....{D77FCEA0-D247-4DD5-873E-2F95C7FF48A6}  
TERM.....INCISION DRAINAGE AMOUNT HEAVY

DATA VALUE: INCISION DRAINAGE AMOUNT MODERATE

-----  
ABBREVIATION.....I DR A MOD  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Moderate  
DISPLAY\_NAME.....Moderate  
HELP\_TEXT.....Incision Drainage Amount Moderate  
ID.....{9B0487A9-DCB4-42D3-92E6-805C412B5D34}  
TERM.....INCISION DRAINAGE AMOUNT MODERATE

DATA VALUE: INCISION DRAINAGE AMOUNT NONE

-----  
ABBREVIATION.....I DR A NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Drainage Amount None  
ID.....{5D0D9027-4B20-43A4-B437-EA7B77CB2105}  
TERM.....INCISION DRAINAGE AMOUNT NONE

DATA VALUE: INCISION DRAINAGE AMOUNT SCANT

-----  
ABBREVIATION.....I DR A SCA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Scant  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....Incision Drainage Amount Scant  
ID.....{A476E395-46AA-44E7-8A00-CE22C7066BB1}  
TERM.....INCISION DRAINAGE AMOUNT SCANT

DATA VALUE: INCISION DRAINAGE AMOUNT SMALL

-----  
ABBREVIATION.....I DR A SMA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Drainage Amount Small  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....Incision Drainage Amount Small  
ID.....{4479479D-8ADA-4FBF-A5A2-426D49FC94D3}  
TERM.....INCISION DRAINAGE AMOUNT SMALL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL

-----  
ABBREVIATION.....INC DR ANT  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Antimicrobial  
DISPLAY\_NAME.....Antimicrobial  
HELP\_TEXT.....Incision Dressing Type Antimicrobial  
ID.....{35F5F5C1-B76A-44D2-8576-9D7D3ECA3197}  
TERM.....INCISION DRESSING TYPE ANTIMICROBIAL

DATA VALUE: INCISION DRESSING TYPE ANTIMICROBIAL DISK

-----  
ABBREVIATION.....INC DR ADI  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Antimicrobial  
Disk  
DISPLAY\_NAME.....Antimicrobial Disk  
HELP\_TEXT.....Incision Dressing Type Antimicrobial  
Disk  
ID.....{55A33062-7D6B-4CDF-9131-D4ADC38F6CE3}  
TERM.....INCISION DRESSING TYPE ANTIMICROBIAL  
DISK

DATA VALUE: INCISION DRESSING TYPE BALSAM OF PERU

-----  
ABBREVIATION.....INC DR BAL  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Balsam of Peru  
DISPLAY\_NAME.....Balsam Of Peru  
HELP\_TEXT.....Incision Dressing Type Balsam of Peru  
ID.....{A1FB45C6-6315-4282-8D89-DCB0C018E357}  
TERM.....INCISION DRESSING TYPE BALSAM OF PERU

DATA VALUE: INCISION DRESSING TYPE BISMUTH GAUZE

-----  
ABBREVIATION.....INC DR BIS  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Bismuth Gauze  
DISPLAY\_NAME.....Bismuth Gauze  
HELP\_TEXT.....Incision Dressing Type Bismuth Gauze  
ID.....{CA88C5DC-3890-49A2-800A-0528CE194BA8}  
TERM.....INCISION DRESSING TYPE BISMUTH GAUZE

DATA VALUE: INCISION DRESSING TYPE CALCIUM ALGINATE

-----  
ABBREVIATION.....INC DR CAL  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Calcium Alginate  
DISPLAY\_NAME.....Calcium Alginate  
HELP\_TEXT.....Incision Dressing Type Calcium Alginate  
ID.....{B20558BA-FB9E-499E-82DF-49616ACE9375}  
TERM.....INCISION DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: INCISION DRESSING TYPE FOAM DRESSING

-----  
ABBREVIATION.....INC DR FOA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Foam dressing  
DISPLAY\_NAME.....Foam Dressing  
HELP\_TEXT.....Incision Dressing Type Foam dressing  
ID.....{5C2C2D24-6022-4BBF-9065-03FB5971CB3F}  
TERM.....INCISION DRESSING TYPE FOAM DRESSING

DATA VALUE: INCISION DRESSING TYPE GAUZE

-----  
ABBREVIATION.....INC DR GAU  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze  
DISPLAY\_NAME.....Gauze  
HELP\_TEXT.....Incision Dressing Type Gauze  
ID.....{E4AC9307-0512-4F9D-A254-FE19E654461F}  
TERM.....INCISION DRESSING TYPE GAUZE

DATA VALUE: INCISION DRESSING TYPE GAUZE PACKING

-----  
ABBREVIATION.....INC DR GPA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze Packing  
DISPLAY\_NAME.....Gauze Packing  
HELP\_TEXT.....Incision Dressing Type Gauze Packing  
ID.....{3561DAEB-8A30-4E16-B920-F7DFE022EBB1}  
TERM.....INCISION DRESSING TYPE GAUZE PACKING

DATA VALUE: INCISION DRESSING TYPE GAUZE WRAP

-----  
ABBREVIATION.....INC DR GWR  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze Wrap  
DISPLAY\_NAME.....Gauze Wrap  
HELP\_TEXT.....Incision Dressing Type Gauze Wrap  
ID.....{E1DBEC29-1430-4DA0-99DC-49B9389D2440}  
TERM.....INCISION DRESSING TYPE GAUZE WRAP

DATA VALUE: INCISION DRESSING TYPE HYDROCOLLOIDAL

-----  
ABBREVIATION.....INC DR HYD  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hydrocolloidal  
DISPLAY\_NAME.....Hydrocolloidal  
HELP\_TEXT.....Incision Dressing Type Hydrocolloidal  
ID.....{424CCDCA-5196-4BBD-AE8B-0F68DDCC3FCF}  
TERM.....INCISION DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: INCISION DRESSING TYPE HYDROGEL

-----  
ABBREVIATION.....INC DR HYD  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hydrogel  
DISPLAY\_NAME.....Hydrogel  
HELP\_TEXT.....Incision Dressing Type Hydrogel  
ID.....{8CBAC6DF-F51E-456B-8F9A-A68E4452812C}  
TERM.....INCISION DRESSING TYPE HYDROGEL

DATA VALUE: INCISION DRESSING TYPE HYPERTONIC HYDROGEL

-----  
ABBREVIATION.....INC DR HYP  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Hypertonic  
    Hydrogel  
DISPLAY\_NAME.....Hypertonic Hydrogel  
HELP\_TEXT.....Incision Dressing Type Hypertonic  
    Hydrogel  
ID.....{25820A63-AD76-4198-BEB1-EF95DDEC5B35}  
TERM.....INCISION DRESSING TYPE HYPERTONIC  
    HYDROGEL

DATA VALUE: INCISION DRESSING TYPE NONE

-----  
ABBREVIATION.....INC DR NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Dressing Type None  
ID.....{81F07C8D-A463-48A0-A64A-A143CECB5DD6}  
TERM.....INCISION DRESSING TYPE NONE

DATA VALUE: INCISION DRESSING TYPE PRESSURE

-----  
ABBREVIATION.....INC DR PRE  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Pressure  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....Incision Dressing Type Pressure  
ID.....{B5823373-E5D8-40A5-954C-6A193D7E7511}  
TERM.....INCISION DRESSING TYPE PRESSURE

DATA VALUE: INCISION DRESSING TYPE TRANSPARENT

-----  
ABBREVIATION.....INC DR TRA  
ACTIVE.....Yes  
DESCRIPTION.....Incision Dressing Type Gauze  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....Incision Dressing Type Gauze  
ID.....{E198EDAD-AA67-49F9-A065-6BB11FE39ED6}  
TERM.....INCISION DRESSING TYPE TRANSPARENT

DATA VALUE: INCISION EDGE INDISTINCT/ATTACHED

-----  
ABBREVIATION.....INC ED ATT  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Indistinct, Attached  
DISPLAY\_NAME.....Indistinct, Attached  
HELP\_TEXT.....Incision Edge Indistinct, Attached  
ID.....{AF7E7150-525E-49A4-AC23-042B788E8805}  
TERM.....INCISION EDGE INDISTINCT/ATTACHED

DATA VALUE: INCISION EDGE NON-ATTACHED

-----  
ABBREVIATION.....INC ED NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Non Attached  
DISPLAY\_NAME.....Non-Attached  
HELP\_TEXT.....Incision Edge Non Attached  
ID.....{F457F951-F1DC-47AC-9336-AC093E149862}  
TERM.....INCISION EDGE NON-ATTACHED

DATA VALUE: INCISION EDGE ROLLED

-----  
ABBREVIATION.....INC ED ROL  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Rolled  
DISPLAY\_NAME.....Rolled  
HELP\_TEXT.....Incision Edge Rolled  
ID.....{FFA33CAE-5D8B-4501-8120-A536BE53296F}  
TERM.....INCISION EDGE ROLLED

DATA VALUE: INCISION EDGE TUNNELING

---

ABBREVIATION.....INC ED TUN  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Tunneling  
DISPLAY\_NAME.....Tunneling  
HELP\_TEXT.....Incision Edge Tunneling  
ID.....{492CD783-3C32-40F0-AE35-5A89E90409A7}  
TERM.....INCISION EDGE TUNNELING

DATA VALUE: INCISION EDGE UNDERMINING

---

ABBREVIATION.....INC ED UND  
ACTIVE.....Yes  
DESCRIPTION.....Incision Edge Undermining  
DISPLAY\_NAME.....Undermining  
HELP\_TEXT.....Incision Edge Undermining  
ID.....{0F3E968A-B867-4123-8C05-ED6B12D364CD}  
TERM.....INCISION EDGE UNDERMINING

DATA VALUE: INCISION ODOR FOUL

---

ABBREVIATION.....INC OD FOU  
ACTIVE.....Yes  
DESCRIPTION.....Incision Odor Foul  
DISPLAY\_NAME.....Foul  
HELP\_TEXT.....Incision Odor Foul  
ID.....{ECDC0988-BE82-41E3-8104-A66A5F8A1093}  
TERM.....INCISION ODOR FOUL

DATA VALUE: INCISION ODOR NONE

---

ABBREVIATION.....INC OD NON  
ACTIVE.....Yes  
DESCRIPTION.....Incision Odor None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Incision Odor None  
ID.....{CED90890-6FBC-4A4A-B0B8-6F75F0DD567A}  
TERM.....INCISION ODOR NONE

DATA VALUE: INCISION WOUND CLOSURE APPROXIMATED

---

ABBREVIATION.....INC CL APP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Approximated  
HELP\_TEXT.....No Help-Text  
ID.....{2DD5713E-D81C-484B-A0DF-6A5730B396DF}  
TERM.....INCISION WOUND CLOSURE APPROXIMATED

DATA VALUE: INCISION WOUND CLOSURE DEHISCENCE

-----  
ABBREVIATION.....INC CL DEH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dehiscence  
HELP\_TEXT.....No Help-Text  
ID.....{DCA1D137-0D9A-42D2-9270-7B3A82DCB6EB}  
TERM.....INCISION WOUND CLOSURE DEHISCENCE

DATA VALUE: INCISION WOUND CLOSURE GLUE

-----  
ABBREVIATION.....IN CL GLU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Glue  
HELP\_TEXT.....No Help-Text  
ID.....{9EEB436E-2991-4E9A-9F8A-BFEC196784CB}  
TERM.....INCISION WOUND CLOSURE GLUE

DATA VALUE: INCISION WOUND CLOSURE NOT CLOSED

-----  
ABBREVIATION.....INC CL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Not Closed  
HELP\_TEXT.....No Help-Text  
ID.....{D63A05BF-1205-45F6-A78D-15D198BCB1C6}  
TERM.....INCISION WOUND CLOSURE NOT CLOSED

DATA VALUE: INCISIONAL SITE

-----  
ABBREVIATION.....INCIS SITE  
ACTIVE.....Yes  
DESCRIPTION.....INCISIONAL SITE  
DISPLAY\_NAME.....Incisional Site  
HELP\_TEXT.....INCISIONAL SITE  
ID.....{19E69DE2-097B-0FA5-449D-B2E9161A3E05}  
TERM.....INCISIONAL SITE

DATA VALUE: INCOMPREHENSIBLE

-----  
ABBREVIATION.....INCOMPREHE  
ACTIVE.....Yes  
DESCRIPTION.....Incomprehensible  
DISPLAY\_NAME.....Incomprehensible  
HELP\_TEXT.....No Help Text  
ID.....{916CD781-563D-4F54-8752-800D37BFAA3B}  
TERM.....INCOMPREHENSIBLE

DATA VALUE: INCONTENENCE DERMATITIS

-----  
ABBREVIATION.....INCON DERM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Incontinence Dermatitis  
HELP\_TEXT.....No Help Text  
ID.....{9F6C5BA2-79C7-4B09-B19A-6DDC444936E5}  
TERM.....INCONTENENCE DERMATITIS

DATA VALUE: INCONTINENT

-----  
ABBREVIATION.....INCONTINEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Incontinent  
HELP\_TEXT.....No Help Text  
ID.....{BA2E9C32-8D03-8FC9-5E02-EAE2026FDC63}  
TERM.....INCONTINENT

DATA VALUE: INCREASE ROUNDS

-----  
ABBREVIATION.....Inc Rds  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Increase Rounds  
HELP\_TEXT.....  
ID.....{873180AF-9BB9-44F4-B9E4-80F8BBDF9769}  
TERM.....INCREASE ROUNDS

DATA VALUE: INDEPENDENT

-----  
ABBREVIATION.....INDEPENDEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Independent  
HELP\_TEXT.....No Help-Text  
ID.....{11BC0CF7-1C29-49C7-B7C8-2BCF8FF82250}  
TERM.....INDEPENDENT

DATA VALUE: INDICATES UNDERSTANDING

-----  
ABBREVIATION.....UNDERSTAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indicates Understanding  
HELP\_TEXT.....No Help Text  
ID.....{C4AEFE5F-C388-4E00-9663-6B308934284B}  
TERM.....INDICATES UNDERSTANDING

DATA VALUE: INDIFFERENT

---

ABBREVIATION.....INDIFF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indifferent  
HELP\_TEXT.....No Help Text  
ID.....{7C3B96CF-C3D0-4117-A952-94BD9FBE05A5}  
TERM.....INDIFFERENT

DATA VALUE: INDIFFERENT (NO RESPONSE)

---

ABBREVIATION.....Indifferen  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Indifferent (No Response)  
HELP\_TEXT.....  
ID.....{4B17FB78-BE84-4E92-9FC2-F3B7783E483A}  
TERM.....INDIFFERENT (NO RESPONSE)

DATA VALUE: INDIGESTION

---

ABBREVIATION.....Indigestio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Indigestion  
HELP\_TEXT.....  
ID.....{D60E1A18-8BB6-4B09-93CC-A663833C2D6D}  
TERM.....INDIGESTION

DATA VALUE: INDURATION

---

ABBREVIATION.....INDURAITON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Induration (Hardness)  
HELP\_TEXT.....No Help Text  
ID.....{A1669576-45D9-435C-87B9-488E9CF6BBA4}  
TERM.....INDURATION

DATA VALUE: INDWELLING CATHETER

---

ABBREVIATION.....INDW CATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indwelling Catheter  
HELP\_TEXT.....No Help Text  
ID.....{EC16724C-D1EA-5650-58D4-38A89D4456F9}  
TERM.....INDWELLING CATHETER

DATA VALUE: INEFFECTIVE COPING

---

ABBREVIATION.....ic  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ineffective Coping  
HELP\_TEXT.....No Help Text  
ID.....{704B1A55-B639-60F4-E3A5-16F942ABC259}  
TERM.....INEFFECTIVE COPING

DATA VALUE: INFECTION

---

ABBREVIATION.....INFECTION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Infection  
HELP\_TEXT.....No Help Text  
ID.....{DA00DB58-640D-4294-9468-EEF070DBAE8E}  
TERM.....INFECTION

DATA VALUE: INFECTION PREVENTION AND SCREENING

---

ABBREVIATION.....INF PRE SC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Infection Prevention and Screening  
HELP\_TEXT.....No Help Text  
ID.....{BA58329F-59EC-49F0-BACE-75AA5EC57F52}  
TERM.....INFECTION PREVENTION AND SCREENING

DATA VALUE: INFLATABLE HEEL LIFT

---

ABBREVIATION.....INF HEEL L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inflatable Heel Lift  
HELP\_TEXT.....No Help Text  
ID.....{793B34A4-2F21-42DA-881D-1E6E0B4EAD6B}  
TERM.....INFLATABLE HEEL LIFT

DATA VALUE: INFLATE BALLOON

---

ABBREVIATION.....Inflate Ba  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inflate Balloon  
HELP\_TEXT.....  
ID.....{8E43AC94-F91F-498A-AEFA-2D754A24AE35}  
TERM.....INFLATE BALLOON

DATA VALUE: INHALER DEMONSTRATION OF USE COMPLETED

-----  
ABBREVIATION.....InDemoComp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inhaler Demonstration of Use Completed  
HELP\_TEXT.....  
ID.....{D3C924C1-8AE4-475C-92AD-1625F4686693}  
TERM.....INHALER DEMONSTRATION OF USE COMPLETED

DATA VALUE: INHALER EDUCATION COMPLETED

-----  
ABBREVIATION.....InEdComp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inhaler Education Completed  
HELP\_TEXT.....  
ID.....{9A262D7B-B213-45A6-A583-CD0EAC2664F3}  
TERM.....INHALER EDUCATION COMPLETED

DATA VALUE: INHALER EDUCATION REINFORCED

-----  
ABBREVIATION.....InEdReinf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inhaler Education Reinforced  
HELP\_TEXT.....  
ID.....{8CBC1F13-5B29-4D4E-936B-DAD53B45800D}  
TERM.....INHALER EDUCATION REINFORCED

DATA VALUE: INITIATED

-----  
ABBREVIATION.....INITIATED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Initiated  
HELP\_TEXT.....No Help Text  
ID.....{562E5FFB-4E53-4614-ACAC-E7D9B6E1B781}  
TERM.....INITIATED

DATA VALUE: INNER CANNULA CHANGED

-----  
ABBREVIATION.....InnerCann  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inner Cannula Changed  
HELP\_TEXT.....  
ID.....{4C0CA35F-2B7F-47C1-91E0-9159383BC17C}  
TERM.....INNER CANNULA CHANGED

DATA VALUE: INSERTED THROUGH EXISTING INTRODUCER

-----  
ABBREVIATION.....INS EXS IN  
ACTIVE.....Yes  
DESCRIPTION.....Inserted Through Existing Introducer  
DISPLAY\_NAME.....Inserted Through Existing Introducer  
HELP\_TEXT.....No Help Text  
ID.....{20BC183A-197F-4464-A27C-47F63C5B842A}  
TERM.....INSERTED THROUGH EXISTING INTRODUCER

DATA VALUE: INSERTED THROUGH NEW INTRODUCER

-----  
ABBREVIATION.....INS NEW IN  
ACTIVE.....Yes  
DESCRIPTION.....Inserted Through New Introducer  
DISPLAY\_NAME.....Inserted Through New Introducer  
HELP\_TEXT.....No Help Text  
ID.....{7FCA403D-41E5-4BAA-B155-B58F35EA49B3}  
TERM.....INSERTED THROUGH NEW INTRODUCER

DATA VALUE: INSERTION

-----  
ABBREVIATION.....Insertion  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Insertion  
HELP\_TEXT.....  
ID.....{FF33CDE9-5CF7-46F7-8E3C-DBEC99CBC8BF}  
TERM.....INSERTION

DATA VALUE: INSPIRATORY WHEEZES

-----  
ABBREVIATION.....INSP WHEEZ  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inspiratory Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{3FA7F54C-DE17-4DFF-B5F6-C2CD05EC0B24}  
TERM.....INSPIRATORY WHEEZES

DATA VALUE: INSTRUCTED ON SELF-CARE INCLUDING HAND AND CATH HYGIENE

-----  
ABBREVIATION.....Self-Care  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Instructed on Self-Care Including  
Hand and Cath Hygiene  
HELP\_TEXT.....  
ID.....{C52DF898-9A84-4885-AC67-49673ECFA756}  
TERM.....INSTRUCTED ON SELF-CARE INCLUDING  
HAND AND CATH HYGIENE

DATA VALUE: INTACT

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Intact  
HELP\_TEXT.....No apparent breakdown  
ID.....{935C9CAF-6C88-6610-C6E9-4C1B822923AF}  
TERM.....INTACT

DATA VALUE: INTENTIONAL

-----  
ABBREVIATION.....i  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Intentional  
HELP\_TEXT.....No Help Text  
ID.....{D5BBBFFC-F739-1E69-FED4-288D8E803D04}  
TERM.....INTENTIONAL

DATA VALUE: INTERMITTENT

-----  
ABBREVIATION.....INTERMITTE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Intermittent  
HELP\_TEXT.....No Help Text  
ID.....{DD09ED7C-B977-412F-A678-5130F77D239E}  
TERM.....INTERMITTENT

DATA VALUE: INTERMITTENT SLEEP

-----  
ABBREVIATION.....INT SLEEP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....States Has Slept Intermittently  
HELP\_TEXT.....No Help Text  
ID.....{5005C433-5892-4F4D-A64D-4C94AD1853E2}  
TERM.....INTERMITTENT SLEEP

DATA VALUE: INTERNAL CARDIAC DEFIBRILLATOR PRESENT

-----  
ABBREVIATION.....DefibrPres  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Internal Cardiac Defibrillator Present  
HELP\_TEXT.....  
ID.....{9E34E6C9-310B-49F1-8A76-47064920D905}  
TERM.....INTERNAL CARDIAC DEFIBRILLATOR PRESENT

DATA VALUE: INTERNAL CARDIO-DEFIBRILLATOR (ICD)

-----  
ABBREVIATION.....IntDefib  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Internal Cardio-Defibrillator (ICD)  
HELP\_TEXT.....  
ID.....{AAFB7429-C8BF-4DF2-9889-6D16A497B90E}  
TERM.....INTERNAL CARDIO-DEFIBRILLATOR (ICD)

DATA VALUE: INTERNAL FECAL INCONTINENCE SYSTEM

-----  
ABBREVIATION.....FID Int  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Internal Fecal Incontinence System  
HELP\_TEXT.....  
ID.....{3E01B153-8BBF-4EB3-B680-AD22E53531F1}  
TERM.....INTERNAL FECAL INCONTINENCE SYSTEM

DATA VALUE: INTERNAL ROTATION

-----  
ABBREVIATION.....Int Rotate  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Internal Rotation  
HELP\_TEXT.....  
ID.....{B1FE489B-D82F-49F5-87B9-8645157F23A2}  
TERM.....INTERNAL ROTATION

DATA VALUE: INTERRUPTED

-----  
ABBREVIATION.....INTERRUPTE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Interrupted  
HELP\_TEXT.....No Help Text  
ID.....{AB53B9AB-DA3F-42D3-BEB2-E02A452ED777}  
TERM.....INTERRUPTED

DATA VALUE: INTERVENTIONAL RADIOLOGY

-----  
ABBREVIATION.....Interv Rad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Interventional Radiology  
HELP\_TEXT.....  
ID.....{322B66E6-814F-43AF-B669-E503519DB72F}  
TERM.....INTERVENTIONAL RADIOLOGY

DATA VALUE: INTIMIDATING

---

ABBREVIATION.....Intimidat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Intimidating  
HELP\_TEXT.....  
ID.....{37ACE461-DF89-489D-82DC-1719C3327B29}  
TERM.....INTIMIDATING

DATA VALUE: INTRODUCER

---

ABBREVIATION.....INTRODUCER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Introducer  
HELP\_TEXT.....No Help Text  
ID.....{B46F7CA4-C94E-68FD-2892-52866763B5A0}  
TERM.....INTRODUCER

DATA VALUE: INVERSION ABNORMAL

---

ABBREVIATION.....InverAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inversion Abnormal  
HELP\_TEXT.....  
ID.....{FA444463-5087-4E36-AF26-0301D176A16C}  
TERM.....INVERSION ABNORMAL

DATA VALUE: INVERSION WNL

---

ABBREVIATION.....InverWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inversion WNL  
HELP\_TEXT.....  
ID.....{BD5A825E-E747-4581-9D58-12D25A569D9B}  
TERM.....INVERSION WNL

DATA VALUE: INVERTED T WAVE

---

ABBREVIATION.....Inverted T  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Inverted T Wave  
HELP\_TEXT.....  
ID.....{74E92116-CC0C-496E-93D4-F1BB004CB4F7}  
TERM.....INVERTED T WAVE

DATA VALUE: INVOLVEMENT WITH FAMILY

-----  
ABBREVIATION.....R.E. INVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Involvement With Family And Others  
HELP\_TEXT.....No Help Text  
ID.....{0EF31047-70A5-4072-953A-B62E1ACDF84B}  
TERM.....INVOLVEMENT WITH FAMILY

DATA VALUE: IRREGULAR

-----  
ABBREVIATION.....IRREGULAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Irregular  
HELP\_TEXT.....No Help Text  
ID.....{6CCE27A2-F1EB-3EC8-B140-CDA241D159F2}  
TERM.....IRREGULAR

DATA VALUE: IRREGULAR HEART RATE/RHYTHM

-----  
ABBREVIATION.....IrrRhythm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Irregular Heart Rate/Rhythm  
HELP\_TEXT.....  
ID.....{5DA85557-81FB-4DF7-B657-891B66B64392}  
TERM.....IRREGULAR HEART RATE/RHYTHM

DATA VALUE: IRRIGATION

-----  
ABBREVIATION.....Irrigation  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Irrigation  
HELP\_TEXT.....  
ID.....{FEC41E5A-D214-48A0-953B-EF75B6414BE3}  
TERM.....IRRIGATION

DATA VALUE: IRRITABLE

-----  
ABBREVIATION.....Irritable  
ACTIVE.....Yes  
DESCRIPTION.....Irritable  
DISPLAY\_NAME.....Irritable  
HELP\_TEXT.....No Help Text  
ID.....{10651C11-2736-4056-BA84-E544358BA877}  
TERM.....IRRITABLE

DATA VALUE: ISOLATING

---

ABBREVIATION.....Isolating  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Isolating  
HELP\_TEXT.....  
ID.....{4E1CD1C0-6D27-4760-8230-657A2966A786}  
TERM.....ISOLATING

DATA VALUE: ISOLATION

---

ABBREVIATION.....Isolation  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Isolation  
HELP\_TEXT.....  
ID.....{BD993BAD-087B-4C88-9EEC-DC1B84F9A642}  
TERM.....ISOLATION

DATA VALUE: ISOSOURCE 1.5

---

ABBREVIATION.....Iso 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Isosource 1.5  
HELP\_TEXT.....  
ID.....{A93C075F-A1FB-4B84-A8E3-9CE81089A462}  
TERM.....ISOSOURCE 1.5

DATA VALUE: ISOSOURCE VHN

---

ABBREVIATION.....Iso VHN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Isosource VHN  
HELP\_TEXT.....  
ID.....{D68525BF-F922-464E-97DE-1AB767974483}  
TERM.....ISOSOURCE VHN

DATA VALUE: ITCHING

---

ABBREVIATION.....Itching  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Itching  
HELP\_TEXT.....  
ID.....{3A1FB47B-F274-458D-BDF6-E6882D6CB600}  
TERM.....ITCHING

DATA VALUE: IV DISCONTINUED

---

ABBREVIATION.....IV DISC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....IV Discontinued  
HELP\_TEXT.....No Help Text  
ID.....{FDF951E7-5B72-4166-969B-073D5EC74800}  
TERM.....IV DISCONTINUED

DATA VALUE: IV PUMP

---

ABBREVIATION.....IV PUMP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....IV Pump  
HELP\_TEXT.....No Help Text  
ID.....{EFB92C16-CFA3-18BB-9D54-590089DA3962}  
TERM.....IV PUMP

DATA VALUE: IV SEDATION

---

ABBREVIATION.....IV Sed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....IV Sedation  
HELP\_TEXT.....  
ID.....{789B61EB-5E83-4024-850D-D92370C4EC9A}  
TERM.....IV SEDATION

DATA VALUE: IVPB

---

ABBREVIATION.....IVPB  
ACTIVE.....Yes  
DESCRIPTION.....IV Piggy Back  
DISPLAY\_NAME.....IV Piggy Back  
HELP\_TEXT.....No Help Text  
ID.....{50EE76CF-5A9C-4EEB-9201-37CD90509355}  
TERM.....IVPB

DATA VALUE: JAUNDICE

---

ABBREVIATION.....j  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Jaundice  
HELP\_TEXT.....No Help Text  
ID.....{B17F4603-7C68-660D-96A7-119140A998D3}  
TERM.....JAUNDICE

DATA VALUE: JEJUNOSTOMY

---

ABBREVIATION.....JEJUNOSTOM  
ACTIVE.....Yes  
DESCRIPTION.....Jejunostomy EF Tube  
DISPLAY\_NAME.....Jejunostomy  
HELP\_TEXT.....No Help Text  
ID.....{1ED3EC41-3ACF-42C1-B64A-280300EDBCFC}  
TERM.....JEJUNOSTOMY

DATA VALUE: JEVITY 1.0

---

ABBREVIATION.....Jevity 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.0  
HELP\_TEXT.....  
ID.....{637F4523-0417-4EA4-9991-379C8362EC00}  
TERM.....JEVITY 1.0

DATA VALUE: JEVITY 1.2

---

ABBREVIATION.....Jevity 1.2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.2  
HELP\_TEXT.....  
ID.....{0B3ADECE-FC19-4D90-912B-6EDC3D35C845}  
TERM.....JEVITY 1.2

DATA VALUE: JEVITY 1.5

---

ABBREVIATION.....Jevity 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Jevity 1.5  
HELP\_TEXT.....  
ID.....{ED69D4F6-7EFA-4954-85F0-CCED2BA80A39}  
TERM.....JEVITY 1.5

DATA VALUE: JOINT (SPECIFY IN COMMENTS)

---

ABBREVIATION.....Joint  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Joint (Specify in Comments)  
HELP\_TEXT.....  
ID.....{7EF927CA-073D-425B-B8A8-E400E0E3C468}  
TERM.....JOINT (SPECIFY IN COMMENTS)

DATA VALUE: JOINT CAPSULE

---

ABBREVIATION.....JOINT CAPS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Joint Capsule  
HELP\_TEXT.....No Help Text  
ID.....{F10E4DA8-DF84-4625-A317-724E7C9E028C}  
TERM.....JOINT CAPSULE

DATA VALUE: JOINT REPLACEMENT: COMMENT

---

ABBREVIATION.....JointRepla  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Joint Replacement: Comment  
HELP\_TEXT.....  
ID.....{7FEF67A2-BC80-499C-8D41-ECAD8DADE016}  
TERM.....JOINT REPLACEMENT: COMMENT

DATA VALUE: JP DRAIN

---

ABBREVIATION.....JP Drain  
ACTIVE.....Yes  
DESCRIPTION.....Jackson Pratt Drain  
DISPLAY\_NAME.....JP Drain  
HELP\_TEXT.....No Help Text  
ID.....{20F3B3D5-D3A4-96FD-5446-253FD031DF2B}  
TERM.....JP DRAIN

DATA VALUE: JUNCTIONAL

---

ABBREVIATION.....j  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Junctional  
HELP\_TEXT.....No Help Text  
ID.....{4A339D84-7051-1258-877D-85AFC1CA20FE}  
TERM.....JUNCTIONAL

DATA VALUE: JUNCTIONAL ESCAPE BEAT

---

ABBREVIATION.....Junctional  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Junctional Escape Beat  
HELP\_TEXT.....  
ID.....{54F8E569-801E-4512-A9BD-C04CDA5CEE7C}  
TERM.....JUNCTIONAL ESCAPE BEAT

DATA VALUE: JUNCTIONAL TACHYCARDIA

---

ABBREVIATION.....jt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Junctional Tachycardia  
HELP\_TEXT.....  
ID.....{D6EF01C1-A8F9-40FD-AE24-785041526041}  
TERM.....JUNCTIONAL TACHYCARDIA

DATA VALUE: JUVEN

---

ABBREVIATION.....Juven  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Juven  
HELP\_TEXT.....  
ID.....{2112F76A-D581-4C55-94CA-4B4CC68813AD}  
TERM.....JUVEN

DATA VALUE: K-PAD

---

ABBREVIATION.....K-PAD  
ACTIVE.....Yes  
DESCRIPTION.....K-pad  
DISPLAY\_NAME.....K-pad  
HELP\_TEXT.....K-pad  
ID.....{10A0C893-F279-48ED-ACAA-1DCA4AD9DB24}  
TERM.....K-PAD

DATA VALUE: KINETIC BED THERAPY

---

ABBREVIATION.....Kin Bed Th  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Kinetic Bed Therapy  
HELP\_TEXT.....  
ID.....{876D8CCD-74EF-449F-B417-A1E719694292}  
TERM.....KINETIC BED THERAPY

DATA VALUE: KNIFE-LIKE

---

ABBREVIATION.....KNIFE-LIKE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Knife-Like  
HELP\_TEXT.....No Help Text  
ID.....{FBA0EE3F-134B-431B-879A-9B17D65CD464}  
TERM.....KNIFE-LIKE

DATA VALUE: KNOWN DONOR

---

ABBREVIATION.....Known  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Known Donor  
HELP\_TEXT.....  
ID.....{74BEA6F1-8FA5-49C7-9198-957838B1C971}  
TERM.....KNOWN DONOR

DATA VALUE: KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

---

ABBREVIATION.....Known/Susp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Known/Suspected Obstructive Sleep Apnea  
HELP\_TEXT.....  
ID.....{BD47DD8C-7057-403B-B393-EBCBF9907B68}  
TERM.....KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA

DATA VALUE: KUSSMAUL

---

ABBREVIATION.....KUSSMAUL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Kussmaul  
HELP\_TEXT.....No Help Text  
ID.....{0C5ED066-F445-ABFE-F7B1-D158EC7C2976}  
TERM.....KUSSMAUL

DATA VALUE: KYPHOSIS

---

ABBREVIATION.....Kyphosis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Kyphosis  
HELP\_TEXT.....  
ID.....{216EFBCA-A523-4F8F-9C23-CAE8349E16A2}  
TERM.....KYPHOSIS

DATA VALUE: L BUNDLE BRANCH BLOCK

---

ABBREVIATION.....lbbb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Bundle Branch Block  
HELP\_TEXT.....No Help Text  
ID.....{C3F2E19E-495B-7BF6-99EF-B8236D6B9C3D}  
TERM.....L BUNDLE BRANCH BLOCK

DATA VALUE: L FOOT DOWN

---

ABBREVIATION.....L FOOT DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Foot Down  
HELP\_TEXT.....No Help Text  
ID.....{5B18895B-DAD5-4874-87DB-DACFFF88B170}  
TERM.....L FOOT DOWN

DATA VALUE: L FOOT UP

---

ABBREVIATION.....L FOOT UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Foot Up  
HELP\_TEXT.....No Help Text  
ID.....{A15CD8C5-5CD1-4B90-B79C-5D3D331C7466}  
TERM.....L FOOT UP

DATA VALUE: L HEAD DOWN

---

ABBREVIATION.....L HEAD DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Head Down  
HELP\_TEXT.....No Help Text  
ID.....{3C919CB8-1C0A-498D-95A6-C46D25744CEC}  
TERM.....L HEAD DOWN

DATA VALUE: L HEAD UP

---

ABBREVIATION.....L HEAD UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Head Up  
HELP\_TEXT.....No Help Text  
ID.....{BB39792D-B572-4A10-BA81-8685809E7437}  
TERM.....L HEAD UP

DATA VALUE: L NECK

---

ABBREVIATION.....LEFT NECK  
ACTIVE.....Yes  
DESCRIPTION.....Left Neck  
DISPLAY\_NAME.....L Neck  
HELP\_TEXT.....Left Neck  
ID.....{6A53228A-5BD1-6AAF-029F-701C7EFE7C48}  
TERM.....L NECK

DATA VALUE: L NEPHROSTOMY

-----  
ABBREVIATION.....L NEPHROST  
ACTIVE.....Yes  
DESCRIPTION.....Left Nephrostomy  
DISPLAY\_NAME.....L Nephrostomy  
HELP\_TEXT.....Left Nephrostomy  
ID.....{D8FC4C18-081E-A7B9-E394-25F194BE9757}  
TERM.....L NEPHROSTOMY

DATA VALUE: L STENT

-----  
ABBREVIATION.....LEFT STENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Stent  
HELP\_TEXT.....No Help Text  
ID.....{FD917F0B-CC96-0CB0-BED3-1D7C51A77B69}  
TERM.....L STENT

DATA VALUE: L1

-----  
ABBREVIATION.....L1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L1  
HELP\_TEXT.....  
ID.....{E6FA1F4F-B32B-4523-966C-9AFAD9C44316}  
TERM.....L1

DATA VALUE: L2

-----  
ABBREVIATION.....L2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L2  
HELP\_TEXT.....  
ID.....{0E5E7F8E-BA82-499B-A57A-8D32C2113006}  
TERM.....L2

DATA VALUE: L3

-----  
ABBREVIATION.....L3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L3  
HELP\_TEXT.....  
ID.....{0CBAF5CD-AABA-4FF0-A25D-01D20CDD53C3}  
TERM.....L3

DATA VALUE: L4

-----  
ABBREVIATION.....L4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L4  
HELP\_TEXT.....  
ID.....{94632F85-0152-47C2-9D82-B49C36ABF495}  
TERM.....L4

DATA VALUE: L5

-----  
ABBREVIATION.....L5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....L5  
HELP\_TEXT.....  
ID.....{87E93C0D-B607-4DD2-83EC-71131C072019}  
TERM.....L5

DATA VALUE: LABILE

-----  
ABBREVIATION.....Labile  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Labile  
HELP\_TEXT.....  
ID.....{EAFDAC1F-BEA0-497B-AA03-732CEF08D76D}  
TERM.....LABILE

DATA VALUE: LABORED: INCREASED EFFORT, ACCESSORY MUSCLES/NASAL FLARING

-----  
ABBREVIATION.....PCA:Labor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Labored: Increased Effort, Accessory  
Muscles/Nasal Flaring  
HELP\_TEXT.....  
ID.....{D2A21260-C746-4ACA-B738-A1AD838D66FD}  
TERM.....LABORED: INCREASED EFFORT, ACCESSORY  
MUSCLES/NASAL FLARING

DATA VALUE: LACERATION

-----  
ABBREVIATION.....LACERATION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Laceration  
HELP\_TEXT.....No Help Text  
ID.....{F4548BB2-39AF-4E0D-B52F-472EA080D6FF}  
TERM.....LACERATION

DATA VALUE: LACKS INTEREST

---

ABBREVIATION.....LACKS INT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lacks Interest  
HELP\_TEXT.....No Help Text  
ID.....{585C5B7D-D229-4C7C-AE3C-5869FF845F0D}  
TERM.....LACKS INTEREST

DATA VALUE: LACTOSE RESTRICTED

---

ABBREVIATION.....LACT RESTR  
ACTIVE.....Yes  
DESCRIPTION.....Lactose Restricted  
DISPLAY\_NAME.....Lactose Restricted  
HELP\_TEXT.....No Help Text  
ID.....{78A9066A-48E2-4285-88E3-A180CE771B5A}  
TERM.....LACTOSE RESTRICTED

DATA VALUE: LANGUAGE

---

ABBREVIATION.....LANGUAGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Language  
HELP\_TEXT.....No Help-Text  
ID.....{0666538E-4F44-4D34-A5EA-69CF2F1F86FA}  
TERM.....LANGUAGE

DATA VALUE: LAPTOP/TABLET

---

ABBREVIATION.....Laptop/Tab  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Laptop/Tablet  
HELP\_TEXT.....  
ID.....{F49B59C2-EEB5-4712-BF8C-9FCA32B68488}  
TERM.....LAPTOP/TABLET

DATA VALUE: LARGE

---

ABBREVIATION.....l  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Large  
HELP\_TEXT.....No Help Text  
ID.....{E60D5CF9-920D-44E2-8A83-136DAB1FE251}  
TERM.....LARGE

DATA VALUE: LARYNGECTOMY

---

ABBREVIATION.....LARYNGETO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Laryngectomy  
HELP\_TEXT.....No Help Text  
ID.....{225CB76A-BAF5-827E-729B-C3D60AD5B50A}  
TERM.....LARYNGECTOMY

DATA VALUE: LATERAL TRANSFER DEVICE - AIR ASSISTED

---

ABBREVIATION.....LatDevAir  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lateral Transfer Device - air assisted  
HELP\_TEXT.....  
ID.....{9770E288-F7DB-45DE-8480-4D5BF51FDC46}  
TERM.....LATERAL TRANSFER DEVICE - AIR ASSISTED

DATA VALUE: LATERAL TRANSFER DEVICE - NON-AIR ASSISTED

---

ABBREVIATION.....LatDevNon  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lateral Transfer Device - non-air  
assisted  
HELP\_TEXT.....  
ID.....{51151B27-56B9-4C8F-8F6E-925C5583AA8B}  
TERM.....LATERAL TRANSFER DEVICE - NON-AIR  
ASSISTED

DATA VALUE: LATEX ALLERGY

---

ABBREVIATION.....Latex Alle  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Latex Allergy  
HELP\_TEXT.....  
ID.....{3E7326AA-8CA4-448C-802A-111C232B2F1C}  
TERM.....LATEX ALLERGY

DATA VALUE: LEAKAGE

---

ABBREVIATION.....Leakage  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Leakage  
HELP\_TEXT.....  
ID.....{E6D33143-415D-493D-8AD3-1028D61E26F0}  
TERM.....LEAKAGE

DATA VALUE: LEFT

-----  
ABBREVIATION.....LEFT  
ACTIVE.....Yes  
DESCRIPTION.....Left  
DISPLAY\_NAME.....Left  
HELP\_TEXT.....No Help Text  
ID.....{81063CEE-2E83-4C95-AAEE-76B7DCB828D4}  
TERM.....LEFT

DATA VALUE: LEFT NARIS

-----  
ABBREVIATION.....LeftNaris  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Naris  
HELP\_TEXT.....  
ID.....{666BDEE6-4B12-4D95-A534-8E68949A34BD}  
TERM.....LEFT NARIS

DATA VALUE: LEG PAIN

-----  
ABBREVIATION.....Leg Pain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Leg Pain  
HELP\_TEXT.....  
ID.....{24EBEE78-81F7-4391-A153-A32F0A0A9469}  
TERM.....LEG PAIN

DATA VALUE: LESION PRESENT

-----  
ABBREVIATION.....Lesion  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lesion Present  
HELP\_TEXT.....  
ID.....{6AA9A82F-917E-45BB-9601-9E53A559006D}  
TERM.....LESION PRESENT

DATA VALUE: LESIONS

-----  
ABBREVIATION.....Lesions  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lesions  
HELP\_TEXT.....  
ID.....{97560E29-2FA6-4E4E-87A7-90ACEEDECB17}  
TERM.....LESIONS

DATA VALUE: LESS THAN 30

---

ABBREVIATION.....<30  
ACTIVE.....Yes  
DESCRIPTION.....Less Than 30  
DISPLAY\_NAME.....<30  
HELP\_TEXT.....No Help Text  
ID.....{5AA98A0D-9B05-425D-97CA-B8B12425AACB}  
TERM.....LESS THAN 30

DATA VALUE: LETHARGIC

---

ABBREVIATION.....l  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lethargic  
HELP\_TEXT.....No Help Text  
ID.....{4ECA2E44-093A-9354-848E-CDC72B165072}  
TERM.....LETHARGIC

DATA VALUE: LEVELED

---

ABBREVIATION.....LEVELED  
ACTIVE.....Yes  
DESCRIPTION.....Leveled  
DISPLAY\_NAME.....Leveled  
HELP\_TEXT.....No Help Text  
ID.....{D72523B2-E0CD-40E1-AC14-2FA43636A456}  
TERM.....LEVELED

DATA VALUE: LIBERAL DIABETIC

---

ABBREVIATION.....LIBRL DIAB  
ACTIVE.....Yes  
DESCRIPTION.....Liberal Diabetic  
DISPLAY\_NAME.....Liberal Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{9B66B47B-E77E-4F69-BDFA-5323B28A283D}  
TERM.....LIBERAL DIABETIC

DATA VALUE: LIFT SEAT COMMODE

---

ABBREVIATION.....LiftSeatCo  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lift Seat Commode  
HELP\_TEXT.....  
ID.....{5D8A7A79-B5A7-40F1-A6A5-26B5AC084D7A}  
TERM.....LIFT SEAT COMMODE

DATA VALUE: LIGHT SLEEPER

---

ABBREVIATION.....LightSlper  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Light Sleeper  
HELP\_TEXT.....  
ID.....{E78F9C58-9ACF-4F06-BDE2-0C40D972D5D0}  
TERM.....LIGHT SLEEPER

DATA VALUE: LIMITED

---

ABBREVIATION.....Limited  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Limited  
HELP\_TEXT.....  
ID.....{07D32A34-3E08-4C57-9918-C1985633D641}  
TERM.....LIMITED

DATA VALUE: LIMITED ASSISTANCE

---

ABBREVIATION.....LIM ASSIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited Assistance  
HELP\_TEXT.....No Help Text  
ID.....{9A8C1310-C840-431E-BA21-065B7EA7B768}  
TERM.....LIMITED ASSISTANCE

DATA VALUE: LIMITED ATTENION SPAN

---

ABBREVIATION.....LIM ATT S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited Attention Span  
HELP\_TEXT.....No Help Text  
ID.....{51553020-0CB9-483E-AC1C-15CA6D9380A3}  
TERM.....LIMITED ATTENION SPAN

DATA VALUE: LIMITED TO INCISION

---

ABBREVIATION.....ER EXI LIM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limited to Incision  
HELP\_TEXT.....No Help-Text  
ID.....{C9ED5E2C-8ED1-445A-8A3E-C1207CE3843D}  
TERM.....LIMITED TO INCISION

DATA VALUE: LIMPING

---

ABBREVIATION.....Limping  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Limping  
HELP\_TEXT.....  
ID.....{9D3CD08A-9DA7-4CFA-86FA-585D1FBA47DA}  
TERM.....LIMPING

DATA VALUE: LINE FLUSH

---

ABBREVIATION.....LINE FLUSH  
ACTIVE.....Yes  
DESCRIPTION.....Fluid flushed from line  
DISPLAY\_NAME.....Line Flush  
HELP\_TEXT.....No Help Text  
ID.....{8DDD63BE-CF28-4C83-93FF-C81609FFDE51}  
TERM.....LINE FLUSH

DATA VALUE: LINEN CHANGE

---

ABBREVIATION.....Lin Change  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Linen Change  
HELP\_TEXT.....  
ID.....{AE30A510-112B-4F43-830E-E27FD994550A}  
TERM.....LINEN CHANGE

DATA VALUE: LINES

---

ABBREVIATION.....R.C. LINE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Attempting To Pull Lines  
HELP\_TEXT.....No Help Text  
ID.....{27F545F2-5338-4BC8-B5CE-1D321D28F8D6}  
TERM.....LINES

DATA VALUE: LIP SALVE

---

ABBREVIATION.....LIP SALVE  
ACTIVE.....Yes  
DESCRIPTION.....Lip Salve  
DISPLAY\_NAME.....Lip Salve  
HELP\_TEXT.....No Help Text  
ID.....{612F78AB-7386-4176-9896-02DE5A8E836D}  
TERM.....LIP SALVE

DATA VALUE: LIST PER SME

---

ABBREVIATION.....Lst pr SME  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....List per SME  
HELP\_TEXT.....  
ID.....{8C2014C9-2CE0-4D9D-8FD6-8C0A42A82CDB}  
TERM.....LIST PER SME

DATA VALUE: LISTED

---

ABBREVIATION.....Listed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Listed  
HELP\_TEXT.....  
ID.....{C5F6F925-0239-4173-A5A9-515B6F83629A}  
TERM.....LISTED

DATA VALUE: LISTED DIET

---

ABBREVIATION.....LIST DIET  
ACTIVE.....Yes  
DESCRIPTION.....Listed Diet  
DISPLAY\_NAME.....Listed Diet  
HELP\_TEXT.....No Help Text  
ID.....{24FBBFD9-B426-4DD9-9843-3428A1C91676}  
TERM.....LISTED DIET

DATA VALUE: LOCAL

---

ABBREVIATION.....Local  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Local  
HELP\_TEXT.....  
ID.....{64A0FD20-4584-446C-8A2A-57F2FEF3DD10}  
TERM.....LOCAL

DATA VALUE: LOCALIZES TO PAIN

---

ABBREVIATION.....LOC TO PAI  
ACTIVE.....Yes  
DESCRIPTION.....Localizes To Pain  
DISPLAY\_NAME.....Localizes To Pain  
HELP\_TEXT.....No Help Text  
ID.....{4072DFF9-2D90-423F-B6F0-0F2B924025D9}  
TERM.....LOCALIZES TO PAIN

DATA VALUE: LOCK BOX

---

ABBREVIATION.....Lock Box  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lock Box  
HELP\_TEXT.....  
ID.....{974A2F44-C918-4E85-ABAF-03A21498F98B}  
TERM.....LOCK BOX

DATA VALUE: LOCKER

---

ABBREVIATION.....Locker  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Locker  
HELP\_TEXT.....  
ID.....{36AE4F3F-E2BC-4DD3-8DD0-95BD0E38B1B9}  
TERM.....LOCKER

DATA VALUE: LOGICAL

---

ABBREVIATION.....logical  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....logical  
HELP\_TEXT.....  
ID.....{B758A5A0-73CA-436E-A476-DC56EB153842}  
TERM.....LOGICAL

DATA VALUE: LONG HANDLED TRANSFER SHEET

---

ABBREVIATION.....LongHandle  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Long Handled Transfer Sheet  
HELP\_TEXT.....  
ID.....{A38E905C-A9C9-4592-8E2E-BE2D0DB01052}  
TERM.....LONG HANDLED TRANSFER SHEET

DATA VALUE: LONG-HANDED UTENSILS

---

ABBREVIATION.....Long-Hand  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Long-Handled Utensils  
HELP\_TEXT.....  
ID.....{E7615F55-6520-4C95-9447-3BEBB725CAAD}  
TERM.....LONG-HANDED UTENSILS

DATA VALUE: LOOSE

---

ABBREVIATION.....LOOSE  
ACTIVE.....Yes  
DESCRIPTION.....Loose  
DISPLAY\_NAME.....Loose  
HELP\_TEXT.....No Help Text  
ID.....{1346A74E-3AA1-4D81-876B-91201F9717A5}  
TERM.....LOOSE

DATA VALUE: LOOSE ASSOCIATIONS

---

ABBREVIATION.....Lse Assoc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Loose Associations  
HELP\_TEXT.....  
ID.....{FF172A39-B03F-44E1-A042-AB5AE2F570BC}  
TERM.....LOOSE ASSOCIATIONS

DATA VALUE: LOOSE TEETH

---

ABBREVIATION.....LooseTeeth  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Loose Teeth  
HELP\_TEXT.....  
ID.....{8C685B7B-6F62-499F-861C-BDA99AF0836D}  
TERM.....LOOSE TEETH

DATA VALUE: LORDOSIS

---

ABBREVIATION.....Lordosis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lordosis  
HELP\_TEXT.....  
ID.....{DC470CE3-6F6D-4363-B570-DE1A6E73AD48}  
TERM.....LORDOSIS

DATA VALUE: LOW

---

ABBREVIATION.....l  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Low  
HELP\_TEXT.....No Help Text  
ID.....{B6CE52A4-C1DD-FDE3-F87E-8E0C98FCC4AC}  
TERM.....LOW

DATA VALUE: LOW AIRLOSS OVERLAY

---

ABBREVIATION.....L AIR OVRL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Low Airloss Overlay  
HELP\_TEXT.....No Help Text  
ID.....{282C439C-A697-43E6-85C1-786352EB56BC}  
TERM.....LOW AIRLOSS OVERLAY

DATA VALUE: LOW AIRLOSS/ALTERNATING PRESSURE COMBO

---

ABBREVIATION.....L AIRL ALT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Low Airloss/Alternating Pressure Combo  
HELP\_TEXT.....No Help Text  
ID.....{ADDD1260-C95B-4D7B-AB89-3749D76A3700}  
TERM.....LOW AIRLOSS/ALTERNATING PRESSURE COMBO

DATA VALUE: LOW BACK PAIN

---

ABBREVIATION.....LowBack Pa  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Low Back Pain  
HELP\_TEXT.....  
ID.....{C5912D8B-1FED-4EB1-8FE7-3D9B337C0D56}  
TERM.....LOW BACK PAIN

DATA VALUE: LOW CHOLESTEROL

---

ABBREVIATION.....LOW CHOLES  
ACTIVE.....Yes  
DESCRIPTION.....Low Cholesterol  
DISPLAY\_NAME.....Low Cholesterol  
HELP\_TEXT.....No Help Text  
ID.....{88F0170A-2560-48C6-9604-982453BCFC3B}  
TERM.....LOW CHOLESTEROL

DATA VALUE: LOW CONTINUOUS

---

ABBREVIATION.....LowCont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Low Continuous  
HELP\_TEXT.....  
ID.....{7B0A1CE9-382D-4E6E-AE5C-C3C36C32385A}  
TERM.....LOW CONTINUOUS

DATA VALUE: LOW FIBER

-----  
ABBREVIATION.....LOW FIBER  
ACTIVE.....Yes  
DESCRIPTION.....Low Fiber  
DISPLAY\_NAME.....Low Fiber  
HELP\_TEXT.....No Help Text  
ID.....{2834D9A0-B6F7-4C21-96ED-1721D32B3B2B}  
TERM.....LOW FIBER

DATA VALUE: LOW INTERMITTENT

-----  
ABBREVIATION.....LowInterm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Low Intermittent  
HELP\_TEXT.....  
ID.....{19BC559B-858E-4975-8005-FC9406394EB2}  
TERM.....LOW INTERMITTENT

DATA VALUE: LOW PROTEIN 60 GM

-----  
ABBREVIATION.....L PROT 60g  
ACTIVE.....Yes  
DESCRIPTION.....Low Protein 60 GM  
DISPLAY\_NAME.....Low Protein 60 GM  
HELP\_TEXT.....No Help Text  
ID.....{BF5B6D8B-01A4-42D5-8551-6E78A17C43F7}  
TERM.....LOW PROTEIN 60 GM

DATA VALUE: LOW TYRAMINE

-----  
ABBREVIATION.....LOW TYRAMI  
ACTIVE.....Yes  
DESCRIPTION.....Low Tyramine  
DISPLAY\_NAME.....Low Tyramine  
HELP\_TEXT.....No Help Text  
ID.....{DB067A83-9D0C-4FC2-BAC8-6EC5641CAE42}  
TERM.....LOW TYRAMINE

DATA VALUE: LP: LIGHT PERCEPTION

-----  
ABBREVIATION.....LP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LP: Light Perception  
HELP\_TEXT.....  
ID.....{3B5C4FA1-6770-4347-B5FB-2B0554D71339}  
TERM.....LP: LIGHT PERCEPTION

DATA VALUE: LPP: LIGHT PERCEPTION WITH PROJECTION

-----  
ABBREVIATION.....LPP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LPP: Light Perception with Projection  
HELP\_TEXT.....  
ID.....{29ED35AA-49C5-4835-AF43-1717333A2BB}  
TERM.....LPP: LIGHT PERCEPTION WITH PROJECTION

DATA VALUE: LUMBAR

-----  
ABBREVIATION.....Lumbar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lumbar  
HELP\_TEXT.....  
ID.....{29729E2C-3650-4E81-B7EB-72052EBA3D48}  
TERM.....LUMBAR

DATA VALUE: LUMBAR DRAIN

-----  
ABBREVIATION.....LUM DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lumbar Drain  
HELP\_TEXT.....No Help Text  
ID.....{FF36A046-1799-0734-286B-2272C34E3056}  
TERM.....LUMBAR DRAIN

DATA VALUE: LUMBAR SPINAL PRECAUTIONS

-----  
ABBREVIATION.....LUMB S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lumbar Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{5AFBBBAB-F919-436A-9C5A-71DCF5D79D18}  
TERM.....LUMBAR SPINAL PRECAUTIONS

DATA VALUE: LUNCH

-----  
ABBREVIATION.....Lunch  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lunch  
HELP\_TEXT.....  
ID.....{9CF74807-8CA5-491F-98C4-97A5476FCE30}  
TERM.....LUNCH

DATA VALUE: LVN

-----  
ABBREVIATION.....LVN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LVN  
HELP\_TEXT.....  
ID.....{8F8300FD-5A33-4B01-9F0B-901E2A3D96AB}  
TERM.....LVN

DATA VALUE: LVN/LPN

-----  
ABBREVIATION.....LVN/LPN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....LVN/LPN  
HELP\_TEXT.....  
ID.....{DC89CD99-80C5-4455-A280-3A19E74DCE7D}  
TERM.....LVN/LPN

DATA VALUE: LYING OR SITTING

-----  
ABBREVIATION.....los  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lying Or Sitting  
HELP\_TEXT.....No Help Text  
ID.....{52A940B1-55AF-AB4E-9E59-F93515A1296C}  
TERM.....LYING OR SITTING

DATA VALUE: MACERATION

-----  
ABBREVIATION.....MACERATION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....MACERATION  
HELP\_TEXT.....No Help Text  
ID.....{B7C63E05-E193-40AA-A572-F1ACA0162B8B}  
TERM.....MACERATION

DATA VALUE: MAGNACAL

-----  
ABBREVIATION.....MAGNACAL  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Magnacal  
HELP\_TEXT.....No Help Text  
ID.....{C810A618-FB1A-45BB-A540-EADF1414E343}  
TERM.....MAGNACAL

DATA VALUE: MAINTAINING EFFECTIVE VENTILATION

-----  
ABBREVIATION.....EFF VENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Maintaining Effective Ventilation  
HELP\_TEXT.....No Help Text  
ID.....{18774550-ECBD-412D-AD95-131FAA4CC549}  
TERM.....MAINTAINING EFFECTIVE VENTILATION

DATA VALUE: MAROON

-----  
ABBREVIATION.....MAROON  
ACTIVE.....Yes  
DESCRIPTION.....Maroon in appearance  
DISPLAY\_NAME.....Maroon  
HELP\_TEXT.....No Help Text  
ID.....{1F518B23-C79F-4F06-9DF3-ADC5C96D3029}  
TERM.....MAROON

DATA VALUE: MD

-----  
ABBREVIATION.....MD  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....MD  
HELP\_TEXT.....  
ID.....{9AE2F01F-A8EF-4423-BD1C-55E9A1CD50A8}  
TERM.....MD

DATA VALUE: MEAL

-----  
ABBREVIATION.....MEAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Meal  
HELP\_TEXT.....No Help Text  
ID.....{85D38DCD-6A4A-4908-ABE2-4E92ABEF1321}  
TERM.....MEAL

DATA VALUE: MECHANICAL

-----  
ABBREVIATION.....MECHANICAL  
ACTIVE.....Yes  
DESCRIPTION.....Mechanical  
DISPLAY\_NAME.....Mechanical  
HELP\_TEXT.....No Help Text  
ID.....{01EA793C-B524-4685-A3EC-60A317CBACC5}  
TERM.....MECHANICAL

DATA VALUE: MED RECONCILLIATION DOCUMENTED

-----  
ABBREVIATION.....ME RE DO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Med Reconciliation Documented  
HELP\_TEXT.....No Help Text  
ID.....{9ABF3E2E-4D63-43EF-A80D-9DCF5C820226}  
TERM.....MED RECONCILLIATION DOCUMENTED

DATA VALUE: MEDIAL PORT

-----  
ABBREVIATION.....MEDI PORT  
ACTIVE.....Yes  
DESCRIPTION.....Medial Port  
DISPLAY\_NAME.....Medial Port  
HELP\_TEXT.....No Help Text  
ID.....{D1734D73-2E1A-4538-8884-05D8A78CF556}  
TERM.....MEDIAL PORT

DATA VALUE: MEDICAL

-----  
ABBREVIATION.....Medical  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Medical  
HELP\_TEXT.....  
ID.....{8B6301C3-2B52-41A8-B4FA-0A744919FFD3}  
TERM.....MEDICAL

DATA VALUE: MEDICAL DEVICE SAFETY

-----  
ABBREVIATION.....mds  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medical Device Safety  
HELP\_TEXT.....No Help Text  
ID.....{1985CABE-4F53-9FCF-F444-F9AC53C04DBD}  
TERM.....MEDICAL DEVICE SAFETY

DATA VALUE: MEDICAL NECESSITY CONFIRMED

-----  
ABBREVIATION.....med nec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Medical Necessity Confirmed  
HELP\_TEXT.....  
ID.....{F380D431-196B-46C9-8A1C-C57E7ECBFC8A}  
TERM.....MEDICAL NECESSITY CONFIRMED

DATA VALUE: MEDICALLY SEDATED

---

ABBREVIATION.....MedSedated  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Medically Sedated  
HELP\_TEXT.....  
ID.....{2BC0FD48-74C0-4813-A6E3-4AF1501247E9}  
TERM.....MEDICALLY SEDATED

DATA VALUE: MEDICATION

---

ABBREVIATION.....MEDICATION  
ACTIVE.....Yes  
DESCRIPTION.....Medication  
DISPLAY\_NAME.....Medication  
HELP\_TEXT.....No Help Text  
ID.....{22E6DEBB-9662-466B-990C-8DA500C0A183}  
TERM.....MEDICATION

DATA VALUE: MEDICATION PROPHYLAXIS

---

ABBREVIATION.....Med Prophy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Medication Prophylaxis  
HELP\_TEXT.....  
ID.....{40D79227-A4DB-4E1E-81C6-6F4E4F243964}  
TERM.....MEDICATION PROPHYLAXIS

DATA VALUE: MEDICATION REVIEW

---

ABBREVIATION.....R.E. REVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medication Review  
HELP\_TEXT.....No Help Text  
ID.....{914A0F82-5863-4C84-B3AB-D5A22BD340D8}  
TERM.....MEDICATION REVIEW

DATA VALUE: MEDICATION ROOM

---

ABBREVIATION.....mr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medication Room  
HELP\_TEXT.....No Help Text  
ID.....{9571AA9F-F538-55EC-37F6-99FE5677B970}  
TERM.....MEDICATION ROOM

DATA VALUE: MEDIPORT

-----  
ABBREVIATION.....Mediport  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mediport  
HELP\_TEXT.....  
ID.....{E223C221-A1ED-4FC0-969F-16E33E3A0897}  
TERM.....MEDIPORT

DATA VALUE: MEDIUM

-----  
ABBREVIATION.....MEDIUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Medium  
HELP\_TEXT.....No Help Text  
ID.....{62C94066-A7B6-CAA8-064B-2AF7C0DA6323}  
TERM.....MEDIUM

DATA VALUE: MEMORY

-----  
ABBREVIATION.....MEMORY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Memory  
HELP\_TEXT.....No Help Text  
ID.....{E30C1930-B98B-4382-B892-34E9C6008D1F}  
TERM.....MEMORY

DATA VALUE: MENTAL HEALTH

-----  
ABBREVIATION.....MEN HEAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mental Health  
HELP\_TEXT.....No Help Text  
ID.....{ED55FD2C-E2EC-4458-9AE4-FD7F0E6BD7F6}  
TERM.....MENTAL HEALTH

DATA VALUE: MENTAL HEALTH HOLD

-----  
ABBREVIATION.....MEN HEA HO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mental Health Hold  
HELP\_TEXT.....No Help Text  
ID.....{31560285-7BD5-4E53-BB77-93B244367F42}  
TERM.....MENTAL HEALTH HOLD

DATA VALUE: MENTAL STATUS - AWAKE ORIENTED

-----  
ABBREVIATION.....M/S Awake  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mental Status - Awake Oriented  
HELP\_TEXT.....  
ID.....{37818468-4798-4CBE-82ED-A793BDD10874}  
TERM.....MENTAL STATUS - AWAKE ORIENTED

DATA VALUE: MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA

-----  
ABBREVIATION.....M/S Demen  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mental Status - Baseline for Dementia  
HELP\_TEXT.....  
ID.....{8E0BBC85-6D9F-44BB-AEAF-41BF561650A9}  
TERM.....MENTAL STATUS - BASELINE FOR KNOWN  
DEMENTIA

DATA VALUE: METAL

-----  
ABBREVIATION.....Metal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Metal  
HELP\_TEXT.....  
ID.....{817B2544-725A-4B92-93AC-49650A5C1009}  
TERM.....METAL

DATA VALUE: METAL IMPLANTS

-----  
ABBREVIATION.....Metal Impl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Metal Implants  
HELP\_TEXT.....  
ID.....{E7424C97-0A81-4C4E-916E-0AE812FFDB96}  
TERM.....METAL IMPLANTS

DATA VALUE: MICU

-----  
ABBREVIATION.....MICU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....MICU  
HELP\_TEXT.....No Help Text  
ID.....{28244B62-644C-4DA0-A350-EAFE0D2FA7C0}  
TERM.....MICU

DATA VALUE: MIDLINE

---

ABBREVIATION.....Midline  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Midline  
HELP\_TEXT.....  
ID.....{3E0BC1E2-BAF6-490D-BAB3-2727A87D9EDC}  
TERM.....MIDLINe

DATA VALUE: MIGRAINE(S)

---

ABBREVIATION.....Migraines  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Migraine(s)  
HELP\_TEXT.....  
ID.....{DFAD0CDD-68DE-4D11-8A07-6D5E54A7A033}  
TERM.....MIGRAINE(S)

DATA VALUE: MILD-MODERATELY REDUCED

---

ABBREVIATION.....MI-MOD-RED  
ACTIVE.....Yes  
DESCRIPTION.....Mild-Moderately Reduced  
DISPLAY\_NAME.....Mild-Moderately Reduced  
HELP\_TEXT.....No Help Text  
ID.....{41DA2518-0E49-4E92-A733-3ACF3D2E8199}  
TERM.....MILD-MODERATELY REDUCED

DATA VALUE: MILD: 5-12

---

ABBREVIATION.....COWS:5-12  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mild: 5-12  
HELP\_TEXT.....  
ID.....{4FE0FF3B-E4F1-48C0-9025-E464DDBBC91F}  
TERM.....MILD: 5-12

DATA VALUE: MILDLY WEAK

---

ABBREVIATION.....MildlyWeak  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mildly Weak  
HELP\_TEXT.....  
ID.....{372004D9-625F-421C-BC90-F3591ED5AD65}  
TERM.....MILDLY WEAK

DATA VALUE: MILLIGRAMS PER KILOGRAM PER HOUR

---

ABBREVIATION.....mg/kg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Kilogram per Hour  
DISPLAY\_NAME.....mg/kg/hr  
HELP\_TEXT.....Milligrams per Kilogram per Hour  
ID.....{731B270D-C8C5-4910-B4B0-AC101555108A}  
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

DATA VALUE: MISSING

---

ABBREVIATION.....MISSING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Missing  
HELP\_TEXT.....No Help Text  
ID.....{80019911-11DA-6569-751E-ECAE0D1BC7DF}  
TERM.....MISSING

DATA VALUE: MOANING

---

ABBREVIATION.....MOANING  
ACTIVE.....Yes  
DESCRIPTION.....Moaning  
DISPLAY\_NAME.....Moaning  
HELP\_TEXT.....No Help Text  
ID.....{A71E3515-AA20-4B0E-9CB8-1612F76BA406}  
TERM.....MOANING

DATA VALUE: MODE SWITCHING

---

ABBREVIATION.....ModeSwitch  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mode Switching  
HELP\_TEXT.....  
ID.....{7DA04B3C-C6F8-408D-B41F-DEACA5F1B5C0}  
TERM.....MODE SWITCHING

DATA VALUE: MODERATE

---

ABBREVIATION.....MODERATE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moderate  
HELP\_TEXT.....No Help Text  
ID.....{C3C25064-C9FC-EA1F-3E74-32A25F0FC5E3}  
TERM.....MODERATE

DATA VALUE: MODERATE SEDATION

-----  
ABBREVIATION.....Mod Sed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Moderate Sedation  
HELP\_TEXT.....  
ID.....{C874EDC7-24BF-4F39-8FDA-E8D1193A8428}  
TERM.....MODERATE SEDATION

DATA VALUE: MODERATE-SEVERELY REDUCED

-----  
ABBREVIATION.....MO-SEV RED  
ACTIVE.....Yes  
DESCRIPTION.....Moderate-Severely Reduced  
DISPLAY\_NAME.....Moderate-Severely Reduced  
HELP\_TEXT.....No Help Text  
ID.....{6D031C70-2F95-4111-A9B8-BC22CEC1B17D}  
TERM.....MODERATE-SEVERELY REDUCED

DATA VALUE: MODERATE: 13-24

-----  
ABBREVIATION.....COWS:13-24  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Moderate: 13-24  
HELP\_TEXT.....  
ID.....{C20579F8-1570-43EF-801F-1CA8BCDC3BCD}  
TERM.....MODERATE: 13-24

DATA VALUE: MODERATELY REDUCED

-----  
ABBREVIATION.....MOD REDUCE  
ACTIVE.....Yes  
DESCRIPTION.....Moderately Reduced  
DISPLAY\_NAME.....Moderately Reduced  
HELP\_TEXT.....No Help Text  
ID.....{91F73300-7EE0-428C-A838-5B3BE062D8BC}  
TERM.....MODERATELY REDUCED

DATA VALUE: MODERATELY SEVERE: 25-36

-----  
ABBREVIATION.....COWS:25-36  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Moderately Severe: 25-36  
HELP\_TEXT.....  
ID.....{5C58804E-2356-45CD-8743-87541E175B2F}  
TERM.....MODERATELY SEVERE: 25-36

DATA VALUE: MODERATELY WEAK

-----  
ABBREVIATION.....ModWeak  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Moderately Weak  
HELP\_TEXT.....  
ID.....{B61A318F-FDE7-42E6-9E14-2025D1634A18}  
TERM.....MODERATELY WEAK

DATA VALUE: MOIST

-----  
ABBREVIATION.....m  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moist  
HELP\_TEXT.....No Help Text  
ID.....{AA73A9D6-6645-5DA7-C602-A537A2DFBFA0}  
TERM.....MOIST

DATA VALUE: MONITORED Q 1 HOUR

-----  
ABBREVIATION.....Mon 1 Hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Monitored Q 1 Hour  
HELP\_TEXT.....  
ID.....{AA2C7F42-7088-40C0-93AE-79A3AB3F167B}  
TERM.....MONITORED Q 1 HOUR

DATA VALUE: MONITORED Q 2 HOURS

-----  
ABBREVIATION.....Mon 2 Hrs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Monitored Q 2 Hours  
HELP\_TEXT.....  
ID.....{05FE2250-ED7F-4120-88D5-E069BA8A31FE}  
TERM.....MONITORED Q 2 HOURS

DATA VALUE: MONOTONE

-----  
ABBREVIATION.....Monotone  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Monotone  
HELP\_TEXT.....  
ID.....{67E54F45-C750-4357-B616-ED1CF6FD9203}  
TERM.....MONOTONE

DATA VALUE: MORPHINE

---

ABBREVIATION.....Morphine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Morphine  
HELP\_TEXT.....  
ID.....{E2E532F2-C992-4987-A3F2-80F832D89373}  
TERM.....MORPHINE

DATA VALUE: MORSE FALL RISK SCORE > 45

---

ABBREVIATION.....FallRsk>45  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Morse Fall Risk Score > 45  
HELP\_TEXT.....  
ID.....{D2E28A82-0B4C-4C33-81FC-3A615D5F11F6}  
TERM.....MORSE FALL RISK SCORE > 45

DATA VALUE: MOTION SICKNESS

---

ABBREVIATION.....MotionSick  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Motion Sickness  
HELP\_TEXT.....  
ID.....{F6B6C7E8-8F25-46ED-A5C1-3E23C6DDB74A}  
TERM.....MOTION SICKNESS

DATA VALUE: MOTORIZED WHEELCHAIR

---

ABBREVIATION.....MO WH CH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Motorized Wheelchair  
HELP\_TEXT.....No Help Text  
ID.....{4CA9CF41-F52C-41A8-B8A7-100A56097FDE}  
TERM.....MOTORIZED WHEELCHAIR

DATA VALUE: MOTTLED

---

ABBREVIATION.....m  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mottled  
HELP\_TEXT.....No Help Text  
ID.....{4B5FFB10-2CFF-2064-1553-4CBB7133B0C5}  
TERM.....MOTTLED

DATA VALUE: MOUTH

-----  
ABBREVIATION.....Mouth  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mouth  
HELP\_TEXT.....  
ID.....{809D32CF-BBF7-4787-B0E6-E20539655F88}  
TERM.....MOUTH

DATA VALUE: MOUTHWASH USED

-----  
ABBREVIATION.....MOUTHWASH  
ACTIVE.....Yes  
DESCRIPTION.....Mouthwash Used  
DISPLAY\_NAME.....Mouthwash Used  
HELP\_TEXT.....No Help Text  
ID.....{9F7EF355-12A4-4EBA-92ED-0F38273E411B}  
TERM.....MOUTHWASH USED

DATA VALUE: MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER

-----  
ABBREVIATION.....magareobte  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement Against Gravity And  
Resistance, Easily Overcome By The  
Examiner  
HELP\_TEXT.....No Help Text  
ID.....{2ECCC197-4A81-025F-3EF3-6214004887A9}  
TERM.....MOVE AGAINST GRAVITY AND RESISTANCE,  
EASILY OVERCOME BY THE EXAMINER

DATA VALUE: MOVE AGAINST GRAVITY BUT NO RESISTANCE

-----  
ABBREVIATION.....magbnr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement Against Gravity But No  
Resistance  
HELP\_TEXT.....No Help Text  
ID.....{F995A165-8536-C493-2269-286E8EFF5E43}  
TERM.....MOVE AGAINST GRAVITY BUT NO RESISTANCE

DATA VALUE: MOVEMENT WITH GRAVITY ELIMINATED

-----  
ABBREVIATION.....mwge  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Movement With Gravity Eliminated  
HELP\_TEXT.....No Help Text  
ID.....{B86E1131-1976-FA8E-74FE-B1BC2F0FDE3F}  
TERM.....MOVEMENT WITH GRAVITY ELIMINATED

DATA VALUE: MUCOID

---

ABBREVIATION.....MUCOID  
ACTIVE.....Yes  
DESCRIPTION.....Mucoid in appearance  
DISPLAY\_NAME.....Mucoid  
HELP\_TEXT.....No Help Text  
ID.....{073E5514-DACE-4F43-ADE5-91A1A87D6601}  
TERM.....MUCOID

DATA VALUE: MUCUS

---

ABBREVIATION.....Mucus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mucus  
HELP\_TEXT.....  
ID.....{FDD0A5FD-9C87-47F0-AC2A-AD49ABB492BA}  
TERM.....MUCUS

DATA VALUE: MULTIFOCAL PVC

---

ABBREVIATION.....Mult PVC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Multifocal PVC  
HELP\_TEXT.....  
ID.....{34AAE3E0-C0AA-4262-90A2-FCAD14E8023A}  
TERM.....MULTIFOCAL PVC

DATA VALUE: MULTIPODOUS

---

ABBREVIATION.....MULTIPODOU  
ACTIVE.....Yes  
DESCRIPTION.....Multipodous  
DISPLAY\_NAME.....Multipodous  
HELP\_TEXT.....No Help Text  
ID.....{ED098F9D-B204-4310-813A-98D91FF9DD25}  
TERM.....MULTIPODOUS

DATA VALUE: MURMUR

---

ABBREVIATION.....MURMUR  
ACTIVE.....Yes  
DESCRIPTION.....MURMUR  
DISPLAY\_NAME.....Murmur  
HELP\_TEXT.....MURMUR  
ID.....{591058E0-4B71-E432-B7D7-EBD42A8C4225}  
TERM.....MURMUR

DATA VALUE: MUSCLE WEAKNESS

---

ABBREVIATION.....MuscleWeak  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Muscle Weakness  
HELP\_TEXT.....  
ID.....{5F859239-0750-492F-A256-03AD2B8DB91B}  
TERM.....MUSCLE WEAKNESS

DATA VALUE: MUSHROOM CATHETER

---

ABBREVIATION.....MUSH CATHE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mushroom Catheter  
HELP\_TEXT.....No Help Text  
ID.....{4FFC451E-14B5-46E4-99C9-99A17BF90AE4}  
TERM.....MUSHROOM CATHETER

DATA VALUE: MULTIFOCAL ATRIAL TACHYCARDIA

---

ABBREVIATION.....mat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Multifocal Atrial Tachycardia  
HELP\_TEXT.....  
ID.....{562C6BBD-C210-4467-93B3-8E50640E7CCE}  
TERM.....MULTIFOCAL ATRIAL TACHYCARDIA

DATA VALUE: MYOCLONUS

---

ABBREVIATION.....Myoclonus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Myoclonus  
HELP\_TEXT.....  
ID.....{E2D85E93-CA92-4596-8772-153E890BD704}  
TERM.....MYOCLONUS

DATA VALUE: N/A

---

ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....N/A  
HELP\_TEXT.....No Help Text  
ID.....{B3DBE3FD-C5CB-3894-607A-BE13319594D0}  
TERM.....N/A

DATA VALUE: NA

-----  
ABBREVIATION.....NA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NA  
HELP\_TEXT.....  
ID.....{1993F8D9-D536-4ECA-AFAD-366F79BA0CBD}  
TERM.....NA

DATA VALUE: NAIL CARE

-----  
ABBREVIATION.....NAIL CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nail Care  
HELP\_TEXT.....No Help Text  
ID.....{B783A171-1F0A-4135-8535-85776B81AB68}  
TERM.....NAIL CARE

DATA VALUE: NAPS DURING THE DAY

-----  
ABBREVIATION.....DayNaps  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Naps During the Day  
HELP\_TEXT.....  
ID.....{CCEBC786-D8E4-482B-BBDE-FDEF9E557938}  
TERM.....NAPS DURING THE DAY

DATA VALUE: NAPS ONLY

-----  
ABBREVIATION.....NAPS ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Naps Only  
HELP\_TEXT.....No Help Text  
ID.....{CF749F5C-2E4B-419A-B020-C81B30A7E482}  
TERM.....NAPS ONLY

DATA VALUE: NASAL

-----  
ABBREVIATION.....NASAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal  
HELP\_TEXT.....No Help Text  
ID.....{0F73F0CB-E25E-4611-9625-62E6F1596A9B}  
TERM.....NASAL

DATA VALUE: NASAL ENDOTRACHEAL

-----  
ABBREVIATION.....Nasal Endo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Endotracheal  
HELP\_TEXT.....No Help Text  
ID.....{C631352E-CAB5-0409-6133-E5D11ECC3293}  
TERM.....NASAL ENDOTRACHEAL

DATA VALUE: NASAL INTESTINAL SMALL BORE

-----  
ABBREVIATION.....N INT SM B  
ACTIVE.....Yes  
DESCRIPTION.....Nasal Intestinal Small Bore EF Tube  
DISPLAY\_NAME.....Nasal Intestinal Small Bore  
HELP\_TEXT.....No Help Text  
ID.....{03DCB9EB-9B11-4C3B-869B-B1842BBCC844}  
TERM.....NASAL INTESTINAL SMALL BORE

DATA VALUE: NASAL SMALL BOWEL FEEDING TUBE

-----  
ABBREVIATION.....NAS SM BOW  
ACTIVE.....Yes  
DESCRIPTION.....Nasal Small Bowel Feeding Tube  
DISPLAY\_NAME.....Nasal Small Bowel Feeding Tube  
HELP\_TEXT.....No Help Text  
ID.....{A2968C8A-DDBD-4C3B-AFE6-3E2FED41C413}  
TERM.....NASAL SMALL BOWEL FEEDING TUBE

DATA VALUE: NASAL TRUMPET

-----  
ABBREVIATION.....NASAL TRUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Trumpet  
HELP\_TEXT.....No Help Text  
ID.....{2FFB8510-793C-D6A4-838E-20FF7CD26533}  
TERM.....NASAL TRUMPET

DATA VALUE: NASOGASTRIC LARGE BORE TUBE

-----  
ABBREVIATION.....NG LG BORE  
ACTIVE.....Yes  
DESCRIPTION.....Nasogastric Large Bore EF Tube  
DISPLAY\_NAME.....Nasogastric Large Bore  
HELP\_TEXT.....No Help Text  
ID.....{C3FEE16A-9998-455B-BEB8-CC55AF890202}  
TERM.....NASOGASTRIC LARGE BORE TUBE

DATA VALUE: NASOGASTRIC TUBE

-----  
ABBREVIATION.....NG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Nasogastric Tube  
DISPLAY\_NAME.....Nasogastric Tube  
HELP\_TEXT.....No Help Text  
ID.....{6475E343-A310-48A5-B543-D29573E7684D}  
TERM.....NASOGASTRIC TUBE

DATA VALUE: NASOGASTRIC TUBE SMALL BORE

-----  
ABBREVIATION.....NGT SMALL  
ACTIVE.....Yes  
DESCRIPTION.....NGT Small Bore Tube  
DISPLAY\_NAME.....Nasal Gastric Tube Small Bore  
HELP\_TEXT.....No Help Text  
ID.....{D9FDAD80-9BE2-4B96-87C6-1D25D26D2959}  
TERM.....NASOGASTRIC TUBE SMALL BORE

DATA VALUE: NAUSEA

-----  
ABBREVIATION.....NAUSEA  
ACTIVE.....Yes  
DESCRIPTION.....Nausea  
DISPLAY\_NAME.....Nausea  
HELP\_TEXT.....Nausea  
ID.....{6BF33DC3-0300-4643-BB14-27C35692B806}  
TERM.....NAUSEA

DATA VALUE: NEAT

-----  
ABBREVIATION.....NEAT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Neat  
HELP\_TEXT.....No Help Text  
ID.....{8B01F7B8-B626-4143-A092-1E732EEB4A05}  
TERM.....NEAT

DATA VALUE: NECROTIC

-----  
ABBREVIATION.....NECROTIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Necrotic  
HELP\_TEXT.....No Help Text  
ID.....{86885A34-E4EC-4BB5-BD94-59DD4B0F1A0E}  
TERM.....NECROTIC

DATA VALUE: NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY

-----  
ABBREVIATION.....Needleless  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Needleless Hub Disinfected and  
Accessed per Policy  
HELP\_TEXT.....  
ID.....{5D9D8D90-9B39-4DF3-8095-755235687F45}  
TERM.....NEEDLELESS HUB DISINFECTED AND  
ACCESSED PER POLICY

DATA VALUE: NEEDS REINFORCEMENT

-----  
ABBREVIATION.....NEED REINF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Needs Reinforcement  
HELP\_TEXT.....No Help Text  
ID.....{B6171F65-4530-418D-A63B-65DFFF522786}  
TERM.....NEEDS REINFORCEMENT

DATA VALUE: NEGATIVE PRESSURE

-----  
ABBREVIATION.....NEG PRESSU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Negative Pressure  
HELP\_TEXT.....No Help Text  
ID.....{6D6CB4BB-96B0-4978-97CC-116A03479DAD}  
TERM.....NEGATIVE PRESSURE

DATA VALUE: NEGATIVE PRESSURE THERAPY DEVICE

-----  
ABBREVIATION.....NEG PRE TH  
ACTIVE.....Yes  
DESCRIPTION.....Negative Pressure Therapy Device  
DISPLAY\_NAME.....Negative Pressure Therapy Device  
HELP\_TEXT.....No Help Text  
ID.....{8AF0A069-66AD-4114-99D8-238AD987F0FF}  
TERM.....NEGATIVE PRESSURE THERAPY DEVICE

DATA VALUE: NEPRO

-----  
ABBREVIATION.....Nepro  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nepro  
HELP\_TEXT.....  
ID.....{00FFC7A1-5CDA-45AF-BD50-D77666A23851}  
TERM.....NEPRO

DATA VALUE: NEPRO CARB STEADY

-----  
ABBREVIATION.....Nepro Car  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nepro Carb Steady  
HELP\_TEXT.....  
ID.....{6B2B132A-ABCF-4EAC-8B5C-4AFCE885915D}  
TERM.....NEPRO CARB STEADY

DATA VALUE: NEPRO RENAL FORMULA

-----  
ABBREVIATION.....NEP RENAL  
ACTIVE.....Yes  
DESCRIPTION.....Nepro Renal Enteral Nutrition Formula  
DISPLAY\_NAME.....Nepro Renal Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{B8F28816-BC81-443F-AEC5-DBAE4D435998}  
TERM.....NEPRO RENAL FORMULA

DATA VALUE: NEUROGENIC BLADDER

-----  
ABBREVIATION.....Neuro Blad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Neurogenic Bladder  
HELP\_TEXT.....  
ID.....{D386E29C-C4B7-4A9D-8092-CA978F9CC4D6}  
TERM.....NEUROGENIC BLADDER

DATA VALUE: NEUTRAL PRESSURE CONNECTOR

-----  
ABBREVIATION.....N Pres Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Neutral Pressure Connector  
HELP\_TEXT.....  
ID.....{263F1A2C-4384-4B6A-B930-B9AF85B7F965}  
TERM.....NEUTRAL PRESSURE CONNECTOR

DATA VALUE: NEUTROPENIC

-----  
ABBREVIATION.....NEUTROOPENI  
ACTIVE.....Yes  
DESCRIPTION.....Neutropenic Diet  
DISPLAY\_NAME.....Neutropenic  
HELP\_TEXT.....No Help Text  
ID.....{5CB9620C-34D9-48F7-AAF0-C595D06FC8AE}  
TERM.....NEUTROPENIC

DATA VALUE: NEW ADMISSION EDUCATION

---

ABBREVIATION.....N ADM EDU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....New Admission Education  
HELP\_TEXT.....No Help Text  
ID.....{1890BC97-FEEB-4BED-A054-3C754C01817B}  
TERM.....NEW ADMISSION EDUCATION

DATA VALUE: NEW SITE

---

ABBREVIATION.....NEW SITE  
ACTIVE.....Yes  
DESCRIPTION.....New Site  
DISPLAY\_NAME.....New Site  
HELP\_TEXT.....No Help Text  
ID.....{10B1FF61-E58E-4608-9CCB-9232BC964418}  
TERM.....NEW SITE

DATA VALUE: NG STRIP

---

ABBREVIATION.....NG Strip  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NG Strip  
HELP\_TEXT.....  
ID.....{B94CD60C-2D10-4CE8-A176-A900CF0B9611}  
TERM.....NG STRIP

DATA VALUE: NIGHT LIGHT PROVIDED

---

ABBREVIATION.....Night Lite  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Night Light Provided  
HELP\_TEXT.....  
ID.....{A6F3E41A-92A1-4AAE-9EFC-84D21E8A32BD}  
TERM.....NIGHT LIGHT PROVIDED

DATA VALUE: NIGHTMARES

---

ABBREVIATION.....Nightmares  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nightmares  
HELP\_TEXT.....  
ID.....{AEA249BA-4257-4418-B618-3613BDFAB007}  
TERM.....NIGHTMARES

DATA VALUE: NLP: NO LIGHT PERCEPTION

-----  
ABBREVIATION.....NLP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NLP: No Light Perception  
HELP\_TEXT.....  
ID.....{F710E3C5-9B5A-4826-876D-B5675F9AA67E}  
TERM.....NLP: NO LIGHT PERCEPTION

DATA VALUE: NO

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....No  
HELP\_TEXT.....No Help Text  
ID.....{FC275445-1225-9912-18A3-DF36245893D3}  
TERM.....NO

DATA VALUE: NO ASSISTIVE DEVICE

-----  
ABBREVIATION.....NoAsstDev  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Assistive Device  
HELP\_TEXT.....  
ID.....{F2A8CFD5-D67D-4A20-A860-6E622E715D22}  
TERM.....NO ASSISTIVE DEVICE

DATA VALUE: NO BREAK IN EPIDERMIS

-----  
ABBREVIATION.....NO BREAK E  
ACTIVE.....Yes  
DESCRIPTION.....No Break In Epidermis  
DISPLAY\_NAME.....No Break In Epidermis  
HELP\_TEXT.....No Help Text  
ID.....{615D96CD-6096-446B-BDDF-3F7242936AF9}  
TERM.....NO BREAK IN EPIDERMIS

DATA VALUE: NO LEAKAGE

-----  
ABBREVIATION.....No Leakage  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Leakage  
HELP\_TEXT.....  
ID.....{08C6382F-2934-4E02-B217-A10FC4435A17}  
TERM.....NO LEAKAGE

DATA VALUE: NO MOVEMENT

-----  
ABBREVIATION.....nm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....No Movement  
HELP\_TEXT.....No Help Text  
ID.....{2618E301-379B-BAB9-9EDE-98FD4B60D311}  
TERM.....NO MOVEMENT

DATA VALUE: NO PREFERENCE

-----  
ABBREVIATION.....No Pref  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Preference  
HELP\_TEXT.....  
ID.....{CF1D4EC1-E25A-48C9-9D61-A34DC82D820B}  
TERM.....NO PREFERENCE

DATA VALUE: NO SIGNS AND SYMPTOMS

-----  
ABBREVIATION.....NO SIG&SYM  
ACTIVE.....Yes  
DESCRIPTION.....No Signs And Symptoms  
DISPLAY\_NAME.....No Signs And Symptoms  
HELP\_TEXT.....No Help Text  
ID.....{91285942-6C82-4CB1-AAFB-8D3DA15A0B8A}  
TERM.....NO SIGNS AND SYMPTOMS

DATA VALUE: NO T WAVE

-----  
ABBREVIATION.....No T  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No T Wave  
HELP\_TEXT.....  
ID.....{131585CA-7CED-4B2C-A832-A495538F4B02}  
TERM.....NO T WAVE

DATA VALUE: NO VERIFICATION OBTAINED (NO PLANS TO INSTILL MEDS/NUTRITION/FLUIDS)

-----  
ABBREVIATION.....NoVerf  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Verification Obtained (No Plans to  
Instill Meds/Nutrition/Fluids)  
HELP\_TEXT.....  
ID.....{85899FD9-0420-41A8-AD3D-93E3C2F308B1}  
TERM.....NO VERIFICATION OBTAINED (NO PLANS TO  
INSTILL MEDS/NUTRITION/FLUIDS)

DATA VALUE: NO WANDERING PREVENTION MEASURES APPLIED

-----  
ABBREVIATION.....No Wan App  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Wandering Prevention Measures  
                  Applied  
HELP\_TEXT.....  
ID.....{6967F640-223E-46CE-82F9-0E4D87745D94}  
TERM.....NO WANDERING PREVENTION MEASURES  
                  APPLIED

DATA VALUE: NO WANDERING PREVENTION MEASURES NEEDED

-----  
ABBREVIATION.....No Wan Nee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....No Wandering Prevention Measures Needed  
HELP\_TEXT.....  
ID.....{8D39BA2B-24C6-4355-9AC2-4AAD2E66D9B}  
TERM.....NO WANDERING PREVENTION MEASURES NEEDED

DATA VALUE: NOCTURIA

-----  
ABBREVIATION.....Nocturia  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nocturia  
HELP\_TEXT.....  
ID.....{657EA58E-8629-4F4E-8262-B9221644BF8C}  
TERM.....NOCTURIA

DATA VALUE: NON-ADHERENT GAUZE

-----  
ABBREVIATION.....NON-AD GAU  
ACTIVE.....Yes  
DESCRIPTION.....Non-Adherent Gauze  
DISPLAY\_NAME.....Non-Adherent gauze  
HELP\_TEXT.....No Help Text  
ID.....{1DBF7C56-F5C2-42B5-AB59-B39A5069A414}  
TERM.....NON-ADHERENT GAUZE

DATA VALUE: NON-COOERATIVE WITH PLAN OF CARE

-----  
ABBREVIATION.....NonCoopPOC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Non-Cooperative with Plan of Care  
HELP\_TEXT.....  
ID.....{1806E6B4-E88E-42F5-B4D1-7A353BD05C1B}  
TERM.....NON-COOERATIVE WITH PLAN OF CARE

DATA VALUE: NON-COOPERATIVE WITH ISOLATION PRECAUTIONS

---

ABBREVIATION.....NonCoopIso  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Non-Cooperative with Isolation  
    Precautions  
HELP\_TEXT.....  
ID.....{63235927-E20C-43C8-80A7-7B10AA8F897C}  
TERM.....NON-COOPERATIVE WITH ISOLATION  
    PRECAUTIONS

DATA VALUE: NON-PITTING

---

ABBREVIATION.....NON-PITTIN  
ACTIVE.....Yes  
DESCRIPTION.....NON-PITTING  
DISPLAY\_NAME.....Non-Pitting  
HELP\_TEXT.....NON-PITTING  
ID.....{786DEC76-36DE-FDC7-885C-F84210F7C7D2}  
TERM.....NON-PITTING

DATA VALUE: NON-PRODUCTIVE

---

ABBREVIATION.....np  
ACTIVE.....Yes  
DESCRIPTION.....Does not produce desired result  
DISPLAY\_NAME.....Non-Productive  
HELP\_TEXT.....Does not produce desired result  
ID.....{9AB01716-E395-18B9-6C5D-9BE6AEE41D5B}  
TERM.....NON-PRODUCTIVE

DATA VALUE: NON-SKID SLIPPERS

---

ABBREVIATION.....Non-Skid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Non-Skid Slippers  
HELP\_TEXT.....  
ID.....{D7641B31-2CB9-4284-B505-74B131BF4789}  
TERM.....NON-SKID SLIPPERS

DATA VALUE: NON-TENDER

---

ABBREVIATION.....NON-TENDER  
ACTIVE.....Yes  
DESCRIPTION.....Not Tender  
DISPLAY\_NAME.....Non-Tender  
HELP\_TEXT.....No Help Text  
ID.....{5A3D41C0-A83D-4382-A573-D6884BB1670B}  
TERM.....NON-TENDER

DATA VALUE: NON-VERBAL

---

ABBREVIATION.....Non-Verbal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Non-Verbal  
HELP\_TEXT.....  
ID.....{575EC6EF-2546-40A4-80BD-D4263374AB50}  
TERM.....NON-VERBAL

DATA VALUE: NONBLANCHABLE ERYTHEMA

---

ABBREVIATION.....N BLAN ERY  
ACTIVE.....Yes  
DESCRIPTION.....Nonblanchable Erythema  
DISPLAY\_NAME.....Nonblanchable Erythema  
HELP\_TEXT.....No Help Text  
ID.....{30273ACE-03F3-4818-995B-26586AAB5499}  
TERM.....NONBLANCHABLE ERYTHEMA

DATA VALUE: NONE

---

ABBREVIATION.....NONE  
ACTIVE.....Yes  
DESCRIPTION.....None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help Text  
ID.....{D3118C4E-FEB4-4E9E-B191-9A31A7A0BA65}  
TERM.....NONE

DATA VALUE: NONE - PLUGGED WITH ANTI-REFLUX VALVE

---

ABBREVIATION.....NonePlug  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....None - Plugged with anti-reflux valve  
HELP\_TEXT.....  
ID.....{85A4ECEE-D326-4213-83BD-5900242D2CE0}  
TERM.....NONE - PLUGGED WITH ANTI-REFLUX VALVE

DATA VALUE: NONE IDENTIFIED AT THIS VISIT

---

ABBREVIATION.....None  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....None identified at this Visit  
HELP\_TEXT.....  
ID.....{1B1A62CC-FB5C-4051-95E1-448CA3D0B5F8}  
TERM.....NONE IDENTIFIED AT THIS VISIT

DATA VALUE: NONE NEEDED

---

ABBREVIATION.....Noneneed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....None Needed  
HELP\_TEXT.....  
ID.....{D5FF40F4-B5E4-4BEB-9BB3-B897B2A7C5A4}  
TERM.....NONE NEEDED

DATA VALUE: NONREACTIVE

---

ABBREVIATION.....nonreact  
ACTIVE.....Yes  
DESCRIPTION.....Nonreactive  
DISPLAY\_NAME.....Nonreactive  
HELP\_TEXT.....No Help Text  
ID.....{AB6B7D92-B94C-F3AA-E32F-6035D9CF2EF9}  
TERM.....NONREACTIVE

DATA VALUE: NORMAL

---

ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal  
HELP\_TEXT.....No Help Text  
ID.....{553C9A97-A3D5-C52F-0E4E-C7D168C99A2B}  
TERM.....NORMAL

DATA VALUE: NORMAL (NO DEFICITS)

---

ABBREVIATION.....Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Normal (No Deficits)  
HELP\_TEXT.....  
ID.....{41967770-F04A-497E-98BD-2874D67F8B21}  
TERM.....NORMAL (NO DEFICITS)

DATA VALUE: NORMAL FOR ETHNIC GROUP

---

ABBREVIATION.....ETH. NORM.  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal for ethnic group  
HELP\_TEXT.....Skin color is normal for ethnic group  
ID.....{3B2CD951-58CE-FF53-AD5D-6C65C07658D3}  
TERM.....NORMAL FOR ETHNIC GROUP

DATA VALUE: NORMAL HEARING

---

ABBREVIATION.....Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Normal Hearing  
HELP\_TEXT.....  
ID.....{FAA674F7-28E8-415C-97B1-B573D7459E31}  
TERM.....NORMAL HEARING

DATA VALUE: NORMAL POWER

---

ABBREVIATION.....np  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal Power  
HELP\_TEXT.....No Help Text  
ID.....{0E45C061-0744-8A21-7256-003702A5005B}  
TERM.....NORMAL POWER

DATA VALUE: NORMAL SINUS

---

ABBREVIATION.....ns  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Normal Sinus  
HELP\_TEXT.....No Help Text  
ID.....{735DC86D-08CD-1533-5A36-4775A882C507}  
TERM.....NORMAL SINUS

DATA VALUE: NORMAL STOOL

---

ABBREVIATION.....NORM STOOL  
ACTIVE.....Yes  
DESCRIPTION.....Normal Stool  
DISPLAY\_NAME.....Normal Stool  
HELP\_TEXT.....No Help Text  
ID.....{486B0693-CAC5-48EE-B2E6-1F73C651418A}  
TERM.....NORMAL STOOL

DATA VALUE: NORMAL/FLAT WITH HOB 30 DEGREES

---

ABBREVIATION.....Norm/Flat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Normal/flat with HOB 30 Degrees  
HELP\_TEXT.....  
ID.....{10D84BAD-5AA2-425C-99AA-CC90F8C27DB2}  
TERM.....NORMAL/FLAT WITH HOB 30 DEGREES

DATA VALUE: NORMAL: NORMAL DEPTH, REGULAR, EFFORTLESS, CLEAR

-----  
ABBREVIATION.....PCA: Norm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Normal: Normal Depth, Regular,  
Effortless, Clear  
HELP\_TEXT.....  
ID.....{5695B505-985A-48E1-9B75-97BC53D31121}  
TERM.....NORMAL: NORMAL DEPTH, REGULAR,  
EFFORTLESS, CLEAR

DATA VALUE: NOSE CUP OR NOSE CUTOUT CUP

-----  
ABBREVIATION.....Nose Cup  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nose Cup or Nose Cutout Cup  
HELP\_TEXT.....  
ID.....{F2057A75-0D06-40A8-AA7F-E716044C078A}  
TERM.....NOSE CUP OR NOSE CUTOUT CUP

DATA VALUE: NOT DONE

-----  
ABBREVIATION.....NOT DONE  
ACTIVE.....Yes  
DESCRIPTION.....Not Done  
DISPLAY\_NAME.....Not Done  
HELP\_TEXT.....No Help Text  
ID.....{C3FE84AC-EEA1-4153-AE6C-69755C2E6BB1}  
TERM.....NOT DONE

DATA VALUE: NOT MONITORED

-----  
ABBREVIATION.....NOT MONITO  
ACTIVE.....Yes  
DESCRIPTION.....Not Monitored  
DISPLAY\_NAME.....Not Monitored  
HELP\_TEXT.....No Help Text  
ID.....{0E6A8A07-48E0-428F-8D86-22572CABCF48}  
TERM.....NOT MONITORED

DATA VALUE: NOT PERFORMED (SEE COMMENTS)

-----  
ABBREVIATION.....NotPerform  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Not Performed (See Comments)  
HELP\_TEXT.....  
ID.....{9535B498-C805-4940-897E-7EF30AF7DA9D}  
TERM.....NOT PERFORMED (SEE COMMENTS)

DATA VALUE: NOT REMOVED AND CLEANED (SEE COMMENTS)

-----  
ABBREVIATION.....NotRemove  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Not Removed and Cleaned (See Comments)  
HELP\_TEXT.....  
ID.....{F36DB58D-D86D-45B8-AD13-4160AB19AC9D}  
TERM.....NOT REMOVED AND CLEANED (SEE COMMENTS)

DATA VALUE: NOVASOURCE 2.0

-----  
ABBREVIATION.....NOVAS 2.0  
ACTIVE.....Yes  
DESCRIPTION.....Novasource 2.0 Enteral Nutrition  
Formula  
DISPLAY\_NAME.....Novasource 2.0 Enteral Nutrition  
Formula  
HELP\_TEXT.....No Help Text  
ID.....{ACE82591-502A-4FBA-9697-B1B330DED78A}  
TERM.....NOVASOURCE 2.0

DATA VALUE: NP

-----  
ABBREVIATION.....NP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NP  
HELP\_TEXT.....  
ID.....{E7EA4017-4374-41A1-9D3D-54051CEDF63C}  
TERM.....NP

DATA VALUE: NPO

-----  
ABBREVIATION.....NPO  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....NPO  
HELP\_TEXT.....  
ID.....{B1CFD636-02EE-4B20-B1D5-44CD0DD9F41B}  
TERM.....NPO

DATA VALUE: NPO DIET

-----  
ABBREVIATION.....NPO DIET  
ACTIVE.....Yes  
DESCRIPTION.....Nothing By Mouth Diet  
DISPLAY\_NAME.....NPO Diet  
HELP\_TEXT.....Nothing By Mouth Diet  
ID.....{BEC8F771-B082-40A2-9EE8-553222A25FBF}  
TERM.....NPO DIET

DATA VALUE: NSG ASSIST

-----  
ABBREVIATION.....Nsg Assist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nsg Assist  
HELP\_TEXT.....  
ID.....{14FA9638-3786-4FEA-BE8F-2345C1F455C3}  
TERM.....NSG ASSIST

DATA VALUE: NUMB

-----  
ABBREVIATION.....NUMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Numb  
HELP\_TEXT.....No Help Text  
ID.....{652634C0-5334-4D56-BE57-5F58F952FF0D}  
TERM.....NUMB

DATA VALUE: NUMBER: SPECIFY

-----  
ABBREVIATION.....Specify  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Number: Specify  
HELP\_TEXT.....When "Number" is selected, enter  
numeric value as a "Comment"  
ID.....{397D773F-78F9-4E69-9A84-B518109A95AB}  
TERM.....NUMBER: SPECIFY

DATA VALUE: NUMBNES

-----  
ABBREVIATION.....n  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Numbness  
HELP\_TEXT.....No Help Text  
ID.....{037F2F79-36D9-A0B3-C23E-8EE525932AF3}  
TERM.....NUMBNES

DATA VALUE: NUMERIC

-----  
ABBREVIATION.....Numeric  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Numeric  
HELP\_TEXT.....  
ID.....{5E16B4F7-6008-43A9-9AFA-523D98721F7C}  
TERM.....NUMERIC

DATA VALUE: NURSING STATION

---

ABBREVIATION.....ns  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nursing Station  
HELP\_TEXT.....No Help Text  
ID.....{B6E48F92-B9BA-488F-3A2E-D74568A6B855}  
TERM.....NURSING STATION

DATA VALUE: NUTRIHEP

---

ABBREVIATION.....Nutrihep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nutrihep  
HELP\_TEXT.....  
ID.....{ABD98675-EB60-40C7-BCE6-73FD787F6D17}  
TERM.....NUTRIHEP

DATA VALUE: NUTRITION

---

ABBREVIATION.....NUTRITION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{429A28EF-8A1F-4247-85E8-68D4EFCD189C}  
TERM.....NUTRITION

DATA VALUE: NUTRITIONAL SUPPLEMENT

---

ABBREVIATION.....NUTR SUPPL  
ACTIVE.....Yes  
DESCRIPTION.....Nutritional Supplement  
DISPLAY\_NAME.....Nutritional Supplement  
HELP\_TEXT.....No Help Text  
ID.....{4573BD4E-7220-4B88-A2EE-959F8A0E1199}  
TERM.....NUTRITIONAL SUPPLEMENT

DATA VALUE: NYSTAGMUS

---

ABBREVIATION.....Nystagmus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nystagmus  
HELP\_TEXT.....  
ID.....{176E2485-96EA-4618-A489-A1E51F4B0BAB}  
TERM.....NYSTAGMUS

DATA VALUE: OBEYS COMMANDS

---

ABBREVIATION.....OBEYS COMM  
ACTIVE.....Yes  
DESCRIPTION.....Obeys Commands  
DISPLAY\_NAME.....Obeys Commands  
HELP\_TEXT.....No Help Text  
ID.....{EE88EE08-4C71-4C70-B93E-65F9091544C1}  
TERM.....OBEYS COMMANDS

DATA VALUE: OBSESSIONS

---

ABBREVIATION.....Obsessions  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obsessions  
HELP\_TEXT.....  
ID.....{12F82E40-EAB3-4D82-8645-1F9ACD33617F}  
TERM.....OBSESSIONS

DATA VALUE: OBSTRUCTED: BLOCKED AIRWAY, NO AIR MOVEMENT

---

ABBREVIATION.....PCA:Obstru  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obstructed: Blocked Airway, No Air  
Movement  
HELP\_TEXT.....  
ID.....{6C3B00BE-ECFC-4D17-96F6-B5B52C51AB50}  
TERM.....OBSTRUCTED: BLOCKED AIRWAY, NO AIR  
MOVEMENT

DATA VALUE: OBSTRUCTIVE SLEEP APNEA

---

ABBREVIATION.....Ob Sleep A  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obstructive Sleep Apnea  
HELP\_TEXT.....  
ID.....{217F9D63-4624-4201-9F98-C0D992B663DE}  
TERM.....OBSTRUCTIVE SLEEP APNEA

DATA VALUE: OBTUNDED

---

ABBREVIATION.....Obtunded  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obtunded  
HELP\_TEXT.....  
ID.....{356C0511-C91C-4B79-AF10-072F94D4AE09}  
TERM.....OBTUNDED

DATA VALUE: OBTURATOR AT BEDSIDE

---

ABBREVIATION.....Obturator  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Obturator at Bedside  
HELP\_TEXT.....  
ID.....{65D0889C-3987-48AA-9E63-C9878ADE1DDD}  
TERM.....OBTURATOR AT BEDSIDE

DATA VALUE: OCCLUDED

---

ABBREVIATION.....Occluded  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Occluded  
HELP\_TEXT.....  
ID.....{25509BE3-F946-4AD7-80E8-5CE8A2E61AD6}  
TERM.....OCCLUDED

DATA VALUE: OCULAR PROSTHESIS

---

ABBREVIATION.....OcularPro  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ocular Prosthesis  
HELP\_TEXT.....  
ID.....{6A4D5E59-FB7E-4D75-8F30-A30949DA9475}  
TERM.....OCULAR PROSTHESIS

DATA VALUE: ODOROUS

---

ABBREVIATION.....Odorous  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Odorous  
HELP\_TEXT.....  
ID.....{1900B8A2-67A4-40CB-B0AA-94E914E343C7}  
TERM.....ODOROUS

DATA VALUE: OFF DURING BATHING

---

ABBREVIATION.....OFF BATHIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Off During Bathing  
HELP\_TEXT.....No Help Text  
ID.....{5D0EFDD9-F170-4F34-9ABE-CE2D376E65F4}  
TERM.....OFF DURING BATHING

DATA VALUE: OFF UNIT

---

ABBREVIATION.....Off Unit  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Off Unit  
HELP\_TEXT.....  
ID.....{7C840BE3-B615-46C4-9941-2DD244DB3906}  
TERM.....OFF UNIT

DATA VALUE: OFF UNIT - TESTING/PROCEDURE

---

ABBREVIATION.....Test/Proc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Off Unit - Testing/Procedure  
HELP\_TEXT.....  
ID.....{46D81DF8-67E8-4952-9D71-D295693F730C}  
TERM.....OFF UNIT - TESTING/PROCEDURE

DATA VALUE: OFF WHILE AMBULATORY

---

ABBREVIATION.....OFF AMBULA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Off While Ambulatory  
HELP\_TEXT.....No Help Text  
ID.....{FF4610BF-8C92-408F-882A-1D6B2C2F146F}  
TERM.....OFF WHILE AMBULATORY

DATA VALUE: OFFER PRN MEDS

---

ABBREVIATION.....OFFER PRN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Offer PRN Meds  
HELP\_TEXT.....No Help Text  
ID.....{B7AF4903-913C-4848-A255-0B4767B81AE2}  
TERM.....OFFER PRN MEDS

DATA VALUE: OFFERED

---

ABBREVIATION.....OFFERED  
ACTIVE.....Yes  
DESCRIPTION.....Offered  
DISPLAY\_NAME.....Offered  
HELP\_TEXT.....No Help Text  
ID.....{715091C2-9668-4678-900E-6D55D3335A30}  
TERM.....OFFERED

DATA VALUE: ON WHILE SITTING IN CHAIR

-----  
ABBREVIATION.....ON IN CHAI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....On While Sitting In Chair  
HELP\_TEXT.....No Help Text  
ID.....{4139F4C3-BB68-4477-BF63-9BE7813AADA7}  
TERM.....ON WHILE SITTING IN CHAIR

DATA VALUE: ONE PERSON ASSIST

-----  
ABBREVIATION.....1 PERS AS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....One Person Assist  
HELP\_TEXT.....No Help Text  
ID.....{A3D14AA8-D658-412F-BBE8-D8AD195ADA3D}  
TERM.....ONE PERSON ASSIST

DATA VALUE: ONE TO ONE SUPERVISION

-----  
ABBREVIATION.....1 SUPERV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....One To One Supervision  
HELP\_TEXT.....No Help Text  
ID.....{CFC9C653-BFE9-40B2-BA7A-944116C7FCB7}  
TERM.....ONE TO ONE SUPERVISION

DATA VALUE: OOZING

-----  
ABBREVIATION.....Oozing  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oozing  
HELP\_TEXT.....  
ID.....{C23549D7-3238-4523-BA31-AB71609F01C2}  
TERM.....OOZING

DATA VALUE: OPEN SPONTANEOUSLY

-----  
ABBREVIATION.....OPEN SPONT  
ACTIVE.....Yes  
DESCRIPTION.....Open Spontaneously  
DISPLAY\_NAME.....Open Spontaneously  
HELP\_TEXT.....No Help Text  
ID.....{013F1473-BDC9-4E7C-9709-C577357709F6}  
TERM.....OPEN SPONTANEOUSLY

DATA VALUE: OPEN SYSTEM

---

ABBREVIATION.....Open syste  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Open System  
HELP\_TEXT.....  
ID.....{2047EDE8-5D72-4541-A23A-81F097A6CA2A}  
TERM.....OPEN SYSTEM

DATA VALUE: OPEN TO AIR

---

ABBREVIATION.....OPE TO AIR  
ACTIVE.....Yes  
DESCRIPTION.....Open To Air  
DISPLAY\_NAME.....Open To Air  
HELP\_TEXT.....No Help Text  
ID.....{EFB715D0-5666-4281-9034-A0326A14B2BB}  
TERM.....OPEN TO AIR

DATA VALUE: OPEN TRANSFER BELT

---

ABBREVIATION.....OpenBelt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Open Transfer Belt  
HELP\_TEXT.....  
ID.....{05A4B84E-B0E5-44BE-8ACC-71F020127898}  
TERM.....OPEN TRANSFER BELT

DATA VALUE: OPERATING ROOM

---

ABBREVIATION.....OR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Operating Room  
HELP\_TEXT.....No Help Text  
ID.....{37DACE14-2A28-45F4-9DEA-35A1A433F4E6}  
TERM.....OPERATING ROOM

DATA VALUE: OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED)

---

ABBREVIATION.....OP Naive  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Opioid Naïve (No Other Opioids Allowed)  
HELP\_TEXT.....  
ID.....{0092A10D-CD6F-467F-BA67-4CD8F16107B2}  
TERM.....OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED)

DATA VALUE: OPIOID TOLERANT (USE OF LONG ACTING ALLOWED; CONT RATE ALLOWED)

-----  
ABBREVIATION.....OpoidToler  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Opioid Tolerant (Use of Long Acting  
                  Allowed; Cont Rate Allowed)  
HELP\_TEXT.....  
ID.....{53A60D70-8137-454A-B7FA-8B5193A07B66}  
TERM.....OPIOID TOLERANT (USE OF LONG ACTING  
                  ALLOWED; CONT RATE ALLOWED)

DATA VALUE: ORAL

-----  
ABBREVIATION.....ORAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oral  
HELP\_TEXT.....No Help Text  
ID.....{BBAF0DD0-1F52-49EE-9A47-FA9323D6C529}  
TERM.....ORAL

DATA VALUE: ORAL AIRWAY

-----  
ABBREVIATION.....ORAL AIRWA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oral Airway  
HELP\_TEXT.....No Help Text  
ID.....{B0CF4270-A68D-1322-0621-1DFF8D677B40}  
TERM.....ORAL AIRWAY

DATA VALUE: ORAL ENDOTRACHEAL

-----  
ABBREVIATION.....ORAL ENDO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oral Endotracheal  
HELP\_TEXT.....No Help Text  
ID.....{466CAD16-D7F3-9D73-6500-959C4DA50D9A}  
TERM.....ORAL ENDOTRACHEAL

DATA VALUE: ORAL GASTRIC TUBE

-----  
ABBREVIATION.....OG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Oral Gastric Enteral Feeding Tube  
DISPLAY\_NAME.....Oral Gastric Tube  
HELP\_TEXT.....No Help Text  
ID.....{C6995D6A-939C-4C31-A3C2-4504CB5597CD}  
TERM.....ORAL GASTRIC TUBE

DATA VALUE: ORAL SWABBING (EDENTUIOUS)

-----  
ABBREVIATION.....OralSwab  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oral Swabbing (Edentulous)  
HELP\_TEXT.....  
ID.....{D62A1F96-BF51-4DEA-ABAC-F5CF756C28D9}  
TERM.....ORAL SWABBING (EDENTUIOUS)

DATA VALUE: ORANGE

-----  
ABBREVIATION.....ORANGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Orange  
HELP\_TEXT.....No Help Text  
ID.....{77B1B667-212D-88BA-D8E6-5C22F6ACDC9C}  
TERM.....ORANGE

DATA VALUE: ORIENTATION

-----  
ABBREVIATION.....ORIENTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Orientation  
HELP\_TEXT.....No Help Text  
ID.....{10FA5B0E-F4A7-44E4-A482-7C80F145C4D2}  
TERM.....ORIENTATION

DATA VALUE: ORIENTED

-----  
ABBREVIATION.....ORIENTED  
ACTIVE.....Yes  
DESCRIPTION.....Oriented  
DISPLAY\_NAME.....Oriented  
HELP\_TEXT.....No Help Text  
ID.....{B8DC9245-6D81-40E4-8B47-B6413E49F152}  
TERM.....ORIENTED

DATA VALUE: ORIENTED TO CALL FOR ASSISTANCE

-----  
ABBREVIATION.....Call/Asst  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oriented to Call for Assistance  
HELP\_TEXT.....  
ID.....{1F8390CF-2F88-486A-8583-AF7C7A64F6B5}  
TERM.....ORIENTED TO CALL FOR ASSISTANCE

DATA VALUE: ORIENTED TO PERSON

---

ABBREVIATION.....otp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Person  
HELP\_TEXT.....No Help Text  
ID.....{9912CFB9-AC55-6445-3EC1-0F1DF98C0561}  
TERM.....ORIENTED TO PERSON

DATA VALUE: ORIENTED TO PLACE

---

ABBREVIATION.....otp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Place  
HELP\_TEXT.....No Help Text  
ID.....{8E5933E2-2DF0-C8A4-7A92-20E792F42EA6}  
TERM.....ORIENTED TO PLACE

DATA VALUE: ORIENTED TO SITUATION

---

ABBREVIATION.....ots  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Situation  
HELP\_TEXT.....No Help Text  
ID.....{955A2F3B-E444-99DF-81DD-5E6BF9D22E49}  
TERM.....ORIENTED TO SITUATION

DATA VALUE: ORIENTED TO SURROUNDINGS/ROUTINE

---

ABBREVIATION.....Oriented  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oriented to Surroundings/Routine  
HELP\_TEXT.....  
ID.....{A8F3F756-E5B5-4B8D-AF21-E45746A64E46}  
TERM.....ORIENTED TO SURROUNDINGS/ROUTINE

DATA VALUE: ORIENTED TO TIME

---

ABBREVIATION.....ott  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oriented To Time  
HELP\_TEXT.....No Help Text  
ID.....{C79EBE25-C51B-478C-CB39-25943792F191}  
TERM.....ORIENTED TO TIME

DATA VALUE: ORTHOPNEIC

---

ABBREVIATION.....ORTHOPNIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Orthopneic  
HELP\_TEXT.....No Help Text  
ID.....{FF373BD7-FD84-DF43-7A44-1B8E62917116}  
TERM.....ORTHOPNEIC

DATA VALUE: ORTHOTIC BOOTS

---

ABBREVIATION.....ORTHO BOOT  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC BOOTS  
DISPLAY\_NAME.....Orthotic Boots  
HELP\_TEXT.....ORTHOTIC BOOTS  
ID.....{D4219FE9-7087-B881-6DAC-4E0BB94CDA8E}  
TERM.....ORTHOTIC BOOTS

DATA VALUE: ORTHOTIC COLLAR

---

ABBREVIATION.....ORTHO COLL  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC COLLAR  
DISPLAY\_NAME.....Orthotic Collar  
HELP\_TEXT.....ORTHOTIC COLLAR  
ID.....{A74E1C89-2304-0544-9A8B-A23E4E2C6B08}  
TERM.....ORTHOTIC COLLAR

DATA VALUE: ORTHOTIC KNEE IMMOBILIZER

---

ABBREVIATION.....KNEE IMMOB  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC KNEE IMMOBILIZER  
DISPLAY\_NAME.....Orthotic Knee Immobilizer  
HELP\_TEXT.....ORTHOTIC KNEE IMMOBILIZER  
ID.....{FF8A8BB4-63FB-3B0D-83E1-5432A0434DAC}  
TERM.....ORTHOTIC KNEE IMMOBILIZER

DATA VALUE: ORTHOTIC SPINE BRACE

---

ABBREVIATION.....ORTH SPINE  
ACTIVE.....Yes  
DESCRIPTION.....ORTHOTIC SPINE BRACE  
DISPLAY\_NAME.....Orthotic Spine Brace  
HELP\_TEXT.....ORTHOTIC SPINE BRACE  
ID.....{B47A3536-FEBC-802E-01A1-E909147D18C2}  
TERM.....ORTHOTIC SPINE BRACE

DATA VALUE: ORTHOTIC TED HOSE

-----  
ABBREVIATION.....TED HOSE  
ACTIVE.....Yes  
DESCRIPTION.....TED HOSE  
DISPLAY\_NAME.....Orthotic TED Hose  
HELP\_TEXT.....TED HOSE  
ID.....{FE277269-7BD1-85FB-DC3C-FEDE31C66BB0}  
TERM.....ORTHOTIC TED HOSE

DATA VALUE: ORTHOTIC WEDGE PILLOW

-----  
ABBREVIATION.....WEDG PILLO  
ACTIVE.....Yes  
DESCRIPTION.....WEDGE PILLOW  
DISPLAY\_NAME.....Orthotic Wedge Pillow  
HELP\_TEXT.....WEDGE PILLOW  
ID.....{20E58D21-399B-85E4-BDAB-93B371395BCF}  
TERM.....ORTHOTIC WEDGE PILLOW

DATA VALUE: OSMOLITE

-----  
ABBREVIATION.....OSMOLITE  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Osmolite  
HELP\_TEXT.....No Help Text  
ID.....{8E41BB55-063E-43C0-BAFE-65150EDD99F8}  
TERM.....OSMOLITE

DATA VALUE: OSMOLITE 1.0

-----  
ABBREVIATION.....Osmo 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Osmolite 1.0  
HELP\_TEXT.....  
ID.....{D5EE7DA5-707B-4000-A133-0C571824A376}  
TERM.....OSMOLITE 1.0

DATA VALUE: OSMOLITE 1.2

-----  
ABBREVIATION.....Osmo 1.2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Osmolite 1.2  
HELP\_TEXT.....  
ID.....{CEF57C44-82E5-43F5-8646-F8FBCD4609A0}  
TERM.....OSMOLITE 1.2

DATA VALUE: OSMOLITE 1.5

-----  
ABBREVIATION.....Osmo 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Osmolite 1.5  
HELP\_TEXT.....  
ID.....{8AF4CD1A-631A-4E95-A631-ACFF775284BA}  
TERM.....OSMOLITE 1.5

DATA VALUE: OSMOLITE HN

-----  
ABBREVIATION.....OSMOLIT HN  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Osmolite HN  
HELP\_TEXT.....No Help Text  
ID.....{E4186CA6-302F-4513-B125-30B094151423}  
TERM.....OSMOLITE HN

DATA VALUE: OSTOMY CARE

-----  
ABBREVIATION.....Ostomy Car  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ostomy Care  
HELP\_TEXT.....  
ID.....{BC834BC9-5861-4B94-BA34-FDF5C9FDF979}  
TERM.....OSTOMY CARE

DATA VALUE: OTHER

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other  
HELP\_TEXT.....  
ID.....{4CBA16B3-6BBA-4B8D-AA12-D721AECFE286}  
TERM.....OTHER

DATA VALUE: OTHER (ADD COMMENTS)

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (Add Comments)  
HELP\_TEXT.....  
ID.....{264AB0B9-64B6-4EC4-BBAC-8A879CCDB23B}  
TERM.....OTHER (ADD COMMENTS)

DATA VALUE: OTHER (COMMENT REQUIRED)

-----  
ABBREVIATION.....Other Req  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (Comment Required)  
HELP\_TEXT.....  
ID.....{334806FC-36EA-4BCB-B3E4-1EC61A5C8DB9}  
TERM.....OTHER (COMMENT REQUIRED)

DATA VALUE: OTHER (DESCRIBE IN COMMENTS)

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (Describe in Comments)  
HELP\_TEXT.....  
ID.....{C4B3D90E-3A78-435D-A853-5A8281729F7E}  
TERM.....OTHER (DESCRIBE IN COMMENTS)

DATA VALUE: OTHER (ENTER COMMENT)

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (Enter Comment)  
HELP\_TEXT.....  
ID.....{7BBBFCF8-B8DB-44EC-830A-7894242D219F}  
TERM.....OTHER (ENTER COMMENT)

DATA VALUE: OTHER (SEE COMMENTS)

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (See Comments)  
HELP\_TEXT.....  
ID.....{7908D30B-8BD4-4A02-964D-8E6DBCA24A81}  
TERM.....OTHER (SEE COMMENTS)

DATA VALUE: OTHER CHANGES (SEE COMMENTS)

-----  
ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other Changes (See Comments)  
HELP\_TEXT.....  
ID.....{C0DC69BE-1E0C-4C1D-8E23-D1B07E6CBC81}  
TERM.....OTHER CHANGES (SEE COMMENTS)

DATA VALUE: OTHER DEFORMITY

-----  
ABBREVIATION.....OtherDefor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other Deformity  
HELP\_TEXT.....  
ID.....{FEFC7075-0F32-491E-AA90-BAD2D9390733}  
TERM.....OTHER DEFORMITY

DATA VALUE: OUTPATIENT

-----  
ABBREVIATION.....Outpatient  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Outpatient  
HELP\_TEXT.....  
ID.....{CFDEB843-1AB5-4B6B-870C-1729EA4E05A9}  
TERM.....OUTPATIENT

DATA VALUE: OVER WIRE

-----  
ABBREVIATION.....OVER WIRE  
ACTIVE.....Yes  
DESCRIPTION.....Over Wire  
DISPLAY\_NAME.....Over Wire  
HELP\_TEXT.....No Help Text  
ID.....{157CD456-1020-43AE-9AAA-1686F1574B6F}  
TERM.....OVER WIRE

DATA VALUE: OXEPA

-----  
ABBREVIATION.....Oxepa  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Oxepa  
HELP\_TEXT.....  
ID.....{1CE54D02-5FBF-43A0-93F4-E5D5DB86FEF6}  
TERM.....OXEPA

DATA VALUE: OXIMETRIC

-----  
ABBREVIATION.....OXIMETRIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Oximetric Catheter  
HELP\_TEXT.....No Help Text  
ID.....{DA1F5AAA-A349-C17B-74CD-1794492E0A13}  
TERM.....OXIMETRIC

DATA VALUE: P WAVE ABSENT

---

ABBREVIATION.....P Wave Ab  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....P Wave Absent  
HELP\_TEXT.....  
ID.....{1366C9A5-343F-4C78-9DC4-0E26E84F41A6}  
TERM.....P WAVE ABSENT

DATA VALUE: P WAVE BIPHASIC

---

ABBREVIATION.....P Wave Bi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....P Wave Biphasic  
HELP\_TEXT.....  
ID.....{87E71F59-F44A-4863-9990-079ACBAD44DC}  
TERM.....P WAVE BIPHASIC

DATA VALUE: P WAVE PRESENT

---

ABBREVIATION.....P Wave Pr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....P Wave Present  
HELP\_TEXT.....  
ID.....{DB568A40-FC64-441F-BA45-F041C6BD1C53}  
TERM.....P WAVE PRESENT

DATA VALUE: PA

---

ABBREVIATION.....PA  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PA  
HELP\_TEXT.....  
ID.....{C057C47D-780A-4230-B577-2C528AD09DEB}  
TERM.....PA

DATA VALUE: PAC

---

ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PAC  
HELP\_TEXT.....No Help Text  
ID.....{848AB18A-598D-8E4E-8B1B-ED7478CE340B}  
TERM.....PAC

DATA VALUE: PACED: ATRIAL

-----  
ABBREVIATION.....pa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Atrial  
HELP\_TEXT.....No Help Text  
ID.....{88837DD4-098D-B77F-A754-89D5C4F5870F}  
TERM.....PACED: ATRIAL

DATA VALUE: PACED: AV SEQUENTIAL

-----  
ABBREVIATION.....pas  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Av Sequential  
HELP\_TEXT.....No Help Text  
ID.....{3C485674-224C-47DA-510D-92F1A0CA54A1}  
TERM.....PACED: AV SEQUENTIAL

DATA VALUE: PACED: VENTRICULAR

-----  
ABBREVIATION.....pv  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paced: Ventricular  
HELP\_TEXT.....No Help Text  
ID.....{A63F6E6E-A7C4-0928-81FB-FE2F70F713C6}  
TERM.....PACED: VENTRICULAR

DATA VALUE: PACEMAKER

-----  
ABBREVIATION.....Pacemaker  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pacemaker  
HELP\_TEXT.....  
ID.....{8B0A1765-9D93-4A03-96A2-D8EC0CF487D9}  
TERM.....PACEMAKER

DATA VALUE: PACEMAKER PRESENT

-----  
ABBREVIATION.....Pacemaker  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pacemaker Present  
HELP\_TEXT.....  
ID.....{CFDD405D-A897-4D75-AB7A-50753AEF2DC9}  
TERM.....PACEMAKER PRESENT

DATA VALUE: PACEMAKER/ICD

---

ABBREVIATION.....Pace/ICD  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pacemaker/ICD  
HELP\_TEXT.....  
ID.....{2467DE47-8CA7-491A-9F8B-8CC3357493A5}  
TERM.....PACEMAKER/ICD

DATA VALUE: PACER

---

ABBREVIATION.....Pacer  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pacer  
HELP\_TEXT.....  
ID.....{F8C0D639-D7B2-4342-A9FC-8A0F54BEB7DE}  
TERM.....PACER

DATA VALUE: PACING

---

ABBREVIATION.....Pacing  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pacing  
HELP\_TEXT.....  
ID.....{C4194F0D-0226-4E63-9D66-101BD062C746}  
TERM.....PACING

DATA VALUE: PAIN

---

ABBREVIATION.....PAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pain  
HELP\_TEXT.....No Help Text  
ID.....{F2F23EE7-0A06-46B8-A496-B7A4651A551F}  
TERM.....PAIN

DATA VALUE: PAIN CONTROLLED PER PT

---

ABBREVIATION.....PAIN CON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pain Controlled Per Patient  
HELP\_TEXT.....No Help Text  
ID.....{7EC1AF38-39B1-475E-B58C-E33404A47E96}  
TERM.....PAIN CONTROLLED PER PT

DATA VALUE: PAIN MANAGEMENT ASSESSMENT

-----  
ABBREVIATION.....PainMgt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pain Management Assessment  
HELP\_TEXT.....  
ID.....{8E702786-31C2-478D-9BB9-017F7132CD9F}  
TERM.....PAIN MANAGEMENT ASSESSMENT

DATA VALUE: PAIN WITH BRUSHING

-----  
ABBREVIATION.....PainBrush  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pain with Brushing  
HELP\_TEXT.....  
ID.....{2DDE5142-02BB-43C6-AD1A-35A1803328DE}  
TERM.....PAIN WITH BRUSHING

DATA VALUE: PAINAD

-----  
ABBREVIATION.....PAINAD  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PAINAD  
HELP\_TEXT.....  
ID.....{C1E04374-2FAF-40AE-9108-772520BE7A39}  
TERM.....PAINAD

DATA VALUE: PAINAD BL 0

-----  
ABBREVIATION.....PAINAD BL0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Relaxed  
HELP\_TEXT.....No Help Text  
ID.....{C77929DB-A59A-4A24-B57B-BF111770C2AB}  
TERM.....PAINAD BL 0

DATA VALUE: PAINAD BL 1

-----  
ABBREVIATION.....PAINAD BL1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Tense, Distressed Pacing, Fidgeting  
DISPLAY\_NAME.....1 = Tense, Distressed Pacing, Fidgeting  
HELP\_TEXT.....1 = Tense, Distressed Pacing, Fidgeting  
ID.....{CC1E1516-086D-4B79-8264-0C3BD67D8552}  
TERM.....PAINAD BL 1

DATA VALUE: PAINAD BL 2

-----  
ABBREVIATION.....PAINAD BL2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Rigid, Fists Clenched, Knees  
                  Pulled Up, Pulling or Pushing Away,  
                  Striking Out  
DISPLAY\_NAME.....2 = Rigid, Fists Clenched, Knees  
                  Pulled Up, Pulling or Pushing  
HELP\_TEXT.....2 = Rigid, Fists Clenched, Knees  
                  Pulled Up, Pulling or Pushing Away,  
                  Striking Out  
ID.....{34C3E304-DF66-40A7-906F-22AEA3F76FAD}  
TERM.....PAINAD BL 2

DATA VALUE: PAINAD BR 0

-----  
ABBREVIATION.....PAINAD B0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = Normal  
HELP\_TEXT.....No Help Text  
ID.....{58E71B2E-F5C3-419F-8B71-A9FD701E0202}  
TERM.....PAINAD BR 0

DATA VALUE: PAINAD BR 1

-----  
ABBREVIATION.....PAINAD BR1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Occasional Labored Breathing.  
                  Short Period of Hyperventilation  
DISPLAY\_NAME.....1 = Occasional Labored Breathing.  
                  Short Period of Hyperventilation  
HELP\_TEXT.....1 = Occasional Labored Breathing.  
                  Short Period of Hyperventilation  
ID.....{727D1B04-A702-4806-857B-78BCBACB0FE1}  
TERM.....PAINAD BR 1

DATA VALUE: PAINAD BR 2

-----  
ABBREVIATION.....PAINAD BR2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Noisy Labored Breathing.  
                  Cheynes-Stokes Respirations  
DISPLAY\_NAME.....2 = Noisy Labored Breathing.  
                  Cheynes-Stokes Respirations  
HELP\_TEXT.....2 = Noisy Labored Breathing.  
                  Cheynes-Stokes Respirations  
ID.....{37978012-ADAC-416C-8920-48CDAAA5D59D}  
TERM.....PAINAD BR 2

DATA VALUE: PAINAD CO 0

-----  
ABBREVIATION.....PAINAD CO0  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....0 = No Need To Console  
HELP\_TEXT.....No Help Text  
ID.....{06A89B55-5822-42F7-A689-DBD91B62979F}

TERM.....PAINAD CO 0

DATA VALUE: PAINAD CO 1

-----  
ABBREVIATION.....PAINAD CO1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....1 = Distracted or Reassured By Voice  
or Touch  
HELP\_TEXT.....No Help Text  
ID.....{8E5DDB47-1955-40AD-A008-A9CE4646A707}  
TERM.....PAINAD CO 1

DATA VALUE: PAINAD CO 2

-----  
ABBREVIATION.....PAINAD CO2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....2 = Unable To Console, Distract or  
Reassure  
HELP\_TEXT.....No Help Text  
ID.....{1DFFB735-6272-4B60-8F42-CCCAA701C7A7}  
TERM.....PAINAD CO 2

DATA VALUE: PAINAD FE 0

-----  
ABBREVIATION.....PAINAD FE0  
ACTIVE.....Yes  
DESCRIPTION.....0 = Smiling or Inexpressive  
DISPLAY\_NAME.....0 = Smiling or Inexpressive  
HELP\_TEXT.....0 = Smiling or Inexpressive  
ID.....{B3DE1BC6-E7A0-48C5-8C8E-FBE033AD1046}  
TERM.....PAINAD FE 0

DATA VALUE: PAINAD FE 1

-----  
ABBREVIATION.....PAINAD FE1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Sad, Frightened, Frown  
DISPLAY\_NAME.....1 = Sad, Frightened, Frown  
HELP\_TEXT.....1 = Sad, Frightened, Frown  
ID.....{66C01EE9-8F36-40B5-AED2-DBC2E94F860D}  
TERM.....PAINAD FE 1

DATA VALUE: PAINAD FE 2

-----  
ABBREVIATION.....PAINAD FE2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Facial Grimacing  
DISPLAY\_NAME.....2 = Facial Grimacing  
HELP\_TEXT.....2 = Facial Grimacing  
ID.....{35688D06-94F2-4B36-8940-529803D4BC43}  
TERM.....PAINAD FE 2

DATA VALUE: PAINAD NV 0

-----  
ABBREVIATION.....PAINAD NV0  
ACTIVE.....Yes  
DESCRIPTION.....0 = None  
DISPLAY\_NAME.....0 = None  
HELP\_TEXT.....0 = None  
ID.....{63F7F990-2DEA-4B35-AC52-D23B8E13B1FC}  
TERM.....PAINAD NV 0

DATA VALUE: PAINAD NV 1

-----  
ABBREVIATION.....PAINAD NV1  
ACTIVE.....Yes  
DESCRIPTION.....1 = Occasional Moan or Groan. Low  
Level Speech With A Negative or  
Disapproving Quality  
DISPLAY\_NAME.....1 = Occasional Moan or Groan  
HELP\_TEXT.....1 = Occasional Moan or Groan. Low  
Level Speech With A Negative or  
Disapproving Quality  
ID.....{D517E6C9-9D98-4D0F-A8F4-261BED4812D1}  
TERM.....PAINAD NV 1

DATA VALUE: PAINAD NV 2

-----  
ABBREVIATION.....PAINAD NV2  
ACTIVE.....Yes  
DESCRIPTION.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning, Crying  
DISPLAY\_NAME.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning.  
HELP\_TEXT.....2 = Repeated, Troubled, Calling Out,  
Loud Moaning, Crying  
ID.....{3C8D6B1E-53E6-4D2C-BD8A-9C548466E1D4}  
TERM.....PAINAD NV 2

DATA VALUE: PAINFUL EXPRESSION

-----  
ABBREVIATION.....PAINFUL EX  
ACTIVE.....Yes  
DESCRIPTION.....Painful Expression  
DISPLAY\_NAME.....Painful Expression  
HELP\_TEXT.....No Help Text  
ID.....{608554F9-29F9-4B27-BE63-486AF81810BD}  
TERM.....PAINFUL EXPRESSION

DATA VALUE: PAIRS

-----  
ABBREVIATION.....Pairs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pairs  
HELP\_TEXT.....  
ID.....{668B0D85-E507-4E12-B07A-A90CB98730DC}  
TERM.....PAIRS

DATA VALUE: PALE

---

ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pale  
HELP\_TEXT.....No Help Text  
ID.....{0EB39D28-7ABE-A4AB-D334-3F795E65618D}  
TERM.....PALE

DATA VALUE: PALLOR

---

ABBREVIATION.....Pallor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pallor  
HELP\_TEXT.....  
ID.....{AB9133C6-DE43-4BEC-A307-1296CF834E0C}  
TERM.....PALLOR

DATA VALUE: PALPITATIONS

---

ABBREVIATION.....Palpitatio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Palpitations  
HELP\_TEXT.....  
ID.....{6C1E0C05-CEAB-4CE7-BB00-D750F5BF7AC7}  
TERM.....PALPITATIONS

DATA VALUE: PARALYSIS/PARESIS

---

ABBREVIATION.....Paralysis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Paralysis/Paresis  
HELP\_TEXT.....  
ID.....{F57B4E7F-87F4-4C5B-A8C7-511D063A415C}  
TERM.....PARALYSIS/PARESIS

DATA VALUE: PAROXYSMAL ATRIAL TACHYCARDIA

---

ABBREVIATION.....pat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Paroxysmal Atrial Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{27BC1FAF-A403-6EA8-044C-F1271F12A62A}  
TERM.....PAROXYSMAL ATRIAL TACHYCARDIA

DATA VALUE: PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

---

ABBREVIATION.....PST  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Paroxysmal Supraventricular Tachycardia  
HELP\_TEXT.....  
ID.....{9C910A04-95D2-4EB7-A4CB-B4A74FE7CCEE}  
TERM.....PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS

---

ABBREVIATION.....PART EPIDE  
ACTIVE.....Yes  
DESCRIPTION.....Partial Thickness Skin Loss Involving  
Epidermis/Dermis  
DISPLAY\_NAME.....Partial Thickness Skin Loss Involving  
Epidermis/Dermis  
HELP\_TEXT.....No Help Text  
ID.....{EAD3A260-CC46-4B47-AA49-91CFE13EEE4B}  
TERM.....PART THICKNESS SKIN LOSS INVOLVE  
EPIDERMIS/DERMIS

DATA VALUE: PARTIAL

---

ABBREVIATION.....Partial  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial  
HELP\_TEXT.....  
ID.....{5802C13B-8956-49AD-9CD4-218DE10B5987}  
TERM.....PARTIAL

DATA VALUE: PARTIAL BATH

---

ABBREVIATION.....PART. BATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Partial Bath  
HELP\_TEXT.....No Help Text  
ID.....{60B9C7AD-9E6E-4412-9BB3-57AFF956C1FC}  
TERM.....PARTIAL BATH

DATA VALUE: PARTIAL CODE (SPECIFY IN COMMENTS)

---

ABBREVIATION.....Part Code  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial Code (Specify in Comments)  
HELP\_TEXT.....  
ID.....{BF5D343C-01DA-489A-836F-FA7E8AAD1FA0}  
TERM.....PARTIAL CODE (SPECIFY IN COMMENTS)

DATA VALUE: PARTIAL IMPAIRED

-----  
ABBREVIATION.....PART IMPAI  
ACTIVE.....Yes  
DESCRIPTION.....Partial Impaired  
DISPLAY\_NAME.....Partial Impaired  
HELP\_TEXT.....Partial Impaired  
ID.....{2F1B8C52-1C94-4EA7-AB82-117694FD4D52}  
TERM.....PARTIAL IMPAIRED

DATA VALUE: PARTIAL LOWER

-----  
ABBREVIATION.....Part Low  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial Lower  
HELP\_TEXT.....  
ID.....{2556CE7E-F211-4992-BCAF-09677C20BEFE}  
TERM.....PARTIAL LOWER

DATA VALUE: PARTIAL SIMPLE

-----  
ABBREVIATION.....PART SIMP  
ACTIVE.....Yes  
DESCRIPTION.....Partial Simple  
DISPLAY\_NAME.....Partial Simple  
HELP\_TEXT.....Partial Simple  
ID.....{F4A5E7ED-92AB-4021-A63C-E1D948EFE6C1}  
TERM.....PARTIAL SIMPLE

DATA VALUE: PARTIAL UPPER

-----  
ABBREVIATION.....Part Up  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial Upper  
HELP\_TEXT.....  
ID.....{D7B30583-C22C-4B7E-BE7F-36FA9A577DAB}  
TERM.....PARTIAL UPPER

DATA VALUE: PARTIALLY BLOCKED: SNORING/NOISY BREATHING

-----  
ABBREVIATION.....PCA: Part  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partially Blocked: Snoring/Noisy  
Breathing  
HELP\_TEXT.....  
ID.....{3E006C3C-CD4E-4B85-ACF5-BAE5D7348184}  
TERM.....PARTIALLY BLOCKED: SNORING/NOISY  
BREATHING

DATA VALUE: PASSIVE RANGE OF MOTION

---

ABBREVIATION.....PASS ROM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Passive Range Of Motion  
HELP\_TEXT.....No Help Text  
ID.....{DD43B9EF-E18F-4203-8564-89EBBAD963A4}  
TERM.....PASSIVE RANGE OF MOTION

DATA VALUE: PATENT

---

ABBREVIATION.....Patent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patent  
HELP\_TEXT.....  
ID.....{F0C38BCB-1D11-436C-8B8C-4297C27DDE04}  
TERM.....PATENT

DATA VALUE: PATENT CLEAN

---

ABBREVIATION.....PAT CLEAN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patent Clean  
HELP\_TEXT.....No Help Text  
ID.....{68688246-AE58-2EFB-BF9D-5E00D8CFDA8E}  
TERM.....PATENT CLEAN

DATA VALUE: PATIENT

---

ABBREVIATION.....PATIENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient  
HELP\_TEXT.....No Help Text  
ID.....{7881F205-BCD1-4948-AE66-AD572F5A02F2}  
TERM.....PATIENT

DATA VALUE: PATIENT EDUCATION PROVIDED

---

ABBREVIATION.....Pat Ed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Education Provided  
HELP\_TEXT.....  
ID.....{5E658583-22B0-46AF-BF65-318A2070047A}  
TERM.....PATIENT EDUCATION PROVIDED

DATA VALUE: PATIENT INFORMED

-----  
ABBREVIATION.....PAT INFORM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Informed  
HELP\_TEXT.....No Help Text  
ID.....{074A1D19-3920-49F1-8958-2EB6F9CF05BA}  
TERM.....PATIENT INFORMED

DATA VALUE: PATIENT INSTRUCTED

-----  
ABBREVIATION.....pat instru  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Instructed  
HELP\_TEXT.....  
ID.....{D89A50A6-352D-4EB8-ABD7-5D732A060D9A}  
TERM.....PATIENT INSTRUCTED

DATA VALUE: PATIENT LOCATOR DEVICE IN PLACE

-----  
ABBREVIATION.....Loc Device  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Locator Device in Place  
HELP\_TEXT.....  
ID.....{CAF7B45E-0143-472D-BABF-9A92857419E9}  
TERM.....PATIENT LOCATOR DEVICE IN PLACE

DATA VALUE: PATIENT REFUSED

-----  
ABBREVIATION.....PatientRef  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Refused  
HELP\_TEXT.....  
ID.....{C602ACA8-4735-479D-B0BA-97E2932DA2AA}  
TERM.....PATIENT REFUSED

DATA VALUE: PATIENT REFUSES MARKING

-----  
ABBREVIATION.....Pat Refuse  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Refuses Marking  
HELP\_TEXT.....  
ID.....{93CE893B-AFE1-4047-9EE9-2AD6388C0086}  
TERM.....PATIENT REFUSES MARKING

DATA VALUE: PATIENT REPORTS NOT PRESENT

-----  
ABBREVIATION.....PT RP N PR  
ACTIVE.....Yes  
DESCRIPTION.....Patient Reports Not Present  
DISPLAY\_NAME.....Patient Reports Not Present  
HELP\_TEXT.....Patient Reports Not Present  
ID.....{AD0EF44D-7231-4E8C-A3AE-0E43DD0C44F2}  
TERM.....PATIENT REPORTS NOT PRESENT

DATA VALUE: PATIENT REPORTS PRESENT

-----  
ABBREVIATION.....PT REP PRE  
ACTIVE.....Yes  
DESCRIPTION.....Patient Reports Present  
DISPLAY\_NAME.....Patient Reports Present  
HELP\_TEXT.....Patient Reports Present  
ID.....{1726BC7E-5A82-41AC-B77A-BF62263E1EF6}  
TERM.....PATIENT REPORTS PRESENT

DATA VALUE: PATIENT RIGHTS AND RESPONSIBILITIES

-----  
ABBREVIATION.....Pat Rights  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Rights and Responsibilities  
HELP\_TEXT.....  
ID.....{DA69AAEE-DBDC-4CAA-849A-7242F0854385}  
TERM.....PATIENT RIGHTS AND RESPONSIBILITIES

DATA VALUE: PATIENT SIGNS SAFETY CONTRACT

-----  
ABBREVIATION.....PT CONTRAC  
ACTIVE.....Yes  
DESCRIPTION.....Patient Signs Safety Contract  
DISPLAY\_NAME.....Patient Signs Safety Contract  
HELP\_TEXT.....No Help Text  
ID.....{C65734EC-2CAF-4547-8FD8-CBCD9C706003}  
TERM.....PATIENT SIGNS SAFETY CONTRACT

DATA VALUE: PATIENT STATED

-----  
ABBREVIATION.....Pat Stated  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patient Stated  
HELP\_TEXT.....  
ID.....{843654E1-4BC9-4277-9EFC-0B388A70A907}  
TERM.....PATIENT STATED

DATA VALUE: PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION

-----  
ABBREVIATION.....pswlosons  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Stays Within Line Of Site Of  
                  Nursing Station  
HELP\_TEXT.....No Help Text  
ID.....{CE3E3531-7D9B-A2B4-00B3-00EBCDD09D3D}  
TERM.....PATIENT STAYS WITHIN LINE OF SITE OF  
                  NURSING STATION

DATA VALUE: PATIENT'S ROOM

-----  
ABBREVIATION.....pr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient's Room  
HELP\_TEXT.....No Help Text  
ID.....{0F13E11D-9F78-14A3-0568-AF26393F39F1}  
TERM.....PATIENT'S ROOM

DATA VALUE: PATIO

-----  
ABBREVIATION.....Patio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Patio  
HELP\_TEXT.....  
ID.....{39499FD3-F11F-49A8-802F-D61A89F4A901}  
TERM.....PATIO

DATA VALUE: PCA

-----  
ABBREVIATION.....PCA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient Controlled Analgesia  
HELP\_TEXT.....No Help-Text  
ID.....{A1EE27C6-F22A-4109-A8E6-28DCCE599E64}  
TERM.....PCA

DATA VALUE: PCA + CONTINUOUS

-----  
ABBREVIATION.....PCA+Cont  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PCA + Continuous  
HELP\_TEXT.....No Help Text  
ID.....{D711BB51-0662-4DD0-8654-C737F6A6686A}  
TERM.....PCA + CONTINUOUS

DATA VALUE: PCA ONLY

-----  
ABBREVIATION.....PCA ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PCA Only  
HELP\_TEXT.....No Help Text  
ID.....{30E0441A-1098-4FE9-B277-BF2BBD6B1667}  
TERM.....PCA ONLY

DATA VALUE: PCA PUMP

-----  
ABBREVIATION.....PCA Pump  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PCA Pump  
HELP\_TEXT.....  
ID.....{C6F139AF-C42B-4577-83E1-A12675C31A21}  
TERM.....PCA PUMP

DATA VALUE: PEAKED T WAVE

-----  
ABBREVIATION.....Peaked T  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Peaked T Wave  
HELP\_TEXT.....  
ID.....{CE79199C-3CFE-4DCE-914C-3A0C23CC174E}  
TERM.....PEAKED T WAVE

DATA VALUE: PEDIATRIC

-----  
ABBREVIATION.....PEDIATRIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric  
HELP\_TEXT.....No Help Text  
ID.....{06865E22-3ED9-4EDD-9749-6F8641BF29DE}  
TERM.....PEDIATRIC

DATA VALUE: PEG TUBE

-----  
ABBREVIATION.....PEG TUBE  
ACTIVE.....Yes  
DESCRIPTION.....PEG Tube EF Tube  
DISPLAY\_NAME.....PEG Tube  
HELP\_TEXT.....No Help Text  
ID.....{970C3755-2B3F-462F-AA87-EA33F846843F}  
TERM.....PEG TUBE

DATA VALUE: PENETRATING

---

ABBREVIATION.....PENETRATIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Penetrating  
HELP\_TEXT.....No Help Text  
ID.....{00A2D4C8-EDDE-4593-A1F8-A87A836B3379}  
TERM.....PENETRATING

DATA VALUE: PENROSE DRAIN

---

ABBREVIATION.....Penrose D  
ACTIVE.....Yes  
DESCRIPTION.....Penrose Drain  
DISPLAY\_NAME.....Penrose Drain  
HELP\_TEXT.....No Help Text  
ID.....{DE508E95-D044-ACCA-EE69-33B9A8454E6C}  
TERM.....PENROSE DRAIN

DATA VALUE: PERATIVE

---

ABBREVIATION.....Perative  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Perative  
HELP\_TEXT.....  
ID.....{9F387502-6FE8-4AFA-AF6E-BE4D0CF60947}  
TERM.....PERATIVE

DATA VALUE: PERCUSSION BED

---

ABBREVIATION.....PERC BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Percussion Bed  
HELP\_TEXT.....No Help Text  
ID.....{BE0B086B-A2F3-446A-ADE0-9589E92689FE}  
TERM.....PERCUSSION BED

DATA VALUE: PERINEAL CARE

---

ABBREVIATION.....PERIN CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Perineal Care  
HELP\_TEXT.....No Help Text  
ID.....{D88736E4-E0EB-4FF7-9199-288A4D051A20}  
TERM.....PERINEAL CARE

DATA VALUE: PERINEAL PAIN

-----  
ABBREVIATION.....PerinealPn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Perineal Pain  
HELP\_TEXT.....  
ID.....{B92D15D5-C65B-41EE-9ACA-480B75FD7454}  
TERM.....PERINEAL PAIN

DATA VALUE: PERMANENT

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Permanent  
HELP\_TEXT.....No Help Text  
ID.....{A31FF319-F8C3-7AAC-D7FC-765C89732D09}  
TERM.....PERMANENT

DATA VALUE: PERSONAL ARTICLES AT REACH

-----  
ABBREVIATION.....At Reach  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Personal Articles at Reach  
HELP\_TEXT.....  
ID.....{166DE5BA-67F1-4BDB-9378-062862519BE4}  
TERM.....PERSONAL ARTICLES AT REACH

DATA VALUE: PERSONAL HYGIENE AND/OR GROOMING

-----  
ABBREVIATION.....Per Hyg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Personal Hygiene and/or Grooming  
HELP\_TEXT.....  
ID.....{0DDC2293-90E8-4E0B-A6B1-9C5C946AC831}  
TERM.....PERSONAL HYGIENE AND/OR GROOMING

DATA VALUE: PERSONAL MEDICAL ALERT BRACELET

-----  
ABBREVIATION.....pmab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Personal Medical Alert Bracelet  
HELP\_TEXT.....No Help Text  
ID.....{E63D5FDE-4509-5751-A11C-C023E296858A}  
TERM.....PERSONAL MEDICAL ALERT BRACELET

DATA VALUE: PETROLATUM

---

ABBREVIATION.....PETROLATUM  
ACTIVE.....Yes  
DESCRIPTION.....Petrolatum  
DISPLAY\_NAME.....Petrolatum  
HELP\_TEXT.....No Help Text  
ID.....{DA297C75-4776-4C8D-B0D7-A0FF0E4D1B16}  
TERM.....PETROLATUM

DATA VALUE: PHANTOM LIMB

---

ABBREVIATION.....PhanLimb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Phantom Limb  
HELP\_TEXT.....  
ID.....{C2431341-5151-4EC3-B22E-C46E2448CC6B}  
TERM.....PHANTOM LIMB

DATA VALUE: PHANTOM LIMB PAIN

---

ABBREVIATION.....Phantom  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Phantom Limb Pain  
HELP\_TEXT.....  
ID.....{C2DB2DC8-EB30-4AC6-ADE5-4914EE3962C7}  
TERM.....PHANTOM LIMB PAIN

DATA VALUE: PHYSICAL ASSIST

---

ABBREVIATION.....PhysAssist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Physical Assist  
HELP\_TEXT.....  
ID.....{DBB651FC-018D-40C6-BF11-441E8D8606F8}  
TERM.....PHYSICAL ASSIST

DATA VALUE: PHYSICAL IMPAIRMENT

---

ABBREVIATION.....Phys Impai  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Physical Impairment  
HELP\_TEXT.....  
ID.....{4D744081-134E-420D-9712-AF114977E490}  
TERM.....PHYSICAL IMPAIRMENT

DATA VALUE: PHYSICIAN

---

ABBREVIATION.....PHYSICIA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Physician  
HELP\_TEXT.....No Help Text  
ID.....{DB0C5AE0-459A-4E04-A202-D1CF54B84A6A}  
TERM.....PHYSICIAN

DATA VALUE: PHYSICIAN NOTIFIED

---

ABBREVIATION.....PHYS NOTIF  
ACTIVE.....Yes  
DESCRIPTION.....Physician Notified  
DISPLAY\_NAME.....Physician Notified  
HELP\_TEXT.....No Help Text  
ID.....{4BD68949-74F6-42A6-AEF5-E9A33DC31FFC}  
TERM.....PHYSICIAN NOTIFIED

DATA VALUE: PHYSICIAN ORDER

---

ABBREVIATION.....PHY ORDER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Physician Order  
HELP\_TEXT.....No Help Text  
ID.....{AB89E640-83B7-4E6C-8C8D-2FA8C2564CCB}  
TERM.....PHYSICIAN ORDER

DATA VALUE: PHYSIOLOGICAL ASSESSMENT

---

ABBREVIATION.....PhyAssess  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Physiological Assessment  
HELP\_TEXT.....  
ID.....{4A9FB1A3-EC4D-4F7B-B667-5D950CB71109}  
TERM.....PHYSIOLOGICAL ASSESSMENT

DATA VALUE: PICC

---

ABBREVIATION.....PICC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PICC  
HELP\_TEXT.....Peripherally inserted central catheter  
ID.....{3CFE33D0-5A35-88CC-152C-D7501D1858D9}  
TERM.....PICC

DATA VALUE: PICTURE BOARD

---

ABBREVIATION.....PictuBoard  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Picture Board  
HELP\_TEXT.....  
ID.....{9BD2908F-C5FE-4866-A265-AAEB60A8E878}  
TERM.....PICTURE BOARD

DATA VALUE: PIN

---

ABBREVIATION.....PIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pin  
HELP\_TEXT.....No Help Text  
ID.....{10D48A4E-46F3-4242-BA56-B9D4B37A4C93}  
TERM.....PIN

DATA VALUE: PIN TRACTION

---

ABBREVIATION.....PIN TRACT  
ACTIVE.....Yes  
DESCRIPTION.....Pin Traction  
DISPLAY\_NAME.....Pin Traction  
HELP\_TEXT.....Pin Traction  
ID.....{C75104A5-3B6B-4CFE-8E2E-05877522C811}  
TERM.....PIN TRACTION

DATA VALUE: PINK

---

ABBREVIATION.....PINK  
ACTIVE.....Yes  
DESCRIPTION.....The color pink  
DISPLAY\_NAME.....Pink  
HELP\_TEXT.....The color pink  
ID.....{1A7FAF84-D69C-4EEB-7BC5-D21A598A1F4D}  
TERM.....PINK

DATA VALUE: PINK / GRANULATING

---

ABBREVIATION.....Pink/Gran  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pink / Granulating  
HELP\_TEXT.....  
ID.....{05245B27-3292-48B2-9F37-6AB9BB92395B}  
TERM.....PINK / GRANULATING

DATA VALUE: PINPOINT

---

ABBREVIATION.....pinpoint  
ACTIVE.....Yes  
DESCRIPTION.....Pinpoint  
DISPLAY\_NAME.....Pinpoint  
HELP\_TEXT.....No Help Text  
ID.....{4E53DDAC-0BF4-66D5-D614-9763BBF1FC8E}  
TERM.....PINPOINT

DATA VALUE: PINS & NEEDLES

---

ABBREVIATION.....Pins&Need  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pins & Needles  
HELP\_TEXT.....  
ID.....{BCE9007D-31FC-4834-AF75-E84E09735CC7}  
TERM.....PINS & NEEDLES

DATA VALUE: PITTED

---

ABBREVIATION.....PITTED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pitted  
HELP\_TEXT.....No Help Text  
ID.....{BEA42FD8-91C7-4BF6-936E-726D78064F11}  
TERM.....PITTED

DATA VALUE: PITTING

---

ABBREVIATION.....PITTING  
ACTIVE.....Yes  
DESCRIPTION.....PITTING  
DISPLAY\_NAME.....Pitting  
HELP\_TEXT.....PITTING  
ID.....{A9F6ACFF-E427-145A-A168-345ACB87C1DE}  
TERM.....PITTING

DATA VALUE: PITTING +1 (BARELY DETECTABLE)

---

ABBREVIATION.....Pitting+1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pitting +1 (Barely Detectable)  
HELP\_TEXT.....  
ID.....{88796510-F6C1-4997-B650-BBF9B91BEEA8}  
TERM.....PITTING +1 (BARELY DETECTABLE)

DATA VALUE: PITTING +2 (INDENTATION LESS THAN 5mm)

-----  
ABBREVIATION.....Pitting+2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pitting +2 (Indentation Less than 5mm)  
HELP\_TEXT.....  
ID.....{CA91C96D-0D94-4D9A-A306-22FA476D143F}  
TERM.....PITTING +2 (INDENTATION LESS THAN 5mm)

DATA VALUE: PITTING +3 (INDENTATION OF 5-10 mm)

-----  
ABBREVIATION.....Pitting+3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pitting +3 (Indentation of 5-10mm)  
HELP\_TEXT.....  
ID.....{2B874FF9-8DA9-425B-A9F6-166A6E7AF422}  
TERM.....PITTING +3 (INDENTATION OF 5-10 mm)

DATA VALUE: PITTING +4 (INDENTATION OF MORE THAN 10mm)

-----  
ABBREVIATION.....Pitting+4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pitting +4 (Indentation of More than  
10mm)  
HELP\_TEXT.....  
ID.....{A546A151-397F-4E05-855D-957E565017E6}  
TERM.....PITTING +4 (INDENTATION OF MORE THAN  
10mm)

DATA VALUE: PIVOT

-----  
ABBREVIATION.....Pivot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pivot  
HELP\_TEXT.....  
ID.....{2E68ED54-57F5-490D-A982-668121F0CF5A}  
TERM.....PIVOT

DATA VALUE: PIVOT 1.5

-----  
ABBREVIATION.....Pivot 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pivot 1.5  
HELP\_TEXT.....  
ID.....{9126F0C6-9716-4C33-8B7C-178D46899D44}  
TERM.....PIVOT 1.5

DATA VALUE: PJC

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PJC  
HELP\_TEXT.....No Help Text  
ID.....{1D2D1FEA-2006-3C6C-FAD4-72384F2033C9}  
TERM.....PJC

DATA VALUE: PLACED NEAR TO NURSE STATION

-----  
ABBREVIATION.....Near N/Sta  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Placed Near to Nurse Station  
HELP\_TEXT.....  
ID.....{7790D901-36F0-4DFD-9BF5-8C3A913F30E1}  
TERM.....PLACED NEAR TO NURSE STATION

DATA VALUE: PLACEMENT INCONCLUSIVE, SPECIMEN SENT TO LAB FOR GASTRIC PH LEV  
EL 1-4

-----  
ABBREVIATION.....SentToLab  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Placement Inconclusive, Specimen sent  
to lab for Gastric PH Level 1-4  
HELP\_TEXT.....  
ID.....{D3FE93D2-D17A-4411-B450-B2FB6B0580E1}  
TERM.....PLACEMENT INCONCLUSIVE, SPECIMEN SENT  
TO LAB FOR GASTRIC PH LEVEL 1-4

DATA VALUE: PLAIN

-----  
ABBREVIATION.....PLAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Plain Catheter  
HELP\_TEXT.....No Help Text  
ID.....{483EE48F-F72B-A917-DDC0-E8B69A3FA36F}  
TERM.....PLAIN

DATA VALUE: PLANTAR (BABINSKI)

-----  
ABBREVIATION.....Babinski  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Plantar (Babinski)  
HELP\_TEXT.....  
ID.....{95928878-A912-40EA-8482-0145A7AA4A83}  
TERM.....PLANTAR (BABINSKI)

DATA VALUE: PLANTAR FLEXION ABNORMAL

---

ABBREVIATION.....PIFlexAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Plantar Flexion Abnormal  
HELP\_TEXT.....  
ID.....{44252714-7C03-4159-BE94-26E1C0B81007}  
TERM.....PLANTAR FLEXION ABNORMAL

DATA VALUE: PLANTAR FLEXION WNL

---

ABBREVIATION.....PIFlexWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Plantar Flexion WNL  
HELP\_TEXT.....  
ID.....{1A6854CF-3296-45F3-B669-C63BE83CCC79}  
TERM.....PLANTAR FLEXION WNL

DATA VALUE: PLASTIC

---

ABBREVIATION.....Plastic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Plastic  
HELP\_TEXT.....  
ID.....{65AFD48A-137C-4539-8C9E-40F2D0547AF6}  
TERM.....PLASTIC

DATA VALUE: PLATE GUARD

---

ABBREVIATION.....PlateGuard  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Plate Guard  
HELP\_TEXT.....  
ID.....{1B3015C1-B8BC-4482-AD5D-83ACA7CC7E70}  
TERM.....PLATE GUARD

DATA VALUE: POOR

---

ABBREVIATION.....POOR  
ACTIVE.....Yes  
DESCRIPTION.....Poor  
DISPLAY\_NAME.....Poor  
HELP\_TEXT.....No Help Text  
ID.....{A3D75A12-A791-446D-AF63-9435054DFC4C}  
TERM.....POOR

DATA VALUE: POOR BAL

-----  
ABBREVIATION.....Poor Balan  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Poor Balance  
HELP\_TEXT.....  
ID.....{959AFDB4-6984-452D-9235-B154409DC0ED}  
TERM.....POOR BAL

DATA VALUE: POORLY GROOMED

-----  
ABBREVIATION.....Poorly Gro  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Poorly Groomed  
HELP\_TEXT.....  
ID.....{143EA593-64B6-4123-A5B7-14B538B8E657}  
TERM.....POORLY GROOMED

DATA VALUE: PORCINE SUBMUCOSA

-----  
ABBREVIATION.....PORC SUBMU  
ACTIVE.....Yes  
DESCRIPTION.....Oasis (porcine submucosa)  
DISPLAY\_NAME.....Oasis (porcine submucosa)  
HELP\_TEXT.....No Help Text  
ID.....{6F3917DA-74BD-4790-9D4D-B284E27B7623}  
TERM.....PORCINE SUBMUCOSA

DATA VALUE: POSITIONAL

-----  
ABBREVIATION.....POSITIONAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Positional  
HELP\_TEXT.....No Help Text  
ID.....{9A74D16B-5E95-4EA8-88AF-E53C80311A5D}  
TERM.....POSITIONAL

DATA VALUE: POSITIVE PRESSURE CONNECTOR

-----  
ABBREVIATION.....P Pres Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Positive Pressure Connector  
HELP\_TEXT.....  
ID.....{1A662A2F-4666-4CFD-9E5C-7C5115BB7C2D}  
TERM.....POSITIVE PRESSURE CONNECTOR

DATA VALUE: POST CATH DIET

-----  
ABBREVIATION.....POST CA DT  
ACTIVE.....Yes  
DESCRIPTION.....Post Cath Diet  
DISPLAY\_NAME.....Post Cath Diet  
HELP\_TEXT.....No Help Text  
ID.....{B18FEC50-18E1-4EED-8B37-E7DBAA7D4D3B}  
TERM.....POST CATH DIET

DATA VALUE: POST OPERATION DIAGNOSIS

-----  
ABBREVIATION.....PO OP DIAG  
ACTIVE.....Yes  
DESCRIPTION.....Post Operation Diagnosis  
DISPLAY\_NAME.....Post Operation Diagnosis  
HELP\_TEXT.....Post Operation Diagnosis  
ID.....{A69379C9-C54A-4C55-85B3-C3D92D1705A0}  
TERM.....POST OPERATION DIAGNOSIS

DATA VALUE: POST PROCEDURE DIAGNOSIS

-----  
ABBREVIATION.....PO PRO DIA  
ACTIVE.....Yes  
DESCRIPTION.....Post Procedure Diagnosis  
DISPLAY\_NAME.....Post Procedure Diagnosis  
HELP\_TEXT.....Post Procedure Diagnosis  
ID.....{933C7D2C-88F8-4C18-ACBB-A16A295D1B3A}  
TERM.....POST PROCEDURE DIAGNOSIS

DATA VALUE: POST-FALL

-----  
ABBREVIATION.....POST-FALL  
ACTIVE.....Yes  
DESCRIPTION.....Post-Fall  
DISPLAY\_NAME.....Post-Fall  
HELP\_TEXT.....No Help Text  
ID.....{9BC82B93-CA4A-44E3-A3BA-7AF72BAFD44B}  
TERM.....POST-FALL

DATA VALUE: POST-OPERATIVE

-----  
ABBREVIATION.....POST-OP  
ACTIVE.....Yes  
DESCRIPTION.....Post-Operative  
DISPLAY\_NAME.....Post-Operative  
HELP\_TEXT.....No Help Text  
ID.....{9FA19656-849F-4A65-92FC-755A4C9E8056}  
TERM.....POST-OPERATIVE

DATA VALUE: POST-PROCEDURE

---

ABBREVIATION.....POST-PROC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Post-Procedure  
HELP\_TEXT.....No Help Text  
ID.....{0F943BD7-BD13-412E-B4EA-9B5526587340}  
TERM.....POST-PROCEDURE

DATA VALUE: POST-SEDATION

---

ABBREVIATION.....POST SED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Post-Sedation  
HELP\_TEXT.....No Help Text  
ID.....{B829A249-CB14-4919-86F8-4A8C8D6B7753}  
TERM.....POST-SEDATION

DATA VALUE: POST-SUCTIONING OXYGENATION

---

ABBREVIATION.....PostSuct  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Post-Suctioning Oxygenation  
HELP\_TEXT.....  
ID.....{EF142F10-335F-4B47-9F3D-195D7E508D72}  
TERM.....POST-SUCTIONING OXYGENATION

DATA VALUE: POSTURAL HYPOTENSION

---

ABBREVIATION.....PosturalHy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Postural Hypotension  
HELP\_TEXT.....  
ID.....{24E52EFE-8AAD-465B-A70B-D57A2094F8D3}  
TERM.....POSTURAL HYPOTENSION

DATA VALUE: POTASSIUM MODIFIED 60 MEQ

---

ABBREVIATION.....K MOD 60M  
ACTIVE.....Yes  
DESCRIPTION.....Potassium Modified 60 MEQ  
DISPLAY\_NAME.....Potassium Modified 60 MEQ  
HELP\_TEXT.....No Help Text  
ID.....{6EC2F10D-CC44-4872-8473-2445A835ABB0}  
TERM.....POTASSIUM MODIFIED 60 MEQ

DATA VALUE: POTASSIUM RESTRICTED

-----  
ABBREVIATION.....PotassRest  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Potassium Restricted  
HELP\_TEXT.....  
ID.....{E6665D0C-D064-482B-9896-BD24D4E52509}  
TERM.....POTASSIUM RESTRICTED

DATA VALUE: POVERTY OF CONTENT

-----  
ABBREVIATION.....PovofCont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Poverty of Content  
HELP\_TEXT.....  
ID.....{E0DAF10C-AC3D-4E63-9045-4507D09F01BE}  
TERM.....POVERTY OF CONTENT

DATA VALUE: POVERTY OF SPEECH

-----  
ABBREVIATION.....PovofSpec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Poverty of Speech  
HELP\_TEXT.....  
ID.....{85D68BCC-93EF-4F62-A8A4-333B3D90B1BD}  
TERM.....POVERTY OF SPEECH

DATA VALUE: POWER DRIVE STRETCHER

-----  
ABBREVIATION.....PowerStre  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Power Drive Stretcher  
HELP\_TEXT.....  
ID.....{F50829BB-FFC8-4BB6-8BC1-A3C76EAC70C4}  
TERM.....POWER DRIVE STRETCHER

DATA VALUE: POWERPORT

-----  
ABBREVIATION.....Powerport  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Powerport  
HELP\_TEXT.....  
ID.....{A8201E8F-849A-4C37-A5C5-6A97813E14E4}  
TERM.....POWERPORT

DATA VALUE: PR NORMAL DURATION

---

ABBREVIATION.....PR Norm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PR Normal Duration  
HELP\_TEXT.....  
ID.....{3CEB0A4F-D3E3-46E3-89D9-E2410C337A19}  
TERM.....PR NORMAL DURATION

DATA VALUE: PR PROLONGED DURATION

---

ABBREVIATION.....PR Prolong  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PR Prolonged Duration  
HELP\_TEXT.....  
ID.....{0D8E81C1-D80D-41B1-ABE8-D931945BB1D8}  
TERM.....PR PROLONGED DURATION

DATA VALUE: PR SHORTENED DURATION

---

ABBREVIATION.....PR Short  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PR Shortened Duration  
HELP\_TEXT.....  
ID.....{C3850A3D-3D57-4875-8F34-78616159F6E8}  
TERM.....PR SHORTENED DURATION

DATA VALUE: PRBC

---

ABBREVIATION.....PRBC  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells  
DISPLAY\_NAME.....PRBC  
HELP\_TEXT.....No Help Text  
ID.....{F6D9B889-1BCB-4724-B75A-E98743585D55}  
TERM.....PRBC

DATA VALUE: PRE-MEDICATED FOR ACTIVITY

---

ABBREVIATION.....PRE-MED AC  
ACTIVE.....Yes  
DESCRIPTION.....Pre-Medicated For Activity  
DISPLAY\_NAME.....Pre-Medicated For Activity  
HELP\_TEXT.....No Help Text  
ID.....{D6DA772A-FA22-4170-B928-855A2F68711F}  
TERM.....PRE-MEDICATED FOR ACTIVITY

DATA VALUE: PRE-OPERATIVE

---

ABBREVIATION.....PRE-OP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Operative  
HELP\_TEXT.....No Help Text  
ID.....{80C418D5-54B1-4CC3-9B19-5653B8D73C45}  
TERM.....PRE-OPERATIVE

DATA VALUE: PRE-PROCEDURE

---

ABBREVIATION.....PRE-PROC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Procedure  
HELP\_TEXT.....No Help Text  
ID.....{D2A7B025-9AB9-4C69-B163-D5EBB78B82BE}  
TERM.....PRE-PROCEDURE

DATA VALUE: PRE-SEDATION

---

ABBREVIATION.....PRE SEDA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Sedation  
HELP\_TEXT.....No Help Text  
ID.....{684C764E-2BE9-4C99-A2B2-C92D75C73751}  
TERM.....PRE-SEDATION

DATA VALUE: PRE-SUCTIONING OXYGENATION

---

ABBREVIATION.....PreSuct  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pre-Suctioning Oxygenation  
HELP\_TEXT.....  
ID.....{8C41E387-F15A-4DDD-BC04-259F8F403C2B}  
TERM.....PRE-SUCTIONING OXYGENATION

DATA VALUE: PRE-SURGERY

---

ABBREVIATION.....PRE-SURG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pre-Surgery  
HELP\_TEXT.....No Help Text  
ID.....{0C71761F-3024-4638-A95C-FDF12DC03CF5}  
TERM.....PRE-SURGERY

DATA VALUE: PREGNANT, NO

-----  
ABBREVIATION.....Preg, No  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pregnant, No  
HELP\_TEXT.....  
ID.....{D08F5D48-965E-4537-83BC-14722E28B0AE}  
TERM.....PREGNANT, NO

DATA VALUE: PREGNANT, YES

-----  
ABBREVIATION.....Preg, Yes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pregnant, Yes  
HELP\_TEXT.....  
ID.....{CF4323D7-9C8C-4FA5-9AB5-1AE4FFD1B535}  
TERM.....PREGNANT, YES

DATA VALUE: PREMATURE ATRIAL

-----  
ABBREVIATION.....pa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Premature Atrial  
HELP\_TEXT.....No Help Text  
ID.....{070FDCCB1-2EC4-B4EF-4DFD-81F6CCFFBDDED}  
TERM.....PREMATURE ATRIAL

DATA VALUE: PRESENT

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Present  
HELP\_TEXT.....No Help Text  
ID.....{384DC20F-1625-CE1E-1C85-A3B3924BB2A0}  
TERM.....PRESENT

DATA VALUE: PRESSURE

-----  
ABBREVIATION.....PRESSURE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....No Help Text  
ID.....{387AFB7F-3973-4D77-B2E6-0724F344D8F6}  
TERM.....PRESSURE

DATA VALUE: PRESSURE CALIBRATION

---

ABBREVIATION.....PRESS CALI  
ACTIVE.....Yes  
DESCRIPTION.....Pressure Calibration  
DISPLAY\_NAME.....Pressure Calibration  
HELP\_TEXT.....No Help Text  
ID.....{38C12E69-2CD2-4F61-98D9-06AB857DA51A}  
TERM.....PRESSURE CALIBRATION

DATA VALUE: PRESSURE CONTROL

---

ABBREVIATION.....PRESS CONT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Control  
HELP\_TEXT.....No Help Text  
ID.....{C3CDF756-484F-1483-9883-9B63DEF3B012}  
TERM.....PRESSURE CONTROL

DATA VALUE: PRESSURE DRESSING

---

ABBREVIATION.....PRESS DRES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Dressing  
HELP\_TEXT.....No Help Text  
ID.....{6D9DB9EF-85EB-8321-03FC-879AA4C5615B}  
TERM.....PRESSURE DRESSING

DATA VALUE: PRESSURE ULCER

---

ABBREVIATION.....PRE ULCER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure Ulcer  
HELP\_TEXT.....No Help Text  
ID.....{7279639E-498D-4EA3-A3FA-4A6D611E6F48}  
TERM.....PRESSURE ULCER

DATA VALUE: PRESSURED

---

ABBREVIATION.....Pressured  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pressured  
HELP\_TEXT.....  
ID.....{A2167296-ECE0-405A-A11D-A1C66D58F219}  
TERM.....PRESSURED

DATA VALUE: PRESYSTOLIC

-----  
ABBREVIATION.....PRESYSTOLI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Presystolic  
HELP\_TEXT.....No Help Text  
ID.....{BB85B8EE-36F8-4AC2-9AB0-0BABCFA9FCBB}  
TERM.....PRESYSTOLIC

DATA VALUE: PREVENT ACCESS TO DEVICE

-----  
ABBREVIATION.....PREV ACCE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prevent Access To Medical Devices  
HELP\_TEXT.....No Help Text  
ID.....{E7455083-DD2C-4562-A6E2-9626A4CDC4DD}  
TERM.....PREVENT ACCESS TO DEVICE

DATA VALUE: PREVENTIVE HEALTH REHAB TECHNIQUES

-----  
ABBREVIATION.....Rehab Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Preventive Health Rehab Techniques  
HELP\_TEXT.....  
ID.....{2BCABB3F-6688-4BA8-A9E2-D6CA5E38BB7B}  
TERM.....PREVENTIVE HEALTH REHAB TECHNIQUES

DATA VALUE: PREVIOUS PERCUTANEOUS SITE

-----  
ABBREVIATION.....PRE PER SI  
ACTIVE.....Yes  
DESCRIPTION.....Previous Percutaneous Site  
DISPLAY\_NAME.....Previous Percutaneous Site  
HELP\_TEXT.....No Help Text  
ID.....{F2ECCF5C-D91A-40F5-9C09-452C2C81DA66}  
TERM.....PREVIOUS PERCUTANEOUS SITE

DATA VALUE: PRN

-----  
ABBREVIATION.....PRN  
ACTIVE.....Yes  
DESCRIPTION.....As Needed  
DISPLAY\_NAME.....PRN  
HELP\_TEXT.....As Needed  
ID.....{36493D81-954B-4C56-B0A2-9988EA785EBD}  
TERM.....PRN

DATA VALUE: PRO STAT SUGAR FREE 64

-----  
ABBREVIATION.....ProSta 64  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pro Stat Sugar Free 64  
HELP\_TEXT.....  
ID.....{3622E0A3-8BDF-4ADA-AC4D-20762C10C798}  
TERM.....PRO STAT SUGAR FREE 64

DATA VALUE: PRO-STAT

-----  
ABBREVIATION.....Pro-Stat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pro-Stat  
HELP\_TEXT.....  
ID.....{E39E36C7-0A47-459D-BA75-CF6186247B40}  
TERM.....PRO-STAT

DATA VALUE: PROCEDURE ROOM

-----  
ABBREVIATION.....PROC ROO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Procedure Room  
HELP\_TEXT.....No Help Text  
ID.....{CC9A2AB0-7A73-4DE7-9B7F-DC2C160AE462}  
TERM.....PROCEDURE ROOM

DATA VALUE: PRODUCTIVE

-----  
ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....Produces desired result  
DISPLAY\_NAME.....Productive  
HELP\_TEXT.....No Help Text  
ID.....{22BE0499-F9FE-3A27-2605-61EBEC0ED6AB}  
TERM.....PRODUCTIVE

DATA VALUE: PROJECTILE VOMITING

-----  
ABBREVIATION.....PROJ VOMIT  
ACTIVE.....Yes  
DESCRIPTION.....Projectile Vomiting  
DISPLAY\_NAME.....Projectile Vomiting  
HELP\_TEXT.....Projectile Vomiting  
ID.....{0D2CB23B-B266-40E1-A6FF-20B733655B69}  
TERM.....PROJECTILE VOMITING

DATA VALUE: PROLONGED/UNUSUAL BLEEDING

-----  
ABBREVIATION.....Bleeding  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Prolonged/Unusual Bleeding  
HELP\_TEXT.....  
ID.....{952A1C83-0D39-4E53-AA30-8EBD3656ED47}  
TERM.....PROLONGED/UNUSUAL BLEEDING

DATA VALUE: PROMOTE

-----  
ABBREVIATION.....Promote  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Promote  
HELP\_TEXT.....  
ID.....{6377C8D3-F6DD-4BD2-877F-DB52525DD65D}  
TERM.....PROMOTE

DATA VALUE: PROMOTE WITH FIBER

-----  
ABBREVIATION.....Pro W/Fib  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Promote With Fiber  
HELP\_TEXT.....  
ID.....{33E04B6F-2976-402C-B3B7-B75705430340}  
TERM.....PROMOTE WITH FIBER

DATA VALUE: PROMPTED VOIDING

-----  
ABBREVIATION.....PromptVoid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Prompted Voiding  
HELP\_TEXT.....  
ID.....{5877FEC8-F348-440C-B19D-0D73DAC33253}  
TERM.....PROMPTED VOIDING

DATA VALUE: PRONATION ABNORMAL

-----  
ABBREVIATION.....PronAb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pronation Abnormal  
HELP\_TEXT.....  
ID.....{82E39B3A-BDCB-403B-A8C1-F11A9E613FDA}  
TERM.....PRONATION ABNORMAL

DATA VALUE: PRONATION WNL

---

ABBREVIATION.....PronWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pronation WNL  
HELP\_TEXT.....  
ID.....{008140A0-4AF3-4323-BE8D-1807CCF2E6A7}  
TERM.....PRONATION WNL

DATA VALUE: PRONE

---

ABBREVIATION.....PRONE  
ACTIVE.....Yes  
DESCRIPTION.....Prone  
DISPLAY\_NAME.....Prone  
HELP\_TEXT.....No Help Text  
ID.....{41180E09-D9D6-4903-BAE9-28CD5AAC4991}  
TERM.....PRONE

DATA VALUE: PROPASS PROTEIN POWDER

---

ABBREVIATION.....Pro Prot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Propass Protein Powder  
HELP\_TEXT.....  
ID.....{2307C41A-92D2-4DD4-BC1F-2E78F7477D98}  
TERM.....PROPASS PROTEIN POWDER

DATA VALUE: PROSOURCE

---

ABBREVIATION.....ProSource  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....ProSource  
HELP\_TEXT.....  
ID.....{613F323F-5989-498D-A77E-9CCFC6FF36D4}  
TERM.....PROSOURCE

DATA VALUE: PROSTHESIS

---

ABBREVIATION.....PROSTHESIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prosthesis  
HELP\_TEXT.....No Help Text  
ID.....{CCD0EF23-FE9C-4B20-942E-9CF1CD7CF6E9}  
TERM.....PROSTHESIS

DATA VALUE: PROSTHESIS: COMMENT

-----  
ABBREVIATION.....Pro:Comm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Prosthesis: Comment  
HELP\_TEXT.....  
ID.....{B2C1B6B2-0AE0-41A7-BA36-A55EF7A35096}  
TERM.....PROSTHESIS: COMMENT

DATA VALUE: PROTENEX WOUND CARE

-----  
ABBREVIATION.....Protenex  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Protenex Wound Care  
HELP\_TEXT.....  
ID.....{3B5ED9D2-3DBC-42FF-ACC4-3594EFE33627}  
TERM.....PROTENEX WOUND CARE

DATA VALUE: PROVIDED PATIENT EDUCATION

-----  
ABBREVIATION.....Pat Ed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Provided Patient Education  
HELP\_TEXT.....  
ID.....{25D0998B-3600-40C9-8608-9A0D91CCBEE0}  
TERM.....PROVIDED PATIENT EDUCATION

DATA VALUE: PROVIDER CONSULTED

-----  
ABBREVIATION.....Prv Cnsult  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Provider Consulted  
HELP\_TEXT.....  
ID.....{3D84493F-4B21-462B-AE5C-83FA565D6255}  
TERM.....PROVIDER CONSULTED

DATA VALUE: PROVIDER NOTIFIED

-----  
ABBREVIATION.....ProvNotifd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Provider Notified  
HELP\_TEXT.....  
ID.....{678DB226-2A20-4B81-81C9-065C8C6E5968}  
TERM.....PROVIDER NOTIFIED

DATA VALUE: PROVOCATIVE

-----  
ABBREVIATION.....Provocativ  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Provocative  
HELP\_TEXT.....  
ID.....{E308CCF8-71D2-4A86-BE04-7FF976A3FD9D}  
TERM.....PROVOCATIVE

DATA VALUE: PROXIMAL PORT

-----  
ABBREVIATION.....PROX PORT  
ACTIVE.....Yes  
DESCRIPTION.....Proximal Port  
DISPLAY\_NAME.....Proximal Port  
HELP\_TEXT.....No Help Text  
ID.....{3244EF4F-F18A-4250-96F5-ABCEA7BFA578}  
TERM.....PROXIMAL PORT

DATA VALUE: PT DENIES NAUSEA / NO VOMITING

-----  
ABBREVIATION.....DEN NAUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pt. Denies Nausea / No Vomiting  
HELP\_TEXT.....No Help Text  
ID.....{4374D52E-9D4E-41AD-8B52-FCBDF6B5A1E9}  
TERM.....PT DENIES NAUSEA / NO VOMITING

DATA VALUE: PT PAIN AT ACCEPTABLE LEVEL

-----  
ABBREVIATION.....PT PA OK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Patient's Pain at Acceptable Level  
HELP\_TEXT.....No Help Text  
ID.....{78489498-4A5B-41C5-98C5-95D56C4A0933}  
TERM.....PT PAIN AT ACCEPTABLE LEVEL

DATA VALUE: PULMOCARE

-----  
ABBREVIATION.....Pulmocare  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulmocare  
HELP\_TEXT.....  
ID.....{8D683106-B5EE-46E1-B1C6-0C7843EDD15C}  
TERM.....PULMOCARE

DATA VALUE: PULMONARY PROCEDURE ROOM

-----  
ABBREVIATION.....Pul Prc Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulmonary Procedure Room  
HELP\_TEXT.....  
ID.....{D082F661-EBA4-4EAA-987C-67E2BDFBE94D}  
TERM.....PULMONARY PROCEDURE ROOM

DATA VALUE: PULSE OXIMETER

-----  
ABBREVIATION.....Pulse Ox  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulse Oximeter  
HELP\_TEXT.....  
ID.....{773A956B-0B08-4D72-AAD4-630DF8268694}  
TERM.....PULSE OXIMETER

DATA VALUE: PULSELESS ELECTRICAL ACTIVITY

-----  
ABBREVIATION.....Pulseless  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pulseless Electrical Activity  
HELP\_TEXT.....  
ID.....{8E21E500-78D4-462D-9483-DD81D3887EE5}  
TERM.....PULSELESS ELECTRICAL ACTIVITY

DATA VALUE: PUMP - CONTINUOUS

-----  
ABBREVIATION.....Pump- cont  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pump- Continuous  
HELP\_TEXT.....  
ID.....{EEE9625C-7EED-4A31-8C13-5E3F0996EDC8}  
TERM.....PUMP - CONTINUOUS

DATA VALUE: PUMP - INTERMITTENT

-----  
ABBREVIATION.....Pump - int  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pump - Intermittent  
HELP\_TEXT.....  
ID.....{1D0AB4E0-5DF7-446C-BF2C-8336E7C28FCA}  
TERM.....PUMP - INTERMITTENT

DATA VALUE: PUNCTURE

---

ABBREVIATION.....PUNCTURE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Puncture  
HELP\_TEXT.....No Help Text  
ID.....{28CF34AF-BD37-4BA4-A59B-C4AFCE2EB8DD}  
TERM.....PUNCTURE

DATA VALUE: PUPIL CONSTRICKTION

---

ABBREVIATION.....Pupil Con  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pupil Constriction  
HELP\_TEXT.....  
ID.....{C5FB67AF-9331-4702-BF66-575EC3D2B729}  
TERM.....PUPIL CONSTRICKTION

DATA VALUE: PUPIL DILATION

---

ABBREVIATION.....Pupil Dila  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Pupil Dilation  
HELP\_TEXT.....  
ID.....{93923D51-6746-44A7-B906-964CA0DB09B4}  
TERM.....PUPIL DILATION

DATA VALUE: PUREED

---

ABBREVIATION.....PUREED  
ACTIVE.....Yes  
DESCRIPTION.....Pureed  
DISPLAY\_NAME.....Pureed  
HELP\_TEXT.....No Help Text  
ID.....{99F8AE5F-E390-4583-8A92-CAC13E21BCF4}  
TERM.....PUREED

DATA VALUE: PURPOSEFUL MOVEMENT

---

ABBREVIATION.....PurMove  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Purposeful Movement  
HELP\_TEXT.....  
ID.....{AE4A23A4-A791-4856-B99D-4383A4A5CE44}  
TERM.....PURPOSEFUL MOVEMENT

DATA VALUE: PURULENT

---

ABBREVIATION.....PURULENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Purulent  
HELP\_TEXT.....No Help Text  
ID.....{86C01494-743A-C6A2-8883-01CA5200C79B}  
TERM.....PURULENT

DATA VALUE: PVC

---

ABBREVIATION.....p  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PVC  
HELP\_TEXT.....No Help Text  
ID.....{33FF92F1-84CC-7CFA-41CF-B271A26C59B8}  
TERM.....PVC

DATA VALUE: Q SHIFT

---

ABBREVIATION.....Q Shift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q Shift  
HELP\_TEXT.....  
ID.....{07BE9A54-C30D-48BA-972C-1395C656A767}  
TERM.....Q SHIFT

DATA VALUE: Q10MIN

---

ABBREVIATION.....Q10Min  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q10Min  
HELP\_TEXT.....  
ID.....{E651D12C-FE5E-439A-BA3C-DEA7FDBFEFED}  
TERM.....Q10MIN

DATA VALUE: Q15MIN

---

ABBREVIATION.....Q15Min  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q15Min  
HELP\_TEXT.....  
ID.....{2494092E-F539-4FDD-90A5-0DA633D15275}  
TERM.....Q15MIN

DATA VALUE: Q1HR

-----  
ABBREVIATION.....Q1Hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q1Hr  
HELP\_TEXT.....  
ID.....{8199AC00-AD44-4DA3-A270-EC8800ED39FD}  
TERM.....Q1HR

DATA VALUE: Q2HR

-----  
ABBREVIATION.....Q2Hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q2Hr  
HELP\_TEXT.....  
ID.....{C089A271-8DEF-404F-B48C-B701265854F8}  
TERM.....Q2HR

DATA VALUE: Q30MIN

-----  
ABBREVIATION.....Q30Min  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q30Min  
HELP\_TEXT.....  
ID.....{FFAA43F8-4464-438B-9C32-C3BDB5D00D59}  
TERM.....Q30MIN

DATA VALUE: Q45MIN

-----  
ABBREVIATION.....Q45Min  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q45Min  
HELP\_TEXT.....  
ID.....{556A7278-1E5C-43A3-AF05-7BF ECC155031}  
TERM.....Q45MIN

DATA VALUE: Q4HR

-----  
ABBREVIATION.....Q4Hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q4Hr  
HELP\_TEXT.....  
ID.....{6EE8BF06-9A1F-420B-AD52-A7C0D53B7859}  
TERM.....Q4HR

DATA VALUE: Q5MIN

-----  
ABBREVIATION.....Q5Min  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q5Min  
HELP\_TEXT.....  
ID.....{43D31DCC-0F94-4399-B744-0F65AA665029}  
TERM.....Q5MIN

DATA VALUE: Q90MIN

-----  
ABBREVIATION.....Q90Min  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Q90Min  
HELP\_TEXT.....  
ID.....{6D026A43-1844-48AD-AD1A-EF29EC51BF36}  
TERM.....Q90MIN

DATA VALUE: QR

-----  
ABBREVIATION.....QR  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....QR  
HELP\_TEXT.....  
ID.....{7C3C189A-4A97-4309-8DEB-13A43D803AC0}  
TERM.....QR

DATA VALUE: QRS

-----  
ABBREVIATION.....QRS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....QRS  
HELP\_TEXT.....  
ID.....{C5065D40-2FAC-45A4-A24A-986A35A52F1F}  
TERM.....QRS

DATA VALUE: QRS NORMAL

-----  
ABBREVIATION.....QRS Norm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....QRS Normal  
HELP\_TEXT.....  
ID.....{BEC63090-8F3E-4CE2-8397-34E51F8C8EEC}  
TERM.....QRS NORMAL

DATA VALUE: QRS WIDENED

---

ABBREVIATION.....QRS Wide  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....QRS Widened  
HELP\_TEXT.....  
ID.....{A9FC39DC-C781-45D6-820C-C91ABC6FAB6B}  
TERM.....QRS WIDENED

DATA VALUE: QRSr'

---

ABBREVIATION.....QRSr'  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....QRSr'  
HELP\_TEXT.....  
ID.....{AB71B4B3-3E02-4B5A-BF84-49757F7FD1A6}  
TERM.....QRSr'

DATA VALUE: QS

---

ABBREVIATION.....QS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....QS  
HELP\_TEXT.....  
ID.....{BD21A0E2-70D3-466E-A0DB-8302A5BE876C}  
TERM.....QS

DATA VALUE: QUAD

---

ABBREVIATION.....Quad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Quad  
HELP\_TEXT.....  
ID.....{E4D9401C-0A33-4420-87B7-660BF259E6AB}  
TERM.....QUAD

DATA VALUE: QUAD CANE

---

ABBREVIATION.....Quad Cane  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Quad Cane  
HELP\_TEXT.....  
ID.....{6AF0827C-EFB8-4897-B7A0-F3987D99ACA5}  
TERM.....QUAD CANE

DATA VALUE: QUADRAGEMINY

---

ABBREVIATION.....Quadragemi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Quadrageminy  
HELP\_TEXT.....  
ID.....{899BEBB-D103-4864-BBE5-C9DF60F1C5BB}  
TERM.....QUADRAGEMINY

DATA VALUE: QUADRIPLEGIA

---

ABBREVIATION.....Quadripleg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Quadriplegia  
HELP\_TEXT.....  
ID.....{4AE307FE-54FF-411C-9723-4438ED27CFF4}  
TERM.....QUADRIPLEGIA

DATA VALUE: QUIET OR RESTING

---

ABBREVIATION.....qor  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Quiet Or Resting  
HELP\_TEXT.....No Help Text  
ID.....{76E4908F-014C-2088-FF7F-33EBF223DE40}  
TERM.....QUIET OR RESTING

DATA VALUE: QUIET ROOM

---

ABBREVIATION.....qr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Quiet Room  
HELP\_TEXT.....No Help Text  
ID.....{CCD96D41-C273-F6F3-DA18-8818B1CC9980}  
TERM.....QUIET ROOM

DATA VALUE: R BUNDLE BRANCH BLOCK

---

ABBREVIATION.....rbbb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Bundle Branch Block  
HELP\_TEXT.....No Help Text  
ID.....{FDE0D174-5220-F069-D284-20399D9489B0}  
TERM.....R BUNDLE BRANCH BLOCK

DATA VALUE: R FOOT DOWN

-----  
ABBREVIATION.....R FOOT DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot Down  
HELP\_TEXT.....No Help Text  
ID.....{DBCC0BA2-3097-42C7-AE9E-DF71FA779162}  
TERM.....R FOOT DOWN

DATA VALUE: R FOOT UP

-----  
ABBREVIATION.....R FOOT UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot Up  
HELP\_TEXT.....No Help Text  
ID.....{5928B710-6EB1-4183-93CB-6C72B37A97C3}  
TERM.....R FOOT UP

DATA VALUE: R HEAD DOWN

-----  
ABBREVIATION.....R HEAD DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Head Down  
HELP\_TEXT.....No Help Text  
ID.....{FDDE0638-444C-4023-B586-985E84EEA1FA}  
TERM.....R HEAD DOWN

DATA VALUE: R HEAD UP

-----  
ABBREVIATION.....R HEAD UP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Head Up  
HELP\_TEXT.....No Help Text  
ID.....{D03DBEC6-F4DD-441A-AAB2-653CC34FCDBF}  
TERM.....R HEAD UP

DATA VALUE: R NECK

-----  
ABBREVIATION.....RIGHT NECK  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT NECK  
DISPLAY\_NAME.....R Neck  
HELP\_TEXT.....RIGHT NECK  
ID.....{907E90CD-87BF-073D-AF76-EA11ABE7FC3C}  
TERM.....R NECK

DATA VALUE: R NEPHROSTOMY

---

ABBREVIATION.....R NEPHROST  
ACTIVE.....Yes  
DESCRIPTION.....Right Nephrostomy  
DISPLAY\_NAME.....R Nephrostomy  
HELP\_TEXT.....Right Nephrostomy  
ID.....{33661137-688D-5611-4368-B1DFD8DB1469}  
TERM.....R NEPHROSTOMY

DATA VALUE: R ON T PVC

---

ABBREVIATION.....RonTPVC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....R on T PVC  
HELP\_TEXT.....  
ID.....{D51B6022-1EB5-45A6-93D1-AB3363B93B1B}  
TERM.....R ON T PVC

DATA VALUE: R STENT

---

ABBREVIATION.....RT. STENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Stent  
HELP\_TEXT.....No Help Text  
ID.....{6D0EED3B-1F08-11D2-165D-97A9F58327D5}  
TERM.....R STENT

DATA VALUE: RAD TECH

---

ABBREVIATION.....Rad Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rad Tech  
HELP\_TEXT.....  
ID.....{EEA2A91A-DD5A-4062-9DCD-6A909220ABD9}  
TERM.....RAD TECH

DATA VALUE: RADIAL ABNORMAL

---

ABBREVIATION.....RadiaAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Radial Abnormal  
HELP\_TEXT.....  
ID.....{EBF29148-25B1-4B36-A30D-AF1398535653}  
TERM.....RADIAL ABNORMAL

DATA VALUE: RADIAL WNL

---

ABBREVIATION.....RadialWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Radial WNL  
HELP\_TEXT.....  
ID.....{14392949-BB74-407B-A307-F28C1FCFBF03}  
TERM.....RADIAL WNL

DATA VALUE: RADIATING

---

ABBREVIATION.....RADIATING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Radiating  
HELP\_TEXT.....No Help Text  
ID.....{B6807939-F809-45C1-912A-ADEF2E0DB0DC}  
TERM.....RADIATING

DATA VALUE: RADIATION

---

ABBREVIATION.....Radiation  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Radiation  
HELP\_TEXT.....  
ID.....{D417338D-3C28-4111-9112-C91761FE88EA}  
TERM.....RADIATION

DATA VALUE: RADIATION SEEDS

---

ABBREVIATION.....RadSeeds  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Radiation Seeds  
HELP\_TEXT.....  
ID.....{9285EFB0-3DEA-4E2E-BD0D-C34248065F1F}  
TERM.....RADIATION SEEDS

DATA VALUE: RADIOLOGY

---

ABBREVIATION.....Radiology  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Radiology  
HELP\_TEXT.....  
ID.....{AF29AA13-EAA2-4B72-AA9E-994B5CCC4705}  
TERM.....RADIOLOGY

DATA VALUE: RAMSAY ANXIOUS

---

ABBREVIATION.....RAM ANXIOU  
ACTIVE.....Yes  
DESCRIPTION.....Anxious, agitated, or restless  
DISPLAY\_NAME.....1 - Anxious  
HELP\_TEXT.....Anxious, agitated, or restless  
ID.....{88205A0C-7065-4616-8FCF-75059462DD15}  
TERM.....RAMSAY ANXIOUS

DATA VALUE: RAMSAY ASLEEP BRISK RESPONSE

---

ABBREVIATION.....RAM ASL BR  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; brisk response to light  
glabellar tap or loud auditory  
stimulus  
DISPLAY\_NAME.....4 - Asleep; Brisk Response  
HELP\_TEXT.....Asleep; brisk response to light  
glabellar tap or loud auditory  
stimulus  
ID.....{00F4A117-F9E7-4B60-A521-F2E8725AECD3}  
TERM.....RAMSAY ASLEEP BRISK RESPONSE

DATA VALUE: RAMSAY ASLEEP NO RESPONSE

---

ABBREVIATION.....RAM ASL NO  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; no response to painful stimuli  
DISPLAY\_NAME.....6 - Asleep No Response  
HELP\_TEXT.....Asleep; no response to painful stimuli  
ID.....{3FF5BA0A-2D3C-4935-A432-23DAA4761AB7}  
TERM.....RAMSAY ASLEEP NO RESPONSE

DATA VALUE: RAMSAY ASLEEP SLUGGISH

---

ABBREVIATION.....RAM ASL SL  
ACTIVE.....Yes  
DESCRIPTION.....Asleep; sluggish response to light  
glabellar tap or loud auditory  
stimulus  
DISPLAY\_NAME.....5 - Asleep Sluggish Response  
HELP\_TEXT.....Asleep; sluggish response to light  
glabellar tap or loud auditory  
stimulus  
ID.....{AA61604F-00F9-4103-B27F-E817FBC9577B}  
TERM.....RAMSAY ASLEEP SLUGGISH

DATA VALUE: RAMSAY COOPERATIVE

---

ABBREVIATION.....RAM COOPER  
ACTIVE.....Yes  
DESCRIPTION.....Cooperative, oriented, and tranquil  
DISPLAY\_NAME.....2 - Cooperative  
HELP\_TEXT.....Cooperative, oriented, and tranquil  
ID.....{56846ADA-0F0E-44AA-9779-A567B9D24C4F}  
TERM.....RAMSAY COOPERATIVE

DATA VALUE: RAMSAY SEDATED

---

ABBREVIATION.....RAM SEDATE  
ACTIVE.....Yes  
DESCRIPTION.....Sedated but responds to commands  
DISPLAY\_NAME.....3 - Sedated But Responds  
HELP\_TEXT.....Sedated but responds to commands  
ID.....{CC12405F-60DB-485F-94E5-78C1EB32AB74}  
TERM.....RAMSAY SEDATED

DATA VALUE: RASH/EXFOLIATION

---

ABBREVIATION.....RASH/EXFOL  
ACTIVE.....Yes  
DESCRIPTION.....Rash / Exfoliation  
DISPLAY\_NAME.....Rash / Exfoliation  
HELP\_TEXT.....No Help Text  
ID.....{AB83ABA9-28A7-6484-67E7-4E66B5526942}  
TERM.....RASH/EXFOLIATION

DATA VALUE: RATE ADAPTIVE

---

ABBREVIATION.....RateAdapt  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rate Adaptive  
HELP\_TEXT.....  
ID.....{448A668D-9036-4D22-9921-8172C996FBFE}  
TERM.....RATE ADAPTIVE

DATA VALUE: REACTIVE

---

ABBREVIATION.....Reactive  
ACTIVE.....Yes  
DESCRIPTION.....Reactive  
DISPLAY\_NAME.....Reactive  
HELP\_TEXT.....No Help Text  
ID.....{31B44ADB-0000-A5B0-5F56-59D4A08C05D2}  
TERM.....REACTIVE

DATA VALUE: REALITY ORIENTATION

---

ABBREVIATION.....R.E. REALI  
ACTIVE.....Yes  
DESCRIPTION.....None  
DISPLAY\_NAME.....Reality Orientation  
HELP\_TEXT.....None  
ID.....{221C363C-2261-40FC-8400-8B1D2E693F69}  
TERM.....REALITY ORIENTATION

DATA VALUE: RECTAL TUBE

-----  
ABBREVIATION.....RectalTube  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rectal Tube  
HELP\_TEXT.....  
ID.....{D5C228DB-532A-48EC-AF25-CEC20EB2818F}  
TERM.....RECTAL TUBE

DATA VALUE: RED

-----  
ABBREVIATION.....RED  
ACTIVE.....Yes  
DESCRIPTION.....The color red  
DISPLAY\_NAME.....Red  
HELP\_TEXT.....The color red  
ID.....{515D7CFB-3527-30E7-EC4B-B607C272DFA0}  
TERM.....RED

DATA VALUE: RED/GRANULATING

-----  
ABBREVIATION.....RED/GRANUL  
ACTIVE.....Yes  
DESCRIPTION.....Red / Granulating  
DISPLAY\_NAME.....Red / Granulating  
HELP\_TEXT.....No Help Text  
ID.....{BB69D2A2-7807-490A-B21D-77B6677796F6}  
TERM.....RED/GRANULATING

DATA VALUE: REDDENING OF THE SKIN

-----  
ABBREVIATION.....RED O SKIN  
ACTIVE.....Yes  
DESCRIPTION.....Reddening Of The Skin  
DISPLAY\_NAME.....Reddening Of The Skin  
HELP\_TEXT.....No Help Text  
ID.....{716AEC57-0835-4D07-A78C-D8453599A3D2}  
TERM.....REDDENING OF THE SKIN

DATA VALUE: REDIRECT PATIENT ACTIVITY

-----  
ABBREVIATION.....REDIR ACT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Redirect Patient Activity  
HELP\_TEXT.....No Help Text  
ID.....{BFF0ABB1-953A-4275-9EF2-08BFF660AA8D}  
TERM.....REDIRECT PATIENT ACTIVITY

DATA VALUE: REDNESS

-----  
ABBREVIATION.....Redness  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Redness  
HELP\_TEXT.....  
ID.....{47BD43B7-3CFB-42A5-BDE6-9F7EEC9CDCA7}  
TERM.....REDNESS

DATA VALUE: REFERRAL/CONSULT COMPLETED

-----  
ABBREVIATION.....RefCompleter  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Referral/Consult Completed  
HELP\_TEXT.....  
ID.....{134BF9DB-44C6-4E70-B5E0-4FDE739A5013}  
TERM.....REFERRAL/CONSULT COMPLETED

DATA VALUE: REFERRAL/CONSULT ENTERED

-----  
ABBREVIATION.....RefEntered  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Referral/Consult Entered  
HELP\_TEXT.....  
ID.....{EBFFDD51-31F4-4B85-8A69-72558D2D3D80}  
TERM.....REFERRAL/CONSULT ENTERED

DATA VALUE: REFLEX INTACT

-----  
ABBREVIATION.....r  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reflex Intact  
HELP\_TEXT.....No Help Text  
ID.....{F21585F9-5206-A6B3-2BF6-F416E5842366}  
TERM.....REFLEX INTACT

DATA VALUE: REFUSE MEDICATION

-----  
ABBREVIATION.....REFUSE MED  
ACTIVE.....Yes  
DESCRIPTION.....Refuse Medication  
DISPLAY\_NAME.....Refuse Medication  
HELP\_TEXT.....No Help Text  
ID.....{17D6956B-4CF6-492C-B113-B5A93D9E215E}  
TERM.....REFUSE MEDICATION

DATA VALUE: REFUSE TO MOVE

---

ABBREVIATION.....REF TO MOV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Refuse To Move  
HELP\_TEXT.....No Help Text  
ID.....{E1458CE-2498-4FE8-AB0B-E954DC1696AC}  
TERM.....REFUSE TO MOVE

DATA VALUE: REFUSED

---

ABBREVIATION.....REFUSED  
ACTIVE.....Yes  
DESCRIPTION.....Refused  
DISPLAY\_NAME.....Refused  
HELP\_TEXT.....No Help Text  
ID.....{D5B3E135-4D68-4528-BBC9-6E8A7A997104}  
TERM.....REFUSED

DATA VALUE: REFUSES TO SLEEP

---

ABBREVIATION.....Refuses  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Refuses to Sleep  
HELP\_TEXT.....  
ID.....{3FED23B5-B70F-4808-95B9-4905E60A401A}  
TERM.....REFUSES TO SLEEP

DATA VALUE: REGIONAL BLOCK

---

ABBREVIATION.....Region Blk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Regional Block  
HELP\_TEXT.....  
ID.....{3F829DFC-D3F6-4D08-AACD-A9A29ED82F19}  
TERM.....REGIONAL BLOCK

DATA VALUE: REGISTERED NURSE

---

ABBREVIATION.....RN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....RN  
HELP\_TEXT.....No Help Text  
ID.....{524F344F-FDCD-423F-AD34-291D5DB4271B}  
TERM.....REGISTERED NURSE

DATA VALUE: REGULAR

---

ABBREVIATION.....REGULAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Regular  
HELP\_TEXT.....No Help Text  
ID.....{3D3F3D4C-ECD0-2056-A0D1-43CC2F2BA2C8}  
TERM.....REGULAR

DATA VALUE: REINFORCED

---

ABBREVIATION.....REINFORCED  
ACTIVE.....Yes  
DESCRIPTION.....Dressing has been reinforced  
DISPLAY\_NAME.....Reinforced  
HELP\_TEXT.....No Help Text  
ID.....{EC524C50-0CDE-4AA1-8059-E4323850575E}  
TERM.....REINFORCED

DATA VALUE: RELATIVE

---

ABBREVIATION.....Relative  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Relative  
HELP\_TEXT.....  
ID.....{F4EEB0A5-D25A-45DC-A5AA-BBB7ABA08750}  
TERM.....RELATIVE

DATA VALUE: RELAXED

---

ABBREVIATION.....Relaxed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Relaxed  
HELP\_TEXT.....  
ID.....{B8C15DBC-99FB-4239-8040-C27899120009}  
TERM.....RELAXED

DATA VALUE: RELIGIOUS

---

ABBREVIATION.....RELIGIOUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Religious  
HELP\_TEXT.....No Help Text  
ID.....{936C9949-8A30-4BBF-934C-1F194551B8E2}  
TERM.....RELIGIOUS

DATA VALUE: RELOCATE

---

ABBREVIATION.....R.E. RELO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Relocate Patient  
HELP\_TEXT.....No Help Text  
ID.....{D8165678-ECEF-4F4D-A1C4-C616349E1873}  
TERM.....RELOCATE

DATA VALUE: REMNANT P-WAVE

---

ABBREVIATION.....Remnant P  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Remnant P-Wave  
HELP\_TEXT.....  
ID.....{3BAA695-337E-41C4-BB83-8452917C07DF}  
TERM.....REMNANT P-WAVE

DATA VALUE: REMOVAL

---

ABBREVIATION.....Removal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Removal  
HELP\_TEXT.....  
ID.....{B4B1C2D0-C8DF-42F5-B74A-ABA3895009E7}  
TERM.....REMOVAL

DATA VALUE: REMOVAL CRITERIA

---

ABBREVIATION.....RES ED REM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education On Condition Required For Removal  
HELP\_TEXT.....No Help Text  
ID.....{B19316C8-687B-48FB-9EBC-9857662B9F85}  
TERM.....REMOVAL CRITERIA

DATA VALUE: REMOVE FROM STIM. SETTING

---

ABBREVIATION.....REM SET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Remove From Stimulating Setting  
HELP\_TEXT.....No Help Text  
ID.....{2010BA89-B399-4A30-9ACF-C65AB57B6351}  
TERM.....REMOVE FROM STIM. SETTING

DATA VALUE: REMOVE RECTAL TUBE

-----  
ABBREVIATION.....Rectal Tub  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Remove Rectal Tube  
HELP\_TEXT.....  
ID.....{3D3D75CD-994E-49EE-B51A-8621FF5CA4D8}  
TERM.....REMOVE RECTAL TUBE

DATA VALUE: REMOVED AND CLEANED

-----  
ABBREVIATION.....RemovClean  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Removed and Cleaned  
HELP\_TEXT.....  
ID.....{9884A2E8-7205-4705-8757-FEF6F1B29E37}  
TERM.....REMOVED AND CLEANED

DATA VALUE: RENAL DIET

-----  
ABBREVIATION.....REN DIET  
ACTIVE.....Yes  
DESCRIPTION.....Renal Diet  
DISPLAY\_NAME.....Renal Diet  
HELP\_TEXT.....No Help Text  
ID.....{089DCCC2-B12B-4E3B-8D12-FCA5E974A55A}  
TERM.....RENAL DIET

DATA VALUE: REORIENTED TO ENVIRONMENT

-----  
ABBREVIATION.....REORIENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reoriented To Environment  
HELP\_TEXT.....No Help Text  
ID.....{4C47B764-4BA7-4D71-9B0B-D42F120E9A4A}  
TERM.....REORIENTED TO ENVIRONMENT

DATA VALUE: REPETITIVE

-----  
ABBREVIATION.....Repetitive  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Repetitive  
HELP\_TEXT.....  
ID.....{49B13886-E18C-42A8-90AD-31A6844CD473}  
TERM.....REPETITIVE

DATA VALUE: REPIRATORY DEPRESSION

-----  
ABBREVIATION.....Resp Depr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiratory Depression  
HELP\_TEXT.....  
ID.....{7FE6D54C-1D7E-4028-B84C-E8EC416F9104}  
TERM.....REPIRATORY DEPRESSION

DATA VALUE: REPORTED

-----  
ABBREVIATION.....REPORTED  
ACTIVE.....Yes  
DESCRIPTION.....Reported as having happened  
DISPLAY\_NAME.....Reported  
HELP\_TEXT.....No Help Text  
ID.....{1D13BAC5-D8F9-455C-B815-8E256943492E}  
TERM.....REPORTED

DATA VALUE: REPOSITION

-----  
ABBREVIATION.....REPOSITION  
ACTIVE.....Yes  
DESCRIPTION.....Reposition  
DISPLAY\_NAME.....Reposition  
HELP\_TEXT.....No Help Text  
ID.....{DF3039CA-5977-4454-81D4-DB0AF966F85D}  
TERM.....REPOSITION

DATA VALUE: REQUEST FOR MORE MEDICATION

-----  
ABBREVIATION.....REQ MOR ME  
ACTIVE.....Yes  
DESCRIPTION.....Request For More Medication  
DISPLAY\_NAME.....Request For More Medication  
HELP\_TEXT.....No Help Text  
ID.....{0639081C-BEEC-4CAD-B420-5F2C4DBA38D0}  
TERM.....REQUEST FOR MORE MEDICATION

DATA VALUE: RES LRM: DEVICE ACCESS

-----  
ABBREVIATION.....RLRM ACCE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Prevent Access To Medical Devices  
HELP\_TEXT.....No Help Text  
ID.....{1662F5E1-30E7-4E8A-BCC5-1738868435B8}  
TERM.....RES LRM: DEVICE ACCESS

DATA VALUE: RES LRM: LIMIT SETTING

-----  
ABBREVIATION.....RLRM SETT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limit Setting  
HELP\_TEXT.....No Help Text  
ID.....{96417DDF-8562-4EFF-B4F6-0933FD91CD36}  
TERM.....RES LRM: LIMIT SETTING

DATA VALUE: RES LRM: PRN MEDS

-----  
ABBREVIATION.....RLRM: MEDS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Offer PRN Meds  
HELP\_TEXT.....No Help Text  
ID.....{CDF02FA3-FC72-4CCC-8197-41710A69A2CB}  
TERM.....RES LRM: PRN MEDS

DATA VALUE: RES LRM: REDIRECT

-----  
ABBREVIATION.....RLRM REDI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Redirect Patient Activity  
HELP\_TEXT.....No Help Text  
ID.....{07DE67AF-E226-4794-ADF5-17E9C56C9FDF}  
TERM.....RES LRM: REDIRECT

DATA VALUE: RES LRM: REMOVE FROM SETTING

-----  
ABBREVIATION.....RLRM REMO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Remove From Stimulating Setting  
HELP\_TEXT.....No Help Text  
ID.....{857DBF6E-7EFF-4F07-9AC1-7FDB37CC7618}  
TERM.....RES LRM: REMOVE FROM SETTING

DATA VALUE: RES LRM: REORIENT

-----  
ABBREVIATION.....RLRM REOR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reoriented To Environment  
HELP\_TEXT.....No Help Text  
ID.....{DFCC8245-180D-4F3F-AEFC-5D55AFDDC46D}  
TERM.....RES LRM: REORIENT

DATA VALUE: RES LRM: SUPERVISION

-----  
ABBREVIATION.....RLRM SUPR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....One To One Supervision  
HELP\_TEXT.....No Help Text  
ID.....{18FA8CB0-0155-4D1C-9B14-AE51A0C06280}  
TERM.....RES LRM: SUPERVISION

DATA VALUE: RES LRM: VERBAL DE-ESCALATION

-----  
ABBREVIATION.....RLRM VERB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Verbal De-escalation  
HELP\_TEXT.....No Help Text  
ID.....{CE8618C8-CAD7-4C74-8566-ACB5E66B082C}  
TERM.....RES LRM: VERBAL DE-ESCALATION

DATA VALUE: RES LRM: VERBAL REMINDERS

-----  
ABBREVIATION.....RLRM REMI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Frequent Verbal Reminders  
HELP\_TEXT.....No Help Text  
ID.....{987B5A32-DE2E-47E5-9B06-1AEE86096AB2}  
TERM.....RES LRM: VERBAL REMINDERS

DATA VALUE: RESOURCE BREEZE

-----  
ABBREVIATION.....Re Breeze  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resource Breeze  
HELP\_TEXT.....  
ID.....{D3A38687-AD62-4E1D-A945-1201168E1CF6}  
TERM.....RESOURCE BREEZE

DATA VALUE: RESOURCE DM

-----  
ABBREVIATION.....Re Dm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resource Dm  
HELP\_TEXT.....  
ID.....{C9D4A461-81F9-4392-98DA-129B00E5807F}  
TERM.....RESOURCE DM

DATA VALUE: RESP TECH

---

ABBREVIATION.....Resp Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resp Tech  
HELP\_TEXT.....  
ID.....{8A7BA130-3EDC-4D07-A852-846B37399FC9}  
TERM.....RESP TECH

DATA VALUE: RESPIRATION

---

ABBREVIATION.....Respiratio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiration  
HELP\_TEXT.....  
ID.....{5D6198F0-FE26-4F94-9118-D49A7EC44017}  
TERM.....RESPIRATION

DATA VALUE: RESPIRATORY COMPROMISE

---

ABBREVIATION.....RespComp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiratory Compromise  
HELP\_TEXT.....  
ID.....{AC2F0B61-0554-40AA-BAB9-0F91AEE36E01}  
TERM.....RESPIRATORY COMPROMISE

DATA VALUE: RESPIRATORY DEPRESSION

---

ABBREVIATION.....Resp Depr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respiratory Depression  
HELP\_TEXT.....  
ID.....{A4801B08-0A98-4FDB-B075-C8D84DEAD5A0}  
TERM.....RESPIRATORY DEPRESSION

DATA VALUE: RESPONDS APPROPRIATELY TO STIMULI

---

ABBREVIATION.....RespStimu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Responds Appropriately to Stimuli  
HELP\_TEXT.....  
ID.....{415ED546-53B7-46C0-94F2-493DB8DBC58A}  
TERM.....RESPONDS APPROPRIATELY TO STIMULI

DATA VALUE: RESTING

---

ABBREVIATION.....Resting  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resting  
HELP\_TEXT.....  
ID.....{D750373F-12E2-4D95-AF0D-F7731905F723}  
TERM.....RESTING

DATA VALUE: RESTING RESPIRATORY RATE BASELINE OR ABOVE

---

ABBREVIATION.....Rest Base  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Resting Respiratory Rate Baseline or  
Above  
HELP\_TEXT.....  
ID.....{C3447D0F-AB90-4FA4-A2A2-7681B065AF07}  
TERM.....RESTING RESPIRATORY RATE BASELINE OR  
ABOVE

DATA VALUE: RESTLESS

---

ABBREVIATION.....r  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Restless  
HELP\_TEXT.....No Help Text  
ID.....{8FCCAD26-DBA0-7067-DA72-30D342BFA8E8}  
TERM.....RESTLESS

DATA VALUE: RESTLESS AGITATED MOTOR MOVEMENTS

---

ABBREVIATION.....Restless  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Restless Agitated Motor Movements  
HELP\_TEXT.....  
ID.....{597EFABF-5512-4975-B8CA-7ABDA46F1419}  
TERM.....RESTLESS AGITATED MOTOR MOVEMENTS

DATA VALUE: RESTLESS SLEEP

---

ABBREVIATION.....Restless  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Restless Sleep  
HELP\_TEXT.....  
ID.....{02B4E095-D74A-40C3-A45A-138227253840}  
TERM.....RESTLESS SLEEP

DATA VALUE: RESTRAINT

---

ABBREVIATION.....RESTRAINT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Restraint  
HELP\_TEXT.....No Help Text  
ID.....{0429322D-A987-4913-B64D-A6414645B214}  
TERM.....RESTRAINT

DATA VALUE: RESTRAINT BILATERAL ANKLE

---

ABBREVIATION.....RES BI ANK  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Ankle Restraint  
DISPLAY\_NAME.....Bilateral Ankle  
HELP\_TEXT.....No Help Text  
ID.....{8A0B0DE5-E652-40E7-9B67-2F4D27685A68}  
TERM.....RESTRAINT BILATERAL ANKLE

DATA VALUE: RESTRAINT BILATERAL HAND MITT

---

ABBREVIATION.....RES BI H M  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Hand Mitt Restraint  
DISPLAY\_NAME.....Bilateral Hand Mitt  
HELP\_TEXT.....No Help Text  
ID.....{5E293110-1235-4307-80C2-0FFFA007E1DA}  
TERM.....RESTRAINT BILATERAL HAND MITT

DATA VALUE: RESTRAINT GERI CHAIR

---

ABBREVIATION.....RES GERI C  
ACTIVE.....Yes  
DESCRIPTION.....Geri Chair Restraint  
DISPLAY\_NAME.....Geri Chair  
HELP\_TEXT.....No Help Text  
ID.....{6B8F87BB-C2AB-4D92-AE04-24F19B26D2F1}  
TERM.....RESTRAINT GERI CHAIR

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER

---

ABBREVIATION.....RES H PL/L  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather  
HELP\_TEXT.....No Help Text  
ID.....{9BB528F4-7016-4030-B73F-4037ADF2621D}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 2 POINT

-----  
ABBREVIATION.....RES P/L 2P  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather 2 Point Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather 2 Point  
HELP\_TEXT.....No Help Text  
ID.....{17CB8739-612A-4319-946A-2062C5245C90}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER 2 POINT

DATA VALUE: RESTRAINT HARD PLASTIC/LEATHER 4 POINT

-----  
ABBREVIATION.....RES P/L 4P  
ACTIVE.....Yes  
DESCRIPTION.....Hard Plastic/Leather 4 Point Restraint  
DISPLAY\_NAME.....Hard Plastic/Leather 4 Point  
HELP\_TEXT.....No Help Text  
ID.....{94DFD0BA-E941-4B09-8FD7-87E9AD7C7E6F}  
TERM.....RESTRAINT HARD PLASTIC/LEATHER 4 POINT

DATA VALUE: RESTRAINT ONE ARM

-----  
ABBREVIATION.....RES ONE AR  
ACTIVE.....Yes  
DESCRIPTION.....One Arm Restraint  
DISPLAY\_NAME.....One Arm  
HELP\_TEXT.....No Help Text  
ID.....{839914DA-6D63-43EB-961E-70DA56737A92}  
TERM.....RESTRAINT ONE ARM

DATA VALUE: RESTRAINT ONE LEG

-----  
ABBREVIATION.....RES ONE LE  
ACTIVE.....Yes  
DESCRIPTION.....One Leg Restraint  
DISPLAY\_NAME.....One Leg  
HELP\_TEXT.....No Help Text  
ID.....{2790F0FC-B49A-4C99-9968-BCADD7CC63AC}  
TERM.....RESTRAINT ONE LEG

DATA VALUE: RESTRAINT SINGLE HAND MITT

-----  
ABBREVIATION.....RES S HA M  
ACTIVE.....Yes  
DESCRIPTION.....Single Hand Mitt Restraint  
DISPLAY\_NAME.....Single Hand Mitt  
HELP\_TEXT.....No Help Text  
ID.....{A5F1D037-FB5E-402B-9F25-22DE48404D57}  
TERM.....RESTRAINT SINGLE HAND MITT

DATA VALUE: RESTRAINT SOFT

---

ABBREVIATION.....RESTR SOFT  
ACTIVE.....Yes  
DESCRIPTION.....Soft Restraint  
DISPLAY\_NAME.....Soft Restraint  
HELP\_TEXT.....No Help Text  
ID.....{C02CAC4B-5E9C-4060-BECD-0C0820EDA39B}  
TERM.....RESTRAINT SOFT

DATA VALUE: RESTRAINT SOFT 2 POINT

---

ABBREVIATION.....RES S2POIN  
ACTIVE.....Yes  
DESCRIPTION.....Soft 2 Point Restraint  
DISPLAY\_NAME.....Soft Restraint 2 Point  
HELP\_TEXT.....No Help Text  
ID.....{66B71CFE-2603-40C9-9625-24448012BAB5}  
TERM.....RESTRAINT SOFT 2 POINT

DATA VALUE: RESTRAINT SOFT 4 POINT

---

ABBREVIATION.....RES S4POIN  
ACTIVE.....Yes  
DESCRIPTION.....Soft 4 Point Restraint  
DISPLAY\_NAME.....Soft Restraint 4 Point  
HELP\_TEXT.....No Help Text  
ID.....{6820E997-60A0-4802-BE26-CA29B4F48F32}  
TERM.....RESTRAINT SOFT 4 POINT

DATA VALUE: RESTRAINT SOFT ARMS + LOCKED WAIST

---

ABBREVIATION.....RES S A+LW  
ACTIVE.....Yes  
DESCRIPTION.....Soft Arms + Locked Waist Restraint  
DISPLAY\_NAME.....Soft Arms + Locked Waist  
HELP\_TEXT.....No Help Text  
ID.....{C480D67C-958C-42F9-9203-98E2F2BDBEC8}  
TERM.....RESTRAINT SOFT ARMS + LOCKED WAIST

DATA VALUE: RESTRAINT SOFT ARMS + WAIST

---

ABBREVIATION.....RES S A+W  
ACTIVE.....Yes  
DESCRIPTION.....Soft Arms + Waist Restraints  
DISPLAY\_NAME.....Soft Arms + Waist  
HELP\_TEXT.....No Help Text  
ID.....{4A322BB6-0F63-4BB7-9290-C0655BD7D772}  
TERM.....RESTRAINT SOFT ARMS + WAIST

DATA VALUE: RESTRAINT STRAP

---

ABBREVIATION.....RES STRAP  
ACTIVE.....Yes  
DESCRIPTION.....Restraint Strap  
DISPLAY\_NAME.....Restraint Strap  
HELP\_TEXT.....No Help Text  
ID.....{642FDACE-B320-42BC-9514-F5FCD6583B19}  
TERM.....RESTRAINT STRAP

DATA VALUE: RESTRAINT TYPE

---

ABBREVIATION.....RES ED TY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education Rational For Type Of  
                  Restraint  
HELP\_TEXT.....No Help Text  
ID.....{5560A332-C365-4DAF-BA33-610C4AE301F5}  
TERM.....RESTRAINT TYPE

DATA VALUE: RESTRAINT VEST

---

ABBREVIATION.....RES VEST  
ACTIVE.....Yes  
DESCRIPTION.....Restraint Vest  
DISPLAY\_NAME.....Restraint Vest  
HELP\_TEXT.....No Help Text  
ID.....{643378B2-86D7-4DB7-93ED-9DCE16D85E27}  
TERM.....RESTRAINT VEST

DATA VALUE: RESTRAINT WAIST

---

ABBREVIATION.....RES WAIST  
ACTIVE.....Yes  
DESCRIPTION.....Waist  
DISPLAY\_NAME.....Waist  
HELP\_TEXT.....No Help Text  
ID.....{253E2757-5A57-4410-9C0E-F4A907A1EC16}  
TERM.....RESTRAINT WAIST

DATA VALUE: RESTRAINT WAIST LOCKED

---

ABBREVIATION.....RES WAI LO  
ACTIVE.....Yes  
DESCRIPTION.....Waist Locked Restraint  
DISPLAY\_NAME.....Waist Locked  
HELP\_TEXT.....No Help Text  
ID.....{1EE7AB42-CE17-4D49-849B-CA550966E58C}  
TERM.....RESTRAINT WAIST LOCKED

DATA VALUE: RESTRAINT WRIST

---

ABBREVIATION.....RES WRIST  
ACTIVE.....Yes  
DESCRIPTION.....Wrist Restraint  
DISPLAY\_NAME.....Restraint Wrist  
HELP\_TEXT.....No Help Text  
ID.....{03038E52-A66F-4EC0-8DC1-7B0BB596FFC0}  
TERM.....RESTRAINT WRIST

DATA VALUE: RESTRAINTS BROCHURE

---

ABBREVIATION.....RES BRO P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Education Brochure Provided  
HELP\_TEXT.....No Help Text  
ID.....{1E54C2A1-8B8D-4F0D-B247-91E19722CDED}  
TERM.....RESTRAINTS BROCHURE

DATA VALUE: RESTRAINTS EXPLAINED

---

ABBREVIATION.....RES EXPL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Explain Why Restraints Applied  
HELP\_TEXT.....No Help Text  
ID.....{1C063DD2-C4A3-4027-A245-6DD51DF5A3E9}  
TERM.....RESTRAINTS EXPLAINED

DATA VALUE: RESTRAINTS LIMIT SETTING

---

ABBREVIATION.....RES LIM SE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Limit Setting  
HELP\_TEXT.....No Help Text  
ID.....{F97BA57E-ED33-D6FE-5E35-E6EFB0625773}  
TERM.....RESTRAINTS LIMIT SETTING

DATA VALUE: RESTRAINTS TIME LIMIT

---

ABBREVIATION.....RES TIME L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Time Limit On Restraints  
HELP\_TEXT.....No Help Text  
ID.....{513B483E-AD7B-4B1A-BD01-91133C605C3C}  
TERM.....RESTRAINTS TIME LIMIT

DATA VALUE: RESTRICTED DIET

---

ABBREVIATION.....Restr Diet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Restricted Diet  
HELP\_TEXT.....  
ID.....{483DD2C0-2E1D-4886-B702-5A951225DE8B}  
TERM.....RESTRICTED DIET

DATA VALUE: RESTRICTED EXTREMITY

---

ABBREVIATION.....Res Extrem  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Restricted Extremity  
HELP\_TEXT.....  
ID.....{7BC82415-996E-46F2-B2BC-DF0705AD2AA3}  
TERM.....RESTRICTED EXTREMITY

DATA VALUE: RETCHING

---

ABBREVIATION.....Retching  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Retching  
HELP\_TEXT.....  
ID.....{4C3AFFD1-2F4D-4A48-8B42-567B2445DCD8}  
TERM.....RETCHING

DATA VALUE: RETURN DEMONSTRATION REINFORCED

---

ABBREVIATION.....RetDemoRe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Return Demonstration Reinforced  
HELP\_TEXT.....  
ID.....{C98AC84C-8D8B-4908-ACFF-1923F852F9EF}  
TERM.....RETURN DEMONSTRATION REINFORCED

DATA VALUE: RETURN DEMONSTRATION SUCCESSFUL

---

ABBREVIATION.....InDemoSucc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Return Demonstration Successful  
HELP\_TEXT.....  
ID.....{14D5F114-6B1B-42E4-92E9-A60A84F66B71}  
TERM.....RETURN DEMONSTRATION SUCCESSFUL

DATA VALUE: RHONCHI

-----  
ABBREVIATION.....RHONCHI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rhonchi  
HELP\_TEXT.....No Help Text  
ID.....{850A9D2A-2F7F-A812-3D56-EE0948B0A0CC}  
TERM.....RHONCHI

DATA VALUE: RIGHT

-----  
ABBREVIATION.....RIGHT  
ACTIVE.....Yes  
DESCRIPTION.....Right  
DISPLAY\_NAME.....Right  
HELP\_TEXT.....No Help Text  
ID.....{AB74C579-DF14-4D7B-A9EF-5F119089F976}  
TERM.....RIGHT

DATA VALUE: RIGHT NARIS

-----  
ABBREVIATION.....RightNaris  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Naris  
HELP\_TEXT.....  
ID.....{81196134-EDC9-4C8A-8231-FE2069D027A0}  
TERM.....RIGHT NARIS

DATA VALUE: RIGID

-----  
ABBREVIATION.....Rigid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rigid  
HELP\_TEXT.....  
ID.....{2D1427D1-3D9A-41B8-817F-D391B77A1E70}  
TERM.....RIGID

DATA VALUE: RIGID HEEL SPLINT

-----  
ABBREVIATION.....RIG HEEL S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rigid Heel Splint  
HELP\_TEXT.....No Help Text  
ID.....{5A231387-9FAC-4B2D-94D6-5DF4312E9AF8}  
TERM.....RIGID HEEL SPLINT

DATA VALUE: RIVAROXABAN

---

ABBREVIATION.....Rivaroxaba  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rivaroxaban  
HELP\_TEXT.....  
ID.....{6E8077CE-2BD7-4607-9944-6EF6DBFFA264}  
TERM.....RIVAROXABAN

DATA VALUE: RN

---

ABBREVIATION.....RN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....RN  
HELP\_TEXT.....  
ID.....{A103E506-EAA5-4777-8126-268CD723AD87}  
TERM.....RN

DATA VALUE: ROPIVICAINE

---

ABBREVIATION.....Ropivicain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ropivicaine  
HELP\_TEXT.....  
ID.....{911BE8BC-6737-4DBF-96AF-A501D3D54493}  
TERM.....ROPIVICAINE

DATA VALUE: ROTATION

---

ABBREVIATION.....Rotation  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rotation  
HELP\_TEXT.....  
ID.....{B35FBCB8-79A0-4FF9-9220-4811865EB5FE}  
TERM.....ROTATION

DATA VALUE: ROTATION DISK

---

ABBREVIATION.....RotatDisk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rotation Disk  
HELP\_TEXT.....  
ID.....{F2E52737-DEA5-4ACD-A9A6-3018F7FB3C3B}  
TERM.....ROTATION DISK

DATA VALUE: ROTATIONAL THERAPY

---

ABBREVIATION.....ROT THERAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rotational Therapy  
HELP\_TEXT.....No Help Text  
ID.....{BB795594-720C-40D7-9B7C-6792BC849DA0}  
TERM.....ROTATIONAL THERAPY

DATA VALUE: ROUND

---

ABBREVIATION.....ROUND  
ACTIVE.....Yes  
DESCRIPTION.....Round  
DISPLAY\_NAME.....Round  
HELP\_TEXT.....No Help Text  
ID.....{E8E741F1-F0C5-4B77-B014-63B545BED755}  
TERM.....ROUND

DATA VALUE: RS

---

ABBREVIATION.....RS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....RS  
HELP\_TEXT.....  
ID.....{33E44A2C-52B1-4CE4-A7B0-FE85151A555F}  
TERM.....RS

DATA VALUE: RSr'

---

ABBREVIATION.....RSr'  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....RSr'  
HELP\_TEXT.....  
ID.....{0A4406E8-D4FD-4735-8A75-EF76FB2F9C00}  
TERM.....RSr'

DATA VALUE: RT

---

ABBREVIATION.....RT  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....RT  
HELP\_TEXT.....  
ID.....{6E374EFA-B7CE-44C2-ADCE-DF9C132E951E}  
TERM.....RT

DATA VALUE: RUB

---

ABBREVIATION.....r  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rub  
HELP\_TEXT.....No Help Text  
ID.....{0040835D-1CF0-7D55-EEBB-A94A1E0D1206}  
TERM.....RUB

DATA VALUE: RUMINATIONS

---

ABBREVIATION.....Rumination  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ruminations  
HELP\_TEXT.....  
ID.....{E5BE154D-AE5F-4655-9811-E30E568BD5E4}  
TERM.....RUMINATIONS

DATA VALUE: RUNS OF VT

---

ABBREVIATION.....Runs of VT  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Runs of VT  
HELP\_TEXT.....  
ID.....{3BA2FF31-1A56-4B4B-AC13-E8608BC3FCC2}  
TERM.....RUNS OF VT

DATA VALUE: S = SLEEP, EASY TO AROUSE

---

ABBREVIATION.....POSS Sleep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....S = Sleep, Easy to Arouse  
HELP\_TEXT.....  
ID.....{9AB0CB97-1451-401E-9245-445132934C3B}  
TERM.....S = SLEEP, EASY TO AROUSE

DATA VALUE: S1

---

ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S1  
HELP\_TEXT.....No Help Text  
ID.....{1AB9DF0A-8238-E8FB-8520-4749E13DDE1D}  
TERM.....S1

DATA VALUE: S2

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S2  
HELP\_TEXT.....No Help Text  
ID.....{57C043D3-B227-3E7A-C1E6-5129A2800718}  
TERM.....S2

DATA VALUE: S3

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S3  
HELP\_TEXT.....No Help Text  
ID.....{9374B57F-DE1F-B9C4-26B5-2DD6B194DC26}  
TERM.....S3

DATA VALUE: S4

-----  
ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....S4  
HELP\_TEXT.....No Help Text  
ID.....{9C6CA302-85B6-8FFC-EAB4-8FED62C535A5}  
TERM.....S4

DATA VALUE: SAD

-----  
ABBREVIATION.....Sad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sad  
HELP\_TEXT.....  
ID.....{08AA475D-1016-4530-BE03-19AA4581B0A2}  
TERM.....SAD

DATA VALUE: SAFETY

-----  
ABBREVIATION.....SAFETY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Safety  
HELP\_TEXT.....No Help Text  
ID.....{AD905A8F-33BD-4EFE-929E-A2B575797402}  
TERM.....SAFETY

DATA VALUE: SAFETY CHECK

---

ABBREVIATION.....SafetyChec  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Safety Check  
HELP\_TEXT.....  
ID.....{E9945D8D-A4D6-4A48-8CB0-1812707B150A}  
TERM.....SAFETY CHECK

DATA VALUE: SALINE LOCK

---

ABBREVIATION.....SALIN LOCK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Saline Lock  
HELP\_TEXT.....No Help Text  
ID.....{A94D7639-2A45-4319-A6C7-5A892AA6B1F4}  
TERM.....SALINE LOCK

DATA VALUE: SALINE MOIST DRESSING

---

ABBREVIATION.....SAL MOI DR  
ACTIVE.....Yes  
DESCRIPTION.....Saline Moist Dressing  
DISPLAY\_NAME.....Saline Moist Dressing  
HELP\_TEXT.....No Help Text  
ID.....{19F98514-8ABF-461C-9969-C31177FE7DE7}  
TERM.....SALINE MOIST DRESSING

DATA VALUE: SANDOSOURCE PEPTIDE

---

ABBREVIATION.....SAND PEPTI  
ACTIVE.....Yes  
DESCRIPTION.....Sandosource Peptide Enteral Nutrition  
    Formula  
DISPLAY\_NAME.....Sandosource Peptide Enteral Nutrition  
    Formula  
HELP\_TEXT.....No Help Text  
ID.....{0EF43998-4ED4-47F5-ACC6-5A977B6F9997}  
TERM.....SANDOSOURCE PEPTIDE

DATA VALUE: SCANT

---

ABBREVIATION.....SCANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....No Help Text  
ID.....{8EF6C62D-0D94-37BB-60AD-86E306E8120D}  
TERM.....SCANT

DATA VALUE: SCAPHOID

-----  
ABBREVIATION.....SCAPHOID  
ACTIVE.....Yes  
DESCRIPTION.....Scaphoid  
DISPLAY\_NAME.....Scaphoid  
HELP\_TEXT.....No Help Text  
ID.....{1BE93489-42FC-44EB-8D07-87F4224979F3}  
TERM.....SCAPHOID

DATA VALUE: SCDs

-----  
ABBREVIATION.....SCDs  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....SCDs  
HELP\_TEXT.....  
ID.....{82284FAA-38C3-4DFD-9CE9-12C1E44C04FF}  
TERM.....SCDs

DATA VALUE: SCHEDULED TOILETING

-----  
ABBREVIATION.....Sched Toil  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Scheduled toileting  
HELP\_TEXT.....  
ID.....{8743BCF8-0EDC-40E6-B158-A62FCAAD559D}  
TERM.....SCHEDULED TOILETING

DATA VALUE: SCISSORING (BILATERAL CIRCUMDUCTION)

-----  
ABBREVIATION.....Scissoring  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Scissoring (Bilateral Circumduction)  
HELP\_TEXT.....  
ID.....{94CEEBD0-ADD0-4165-98C2-34318E443446}  
TERM.....SCISSORING (BILATERAL CIRCUMDUCTION)

DATA VALUE: SCOLIOSIS

-----  
ABBREVIATION.....Scoliosis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Scoliosis  
HELP\_TEXT.....  
ID.....{FF6A5E75-C555-48F4-ABB3-178EFAF159A0}  
TERM.....SCOLIOSIS

DATA VALUE: SCOOTER

-----  
ABBREVIATION.....Scooter  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Scooter  
HELP\_TEXT.....  
ID.....{663BC475-C20E-4B8B-B8B5-B16CC79A93C6}  
TERM.....SCOOTER

DATA VALUE: SECLUSION

-----  
ABBREVIATION.....SECLUSION  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Seclusion  
HELP\_TEXT.....No Help Text  
ID.....{65B57F6C-C849-4BF7-8705-175361BC900F}  
TERM.....SECLUSION

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 1

-----  
ABBREVIATION.....sdabt1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Second Degree Av Block: Type 1  
HELP\_TEXT.....No Help Text  
ID.....{508BF663-96FB-EEBE-4F06-D2F1A02BD099}  
TERM.....SECOND DEGREE AV BLOCK: TYPE 1

DATA VALUE: SECOND DEGREE AV BLOCK: TYPE 2

-----  
ABBREVIATION.....sdabt2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Second Degree Av Block: Type 2  
HELP\_TEXT.....No Help Text  
ID.....{3367754A-08D1-31A9-E850-1B36358E358A}  
TERM.....SECOND DEGREE AV BLOCK: TYPE 2

DATA VALUE: SECURE TRACK IN PLACE

-----  
ABBREVIATION.....Secure Trk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Secure Track in Place  
HELP\_TEXT.....  
ID.....{33F72416-BAD4-44AD-825E-93BCBFFB9670}  
TERM.....SECURE TRACK IN PLACE

DATA VALUE: SECURED SO DRAINAGE BAG IS BELOW PT'S BLADDER AND FLOW UNOBTSTUCTED

---

ABBREVIATION.....Secure Bag  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Secured So Drainage Bag is Below Pt's  
                  Bladder and Flow Unobstructed  
HELP\_TEXT.....  
ID.....{AFBC925B-79E1-4C29-81B0-EE057066671B}  
TERM.....SECURED SO DRAINAGE BAG IS BELOW PT'S  
                  BLADDER AND FLOW UNOBSTRUCTED

DATA VALUE: SECUREMENT DEVICE

---

ABBREVIATION.....SecureDev  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Securement Device  
HELP\_TEXT.....  
ID.....{C53D9B3B-6247-4A1A-B29A-4429C7174966}  
TERM.....SECUREMENT DEVICE

DATA VALUE: SEDATED

---

ABBREVIATION.....S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sedated  
HELP\_TEXT.....No Help Text  
ID.....{29D9ADD6-2C1F-F6D5-F4D0-B2BB86416997}  
TERM.....SEDATED

DATA VALUE: SEDIMENT

---

ABBREVIATION.....SEDIMENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sediment  
HELP\_TEXT.....No Help Text  
ID.....{4D4E4236-55CE-7ECD-FC55-6AD0CFD4D9A5}  
TERM.....SEDIMENT

DATA VALUE: SEE COMMENT

---

ABBREVIATION.....SeeComment  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....See Comment  
HELP\_TEXT.....  
ID.....{52B28A5F-1913-463B-82C7-57DDBE85388A}  
TERM.....SEE COMMENT

DATA VALUE: SEIZURE

---

ABBREVIATION.....Seizure  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Seizure  
HELP\_TEXT.....  
ID.....{8B213452-8875-4607-8875-1EA5D8247C99}  
TERM.....SEIZURE

DATA VALUE: SEIZURES

---

ABBREVIATION.....Seizures  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Seizures  
HELP\_TEXT.....  
ID.....{DE974E49-2AB6-4781-9930-468F2B781BA9}  
TERM.....SEIZURES

DATA VALUE: SELECTED SURGERY

---

ABBREVIATION.....Sel Surg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Selected Surgery  
HELP\_TEXT.....  
ID.....{6DBC6356-0F00-4001-AF94-20A479995A6C}  
TERM.....SELECTED SURGERY

DATA VALUE: SELF AM CARE BY PATIENT

---

ABBREVIATION.....SELF AM CR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self AM Care By Patient  
HELP\_TEXT.....No Help Text  
ID.....{C48A46C1-0E68-479C-B803-08C80617ADFF}  
TERM.....SELF AM CARE BY PATIENT

DATA VALUE: SELF CARE

---

ABBREVIATION.....SELF CARE  
ACTIVE.....Yes  
DESCRIPTION.....Self Care  
DISPLAY\_NAME.....Self Care  
HELP\_TEXT.....No Help Text  
ID.....{0E068188-75B8-46C5-8947-A6CC5C7849B5}  
TERM.....SELF CARE

DATA VALUE: SELF CARE OF BEDSIDE ENVIRONMENT

---

ABBREVIATION.....S CARE BED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Care of Bedside Environment  
HELP\_TEXT.....No Help Text  
ID.....{A1BEC7F4-D404-4824-8BB7-108E0A6C43A2}  
TERM.....SELF CARE OF BEDSIDE ENVIRONMENT

DATA VALUE: SELF FACE WASH

---

ABBREVIATION.....S FACE WAS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Face Wash  
HELP\_TEXT.....No Help Text  
ID.....{77457D46-5676-46E6-B38F-FE3AF70B5CBC}  
TERM.....SELF FACE WASH

DATA VALUE: SELF FOOT CARE

---

ABBREVIATION.....SELF FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Foot Care  
HELP\_TEXT.....No Help Text  
ID.....{F2DCAF0E-389D-4987-8C73-66E35266CC78}  
TERM.....SELF FOOT CARE

DATA VALUE: SELF INDEPENDENT

---

ABBREVIATION.....SelfIndep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Self Independent  
HELP\_TEXT.....  
ID.....{5E470D9A-5783-49D9-8A88-2072EBD14E4D}  
TERM.....SELF INDEPENDENT

DATA VALUE: SELF SHAVE

---

ABBREVIATION.....SELF SHAVE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Shave  
HELP\_TEXT.....No Help Text  
ID.....{90F1760C-4C12-4976-ADCB-DBF456A34023}  
TERM.....SELF SHAVE

DATA VALUE: SELF SHOWER

---

ABBREVIATION.....SELF SHOWE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Shower  
HELP\_TEXT.....No Help Text  
ID.....{C35CCA8-27D9-46F2-8971-2C4CF4924CCB}  
TERM.....SELF SHOWER

DATA VALUE: SELF TRACH CARE

---

ABBREVIATION.....S TRACH CA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Self Trach Care  
HELP\_TEXT.....No Help Text  
ID.....{70BE79EC-107F-4CD3-B964-7919B3DDE222}  
TERM.....SELF TRACH CARE

DATA VALUE: SELF-CARE SKILLS

---

ABBREVIATION.....Self Skill  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Self-Care Skills  
HELP\_TEXT.....  
ID.....{39145E84-85F2-486C-9FF8-27787EC8026A}  
TERM.....SELF-CARE SKILLS

DATA VALUE: SEMIFOWLERS HIGH

---

ABBREVIATION.....sh  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers High  
HELP\_TEXT.....No Help Text  
ID.....{1BBE7175-2BD2-BFB5-1E1B-E02443433072}  
TERM.....SEMIFOWLERS HIGH

DATA VALUE: SEMIFOWLERS LOW

---

ABBREVIATION.....sl  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers Low  
HELP\_TEXT.....No Help Text  
ID.....{A265AF02-53FC-B182-8AE3-A06E95718D7E}  
TERM.....SEMIFOWLERS LOW

DATA VALUE: SEQUENTIAL COMPRESSION DEVICE

-----  
ABBREVIATION.....SCD  
ACTIVE.....Yes  
DESCRIPTION.....SEQUENTIAL COMPRESSION DEVICE  
DISPLAY\_NAME.....Sequential Compression Device  
HELP\_TEXT.....SEQUENTIAL COMPRESSION DEVICE  
ID.....{29D657DB-6679-8A55-0E33-235B5DD349F2}  
TERM.....SEQUENTIAL COMPRESSION DEVICE

DATA VALUE: SEROSANGUINOUS

-----  
ABBREVIATION.....SEROSANGUI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Serosanguinous  
HELP\_TEXT.....No Help Text  
ID.....{19A8D332-899D-177A-2247-ABCDAEE3BFA8}  
TERM.....SEROSANGUINOUS

DATA VALUE: SEROUS

-----  
ABBREVIATION.....SEROUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Serous  
HELP\_TEXT.....No Help Text  
ID.....{9BDA347E-29E9-80C7-91FA-016192D4257E}  
TERM.....SEROUS

DATA VALUE: SET UP HELP ONLY

-----  
ABBREVIATION.....SETUP ONLY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Set Up Help only  
HELP\_TEXT.....No Help Text  
ID.....{DACC77AB-5AE7-4F1B-A3E1-C347D3DD7219}  
TERM.....SET UP HELP ONLY

DATA VALUE: SEVERE EDEMA

-----  
ABBREVIATION.....SevereEdem  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Severe Edema  
HELP\_TEXT.....  
ID.....{FAFF5DB5-DFBD-46E8-9F17-5C7A2AF0233F}  
TERM.....SEVERE EDEMA

DATA VALUE: SEVERE OSTEOPOROSIS

-----  
ABBREVIATION.....SevereOste  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Severe Osteoporosis  
HELP\_TEXT.....  
ID.....{1C894FB9-BF40-4A4C-8967-40261C5ED8B1}  
TERM.....SEVERE OSTEOPOROSIS

DATA VALUE: SEVERE PAIN/DISCOMFORT

-----  
ABBREVIATION.....SeverePain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Severe Pain/Discomfort  
HELP\_TEXT.....  
ID.....{FABAD58D-E8DC-4BB5-B5E1-3B80B1CD8BD3}  
TERM.....SEVERE PAIN/DISCOMFORT

DATA VALUE: SEVERE: GREATER THAN 36

-----  
ABBREVIATION.....COWS:>36  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Severe: Greater than 36  
HELP\_TEXT.....  
ID.....{356EE20B-7FA9-4C81-A7F0-25DCCBCA3964}  
TERM.....SEVERE: GREATER THAN 36

DATA VALUE: SEVERELY REDUCED

-----  
ABBREVIATION.....SEV REDUCE  
ACTIVE.....Yes  
DESCRIPTION.....Severely Reduced  
DISPLAY\_NAME.....Severely Reduced  
HELP\_TEXT.....No Help Text  
ID.....{A895BACE-85AC-45B2-A190-4A6816DEDC1D}  
TERM.....SEVERELY REDUCED

DATA VALUE: SHALLOW

-----  
ABBREVIATION.....SHALLOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shallow  
HELP\_TEXT.....No Help Text  
ID.....{CD205617-BF98-4177-971A-056AFECC823A}  
TERM.....SHALLOW

DATA VALUE: SHALLOW: SHALLOW RESPIRATIONS

---

ABBREVIATION.....PCA:Shall  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shallow: Shallow Respirations  
HELP\_TEXT.....  
ID.....{CA1E7A66-F03D-4AF3-A36E-23EB45271E62}  
TERM.....SHALLOW: SHALLOW RESPIRATIONS

DATA VALUE: SHAMPOO

---

ABBREVIATION.....SHAMPOO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shampoo  
HELP\_TEXT.....No Help Text  
ID.....{95CCB23C-E614-40CD-84F0-EE4EFBC95271}  
TERM.....SHAMPOO

DATA VALUE: SHARP

---

ABBREVIATION.....SHARP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sharp  
HELP\_TEXT.....No Help Text  
ID.....{20608864-E5CF-4FE3-8B6D-AE2FEE086503}  
TERM.....SHARP

DATA VALUE: SHAVE

---

ABBREVIATION.....SHAVE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shave  
HELP\_TEXT.....No Help Text  
ID.....{A5CB33DF-C33B-4DD3-B00D-78D78F7966C7}  
TERM.....SHAVE

DATA VALUE: SHILEY

---

ABBREVIATION.....Shiley  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shiley  
HELP\_TEXT.....  
ID.....{F639982A-8BA6-4381-AACD-3310C8400135}  
TERM.....SHILEY

DATA VALUE: SHOOTING

---

ABBREVIATION.....SHOOTING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shooting  
HELP\_TEXT.....No Help Text  
ID.....{73C48DB1-6FE6-46B7-B1F6-E93ACBE44C27}  
TERM.....SHOOTING

DATA VALUE: SHORT NECK

---

ABBREVIATION.....Short Neck  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Short Neck  
HELP\_TEXT.....  
ID.....{FCBEFC55-197E-4FA1-B2EB-2DE065DCA463}  
TERM.....SHORT NECK

DATA VALUE: SHOWER

---

ABBREVIATION.....SHOWER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Shower  
HELP\_TEXT.....No Help Text  
ID.....{C259929A-44DB-48FD-A2EC-BC6ECF9D0476}  
TERM.....SHOWER

DATA VALUE: SHRAPNEL

---

ABBREVIATION.....Shrapnel  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shrapnel  
HELP\_TEXT.....  
ID.....{72CFD2AD-EAFD-43D7-8860-CB2993655D1A}  
TERM.....SHRAPNEL

DATA VALUE: SHUFFLING

---

ABBREVIATION.....Shuffling  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shuffling  
HELP\_TEXT.....  
ID.....{7EA3A898-1D90-472C-BE90-2110330A1ADA}  
TERM.....SHUFFLING

DATA VALUE: SHUFFLING GAIT

---

ABBREVIATION.....Shuffling  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shuffling Gait  
HELP\_TEXT.....  
ID.....{D628299F-5393-434C-A609-E1E786A4B3F0}  
TERM.....SHUFFLING GAIT

DATA VALUE: SHUNTS

---

ABBREVIATION.....Shunts  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shunts  
HELP\_TEXT.....  
ID.....{8D9CB03B-6D63-4205-86C3-869421BEBD04}  
TERM.....SHUNTS

DATA VALUE: SICU

---

ABBREVIATION.....SICU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....SICU  
HELP\_TEXT.....No Help Text  
ID.....{EAEB2DE6-B057-4143-B44C-99DAB9B7B4AC}  
TERM.....SICU

DATA VALUE: SIGMOIDOSTOMY

---

ABBREVIATION.....SIGMOIDOST  
ACTIVE.....Yes  
DESCRIPTION.....Sigmoidostomy  
DISPLAY\_NAME.....Sigmoidostomy  
HELP\_TEXT.....No Help Text  
ID.....{0C84B317-59B3-433B-A9AD-6588C1361E0C}  
TERM.....SIGMOIDOSTOMY

DATA VALUE: SIGNIFICANT OTHER

---

ABBREVIATION.....SO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Significant Other  
HELP\_TEXT.....No Help Text  
ID.....{082C42E8-9E8A-4A96-B3AD-8B0E0A62AF00}  
TERM.....SIGNIFICANT OTHER

DATA VALUE: SILICONE

---

ABBREVIATION.....Silicone  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Silicone  
HELP\_TEXT.....  
ID.....{C50E8765-2850-4C40-A8BE-346B55544AFB}  
TERM.....SILICONE

DATA VALUE: SILLY

---

ABBREVIATION.....Silly  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Silly  
HELP\_TEXT.....  
ID.....{8658F95A-4158-4F11-BE3D-D7C01D29C2E4}  
TERM.....SILLY

DATA VALUE: SILVADENE

---

ABBREVIATION.....SILVADENE  
ACTIVE.....Yes  
DESCRIPTION.....Silvadene  
DISPLAY\_NAME.....Silvadene  
HELP\_TEXT.....No Help Text  
ID.....{0889134F-C419-4366-B12E-EAB775719410}  
TERM.....SILVADENE

DATA VALUE: SILVER

---

ABBREVIATION.....SILVER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Silver  
HELP\_TEXT.....No Help Text  
ID.....{AF233570-2BB4-4AE6-8751-056B9717C475}  
TERM.....SILVER

DATA VALUE: SILVER SULFADIAZINE

---

ABBREVIATION.....SILVER SUL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Silver Sulfadiazine  
HELP\_TEXT.....No Help Text  
ID.....{E7A99A4E-C9B5-40D6-9820-05F87004F48B}  
TERM.....SILVER SULFADIAZINE

DATA VALUE: SINGLE

---

ABBREVIATION.....SINGLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Single  
HELP\_TEXT.....No Help Text  
ID.....{8D305E0F-9035-E396-E768-40D7E6455BE4}  
TERM.....SINGLE

DATA VALUE: SINGLE CANNULA

---

ABBREVIATION.....SingleCann  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Single Cannula  
HELP\_TEXT.....  
ID.....{DDA5F6C8-F26E-47EF-9C91-E94C539AF967}  
TERM.....SINGLE CANNULA

DATA VALUE: SINGLE USE LUBRICANT PACKET

---

ABBREVIATION.....Single Use  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Single Use Lubricant Packet  
HELP\_TEXT.....  
ID.....{7F748EDB-77D4-42D2-BE75-54F73598D4B0}  
TERM.....SINGLE USE LUBRICANT PACKET

DATA VALUE: SINUS ARREST

---

ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Arrest  
HELP\_TEXT.....No Help Text  
ID.....{3CD8F7AC-3FE0-F342-089C-787232D2A5C2}  
TERM.....SINUS ARREST

DATA VALUE: SINUS ARRHYTHMIA

---

ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Arrhythmia  
HELP\_TEXT.....No Help Text  
ID.....{07A24AC9-B486-A4B8-BADB-04D2729542CE}  
TERM.....SINUS ARRHYTHMIA

DATA VALUE: SINUS BLOCK

---

ABBREVIATION.....sb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Block  
HELP\_TEXT.....No Help Text  
ID.....{94D6EFED-3D08-E724-BC40-9C398919A142}  
TERM.....SINUS BLOCK

DATA VALUE: SINUS BRADYCARDIA

---

ABBREVIATION.....sb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Bradycardia  
HELP\_TEXT.....No Help Text  
ID.....{D6EF4940-63AE-22AF-1A80-D8E6F0F07839}  
TERM.....SINUS BRADYCARDIA

DATA VALUE: SINUS PAUSE

---

ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Pause  
HELP\_TEXT.....No Help Text  
ID.....{7F8F89A9-6B16-B159-55B3-DEFDF5B4B4F6}  
TERM.....SINUS PAUSE

DATA VALUE: SINUS RHYTHM

---

ABBREVIATION.....sr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Rhythm  
HELP\_TEXT.....No Help Text  
ID.....{A34F80EA-3D6A-076A-DB2A-E4E5C5AAC11}  
TERM.....SINUS RHYTHM

DATA VALUE: SINUS TACHYCARDIA

---

ABBREVIATION.....SINUS T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sinus Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{0AC41AF3-7656-A35D-E397-21D35405812A}  
TERM.....SINUS TACHYCARDIA

DATA VALUE: SIT TO STAND LIFT

---

ABBREVIATION.....SittoStand  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sit to Stand Lift  
HELP\_TEXT.....  
ID.....{A209ACE5-C6D7-48EA-A7F2-09E3B3657FDF}  
TERM.....SIT TO STAND LIFT

DATA VALUE: SIT-TO-STAND LIFT - NON-POWERED

---

ABBREVIATION.....SitStanNon  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sit-to-Stand Lift - Non-Powered  
HELP\_TEXT.....  
ID.....{12EB0667-EA7C-484D-A674-0FF5BF32AEEC}  
TERM.....SIT-TO-STAND LIFT - NON-POWERED

DATA VALUE: SIT-TO-STAND LIFT - POWERED

---

ABBREVIATION.....SitStanPow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sit-to-Stand Lift - Powered  
HELP\_TEXT.....  
ID.....{2C100603-C7E2-4CB5-A3AA-74D33737CAD6}  
TERM.....SIT-TO-STAND LIFT - POWERED

DATA VALUE: SITE UNABLE TO BE MARKED

---

ABBREVIATION.....Unable/Mar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Site Unable to be Marked  
HELP\_TEXT.....  
ID.....{E7BA9E0F-1F12-4F74-B48E-B6212D217B30}  
TERM.....SITE UNABLE TO BE MARKED

DATA VALUE: SKIN BREAKDOWN

---

ABBREVIATION.....Skin Break  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Skin Breakdown  
HELP\_TEXT.....  
ID.....{B097478B-C287-44D8-9E54-B4FFB7EF45EE}  
TERM.....SKIN BREAKDOWN

DATA VALUE: SKIN CARE

-----  
ABBREVIATION.....Skin Care  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Skin Care  
HELP\_TEXT.....  
ID.....{A2FB9E2C-7F72-40EA-B510-5B9B0F9EF421}  
TERM.....SKIN CARE

DATA VALUE: SKIN EXCORIATION

-----  
ABBREVIATION.....SkinExcor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Skin Excoriation  
HELP\_TEXT.....  
ID.....{03525053-AF43-445F-99DB-65C9433AADC9}  
TERM.....SKIN EXCORIATION

DATA VALUE: SKIN INCISION WOUND CLOSURE OPEN WOUND

-----  
ABBREVIATION.....INC CL OPE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Open Wound  
DISPLAY\_NAME.....Open Wound  
HELP\_TEXT.....Skin Incision Closure Open Wound  
ID.....{AD018B6F-13E5-41C0-BDBC-306CA0B1B475}  
TERM.....SKIN INCISION WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN INCISION WOUND CLOSURE STAPLES

-----  
ABBREVIATION.....INC CL STA  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Staples  
DISPLAY\_NAME.....Staples  
HELP\_TEXT.....Skin Incision Closure Staples  
ID.....{4F48D42D-C206-423C-970B-02C03B2EE0B6}  
TERM.....SKIN INCISION WOUND CLOSURE STAPLES

DATA VALUE: SKIN INCISION WOUND CLOSURE STERI-STRIPS

-----  
ABBREVIATION.....INC CL STE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Steri-Strips  
DISPLAY\_NAME.....Steri-Strips  
HELP\_TEXT.....Skin Incision Closure Steri-Strips  
ID.....{DF52B6F3-54EE-46B3-AFDF-4A701B065E04}  
TERM.....SKIN INCISION WOUND CLOSURE  
STERI-STRIPS

DATA VALUE: SKIN INCISION WOUND CLOSURE SUTURES

-----  
ABBREVIATION.....INC CL SUT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Incision Closure Sutures  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....Skin Incision Closure Sutures  
ID.....{DED8DEDA-82C9-4D3A-A81E-641583314919}  
TERM.....SKIN INCISION WOUND CLOSURE SUTURES

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm

-----  
ABBREVIATION.....INC IN <1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Incision Extends into Periwound Less  
Than 1 cm  
DISPLAY\_NAME.....Extends Into Periwound Less Than 1 cm  
HELP\_TEXT.....Skin Induration Extension Around  
Incision Extends into Periwound Less  
Than 1 cm  
ID.....{2A5097BF-955C-4F79-B483-7EE14AF05786}  
TERM.....SKIN INDURATION AROUND INCISION  
EXTENDS INTO PERIWOUND LESS THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm

-----  
ABBREVIATION.....INC IN >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Incision Extends into Periwound  
Greater Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound Greater Than 1  
cm  
HELP\_TEXT.....Skin Induration Extension Around  
Incision Extends into Periwound  
Greater Than 1 cm  
ID.....{D8EE448D-00EB-412D-95AC-2E2E92C53EEB}  
TERM.....SKIN INDURATION AROUND INCISION  
EXTENDS INTO PERIWOUND MORE THAN 1 cm

DATA VALUE: SKIN INDURATION AROUND INCISION LIMITED TO INCISION

-----  
ABBREVIATION.....INC IN LIM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Incision Limited to Incision  
DISPLAY\_NAME.....Limited to Incision  
HELP\_TEXT.....Skin Induration Extension Around  
Incision Limited to Incision  
ID.....{88BCE7F9-F21F-427A-A50B-C1BA831639AB}  
TERM.....SKIN INDURATION AROUND INCISION  
LIMITED TO INCISION

DATA VALUE: SKIN INDURATION AROUND INCISION NONE

-----  
ABBREVIATION.....INC IN NON  
ACTIVE.....Yes

DESCRIPTION.....Skin Induration Extension Around  
Incison None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Skin Induration Extension Around  
Incison None  
ID.....{A9B95680-F9A0-44C0-929C-70C00B9AA5B7}  
TERM.....SKIN INDURATION AROUND INCISION NONE

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND <  
1 cm

-----  
ABBREVIATION.....WOU IN <1  
ACTIVE.....Yes  
DESCRIPTION.....No DescriptionSkin Induration  
Extension Around Wound Extends into  
Periwound Less Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound Less Than 1 cm  
HELP\_TEXT.....No DescriptionSkin Induration  
Extension Around Wound Extends into  
Periwound Less Than 1 cm  
ID.....{3594CCCD-FA51-4971-A61E-FFA3B4AC7EE0}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND >  
1 cm

-----  
ABBREVIATION.....WOU IN >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Wound Extends into Periwound More  
Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound More Than 1 cm  
HELP\_TEXT.....Skin Induration Extension Around  
Wound Extends into Periwound More  
Than 1 cm  
ID.....{7DF7D08D-3E5E-4D18-94E4-A0DFDA5DB72F}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND

-----  
ABBREVIATION.....WOU IN LIM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Wound Limited to Wound  
DISPLAY\_NAME.....Limited to Wound  
HELP\_TEXT.....Skin Induration Extension Around  
Wound Limited to Wound  
ID.....{1828A9EA-FF9D-4A49-9543-15B85FBF211E}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND LIMITED TO WOUND

DATA VALUE: SKIN INDURATION EXTENSION AROUND WOUND NONE

-----  
ABBREVIATION.....WOU IN NON  
ACTIVE.....Yes  
DESCRIPTION.....Skin Induration Extension Around  
Wound None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Skin Induration Extension Around  
Wound None  
ID.....{2C57CD27-4FDD-4DE8-88A0-D438CBE535D8}  
TERM.....SKIN INDURATION EXTENSION AROUND  
WOUND NONE

DATA VALUE: SKIN INTACT

ABBREVIATION.....Skin Intac  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Skin Intact  
HELP\_TEXT.....  
ID.....{3822B068-9ACA-49D1-A5E6-1BAF31782EEC}  
TERM.....SKIN INTACT

DATA VALUE: SKIN RISK

-----  
ABBREVIATION.....Skin Risk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Skin Risk  
HELP\_TEXT.....  
ID.....{517CCC23-C401-41A2-999C-262458CC90FA}  
TERM.....SKIN RISK

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND  
< 1 cm

-----  
ABBREVIATION.....INC SW <1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around  
Incision Extends into Periwound Less  
Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound < 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around  
Incision Extends into Periwound Less  
Than 1 cm  
ID.....{ABA0527C-8FAD-4E34-9F6F-2AA97EA06E20}  
TERM.....SKIN SWELLING EXTENSION AROUND  
INCISION EXTENDS INTO PERIWOUND < 1  
cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND  
> 1 cm

-----  
ABBREVIATION.....INC SW >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around  
Incision Extends into Periwound  
Greater Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound More Than 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around  
Incision Extends into Periwound  
Greater Than 1 cm  
ID.....{106A2AD3-F482-4DEE-967E-6F06C6026944}  
TERM.....SKIN SWELLING EXTENSION AROUND  
INCISION EXTENDS INTO PERIWOUND > 1  
cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT

-----  
ABBREVIATION.....INC SW FLU  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around  
Incision Fluctuant  
DISPLAY\_NAME.....Fluctuant  
HELP\_TEXT.....Skin Swelling Extension Around  
Incision Fluctuant  
ID.....{5D38DC7A-8E40-4D27-A039-2D6A557B4FFD}  
TERM.....SKIN SWELLING EXTENSION AROUND  
INCISION FLUCTUANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND

-----  
ABBREVIATION.....INC SW LIM

ACTIVE.....Yes

DESCRIPTION.....Skin Swelling Extension Around  
Incision Limited to Wound

DISPLAY\_NAME.....Limited to Wound

HELP\_TEXT.....Skin Swelling Extension Around  
Incision Limited to Wound

ID.....{B8503D54-6925-430E-8AB6-692412347D5D}

TERM.....SKIN SWELLING EXTENSION AROUND  
INCISION LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND INCISION NONE

-----  
ABBREVIATION.....INC SW NON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help Text  
ID.....{54C9FC46-899C-460B-9524-D6F196B9FF31}  
TERM.....SKIN SWELLING EXTENSION AROUND  
INCISION NONE

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1  
cm

-----  
ABBREVIATION.....WOU SW <1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
Extends into Periwound Less Than 1 cm  
DISPLAY\_NAME.....Extends into Periwound Less Than 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
Extends into Periwound Less Than 1 cm  
ID.....{15F314A0-6B77-4EB5-92C0-FFEC4D82C75C}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
EXTENDS INTO PERIWOUND < 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1  
cm

-----  
ABBREVIATION.....WOU SW >1  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
Extends into Periwound Greater Than 1  
cm  
DISPLAY\_NAME.....Extends Into Periwound More Than 1 cm  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
Extends into Periwound Greater Than 1  
cm  
ID.....{EA6AC933-0737-4C28-9F31-D36F3452DA96}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
EXTENDS INTO PERIWOUND > 1 cm

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND FLUCTANT

-----  
ABBREVIATION.....WOU SW FLU  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
Fluctuant  
DISPLAY\_NAME.....Fluctuant  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
Fluctuant  
ID.....{DB5077E7-D339-4C87-B8CA-D16269DB2935}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
FLUCTANT

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND LIMITED TO WOUND

-----  
ABBREVIATION.....WOU SW LIM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
Limited to Wound

DISPLAY\_NAME.....Limited to Wound

HELP\_TEXT.....Skin Swelling Extension Around Wound

Limited to Wound

ID.....{413CD1EC-309C-45D0-A1E0-E829EA615E2A}

TERM.....SKIN SWELLING EXTENSION AROUND WOUND

LIMITED TO WOUND

DATA VALUE: SKIN SWELLING EXTENSION AROUND WOUND NONE

-----  
ABBREVIATION.....WOU SW NON  
ACTIVE.....Yes  
DESCRIPTION.....Skin Swelling Extension Around Wound  
    None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Skin Swelling Extension Around Wound  
    None  
ID.....{550E3B92-2C69-403B-A997-2DBE61374ABF}  
TERM.....SKIN SWELLING EXTENSION AROUND WOUND  
    NONE

DATA VALUE: SKIN TEAR

-----  
ABBREVIATION.....SKIN TEAR  
ACTIVE.....Yes  
DESCRIPTION.....Skin Tear  
DISPLAY\_NAME.....Skin Tear  
HELP\_TEXT.....No Help Text  
ID.....{2E230C6E-119F-4F9F-8797-2FFA9D76F337}  
TERM.....SKIN TEAR

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE CONSISTENT WITH BODY TEMPERATURE

-----  
ABBREVIATION.....INC TP CON  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
    Consistent with Body Temperature  
DISPLAY\_NAME.....Skin Temperature at Incision Site  
    Consistent with Body Temperature  
HELP\_TEXT.....Skin Temperature at Incision Site  
    Consistent with Body Temperature  
ID.....{D349175A-4B20-4243-BE40-E01E50C5583F}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
    CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....INC TP CBT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
    Cooler than General Body Temperature  
DISPLAY\_NAME.....Cooler Than General Body Temperature  
HELP\_TEXT.....Skin Temperature at Incision Site  
    Cooler than General Body Temperature  
ID.....{D357C975-857D-4293-B3EF-EFA7A4586357}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
    COOLER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE COOLER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....INC TP COP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
    Cooler than Opposite Body Part  
DISPLAY\_NAME.....Cooler Than Opposite Body Part

HELP\_TEXT.....Skin Temperature at Incision Site  
Cooler than Opposite Body Part  
ID.....{85307AD8-F730-43F0-BCB3-882594D9DDF8}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
COOLER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....WARM BD OP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
                  Warmer than General Body Temperture  
DISPLAY\_NAME.....Warmer Than General Body Temp  
HELP\_TEXT.....Skin Temperature at Incision Site  
                  Warmer than General Body Temperture  
ID.....{5F888E9D-8F65-49ED-BC5D-F6F287A9D478}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
                  WARMER THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT INCISION SITE WARMER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WARMER OP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Incision Site  
                  Warmer than Opposite Body Part  
DISPLAY\_NAME.....Warmer Than Opposite Body Part  
HELP\_TEXT.....Skin Temperature at Incision Site  
                  Warmer than Opposite Body Part  
ID.....{F518787A-325A-45F3-82B4-73C856802073}  
TERM.....SKIN TEMPERATURE AT INCISION SITE  
                  WARMER THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE CONSISTENT WITH BODY TEMPERATURE

-----  
ABBREVIATION.....WOU TP CBT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site  
                  Consistent with Body Temperature  
DISPLAY\_NAME.....Consistent With Body Temperature  
HELP\_TEXT.....Skin Temperature at Wound Site  
                  Consistent with Body Temperature  
ID.....{672D56C1-D1A3-4DDF-8815-F05DEE197061}  
TERM.....SKIN TEMPERATURE AT WOUND SITE  
                  CONSISTENT WITH BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....WOU TP CGB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Cooler  
                  than General Body Temp  
DISPLAY\_NAME.....Cooler Than General Body Temperature  
HELP\_TEXT.....Skin Temperature at Wound Site Cooler  
                  than General Body Temp  
ID.....{7203993E-3334-44EC-9FD9-14224253283D}  
TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER  
                  THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE COOLER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WOU TP COB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Cooler

than Opposite Body Part

DISPLAY\_NAME.....Cooler Than Opposite Body Part

HELP\_TEXT.....Skin Temperature at Wound Site Cooler

than Opposite Body Part

ID.....{A904C666-2810-4211-B53A-2961DCE6894E}

TERM.....SKIN TEMPERATURE AT WOUND SITE COOLER

THAN OPPOSITE BODY PART

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN GENERAL BODY TEMPERATURE

-----  
ABBREVIATION.....WOU TP WGB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Warmer  
than General Body Temperature  
DISPLAY\_NAME.....Warmer Than General Body Temperature  
HELP\_TEXT.....Skin Temperature at Wound Site Warmer  
than General Body Temperature  
ID.....{03BB8F9A-3DAC-4994-9F09-AA1DEEF48090}  
TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER  
THAN GENERAL BODY TEMPERATURE

DATA VALUE: SKIN TEMPERATURE AT WOUND SITE WARMER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WOU TP WOB  
ACTIVE.....Yes  
DESCRIPTION.....Skin Temperature at Wound Site Warmer  
than Opposite Body Part  
DISPLAY\_NAME.....Warmer Than Opposite Body Part  
HELP\_TEXT.....Skin Temperature at Wound Site Warmer  
than Opposite Body Part  
ID.....{6290BD23-24BF-4A3A-8555-DCE52D2274B3}  
TERM.....SKIN TEMPERATURE AT WOUND SITE WARMER  
THAN OPPOSITE BODY PART

DATA VALUE: SKIN TRAUMA

-----  
ABBREVIATION.....SKIN TRAUM  
ACTIVE.....Yes  
DESCRIPTION.....Skin Trauma  
DISPLAY\_NAME.....Skin Trauma  
HELP\_TEXT.....No Help Text  
ID.....{91C8EE13-2C4A-468C-94EB-C53E0D153EBA}  
TERM.....SKIN TRAUMA

DATA VALUE: SKIN WARM AND DRY COLOR APPROPRIATE

-----  
ABBREVIATION.....S W A DR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Skin Warm and Dry, Color Appropriate  
to Baseline  
HELP\_TEXT.....No Help Text  
ID.....{9637D510-C199-4969-8F2D-0A499151E22B}  
TERM.....SKIN WARM AND DRY COLOR APPROPRIATE

DATA VALUE: SKIN WOUND CLOSURE APPROXIMATED

-----  
ABBREVIATION.....WOU CL APP  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Approximated  
DISPLAY\_NAME.....Approximated  
HELP\_TEXT.....Skin Wound Closure Approximated  
ID.....{83D48E0F-8643-436B-9ECC-80795857C322}  
TERM.....SKIN WOUND CLOSURE APPROXIMATED

DATA VALUE: SKIN WOUND CLOSURE DEHISCENCE

-----  
ABBREVIATION.....WOU CL DEH  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Dehiscence  
DISPLAY\_NAME.....Dehiscence  
HELP\_TEXT.....Skin Wound Closure Dehiscence  
ID.....{425A460F-19C0-4A4A-8E4E-712C66968C38}  
TERM.....SKIN WOUND CLOSURE DEHISCENCE

DATA VALUE: SKIN WOUND CLOSURE GLUE

-----  
ABBREVIATION.....WOU CL GLU  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Glue  
DISPLAY\_NAME.....Glue  
HELP\_TEXT.....Skin Wound Closure Glue  
ID.....{29FE4AF7-39EE-400A-BB3D-E07786F11BFD}  
TERM.....SKIN WOUND CLOSURE GLUE

DATA VALUE: SKIN WOUND CLOSURE NOT CLOSED

-----  
ABBREVIATION.....WOU CL NOT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Not Closed  
DISPLAY\_NAME.....Not Closed  
HELP\_TEXT.....Skin Wound Closure Not Closed  
ID.....{0E69F1FA-35F6-4F34-8547-CC3602670A7B}  
TERM.....SKIN WOUND CLOSURE NOT CLOSED

DATA VALUE: SKIN WOUND CLOSURE OPEN WOUND

-----  
ABBREVIATION.....WOU CL OPE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Open Wound  
DISPLAY\_NAME.....Open Wound  
HELP\_TEXT.....Skin Wound Closure Open Wound  
ID.....{C6F2AD2C-932F-434A-8A7A-513029092FFD}  
TERM.....SKIN WOUND CLOSURE OPEN WOUND

DATA VALUE: SKIN WOUND CLOSURE STAPLES

-----  
ABBREVIATION.....WOU CL STA  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Staples  
DISPLAY\_NAME.....Staples  
HELP\_TEXT.....Skin Wound Closure Staples  
ID.....{FE04BFE3-DF81-48E7-9FA1-1CF4ECAD71}  
TERM.....SKIN WOUND CLOSURE STAPLES

**DATA VALUE: SKIN WOUND CLOSURE STERI-STRIPS**

---

ABBREVIATION.....WOU CL STE  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Steri - Strips  
DISPLAY\_NAME.....Steri-Strips  
HELP\_TEXT.....Skin Wound Closure Steri-Strips  
ID.....{AD451791-6B49-4A51-ABC3-796D08BEF910}  
TERM.....SKIN WOUND CLOSURE STERI-STRIPS

**DATA VALUE: SKIN WOUND CLOSURE SUTURES**

---

ABBREVIATION.....WOU CL SUT  
ACTIVE.....Yes  
DESCRIPTION.....Skin Wound Closure Sutures  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....Skin Wound Closure Sutures  
ID.....{F2840AE4-216B-477C-9FE6-DC91E8CE5364}  
TERM.....SKIN WOUND CLOSURE SUTURES

**DATA VALUE: SLEEP APNEA**

---

ABBREVIATION.....SleepApnea  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sleep Apnea  
HELP\_TEXT.....  
ID.....{EB1196C6-2058-4CDC-A96E-02B88066E586}  
TERM.....SLEEP APNEA

**DATA VALUE: SLEEPING**

---

ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sleeping  
HELP\_TEXT.....No Help Text  
ID.....{87338420-F351-F98C-7A80-4990B87ACE2B}  
TERM.....SLEEPING

**DATA VALUE: SLEEPING LESS THAN NORMAL**

---

ABBREVIATION.....LessThnNor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sleeping Less than Normal  
HELP\_TEXT.....  
ID.....{7C061F5D-F512-4C92-8533-3102B1F969E2}  
TERM.....SLEEPING LESS THAN NORMAL

DATA VALUE: SLEEPING MORE THAN NORMAL

---

ABBREVIATION.....MoreThnNor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sleeping More than Normal  
HELP\_TEXT.....  
ID.....{C0E9DB21-A1EF-44F5-95EA-0D3CE3033D27}  
TERM.....SLEEPING MORE THAN NORMAL

DATA VALUE: SLEEPS DURING THE DAY/WORKS NIGHTS

---

ABBREVIATION.....WorksNight  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sleeps During the Day/Works Nights  
HELP\_TEXT.....  
ID.....{0588960F-EA3C-4872-97BB-42F09282E64A}  
TERM.....SLEEPS DURING THE DAY/WORKS NIGHTS

DATA VALUE: SLEEPS POORLY

---

ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sleeps Poorly  
HELP\_TEXT.....No Help Text  
ID.....{AB9424B4-D0B1-148B-C800-FF535F3FAC84}  
TERM.....SLEEPS POORLY

DATA VALUE: SLEPT WELL

---

ABBREVIATION.....SLEPT WELL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....States Has Slept Well  
HELP\_TEXT.....No Help Text  
ID.....{18573E82-568F-4D2E-B9E1-6E4589EBEE2D}  
TERM.....SLEPT WELL

DATA VALUE: SLIDING BOARD

---

ABBREVIATION.....SlideBoard  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sliding Board  
HELP\_TEXT.....  
ID.....{53DC7B5B-CDA9-4A8C-B18E-670EB15036A4}  
TERM.....SLIDING BOARD

DATA VALUE: SLIGHT

-----  
ABBREVIATION.....SLIGHT  
ACTIVE.....Yes  
DESCRIPTION.....Slight  
DISPLAY\_NAME.....Slight  
HELP\_TEXT.....Slight  
ID.....{805549C1-5DC5-4A2D-BC1F-046E44928843}  
TERM.....SLIGHT

DATA VALUE: SLING

-----  
ABBREVIATION.....Sling  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sling  
HELP\_TEXT.....  
ID.....{7BFFE3AC-3FDE-4A91-AB16-0703251914C0}  
TERM.....SLING

DATA VALUE: SLING TRACTION

-----  
ABBREVIATION.....SLING TRAC  
ACTIVE.....Yes  
DESCRIPTION.....Sling Traction  
DISPLAY\_NAME.....Sling Traction  
HELP\_TEXT.....Sling Traction  
ID.....{304E924C-C95A-4DBE-B30B-191BC4D26EF7}  
TERM.....SLING TRACTION

DATA VALUE: SLOUGH

-----  
ABBREVIATION.....SLOUGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Slough  
HELP\_TEXT.....No Help Text  
ID.....{548EB536-1AC4-4234-8C4D-DC54E4CAA6F6}  
TERM.....SLOUGH

DATA VALUE: SLOW, WIDE BASE, SHORT STEPS

-----  
ABBREVIATION.....Slow Steps  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Slow, Wide Base, Short Steps  
HELP\_TEXT.....  
ID.....{618C0922-57BD-4DF3-BAF0-6CF91E7309C8}  
TERM.....SLOW, WIDE BASE, SHORT STEPS

DATA VALUE: SLUGGISH

---

ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sluggish  
HELP\_TEXT.....No Help Text  
ID.....{3215A82E-8DCC-C7C0-8AE1-2D4C9D4A4EFB}  
TERM.....SLUGGISH

DATA VALUE: SLURRED

---

ABBREVIATION.....Slurred  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Slurred  
HELP\_TEXT.....  
ID.....{4C31C626-B013-48EA-AD2C-70EBBE945AA3}  
TERM.....SLURRED

DATA VALUE: SLURRED SPEECH

---

ABBREVIATION.....Slurred Sp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Slurred Speech  
HELP\_TEXT.....  
ID.....{6C3D295A-71C9-4DA8-A172-995F431D94C9}  
TERM.....SLURRED SPEECH

DATA VALUE: SMALL

---

ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....No Help Text  
ID.....{5991F892-B28C-3998-E733-D8FFA26D7E21}  
TERM.....SMALL

DATA VALUE: SMALL BORE FEEDING TUBE

---

ABBREVIATION.....SM BO TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Small Bore Feeding Tube  
DISPLAY\_NAME.....Small Bore Feeding Tube  
HELP\_TEXT.....No Help Text  
ID.....{7E347B8A-14E7-4093-9A5B-56E6AC0D78DF}  
TERM.....SMALL BORE FEEDING TUBE

DATA VALUE: SMEAR

-----  
ABBREVIATION.....SMEAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smear  
HELP\_TEXT.....No Help Text  
ID.....{4B99BBD3-443E-4954-8ADE-5FB3EE50540A}  
TERM.....SMEAR

DATA VALUE: SMOKING AREA

-----  
ABBREVIATION.....sa  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smoking Area  
HELP\_TEXT.....No Help Text  
ID.....{8AFDBC0-9FC8-523F-5D07-4D8CCBA7036F}  
TERM.....SMOKING AREA

DATA VALUE: SMOKING PORCH

-----  
ABBREVIATION.....sp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smoking Porch  
HELP\_TEXT.....No Help Text  
ID.....{5AD3F05B-2A5B-E2B4-FD47-66712CFA44E6}  
TERM.....SMOKING PORCH

DATA VALUE: SMOOTH

-----  
ABBREVIATION.....SMOOTH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Smooth  
HELP\_TEXT.....No Help Text  
ID.....{5D71A0D5-52ED-4B8D-B359-AC7D500660D8}  
TERM.....SMOOTH

DATA VALUE: SNACK

-----  
ABBREVIATION.....SNACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Snack  
HELP\_TEXT.....No Help Text  
ID.....{60B77974-4102-4511-A105-E24850B924D8}  
TERM.....SNACK

DATA VALUE: SNACK - AM

-----  
ABBREVIATION.....Snack - AM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - AM  
HELP\_TEXT.....  
ID.....{CBF0AFB1-AF1D-4C04-931F-3508D0472E70}  
TERM.....SNACK - AM

DATA VALUE: SNACK - HS

-----  
ABBREVIATION.....Snack - HS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - HS  
HELP\_TEXT.....  
ID.....{861B5B9A-D59F-46D2-BA96-4BEAA50654CE}  
TERM.....SNACK - HS

DATA VALUE: SNACK - OTHER

-----  
ABBREVIATION.....Snack - Ot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - Other  
HELP\_TEXT.....  
ID.....{CDEE1A83-4546-4A81-AA12-5D27DF743E68}  
TERM.....SNACK - OTHER

DATA VALUE: SNACK - PM

-----  
ABBREVIATION.....Snack - PM  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snack - PM  
HELP\_TEXT.....  
ID.....{883C1241-38DA-4C6C-BF3C-CCF3B2378560}  
TERM.....SNACK - PM

DATA VALUE: SNORES

-----  
ABBREVIATION.....Snores  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Snores  
HELP\_TEXT.....  
ID.....{69FE4ECF-E1FE-4235-AD44-5AF9E634E000}  
TERM.....SNORES

DATA VALUE: SODIUM CONTROLLED

---

ABBREVIATION.....Sod Contrl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sodium Controlled  
HELP\_TEXT.....  
ID.....{FF4CB6F0-4EEC-43F3-B4DF-4169F3C3B170}  
TERM.....SODIUM CONTROLLED

DATA VALUE: SODIUM CONTROLLED 2 GM

---

ABBREVIATION.....SOD CONT 2  
ACTIVE.....Yes  
DESCRIPTION.....Sodium Controlled 2 GM  
DISPLAY\_NAME.....Sodium Controlled 2 GM  
HELP\_TEXT.....No Help Text  
ID.....{8A1311AF-6C7D-407A-962F-0FAE6C341F9A}  
TERM.....SODIUM CONTROLLED 2 GM

DATA VALUE: SODIUM CONTROLLED 4 GM

---

ABBREVIATION.....SOD CON 4G  
ACTIVE.....Yes  
DESCRIPTION.....Sodium Controlled 4 GM Diet  
DISPLAY\_NAME.....Sodium Controlled 4 GM  
HELP\_TEXT.....No Help Text  
ID.....{26538A2F-5502-4D94-A2A7-D9E0BF825C47}  
TERM.....SODIUM CONTROLLED 4 GM

DATA VALUE: SOFT

---

ABBREVIATION.....SOFT  
ACTIVE.....Yes  
DESCRIPTION.....Soft  
DISPLAY\_NAME.....Soft  
HELP\_TEXT.....No Help Text  
ID.....{E68B4D4B-B86B-4004-A861-986645267F6E}  
TERM.....SOFT

DATA VALUE: SOMNOLENT

---

ABBREVIATION.....Somnolent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Somnolent  
HELP\_TEXT.....  
ID.....{008A3F20-DD3D-4775-AA18-CCA7B817A77D}  
TERM.....SOMNOLENT

DATA VALUE: SPACER PROVIDED

-----  
ABBREVIATION.....SpacerProv  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Spacer Provided  
HELP\_TEXT.....  
ID.....{884E8722-9E64-46C4-BE0C-C7D813820564}  
TERM.....SPACER PROVIDED

DATA VALUE: SPEAKING VALVE

-----  
ABBREVIATION.....SpeakValve  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Speaking Valve  
HELP\_TEXT.....  
ID.....{DB3DE301-C965-4566-B43C-7CC8D8F04252}  
TERM.....SPEAKING VALVE

DATA VALUE: SPECIAL PROCEDURE ROOM

-----  
ABBREVIATION.....Special Rm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Special Procedure Room  
HELP\_TEXT.....  
ID.....{60AA3B10-B3EE-42EF-9CEC-0CAE66DFE164}  
TERM.....SPECIAL PROCEDURE ROOM

DATA VALUE: SPECIALTY MATTRESS/BED

-----  
ABBREVIATION.....Specialty  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Specialty Mattress/Bed  
HELP\_TEXT.....  
ID.....{6B84BE9C-9AAC-430B-8F0D-0001E2F2AAC7}  
TERM.....SPECIALTY MATTRESS/BED

DATA VALUE: SPINAL

-----  
ABBREVIATION.....Spinal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Spinal  
HELP\_TEXT.....  
ID.....{AC02181C-0A2C-4F7A-B983-B32EF1BCD150}  
TERM.....SPINAL

DATA VALUE: SPINE

---

ABBREVIATION.....Spine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Spine  
HELP\_TEXT.....  
ID.....{8907E33B-B967-45F1-AB1F-1A4F79D1C506}  
TERM.....SPINE

DATA VALUE: SPIRITUAL

---

ABBREVIATION.....SPIRITUAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spiritual  
HELP\_TEXT.....No Help Text  
ID.....{9670E2B9-6938-4487-A857-25546775B7A2}  
TERM.....SPIRITUAL

DATA VALUE: SPLINT

---

ABBREVIATION.....Splint  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Splint  
HELP\_TEXT.....  
ID.....{9552B268-2387-4424-985F-A25B1BD6BF2F}  
TERM.....SPLINT

DATA VALUE: SPLINTING

---

ABBREVIATION.....SPLINTING  
ACTIVE.....Yes  
DESCRIPTION.....Splinting  
DISPLAY\_NAME.....Splinting  
HELP\_TEXT.....No Help Text  
ID.....{D7FC5AA9-E63A-4A88-BE03-A50D0A8751F9}  
TERM.....SPLINTING

DATA VALUE: SPLINTS/TRACTION

---

ABBREVIATION.....Splints/Tr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Splints/Traction  
HELP\_TEXT.....  
ID.....{F4679AF8-FC72-4C80-9EC5-29AA64A2F2C4}  
TERM.....SPLINTS/TRACTION

DATA VALUE: SPONTANEOUS

---

ABBREVIATION.....SPONTANEOU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spontaneous  
HELP\_TEXT.....No Help Text  
ID.....{C137C4A7-08A6-4064-8F95-4A4476E2E3A8}  
TERM.....SPONTANEOUS

DATA VALUE: SPOONING

---

ABBREVIATION.....SPOONING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spooning  
HELP\_TEXT.....No Help Text  
ID.....{CA384C9F-D87D-4E2D-B4C0-89BD85692B16}  
TERM.....SPOONING

DATA VALUE: SPOUSE

---

ABBREVIATION.....Spouse  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Spouse  
HELP\_TEXT.....  
ID.....{2C601365-23F9-4939-9B63-F73720A17199}  
TERM.....SPOUSE

DATA VALUE: SQ EMPHYSEMA

---

ABBREVIATION.....SQ EMPHYS.  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Subcutaneous Emphysema  
HELP\_TEXT.....No Help Text  
ID.....{B8D03538-0168-4CDC-FF41-BA1185EBCC87}  
TERM.....SQ EMPHYSEMA

DATA VALUE: SQUARE

---

ABBREVIATION.....SQUARE  
ACTIVE.....Yes  
DESCRIPTION.....Square  
DISPLAY\_NAME.....Square  
HELP\_TEXT.....Square  
ID.....{63F70678-2CAF-48E8-964D-2805D8B9A43B}  
TERM.....SQUARE

DATA VALUE: SQUEEZING

---

ABBREVIATION.....SQUEEZING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Squeezing  
HELP\_TEXT.....No Help Text  
ID.....{A148587A-1B99-4D0D-B11E-87ADC3D2A811}  
TERM.....SQUEEZING

DATA VALUE: STABBING

---

ABBREVIATION.....STABBING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stabbing  
HELP\_TEXT.....No Help Text  
ID.....{684640D5-B3AB-47DA-98D8-5434ABF22B7E}  
TERM.....STABBING

DATA VALUE: STABLE

---

ABBREVIATION.....STABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stable  
HELP\_TEXT.....No Help Text  
ID.....{A474E7BC-47EF-4472-A19A-172C441099EC}  
TERM.....STABLE

DATA VALUE: STABLE BP AND PULSE

---

ABBREVIATION.....Stable BP  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stable BP and Pulse  
HELP\_TEXT.....  
ID.....{F07C2F54-1182-4377-A33A-F529884013E8}  
TERM.....STABLE BP AND PULSE

DATA VALUE: STAFF

---

ABBREVIATION.....STAFF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Staff  
HELP\_TEXT.....No Help Text  
ID.....{BE8D678F-CE19-41FC-8C12-7A5DE7F0C7E2}  
TERM.....STAFF

DATA VALUE: STAGE 3 OR 4 PRESSURE ULCER

---

ABBREVIATION.....Press Ulcer  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stage 3 or 4 Pressure Ulcer  
HELP\_TEXT.....  
ID.....{883029EF-BB3A-4146-95DD-3C6F1C0D097D}  
TERM.....STAGE 3 OR 4 PRESSURE ULCER

DATA VALUE: STAGE I

---

ABBREVIATION.....STAGE I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage I  
HELP\_TEXT.....No Help Text  
ID.....{B376AAAF-7143-4422-BCA2-CACF1201817C}  
TERM.....STAGE I

DATA VALUE: STAGE II

---

ABBREVIATION.....STAGE II  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage II  
HELP\_TEXT.....No Help Text  
ID.....{B520BEA3-841E-490A-A3CD-63D1027B561F}  
TERM.....STAGE II

DATA VALUE: STAGE III

---

ABBREVIATION.....STAGE III  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage III  
HELP\_TEXT.....No Help Text  
ID.....{A2F0866C-ECEE-4FCD-A34B-498232662D7E}  
TERM.....STAGE III

DATA VALUE: STAGE IV

---

ABBREVIATION.....STAGE IV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stage IV  
HELP\_TEXT.....No Help Text  
ID.....{284334AA-E488-4D45-93EF-9B93B2086A63}  
TERM.....STAGE IV

DATA VALUE: STAGGERING GAIT

---

ABBREVIATION.....Staggering  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Staggering Gait  
HELP\_TEXT.....  
ID.....{676C5784-9ABC-4DBE-B2E6-FC5EA040A662}  
TERM.....STAGGERING GAIT

DATA VALUE: STAGGERING, WIDE BASED

---

ABBREVIATION.....Staggering  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Staggering, Wide Based  
HELP\_TEXT.....  
ID.....{2E79C273-2E13-4DD2-BFB5-B84EA2D273C4}  
TERM.....STAGGERING, WIDE BASED

DATA VALUE: STAMMERING

---

ABBREVIATION.....Stammering  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stammering  
HELP\_TEXT.....  
ID.....{D01420BA-5B54-4F1D-B532-8A647D909948}  
TERM.....STAMMERING

DATA VALUE: STANDARD

---

ABBREVIATION.....STANDARD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....STANDARD  
HELP\_TEXT.....No Help Text  
ID.....{C4B8C06D-BFFE-4438-A43D-926F039E5EE1}  
TERM.....STANDARD

DATA VALUE: STANDARD PRESSURE REDUCTION

---

ABBREVIATION.....STAN P RED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standard Pressure Reduction  
HELP\_TEXT.....No Help Text  
ID.....{556537CD-A84D-4493-81F6-51CBD844B5B7}  
TERM.....STANDARD PRESSURE REDUCTION

DATA VALUE: STAPLES

-----  
ABBREVIATION.....STAPLES  
ACTIVE.....Yes  
DESCRIPTION.....Staples to close a wound  
DISPLAY\_NAME.....Staples  
HELP\_TEXT.....No Help Text  
ID.....{344DBBE0-5A94-4E18-BC97-BD7767A83E36}  
TERM.....STAPLES

DATA VALUE: STARE

-----  
ABBREVIATION.....Stare  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stare  
HELP\_TEXT.....  
ID.....{558CBBCE-8857-4198-AC68-62CB0523B267}  
TERM.....STARE

DATA VALUE: START TIME:

-----  
ABBREVIATION.....Start Time  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Start Time:  
HELP\_TEXT.....When entering data, make sure the  
save date/time reflects the start  
time.  
ID.....{4D0190FA-FFE4-4D5F-8A15-0517E8AB9B14}  
TERM.....START TIME:

DATA VALUE: STARTED

-----  
ABBREVIATION.....STARTED  
ACTIVE.....Yes  
DESCRIPTION.....Started  
DISPLAY\_NAME.....Started  
HELP\_TEXT.....No Help Text  
ID.....{D6E105C4-5EAD-424E-8E4C-195EB7783A3D}  
TERM.....STARTED

DATA VALUE: STARTED ON LEFT

-----  
ABBREVIATION.....sol  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Started On Left  
HELP\_TEXT.....No Help Text  
ID.....{AA6767EE-57F6-F565-76E9-EB219644492F}  
TERM.....STARTED ON LEFT

DATA VALUE: STARTED ON RIGHT

---

ABBREVIATION.....sor  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Started On Right  
HELP\_TEXT.....No Help Text  
ID.....{0C690E36-E710-244D-44FC-5DB5BCC0FF7E}  
TERM.....STARTED ON RIGHT

DATA VALUE: STEADY

---

ABBREVIATION.....Steady  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Steady  
HELP\_TEXT.....  
ID.....{42CF2FDA-E774-4784-99D3-24545E30C46F}  
TERM.....STEADY

DATA VALUE: STEADY GAIT OR BASELINE

---

ABBREVIATION.....ST GA BA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Steady Gait or Baseline  
HELP\_TEXT.....No Help Text  
ID.....{0D47B2CE-88A7-4FE5-964B-7A8107A5DB91}  
TERM.....STEADY GAIT OR BASELINE

DATA VALUE: STEP DOWN

---

ABBREVIATION.....STEP DOW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Step Down  
HELP\_TEXT.....No Help Text  
ID.....{F6AC5CA7-0953-4E21-B1A4-6BFE1983D515}  
TERM.....STEP DOWN

DATA VALUE: STERILE GLOVES-DRAPES USED

---

ABBREVIATION.....Ster Glove  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sterile Gloves-Drapes Used  
HELP\_TEXT.....  
ID.....{F26BBB1B-1483-40CD-AC47-828F71B9187C}  
TERM.....STERILE GLOVES-DRAPES USED

DATA VALUE: STIFFNESS

---

ABBREVIATION.....Stiffness  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stiffness  
HELP\_TEXT.....  
ID.....{0473BB8B-7912-4191-93BF-8662F30199EC}  
TERM.....STIFFNESS

DATA VALUE: STINGING

---

ABBREVIATION.....STINGING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stinging  
HELP\_TEXT.....No Help Text  
ID.....{DF235170-F501-4E8D-89DD-5A3C76F4B13B}  
TERM.....STINGING

DATA VALUE: STOMA BUTTON

---

ABBREVIATION.....StoButton  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stoma Button  
HELP\_TEXT.....  
ID.....{8F01105E-AB8C-44F0-8F2C-A37D423C9310}  
TERM.....STOMA BUTTON

DATA VALUE: STOMA CARE

---

ABBREVIATION.....Stoma Care  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stoma Care  
HELP\_TEXT.....  
ID.....{700D1811-5B1C-47DE-B0A7-EBF560B598FF}  
TERM.....STOMA CARE

DATA VALUE: STOMA ONLY

---

ABBREVIATION.....StomaOnly  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stoma Only  
HELP\_TEXT.....  
ID.....{34B3AEE4-2B03-4B14-846D-C00FDA3415FC}  
TERM.....STOMA ONLY

DATA VALUE: STOOL MANAGEMENT SYSTEM

-----  
ABBREVIATION.....StManSys  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stool Management System  
HELP\_TEXT.....  
ID.....{D707EA3E-3151-4F51-B1FD-E6BA2A0BE888}  
TERM.....STOOL MANAGEMENT SYSTEM

DATA VALUE: STOOL TOO FIRM TO DRAIN

-----  
ABBREVIATION.....Firm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stool Too Firm to Drain  
HELP\_TEXT.....  
ID.....{A57DB5C7-A9F1-48B7-A6EA-1C6256C150BF}  
TERM.....STOOL TOO FIRM TO DRAIN

DATA VALUE: STOP TIME:

-----  
ABBREVIATION.....Stop Time:  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stop Time:  
HELP\_TEXT.....When entering data, make sure the  
save date/time reflects the stop  
time.  
ID.....{784CA4D8-988F-4A59-8AB5-48AFC9CA210B}  
TERM.....STOP TIME:

DATA VALUE: STOPCOCK CHANGE

-----  
ABBREVIATION.....Stop Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stopcock Change  
HELP\_TEXT.....  
ID.....{C4A6E58E-DA4B-478F-823B-D2CFC9860072}  
TERM.....STOPCOCK CHANGE

DATA VALUE: STRAIGHT CATHETER

-----  
ABBREVIATION.....STR. CATH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Straight Catheter  
HELP\_TEXT.....No Help Text  
ID.....{5F4A8A7F-E720-9458-2360-1DC14E7D05F3}  
TERM.....STRAIGHT CATHETER

DATA VALUE: STRETCHER

---

ABBREVIATION.....STRETCHER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stretcher  
HELP\_TEXT.....No Help Text  
ID.....{93CB521A-3A67-41FB-A59C-3DD54D810B11}  
TERM.....STRETCHER

DATA VALUE: STRICT

---

ABBREVIATION.....STRICT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Strict  
HELP\_TEXT.....No Help Text  
ID.....{5717A3EA-9A1F-44AB-BB0B-E86BBDED3ECF}  
TERM.....STRICT

DATA VALUE: STRICT I&O

---

ABBREVIATION.....Strict I&O  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Strict I&O  
HELP\_TEXT.....  
ID.....{546545FA-2143-48CB-8B63-E960CCF1E8BA}  
TERM.....STRICT I&O

DATA VALUE: STRIDOR

---

ABBREVIATION.....Stridor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stridor  
HELP\_TEXT.....  
ID.....{58AFC8CE-A17C-4064-A8EB-F06D324C61CC}  
TERM.....STRIDOR

DATA VALUE: STROKE

---

ABBREVIATION.....Stroke  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stroke  
HELP\_TEXT.....  
ID.....{F0EE98A8-040F-4923-8A21-059DA7B17995}  
TERM.....STROKE

DATA VALUE: STRONG

---

ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Strong  
HELP\_TEXT.....No Help Text  
ID.....{A12154E1-544E-F372-3839-0D44E5BC476B}  
TERM.....STRONG

DATA VALUE: STRYKER FRAME

---

ABBREVIATION.....STRYKER FR  
ACTIVE.....Yes  
DESCRIPTION.....Stryker Fram  
DISPLAY\_NAME.....Stryker Frame  
HELP\_TEXT.....No Help Text  
ID.....{71A1DB72-C860-42D8-BA4F-B71AFA2164B1}  
TERM.....STRYKER FRAME

DATA VALUE: STUDENT

---

ABBREVIATION.....STUDENT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Student  
HELP\_TEXT.....No Help Text  
ID.....{613AFF67-9121-4F6C-A44F-1ACFEF10E612}  
TERM.....STUDENT

DATA VALUE: STUPOROUS

---

ABBREVIATION.....Stuporous  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stuporous  
HELP\_TEXT.....  
ID.....{4C25FF58-3346-4B06-ACE5-6ADB942877A8}  
TERM.....STUPOROUS

DATA VALUE: SUBCUTANEOUS TISSUE

---

ABBREVIATION.....SUBCUTAN T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Subcutaneous Tissue  
HELP\_TEXT.....No Help Text  
ID.....{D1345ED8-2CDB-4FD7-84B8-92C9E0872543}  
TERM.....SUBCUTANEOUS TISSUE

DATA VALUE: SUBTLE

---

ABBREVIATION.....Subtle  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Subtle  
HELP\_TEXT.....  
ID.....{946122D9-3D87-4F6B-87F6-54EC5A6AC382}  
TERM.....SUBTLE

DATA VALUE: SUCTIONED

---

ABBREVIATION.....Suctioned  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suctioned  
HELP\_TEXT.....  
ID.....{D1EA37C9-C8F1-4306-8A86-3B839638712C}  
TERM.....SUCTIONED

DATA VALUE: SUCTIONED ONLY

---

ABBREVIATION.....SUCTIONED ONLY  
ACTIVE.....Yes  
DESCRIPTION.....Suctioned Only  
DISPLAY\_NAME.....Suctioned Only  
HELP\_TEXT.....No Help Text  
ID.....{7A8B23FD-69C5-4931-A6D4-E92F8FD70817}  
TERM.....SUCTIONED ONLY

DATA VALUE: SUCTIONING

---

ABBREVIATION.....Suctioning  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suctioning  
HELP\_TEXT.....  
ID.....{8B79211D-3597-40C8-B1BA-66F20CD960BA}  
TERM.....SUCTIONING

DATA VALUE: SUICIDAL

---

ABBREVIATION.....s  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suicidal  
HELP\_TEXT.....No Help Text  
ID.....{B104E9C7-A78E-82DC-49A4-19B94A639AFE}  
TERM.....SUICIDAL

DATA VALUE: SUICIDE RISK

-----  
ABBREVIATION.....SuicideRsk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suicide Risk  
HELP\_TEXT.....  
ID.....{F8C476DB-B671-405D-9CD0-B3F79ACA78EE}  
TERM.....SUICIDE RISK

DATA VALUE: SUMP

-----  
ABBREVIATION.....Sump  
ACTIVE.....Yes  
DESCRIPTION.....Sump Drain  
DISPLAY\_NAME.....Sump Drain  
HELP\_TEXT.....No Help Text  
ID.....{DAD881B9-F1EE-FDAD-AEB0-68C754FDC24E}  
TERM.....SUMP

DATA VALUE: SUPERVISION/SET-UP HELP

-----  
ABBREVIATION.....SUPERVISED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Supervision/Set-Up Help  
HELP\_TEXT.....No Help Text  
ID.....{596D028B-B60D-4244-A1B0-882177C8D25F}  
TERM.....SUPERVISION/SET-UP HELP

DATA VALUE: SUPINATION ABNORMAL

-----  
ABBREVIATION.....SupiAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Supination Abnormal  
HELP\_TEXT.....  
ID.....{794D33D5-3D66-4376-BB60-C2CB36E3F8FA}  
TERM.....SUPINATION ABNORMAL

DATA VALUE: SUPINATION WNL

-----  
ABBREVIATION.....SupiWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Supination WNL  
HELP\_TEXT.....  
ID.....{B72E16A8-9888-45B6-BD48-1355459C56F9}  
TERM.....SUPINATION WNL

DATA VALUE: SUPINE

---

ABBREVIATION.....SUPINE  
ACTIVE.....Yes  
DESCRIPTION.....Supine  
DISPLAY\_NAME.....Supine  
HELP\_TEXT.....No Help Text  
ID.....{A18F9534-17AF-47D7-8D14-2AA457A889BD}  
TERM.....SUPINE

DATA VALUE: SUPLENA

---

ABBREVIATION.....Suplena  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suplena  
HELP\_TEXT.....  
ID.....{F606979A-083E-40C1-9EBB-EA56053EF5FD}  
TERM.....SUPLENA

DATA VALUE: SUPPER

---

ABBREVIATION.....Supper  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Supper  
HELP\_TEXT.....  
ID.....{9AE02B62-2AB2-41DA-93CE-CC0DCB7FC110}  
TERM.....SUPPER

DATA VALUE: SUPPORT GROUPS

---

ABBREVIATION.....Supp Group  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Support Groups  
HELP\_TEXT.....  
ID.....{7D67F542-4210-42FE-B083-7DA9D29055BD}  
TERM.....SUPPORT GROUPS

DATA VALUE: SUPPOSITORY

---

ABBREVIATION.....Suppositor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suppository  
HELP\_TEXT.....  
ID.....{B776C3BD-7E10-4A5D-BDA9-F346DB7C578F}  
TERM.....SUPPOSITORY

DATA VALUE: SUPRAPUBLIC

-----  
ABBREVIATION.....SUPRAPUBLIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suprapubic  
HELP\_TEXT.....No Help Text  
ID.....{69E0176F-52FC-A3C4-7A4E-AD57DBD6E572}  
TERM.....SUPRAPUBLIC

DATA VALUE: SUPRAVENTRICULAR TACHYCARDIA

-----  
ABBREVIATION.....st  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Supraventricular Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{F712412F-D39A-58F7-E4F1-6AC8B77445D7}  
TERM.....SUPRAVENTRICULAR TACHYCARDIA

DATA VALUE: SURGICAL

-----  
ABBREVIATION.....SURGICAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Surgical  
HELP\_TEXT.....No Help-Text  
ID.....{2C6CFEF1-6122-45BA-A9F8-F33B5B3C0E90}  
TERM.....SURGICAL

DATA VALUE: SURGICAL DONOR

-----  
ABBREVIATION.....SURG DONOR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Surgical Donor  
HELP\_TEXT.....No Help Text  
ID.....{F3EE10EA-5776-479B-A58C-F59D6526F90B}  
TERM.....SURGICAL DONOR

DATA VALUE: SURGICAL GRAFT

-----  
ABBREVIATION.....SURG GRAFT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Surgical Graft  
HELP\_TEXT.....No Help Text  
ID.....{328BA3EA-409B-4C5E-92E7-C6ECE8F983E1}  
TERM.....SURGICAL GRAFT

DATA VALUE: SUSPECTED DEEP TISSUE INJURY

---

ABBREVIATION.....SUS DEEP T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Suspected Deep Tissue Injury  
HELP\_TEXT.....No Help Text  
ID.....{E82B4082-646F-4B5A-B68E-BB0872A4F6D2}  
TERM.....SUSPECTED DEEP TISSUE INJURY

DATA VALUE: SUSPICIOUS

---

ABBREVIATION.....Suspicious  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suspicious  
HELP\_TEXT.....  
ID.....{AE55ED4C-CC3C-4827-8634-9178297A3CEE}  
TERM.....SUSPICIOUS

DATA VALUE: SUTURES

---

ABBREVIATION.....SUTURES  
ACTIVE.....Yes  
DESCRIPTION.....Sutures to close wound  
DISPLAY\_NAME.....Sutures  
HELP\_TEXT.....No Help Text  
ID.....{F6E3535E-2368-4014-8F4E-670EC0CB69A5}  
TERM.....SUTURES

DATA VALUE: SWALLOW

---

ABBREVIATION.....Swallow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Swallow  
HELP\_TEXT.....  
ID.....{DFB67E0A-BCC5-43BF-8A1A-3175F376B811}  
TERM.....SWALLOW

DATA VALUE: SWOLLEN

---

ABBREVIATION.....SWOLLEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Swollen  
HELP\_TEXT.....No Help Text  
ID.....{DCE86B10-C393-8DA9-6518-F2943F0E1A4E}  
TERM.....SWOLLEN

DATA VALUE: SYMPTOMS INTERFERE WITH SLEEP

-----  
ABBREVIATION.....Symptoms  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Symptoms Interfere with Sleep  
HELP\_TEXT.....  
ID.....{B46911D-C463-4EE7-B9DB-136AECBF9EAF}  
TERM.....SYMPTOMS INTERFERE WITH SLEEP

DATA VALUE: SYMPTOMS OF MEDICATION ALLERGY

-----  
ABBREVIATION.....Sym Med Al  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Symptoms of Medication Allergy  
HELP\_TEXT.....  
ID.....{8E73F22D-7583-4F24-B946-091CF8508CED}  
TERM.....SYMPTOMS OF MEDICATION ALLERGY

DATA VALUE: SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION

-----  
ABBREVIATION.....SIMV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Synchronous Intermittent Mandatory  
Ventilation  
HELP\_TEXT.....No Help Text  
ID.....{A606BB2B-5C00-FEA1-127F-1D3455AE5996}  
TERM.....SYNCHRONOUS INTERMITTENT MANDATORY  
VENTILATION

DATA VALUE: SYNCOPES

-----  
ABBREVIATION.....Syncope  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Syncope  
HELP\_TEXT.....  
ID.....{1F9B0771-BDA9-44A5-A1D6-7680F4EB10BE}  
TERM.....SYNCOPE

DATA VALUE: SYRINGE

-----  
ABBREVIATION.....Syringe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Syringe  
HELP\_TEXT.....  
ID.....{8ED1EF3E-79AC-4507-A35B-473F31510FB7}  
TERM.....SYRINGE

DATA VALUE: SYRINGE CHANGE

---

ABBREVIATION.....Syr Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Syringe Change  
HELP\_TEXT.....  
ID.....{1F052EF1-F62C-4442-8B2B-D15280226C69}  
TERM.....SYRINGE CHANGE

DATA VALUE: SYRINGE CHANGED

---

ABBREVIATION.....SYR CHANGE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Syringe Changed  
HELP\_TEXT.....No Help Text  
ID.....{BE84F060-7E03-49DD-A6BC-787375C8E1F1}  
TERM.....SYRINGE CHANGED

DATA VALUE: SYSTOLIC

---

ABBREVIATION.....SYSTOLIC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Systolic  
HELP\_TEXT.....No Help Text  
ID.....{859B5700-0990-42FF-8129-8DB24EFDA8D1}  
TERM.....SYSTOLIC

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL BY ORDERS

---

ABBREVIATION.....SaO2 by Or  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....SaO2% at Acceptable Level by Orders  
HELP\_TEXT.....  
ID.....{408B35FD-0300-4E7E-922A-A3F8CADC3DA9}  
TERM.....SaO2% AT ACCEPTABLE LEVEL BY ORDERS

DATA VALUE: SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL

---

ABBREVIATION.....SaO2 w/Pre  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....SaO2% at Acceptable Level with  
Prescribed O2 Level  
HELP\_TEXT.....  
ID.....{8DE3440F-8049-4846-89D6-2E2DDEEA362C}  
TERM.....SaO2% AT ACCEPTABLE LEVEL WITH  
PRESCRIBED O2 LEVEL

DATA VALUE: T WAVE NORMAL

---

ABBREVIATION.....T Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T Wave Normal  
HELP\_TEXT.....  
ID.....{57AF62FB-DE31-4AF4-9EAA-04B2E46F05E0}  
TERM.....T WAVE NORMAL

DATA VALUE: T1

---

ABBREVIATION.....T1  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T1  
HELP\_TEXT.....  
ID.....{78DB9C11-B0FE-4A08-A3AE-8BEA2CA4D91F}  
TERM.....T1

DATA VALUE: T10

---

ABBREVIATION.....T10  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T10  
HELP\_TEXT.....  
ID.....{EB6E695A-95AF-4E9D-AEFA-B1484BABFC4E}  
TERM.....T10

DATA VALUE: T11

---

ABBREVIATION.....T11  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T11  
HELP\_TEXT.....  
ID.....{3C40B21A-965B-48C4-A65D-9A01CF2327F1}  
TERM.....T11

DATA VALUE: T12

---

ABBREVIATION.....T12  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T12  
HELP\_TEXT.....  
ID.....{36FA36A9-FBB2-4F16-A3BA-7E3260DA768D}  
TERM.....T12

DATA VALUE: T2

-----  
ABBREVIATION.....T2  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T2  
HELP\_TEXT.....  
ID.....{7536B154-F3CA-4B21-8CEC-301F204B19A9}  
TERM.....T2

DATA VALUE: T3

-----  
ABBREVIATION.....T3  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T3  
HELP\_TEXT.....  
ID.....{F8BDC550-D9B9-46CD-9BD1-52E32AA513FD}  
TERM.....T3

DATA VALUE: T4

-----  
ABBREVIATION.....T4  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T4  
HELP\_TEXT.....  
ID.....{E95970BB-3FDA-4027-AAF0-EE5670642321}  
TERM.....T4

DATA VALUE: T5

-----  
ABBREVIATION.....T5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T5  
HELP\_TEXT.....  
ID.....{01B568D4-F9F4-44A7-94A4-EFF830691940}  
TERM.....T5

DATA VALUE: T6

-----  
ABBREVIATION.....T6  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T6  
HELP\_TEXT.....  
ID.....{0C2C1A00-7CCB-4608-AECB-30BFB52A5342}  
TERM.....T6

DATA VALUE: T7

-----  
ABBREVIATION.....T7  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T7  
HELP\_TEXT.....  
ID.....{385B254A-F256-4626-9C12-7D8984F4B605}  
TERM.....T7

DATA VALUE: T8

-----  
ABBREVIATION.....T8  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T8  
HELP\_TEXT.....  
ID.....{68337EB5-902D-4DCB-AFDD-8AC59849F58B}  
TERM.....T8

DATA VALUE: T9

-----  
ABBREVIATION.....T9  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....T9  
HELP\_TEXT.....  
ID.....{06F10D8D-2E9D-454D-AD6B-B750300523DD}  
TERM.....T9

DATA VALUE: TACTILE HALLUCINATIONS

-----  
ABBREVIATION.....Tac Halluc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tactile Hallucinations  
HELP\_TEXT.....  
ID.....{7DF6ACCF-20A9-46EB-93D2-7BB17F27920A}  
TERM.....TACTILE HALLUCINATIONS

DATA VALUE: TALKATIVE

-----  
ABBREVIATION.....Talkative  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Talkative  
HELP\_TEXT.....  
ID.....{E9BF2028-E7A7-4B16-B1E6-411856997A14}  
TERM.....TALKATIVE

DATA VALUE: TAN

---

ABBREVIATION.....TAN  
ACTIVE.....Yes  
DESCRIPTION.....The color tan  
DISPLAY\_NAME.....Tan  
HELP\_TEXT.....The color tan  
ID.....{AB994ED7-8916-FAE0-0E97-CD4E0EF80ED1}  
TERM.....TAN

DATA VALUE: TAPE BURN

---

ABBREVIATION.....TAPE BURN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tape Burn  
HELP\_TEXT.....No Help Text  
ID.....{DDD75AFD-DA8D-4E73-873F-86D4DF4AF47A}  
TERM.....TAPE BURN

DATA VALUE: TARRY

---

ABBREVIATION.....TARRY  
ACTIVE.....Yes  
DESCRIPTION.....Tarry in appearance  
DISPLAY\_NAME.....Tarry  
HELP\_TEXT.....No Help Text  
ID.....{09364271-6307-471F-A334-A8F7E051EF46}  
TERM.....TARRY

DATA VALUE: TEA

---

ABBREVIATION.....TEA  
ACTIVE.....Yes  
DESCRIPTION.....Tea  
DISPLAY\_NAME.....Tea  
HELP\_TEXT.....Tea  
ID.....{E2C0C287-DFDC-4F7B-8A67-7A339B8E8669}  
TERM.....TEA

DATA VALUE: TECH

---

ABBREVIATION.....Tech  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tech  
HELP\_TEXT.....  
ID.....{13AAF5D5-FEBC-4E09-B972-5D86BA02F307}  
TERM.....TECH

DATA VALUE: TED HOSE

---

ABBREVIATION.....TED Hose  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....TED Hose  
HELP\_TEXT.....  
ID.....{FA9A0E26-7DEC-433E-A65C-A7166E8C4AC4}  
TERM.....TED HOSE

DATA VALUE: TEETH BRUSHED

---

ABBREVIATION.....TEETH BRUS  
ACTIVE.....Yes  
DESCRIPTION.....Teeth Brushed  
DISPLAY\_NAME.....Teeth Brushed  
HELP\_TEXT.....No Help Text  
ID.....{20841794-6E6D-4262-B1FE-9E3F20F8CC49}  
TERM.....TEETH BRUSHED

DATA VALUE: TEMPERATURE

---

ABBREVIATION.....Temp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Temperature  
HELP\_TEXT.....  
ID.....{5C547D6D-4622-475D-9854-459E5261752B}  
TERM.....TEMPERATURE

DATA VALUE: TEMPORARY (TRANSVENOUS)

---

ABBREVIATION.....tt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Temporary (Transvenous)  
HELP\_TEXT.....No Help Text  
ID.....{F6A74188-3D79-D749-540F-4EA32201B0E6}  
TERM.....TEMPORARY (TRANSVENOUS)

DATA VALUE: TENACIOUS

---

ABBREVIATION.....TENACIOUS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tenacious  
HELP\_TEXT.....No Help Text  
ID.....{EE90B04C-F74B-43F8-F3F2-8C2D4359D0B3}  
TERM.....TENACIOUS

DATA VALUE: TENDER

---

ABBREVIATION.....TENDER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tender  
HELP\_TEXT.....No Help Text  
ID.....{30486CC7-3097-4F95-9238-FD6C2126CD10}  
TERM.....TENDER

DATA VALUE: TENDERNESS

---

ABBREVIATION.....Tenderness  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tenderness  
HELP\_TEXT.....  
ID.....{2C554B2D-2CCE-4E39-B02B-44AE156D2404}  
TERM.....TENDERNESS

DATA VALUE: TENDON

---

ABBREVIATION.....TENDON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tendon  
HELP\_TEXT.....No Help Text  
ID.....{40628D33-E217-4D39-9A82-4C8D7702576F}  
TERM.....TENDON

DATA VALUE: TENS

---

ABBREVIATION.....TENS  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....TENS  
HELP\_TEXT.....  
ID.....{73D73BCF-D9C3-4154-8C5C-D11E62A2D328}  
TERM.....TENS

DATA VALUE: THICK

---

ABBREVIATION.....THICK  
ACTIVE.....Yes  
DESCRIPTION.....Thick  
DISPLAY\_NAME.....Thick  
HELP\_TEXT.....No Help Text  
ID.....{1554A49E-1468-46B2-F851-531DDB1D1A98}  
TERM.....THICK

DATA VALUE: THIGH

-----  
ABBREVIATION.....THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thigh  
HELP\_TEXT.....No Help Text  
ID.....{65AE788B-52F5-44D3-B9C1-49DAE46FF5AB}  
TERM.....THIGH

DATA VALUE: THIN

-----  
ABBREVIATION.....THIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thin  
HELP\_TEXT.....No Help Text  
ID.....{CB8D8B5C-E824-D030-1241-D8EB814671E9}  
TERM.....THIN

DATA VALUE: THIRD DEGREE AV BLOCK

-----  
ABBREVIATION.....tdab  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Third Degree Av Block  
HELP\_TEXT.....No Help Text  
ID.....{1AC7E31B-830E-2309-3AF7-8FB03003DD86}  
TERM.....THIRD DEGREE AV BLOCK

DATA VALUE: THORACIC

-----  
ABBREVIATION.....Thoracic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Thoracic  
HELP\_TEXT.....  
ID.....{CAC9637E-6CBC-4F12-BF5B-72EDD2148579}  
TERM.....THORACIC

DATA VALUE: THORACIC SPINAL PRECAUTIONS

-----  
ABBREVIATION.....THOR S P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thoracic Spinal Precautions  
HELP\_TEXT.....No Help Text  
ID.....{D55AEF23-7F5E-45DD-A178-F217E6AF3873}  
TERM.....THORACIC SPINAL PRECAUTIONS

DATA VALUE: THREADS

---

ABBREVIATION.....Threads  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Threads  
HELP\_TEXT.....  
ID.....{029BB303-B428-41D0-978B-6A8176108D7D}  
TERM.....THREADS

DATA VALUE: THROBBING

---

ABBREVIATION.....THROBBING  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Throbbing  
HELP\_TEXT.....No Help Text  
ID.....{3ACE2B10-1418-47F8-A4F3-0C41A699B5D9}  
TERM.....THROBBING

DATA VALUE: THRUSH (YEAST)

---

ABBREVIATION.....ThrushYea  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Thrush (Yeast)  
HELP\_TEXT.....  
ID.....{B5018A8B-A076-4738-86E9-4AF744331AF5}  
TERM.....THRUSH (YEAST)

DATA VALUE: THUMB

---

ABBREVIATION.....Thumb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Thumb  
HELP\_TEXT.....  
ID.....{CF7D5D2D-0460-4BFE-8AB3-AA5B385434F8}  
TERM.....THUMB

DATA VALUE: THYROMENTAL DISTANCE LESS THAN 3 PB

---

ABBREVIATION.....T/D <3 PB  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Thyromental Distance Less than 3 PB  
HELP\_TEXT.....  
ID.....{D98AED3F-9583-4A86-9D32-13B0AD0A4614}  
TERM.....THYROMENTAL DISTANCE LESS THAN 3 PB

DATA VALUE: TINGLING

---

ABBREVIATION.....t  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tingling  
HELP\_TEXT.....No Help Text  
ID.....{AE8E3101-AC3D-DEC3-0293-58F901F82EB8}  
TERM.....TINGLING

DATA VALUE: TINGLING MOUTH/LIPS

---

ABBREVIATION.....Ting Mou/L  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tingling Mouth/Lips  
HELP\_TEXT.....  
ID.....{E603F979-310D-438B-80A2-1F52E4DE71C6}  
TERM.....TINGLING MOUTH/LIPS

DATA VALUE: TINNITUS

---

ABBREVIATION.....Tinnitus  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tinnitus  
HELP\_TEXT.....  
ID.....{846F5DD2-F8AC-44BA-95C6-BF63A07E7E32}  
TERM.....TINNITUS

DATA VALUE: TO PAIN

---

ABBREVIATION.....TO PAIN  
ACTIVE.....Yes  
DESCRIPTION.....To Pain  
DISPLAY\_NAME.....To Pain  
HELP\_TEXT.....No Help Text  
ID.....{AA1F818D-DCFC-4FBC-97D3-BE86D309119E}  
TERM.....TO PAIN

DATA VALUE: TO SPEECH

---

ABBREVIATION.....TO SPEECH  
ACTIVE.....Yes  
DESCRIPTION.....To Speech  
DISPLAY\_NAME.....To Speech  
HELP\_TEXT.....No Help Text  
ID.....{2DDD94FA-D4D0-48B0-B4F4-F25C42E4AF96}  
TERM.....TO SPEECH

DATA VALUE: TOE

---

ABBREVIATION.....Toe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toe  
HELP\_TEXT.....  
ID.....{086D2E43-D99F-47E4-9AB1-1E8E4C3A91E8}  
TERM.....TOE

DATA VALUE: TOENAIL CARE

---

ABBREVIATION.....TOEN CARE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Toenail Care  
HELP\_TEXT.....No Help Text  
ID.....{6CF3ABCE-FF74-43E2-81E5-D23339017CA9}  
TERM.....TOENAIL CARE

DATA VALUE: TOILET

---

ABBREVIATION.....Toilet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toilet  
HELP\_TEXT.....  
ID.....{0E749B59-5D37-415F-8563-642DD488A57C}  
TERM.....TOILET

DATA VALUE: TOILETING

---

ABBREVIATION.....Toileting  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toileting  
HELP\_TEXT.....  
ID.....{7C5F5DC9-5A03-42A7-91B0-9491D9D00A20}  
TERM.....TOILETING

DATA VALUE: TOILETING BY SCHEDULE

---

ABBREVIATION.....Toilet Sch  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toileting by Schedule  
HELP\_TEXT.....  
ID.....{D47E6118-E5AD-46A0-8DCE-B28CDAFD6154}  
TERM.....TOILETING BY SCHEDULE

DATA VALUE: TOLERATED FAIR

---

ABBREVIATION.....TolerFair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tolerated Fair  
HELP\_TEXT.....  
ID.....{341FC827-1B34-4836-A74F-1C8C466DD4F0}  
TERM.....TOLERATED FAIR

DATA VALUE: TOLERATED POOR

---

ABBREVIATION.....TolerPoor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tolerated Poor  
HELP\_TEXT.....  
ID.....{C3EE2266-1EBE-4113-8C87-BC1049B3B1DE}  
TERM.....TOLERATED POOR

DATA VALUE: TOLERATED WELL

---

ABBREVIATION.....TolerWell  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tolerated Well  
HELP\_TEXT.....  
ID.....{E1846192-BB56-463F-A112-6E3DD649D3C3}  
TERM.....TOLERATED WELL

DATA VALUE: TOLERATING FLUIDS/NOURISHMENT

---

ABBREVIATION.....TO OR FL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tolerating Fluids/Nourishment  
HELP\_TEXT.....No Help Text  
ID.....{E107F272-CD27-46B8-8C50-F9FF776DDCD9}  
TERM.....TOLERATING FLUIDS/NOURISHMENT

DATA VALUE: TONIC

---

ABBREVIATION.....Tonic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tonic  
HELP\_TEXT.....  
ID.....{E161A7D9-859F-41FE-BE0B-D5059FC673CD}  
TERM.....TONIC

DATA VALUE: TONIC/CLONIC

-----  
ABBREVIATION.....TON/CLON  
ACTIVE.....Yes  
DESCRIPTION.....Tonic/Clonic  
DISPLAY\_NAME.....Tonic/Clonic  
HELP\_TEXT.....Tonic/Clonic  
ID.....{81932BAA-6C79-47A3-85B3-592824B6C09C}  
TERM.....TONIC/CLONIC

DATA VALUE: TOOTHBRUSHING

-----  
ABBREVIATION.....ToothBrush  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toothbrushing  
HELP\_TEXT.....  
ID.....{23FD0844-95C5-4974-A43D-23463E77B381}  
TERM.....TOOTHBRUSHING

DATA VALUE: TOOTHETTES (EDENTUIOUS)

-----  
ABBREVIATION.....Toothettes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toothettes (Edentuous)  
HELP\_TEXT.....  
ID.....{0D552EED-1B5D-42B0-84F1-7FF014FDC138}  
TERM.....TOOTHETTES (EDENTUIOUS)

DATA VALUE: TOPICAL TREATMENT

-----  
ABBREVIATION.....TOPICAL T  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Topical Treatment  
HELP\_TEXT.....No Help Text  
ID.....{4E995342-8A6F-4B21-8013-F8C6A9FC7658}  
TERM.....TOPICAL TREATMENT

DATA VALUE: TORSADES DE POINTES

-----  
ABBREVIATION.....Tor de Poi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Torsades de Pointes  
HELP\_TEXT.....  
ID.....{E936B787-7912-4CAE-A465-AD1A1FEA68CA}  
TERM.....TORSADES DE POINTES

DATA VALUE: TOTAL DEPENDENCE

---

ABBREVIATION.....TOT DEPEND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Total Dependence  
HELP\_TEXT.....No Help Text  
ID.....{38702CDD-E440-4EFA-9583-36EEE719F7C3}  
TERM.....TOTAL DEPENDENCE

DATA VALUE: TOUCH

---

ABBREVIATION.....Touch  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Touch  
HELP\_TEXT.....  
ID.....{6BD11175-4390-487B-AB47-47D9F1D76A0B}  
TERM.....TOUCH

DATA VALUE: TRACE

---

ABBREVIATION.....Trace  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trace  
HELP\_TEXT.....  
ID.....{BC02817D-19E1-4C0B-AB0C-05CE26AD1E94}  
TERM.....TRACE

DATA VALUE: TRACH CARE

---

ABBREVIATION.....Trach Care  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trach Care  
HELP\_TEXT.....  
ID.....{6E0ABF71-9BD8-444F-AF39-F0FD18357493}  
TERM.....TRACH CARE

DATA VALUE: TRACH COLLAR O2

---

ABBREVIATION.....TrachColl  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trach Collar 02  
HELP\_TEXT.....  
ID.....{8189D676-B602-4A29-A7AF-1A8FD7F4B50B}  
TERM.....TRACH COLLAR O2

DATA VALUE: TRACH DRESSING

---

ABBREVIATION.....TrachDress  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trach Dressing  
HELP\_TEXT.....  
ID.....{778C9378-071D-44F6-8306-705D5D2F19D7}  
TERM.....TRACH DRESSING

DATA VALUE: TRACH TALKING VALVE

---

ABBREVIATION.....TrachValve  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trach Talking Valve  
HELP\_TEXT.....  
ID.....{AB6632B0-B220-4608-978F-6F2084175377}  
TERM.....TRACH TALKING VALVE

DATA VALUE: TRACH TIES/HOLDER CHANGED

---

ABBREVIATION.....Trach Ties  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trach Ties/Holder Changed  
HELP\_TEXT.....  
ID.....{B49A3A50-8516-4423-896A-67643822E674}  
TERM.....TRACH TIES/HOLDER CHANGED

DATA VALUE: TRACHEOSTOMY

---

ABBREVIATION.....TRACHEOSTO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tracheostomy  
HELP\_TEXT.....No Help Text  
ID.....{2B0B7599-847E-852F-D16F-091CAAA4B205}  
TERM.....TRACHEOSTOMY

DATA VALUE: TRACHEOSTOMY/LARYNGECTOMY

---

ABBREVIATION.....TrachLaryn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tracheostomy/Laryngectomy  
HELP\_TEXT.....  
ID.....{88548FE9-1111-4E7F-ADDE-0D9A372D84E3}  
TERM.....TRACHEOSTOMY/LARYNGECTOMY

DATA VALUE: TRANSCUTANEOUS

---

ABBREVIATION.....t  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transcutaneous  
HELP\_TEXT.....No Help Text  
ID.....{F4315F92-8804-1CB4-4D03-CCFDC95C6E71}  
TERM.....TRANSCUTANEOUS

DATA VALUE: TRANSFER

---

ABBREVIATION.....TRANSFER  
ACTIVE.....Yes  
DESCRIPTION.....Transfer  
DISPLAY\_NAME.....Transfer  
HELP\_TEXT.....No Help Text  
ID.....{DFDB4783-25BE-485B-A9BA-621F1004AAF2}  
TERM.....TRANSFER

DATA VALUE: TRANSFER WITH ASSIST

---

ABBREVIATION.....TRANS ASST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transfer With Assist  
HELP\_TEXT.....No Help Text  
ID.....{62A5BFFF-9C7C-4412-83A8-F872095DE005}  
TERM.....TRANSFER WITH ASSIST

DATA VALUE: TRANSPARENT

---

ABBREVIATION.....TRANSPAREN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....No Help Text  
ID.....{0E73D24D-0EFC-08F9-196A-D30DD1BB3228}  
TERM.....TRANSPARENT

DATA VALUE: TRANSPARENT DRESSING

---

ABBREVIATION.....TRANSP DRE  
ACTIVE.....Yes  
DESCRIPTION.....Transparent Dressing  
DISPLAY\_NAME.....Transparent Dressing  
HELP\_TEXT.....No Help Text  
ID.....{777C7722-AEA8-4A0B-9ADD-1157D37AE539}  
TERM.....TRANSPARENT DRESSING

DATA VALUE: TRANSPORT FACILITATOR PRESENT

-----  
ABBREVIATION.....TR FA PR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transport Facilitator Present  
HELP\_TEXT.....No Help Text  
ID.....{645BF269-6B23-4377-95ED-71291F075B25}  
TERM.....TRANSPORT FACILITATOR PRESENT

DATA VALUE: TRANSPYLORIC

-----  
ABBREVIATION.....TRANSPYLO  
ACTIVE.....Yes  
DESCRIPTION.....Transpyloric  
DISPLAY\_NAME.....Transpyloric  
HELP\_TEXT.....No Help Text  
ID.....{78FA5E0A-EA21-40F3-8E8D-3B3FCC1ED060}  
TERM.....TRANSPYLORIC

DATA VALUE: TRAUMATIC

-----  
ABBREVIATION.....Traumatic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Traumatic  
HELP\_TEXT.....  
ID.....{3BE503D9-E7A6-4618-AFE0-B1BEA7A2A0DF}  
TERM.....TRAUMATIC

DATA VALUE: TRAUMATIC BRAIN INJURY

-----  
ABBREVIATION.....TrauBrain  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Traumatic Brain Injury  
HELP\_TEXT.....  
ID.....{FE345588-5431-4F3D-BBB1-1347E484D2AB}  
TERM.....TRAUMATIC BRAIN INJURY

DATA VALUE: TREATMENTS

-----  
ABBREVIATION.....TREATMENTS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Treatments  
HELP\_TEXT.....No Help Text  
ID.....{7A6879B5-F781-498E-9D71-3FA0243C3F21}  
TERM.....TREATMENTS

DATA VALUE: TREMORS

---

ABBREVIATION.....Tremors  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tremors  
HELP\_TEXT.....  
ID.....{C9A636BB-F04B-4D90-8230-D261D18047F2}  
TERM.....TREMORS

DATA VALUE: TRIGEMINY

---

ABBREVIATION.....Trigeminy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Trigeminy  
HELP\_TEXT.....  
ID.....{13D65F9F-B51C-4CEC-8002-037C8323626C}  
TERM.....TRIGEMINY

DATA VALUE: TRIPLE

---

ABBREVIATION.....TRIPLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Triple  
HELP\_TEXT.....No Help Text  
ID.....{077BE8CF-F2AB-56E1-1F25-51DF80F8054D}  
TERM.....TRIPLE

DATA VALUE: TUBED/DYSPHAGIC

---

ABBREVIATION.....TUBE/DYSPH  
ACTIVE.....Yes  
DESCRIPTION.....Tubed/Dysphagic  
DISPLAY\_NAME.....Tubed/Dysphagic  
HELP\_TEXT.....No Help Text  
ID.....{82AAFAE3-50B0-4F2A-91CF-7900849A14EB}  
TERM.....TUBED/DYSPHAGIC

DATA VALUE: TUBES (IV, CHEST, DRAINS, ETC.)

---

ABBREVIATION.....Tubes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tubes (IV, Chest, Drains, Etc.)  
HELP\_TEXT.....  
ID.....{4FCB0CE8-76A6-4B5C-A261-81083E14B6AB}  
TERM.....TUBES (IV, CHEST, DRAINS, ETC.)

DATA VALUE: TUBING CHANGE

---

ABBREVIATION.....Tube Chg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tubing Change  
HELP\_TEXT.....  
ID.....{6418C2A2-D244-4C5B-A398-904B99AACEA4}  
TERM.....TUBING CHANGE

DATA VALUE: TUBING CHANGED/LABELED

---

ABBREVIATION.....TUBE CHANG  
ACTIVE.....Yes  
DESCRIPTION.....Changed or labeled tubing  
DISPLAY\_NAME.....Tubing Changed / Labeled  
HELP\_TEXT.....No Help Text  
ID.....{19BA337C-6E28-411E-9702-48B262C593FA}  
TERM.....TUBING CHANGED/LABELED

DATA VALUE: TURN AND POSITION

---

ABBREVIATION.....TURN POSIT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Turn and Position  
HELP\_TEXT.....No Help Text  
ID.....{44A4F470-1760-4073-AB3A-D59CA9EFE7F3}  
TERM.....TURN AND POSITION

DATA VALUE: TURNING SELF INDEPENDENTLY

---

ABBREVIATION.....TURN SELF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Turning Self Independently  
HELP\_TEXT.....No Help Text  
ID.....{DD804CEB-F7CA-4D42-BF6A-447E38B55E98}  
TERM.....TURNING SELF INDEPENDENTLY

DATA VALUE: TWILL TAPE

---

ABBREVIATION.....Twill Tape  
ACTIVE.....Yes  
DESCRIPTION.....Twill Tape  
DISPLAY\_NAME.....Twill Tape  
HELP\_TEXT.....No Help Text  
ID.....{C52BE250-732D-03BB-B8F9-72BE4D546807}  
TERM.....TWILL TAPE

DATA VALUE: TWO CAL HN

-----  
ABBREVIATION.....Two Cal HN  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Two Cal HN  
HELP\_TEXT.....  
ID.....{3CAF568F-4844-4B3F-97A2-86EDE50BB2DE}  
TERM.....TWO CAL HN

DATA VALUE: TWO PERSON ASSIST

-----  
ABBREVIATION.....2 PERS AST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Two Person Assist  
HELP\_TEXT.....No Help Text  
ID.....{0547070B-C9BC-4406-BDC0-BF9C6C23D41A}  
TERM.....TWO PERSON ASSIST

DATA VALUE: U WAVE PRESENT

-----  
ABBREVIATION.....U Wave  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....U Wave Present  
HELP\_TEXT.....  
ID.....{5AE06982-CC61-45FC-8A60-85DB23A3BBC4}  
TERM.....U WAVE PRESENT

DATA VALUE: ULNAR ABNORMAL

-----  
ABBREVIATION.....UlnarAbn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ulnar Abnormal  
HELP\_TEXT.....  
ID.....{D1B6A95F-82ED-43EB-A106-6B1E0D2CAFC9}  
TERM.....ULNAR ABNORMAL

DATA VALUE: ULNAR WNL

-----  
ABBREVIATION.....UlnarWNL  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ulnar WNL  
HELP\_TEXT.....  
ID.....{C9CEAB83-283A-411C-9B2E-70171341BC09}  
TERM.....ULNAR WNL

DATA VALUE: ULTRACAL

-----  
ABBREVIATION.....ULTRACAL  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Nutrition Type  
DISPLAY\_NAME.....Ultracal  
HELP\_TEXT.....No Help Text  
ID.....{179AE9A5-154D-4CD2-B70B-66E84F5D0932}  
TERM.....ULTRACAL

DATA VALUE: UN = UNEXAMINABLE

-----  
ABBREVIATION.....UN = Unex  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....UN = Unexaminalbe  
HELP\_TEXT.....  
ID.....{BC5C6E97-4B48-4BFF-AD10-9E741E33BD6F}  
TERM.....UN = UNEXAMINABLE

DATA VALUE: UNABLE TO AROUSE

-----  
ABBREVIATION.....Un to Ar  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Arouse  
HELP\_TEXT.....  
ID.....{05B32DD9-E634-4B60-A58B-2E915EA2834D}  
TERM.....UNABLE TO AROUSE

DATA VALUE: UNABLE TO ASSESS

-----  
ABBREVIATION.....UNA TO AS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable to Assess  
HELP\_TEXT.....No Help Text  
ID.....{4D11A5E0-1CE8-4390-9EDD-ECEACCAA991B}  
TERM.....UNABLE TO ASSESS

DATA VALUE: UNABLE TO ASSESS (ENTER COMMENT)

-----  
ABBREVIATION.....Unable  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Assess (Enter Comment)  
HELP\_TEXT.....  
ID.....{3B071C2E-4E07-4423-8FC3-EEBE9607CEE7}  
TERM.....UNABLE TO ASSESS (ENTER COMMENT)

DATA VALUE: UNABLE TO ASSESS: PARALYTICS

-----  
ABBREVIATION.....UtA:Paraly  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Assess: Paralytics  
HELP\_TEXT.....  
ID.....{F69A0754-5DAE-44CF-888F-5A137206C46B}  
TERM.....UNABLE TO ASSESS: PARALYTICS

DATA VALUE: UNABLE TO ASSESS: SEDATED

-----  
ABBREVIATION.....UtA:Sedatd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Assess: Sedated  
HELP\_TEXT.....  
ID.....{EEA03C6D-73DE-4F22-882D-536FC99AD66F}  
TERM.....UNABLE TO ASSESS: SEDATED

DATA VALUE: UNABLE TO ATTEMPT

-----  
ABBREVIATION.....R.E. UNAB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Attempt Due To Patient  
Safety Concern  
HELP\_TEXT.....No Help Text  
ID.....{979B0477-5789-4319-9562-6752048C4005}  
TERM.....UNABLE TO ATTEMPT

DATA VALUE: UNABLE TO FOLLOW DIRECTIONS

-----  
ABBREVIATION.....R.C. DIRE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Follow Directions While  
Injury Risk  
HELP\_TEXT.....No Help Text  
ID.....{41358EAE-9912-48F8-8931-D3C635406D21}  
TERM.....UNABLE TO FOLLOW DIRECTIONS

DATA VALUE: UNABLE TO GRIP

-----  
ABBREVIATION.....UnabletoGr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Grip  
HELP\_TEXT.....  
ID.....{95F2D06B-1BF9-47F8-B865-0542EF461A5D}  
TERM.....UNABLE TO GRIP

DATA VALUE: UNABLE TO INFORM

---

ABBREVIATION.....UNABLE INF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable to Inform  
HELP\_TEXT.....No Help Text  
ID.....{77428C87-B3F9-4BBD-B781-F7D89BCF9492}  
TERM.....UNABLE TO INFORM

DATA VALUE: UNABLE TO READ

---

ABBREVIATION.....ILLITERATE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable to Read  
HELP\_TEXT.....No Help Text  
ID.....{6D0C2C48-BDD2-489B-94C8-49E6DAC93F2E}  
TERM.....UNABLE TO READ

DATA VALUE: UNABLE TO RESPOND

---

ABBREVIATION.....UNA TO RES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unable To Respond  
HELP\_TEXT.....No Help Text  
ID.....{1EF29FF5-36AB-4FC0-B5E7-F8C3FC95BA5A}  
TERM.....UNABLE TO RESPOND

DATA VALUE: UNABLE TO VOID

---

ABBREVIATION.....Un to Void  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Void  
HELP\_TEXT.....  
ID.....{1F2A844D-4E14-4759-B8F7-82B58E157720}  
TERM.....UNABLE TO VOID

DATA VALUE: UNABLE TO WEDGE

---

ABBREVIATION.....UNABLE WED  
ACTIVE.....Yes  
DESCRIPTION.....Unable to Wedge  
DISPLAY\_NAME.....Unable to Wedge  
HELP\_TEXT.....No Help Text  
ID.....{5D35F546-F1EA-49C6-8B1D-22D24526AF8B}  
TERM.....UNABLE TO WEDGE

DATA VALUE: UNBEARABLE

---

ABBREVIATION.....UNBEARABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unbearable  
HELP\_TEXT.....No Help Text  
ID.....{96611993-45F3-4D1D-BF7F-5E5C46E5569E}  
TERM.....UNBEARABLE

DATA VALUE: UNCOOPERATIVE

---

ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Uncooperative  
HELP\_TEXT.....No Help Text  
ID.....{2D737EFB-F4CA-7AEA-9EB2-6FF133742815}  
TERM.....UNCOOPERATIVE

DATA VALUE: UNCUFFED

---

ABBREVIATION.....Uncuffed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Uncuffed  
HELP\_TEXT.....  
ID.....{2AAD702B-570C-4BEA-8F33-6527F0DF9CEB}  
TERM.....UNCUFFED

DATA VALUE: UNDER STRETCHER/BED

---

ABBREVIATION.....Stretcher  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Under Stretcher/Bed  
HELP\_TEXT.....  
ID.....{0B945D0B-FE87-46A5-A2A9-A3FC8CC578AC}  
TERM.....UNDER STRETCHER/BED

DATA VALUE: UNEQUAL

---

ABBREVIATION.....Unequal  
ACTIVE.....Yes  
DESCRIPTION.....Not the same  
DISPLAY\_NAME.....Unequal  
HELP\_TEXT.....Not the same  
ID.....{73319200-164F-B39F-649C-B7FB1AFBDBB8}  
TERM.....UNEQUAL

DATA VALUE: UNEXPECTED NUMBNESS

---

ABBREVIATION.....Unexp Numb  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unexpected Numbness  
HELP\_TEXT.....  
ID.....{6418B135-56AF-4A76-A207-55D7AE0C5364}  
TERM.....UNEXPECTED NUMBNESS

DATA VALUE: UNIFOCAL PVC

---

ABBREVIATION.....Uni PVC  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unifocal PVC  
HELP\_TEXT.....  
ID.....{5FE7D7FD-048B-4948-A4DC-C9F453AB31C5}  
TERM.....UNIFOCAL PVC

DATA VALUE: UNKNOWN

---

ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unknown  
HELP\_TEXT.....No Help Text  
ID.....{1F872397-8635-18A3-E252-AE9B20B88C7D}  
TERM.....UNKNOWN

DATA VALUE: UNRESPONSIVE

---

ABBREVIATION.....Unresponsi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unresponsive  
HELP\_TEXT.....  
ID.....{F6A71E77-B51F-4812-AE04-E24FA82D2AF1}  
TERM.....UNRESPONSIVE

DATA VALUE: UNRESPONSIVE/COMATOSE

---

ABBREVIATION.....Unrespon  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unresponsive/Comatose  
HELP\_TEXT.....  
ID.....{EF456C13-D797-4FCF-A9D1-17BB6A6AF68A}  
TERM.....UNRESPONSIVE/COMATOSE

DATA VALUE: UNSTABLE

---

ABBREVIATION.....UNSTABLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unstable  
HELP\_TEXT.....No Help Text  
ID.....{5841C521-8070-4034-A69D-27DAB2990EB3}  
TERM.....UNSTABLE

DATA VALUE: UNSTABLE SPINE

---

ABBREVIATION.....UnstabSpi  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unstable Spine  
HELP\_TEXT.....  
ID.....{54C323D4-A191-40CF-A89F-3D5BC3C00623}  
TERM.....UNSTABLE SPINE

DATA VALUE: UNSTAGEABLE

---

ABBREVIATION.....UNSTAGEABL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unstageable  
HELP\_TEXT.....No Help Text  
ID.....{5C507F64-2EC0-4FD8-A786-94D76D90C0D1}  
TERM.....UNSTAGEABLE

DATA VALUE: UNSTEADY

---

ABBREVIATION.....Unsteady  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unsteady  
HELP\_TEXT.....  
ID.....{7AC26DBA-B7F1-401C-9D4C-5C0F06C87152}  
TERM.....UNSTEADY

DATA VALUE: UNSTEADY GAIT

---

ABBREVIATION.....UnsteadyGa  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unsteady Gait  
HELP\_TEXT.....  
ID.....{60EDC7BE-6627-4C9D-902C-618BA84F21CC}  
TERM.....UNSTEADY GAIT

DATA VALUE: UNSUCCESSFUL

---

ABBREVIATION.....UNSUCCESSF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Unsuccessful  
HELP\_TEXT.....No Help Text  
ID.....{54DC58A1-7585-4A32-B810-90B586ED9332}  
TERM.....UNSUCCESSFUL

DATA VALUE: UNUSUAL GESTURES OR MANNERISMS

---

ABBREVIATION.....Mannerisms  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unusual Gestures or Mannerisms  
HELP\_TEXT.....  
ID.....{41DBAE9A-20CB-4173-BFCD-FFF9B4E42F3B}  
TERM.....UNUSUAL GESTURES OR MANNERISMS

DATA VALUE: UP

---

ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Up  
HELP\_TEXT.....No Help Text  
ID.....{7BCC74F9-FE2F-FE60-57BA-321BFA316BEC}  
TERM.....UP

DATA VALUE: UP TO CHAIR

---

ABBREVIATION.....UP TO CHAI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Up To Chair  
HELP\_TEXT.....No Help Text  
ID.....{42E598E5-82EC-428B-B5FA-1129E3095C78}  
TERM.....UP TO CHAIR

DATA VALUE: UPWARD

---

ABBREVIATION.....Upward  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Upward  
HELP\_TEXT.....  
ID.....{0755B0AA-8147-43B1-B6E5-D7813B6EE9A5}  
TERM.....UPWARD

DATA VALUE: URINAL

---

ABBREVIATION.....Urinal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Urinal  
HELP\_TEXT.....  
ID.....{304CF5C4-1DDD-4E09-A0C1-679B012C7872}  
TERM.....URINAL

DATA VALUE: URINARY RETENTION

---

ABBREVIATION.....Urinary Re  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Urinary Retention  
HELP\_TEXT.....  
ID.....{959EBBDC-7F67-42EC-8CF0-295F709BB433}  
TERM.....URINARY RETENTION

DATA VALUE: URINARY/FECAL STOMA

---

ABBREVIATION.....UrinFecSto  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Urinary/Fecal Stoma  
HELP\_TEXT.....  
ID.....{CFE036A8-8F5C-4F1E-BC51-683AA7639159}  
TERM.....URINARY/FECAL STOMA

DATA VALUE: UROMETER

---

ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Urometer  
HELP\_TEXT.....No Help Text  
ID.....{13074A3A-19D7-300C-7BFF-8DC18DDE2951}  
TERM.....UROMETER

DATA VALUE: UROSTOMY

---

ABBREVIATION.....UROSTOMY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Urostomy  
HELP\_TEXT.....No Help Text  
ID.....{1F9E528D-6D78-54EE-94E6-649C6F2056A3}  
TERM.....UROSTOMY

DATA VALUE: V1

-----  
ABBREVIATION.....V1  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V1  
HELP\_TEXT.....No Help Text  
ID.....{4CAA3A92-F3DB-4847-8523-380EFEE6CFD5}  
TERM.....V1

DATA VALUE: V2

-----  
ABBREVIATION.....V2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V2  
HELP\_TEXT.....No Help Text  
ID.....{05A3232E-A30D-4771-A1B5-E7705B717646}  
TERM.....V2

DATA VALUE: V3

-----  
ABBREVIATION.....V3  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V3  
HELP\_TEXT.....No Help Text  
ID.....{E150126E-4AA7-4F96-961E-FD1169C77158}  
TERM.....V3

DATA VALUE: V4

-----  
ABBREVIATION.....V4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V4  
HELP\_TEXT.....No Help Text  
ID.....{255260F9-5CC7-41B1-831C-F9319FA27506}  
TERM.....V4

DATA VALUE: V5

-----  
ABBREVIATION.....V5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V5  
HELP\_TEXT.....No Help Text  
ID.....{D5C10744-0EB5-46FA-AE6C-CCF571318F8A}  
TERM.....V5

DATA VALUE: V6

-----  
ABBREVIATION.....V6  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....V6  
HELP\_TEXT.....No Help Text  
ID.....{B86F72D7-7884-4470-92A8-EF9277C5B584}  
TERM.....V6

DATA VALUE: VACUUM ASSISTED CLOSURE

-----  
ABBREVIATION.....VAC ASS CL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vacuum Assisted Closure  
HELP\_TEXT.....No Help Text  
ID.....{9C3DD561-FECF-47FA-BBA5-4C08FF9A4CA1}  
TERM.....VACUUM ASSISTED CLOSURE

DATA VALUE: VASCULAR

-----  
ABBREVIATION.....VASCULAR  
ACTIVE.....Yes  
DESCRIPTION.....Vascular  
DISPLAY\_NAME.....Vascular  
HELP\_TEXT.....No Help Text  
ID.....{60523BF8-6372-4760-881C-A62F85D2A0F6}  
TERM.....VASCULAR

DATA VALUE: VASCULAR LESION ARTERIAL

-----  
ABBREVIATION.....VASLES ART  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vascular Lesion Arterial  
HELP\_TEXT.....No Help Text  
ID.....{EA565D3F-D984-4553-B597-DFE844554CE9}  
TERM.....VASCULAR LESION ARTERIAL

DATA VALUE: VASCULAR LESION MIXED

-----  
ABBREVIATION.....VASLES MIX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vascular Lesion Mixed  
HELP\_TEXT.....No Help Text  
ID.....{8684AB2D-9162-4DC2-A5FA-A14558678689}  
TERM.....VASCULAR LESION MIXED

DATA VALUE: VASCULAR LESION VENOUS

---

ABBREVIATION.....VASLES VEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vascular Lesion Venous  
HELP\_TEXT.....No Help Text  
ID.....{3F8CEC69-5E13-4F26-AB86-34FE2805E3C6}  
TERM.....VASCULAR LESION VENOUS

DATA VALUE: VASCULAR/NEUROPATHIC

---

ABBREVIATION.....VASC/NEURO  
ACTIVE.....Yes  
DESCRIPTION.....Vascular / Neuropathic  
DISPLAY\_NAME.....Vascular / Neuropathic  
HELP\_TEXT.....No Help Text  
ID.....{6B91CEED-4863-46EA-A9AE-3B0D522F1BDC}  
TERM.....VASCULAR/NEUROPATHIC

DATA VALUE: VASOPRESSOR

---

ABBREVIATION.....VASOPRESS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vasopressor  
HELP\_TEXT.....No Help Text  
ID.....{591FCB09-1287-48C6-8007-4CE961296BA9}  
TERM.....VASOPRESSOR

DATA VALUE: VDD

---

ABBREVIATION.....VDD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....VDD  
HELP\_TEXT.....No Help Text  
ID.....{E733E525-EF36-2F93-AECC-BAD1C3E2C633}  
TERM.....VDD

DATA VALUE: VEGETARIAN

---

ABBREVIATION.....Vegetarian  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vegetarian  
HELP\_TEXT.....  
ID.....{549053C6-5378-4921-8A37-043D06E51E72}  
TERM.....VEGETARIAN

DATA VALUE: VEGETARIAN DIET

---

ABBREVIATION.....VEG DIET  
ACTIVE.....Yes  
DESCRIPTION.....Vegetarian Diet  
DISPLAY\_NAME.....Vegetarian Diet  
HELP\_TEXT.....No Help Text  
ID.....{6B8143BE-843F-4944-9ABB-7175AFE2DF17}  
TERM.....VEGETARIAN DIET

DATA VALUE: VENDOR REP

---

ABBREVIATION.....Vendor Rep  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vendor Rep  
HELP\_TEXT.....  
ID.....{4D90C5A3-7395-4BDF-9B5B-BC85F1BE28F7}  
TERM.....VENDOR REP

DATA VALUE: VENTILATOR

---

ABBREVIATION.....v  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{A5A647ED-A56D-5012-AD5B-788B3DCB3498}  
TERM.....VENTILATOR

DATA VALUE: VENTILATOR ACHIEVA P5O2

---

ABBREVIATION.....ACHIEVA P5  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Achieva P5O2  
HELP\_TEXT.....No Help Text  
ID.....{1690EEA5-3C3B-4D30-AC5C-214C94626699}  
TERM.....VENTILATOR ACHIEVA P5O2

DATA VALUE: VENTILATOR ADULT STAR

---

ABBREVIATION.....ADULT STAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Star Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{879B13DA-4874-42D4-99EC-8E4ADB31B14E}  
TERM.....VENTILATOR ADULT STAR

DATA VALUE: VENTILATOR BEAR 1000

---

ABBREVIATION.....BEAR 1000  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bear 1000  
HELP\_TEXT.....No Help Text  
ID.....{03C30F99-A27C-427C-B0ED-872F0DE646BD}  
TERM.....VENTILATOR BEAR 1000

DATA VALUE: VENTILATOR DRAEGER

---

ABBREVIATION.....DRAEGER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Draeger  
HELP\_TEXT.....No Help Text  
ID.....{DD18C42F-EF13-460B-8676-9ED1E429B54B}  
TERM.....VENTILATOR DRAEGER

DATA VALUE: VENTILATOR OTHER

---

ABBREVIATION.....VENT OTHER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Other Ventilator; Use Comments  
HELP\_TEXT.....No Help Text  
ID.....{138B7B3D-9F8B-447A-9785-12AB396AE6DE}  
TERM.....VENTILATOR OTHER

DATA VALUE: VENTILATOR PB 7200ae

---

ABBREVIATION.....PB7200ae  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PB 7200ae  
HELP\_TEXT.....No Help Text  
ID.....{86AE485F-ECD1-4B8E-820F-71CF159F318B}  
TERM.....VENTILATOR PB 7200ae

DATA VALUE: VENTILATOR PB 840

---

ABBREVIATION.....PB 840  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PB 840  
HELP\_TEXT.....No Help Text  
ID.....{25A7B0DA-E437-4201-B8F3-3663B1B91C1A}  
TERM.....VENTILATOR PB 840

DATA VALUE: VENTILATOR SERVO

-----  
ABBREVIATION.....SERVO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Servo  
HELP\_TEXT.....No Help Text  
ID.....{D6F06715-1ADD-4941-B026-B9A5E463943E}  
TERM.....VENTILATOR SERVO

DATA VALUE: VENTRICULAR

-----  
ABBREVIATION.....v  
ACTIVE.....Yes  
DESCRIPTION.....VENTRICULAR  
DISPLAY\_NAME.....Ventricular  
HELP\_TEXT.....No Help Text  
ID.....{307A4572-3CF0-7875-7313-7FD4AB23F8E7}  
TERM.....VENTRICULAR

DATA VALUE: VENTRICULAR FIBRILLATION

-----  
ABBREVIATION.....vf  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Fibrillation  
HELP\_TEXT.....No Help Text  
ID.....{400B70C2-6E15-458F-70C6-FA2597DE2556}  
TERM.....VENTRICULAR FIBRILLATION

DATA VALUE: VENTRICULAR TACHYCARDIA

-----  
ABBREVIATION.....vt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Tachycardia  
HELP\_TEXT.....No Help Text  
ID.....{138258AD-3A2C-2A6C-9DF8-615CCC303DC2}  
TERM.....VENTRICULAR TACHYCARDIA

DATA VALUE: VENTRICULAR WHIP PRESENT

-----  
ABBREVIATION.....VENT WHIP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Whip Present  
HELP\_TEXT.....No Help Text  
ID.....{15CB9645-690D-446B-A380-F14CEEC9C6AA}  
TERM.....VENTRICULAR WHIP PRESENT

DATA VALUE: VENTRICULOSTOMY

-----  
ABBREVIATION.....Ventriculo  
ACTIVE.....Yes  
DESCRIPTION.....Ventriculostomy  
DISPLAY\_NAME.....Ventriculostomy  
HELP\_TEXT.....No Help Text  
ID.....{ECF20317-4708-7661-D4C2-9BDB4CAAC4FA}  
TERM.....VENTRICULOSTOMY

DATA VALUE: VERBAL DE-ESCALATION

-----  
ABBREVIATION.....VERB DE-ES  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Verbal De-escalation  
HELP\_TEXT.....No Help Text  
ID.....{8AB46F8C-B4D5-4800-BCF7-52CA3F32E99B}  
TERM.....VERBAL DE-ESCALATION

DATA VALUE: VERBALIZED BY PATIENT

-----  
ABBREVIATION.....Verbal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Verbalized by Patient  
HELP\_TEXT.....  
ID.....{6AF901B8-A19D-4C89-869F-2ECBF2D105A7}  
TERM.....VERBALIZED BY PATIENT

DATA VALUE: VERIFICATION OBTAINED (MANDATORY TO INSTILL MEDS/NUTRITION/FLUIDS)

-----  
ABBREVIATION.....VerObtaind  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Verification Obtained (Mandatory to  
Instill Meds/Nutrition/Fluids)  
HELP\_TEXT.....  
ID.....{5BA33ADE-7CE1-4B23-BB40-ADA24F661234}  
TERM.....VERIFICATION OBTAINED (MANDATORY TO  
INSTILL MEDS/NUTRITION/FLUIDS)

DATA VALUE: VERTICAL TRANSFER DEVICE - AIR ASSISTED

-----  
ABBREVIATION.....VerTranAir  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vertical Transfer Device - Air Assisted  
HELP\_TEXT.....  
ID.....{18E2A61B-330A-4570-B8DB-BA7A492F759F}  
TERM.....VERTICAL TRANSFER DEVICE - AIR ASSISTED

DATA VALUE: VERTICAL TRANSFER DEVICE - NON-AIR ASSISTED

-----  
ABBREVIATION.....VerTranNon  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vertical Transfer Device - Non-Air  
Assisted  
HELP\_TEXT.....  
ID.....{A940FCC4-1C31-4C3E-8C14-AFB5B3EC714B}  
TERM.....VERTICAL TRANSFER DEVICE - NON-AIR  
ASSISTED

DATA VALUE: VERTIGO

-----  
ABBREVIATION.....Vertigo  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vertigo  
HELP\_TEXT.....  
ID.....{74E75A38-E391-4D90-B232-2DA629F084FB}  
TERM.....VERTIGO

DATA VALUE: VERY FRAGILE SKIN

-----  
ABBREVIATION.....FragileSkn  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Very Fragile Skin  
HELP\_TEXT.....  
ID.....{649AF283-6C06-492B-BD88-362D191CF6CC}  
TERM.....VERY FRAGILE SKIN

DATA VALUE: VERY LOW BMI

-----  
ABBREVIATION.....LOW BMI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Very Low BMI  
HELP\_TEXT.....No Help Text  
ID.....{78B3A37B-938B-42E5-A403-75E206722BC3}  
TERM.....VERY LOW BMI

DATA VALUE: VIOLENT

-----  
ABBREVIATION.....Violent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Violent  
HELP\_TEXT.....  
ID.....{AC534BBE-6DEC-4EA7-9C35-F1B90F134B0E}  
TERM.....VIOLENT

DATA VALUE: VIOLET

-----  
ABBREVIATION.....VIOLET  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Violet  
HELP\_TEXT.....No Help Text  
ID.....{1249AE97-CF1F-4604-A17A-5FC85F6D0185}  
TERM.....VIOLET

DATA VALUE: VIP PORT

-----  
ABBREVIATION.....VIP PORT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....VIP Port Catheter  
HELP\_TEXT.....No Help Text  
ID.....{3D0426B3-F8F3-BAA4-71C7-8A09F911EF08}  
TERM.....VIP PORT

DATA VALUE: VISCOUS

-----  
ABBREVIATION.....VISCOUS  
ACTIVE.....Yes  
DESCRIPTION.....Viscous  
DISPLAY\_NAME.....Viscous  
HELP\_TEXT.....No Help Text  
ID.....{0E8019D5-F2DB-46B8-B750-41568DD0179C}  
TERM.....VISCOUS

DATA VALUE: VISITORS INFORMED

-----  
ABBREVIATION.....V Informed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Visitors Informed  
HELP\_TEXT.....  
ID.....{5E43EFC0-DD13-4EB2-B212-6AF18DCF0C75}  
TERM.....VISITORS INFORMED

DATA VALUE: VISUAL HALLUCINATIONS

-----  
ABBREVIATION.....Vis Halluc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Visual Hallucinations  
HELP\_TEXT.....  
ID.....{75364EB9-5053-4040-A775-D5CCABBFC799}  
TERM.....VISUAL HALLUCINATIONS

DATA VALUE: VISUAL IMPAIRMENT

---

ABBREVIATION.....VIS IMPAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Visual Impairment  
HELP\_TEXT.....No Help Text  
ID.....{7B2107CE-002D-43BE-9102-FCD5B9FAD617}  
TERM.....VISUAL IMPAIRMENT

DATA VALUE: VITAL 1.0

---

ABBREVIATION.....Vital 1.0  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vital 1.0  
HELP\_TEXT.....  
ID.....{D3CA653C-419D-4186-8704-E171650062DF}  
TERM.....VITAL 1.0

DATA VALUE: VITAL 1.5

---

ABBREVIATION.....Vital 1.5  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vital 1.5  
HELP\_TEXT.....  
ID.....{3665F539-7BBD-4AD9-A4D0-0A33506036D7}  
TERM.....VITAL 1.5

DATA VALUE: VITAL AF

---

ABBREVIATION.....Vital AF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vital AF  
HELP\_TEXT.....  
ID.....{D7FCB7B2-EA11-4A75-AD23-1BEDEE03DC58}  
TERM.....VITAL AF

DATA VALUE: VITAL ENTERAL NUTRITION TYPE

---

ABBREVIATION.....VITAL ENT  
ACTIVE.....Yes  
DESCRIPTION.....Vital Enteral Nutrition Type  
DISPLAY\_NAME.....Vital  
HELP\_TEXT.....No Help Text  
ID.....{2DA036DA-BF27-4E52-86A2-20A312823480}  
TERM.....VITAL ENTERAL NUTRITION TYPE

DATA VALUE: VITAL HN ENTERAL NUTRITION

-----  
ABBREVIATION.....VITAL HN  
ACTIVE.....Yes  
DESCRIPTION.....Vital HN Enteral Nutrition Type  
DISPLAY\_NAME.....Vital HN  
HELP\_TEXT.....No Help Text  
ID.....{E45849D4-05EA-4DC1-BD9C-3FF66DD4D292}  
TERM.....VITAL HN ENTERAL NUTRITION

DATA VALUE: VITAL SIGNS STABLE

-----  
ABBREVIATION.....VI SI ST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Vital Signs Stable  
HELP\_TEXT.....No Help Text  
ID.....{E6ECD067-54A0-4214-A5F8-43D08C9FEAD6}  
TERM.....VITAL SIGNS STABLE

DATA VALUE: VIVONEX RTF

-----  
ABBREVIATION.....Viv RTF  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Vivonex RTF  
HELP\_TEXT.....  
ID.....{461E7430-CC94-47D1-A90D-9694314C7729}  
TERM.....VIVONEX RTF

DATA VALUE: VOICE AMPLIFIER

-----  
ABBREVIATION.....Voice Amp  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Voice Amplifier  
HELP\_TEXT.....  
ID.....{8BC8AE0B-5887-4581-87D7-5B0D8DB52275}  
TERM.....VOICE AMPLIFIER

DATA VALUE: VOIDED

-----  
ABBREVIATION.....VOIDED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Voided  
HELP\_TEXT.....No Help Text  
ID.....{7F23E601-A1E5-4016-8A12-06B1099041CF}  
TERM.....VOIDED

DATA VALUE: VOLUNTEER

---

ABBREVIATION.....VOLUNTEER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Volunteer  
HELP\_TEXT.....No Help Text  
ID.....{F5406412-DE48-4F84-8A31-0B1D79DB576D}  
TERM.....VOLUNTEER

DATA VALUE: VOMITING

---

ABBREVIATION.....VOMITING  
ACTIVE.....Yes  
DESCRIPTION.....Vomiting  
DISPLAY\_NAME.....Vomiting  
HELP\_TEXT.....Vomiting  
ID.....{921F463C-1639-4D13-8E4E-6D3A1B6927F9}  
TERM.....VOMITING

DATA VALUE: VOO

---

ABBREVIATION.....VOO  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....VOO  
HELP\_TEXT.....  
ID.....{23B3C0A9-4B3D-48AF-90AF-AD6A70E70E45}  
TERM.....VOO

DATA VALUE: VVI

---

ABBREVIATION.....VVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....VVI  
HELP\_TEXT.....No Help Text  
ID.....{2C87F8F3-2B99-80E7-04EB-E6FE88168627}  
TERM.....VVI

DATA VALUE: VVIR

---

ABBREVIATION.....VVIR  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....VVIR  
HELP\_TEXT.....  
ID.....{694CE17D-28D1-4066-920F-7AB40FBED800}  
TERM.....VVIR

DATA VALUE: WADDLING

---

ABBREVIATION.....Waddling  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Waddling  
HELP\_TEXT.....  
ID.....{C88EB596-FB4E-4B11-B85D-2CB27AE903E4}  
TERM.....WADDLING

DATA VALUE: WAFFLE

---

ABBREVIATION.....WAFFLE  
ACTIVE.....Yes  
DESCRIPTION.....Waffle  
DISPLAY\_NAME.....Waffle  
HELP\_TEXT.....No Help Text  
ID.....{29A0FA73-CAA7-4660-9861-79A09F6DD98C}  
TERM.....WAFFLE

DATA VALUE: WAITING ROOM

---

ABBREVIATION.....WAIT ROOM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Waiting Room  
HELP\_TEXT.....No Help Text  
ID.....{13476486-F895-4FFC-AB42-B274827B47DA}  
TERM.....WAITING ROOM

DATA VALUE: WALKER

---

ABBREVIATION.....WALKER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Walker  
HELP\_TEXT.....No Help Text  
ID.....{91247001-5E89-46A0-A841-B4FAE9226E63}  
TERM.....WALKER

DATA VALUE: WALKING OR PACING

---

ABBREVIATION.....wop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Walking Or Pacing  
HELP\_TEXT.....No Help Text  
ID.....{CE7AABCB-84B7-A310-3A65-0AF17FB7B0E7}  
TERM.....WALKING OR PACING

DATA VALUE: WANDER GUARD IN PLACE

-----  
ABBREVIATION.....Wander Grd  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Wander Guard in Place  
HELP\_TEXT.....  
ID.....{B49D735F-A6ED-4E8F-9BD0-F8514245B262}  
TERM.....WANDER GUARD IN PLACE

DATA VALUE: WANDERER

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wanderer  
HELP\_TEXT.....No Help Text  
ID.....{C5BD737B-F9A6-5800-B45C-2585507C3EDC}  
TERM.....WANDERER

DATA VALUE: WARD

-----  
ABBREVIATION.....WARD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ward  
HELP\_TEXT.....No Help Text  
ID.....{A16CB5CB-3401-4F6C-8467-7F78FC929872}  
TERM.....WARD

DATA VALUE: WARM

-----  
ABBREVIATION.....WARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warm  
HELP\_TEXT.....No Help Text  
ID.....{E03BBEB4-5643-968F-190F-309A1293FCF9}  
TERM.....WARM

DATA VALUE: WARM HUMIDITY WITH O2

-----  
ABBREVIATION.....WM HUM O2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warm Humidity with Oxygen  
HELP\_TEXT.....No Help Text  
ID.....{E62E07C3-4CA2-426B-8EBA-48C406837D9C}  
TERM.....WARM HUMIDITY WITH O2

DATA VALUE: WARMER THAN GENERAL BODY TEMP

-----  
ABBREVIATION.....WARM B TEM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warmer Than General Body Temperature  
HELP\_TEXT.....No Help Text  
ID.....{AE43F2B4-B585-43F4-9E97-D61E225A803B}  
TERM.....WARMER THAN GENERAL BODY TEMP

DATA VALUE: WARMER THAN OPPOSITE BODY PART

-----  
ABBREVIATION.....WARM OPP P  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warmer Than Opposite Body Part  
HELP\_TEXT.....No Help Text  
ID.....{5DBF8614-5067-49C5-BD02-C1B21C9DFECC}  
TERM.....WARMER THAN OPPOSITE BODY PART

DATA VALUE: WARMING BLANKET

-----  
ABBREVIATION.....WARM BLANK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming Blanket  
HELP\_TEXT.....Warming Blanket  
ID.....{23D20AE5-DE25-4456-8F77-BF0411FB19A6}  
TERM.....WARMING BLANKET

DATA VALUE: WARMING BOTTLE

-----  
ABBREVIATION.....WARM BOTTL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming Bottle  
HELP\_TEXT.....No Help Text  
ID.....{AD1BEFE5-4CE6-4076-8095-9BE7387CFE25}  
TERM.....WARMING BOTTLE

DATA VALUE: WARMING OFF

-----  
ABBREVIATION.....WARMING OF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming Off  
HELP\_TEXT.....No Help Text  
ID.....{98FAC977-8E2E-406A-9217-A77E1DDCDF50}  
TERM.....WARMING OFF

DATA VALUE: WARMING ON

-----  
ABBREVIATION.....WARMING ON  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Warming On  
HELP\_TEXT.....No Help Text  
ID.....{6FFDE928-DE1E-4B25-BA3C-EB29E0CDEB35}  
TERM.....WARMING ON

DATA VALUE: WATERSEAL

-----  
ABBREVIATION.....WATERSEAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Waterseal  
HELP\_TEXT.....No Help Text  
ID.....{6D91B99D-F199-09ED-78BE-B54F2CAC4E06}  
TERM.....WATERSEAL

DATA VALUE: WAVEFORM REFLECTS ATRIAL PLACEMENT

-----  
ABBREVIATION.....WAVE ATRIA  
ACTIVE.....Yes  
DESCRIPTION.....Waveform Reflects Atrial Placement  
DISPLAY\_NAME.....Waveform Reflects Atrial Placement  
HELP\_TEXT.....No Help Text  
ID.....{A1249745-41C2-4A4F-A86D-7E5E17477B06}  
TERM.....WAVEFORM REFLECTS ATRIAL PLACEMENT

DATA VALUE: WEAK

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Weak  
HELP\_TEXT.....No Help Text  
ID.....{BE2D9305-E2DA-F492-66CF-164EE58B8179}  
TERM.....WEAK

DATA VALUE: WEAKNESS

-----  
ABBREVIATION.....Weakness  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Weakness  
HELP\_TEXT.....  
ID.....{E4C6D569-7961-4CB4-8E90-A02A31F98094}  
TERM.....WEAKNESS

DATA VALUE: WEDGED

---

ABBREVIATION.....WEDGED  
ACTIVE.....Yes  
DESCRIPTION.....Wedged  
DISPLAY\_NAME.....Wedged  
HELP\_TEXT.....No Help Text  
ID.....{03D7F6FD-399D-4A6B-9900-59655D76EE95}  
TERM.....WEDGED

DATA VALUE: WEIGHTED UTENSILS

---

ABBREVIATION.....Weighted  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Weighted Utensils  
HELP\_TEXT.....  
ID.....{5B19B4CB-92F4-4AD3-AC93-C5840F37C938}  
TERM.....WEIGHTED UTENSILS

DATA VALUE: WELL GROOMED

---

ABBREVIATION.....Well Groom  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Well Groomed  
HELP\_TEXT.....  
ID.....{B47BFC8D-A0EA-46D4-953E-15E50BE97CBA}  
TERM.....WELL GROOMED

DATA VALUE: WHEELCHAIR

---

ABBREVIATION.....WH CHAIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair  
HELP\_TEXT.....No Help Text  
ID.....{EC1B82CE-4037-466F-90AC-52CD5C3B26BE}  
TERM.....WHEELCHAIR

DATA VALUE: WHEELCHAIR EXIT ALARM

---

ABBREVIATION.....WHEEL EXIT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Exit Alarm  
HELP\_TEXT.....No Help Text  
ID.....{7D06564E-ECDE-4A11-BEFE-92AB7E448AA3}  
TERM.....WHEELCHAIR EXIT ALARM

DATA VALUE: WHEELCHAIR MOVER

---

ABBREVIATION.....Wheelchair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Wheelchair Mover  
HELP\_TEXT.....  
ID.....{21239FE9-B2E0-4945-8F86-575EB92A9AB5}  
TERM.....WHEELCHAIR MOVER

DATA VALUE: WHEEZES

---

ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheezes  
HELP\_TEXT.....No Help Text  
ID.....{1B8A9729-554D-59F6-E9E8-40BDFF9C678E}  
TERM.....WHEEZES

DATA VALUE: WHITE

---

ABBREVIATION.....WHITE  
ACTIVE.....Yes  
DESCRIPTION.....The color white  
DISPLAY\_NAME.....White  
HELP\_TEXT.....The color white  
ID.....{AB04EF54-5246-EF3A-E1D9-02E9E24369DD}  
TERM.....WHITE

DATA VALUE: WITH PHYSICIAN

---

ABBREVIATION.....wp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Physician  
HELP\_TEXT.....No Help Text  
ID.....{1673C53F-DA8C-2CEC-679B-B01D914FE533}  
TERM.....WITH PHYSICIAN

DATA VALUE: WITH THERAPIST

---

ABBREVIATION.....wt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Therapist  
HELP\_TEXT.....No Help Text  
ID.....{795A1300-1D60-9D67-692D-A2AB2B190596}  
TERM.....WITH THERAPIST

DATA VALUE: WITH TREATMENT TEAM/PROVIDER

-----  
ABBREVIATION.....Team/Prov  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....With Treatment Team/Provider  
HELP\_TEXT.....  
ID.....{6F79D529-F477-4CD8-95B5-382FE02AE001}  
TERM.....WITH TREATMENT TEAM/PROVIDER

DATA VALUE: WITHDRAWN

-----  
ABBREVIATION.....w  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Withdrawn  
HELP\_TEXT.....No Help Text  
ID.....{E74B0F04-0E3F-632F-9409-C4953D95B1BA}  
TERM.....WITHDRAWN

DATA VALUE: WITHDRAWS TO PAIN

-----  
ABBREVIATION.....WITHD TO P  
ACTIVE.....Yes  
DESCRIPTION.....Withdraws To Pain  
DISPLAY\_NAME.....Withdraws To Pain  
HELP\_TEXT.....No Help Text  
ID.....{013527C8-FF6B-49CD-BF45-9338F7413E81}  
TERM.....WITHDRAWS TO PAIN

DATA VALUE: WITHIN SIGHT

-----  
ABBREVIATION.....Within St  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Within Sight  
HELP\_TEXT.....  
ID.....{261C4AAB-98F3-4503-BABF-D206CB1B0348}  
TERM.....WITHIN SIGHT

DATA VALUE: WITHOUT ASSISTANCE

-----  
ABBREVIATION.....WO ASSIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Without Assistance  
HELP\_TEXT.....No Help Text  
ID.....{41CE081D-CB0E-49AF-936A-4FD78E61681B}  
TERM.....WITHOUT ASSISTANCE

DATA VALUE: WITNESSED

-----  
ABBREVIATION.....Witnessed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Witnessed  
HELP\_TEXT.....  
ID.....{2C11502E-176F-4040-A410-ECE66D15400E}  
TERM.....WITNESSED

DATA VALUE: WONG-BAKER FACES

-----  
ABBREVIATION.....Wong-Baker  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Wong-Baker FACES  
HELP\_TEXT.....  
ID.....{A398DF93-DCC3-42A5-8790-5D8F8B35C90F}  
TERM.....WONG-BAKER FACES

DATA VALUE: WORD SALAD

-----  
ABBREVIATION.....Word Salad  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Word Salad  
HELP\_TEXT.....  
ID.....{FB895D51-7E94-42D5-849C-6BAD95F728C6}  
TERM.....WORD SALAD

DATA VALUE: WOUND

-----  
ABBREVIATION.....WOUND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wound  
HELP\_TEXT.....No Help Text  
ID.....{1EC40149-051E-4750-8651-2B2D0DD2DEAC}  
TERM.....WOUND

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS BLOODY

-----  
ABBREVIATION.....WOU DI BLO  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Bloody  
DISPLAY\_NAME.....Bloody  
HELP\_TEXT.....Wound Discharge Characteristics Bloody  
ID.....{628DBFBC-9B77-48EA-99FE-0DF000376506}  
TERM.....WOUND DISCHARGE CHARACTERISTICS BLOODY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS CLOUDY

-----  
ABBREVIATION.....WOU DI CLO  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Cloudy  
DISPLAY\_NAME.....Cloudy  
HELP\_TEXT.....Wound Discharge Characteristics Cloudy  
ID.....{159C9993-A2E1-4133-9D5F-315EF9985EC4}  
TERM.....WOUND DISCHARGE CHARACTERISTICS CLOUDY

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS NONE

-----  
ABBREVIATION.....WOU DI NON  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Wound Discharge Characteristics None  
ID.....{929F2FA5-923F-4D88-8EDF-E0EBEE9CC7A8}  
TERM.....WOUND DISCHARGE CHARACTERISTICS NONE

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS PURULENT

-----  
ABBREVIATION.....WOU DI PUR  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics  
    Purulent  
DISPLAY\_NAME.....Purulent  
HELP\_TEXT.....Wound Discharge Characteristics  
    Purulent  
ID.....{C1E10410-B6D8-4429-BD94-0B179992EAAB}  
TERM.....WOUND DISCHARGE CHARACTERISTICS  
    PURULENT

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS

-----  
ABBREVIATION.....WOU DI SSA  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics  
    Serosanguinous  
DISPLAY\_NAME.....Serosanguinous  
HELP\_TEXT.....Wound Discharge Characteristics  
    Serosanguinous  
ID.....{B431D8EF-5B53-4DCF-A390-431EB5ED3704}  
TERM.....WOUND DISCHARGE CHARACTERISTICS  
    SEROSANGUINOUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS SEROUS

-----  
ABBREVIATION.....WOU DI SER  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Serous  
DISPLAY\_NAME.....Serous  
HELP\_TEXT.....Wound Discharge Characteristics Serous  
ID.....{2124005E-5C36-48AC-AA6B-03E06510D70A}  
TERM.....WOUND DISCHARGE CHARACTERISTICS SEROUS

DATA VALUE: WOUND DISCHARGE CHARACTERISTICS VISCOSUS

-----  
ABBREVIATION.....WOU DI VIS  
ACTIVE.....Yes  
DESCRIPTION.....Wound Discharge Characteristics Viscous  
DISPLAY\_NAME.....Viscous  
HELP\_TEXT.....Wound Discharge Characteristics Viscous  
ID.....{382FA6D9-1CB2-4ECC-A458-8598ABA708F8}  
TERM.....WOUND DISCHARGE CHARACTERISTICS VISCOSUS

DATA VALUE: WOUND DRAINAGE AMOUNT HEAVY

-----  
ABBREVIATION.....W DR A HEA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heavy  
HELP\_TEXT.....No Help-Text  
ID.....{BF959172-6672-4FEB-8FB7-0568405F3C83}  
TERM.....WOUND DRAINAGE AMOUNT HEAVY

DATA VALUE: WOUND DRAINAGE AMOUNT MODERATE

-----  
ABBREVIATION.....W DR A MOD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Moderate  
HELP\_TEXT.....No Help-Text  
ID.....{E5DBFD9C-A2AC-4009-98CB-7246F6AA702D}  
TERM.....WOUND DRAINAGE AMOUNT MODERATE

DATA VALUE: WOUND DRAINAGE AMOUNT NONE

-----  
ABBREVIATION.....WOU DR A N  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help-Text  
ID.....{92910398-311F-D4D7-8BD5-AB66C3DC5E72}  
TERM.....WOUND DRAINAGE AMOUNT NONE

DATA VALUE: WOUND DRAINAGE AMOUNT SCANT

-----  
ABBREVIATION.....W DR SCANT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scant  
HELP\_TEXT.....No Help-Text  
ID.....{9C3CD0BD-F960-4098-B14C-17B20703B242}  
TERM.....WOUND DRAINAGE AMOUNT SCANT

DATA VALUE: WOUND DRAINAGE AMOUNT SMALL

-----  
ABBREVIATION.....W DR A SMA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Small  
HELP\_TEXT.....No Help-Text  
ID.....{3D8EDF1A-EC4B-41EF-A194-73FF60074A57}  
TERM.....WOUND DRAINAGE AMOUNT SMALL

DATA VALUE: WOUND DRESSING TYPE ANTIMICROBIAL

-----  
ABBREVIATION.....WOU DR ANT  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Antimicrobial  
HELP\_TEXT.....No Help Text  
ID.....{9DAE650A-3D5C-498B-BC74-F3CE77CD2BA9}  
TERM.....WOUND DRESSING TYPE ANTIMICROBIAL

DATA VALUE: WOUND DRESSING TYPE CALCIUM ALGINATE

-----  
ABBREVIATION.....WOU DR CAL  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Calcium Alginate  
HELP\_TEXT.....No Help Text  
ID.....{AA084ED8-07D0-4D8A-84D1-51F025246F40}  
TERM.....WOUND DRESSING TYPE CALCIUM ALGINATE

DATA VALUE: WOUND DRESSING TYPE GAUZE

-----  
ABBREVIATION.....WOU DR GAU  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gauze  
HELP\_TEXT.....No Help Text  
ID.....{A2EE67E2-B006-413F-8F8A-E02C21A39FC1}  
TERM.....WOUND DRESSING TYPE GAUZE

DATA VALUE: WOUND DRESSING TYPE GAUZE PACKING

-----  
ABBREVIATION.....WOU DR GPA  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gauze Packing  
HELP\_TEXT.....No Help Text  
ID.....{ED06B435-B205-4BD2-B3D1-795C40EE016F}  
TERM.....WOUND DRESSING TYPE GAUZE PACKING

DATA VALUE: WOUND DRESSING TYPE GAUZE WRAP

-----  
ABBREVIATION.....WOU DR GWR  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Gauze Wrap  
HELP\_TEXT.....No Help Text  
ID.....{4257C446-7627-4632-8507-B5880AD934D5}  
TERM.....WOUND DRESSING TYPE GAUZE WRAP

DATA VALUE: WOUND DRESSING TYPE HYDROCOLLOIDAL

-----  
ABBREVIATION.....WOU DR HYD  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hydrocolloidal  
HELP\_TEXT.....No Help Text  
ID.....{8C20226C-FC6A-49A0-9A72-06876DB1F203}  
TERM.....WOUND DRESSING TYPE HYDROCOLLOIDAL

DATA VALUE: WOUND DRESSING TYPE HYDROGEL

-----  
ABBREVIATION.....WOU DR HYD  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hydrogel  
HELP\_TEXT.....No Help Text  
ID.....{60DDE603-9FF1-44FA-BC4D-45AA8753E254}  
TERM.....WOUND DRESSING TYPE HYDROGEL

DATA VALUE: WOUND DRESSING TYPE NONE

-----  
ABBREVIATION.....WOU DR NON  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....None  
HELP\_TEXT.....No Help Text  
ID.....{8A58A493-A02C-4570-9786-9F5AF8D02360}  
TERM.....WOUND DRESSING TYPE NONE

DATA VALUE: WOUND DRESSING TYPE PRESSURE

-----  
ABBREVIATION.....WOU DR PRE  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pressure  
HELP\_TEXT.....No Help Text  
ID.....{520952E4-FB31-4C1C-9FE2-A10E0F1CEE00}  
TERM.....WOUND DRESSING TYPE PRESSURE

DATA VALUE: WOUND DRESSING TYPE TRANSPARENT

-----  
ABBREVIATION.....WOU DR TRA  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transparent  
HELP\_TEXT.....No Help Text  
ID.....{EA57D935-33D8-4F30-8511-706870A27122}  
TERM.....WOUND DRESSING TYPE TRANSPARENT

DATA VALUE: WOUND EDGE INDISTINCT/ATTACHED

-----  
ABBREVIATION.....WOU ED IND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Indistinct, Attached  
HELP\_TEXT.....No Help-Text  
ID.....{C899235C-4A07-4420-92BC-8F818B8E0A7F}  
TERM.....WOUND EDGE INDISTINCT/ATTACHED

DATA VALUE: WOUND EDGE NON-ATTACHED

-----  
ABBREVIATION.....WOU ED NON  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Non Attached  
DISPLAY\_NAME.....Non-Attached  
HELP\_TEXT.....Wound Edge Non Attached  
ID.....{1D5C1317-B4FF-421C-96A0-C20C1089E672}  
TERM.....WOUND EDGE NON-ATTACHED

DATA VALUE: WOUND EDGE ROLLED

-----  
ABBREVIATION.....WOU ED ROL  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Rolled  
DISPLAY\_NAME.....Rolled  
HELP\_TEXT.....Wound Edge Rolled  
ID.....{24D9CFEC-1ED6-4069-9715-1F9FCB45BBD3}  
TERM.....WOUND EDGE ROLLED

DATA VALUE: WOUND EDGE TUNNELING

-----  
ABBREVIATION.....WOU ED TUN  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Tunneling  
DISPLAY\_NAME.....Tunneling  
HELP\_TEXT.....Wound Edge Tunneling  
ID.....{97425206-5261-46C1-905F-E03E2F071381}  
TERM.....WOUND EDGE TUNNELING

DATA VALUE: WOUND EDGE UNDERMINING

---

ABBREVIATION.....WOU ED UND  
ACTIVE.....Yes  
DESCRIPTION.....Wound Edge Undermining  
DISPLAY\_NAME.....Undermining  
HELP\_TEXT.....Wound Edge Undermining  
ID.....{AAA3BB3A-3A3B-4F39-9AC7-3BE1A82BDC02}  
TERM.....WOUND EDGE UNDERMINING

DATA VALUE: WOUND ODOR FOUL

---

ABBREVIATION.....WOU OD FOU  
ACTIVE.....Yes  
DESCRIPTION.....Wound Odor Foul  
DISPLAY\_NAME.....Foul  
HELP\_TEXT.....Wound Odor Foul  
ID.....{99A74112-EA71-4896-A4DD-911379E5B453}  
TERM.....WOUND ODOR FOUL

DATA VALUE: WOUND ODOR NONE

---

ABBREVIATION.....WOU OD NON  
ACTIVE.....Yes  
DESCRIPTION.....Wound Odor None  
DISPLAY\_NAME.....None  
HELP\_TEXT.....Wound Odor None  
ID.....{D2E388F7-B531-4D60-A2BE-830F11B9AA75}  
TERM.....WOUND ODOR NONE

DATA VALUE: WOUND VAC DEVICE

---

ABBREVIATION.....WOUND VAC  
ACTIVE.....Yes  
DESCRIPTION.....Wound Vac Device  
DISPLAY\_NAME.....Wound Vac Device  
HELP\_TEXT.....No Help Text  
ID.....{A03F4978-969D-DCB8-DCE2-26EB33F097B3}  
TERM.....WOUND VAC DEVICE

DATA VALUE: WOUNDS AFFECTING TRANSFER/POSITIONING

---

ABBREVIATION.....Wounds  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Wounds Affecting Transfer/Positioning  
HELP\_TEXT.....  
ID.....{6D5D97C8-A6D0-4AEF-9965-CB58BB266434}  
TERM.....WOUNDS AFFECTING TRANSFER/POSITIONING

DATA VALUE: X-RAY

---

ABBREVIATION.....X-RAY  
ACTIVE.....Yes  
DESCRIPTION.....X-Ray  
DISPLAY\_NAME.....X-Ray  
HELP\_TEXT.....X-Ray  
ID.....{C82CB7F8-2456-4A08-9FD2-4E498EB1DB20}  
TERM.....X-RAY

DATA VALUE: XENADERM

---

ABBREVIATION.....XENADERM  
ACTIVE.....Yes  
DESCRIPTION.....Xenaderm  
DISPLAY\_NAME.....Xenaderm  
HELP\_TEXT.....No Help Text  
ID.....{F181D70E-A231-4D2B-A1E6-DDF4DBED31CD}  
TERM.....XENADERM

DATA VALUE: XEROFORM

---

ABBREVIATION.....XEROFORM  
ACTIVE.....Yes  
DESCRIPTION.....Xeroform  
DISPLAY\_NAME.....Xeroform  
HELP\_TEXT.....No Help Text  
ID.....{7D7C3CDC-253E-4262-B8D4-3B70DE9AEBE4}  
TERM.....XEROFORM

DATA VALUE: YELLOW

---

ABBREVIATION.....YELLOW  
ACTIVE.....Yes  
DESCRIPTION.....The color yellow  
DISPLAY\_NAME.....Yellow  
HELP\_TEXT.....No Help Text  
ID.....{90DC31AD-6211-9F25-4237-79F7122A2763}  
TERM.....YELLOW

DATA VALUE: YELLOW/FIBRINOUS

---

ABBREVIATION.....YELLOW/FIB  
ACTIVE.....Yes  
DESCRIPTION.....Yellow / Fibrinous  
DISPLAY\_NAME.....Yellow / Fibrinous  
HELP\_TEXT.....No Help Text  
ID.....{47CF52FE-0374-4690-ADA1-643E0954E035}  
TERM.....YELLOW/FIBRINOUS

DATA VALUE: YELLOW/GREEN

-----  
ABBREVIATION.....YELLOW/GRN  
ACTIVE.....Yes  
DESCRIPTION.....Yellow/Green in appearance  
DISPLAY\_NAME.....Yellow / Green  
HELP\_TEXT.....No Help Text  
ID.....{1D0E7E81-3331-4D07-9B94-3D4BF72A0F0D}  
TERM.....YELLOW/GREEN

DATA VALUE: YES

-----  
ABBREVIATION.....y  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Yes  
HELP\_TEXT.....No Help Text  
ID.....{483DE806-2EDB-34B0-FE11-C29EEEAA649CD}  
TERM.....YES

DATA VALUE: YES, NEED IDENTIFIED AND ADDRESSED

-----  
ABBREVIATION.....Need Addr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Yes, Need Identified and Addressed  
HELP\_TEXT.....  
ID.....{832EC80D-302F-4E9F-AD60-2B63ACEC8623}  
TERM.....YES, NEED IDENTIFIED AND ADDRESSED

DATA VALUE: YES, NO NEED IDENTIFIED

-----  
ABBREVIATION.....No Need ID  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Yes, No Need Identified  
HELP\_TEXT.....  
ID.....{5E2DE268-5916-4DDF-8727-4EEA81896484}  
TERM.....YES, NO NEED IDENTIFIED

DATA VALUE: pH

-----  
ABBREVIATION.....pH  
ACTIVE.....Yes  
DESCRIPTION.....pH  
DISPLAY\_NAME.....pH  
HELP\_TEXT.....pH  
ID.....{104FE39C-B0A2-40B5-A523-B11E5F2BA272}  
TERM.....pH

DATA VALUE: rSR'

---

ABBREVIATION.....rSR'  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....rSR'  
HELP\_TEXT.....  
ID.....{7DB2E237-F355-4A30-8C6F-D6419CBAC50E}  
TERM.....rSR'

DATA VALUE: {8BC7F294-7126-4843-91A0-14F805EC4578}

---

ABBREVIATION.....Morphine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Morphine  
HELP\_TEXT.....  
ID.....{8BC7F294-7126-4843-91A0-14F805EC4578}  
TERM.....{8BC7F294-7126-4843-91A0-14F805EC4578}

## =====

LOCATION: ABDOMEN

-----  
ABBREVIATION.....ABDOMEN  
ACTIVE.....Yes  
DESCRIPTION.....ABDOMEN  
DISPLAY\_NAME.....Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{109FE041-2521-6EF2-7F95-1FD1587796AB}  
TERM.....ABDOMEN

LOCATION: ABDOMEN LLQ

-----  
ABBREVIATION.....ABD LLQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Left Lower Quarter  
DISPLAY\_NAME.....Abdomen Left Lower Quarter  
HELP\_TEXT.....No Help Text  
ID.....{39831F59-D7B0-4156-AC57-4C622A93CA58}  
TERM.....ABDOMEN LLQ

LOCATION: ABDOMEN LUQ

-----  
ABBREVIATION.....ABD LUQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Left Upper Quarter  
DISPLAY\_NAME.....Abdomen Left Upper Quarter  
HELP\_TEXT.....No Help Text  
ID.....{3B31E1EC-CE74-4C76-BB61-10C678431FCA}  
TERM.....ABDOMEN LUQ

LOCATION: ABDOMEN RLQ

-----  
ABBREVIATION.....ABD RLQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Right Lower Quarter  
DISPLAY\_NAME.....Abdomen Right Lower Quarter  
HELP\_TEXT.....No Help Text  
ID.....{2C48394F-6877-4738-856C-E933644D8067}  
TERM.....ABDOMEN RLQ

LOCATION: ABDOMEN RUQ

-----  
ABBREVIATION.....ABD RUQ  
ACTIVE.....Yes  
DESCRIPTION.....Abdomen Right Upper Quarter  
DISPLAY\_NAME.....Abdomen Right Upper Quarter  
HELP\_TEXT.....No Help Text  
ID.....{F29C9FA1-717A-49B7-8000-95070E9AACAO}  
TERM.....ABDOMEN RUQ

LOCATION: ABDOMINAL

---

ABBREVIATION.....Abd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{AE1DA31F-2C28-98C2-501A-F3D5ADB2501F}  
TERM.....ABDOMINAL

LOCATION: ABDOMINAL AORTA

---

ABBREVIATION.....ABD AORTA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Abdominal Aorta  
HELP\_TEXT.....No Help Text  
ID.....{C4BD42DD-1D6B-4B2C-B6D5-19E1185E06E3}  
TERM.....ABDOMINAL AORTA

LOCATION: ANKLE

---

ABBREVIATION.....Ank  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ankle  
HELP\_TEXT.....No Help Text  
ID.....{F2A2CF53-BFA5-9279-DB22-EA2627988E5B}  
TERM.....ANKLE

LOCATION: APICAL

---

ABBREVIATION.....Ap  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Apical  
HELP\_TEXT.....No Help Text  
ID.....{C5CF5C51-63CC-33FB-9BAE-FB1DD9900911}  
TERM.....APICAL

LOCATION: ARM

---

ABBREVIATION.....Arm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Arm  
HELP\_TEXT.....  
ID.....{19BD5170-8E49-4B83-85EA-D9BE3087D144}  
TERM.....ARM

LOCATION: AV FISTULA

---

ABBREVIATION.....AVF  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....AV Fistula  
HELP\_TEXT.....No Help Text  
ID.....{F977EEF6-EA6A-D56D-D1F7-29B91510A02F}  
TERM.....AV FISTULA

LOCATION: AXILLARY

---

ABBREVIATION.....Ax  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Axillary  
HELP\_TEXT.....No Help Text  
ID.....{135AA5F4-A1C7-978D-E9AB-6873841AEB57}  
TERM.....AXILLARY

LOCATION: BACK

---

ABBREVIATION.....BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Back  
HELP\_TEXT.....No Help Text  
ID.....{22C26239-C692-4E93-B522-E5E8392BA3B1}  
TERM.....BACK

LOCATION: BILATERAL ANKLES

---

ABBREVIATION.....BILA ANKLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral Ankles  
HELP\_TEXT.....No Help-Text  
ID.....{E56A03A5-5CE0-47BF-A14D-F6DF66F4E769}  
TERM.....BILATERAL ANKLES

LOCATION: BILATERAL FOOT

---

ABBREVIATION.....BILAT FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{C758847D-468F-479A-B12D-F4E46F0E5E3A}  
TERM.....BILATERAL FOOT

LOCATION: BILATERAL HAND

---

ABBREVIATION.....BILAT HAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{C782FE56-6117-493F-847F-83173407F0B5}  
TERM.....BILATERAL HAND

LOCATION: BILATERAL LEG

---

ABBREVIATION.....BILAT LEG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{0713761D-E0FC-DA03-02A1-F20EFEB99F45}  
TERM.....BILATERAL LEG

LOCATION: BILATERAL NECK

---

ABBREVIATION.....BILAT NECK  
ACTIVE.....Yes  
DESCRIPTION.....Bilateral Neck  
DISPLAY\_NAME.....Bilateral Neck  
HELP\_TEXT.....No Help Text  
ID.....{744BF4A2-C55E-4D55-8711-58700DD1C446}  
TERM.....BILATERAL NECK

LOCATION: BILATERAL PERIPHERALS

---

ABBREVIATION.....BILAT PERI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral Peripherals  
HELP\_TEXT.....No Help Text  
ID.....{7F134529-36C5-E9D4-ABD5-64B404F9E706}  
TERM.....BILATERAL PERIPHERALS

LOCATION: BILATERAL WRIST

---

ABBREVIATION.....BILAT WRIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....No Help Text  
ID.....{89B4D30F-9E46-F8D6-14F6-1CC0843DDC21}  
TERM.....BILATERAL WRIST

LOCATION: BLADDER

---

ABBREVIATION.....BLADDER  
ACTIVE.....Yes  
DESCRIPTION.....Bladder  
DISPLAY\_NAME.....Bladder  
HELP\_TEXT.....Bladder  
ID.....{18E083F2-C4BB-407E-B0A3-20C4942FC97F}  
TERM.....BLADDER

LOCATION: BOTH ARMS

---

ABBREVIATION.....BOTH ARMS  
ACTIVE.....Yes  
DESCRIPTION.....Both Arms  
DISPLAY\_NAME.....Both Arms  
HELP\_TEXT.....No Help Text  
ID.....{A493AB32-9DE9-40AC-8C46-7EFF395B63B5}  
TERM.....BOTH ARMS

LOCATION: BOTH EYES

---

ABBREVIATION.....Both Eyes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Both Eyes  
HELP\_TEXT.....  
ID.....{FF0ED136-502C-4CC9-94D0-991A50D738A0}  
TERM.....BOTH EYES

LOCATION: BOTH HANDS

---

ABBREVIATION.....BOTH HANDS  
ACTIVE.....Yes  
DESCRIPTION.....Both Hands  
DISPLAY\_NAME.....Both Hands  
HELP\_TEXT.....No Help Text  
ID.....{63AA2685-CB1D-4680-B2F4-2199A22D1EC6}  
TERM.....BOTH HANDS

LOCATION: BOTH LEGS

---

ABBREVIATION.....BOTH LEGS  
ACTIVE.....Yes  
DESCRIPTION.....Both Legs  
DISPLAY\_NAME.....Both Legs  
HELP\_TEXT.....No Help Text  
ID.....{5A15A231-4695-4CF3-AD0F-2E7950208967}  
TERM.....BOTH LEGS

LOCATION: BRACHIAL

---

ABBREVIATION.....Bra  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Brachial  
HELP\_TEXT.....No Help Text  
ID.....{67426127-09E1-E566-F31E-15714A5B2B7C}  
TERM.....BRACHIAL

LOCATION: BUTTOCK

---

ABBREVIATION.....Buttock  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Buttock  
HELP\_TEXT.....  
ID.....{7254A44D-91FA-40C7-B179-932AE08AD602}  
TERM.....BUTTOCK

LOCATION: CALF

---

ABBREVIATION.....Clf  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Calf  
HELP\_TEXT.....No Help Text  
ID.....{7923E496-90D6-B6D5-726A-A5B8DF3436CF}  
TERM.....CALF

LOCATION: CARDIAC

---

ABBREVIATION.....Cardiac  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cardiac  
HELP\_TEXT.....  
ID.....{39963876-6FE3-49CF-975F-8DBD60244180}  
TERM.....CARDIAC

LOCATION: CAROTID

---

ABBREVIATION.....Car  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Carotid  
HELP\_TEXT.....No Help Text  
ID.....{9536F203-1797-9336-6F69-604249E1B3A0}  
TERM.....CAROTID

LOCATION: CAROTID ARTERY

---

ABBREVIATION.....Carotid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Carotid Artery  
HELP\_TEXT.....  
ID.....{E01C5C9D-CA0C-4866-BC0C-A244DA5CC057}  
TERM.....CAROTID ARTERY

LOCATION: CERVICAL SPINE

---

ABBREVIATION.....Cerv Spine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cervical Spine  
HELP\_TEXT.....  
ID.....{6EBB5108-39A4-4A18-9AB3-E91329F469A3}  
TERM.....CERVICAL SPINE

LOCATION: CHEST

---

ABBREVIATION.....CHEST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chest  
HELP\_TEXT.....No Help Text  
ID.....{8C3C30FE-6E06-C35E-8226-CBF0C94014CC}  
TERM.....CHEST

LOCATION: COCCYX

---

ABBREVIATION.....COCCYX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Coccyx  
HELP\_TEXT.....No Help Text  
ID.....{49D65E9D-3D5B-40E3-B7CF-1003F80B852C}  
TERM.....COCCYX

LOCATION: CORE

---

ABBREVIATION.....C  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Core  
HELP\_TEXT.....No Help Text  
ID.....{5076C291-4EE7-7F9B-E7A5-3BB0A78639B7}  
TERM.....CORE

LOCATION: DONOR SITE

---

ABBREVIATION.....DONOR SITE  
ACTIVE.....Yes  
DESCRIPTION.....Donor Site  
DISPLAY\_NAME.....Donor Site  
HELP\_TEXT.....No Help Text  
ID.....{F0A65974-7650-4A4B-AC88-0945E37A0AD2}  
TERM.....DONOR SITE

LOCATION: DORSALIS PEDIS

---

ABBREVIATION.....DP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dorsalis Pedis  
HELP\_TEXT.....No Help Text  
ID.....{9657D743-1632-2044-B4C5-9EF291A2F6D0}  
TERM.....DORSALIS PEDIS

LOCATION: ELBOW

---

ABBREVIATION.....Elbow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Elbow  
HELP\_TEXT.....  
ID.....{88F9326B-0B00-4079-8DE1-FA081BC1D884}  
TERM.....ELBOW

LOCATION: FACE

---

ABBREVIATION.....FACE  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S FACE  
DISPLAY\_NAME.....Face  
HELP\_TEXT.....No Help Text  
ID.....{C638EA14-7903-6A94-496A-C6560D51BEE3}  
TERM.....FACE

LOCATION: FACIAL

---

ABBREVIATION.....Facial  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Facial  
HELP\_TEXT.....  
ID.....{7686BBC2-EA18-44DF-8CB9-2CDF15BC9517}  
TERM.....FACIAL

LOCATION: FEET

---

ABBREVIATION.....FEET  
ACTIVE.....Yes  
DESCRIPTION.....BOTH OF PATIENT'S FEET  
DISPLAY\_NAME.....Feet  
HELP\_TEXT.....No Help Text  
ID.....{944CAA0E-5165-A6AF-BE3D-85455440BF40}  
TERM.....FEET

LOCATION: FEMORAL

---

ABBREVIATION.....Fem  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Femoral  
HELP\_TEXT.....No Help Text  
ID.....{E3442C9E-8677-7296-D314-7365319C3716}  
TERM.....FEMORAL

LOCATION: FINGERS

---

ABBREVIATION.....Fingers  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fingers  
HELP\_TEXT.....  
ID.....{8EB779B8-66E5-401C-9D63-BFAF92F89FC7}  
TERM.....FINGERS

LOCATION: FISTULA SITE

---

ABBREVIATION.....Fist Site  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fistula Site  
HELP\_TEXT.....  
ID.....{9959E3F8-D744-45F0-BB6B-4A132F8D87A0}  
TERM.....FISTULA SITE

LOCATION: FOOT

---

ABBREVIATION.....Foot  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Foot  
HELP\_TEXT.....  
ID.....{FA0CD721-5592-49C5-A7FB-CE1D25A26128}  
TERM.....FOOT

LOCATION: FOREARM

---

ABBREVIATION.....Forearm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Forearm  
HELP\_TEXT.....  
ID.....{1E6A1508-9DE0-4DAE-9ABF-26F83659DAA1}  
TERM.....FOREARM

LOCATION: FOREHEAD

---

ABBREVIATION.....FOREHEAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Forehead  
HELP\_TEXT.....No Help Text  
ID.....{5F892722-956E-474C-BA08-4074142D49F6}  
TERM.....FOREHEAD

LOCATION: FRONTAL

---

ABBREVIATION.....FRONTAL  
ACTIVE.....Yes  
DESCRIPTION.....Frontal  
DISPLAY\_NAME.....Frontal  
HELP\_TEXT.....No Help Text  
ID.....{CF8F7565-13BF-4180-A222-44FFFA06992A}  
TERM.....FRONTAL

LOCATION: GASTROINTESTINAL

---

ABBREVIATION.....GI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....GI  
HELP\_TEXT.....No Help Text  
ID.....{C27C66DB-3A6A-487E-9981-FA7FD323C0C3}  
TERM.....GASTROINTESTINAL

LOCATION: GENERAL UMBILICUS

---

ABBREVIATION.....GEN UMBILI  
ACTIVE.....Yes  
DESCRIPTION.....General Umbilicus  
DISPLAY\_NAME.....General Umbilicus  
HELP\_TEXT.....General Umbilicus  
ID.....{34CEE50-14E8-44B2-9FEA-3BAB36D08DFA}  
TERM.....GENERAL UMBILICUS

LOCATION: GENERALIZED

---

ABBREVIATION.....GENERALIZED  
ACTIVE.....Yes  
DESCRIPTION.....TERM DESCRIBES GENERAL OBSERVATIONS  
OF PATIENT'S ENTIRE BODY  
DISPLAY\_NAME.....Generalized  
HELP\_TEXT.....No Help Text  
ID.....{17073C6C-8691-CADC-2238-CBAAB0A5C648}  
TERM.....GENERALIZED

LOCATION: GENITALS

---

ABBREVIATION.....GENITALS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Genitals  
HELP\_TEXT.....No Help Text  
ID.....{83437106-3336-4925-92C8-F959561687FC}  
TERM.....GENITALS

LOCATION: GRAFT SITE

---

ABBREVIATION.....Graft Site  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Graft Site  
HELP\_TEXT.....  
ID.....{56ABE088-8047-4335-9F61-4FF69B9B81D8}  
TERM.....GRAFT SITE

LOCATION: HAND

---

ABBREVIATION.....Hand  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hand  
HELP\_TEXT.....  
ID.....{1AB49054-DD2B-468D-A7C6-DD83C959F8D7}  
TERM.....HAND

LOCATION: HAND/FINGERS

---

ABBREVIATION.....Hd/Fingers  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Hand/Fingers  
HELP\_TEXT.....  
ID.....{4AA94130-8A98-48B2-B998-8DA051849FDA}  
TERM.....HAND/FINGERS

LOCATION: HEAD

---

ABBREVIATION.....Hd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Head  
HELP\_TEXT.....No Help Text  
ID.....{C3209F44-90C6-FF1B-3169-265B294F276A}  
TERM.....HEAD

LOCATION: HEAD OCCIPITAL

---

ABBREVIATION.....HEAD OCCIP  
ACTIVE.....Yes  
DESCRIPTION.....Head Occipital  
DISPLAY\_NAME.....Head Occipital  
HELP\_TEXT.....No Help Text  
ID.....{2066CA47-5A16-447F-9919-24ED435B627F}  
TERM.....HEAD OCCIPITAL

LOCATION: HEART

---

ABBREVIATION.....HEART  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Heart  
HELP\_TEXT.....No Help Text  
ID.....{F7D48A36-B512-42DD-B92F-07ACF2B95E08}  
TERM.....HEART

LOCATION: HIP

---

ABBREVIATION.....Hip  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Hip  
HELP\_TEXT.....No Help Text  
ID.....{D2C8BD11-7FB2-7217-A663-EBFC8C9428E7}  
TERM.....HIP

LOCATION: INCISIONAL SITE

---

ABBREVIATION.....INCISON SI  
ACTIVE.....Yes  
DESCRIPTION.....Incisional Site  
DISPLAY\_NAME.....Incisional Site  
HELP\_TEXT.....No Help Text  
ID.....{EB36A66D-751D-4031-9F68-0BB03E267321}  
TERM.....INCISIONAL SITE

LOCATION: KNEE

---

ABBREVIATION.....Kn  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Knee  
HELP\_TEXT.....No Help Text  
ID.....{B577308A-4C37-47BD-AD84-38E6342B6DF7}  
TERM.....KNEE

LOCATION: KNEES

---

ABBREVIATION.....KNEES  
ACTIVE.....Yes  
DESCRIPTION.....BOTH OF PATIENT'S KNEES  
DISPLAY\_NAME.....Knees  
HELP\_TEXT.....No Help Text  
ID.....{247D6621-3A85-F1F7-59BF-1FB0361B3C21}  
TERM.....KNEES

LOCATION: L ABDOMEN

---

ABBREVIATION.....L ABDOMEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{46B37481-4105-492D-96F0-E2D3895379C1}  
TERM.....L ABDOMEN

LOCATION: L ANKLE

---

ABBREVIATION.....L ANKLE  
ACTIVE.....Yes  
DESCRIPTION.....Left Ankle  
DISPLAY\_NAME.....L Ankle  
HELP\_TEXT.....No Help Text  
ID.....{D5A692EF-9D7C-473C-AF96-7EF1C01FA2AF}  
TERM.....L ANKLE

LOCATION: L ANTECUBITAL

---

ABBREVIATION.....L ANTECUBI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Antecubital  
HELP\_TEXT.....No Help Text  
ID.....{C21838CC-BAB5-1D7F-E2A4-A7C663FB28C3}  
TERM.....L ANTECUBITAL

LOCATION: L ARM

---

ABBREVIATION.....LA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Arm  
HELP\_TEXT.....No Help Text  
ID.....{567F552F-54B5-A8BB-596F-291001746E31}  
TERM.....L ARM

LOCATION: L AXILLARY

---

ABBREVIATION.....L AXILLARY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Axillary  
HELP\_TEXT.....No Help Text  
ID.....{21AF62CA-BEED-2A96-2CD6-F2350A01995E}  
TERM.....L AXILLARY

LOCATION: L BRACHIAL

---

ABBREVIATION.....L BRACH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Brachial  
HELP\_TEXT.....No Help Text  
ID.....{75F6CE33-1AB3-A1DA-70B8-04825290B577}  
TERM.....L BRACHIAL

LOCATION: L CALF

---

ABBREVIATION.....L CALF  
ACTIVE.....Yes  
DESCRIPTION.....Left Calf  
DISPLAY\_NAME.....L Calf  
HELP\_TEXT.....No Help Text  
ID.....{3DAA7817-936B-444F-8A2D-D3AB09144C10}  
TERM.....L CALF

LOCATION: L CAROTID

---

ABBREVIATION.....L CAROTID  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Carotid  
HELP\_TEXT.....No Help Text  
ID.....{FCACD1EB-C12B-2515-4A68-4E9E28A72DBC}  
TERM.....L CAROTID

LOCATION: L CHEST

---

ABBREVIATION.....L CHEST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left Chest  
HELP\_TEXT.....No Help Text  
ID.....{E332E497-FE0C-47CB-A0A7-217FBF52DC97}  
TERM.....L CHEST

LOCATION: L DORSALIS PEDIS

---

ABBREVIATION.....L DOR PED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Dorsalis Pedis  
HELP\_TEXT.....No Help Text  
ID.....{389397B5-2863-B8F2-A779-C38433894A19}  
TERM.....L DORSALIS PEDIS

LOCATION: L EAR

---

ABBREVIATION.....L EAR  
ACTIVE.....Yes  
DESCRIPTION.....Left Ear  
DISPLAY\_NAME.....L Ear  
HELP\_TEXT.....No Help Text  
ID.....{DA9C2DD1-D6FF-4899-A62B-1096FAA36C59}  
TERM.....L EAR

LOCATION: L ELBOW

---

ABBREVIATION.....L ELBOW  
ACTIVE.....Yes  
DESCRIPTION.....Left Elbow  
DISPLAY\_NAME.....L Elbow  
HELP\_TEXT.....No Help Text  
ID.....{BF4317E7-2024-47EF-9E5F-3D21D0547885}  
TERM.....L ELBOW

LOCATION: L EXTERNAL JUGULAR

---

ABBREVIATION.....L EXT JUGU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L External Jugular  
HELP\_TEXT.....No Help Text  
ID.....{6F7B331B-4F83-0B79-1755-F6F673D647D6}  
TERM.....L EXTERNAL JUGULAR

LOCATION: L EYE

---

ABBREVIATION.....L EYE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Eye  
HELP\_TEXT.....No Help Text  
ID.....{D714A0CA-EAD6-EC35-DA54-FF027C23FF45}  
TERM.....L EYE

LOCATION: L FACE

---

ABBREVIATION.....L FACE  
ACTIVE.....Yes  
DESCRIPTION.....LEFT SIDE OF PATIENT'S FACE  
DISPLAY\_NAME.....L Face  
HELP\_TEXT.....No Help Text  
ID.....{06F00A70-F475-CD40-665D-AF0569A1E75F}  
TERM.....L FACE

LOCATION: L FEMORAL

---

ABBREVIATION.....L FEMORAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Femoral  
HELP\_TEXT.....No Help Text  
ID.....{50AF6A08-CE37-6859-F4E6-762660A982F7}  
TERM.....L FEMORAL

LOCATION: L FINGER

---

ABBREVIATION.....L FINGER  
ACTIVE.....Yes  
DESCRIPTION.....Left Finger  
DISPLAY\_NAME.....L Finger  
HELP\_TEXT.....No Help Text  
ID.....{BB825645-1630-498C-A31B-6728D422EEFC}  
TERM.....L FINGER

LOCATION: L FLANK

---

ABBREVIATION.....L FLANK  
ACTIVE.....Yes  
DESCRIPTION.....Left Flank  
DISPLAY\_NAME.....L Flank  
HELP\_TEXT.....No Help Text  
ID.....{6E453E8D-B456-4BFD-A015-F9C013830F30}  
TERM.....L FLANK

LOCATION: L FOOT

---

ABBREVIATION.....L FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Foot  
HELP\_TEXT.....No Help Text  
ID.....{2EC3FBEC-4EA2-9E7A-17D4-FDC2F9D28046}  
TERM.....L FOOT

LOCATION: L GLUTEUS

---

ABBREVIATION.....L GLUTEUS  
ACTIVE.....Yes  
DESCRIPTION.....Left Gluteus  
DISPLAY\_NAME.....L Gluteus  
HELP\_TEXT.....No Help Text  
ID.....{88C4E547-04CD-4D52-9416-CAEB6D898D21}  
TERM.....L GLUTEUS

LOCATION: L GROIN

---

ABBREVIATION.....L GROIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Groin  
HELP\_TEXT.....No Help Text  
ID.....{5488E4EE-C1A2-4B02-8763-A53C412117A7}  
TERM.....L GROIN

LOCATION: L HAND

---

ABBREVIATION.....L HAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Hand  
HELP\_TEXT.....No Help Text  
ID.....{639DF25A-19E3-B504-D323-4B3F6ED39A24}  
TERM.....L HAND

LOCATION: L HEAD

---

ABBREVIATION.....L HEAD  
ACTIVE.....Yes  
DESCRIPTION.....Left Head  
DISPLAY\_NAME.....L Head  
HELP\_TEXT.....No Help Text  
ID.....{3737DC2D-DC9E-4FC8-839D-0355987B62D1}  
TERM.....L HEAD

LOCATION: L HEEL

---

ABBREVIATION.....L HEEL  
ACTIVE.....Yes  
DESCRIPTION.....Left Heel  
DISPLAY\_NAME.....L Heel  
HELP\_TEXT.....No Help Text  
ID.....{C9154881-17C7-4921-A0EE-BFB962C59CEF}  
TERM.....L HEEL

LOCATION: L HIP

---

ABBREVIATION.....L HIP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Hip  
HELP\_TEXT.....No Help Text  
ID.....{786CD881-27AD-4136-B9CC-8423CB38A431}  
TERM.....L HIP

LOCATION: L INGUINAL

---

ABBREVIATION.....L INGUINAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Inguinal  
DISPLAY\_NAME.....L Inguinal  
HELP\_TEXT.....No Help Text  
ID.....{627D172E-8F33-48C9-BE89-D036E07D46BF}  
TERM.....L INGUINAL

LOCATION: L INNER KNEE

---

ABBREVIATION.....L INN KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Left Inner Knee  
DISPLAY\_NAME.....L Inner Knee  
HELP\_TEXT.....No Help Text  
ID.....{79853581-CCF0-49E9-9D91-D16DE02A836D}  
TERM.....L INNER KNEE

LOCATION: L INTERNAL JUGULAR

---

ABBREVIATION.....L INT JUG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Internal Jugular  
HELP\_TEXT.....No Help Text  
ID.....{AFBB4FE5-8A11-2047-7900-DADF2FC4430D}  
TERM.....L INTERNAL JUGULAR

LOCATION: L ISCHIAL

---

ABBREVIATION.....L ISCHIAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Ischial  
DISPLAY\_NAME.....L Ischial  
HELP\_TEXT.....No Help Text  
ID.....{DCDAD741-9599-4479-9D55-3279F800DBE6}  
TERM.....L ISCHIAL

LOCATION: L JAW

---

ABBREVIATION.....L JAW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Jaw  
HELP\_TEXT.....No Help Text  
ID.....{65EBD3CF-76D8-4F45-9B1B-3575D988BE8E}  
TERM.....L JAW

LOCATION: L KNEE

---

ABBREVIATION.....L KNEE  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S LEFT KNEE  
DISPLAY\_NAME.....L Knee  
HELP\_TEXT.....No Help Text  
ID.....{3A9E30B4-09A9-967A-58EF-69A01EC4F859}  
TERM.....L KNEE

LOCATION: L LATERAL HEEL

---

ABBREVIATION.....L LAT HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lateral Heel  
HELP\_TEXT.....No Help Text  
ID.....{1A10FB20-7BAD-4D2B-9CBD-1A1A01DDCBF1}  
TERM.....L LATERAL HEEL

LOCATION: L LATERAL MALLEOLUS

---

ABBREVIATION.....L LAT MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lateral Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{9A523B7C-64DD-4E47-9543-165788108D4C}  
TERM.....L LATERAL MALLEOLUS

LOCATION: L LEG

---

ABBREVIATION.....LL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Leg  
HELP\_TEXT.....No Help Text  
ID.....{B088C809-E528-B785-21C2-14E45E1FD8AF}  
TERM.....L LEG

LOCATION: L LOWER ANTERIOR CHEST

---

ABBREVIATION.....L L A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Anterior Chest  
DISPLAY\_NAME.....L Low. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{6073B3C6-AA4D-4BBA-9FF2-32ED40CF92AD}  
TERM.....L LOWER ANTERIOR CHEST

LOCATION: L LOWER ARM

---

ABBREVIATION.....L LOW ARM  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Arm  
DISPLAY\_NAME.....L Lower Arm  
HELP\_TEXT.....No Help Text  
ID.....{63AA95E8-256D-4390-8CB3-F00A1B3F91CD}  
TERM.....L LOWER ARM

LOCATION: L LOWER EXTREMITY

---

ABBREVIATION.....LLEX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lower Extremity  
HELP\_TEXT.....No Help Text  
ID.....{FC6F5056-779A-BF76-86D0-A237936C1ECC}  
TERM.....L LOWER EXTREMITY

LOCATION: L LOWER LEG

---

ABBREVIATION.....L LOW LEG  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Leg  
DISPLAY\_NAME.....L Lower Leg  
HELP\_TEXT.....No Help Text  
ID.....{7B8E92FA-E065-4D06-9FB6-4234656CFD61}  
TERM.....L LOWER LEG

LOCATION: L LOWER LIMB

---

ABBREVIATION.....L LOW LIMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Lower Limb  
HELP\_TEXT.....No Help Text  
ID.....{4838CB05-A1DD-F4FB-587C-2D0C17A2484E}  
TERM.....L LOWER LIMB

LOCATION: L LOWER POSTERIOR CHEST

---

ABBREVIATION.....L L P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Lower Posterior Chest  
DISPLAY\_NAME.....L Low. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{2C19F10B-7546-4A1F-A5DC-3867359ED971}  
TERM.....L LOWER POSTERIOR CHEST

LOCATION: L MANDIBULAR

---

ABBREVIATION.....L MANDIBUL  
ACTIVE.....Yes  
DESCRIPTION.....Left Mandibular  
DISPLAY\_NAME.....L Mandibular  
HELP\_TEXT.....No Help Text  
ID.....{CB9DB373-5F0A-446B-909F-F76392CB3A04}  
TERM.....L MANDIBULAR

LOCATION: L MEDIAL HEEL

---

ABBREVIATION.....L MED HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Medial Heel  
HELP\_TEXT.....No Help Text  
ID.....{47AD7BA6-4EBB-4A08-B03C-FE73EB240725}  
TERM.....L MEDIAL HEEL

LOCATION: L MEDIAL MALLEOLUS

---

ABBREVIATION.....L MED MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Medial Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{330E7682-407F-43CD-84FC-1CDA41F08C68}  
TERM.....L MEDIAL MALLEOLUS

LOCATION: L MIDDLE ANTERIOR CHEST

---

ABBREVIATION.....L M A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Middle Anterior Chest  
DISPLAY\_NAME.....L Mid. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{36A83F77-117E-474B-AE34-0B2C02E131AE}  
TERM.....L MIDDLE ANTERIOR CHEST

LOCATION: L MIDDLE POSTERIOR CHEST

---

ABBREVIATION.....L M P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Middle Posterior Chest  
DISPLAY\_NAME.....L Mid. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{5A656939-F82B-4DEC-9F1D-B5FA644E3DA9}  
TERM.....L MIDDLE POSTERIOR CHEST

LOCATION: L NECK

---

ABBREVIATION.....L NECK  
ACTIVE.....Yes  
DESCRIPTION.....Left Neck  
DISPLAY\_NAME.....L Neck  
HELP\_TEXT.....No Help Text  
ID.....{C4EA6279-05E2-4195-A638-3794DCBA7B78}  
TERM.....L NECK

LOCATION: L NOSE

---

ABBREVIATION.....L NOSE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Nose  
HELP\_TEXT.....No Help Text  
ID.....{C7707847-5135-4749-B196-002E3E59BB54}  
TERM.....L NOSE

LOCATION: L OCCIPITAL

---

ABBREVIATION.....L OCCIPITAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Occipital  
DISPLAY\_NAME.....L Occipital  
HELP\_TEXT.....No Help Text  
ID.....{A4234F41-CD6F-4CE1-9210-316DB847BDE2}  
TERM.....L OCCIPITAL

LOCATION: L ORAL

---

ABBREVIATION.....L ORAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Oral  
DISPLAY\_NAME.....L Oral  
HELP\_TEXT.....No Help Text  
ID.....{057B787A-8750-4563-80DB-25110CCC1146}  
TERM.....L ORAL

LOCATION: L ORBIT

---

ABBREVIATION.....L ORBIT  
ACTIVE.....Yes  
DESCRIPTION.....Left Orbit  
DISPLAY\_NAME.....L Orbit  
HELP\_TEXT.....No Help Text  
ID.....{1D798E35-5095-4BA0-8F9F-FA96668A5239}  
TERM.....L ORBIT

LOCATION: L OUTER KNEE

---

ABBREVIATION.....L OUT KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Left Outer Knee  
DISPLAY\_NAME.....L Outer Knee  
HELP\_TEXT.....No Help Text  
ID.....{B143C935-2687-49C3-9F65-8D69C1775ABC}  
TERM.....L OUTER KNEE

LOCATION: L PARIETAL

---

ABBREVIATION.....L PARIETAL  
ACTIVE.....Yes  
DESCRIPTION.....Left Parietal  
DISPLAY\_NAME.....L Parietal  
HELP\_TEXT.....No Help Text  
ID.....{2687ED24-F35E-456C-99C9-F6A8EC4364E0}  
TERM.....L PARIETAL

LOCATION: L PEDAL

---

ABBREVIATION.....LEFT PEDAL  
ACTIVE.....Yes  
DESCRIPTION.....L Pedal  
DISPLAY\_NAME.....L Pedal  
HELP\_TEXT.....L Pedal  
ID.....{D84E9953-8C17-3130-8F21-A30D2A99FDE4}  
TERM.....L PEDAL

LOCATION: L POST TIBIAL

---

ABBREVIATION.....L PO TIB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Post Tibial  
HELP\_TEXT.....No Help Text  
ID.....{BED130EE-31CC-C7E9-6597-78685BCE91AC}  
TERM.....L POST TIBIAL

LOCATION: L RADIAL

---

ABBREVIATION.....L RAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Radial  
HELP\_TEXT.....No Help Text  
ID.....{302F78AD-4067-8B6B-BD15-993EC8561AE6}  
TERM.....L RADIAL

LOCATION: L RIBS

---

ABBREVIATION.....L RIBS  
ACTIVE.....Yes  
DESCRIPTION.....Left Ribs  
DISPLAY\_NAME.....L Ribs  
HELP\_TEXT.....No Help Text  
ID.....{BDFEE74F-B3CC-4AD9-AE49-78B0BF19A219}  
TERM.....L RIBS

LOCATION: L SCAPULA

---

ABBREVIATION.....L SCAPULA  
ACTIVE.....Yes  
DESCRIPTION.....Left Scapula  
DISPLAY\_NAME.....L Scapula  
HELP\_TEXT.....No Help Text  
ID.....{3381EC50-771B-41C8-85C8-6EB0D208D54E}  
TERM.....L SCAPULA

LOCATION: L SHOULDER

---

ABBREVIATION.....L SHOULDER  
ACTIVE.....Yes  
DESCRIPTION.....Left Shoulder  
DISPLAY\_NAME.....L Shoulder  
HELP\_TEXT.....No Help Text  
ID.....{91CBD2FA-2743-42EB-946B-6933980D9337}  
TERM.....L SHOULDER

LOCATION: L SUBCLAVIAN

---

ABBREVIATION.....L SUBCLAVI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Subclavian  
HELP\_TEXT.....No Help Text  
ID.....{71B93594-15F9-AA4A-AEF2-E222EC28C00D}  
TERM.....L SUBCLAVIAN

LOCATION: L TEMPORAL

---

ABBREVIATION.....L TEMPO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Temporal  
HELP\_TEXT.....No Help Text  
ID.....{375E65CF-A59E-A1E9-EB6D-D53CD818939E}  
TERM.....L TEMPORAL

LOCATION: L TESTICLE

---

ABBREVIATION.....L TESTICLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left Testicle  
HELP\_TEXT.....No Help Text  
ID.....{1E376539-E89F-4472-8274-CFD11275E11F}  
TERM.....L TESTICLE

LOCATION: L THIGH

---

ABBREVIATION.....L THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Thigh  
HELP\_TEXT.....No Help Text  
ID.....{16C2312F-1E0E-45E0-B675-160F40C23F57}  
TERM.....L THIGH

LOCATION: L THORACIC ANTERIOR

---

ABBREVIATION.....L THOR ANT  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracic Anterior  
DISPLAY\_NAME.....L Thoracic Anterior  
HELP\_TEXT.....No Help Text  
ID.....{C85B5FB9-153B-4A8B-9BE6-5524A572ACAC}  
TERM.....L THORACIC ANTERIOR

LOCATION: L THORACIC LATERAL

---

ABBREVIATION.....L THOR LAT  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracic Lateral  
DISPLAY\_NAME.....L Thoracic Lateral  
HELP\_TEXT.....No Help Text  
ID.....{48D26CEB-2E33-4F57-AB3A-F5A46108FFBF}  
TERM.....L THORACIC LATERAL

LOCATION: L THORACIC POSTERIOR

---

ABBREVIATION.....L THOR POS  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracic Posterior  
DISPLAY\_NAME.....L Thoracic Posterior  
HELP\_TEXT.....No Help Text  
ID.....{68E3381F-7605-4786-85A8-523D215A2B97}  
TERM.....L THORACIC POSTERIOR

LOCATION: L THORACOTOMY

---

ABBREVIATION.....L THORACOT  
ACTIVE.....Yes  
DESCRIPTION.....Left Thoracotomy  
DISPLAY\_NAME.....L Thoracotomy  
HELP\_TEXT.....No Help Text  
ID.....{313C11A1-559A-4F68-8718-4012416EC189}  
TERM.....L THORACOTOMY

LOCATION: L THUMB

---

ABBREVIATION.....L THUMB  
ACTIVE.....Yes  
DESCRIPTION.....Left Thumb  
DISPLAY\_NAME.....L Thumb  
HELP\_TEXT.....No Help Text  
ID.....{F82F4731-2CC5-4705-91BE-05E40C25B419}  
TERM.....L THUMB

LOCATION: L TOE

---

ABBREVIATION.....L TOE  
ACTIVE.....Yes  
DESCRIPTION.....Left Toe  
DISPLAY\_NAME.....L Toe  
HELP\_TEXT.....No Help Text  
ID.....{C666DE86-E7AE-4AB3-8AE1-91496219E63D}  
TERM.....L TOE

LOCATION: L TRAPEZIUS

---

ABBREVIATION.....L TRAPEZIU  
ACTIVE.....Yes  
DESCRIPTION.....Left Trapezius  
DISPLAY\_NAME.....L Trapezius  
HELP\_TEXT.....No Help Text  
ID.....{B74CF943-C10F-4A1B-A19A-4975E674A97A}  
TERM.....L TRAPEZIUS

LOCATION: L TROCHANTER

---

ABBREVIATION.....L TROCHANT  
ACTIVE.....Yes  
DESCRIPTION.....Left Trochanter  
DISPLAY\_NAME.....L Trochanter  
HELP\_TEXT.....No Help Text  
ID.....{C91647A4-255D-40E4-A24D-01274E5D799F}  
TERM.....L TROCHANTER

LOCATION: L UPPER ANTERIOR CHEST

---

ABBREVIATION.....L U A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Upper Anterior Chest  
DISPLAY\_NAME.....L. Up. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{FE63B58A-DE39-4C03-AE61-E34A5487C767}  
TERM.....L UPPER ANTERIOR CHEST

LOCATION: L UPPER ARM

---

ABBREVIATION.....L UPP ARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Arm  
HELP\_TEXT.....No Help Text  
ID.....{5F915696-1B08-32E9-6B95-49246117D660}  
TERM.....L UPPER ARM

LOCATION: L UPPER EXTREMITY

---

ABBREVIATION.....LUEX  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Extremity  
HELP\_TEXT.....No Help Text  
ID.....{48806E79-B1DA-129B-EB52-453292A3DDC6}  
TERM.....L UPPER EXTREMITY

LOCATION: L UPPER LEG

---

ABBREVIATION.....L UPPER LE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left Upper Leg  
HELP\_TEXT.....No Help Text  
ID.....{1DB35895-F74C-4B88-A3EE-3E556CB6559A}  
TERM.....L UPPER LEG

LOCATION: L UPPER LIMB

---

ABBREVIATION.....L Upp Limb  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Upper Limb  
HELP\_TEXT.....No Help Text  
ID.....{E6453716-62D3-DFCB-F84D-F6F2FDCC20B7}  
TERM.....L UPPER LIMB

LOCATION: L UPPER POSTERIOR CHEST

---

ABBREVIATION.....L U P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Left Upper Posterior Chest  
DISPLAY\_NAME.....L Up. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{6D5674E9-EF04-4EF1-84A0-3F5ED2FB532A}  
TERM.....L UPPER POSTERIOR CHEST

LOCATION: L WRIST

---

ABBREVIATION.....L WRIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L Wrist  
HELP\_TEXT.....No Help Text  
ID.....{7BCAFAFE-FF3B-46DA-99F9-6437A90B7126}  
TERM.....L WRIST

LOCATION: LEFT

---

ABBREVIATION.....Lt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Left  
HELP\_TEXT.....No Help Text  
ID.....{C9C09768-9EEA-8F2B-86D4-B53458472E4E}  
TERM.....LEFT

LOCATION: LEFT ANKLE

---

ABBREVIATION.....LeftAnkle  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Ankle  
HELP\_TEXT.....  
ID.....{9AFD8711-2A6D-4A8E-A249-84443E64BD64}  
TERM.....LEFT ANKLE

LOCATION: LEFT ELBOW

---

ABBREVIATION.....LeftElbow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Elbow  
HELP\_TEXT.....  
ID.....{E9233EDA-72EF-4021-A1B7-CC32E8AC0B3A}  
TERM.....LEFT ELBOW

LOCATION: LEFT EYE

---

ABBREVIATION.....Left Eye  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Eye  
HELP\_TEXT.....  
ID.....{D1B20983-6076-47E6-9578-2EFB3CB6A47B}  
TERM.....LEFT EYE

LOCATION: LEFT HAND/FINGERS

---

ABBREVIATION.....LHandFing  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Hand/Fingers  
HELP\_TEXT.....  
ID.....{293AD277-AE37-4F6C-8BBD-63855645E72E}  
TERM.....LEFT HAND/FINGERS

LOCATION: LEFT HIP

---

ABBREVIATION.....LeftHip  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Hip  
HELP\_TEXT.....  
ID.....{89405289-AAD1-4058-B8F9-B35FB2A47F9C}  
TERM.....LEFT HIP

LOCATION: LEFT KNEE

---

ABBREVIATION.....LeftKnee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Knee  
HELP\_TEXT.....  
ID.....{DB284E61-0A1A-4C49-9208-83C1AB45465D}  
TERM.....LEFT KNEE

LOCATION: LEFT LOWER LOBE

---

ABBREVIATION.....LLL  
ACTIVE.....Yes  
DESCRIPTION.....LEFT LUNG'S LOWER LOBE  
DISPLAY\_NAME.....L Lower Lobe  
HELP\_TEXT.....No Help Text  
ID.....{14155C13-874D-6E26-01D8-2C03B349F913}  
TERM.....LEFT LOWER LOBE

LOCATION: LEFT NECK

---

ABBREVIATION.....L NECK  
ACTIVE.....Yes  
DESCRIPTION.....LEFT SIDE OF PATIENT'S NECK  
DISPLAY\_NAME.....L Neck  
HELP\_TEXT.....No Help Text  
ID.....{40522B5F-F23E-EADB-AE64-8EDE3B9E1155}  
TERM.....LEFT NECK

LOCATION: LEFT SHOULDER

---

ABBREVIATION.....Lshoulder  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Shoulder  
HELP\_TEXT.....  
ID.....{C3D5027F-DE62-4227-8F1C-BFED17B0B73F}  
TERM.....LEFT SHOULDER

LOCATION: LEFT UPPER LOBE

---

ABBREVIATION.....LUL  
ACTIVE.....Yes  
DESCRIPTION.....LEFT LUNG'S UPPER LOBE  
DISPLAY\_NAME.....L Upper Lobe  
HELP\_TEXT.....No Help Text  
ID.....{21BC3BA2-B22E-6A23-A377-5C2D5C1575C7}  
TERM.....LEFT UPPER LOBE

LOCATION: LEFT WRIST

---

ABBREVIATION.....LeftWrist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left Wrist  
HELP\_TEXT.....  
ID.....{8D1636A3-EB47-4D30-B4BA-3C4560350AB9}  
TERM.....LEFT WRIST

LOCATION: LEG

---

ABBREVIATION.....Leg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Leg  
HELP\_TEXT.....  
ID.....{8E2D8C58-28DE-4C5A-B124-9CD774A3945C}  
TERM.....LEG

LOCATION: LIP

---

ABBREVIATION.....Lip  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lip  
HELP\_TEXT.....  
ID.....{43A64C98-CAE1-4069-B66E-91A512D7A703}  
TERM.....LIP

LOCATION: LOWER

---

ABBREVIATION.....Lower  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lower  
HELP\_TEXT.....  
ID.....{024BF281-F2D8-45FC-AFDE-60004AC11AB6}  
TERM.....LOWER

LOCATION: LOWER ABDOMEN

---

ABBREVIATION.....LO ABDOM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lower Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{077C9CF5-DCA7-4D94-A7A3-F3C153CEA47D}  
TERM.....LOWER ABDOMEN

LOCATION: LOWER ARM

---

ABBREVIATION.....LrA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lower Arm  
HELP\_TEXT.....No Help Text  
ID.....{D7627720-D6B0-AC00-8FA3-F7B569ED06FC}  
TERM.....LOWER ARM

LOCATION: LOWER BACK

---

ABBREVIATION.....LOWER BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lower Back  
HELP\_TEXT.....No Help Text  
ID.....{7E761680-61BC-450F-9905-C45CE760EC45}  
TERM.....LOWER BACK

LOCATION: LOWER LEG

---

ABBREVIATION.....Lower Leg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lower Leg  
HELP\_TEXT.....  
ID.....{75805735-D805-4101-B8C1-965A0E545A42}  
TERM.....LOWER LEG

LOCATION: LUMBAR SPINE

---

ABBREVIATION.....Lumb Spine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lumbar Spine  
HELP\_TEXT.....  
ID.....{AEA5FA39-E58D-4382-9C33-EAF360395A60}  
TERM.....LUMBAR SPINE

LOCATION: Lips

---

ABBREVIATION.....Lips  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Lips  
HELP\_TEXT.....  
ID.....{905C6242-0B5C-45ED-B34C-636A81D760B1}  
TERM.....Lips

LOCATION: MEDIASTINAL

---

ABBREVIATION.....MEDIASTINA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mediastinal  
HELP\_TEXT.....No Help Text  
ID.....{D99997D2-61EF-CAC2-A854-D906E3A97447}  
TERM.....MEDIASTINAL

LOCATION: MID BACK

---

ABBREVIATION.....MID BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mid Back  
HELP\_TEXT.....No Help Text  
ID.....{F8C515E0-F437-4596-B030-DA1811038CDF}  
TERM.....MID BACK

LOCATION: MID-STERNAL

---

ABBREVIATION.....MID-STERN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mid-Sternal  
HELP\_TEXT.....No Help Text  
ID.....{3F5168F1-9082-4FB2-A364-3CDE33B1214B}  
TERM.....MID-STERNAL

LOCATION: MIDDLE

---

ABBREVIATION.....MIDDLE  
ACTIVE.....Yes  
DESCRIPTION.....MIDDLE  
DISPLAY\_NAME.....Middle  
HELP\_TEXT.....No Help Text  
ID.....{654E4D50-B74E-D58B-B3E3-AA3F218A285E}  
TERM.....MIDDLE

LOCATION: MIDLINE ABDOMINAL

---

ABBREVIATION.....MID ABDOMI  
ACTIVE.....Yes  
DESCRIPTION.....Midline Abdominal  
DISPLAY\_NAME.....Midline Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{37ED2947-9BDA-4207-94F1-6B8C0FE12ECF}  
TERM.....MIDLNE ABDOMINAL

LOCATION: MIDLINE NECK

---

ABBREVIATION.....MID NECK  
ACTIVE.....Yes  
DESCRIPTION.....Midline Neck  
DISPLAY\_NAME.....Midline Neck  
HELP\_TEXT.....No Help Text  
ID.....{FF666713-278D-46D6-8D25-E5D57E78EA08}  
TERM.....MIDLINNE NECK

LOCATION: NARES

---

ABBREVIATION.....Nares  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nares  
HELP\_TEXT.....  
ID.....{ADCA65F6-CED5-4661-99A0-BE54212FBBD9}  
TERM.....NARES

LOCATION: NECK

---

ABBREVIATION.....Ne  
ACTIVE.....Yes  
DESCRIPTION.....PATIENTS NECK  
DISPLAY\_NAME.....Neck  
HELP\_TEXT.....No Help Text  
ID.....{D4812C3B-AAC2-1B61-679B-3CD8B5CB947C}  
TERM.....NECK

LOCATION: NOSE

---

ABBREVIATION.....NOSE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nose  
HELP\_TEXT.....No Help Text  
ID.....{85F7003E-6D4E-4A79-A534-8A57FBC2D106}  
TERM.....NOSE

LOCATION: OCCIPITAL

---

ABBREVIATION.....OCCIPITAL  
ACTIVE.....Yes  
DESCRIPTION.....Occipital  
DISPLAY\_NAME.....Occipital  
HELP\_TEXT.....No Help Text  
ID.....{5A3E384B-1C87-4A19-A449-DB91AB443FFC}  
TERM.....OCCIPITAL

LOCATION: ORAL

---

ABBREVIATION.....O  
ACTIVE.....Yes  
DESCRIPTION.....Oral Description  
DISPLAY\_NAME.....Oral  
HELP\_TEXT.....Oral Help  
ID.....{7A7ACA1B-ACBD-B08D-D40C-54BA8E724B8C}  
TERM.....ORAL

LOCATION: OTHER (SEE COMMENTS)

---

ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (See Comments)  
HELP\_TEXT.....  
ID.....{037C0CCD-7460-406A-A700-19EDE6218C9D}  
TERM.....OTHER (SEE COMMENTS)

LOCATION: OTHER( SEE COMMENTS)

---

ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (See Comments)  
HELP\_TEXT.....  
ID.....{E24A4F24-CDBA-4C8F-B820-FD9E5FE102B0}  
TERM.....OTHER( SEE COMMENTS)

LOCATION: PENIS

---

ABBREVIATION.....PENIS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Penis  
HELP\_TEXT.....No Help Text  
ID.....{2D82CE55-83B6-4160-A754-07C71FD388E8}  
TERM.....PENIS

LOCATION: PERINEAL

---

ABBREVIATION.....PERINEAL  
ACTIVE.....Yes  
DESCRIPTION.....Perineal  
DISPLAY\_NAME.....Perineal  
HELP\_TEXT.....No Help Text  
ID.....{1801441C-D5EF-4775-9E58-E4985496F7E0}  
TERM.....PERINEAL

LOCATION: PERIORBITAL

---

ABBREVIATION.....PERIORBITA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Periorbital  
HELP\_TEXT.....No Help Text  
ID.....{DBAC362B-6278-EDB4-7E28-3180321A38B2}  
TERM.....PERIORBITAL

LOCATION: PERIPHERAL

---

ABBREVIATION.....Per  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Peripheral  
HELP\_TEXT.....No Help Text  
ID.....{36B31698-E84A-5792-8EAE-F374DFD1B55A}  
TERM.....PERIPHERAL

LOCATION: PERIRECTAL

---

ABBREVIATION.....PERIRECTAL  
ACTIVE.....Yes  
DESCRIPTION.....Perirectal  
DISPLAY\_NAME.....Perirectal  
HELP\_TEXT.....No Help Text  
ID.....{560E1473-7B8F-4A75-8807-29315C908553}  
TERM.....PERIRECTAL

LOCATION: POPLITEAL

---

ABBREVIATION.....Pop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Popliteal  
HELP\_TEXT.....No Help Text  
ID.....{77030DF2-CE06-D9E2-0684-EE70209CBE73}  
TERM.....POPLITEAL

LOCATION: POSTERIOR TIBIAL

---

ABBREVIATION.....PT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Posterior Tibial  
HELP\_TEXT.....No Help Text  
ID.....{010F2FFE-DEBC-DF9D-9CF2-AD192B16FFD5}  
TERM.....POSTERIOR TIBIAL

LOCATION: R ABDOMEN

---

ABBREVIATION.....R ABDOMEN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{5C45EAA8-96F5-4EC7-8AB5-A9543CD6C414}  
TERM.....R ABDOMEN

LOCATION: R ANKLE

---

ABBREVIATION.....R ANKLE  
ACTIVE.....Yes  
DESCRIPTION.....Right Ankle  
DISPLAY\_NAME.....R Ankle  
HELP\_TEXT.....No Help Text  
ID.....{4E6DF352-F399-4CE9-908C-48132C3D856B}  
TERM.....R ANKLE

LOCATION: R ANTECUBITAL

---

ABBREVIATION.....R ANTECUBI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Antecubital  
HELP\_TEXT.....No Help Text  
ID.....{7FB00A65-B4B2-06A6-BD89-98AC112D8D4E}  
TERM.....R ANTECUBITAL

LOCATION: R ARM

---

ABBREVIATION.....RA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Arm  
HELP\_TEXT.....No Help Text  
ID.....{1C09017A-F10A-543D-A7EA-F13790D78692}  
TERM.....R ARM

LOCATION: R ARTERY

---

ABBREVIATION.....R ARTERY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Artery  
HELP\_TEXT.....No Help Text  
ID.....{A2D76F33-A049-B3A0-2CBF-9F83FF52D894}  
TERM.....R ARTERY

LOCATION: R AXILLARY

---

ABBREVIATION.....R AXILLARY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Axillary  
HELP\_TEXT.....No Help Text  
ID.....{3044F28B-FED2-4069-7E3B-2A691C5771F9}  
TERM.....R AXILLARY

LOCATION: R BRACHIAL

---

ABBREVIATION.....R BRACH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Brachial  
HELP\_TEXT.....No Help Text  
ID.....{A88E69A8-F6AE-80B0-2CD4-687B121F9DDE}  
TERM.....R BRACHIAL

LOCATION: R CALF

---

ABBREVIATION.....R CALF  
ACTIVE.....Yes  
DESCRIPTION.....Right Calf  
DISPLAY\_NAME.....R Calf  
HELP\_TEXT.....No Help Text  
ID.....{0298A452-4901-44BF-A7A8-F42DD3BA8B63}  
TERM.....R CALF

LOCATION: R CAROTID

---

ABBREVIATION.....R CAROTID  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Carotid  
HELP\_TEXT.....No Help Text  
ID.....{8280ACD2-72D6-202A-89AF-86BCA7736427}  
TERM.....R CAROTID

LOCATION: R CHEST

---

ABBREVIATION.....R CHEST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right Chest  
HELP\_TEXT.....No Help Text  
ID.....{7E30EC0E-815A-4C2E-A9FC-3C2B2D6E3CD4}  
TERM.....R CHEST

LOCATION: R DORSALIS PEDIS

---

ABBREVIATION.....R DOR PED  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Dorsalis Pedis  
HELP\_TEXT.....No Help Text  
ID.....{47D4C64A-FD93-2999-7B46-F25307EA6511}  
TERM.....R DORSALIS PEDIS

LOCATION: R EAR

---

ABBREVIATION.....R EAR  
ACTIVE.....Yes  
DESCRIPTION.....Right Ear  
DISPLAY\_NAME.....R Ear  
HELP\_TEXT.....No Help Text  
ID.....{AE31327D-A03C-488C-8A8E-084E7E6E7FDE}  
TERM.....R EAR

LOCATION: R ELBOW

---

ABBREVIATION.....R ELBOW  
ACTIVE.....Yes  
DESCRIPTION.....Right Elbow  
DISPLAY\_NAME.....R Elbow  
HELP\_TEXT.....No Help Text  
ID.....{5BAFF87B-6993-4E76-862F-9F386D9B71C5}  
TERM.....R ELBOW

LOCATION: R EXTERNAL JUGULAR

---

ABBREVIATION.....R EXT JUGU  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R External Jugular  
HELP\_TEXT.....No Help Text  
ID.....{4D78F704-9E3B-907E-A792-4DC4F4CFF170}  
TERM.....R EXTERNAL JUGULAR

LOCATION: R EYE

---

ABBREVIATION.....R EYE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Eye  
HELP\_TEXT.....No Help Text  
ID.....{258F0C1D-67BD-ECF8-3152-EB289DEF4681}  
TERM.....R EYE

LOCATION: R FACE

---

ABBREVIATION.....R FACE  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT SIDE OF PATIENT'S FACE  
DISPLAY\_NAME.....R Face  
HELP\_TEXT.....No Help Text  
ID.....{D1B15677-EF6F-0125-3601-68C1FE6386CE}  
TERM.....R FACE

LOCATION: R FEMORAL

---

ABBREVIATION.....R FEM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Femoral  
HELP\_TEXT.....No Help Text  
ID.....{B1F9EF50-B022-2BA9-CDA9-374E6A1557CC}  
TERM.....R FEMORAL

LOCATION: R FINGER

---

ABBREVIATION.....R FINGER  
ACTIVE.....Yes  
DESCRIPTION.....Right Finger  
DISPLAY\_NAME.....R Finger  
HELP\_TEXT.....No Help Text  
ID.....{E12CA0EF-3267-4B93-8643-230E2226C3D6}  
TERM.....R FINGER

LOCATION: R FLANK

---

ABBREVIATION.....R FLANK  
ACTIVE.....Yes  
DESCRIPTION.....Right Flank  
DISPLAY\_NAME.....R Flank  
HELP\_TEXT.....No Help Text  
ID.....{F5700ED2-646F-4B75-A55B-111C27FB939C}  
TERM.....R FLANK

LOCATION: R FOOT

---

ABBREVIATION.....R FOOT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Foot  
HELP\_TEXT.....No Help Text  
ID.....{7D9F5FF6-232C-2488-4504-A721FF06928F}  
TERM.....R FOOT

LOCATION: R GLUTEUS

---

ABBREVIATION.....R GLUTEUS  
ACTIVE.....Yes  
DESCRIPTION.....Right Gluteus  
DISPLAY\_NAME.....R Gluteus  
HELP\_TEXT.....No Help Text  
ID.....{B4D32045-68D1-4457-9106-7937887FA6F6}  
TERM.....R GLUTEUS

LOCATION: R GROIN

---

ABBREVIATION.....R GROIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Groin  
HELP\_TEXT.....No Help Text  
ID.....{BAE1C889-8CCF-4CEB-9EBD-0243BC6F096A}  
TERM.....R GROIN

LOCATION: R HAND

---

ABBREVIATION.....R HAND  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Hand  
HELP\_TEXT.....No Help Text  
ID.....{A54D3A80-8537-D079-9CCE-7DC56346D132}  
TERM.....R HAND

LOCATION: R HEAD

---

ABBREVIATION.....R HEAD  
ACTIVE.....Yes  
DESCRIPTION.....Right Head  
DISPLAY\_NAME.....R Head  
HELP\_TEXT.....No Help Text  
ID.....{42A95AAE-3DA9-4C96-A4E7-A15C9840217A}  
TERM.....R HEAD

LOCATION: R HEEL

---

ABBREVIATION.....R HEEL  
ACTIVE.....Yes  
DESCRIPTION.....Right Heel  
DISPLAY\_NAME.....R Heel  
HELP\_TEXT.....No Help Text  
ID.....{0020DD20-2EA4-4362-ADF0-07BFA220C60E}  
TERM.....R HEEL

LOCATION: R HIP

---

ABBREVIATION.....R HIP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Hip  
HELP\_TEXT.....No Help Text  
ID.....{A48CBCAE-5404-4934-9321-ECEF660A5350}  
TERM.....R HIP

LOCATION: R INGUINAL

---

ABBREVIATION.....R INGUINAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Inguinal  
DISPLAY\_NAME.....R Inguinal  
HELP\_TEXT.....No Help Text  
ID.....{395233DF-3B89-49E0-946B-EB5C02E51178}  
TERM.....R INGUINAL

LOCATION: R INNER KNEE

---

ABBREVIATION.....R INN KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Right Inner Knee  
DISPLAY\_NAME.....R Inner Knee  
HELP\_TEXT.....No Help Text  
ID.....{2AE24BF1-EA1B-490D-9DB7-EEFC9314C560}  
TERM.....R INNER KNEE

LOCATION: R INTERNAL JUGULAR

---

ABBREVIATION.....RIJ  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Internal Jugular  
HELP\_TEXT.....No Help Text  
ID.....{7ABF6916-D379-198D-6454-F0518A74844A}  
TERM.....R INTERNAL JUGULAR

LOCATION: R ISCHIAL

---

ABBREVIATION.....R ISCHIAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Ischial  
DISPLAY\_NAME.....R Ischial  
HELP\_TEXT.....No Help Text  
ID.....{97E50F6C-CF75-4E59-AFDE-80FC5CE6D9E3}  
TERM.....R ISCHIAL

LOCATION: R JAW

---

ABBREVIATION.....R JAW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Jaw  
HELP\_TEXT.....No Help Text  
ID.....{7846AEE2-B6F4-4B5A-909F-56E386FD82A8}  
TERM.....R JAW

LOCATION: R KNEE

---

ABBREVIATION.....R KNEE  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S RIGHT KNEE  
DISPLAY\_NAME.....R Knee  
HELP\_TEXT.....No Help Text  
ID.....{BCD18D53-07B6-2C41-64FC-3A07A7E979E7}  
TERM.....R KNEE

LOCATION: R LATERAL HEEL

---

ABBREVIATION.....R LAT HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lateral Heel  
HELP\_TEXT.....No Help Text  
ID.....{A1896CF9-0246-4323-8DED-E4B5FB12CACE}  
TERM.....R LATERAL HEEL

LOCATION: R LATERAL MALLEOLUS

---

ABBREVIATION.....R LAT MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lateral Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{950FC45B-93E8-424F-A5D4-DE646166D7B0}  
TERM.....R LATERAL MALLEOLUS

LOCATION: R LEG

---

ABBREVIATION.....RL  
ACTIVE.....Yes  
DESCRIPTION.....Right Leg  
DISPLAY\_NAME.....R Leg  
HELP\_TEXT.....RIGHT LEG  
ID.....{C5E40A7B-6FC4-267D-8CE8-3571D21D81FD}  
TERM.....R LEG

LOCATION: R LOWER ANTERIOR CHEST

---

ABBREVIATION.....R L A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Anterior Chest  
DISPLAY\_NAME.....R Low. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{96BCF731-B661-4455-B5E7-C4AE2509505F}  
TERM.....R LOWER ANTERIOR CHEST

LOCATION: R LOWER ARM

---

ABBREVIATION.....R LOW ARM  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Arm  
DISPLAY\_NAME.....R Lower Arm  
HELP\_TEXT.....No Help Text  
ID.....{8DE6E277-EFFF-40DD-9E83-D7295AACB6AA}  
TERM.....R LOWER ARM

LOCATION: R LOWER EXTREMITY

---

ABBREVIATION.....R LOW EXTR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lower Extremity  
HELP\_TEXT.....No Help Text  
ID.....{7FC3CECC-1E6E-A686-FF04-2BEF8A9B9DCA}  
TERM.....R LOWER EXTREMITY

LOCATION: R LOWER LEG

---

ABBREVIATION.....R LOW LEG  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Leg  
DISPLAY\_NAME.....R Lower Leg  
HELP\_TEXT.....No Help Text  
ID.....{C8EA4D71-D97E-46BD-AE9D-C10954C525CD}  
TERM.....R LOWER LEG

LOCATION: R LOWER LIMB

---

ABBREVIATION.....R LOW LIMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Lower Limb  
HELP\_TEXT.....No Help Text  
ID.....{A8E26A05-311A-F196-40B5-B5202D9F8058}  
TERM.....R LOWER LIMB

LOCATION: R LOWER LOBE

---

ABBREVIATION.....RLL  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT LUNG'S LOWER LOBE  
DISPLAY\_NAME.....R Lower Lobe  
HELP\_TEXT.....No Help Text  
ID.....{418D350A-3602-1918-22C8-53D093AF49B0}  
TERM.....R LOWER LOBE

LOCATION: R LOWER POSTERIOR CHEST

---

ABBREVIATION.....R L P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Lower Posterior Chest  
DISPLAY\_NAME.....R Low. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{5163180E-FFD2-4BFB-BF8B-4C6B18EFE5D4}  
TERM.....R LOWER POSTERIOR CHEST

LOCATION: R MANDIBULAR

---

ABBREVIATION.....R MANDIBUL  
ACTIVE.....Yes  
DESCRIPTION.....Right Mandibular  
DISPLAY\_NAME.....R Mandibular  
HELP\_TEXT.....No Help Text  
ID.....{303A1DE2-CB9A-498F-9CC5-DFA8FBFF10C1}  
TERM.....R MANDIBULAR

LOCATION: R MEDIAL HEEL

---

ABBREVIATION.....R MED HEEL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Medial Heel  
HELP\_TEXT.....No Help Text  
ID.....{C0526527-0AA9-4ECF-B768-99B2A1F5F3BF}  
TERM.....R MEDIAL HEEL

LOCATION: R MEDIAL MALLEOLUS

---

ABBREVIATION.....R MED MALL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Medial Malleolus  
HELP\_TEXT.....No Help Text  
ID.....{C70FB4FA-6516-4567-8E26-46BA439F1DF4}  
TERM.....R MEDIAL MALLEOLUS

LOCATION: R MIDDLE ANTERIOR CHEST

-----  
ABBREVIATION.....R M A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Middle Anterior Chest  
DISPLAY\_NAME.....R Mid. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{2F751A9C-66CA-4C22-ACC9-6E81FA63FA2B}  
TERM.....R MIDDLE ANTERIOR CHEST

LOCATION: R MIDDLE LOBE

-----  
ABBREVIATION.....RML  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT LUNG'S MIDDLE LOBE  
DISPLAY\_NAME.....R Middle Lobe  
HELP\_TEXT.....No Help Text  
ID.....{57879159-350C-2055-34D3-C6EFA39CA98F}  
TERM.....R MIDDLE LOBE

LOCATION: R MIDDLE POSTERIOR CHEST

-----  
ABBREVIATION.....R M P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Middle Posterior Chest  
DISPLAY\_NAME.....R Mid. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{2BC487D6-6CE8-499E-94A0-A79EAA8E199B}  
TERM.....R MIDDLE POSTERIOR CHEST

LOCATION: R NECK

-----  
ABBREVIATION.....R NECK  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT SIDE OF PATIENT'S NECK  
DISPLAY\_NAME.....R Neck  
HELP\_TEXT.....No Help Text  
ID.....{7E4D84D3-535B-6164-C6C1-837C6F997A0D}  
TERM.....R NECK

LOCATION: R NOSE

-----  
ABBREVIATION.....R NOSE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Nose  
HELP\_TEXT.....No Help Text  
ID.....{D80BCB19-E71F-43EA-8990-6C121EE7F7A1}  
TERM.....R NOSE

LOCATION: R OCCIPITAL

---

ABBREVIATION.....R OCCIPITA  
ACTIVE.....Yes  
DESCRIPTION.....Right Occipital  
DISPLAY\_NAME.....R Occipital  
HELP\_TEXT.....No Help Text  
ID.....{5DB951DB-CB03-482E-B0DA-CC5EE8FB1A67}  
TERM.....R OCCIPITAL

LOCATION: R ORAL

---

ABBREVIATION.....R ORAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Oral  
DISPLAY\_NAME.....R Oral  
HELP\_TEXT.....No Help Text  
ID.....{9CEEF934-AA3D-4BDE-BC3B-9E275C51CC9C}  
TERM.....R ORAL

LOCATION: R ORBIT

---

ABBREVIATION.....R ORBIT  
ACTIVE.....Yes  
DESCRIPTION.....Right Orbit  
DISPLAY\_NAME.....R Orbit  
HELP\_TEXT.....No Help Text  
ID.....{DFFD974A-1684-49AE-8230-8E12411EA62E}  
TERM.....R ORBIT

LOCATION: R OUTER KNEE

---

ABBREVIATION.....R OUT KNEE  
ACTIVE.....Yes  
DESCRIPTION.....Right Outer Knee  
DISPLAY\_NAME.....R Outer Knee  
HELP\_TEXT.....No Help Text  
ID.....{330F1DF1-8C99-4984-9965-7404ABC9562D}  
TERM.....R OUTER KNEE

LOCATION: R PARIETAL

---

ABBREVIATION.....R PARIETAL  
ACTIVE.....Yes  
DESCRIPTION.....Right Parietal  
DISPLAY\_NAME.....R Parietal  
HELP\_TEXT.....No Help Text  
ID.....{28C927CD-1342-483B-B366-0B7EA8ACABAD}  
TERM.....R PARIETAL

LOCATION: R PEDAL

---

ABBREVIATION.....R PEDAL  
ACTIVE.....Yes  
DESCRIPTION.....R Pedal  
DISPLAY\_NAME.....R Pedal  
HELP\_TEXT.....R Pedal  
ID.....{9532B614-F4E1-316C-1322-905EB58E58C4}  
TERM.....R PEDAL

LOCATION: R POST TIBIAL

---

ABBREVIATION.....R PO TIB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Post Tibial  
HELP\_TEXT.....No Help Text  
ID.....{88CDA53A-5153-4950-701A-3F4F2007CC6B}  
TERM.....R POST TIBIAL

LOCATION: R RADIAL

---

ABBREVIATION.....R RADIAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Radial  
HELP\_TEXT.....No Help Text  
ID.....{BA10E6E5-DDF4-345E-68AF-21D32E9D972D}  
TERM.....R RADIAL

LOCATION: R RIBS

---

ABBREVIATION.....R RIBS  
ACTIVE.....Yes  
DESCRIPTION.....Right Ribs  
DISPLAY\_NAME.....R Ribs  
HELP\_TEXT.....No Help Text  
ID.....{260FD564-5E58-419B-9F73-62B6037D1572}  
TERM.....R RIBS

LOCATION: R SCAPULA

---

ABBREVIATION.....R SCAPULA  
ACTIVE.....Yes  
DESCRIPTION.....Right Scapula  
DISPLAY\_NAME.....R Scapula  
HELP\_TEXT.....No Help Text  
ID.....{EA657261-4D72-40C2-B70D-2A2E27556A01}  
TERM.....R SCAPULA

LOCATION: R SHOULDER

---

ABBREVIATION.....R SHOULDER  
ACTIVE.....Yes  
DESCRIPTION.....Right Shoulder  
DISPLAY\_NAME.....R Shoulder  
HELP\_TEXT.....No Help Text  
ID.....{D27AE130-442E-4DD6-B391-8D7E8AD494A2}  
TERM.....R SHOULDER

LOCATION: R SUBCLAVIAN

---

ABBREVIATION.....R SUBCLAV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Subclavian  
HELP\_TEXT.....No Help Text  
ID.....{53DEAE83-93AE-123B-14E5-4DE38CD4F752}  
TERM.....R SUBCLAVIAN

LOCATION: R TEMPORAL

---

ABBREVIATION.....R TEMPOR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Temporal  
HELP\_TEXT.....No Help Text  
ID.....{1F50461D-5ECF-25B2-A29A-E02803CB7814}  
TERM.....R TEMPORAL

LOCATION: R TESTICLE

---

ABBREVIATION.....R TESTICLE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right Testicle  
HELP\_TEXT.....No Help Text  
ID.....{0947D277-50AD-47F8-A76D-0EC34EB3B168}  
TERM.....R TESTICLE

LOCATION: R THIGH

---

ABBREVIATION.....R THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Thigh  
HELP\_TEXT.....No Help Text  
ID.....{B7A2D4A0-801E-4578-967A-F1CFB86FB96B}  
TERM.....R THIGH

LOCATION: R THORACIC ANTERIOR

---

ABBREVIATION.....R THOR ANT  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracic Anterior  
DISPLAY\_NAME.....R Thoracic Anterior  
HELP\_TEXT.....No Help Text  
ID.....{BD3DF757-2C65-4D6A-9C80-5DC95BB41CFB}  
TERM.....R THORACIC ANTERIOR

LOCATION: R THORACIC LATERAL

---

ABBREVIATION.....R THOR LAT  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracic Lateral  
DISPLAY\_NAME.....R Thoracic Lateral  
HELP\_TEXT.....No Help Text  
ID.....{55C48294-D3F3-4013-B552-BA3344D9513B}  
TERM.....R THORACIC LATERAL

LOCATION: R THORACIC POSTERIOR

---

ABBREVIATION.....R THOR POS  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracic Posterior  
DISPLAY\_NAME.....R Thoracic Posterior  
HELP\_TEXT.....No Help Text  
ID.....{E91085D2-E665-4EB6-A086-8CF573DECD8F}  
TERM.....R THORACIC POSTERIOR

LOCATION: R THORACOTOMY

---

ABBREVIATION.....R THORACOT  
ACTIVE.....Yes  
DESCRIPTION.....Right Thoracotomy  
DISPLAY\_NAME.....R Thoracotomy  
HELP\_TEXT.....No Help Text  
ID.....{A18E4BB3-0718-48D6-BD49-720A70C0EF60}  
TERM.....R THORACOTOMY

LOCATION: R THUMB

---

ABBREVIATION.....R THUMB  
ACTIVE.....Yes  
DESCRIPTION.....Right Thumb  
DISPLAY\_NAME.....R Thumb  
HELP\_TEXT.....No Help Text  
ID.....{B414BD68-4155-45B3-985D-B2F8252A20FE}  
TERM.....R THUMB

LOCATION: R TOE

---

ABBREVIATION.....R TOE  
ACTIVE.....Yes  
DESCRIPTION.....Right Toe  
DISPLAY\_NAME.....R Toe  
HELP\_TEXT.....No Help Text  
ID.....{B65727AB-3205-4DCE-833F-6DA8554636F9}  
TERM.....R TOE

LOCATION: R TRAPEZIUS

---

ABBREVIATION.....R TRAPEZIU  
ACTIVE.....Yes  
DESCRIPTION.....Right Trapezius  
DISPLAY\_NAME.....R Trapezius  
HELP\_TEXT.....No Help Text  
ID.....{69753B67-AFA1-4C93-BA78-E266F9894E46}  
TERM.....R TRAPEZIUS

LOCATION: R TROCHANTER

---

ABBREVIATION.....R TROCHANT  
ACTIVE.....Yes  
DESCRIPTION.....Right Trochanter  
DISPLAY\_NAME.....R Trochanter  
HELP\_TEXT.....No Help Text  
ID.....{1A3E21B2-C391-40D2-8059-12290E667D9E}  
TERM.....R TROCHANTER

LOCATION: R UPPER ANTERIOR CHEST

---

ABBREVIATION.....R U A CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Upper Anterior Chest  
DISPLAY\_NAME.....R Up. Ant. Chest  
HELP\_TEXT.....No Help Text  
ID.....{67890049-A4A8-4241-BDF3-573729BD6EB5}  
TERM.....R UPPER ANTERIOR CHEST

LOCATION: R UPPER ARM

---

ABBREVIATION.....R UPP ARM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Arm  
HELP\_TEXT.....No Help Text  
ID.....{3EF20E8E-F68C-E4F2-8F8C-FAD3B44DDAA4}  
TERM.....R UPPER ARM

LOCATION: R UPPER EXTREMITY

---

ABBREVIATION.....R UPP EXTR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Extremity  
HELP\_TEXT.....No Help Text  
ID.....{C65BA269-8F05-6FB9-62CB-466A286CF2C0}  
TERM.....R UPPER EXTREMITY

LOCATION: R UPPER LEG

---

ABBREVIATION.....R UPPER LE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right Upper Leg  
HELP\_TEXT.....No Help Text  
ID.....{113BD5ED-5A0A-47CA-B100-91B244BFD04A}  
TERM.....R UPPER LEG

LOCATION: R UPPER LIMB

---

ABBREVIATION.....R UPP LIMB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Upper Limb  
HELP\_TEXT.....No Help Text  
ID.....{5E028BFF-ED9B-014F-74F0-C4137DB074FB}  
TERM.....R UPPER LIMB

LOCATION: R UPPER LOBE

---

ABBREVIATION.....RUL  
ACTIVE.....Yes  
DESCRIPTION.....RIGHT LUNG'S UPPER LOBE  
DISPLAY\_NAME.....R Upper Lobe  
HELP\_TEXT.....Enter the Right Upper Lobe of the lung  
ID.....{098C11B4-B556-FBBE-7E21-AEC9D7E4408A}  
TERM.....R UPPER LOBE

LOCATION: R UPPER POSTERIOR CHEST

---

ABBREVIATION.....R U P CHES  
ACTIVE.....Yes  
DESCRIPTION.....Right Upper Posterior Chest  
DISPLAY\_NAME.....R Up. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{D8F03FA5-1FD7-46EE-8FA4-17B3B7E62141}  
TERM.....R UPPER POSTERIOR CHEST

LOCATION: R WRIST

---

ABBREVIATION.....R WRIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....R Wrist  
HELP\_TEXT.....No Help Text  
ID.....{FDD9FE1D-F8A2-09AD-82D7-AA478693DD01}  
TERM.....R WRIST

LOCATION: RADIAL

---

ABBREVIATION.....RADIAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Radial  
HELP\_TEXT.....No Help-Text  
ID.....{D52C4103-2AB3-A0C7-16E3-CF95A1B3B789}  
TERM.....RADIAL

LOCATION: RECTAL

---

ABBREVIATION.....RECTAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rectal  
HELP\_TEXT.....No Help-Text  
ID.....{0E7069F4-D3E6-67A1-E821-EF1879C3C267}  
TERM.....RECTAL

LOCATION: RIGHT

---

ABBREVIATION.....R  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Right  
HELP\_TEXT.....No Help-Text  
ID.....{38528AAC-C0A8-ABB7-A659-7EB54D81EA9F}  
TERM.....RIGHT

LOCATION: RIGHT ANKLE

---

ABBREVIATION.....RightAnkle  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Ankle  
HELP\_TEXT.....  
ID.....{BABD53A4-7D42-41D7-9074-D42064515B11}  
TERM.....RIGHT ANKLE

LOCATION: RIGHT ELBOW

---

ABBREVIATION.....RightElbow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Elbow  
HELP\_TEXT.....  
ID.....{24AAAE31-1048-46DD-A221-9E5E9CA5BE4E}  
TERM.....RIGHT ELBOW

LOCATION: RIGHT EYE

---

ABBREVIATION.....Right Eye  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Eye  
HELP\_TEXT.....  
ID.....{56F81421-F1C7-4FD4-9757-E0EDEF26626E}  
TERM.....RIGHT EYE

LOCATION: RIGHT HAND/FINGERS

---

ABBREVIATION.....RHandFing  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Hand/Fingers  
HELP\_TEXT.....  
ID.....{871FEEE6-F298-4AAB-B7B0-852E4EDF9122}  
TERM.....RIGHT HAND/FINGERS

LOCATION: RIGHT HIP

---

ABBREVIATION.....RightHip  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Hip  
HELP\_TEXT.....  
ID.....{DFD886F3-C2BF-4CEB-993A-745A905F6A09}  
TERM.....RIGHT HIP

LOCATION: RIGHT KNEE

---

ABBREVIATION.....RightKnee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Knee  
HELP\_TEXT.....  
ID.....{CD33C7F0-BEEB-4835-BD6C-B59C04E4F2B8}  
TERM.....RIGHT KNEE

LOCATION: RIGHT SHOULDER

---

ABBREVIATION.....Rshoulder  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Shoulder  
HELP\_TEXT.....  
ID.....{28108D74-6E29-4907-BC6A-E82CAC0B4DFC}  
TERM.....RIGHT SHOULDER

LOCATION: RIGHT WRIST

---

ABBREVIATION.....RightWrist  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right Wrist  
HELP\_TEXT.....  
ID.....{44686148-2D7E-4616-98DB-03B32C2A2EDC}  
TERM.....RIGHT WRIST

LOCATION: SACRAL

---

ABBREVIATION.....SACRAL  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S SACRAL AREA  
DISPLAY\_NAME.....Sacral  
HELP\_TEXT.....No Help Text  
ID.....{0CF8A8A7-AB35-B803-4544-0C91645D9D1C}  
TERM.....SACRAL

LOCATION: SACRAL SPINE

---

ABBREVIATION.....Sacr Spine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sacral Spine  
HELP\_TEXT.....  
ID.....{55FA6213-78BF-4349-B0A3-232191C659A3}  
TERM.....SACRAL SPINE

LOCATION: SACRUM

---

ABBREVIATION.....Sacrum  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sacrum  
HELP\_TEXT.....  
ID.....{A244CD32-BEF2-489E-AF5A-D6D0FDEBE895}  
TERM.....SACRUM

LOCATION: SCLERA

---

ABBREVIATION.....Sclera  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Sclera  
HELP\_TEXT.....  
ID.....{3E821267-3D78-49B3-972D-65E4478981F7}  
TERM.....SCLERA

LOCATION: SCROTUM

---

ABBREVIATION.....SCROTUM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scrotum  
HELP\_TEXT.....No Help Text  
ID.....{BDC109F5-0D30-4914-A62C-CEFEB448B547}  
TERM.....SCROTUM

LOCATION: SHOULDER

---

ABBREVIATION.....Shoulder  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shoulder  
HELP\_TEXT.....  
ID.....{7133BB16-7AB5-4581-8677-36C4DCD65B45}  
TERM.....SHOULDER

LOCATION: SKIN

---

ABBREVIATION.....SKIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Skin  
HELP\_TEXT.....No Help-Text  
ID.....{0803BC59-1582-AEC8-3DA2-A81363038210}  
TERM.....SKIN

LOCATION: SPINE CERVICAL

---

ABBREVIATION.....SPINE CERV  
ACTIVE.....Yes  
DESCRIPTION.....Spine Cervical  
DISPLAY\_NAME.....Spine Cervical  
HELP\_TEXT.....No Help Text  
ID.....{9D28E1BF-D014-4DA4-A832-1F3C25C148E9}  
TERM.....SPINE CERVICAL

LOCATION: SPINE LUMBAR

---

ABBREVIATION.....SPINE LUMB  
ACTIVE.....Yes  
DESCRIPTION.....Spine Lumbar  
DISPLAY\_NAME.....Spine Lumbar  
HELP\_TEXT.....No Help Text  
ID.....{E7E411AB-5C29-4906-B0A9-E8658AAFFF91}  
TERM.....SPINE LUMBAR

LOCATION: SPINE THORACIC

---

ABBREVIATION.....SPINE THOR  
ACTIVE.....Yes  
DESCRIPTION.....Spine Thoracic  
DISPLAY\_NAME.....Spine Thoracic  
HELP\_TEXT.....No Help Text  
ID.....{2CACBB4F-3EF3-4FBF-AC3E-41D72F0178CB}  
TERM.....SPINE THORACIC

LOCATION: STERNOTOMY

---

ABBREVIATION.....STERNOTOMY  
ACTIVE.....Yes  
DESCRIPTION.....Sternotomy  
DISPLAY\_NAME.....Sternotomy  
HELP\_TEXT.....No Help Text  
ID.....{DB97F6A0-9295-42B7-BC29-6A534CE259DD}  
TERM.....STERNOTOMY

LOCATION: STOMACH

---

ABBREVIATION.....STOMACH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stomach  
HELP\_TEXT.....No Help Text  
ID.....{613C20B9-CC9C-4F5D-B5B1-69B66A663540}  
TERM.....STOMACH

LOCATION: SUBSTERNAL

---

ABBREVIATION.....SUBSTERN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Substernal  
HELP\_TEXT.....No Help Text  
ID.....{3DE7E0F1-BCA4-43EC-82CB-A87C6506EF46}  
TERM.....SUBSTERNAL

LOCATION: TEETH

---

ABBREVIATION.....TEETH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Teeth  
HELP\_TEXT.....No Help Text  
ID.....{38B36D8E-A9C3-4EE6-8727-EECDA4C6034E}  
TERM.....TEETH

LOCATION: TEMPORAL

---

ABBREVIATION.....TEMPORAL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Temporal  
HELP\_TEXT.....No Help-Text  
ID.....{E312E0D7-0FE4-A41A-EAB0-ECCB085C3576}  
TERM.....TEMPORAL

LOCATION: THIGH

---

ABBREVIATION.....THIGH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thigh  
HELP\_TEXT.....No Help-Text  
ID.....{2DA93C27-12B0-C76C-85D5-B7D6375F3AD3}  
TERM.....THIGH

LOCATION: THORACIC SPINE

---

ABBREVIATION.....Thor Spine  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Thoracic Spine  
HELP\_TEXT.....  
ID.....{A428DD65-8E9E-4F6D-ACD5-4FC5573D7CD2}  
TERM.....THORACIC SPINE

LOCATION: THYROID

---

ABBREVIATION.....THYROID  
ACTIVE.....Yes  
DESCRIPTION.....Thyroid  
DISPLAY\_NAME.....Thyroid  
HELP\_TEXT.....No Help Text  
ID.....{6AC68004-FE58-46D8-9A1E-4EEF72AAD71B}  
TERM.....THYROID

LOCATION: TOES

---

ABBREVIATION.....Toes  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Toes  
HELP\_TEXT.....  
ID.....{BA87F52C-BD3A-449A-877E-D4E980E9331E}  
TERM.....TOES

LOCATION: TOOTH

---

ABBREVIATION.....TOOTH  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tooth  
HELP\_TEXT.....No Help Text  
ID.....{8407F780-7C7F-49BF-B1DD-4FDD578CEAB3}  
TERM.....TOOTH

LOCATION: TORSO

---

ABBREVIATION.....TORSO  
ACTIVE.....Yes  
DESCRIPTION.....PATIENT'S TORSO  
DISPLAY\_NAME.....Torso  
HELP\_TEXT.....No Help Text  
ID.....{EA1AD477-8BFF-E575-23C1-B9CFAF2B9986}  
TERM.....TORSO

LOCATION: TRACHEOSTOMY

---

ABBREVIATION.....TRACHEOSTO  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tracheostomy  
HELP\_TEXT.....No Help Text  
ID.....{4D12329A-56C8-4175-986F-2F0B68EB7E6D}  
TERM.....TRACHEOSTOMY

LOCATION: TRANSVERSE ABDOMINAL

---

ABBREVIATION.....TRANS ABDO  
ACTIVE.....Yes  
DESCRIPTION.....Transverse Abdominal  
DISPLAY\_NAME.....Transverse Abdominal  
HELP\_TEXT.....No Help Text  
ID.....{1C10FF98-7B20-45D0-B420-714981832B3D}  
TERM.....TRANSVERSE ABDOMINAL

LOCATION: TYMPANIC

---

ABBREVIATION.....Tym  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tympanic  
HELP\_TEXT.....No Help Text  
ID.....{0A58C14C-E447-E034-AA93-D41E6E0D2F69}  
TERM.....TYMPANIC

LOCATION: ULNAR

---

ABBREVIATION.....Uln  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ulnar  
HELP\_TEXT.....No Help Text  
ID.....{81FC2EA0-472D-06D7-F5A2-E71B0B7DE091}  
TERM.....ULNAR

LOCATION: UMBILICAL

---

ABBREVIATION.....UMBILICAL  
ACTIVE.....Yes  
DESCRIPTION.....UMBILICAL  
DISPLAY\_NAME.....UMBILICAL  
HELP\_TEXT.....No Help Text  
ID.....{8874B300-0751-49AF-8211-CF4C009C68B5}  
TERM.....UMBILICAL

LOCATION: UPPER

---

ABBREVIATION.....Upper  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Upper  
HELP\_TEXT.....  
ID.....{BB6D9E19-8490-4917-9D5A-74A8DF41B4D1}  
TERM.....UPPER

LOCATION: UPPER ABDOMEN

---

ABBREVIATION.....UP ABDOM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Upper Abdomen  
HELP\_TEXT.....No Help Text  
ID.....{234C677B-1CE6-498B-9375-BB5DC3958842}  
TERM.....UPPER ABDOMEN

LOCATION: UPPER ARM

---

ABBREVIATION.....Upper Arm  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Upper Arm  
HELP\_TEXT.....  
ID.....{4294513E-FC84-4BA2-8C5D-C0ECF46F1EAF}  
TERM.....UPPER ARM

LOCATION: UPPER BACK

---

ABBREVIATION.....UPPER BACK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Upper Back  
HELP\_TEXT.....No Help Text  
ID.....{C1DA4294-E0DC-438B-810D-7F91E170244A}  
TERM.....UPPER BACK

LOCATION: UPPER LEG

---

ABBREVIATION.....Upper Leg  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Upper Leg  
HELP\_TEXT.....  
ID.....{CBE2FBBE-7283-4C60-A424-D866D382C3BA}  
TERM.....UPPER LEG

LOCATION: WAIST

---

ABBREVIATION.....WAIST  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Waist  
HELP\_TEXT.....No Help Text  
ID.....{784DD311-8B48-4FE3-96B6-471CCE453CD5}  
TERM.....WAIST

LOCATION: WRIST

---

ABBREVIATION.....Wri  
ACTIVE.....Yes  
DESCRIPTION.....Joint between hand and forearm  
DISPLAY\_NAME.....Wrist  
HELP\_TEXT.....WRIST  
ID.....{C4F1453C-A20A-E48C-0BD8-FAF5E5568ADA}  
TERM.....WRIST



## =====

METHOD: ACTIVITY DID NOT OCCUR

-----  
ABBREVIATION.....DidNotOcc  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Activity did not Occur  
HELP\_TEXT.....  
ID.....{CD805D91-8575-4DD1-B17A-0E138331748A}  
TERM.....ACTIVITY DID NOT OCCUR

METHOD: ADULT

-----  
ABBREVIATION.....Ad  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult  
HELP\_TEXT.....No Help Text  
ID.....{C2D49445-6556-8E6E-A8E9-CB3FA76BC22E}  
TERM.....ADULT

METHOD: ADULT CUFF

-----  
ABBREVIATION.....AC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Adult Cuff  
HELP\_TEXT.....No Help Text  
ID.....{1222302E-6982-C627-8A0B-A651C98138E3}  
TERM.....ADULT CUFF

METHOD: AEROSOL/HUMIDIFIED MASK

-----  
ABBREVIATION.....AM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Aerosol/Humidified Mask  
HELP\_TEXT.....No Help Text  
ID.....{CAF54B28-D5D2-8481-FAE3-9C74C2D51551}  
TERM.....AEROSOL/HUMIDIFIED MASK

METHOD: AFTER EXERCISE

-----  
ABBREVIATION.....AE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....After Exercise  
HELP\_TEXT.....No Help Text  
ID.....{D129EF4B-3A99-9966-54F1-2C01A36814EE}  
TERM.....AFTER EXERCISE

METHOD: AMBU BAG

---

ABBREVIATION.....AB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ambu Bag  
HELP\_TEXT.....No Help Text  
ID.....{E9D82DB9-D8A3-10E4-CE51-34BFF48F4603}  
TERM.....AMBU BAG

METHOD: ARTERIAL LINE

---

ABBREVIATION.....AL  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Arterial Line  
HELP\_TEXT.....No Help Text  
ID.....{D4B3F4ED-8B33-431E-4164-BD165E823776}  
TERM.....ARTERIAL LINE

METHOD: ASSISTED VENTILATOR

---

ABBREVIATION.....AV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Assisted Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{A540F333-5A09-5F21-7B51-2B5DF05E32C0}  
TERM.....ASSISTED VENTILATOR

METHOD: AT REST

---

ABBREVIATION.....AR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....At Rest  
HELP\_TEXT.....No Help Text  
ID.....{E8C289A6-0C3D-A7B2-BB85-7F1A23F22B50}  
TERM.....AT REST

METHOD: AUSCULTATE

---

ABBREVIATION.....Aus  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Auscultate  
HELP\_TEXT.....No Help Text  
ID.....{0C629C1F-92D3-C641-B02C-9EA43B401DC9}  
TERM.....AUSCULTATE

METHOD: BED

---

ABBREVIATION.....B  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed  
HELP\_TEXT.....No Help Text  
ID.....{20188D9F-3815-1F7F-34EC-BA77F75B310E}  
TERM.....BED

METHOD: BIPAP

---

ABBREVIATION.....BiPap  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....BiPap  
HELP\_TEXT.....  
ID.....{8DB1A535-646B-4A22-9627-DC67F352BBC}  
TERM.....BIPAP

METHOD: BIPAP-CPAP

---

ABBREVIATION.....PAP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....BiPAP-CPAP  
HELP\_TEXT.....No Help Text  
ID.....{2BCBE562-8F44-662F-469B-13AC0E863A3D}  
TERM.....BIPAP-CPAP

METHOD: BLADDER

---

ABBREVIATION.....BLAD  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bladder  
HELP\_TEXT.....No Help Text  
ID.....{E3B8D8AC-2846-B84B-75D9-7F50B55B4ADD}  
TERM.....BLADDER

METHOD: CARDIAC MONITOR

---

ABBREVIATION.....CARDIAC MO  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Monitor  
DISPLAY\_NAME.....Cardiac Monitor  
HELP\_TEXT.....Cardiac Monitor  
ID.....{E8B6B5A3-D143-3967-A362-019BD5EB6984}  
TERM.....CARDIAC MONITOR

METHOD: CARDIAC OUTPUT MONITOR

---

ABBREVIATION.....COM  
ACTIVE.....Yes  
DESCRIPTION.....A CO Monitor  
DISPLAY\_NAME.....Cardiac Output Monitor  
HELP\_TEXT.....Data from a Cardiac Output Monitor  
ID.....{CCBE5744-7CB9-9DFA-938F-FDDBC73B45B3}  
TERM.....CARDIAC OUTPUT MONITOR

METHOD: CATHETER

---

ABBREVIATION.....CATHETER  
ACTIVE.....Yes  
DESCRIPTION.....Catheter used to capture Intake and  
Output  
DISPLAY\_NAME.....Catheter - Method  
HELP\_TEXT.....No Help Text  
ID.....{1AA95835-FB32-4D1A-9C53-271EE38B2F63}  
TERM.....CATHETER

METHOD: CHAIR

---

ABBREVIATION.....Ch  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Chair  
HELP\_TEXT.....No Help Text  
ID.....{BBF5C05C-220D-D052-C7E8-236E791A4FC9}  
TERM.....CHAIR

METHOD: CHEST TUBE

---

ABBREVIATION.....CH TUBE M  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube  
DISPLAY\_NAME.....Chest Tube  
HELP\_TEXT.....Chest Tube  
ID.....{F4F467D3-BB57-4E6F-9EA0-C0FBFB66F5B1}  
TERM.....CHEST TUBE

METHOD: COLLOID

---

ABBREVIATION.....COLLOID M  
ACTIVE.....Yes  
DESCRIPTION.....Colloid as method for Intake and Output  
DISPLAY\_NAME.....Colloid - Method  
HELP\_TEXT.....No Help Text  
ID.....{2AE33508-5EA2-44DF-A401-74DD7B93AB6E}  
TERM.....COLLOID

METHOD: COMPUTED TOMOGRAPHY

---

ABBREVIATION.....COM TOMOGR  
ACTIVE.....Yes  
DESCRIPTION.....Computed Tomography  
DISPLAY\_NAME.....Computed Tomography  
HELP\_TEXT.....No Help Text  
ID.....{B4676AE0-BFAF-4649-AB08-3710E39F9B8D}  
TERM.....COMPUTED TOMOGRAPHY

METHOD: CONTRAST LEFT VENTRICULOGRAPHY

---

ABBREVIATION.....CON L VENT  
ACTIVE.....Yes  
DESCRIPTION.....Contrast Left Ventriculography  
DISPLAY\_NAME.....Contrast Left Ventriculography  
HELP\_TEXT.....No Help Text  
ID.....{35BEA63F-9696-4C03-AE1D-D76E4DDBB017}  
TERM.....CONTRAST LEFT VENTRICULOGRAPHY

METHOD: CONTROLLED VENTILATOR

---

ABBREVIATION.....CV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Controlled Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{0CFC2183-5245-E7AB-96ED-93AF4A3FEC64}  
TERM.....CONTROLLED VENTILATOR

METHOD: CPAP

---

ABBREVIATION.....CP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cpap  
HELP\_TEXT.....No Help Text  
ID.....{A041FB71-08EF-F3FE-82FA-051FF74C824F}  
TERM.....CPAP

METHOD: CRRT

---

ABBREVIATION.....CRRT  
ACTIVE.....Yes  
DESCRIPTION.....Continuous Renal Replacement Therapy  
DISPLAY\_NAME.....CRRT  
HELP\_TEXT.....No Help Text  
ID.....{AB37FC1D-DD7A-4103-A777-7B8D0F876889}  
TERM.....CRRT

METHOD: CUFF

---

ABBREVIATION.....Cu  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cuff  
HELP\_TEXT.....No Help Text  
ID.....{E59A2543-1860-1E1C-BEF1-6E7F6B6FBC5E}  
TERM.....CUFF

METHOD: CUFF-AUTOMATED

---

ABBREVIATION.....CA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cuff-Automated  
HELP\_TEXT.....No Help Text  
ID.....{088AAD2B-2E7B-F835-376F-3D4340790976}  
TERM.....CUFF-AUTOMATED

METHOD: CUFF-MANUAL

---

ABBREVIATION.....CM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Cuff-Manual  
HELP\_TEXT.....No Help Text  
ID.....{5F56C163-2B04-112F-55DE-E31374E0FB58}  
TERM.....CUFF-MANUAL

METHOD: CVVHD

---

ABBREVIATION.....CVVHD  
ACTIVE.....Yes  
DESCRIPTION.....Central Venous - Venous Hemodialysis  
DISPLAY\_NAME.....CVVHD  
HELP\_TEXT.....No Help Text  
ID.....{4CC9AB0D-0B6C-43F9-A93E-A8228EC3A77F}  
TERM.....CVVHD

METHOD: DIALYSIS

---

ABBREVIATION.....DIALYSIS M  
ACTIVE.....Yes  
DESCRIPTION.....Dialysis used to describe Intake and  
Output  
DISPLAY\_NAME.....Dialysis - Method  
HELP\_TEXT.....No Help Text  
ID.....{1EAE28D4-3AC0-4DA1-9D09-3A65C38267F6}  
TERM.....DIALYSIS

METHOD: DIALYSIS CATHETER

---

ABBREVIATION.....DIALYSIS C  
ACTIVE.....Yes  
DESCRIPTION.....Dialysis Catheter  
DISPLAY\_NAME.....Dialysis Catheter  
HELP\_TEXT.....No Help Text  
ID.....{D9FF5CA8-09AF-4318-B784-DEB3A8F819D8}  
TERM.....DIALYSIS CATHETER

METHOD: DOPPLER

---

ABBREVIATION.....Dop  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Doppler  
HELP\_TEXT.....No Help Text  
ID.....{52683C19-F9DC-876B-CA3F-53E7C864CF04}  
TERM.....DOPPLER

METHOD: DOUBLE LUMEN CATHETER

---

ABBREVIATION.....DOUBLE LUM  
ACTIVE.....Yes  
DESCRIPTION.....Double Lumen Catheter  
DISPLAY\_NAME.....Double Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{ED646D10-3DBE-4049-ADC6-5E3DD2C351DD}  
TERM.....DOUBLE LUMEN CATHETER

METHOD: ECHOCARDIOGRAPHY

---

ABBREVIATION.....ECG  
ACTIVE.....Yes  
DESCRIPTION.....Echocardiography  
DISPLAY\_NAME.....Echocardiography  
HELP\_TEXT.....No Help Text  
ID.....{CA44697E-3BBA-4767-A30D-6548A72F9639}  
TERM.....ECHOCARDIOGRAPHY

METHOD: ELECTROCARDIOGRAM

---

ABBREVIATION.....ECG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Electrocardiogram  
HELP\_TEXT.....No Help Text  
ID.....{CF5F1AB9-3B74-7FBA-E38B-C9EF54FE4DC5}  
TERM.....ELECTROCARDIOGRAM

METHOD: ELECTROCARDIOGRAM TRACE 1

-----  
ABBREVIATION.....ECG TR 1  
ACTIVE.....Yes  
DESCRIPTION.....Trace 1 from ECG  
DISPLAY\_NAME.....ECG Trace 1  
HELP\_TEXT.....No Help Text  
ID.....{E0D449BA-9F06-4A27-8FE9-24C1BA0746DB}  
TERM.....ELECTROCARDIOGRAM TRACE 1

METHOD: ELECTROCARDIOGRAM TRACE 2

-----  
ABBREVIATION.....ECG TR 2  
ACTIVE.....Yes  
DESCRIPTION.....Trace 2 from ECG  
DISPLAY\_NAME.....ECG Trace 2  
HELP\_TEXT.....No Help Text  
ID.....{73EACBC1-C1FB-4B2C-96AF-C5C1CA07DA72}  
TERM.....ELECTROCARDIOGRAM TRACE 2

METHOD: ENTERAL FEEDING / SUPPLEMENT

-----  
ABBREVIATION.....EF/SUPPLEM  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Feeding / Supplement - Method  
DISPLAY\_NAME.....Enteral Feeding / Supplement - Method  
HELP\_TEXT.....No Help Text  
ID.....{8389A9F5-0D48-496D-A605-1560B055DCC0}  
TERM.....ENTERAL FEEDING / SUPPLEMENT

METHOD: ENTERAL FEEDING TUBE

-----  
ABBREVIATION.....ENT FEED T  
ACTIVE.....Yes  
DESCRIPTION.....EFT for describing Intakes and Outputs  
DISPLAY\_NAME.....Enteral Feeding Tube - Method  
HELP\_TEXT.....No Help Text  
ID.....{487E3F10-E1F6-4EFF-9C50-9EC5BB7AE3CF}  
TERM.....ENTERAL FEEDING TUBE

METHOD: EXTENSIVE ASSISTANCE

-----  
ABBREVIATION.....ExtenAssis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Extensive Assistance  
HELP\_TEXT.....  
ID.....{81AB3A26-3DD1-4519-90B1-3BFA1B421F8C}  
TERM.....EXTENSIVE ASSISTANCE

METHOD: EXTERNAL CATHETER

---

ABBREVIATION.....Ext. Cathe  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....External Catheter  
HELP\_TEXT.....  
ID.....{69A5CBA6-5142-47BC-8C7D-CDAACE6E8E78}  
TERM.....EXTERNAL CATHETER

METHOD: FACE TENT

---

ABBREVIATION.....FT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Face Tent  
HELP\_TEXT.....No Help Text  
ID.....{1329BF1A-DCFD-9AF3-69DB-BA6D4BC3F52A}  
TERM.....FACE TENT

METHOD: GI TUBE

---

ABBREVIATION.....GI TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Used to describe Intakes and Outputs  
DISPLAY\_NAME.....GI Tube - Method  
HELP\_TEXT.....No Help Text  
ID.....{AF64F7BE-E72E-4391-BC1F-48163F2F3751}  
TERM.....GI TUBE

METHOD: HEMODIALYSIS

---

ABBREVIATION.....HEMODIALYS  
ACTIVE.....Yes  
DESCRIPTION.....Hemodialysis  
DISPLAY\_NAME.....Hemodialysis  
HELP\_TEXT.....No Help Text  
ID.....{DE7CD394-9E69-46B0-A207-5A18F7C5A1A7}  
TERM.....HEMODIALYSIS

METHOD: HEMOVAC

---

ABBREVIATION.....HEMOVAC  
ACTIVE.....Yes  
DESCRIPTION.....Hemovac Drain  
DISPLAY\_NAME.....Hemovac Drain  
HELP\_TEXT.....No Help Text  
ID.....{79DA0646-B811-4954-8BE1-C133398CD574}  
TERM.....HEMOVAC

METHOD: IABP

---

ABBREVIATION.....IABP  
ACTIVE.....Yes  
DESCRIPTION.....Intra-aortic Balloon Pump  
DISPLAY\_NAME.....IABP  
HELP\_TEXT.....Intra-aortic Balloon Pump  
ID.....{4352A41F-AAF3-4544-9590-BAFD7977DF49}  
TERM.....IABP

METHOD: ILEAL CONDUIT

---

ABBREVIATION.....Ileal Cond  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Ileal Conduit  
HELP\_TEXT.....  
ID.....{B1703A2F-51B8-4B1A-89AE-B1319FD653F7}  
TERM.....ILEAL CONDUIT

METHOD: INDEPENDENT

---

ABBREVIATION.....Independen  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Independent  
HELP\_TEXT.....  
ID.....{664D85CE-63C3-4234-901B-451588FD7367}  
TERM.....INDEPENDENT

METHOD: INDWELLING CATHETER

---

ABBREVIATION.....Indw Cath  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Indwelling Catheter  
HELP\_TEXT.....  
ID.....{37577D2A-FAA2-4875-BFF8-09C2F53A2311}  
TERM.....INDWELLING CATHETER

METHOD: INTRODUCER CATHETER

---

ABBREVIATION.....INTRODUCER  
ACTIVE.....Yes  
DESCRIPTION.....Introducer Catheter  
DISPLAY\_NAME.....Introducer Catheter  
HELP\_TEXT.....No Help Text  
ID.....{60EED7D3-6CB2-4FCE-BFC0-DE0BA8AB0814}  
TERM.....INTRODUCER CATHETER

METHOD: INVASIVE

---

ABBREVIATION.....I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Invasive  
HELP\_TEXT.....No Help Text  
ID.....{5DB8746E-5446-F47A-883C-A44B91275A6E}  
TERM.....INVASIVE

METHOD: IRRIGATION

---

ABBREVIATION.....IRRIGATION  
ACTIVE.....Yes  
DESCRIPTION.....Irrigation  
DISPLAY\_NAME.....Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{6C968D0A-400F-448A-93EF-02CB891BA981}  
TERM.....IRRIGATION

METHOD: IV

---

ABBREVIATION.....IV  
ACTIVE.....Yes  
DESCRIPTION.....Method to capture Intakes and Outputs  
DISPLAY\_NAME.....IV  
HELP\_TEXT.....No Help Text  
ID.....{52141E2F-7942-4C60-9B08-62F3B4640020}  
TERM.....IV

METHOD: JP DRAIN

---

ABBREVIATION.....JP DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....JP Drain  
DISPLAY\_NAME.....JP Drain  
HELP\_TEXT.....No Help Text  
ID.....{94A32247-6190-4047-B581-A212FE4C9453}  
TERM.....JP DRAIN

METHOD: LARYNGEAL MASK

---

ABBREVIATION.....LARYNGMASK  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Laryngeal Mask  
HELP\_TEXT.....No Help Text  
ID.....{DE9B1E53-711C-DA9D-59D9-CD0EBB6CD6BE}  
TERM.....LARYNGEAL MASK

METHOD: LEAD

---

ABBREVIATION.....L  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lead  
HELP\_TEXT.....No Help Text  
ID.....{B628FDCE-05E0-DACF-E66E-0F8380AB465A}  
TERM.....LEAD

METHOD: LG ADULT

---

ABBREVIATION.....LgA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lg Adult  
HELP\_TEXT.....No Help Text  
ID.....{0C7B9E22-A426-80D1-80E8-2082F15784BA}  
TERM.....LG ADULT

METHOD: LG ADULT CUFF

---

ABBREVIATION.....LAC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lg Adult Cuff  
HELP\_TEXT.....No Help Text  
ID.....{4FA9374C-AE66-DF6E-E0E8-673D7B9B2E19}  
TERM.....LG ADULT CUFF

METHOD: LIFT SCALE

---

ABBREVIATION.....LS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lift Scale  
HELP\_TEXT.....No Help Text  
ID.....{8D741461-25C5-3955-BE2C-CBD27317CBA1}  
TERM.....LIFT SCALE

METHOD: LIMITED ASSISTANCE

---

ABBREVIATION.....LimitAssis  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Limited Assistance  
HELP\_TEXT.....  
ID.....{4455B536-69D2-4E49-B1A3-927D58A25F1F}  
TERM.....LIMITED ASSISTANCE

METHOD: MAGNETIC RESONANCE IMAGING

---

ABBREVIATION.....MRI  
ACTIVE.....Yes  
DESCRIPTION.....Magnetic Resonance Imaging  
DISPLAY\_NAME.....MRI  
HELP\_TEXT.....No Help Text  
ID.....{50EBFFF8-DF0D-41F2-B11B-33A26AA40DBA}  
TERM.....MAGNETIC RESONANCE IMAGING

METHOD: MASK

---

ABBREVIATION.....M  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mask  
HELP\_TEXT.....No Help Text  
ID.....{4FB6B24A-D56E-4EE3-6CBC-E54C9734424A}  
TERM.....MASK

METHOD: MONITOR

---

ABBREVIATION.....Mo  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Monitor  
HELP\_TEXT.....No Help Text  
ID.....{63FC24EA-50B8-B302-D948-ABE3517CF6FC}  
TERM.....MONITOR

METHOD: MULTIGATED NUCLEAR VENTRICULOGRAPHY

---

ABBREVIATION.....MUGA  
ACTIVE.....Yes  
DESCRIPTION.....Multigated Nuclear Ventriculography  
DISPLAY\_NAME.....MUGA  
HELP\_TEXT.....No Help Text  
ID.....{4D73168B-4DF4-4EA2-83B9-ACE853D5DD42}  
TERM.....MULTIGATED NUCLEAR VENTRICULOGRAPHY

METHOD: MUSTACHE CANNULA

---

ABBREVIATION.....MC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Mustache Cannula  
HELP\_TEXT.....No Help Text  
ID.....{DAB3F52F-A8E1-2D9E-C8E5-1D005EC679FC}  
TERM.....MUSTACHE CANNULA

METHOD: NASAL CANNULA

---

ABBREVIATION.....NC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nasal Cannula  
HELP\_TEXT.....No Help Text  
ID.....{E7FD38AE-6AF5-77FD-72E1-E0F7E3DEBA29}  
TERM.....NASAL CANNULA

METHOD: NEBULIZER

---

ABBREVIATION.....NEBULIZER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Nebulizer  
HELP\_TEXT.....No Help Text  
ID.....{3CF184A3-2688-4988-B956-D5B0F303E8E8}  
TERM.....NEBULIZER

METHOD: NEPHROSTOMY - LEFT

---

ABBREVIATION.....Neph Left  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nephrostomy - Left  
HELP\_TEXT.....  
ID.....{E655E1BA-4803-4E19-B387-65B5F4809970}  
TERM.....NEPHROSTOMY - LEFT

METHOD: NEPHROSTOMY - RIGHT

---

ABBREVIATION.....Neph Right  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nephrostomy - Right  
HELP\_TEXT.....  
ID.....{ACE81374-DC90-42C2-9E7C-EF8E5D751EDF}  
TERM.....NEPHROSTOMY - RIGHT

METHOD: NON RE-BREATHER

---

ABBREVIATION.....NRB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Non Re-Breather  
HELP\_TEXT.....No Help Text  
ID.....{1B9AA055-FD7D-7DCC-4EDB-BDE3C821AA8E}  
TERM.....NON RE-BREATHER

METHOD: NON-INVASIVE

---

ABBREVIATION.....N-I  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Non-Invasive  
HELP\_TEXT.....No Help Text  
ID.....{F50ABFED-5FD7-FC95-20FE-1E3038C9F299}  
TERM.....NON-INVASIVE

METHOD: NONINVASIVE

---

ABBREVIATION.....N  
ACTIVE.....No  
DESCRIPTION.....Noninvasive  
DISPLAY\_NAME.....Noninvasive  
HELP\_TEXT.....No Help Text  
ID.....{398E91DF-F425-5083-AA35-C5263792845E}  
TERM.....NONINVASIVE

METHOD: NORMAL

---

ABBREVIATION.....Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Normal  
HELP\_TEXT.....  
ID.....{B6023DE3-081D-473C-81F1-03E22757E648}  
TERM.....NORMAL

METHOD: NUCLEAR PERfusion IMAGING

---

ABBREVIATION.....NPI  
ACTIVE.....Yes  
DESCRIPTION.....Nuclear Perfusion Imaging  
DISPLAY\_NAME.....Nuclear Perfusion Imaging  
HELP\_TEXT.....No Help Text  
ID.....{D0F7DB21-0D66-4161-8214-DACCAF41ADAC}  
TERM.....NUCLEAR PERfusion IMAGING

METHOD: O2 SATS

---

ABBREVIATION.....O2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....O2 Sats  
HELP\_TEXT.....No Help Text  
ID.....{66C2100C-8A52-F36A-F7F1-A55D4E4D7CE6}  
TERM.....O2 SATS

METHOD: OTHER

---

ABBREVIATION.....OTHER  
ACTIVE.....Yes  
DESCRIPTION.....Other: Comments Required  
DISPLAY\_NAME.....OTHER: OBSERVATION COMMENTS REQUIRED  
HELP\_TEXT.....No Help Text  
ID.....{AED275BD-8A42-46BE-BCDF-472EF4C31D65}  
TERM.....OTHER

METHOD: P.O.

---

ABBREVIATION.....PO  
ACTIVE.....Yes  
DESCRIPTION.....By Mouth, Oral, "Per Os"  
DISPLAY\_NAME.....P.O. - Method  
HELP\_TEXT.....No Help Text  
ID.....{7D50D8E7-DA7B-4605-AB43-1E97DEBEACEE}  
TERM.....P.O.

METHOD: PA CATHETER

---

ABBREVIATION.....PA CATHETE  
ACTIVE.....Yes  
DESCRIPTION.....Pulmonary Catheter  
DISPLAY\_NAME.....PA Catheter  
HELP\_TEXT.....No Help Text  
ID.....{5A518696-41B7-4AB8-8FC7-5CF454CE0299}  
TERM.....PA CATHETER

METHOD: PA LINE

---

ABBREVIATION.....PALI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PA Line  
HELP\_TEXT.....No Help Text  
ID.....{1AEA41D7-901B-96FF-BF9B-420C24FF00E4}  
TERM.....PA LINE

METHOD: PALPATED

---

ABBREVIATION.....Pal  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Palpated  
HELP\_TEXT.....No Help Text  
ID.....{295D8E72-12A1-08AF-6BE8-0F9CD238F5EF}  
TERM.....PALPATED

METHOD: PARTIAL RE-BREATHER

---

ABBREVIATION.....PRB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Partial Re-Breather  
HELP\_TEXT.....No Help Text  
ID.....{6F1DF170-5128-2E3F-1831-12FB0BB5E95C}  
TERM.....PARTIAL RE-BREATHER

METHOD: PEDIATRIC CUFF

---

ABBREVIATION.....PdC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric Cuff  
HELP\_TEXT.....No Help Text  
ID.....{CA9EA220-EF92-EE77-FBEA-4E49C4730A3E}  
TERM.....PEDIATRIC CUFF

METHOD: PENDANT CANNULA

---

ABBREVIATION.....PC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pendant Cannula  
HELP\_TEXT.....No Help Text  
ID.....{A1451228-4ABB-DBCB-31AD-578BCD93012F}  
TERM.....PENDANT CANNULA

METHOD: PENROSE

---

ABBREVIATION.....PENROSE  
ACTIVE.....Yes  
DESCRIPTION.....Penrose Drain  
DISPLAY\_NAME.....Penrose Drain  
HELP\_TEXT.....No Help Text  
ID.....{CBC3C6DE-E5DE-41D5-83AB-30A4F3CFA9E1}  
TERM.....PENROSE

METHOD: PERITONEAL DIALYSIS

---

ABBREVIATION.....PERI DIALY  
ACTIVE.....Yes  
DESCRIPTION.....Peritoneal Dialysis  
DISPLAY\_NAME.....Peritoneal Dialysis  
HELP\_TEXT.....No Help Text  
ID.....{6B4AA38B-AFCC-42CE-9F32-59B32E8A6BBB}  
TERM.....PERITONEAL DIALYSIS

METHOD: PICC LINE

---

ABBREVIATION.....PICC LINE  
ACTIVE.....Yes  
DESCRIPTION.....Peripherally Inserted Central  
                  Catheter Line  
DISPLAY\_NAME.....PICC Line  
HELP\_TEXT.....No Help Text  
ID.....{BDB5075B-DECC-443A-B774-CFA062DF34F4}  
TERM.....PICC LINE

METHOD: PULSE OX MONITOR

---

ABBREVIATION.....POM  
ACTIVE.....Yes  
DESCRIPTION.....A Pulse Ox Monitor  
DISPLAY\_NAME.....Pulse Ox Monitor  
HELP\_TEXT.....Readings that have come from a Pulse  
                  Ox Monitor  
ID.....{A7E3E90C-4C8B-87D7-C2F8-49D9F3846CE8}  
TERM.....PULSE OX MONITOR

METHOD: PVR (POST VOID RESIDUAL) - CATHED

---

ABBREVIATION.....PVR-Cathed  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....PVR (Post Void Residual) - Cathed  
HELP\_TEXT.....  
ID.....{19DC72C9-FDAD-4F51-A0F7-63510A96829F}  
TERM.....PVR (POST VOID RESIDUAL) - CATHED

METHOD: RAPID

---

ABBREVIATION.....Rapid  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Rapid  
HELP\_TEXT.....  
ID.....{3F1B14F1-67B1-4325-862F-7345F921A8F1}  
TERM.....RAPID

METHOD: RECTAL TEMP PROBE

---

ABBREVIATION.....RTP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rectal Temp Probe  
HELP\_TEXT.....No Help Text  
ID.....{0100F644-EF8E-5FE3-0022-804408DCE2DD}  
TERM.....RECTAL TEMP PROBE

METHOD: RESERVOIR CANNULA

---

ABBREVIATION.....RC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reservoir Cannula  
HELP\_TEXT.....No Help Text  
ID.....{B332C44D-29BE-765C-932C-63EBFC9631FC}  
TERM.....RESERVOIR CANNULA

METHOD: RHYTHM

---

ABBREVIATION.....RHY  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Rhythm  
HELP\_TEXT.....No Help Text  
ID.....{8A4AC126-12DA-0904-C364-B5D818621E32}  
TERM.....RHYTHM

METHOD: ROOM AIR

---

ABBREVIATION.....ROOM AIR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Room Air  
HELP\_TEXT.....No Help Text  
ID.....{B4103F11-4BCE-49ED-AF3E-ACCB526D938C}  
TERM.....ROOM AIR

METHOD: ROOM AIR15

---

ABBREVIATION.....RA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Room Air15  
HELP\_TEXT.....No Help Text  
ID.....{55AC16E4-4BAD-EDE4-41E9-853C78D8474B}  
TERM.....ROOM AIR15

METHOD: ROOM AIR20

---

ABBREVIATION.....xx  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Room Air20  
HELP\_TEXT.....No Help Text  
ID.....{FBBD3CC2-53AF-FBCC-EF16-A6300F7F8330}  
TERM.....ROOM AIR20

METHOD: SINGLE LUMEN CATHETER

---

ABBREVIATION.....SING LUM C  
ACTIVE.....Yes  
DESCRIPTION.....Single Lumen Catheter  
DISPLAY\_NAME.....Single Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{E5B432BD-C698-4415-98E1-F5F229F54F8A}  
TERM.....SINGLE LUMEN CATHETER

METHOD: SKIN (ADHESIVE INDICATOR)

---

ABBREVIATION.....SKIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Skin (Adhesive Indicator)  
HELP\_TEXT.....No Help Text  
ID.....{C7CE7D84-6FC7-406A-7E56-B080637509DF}  
TERM.....SKIN (ADHESIVE INDICATOR)

METHOD: SLOW

---

ABBREVIATION.....Slow  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Slow  
HELP\_TEXT.....  
ID.....{651F65B1-E939-47B8-8153-5BDEF2DF8CF6}  
TERM.....SLOW

METHOD: SM ADULT

---

ABBREVIATION.....SmA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sm Adult  
HELP\_TEXT.....No Help Text  
ID.....{CCB94C2F-CE55-A046-3A21-3ADDB1D23D3C}  
TERM.....SM ADULT

METHOD: SM ADULT CUFF

---

ABBREVIATION.....SAC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sm Adult Cuff  
HELP\_TEXT.....No Help Text  
ID.....{0346341B-6D38-6599-ED9F-24C81A8698A8}  
TERM.....SM ADULT CUFF

METHOD: SPONTANEOUS

---

ABBREVIATION.....S  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Spontaneous  
HELP\_TEXT.....No Help Text  
ID.....{5E9463BC-C871-54FD-F800-DCFDEDB8A93B}  
TERM.....SPONTANEOUS

METHOD: STANDING WEIGHT

---

ABBREVIATION.....SW  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standing Weight  
HELP\_TEXT.....No Help Text  
ID.....{BE16FA09-16DA-510B-D235-B7F0F93AB105}  
TERM.....STANDING WEIGHT

METHOD: STRAIGHT CATHETER

---

ABBREVIATION.....Str. Cath  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Straight Catheter  
HELP\_TEXT.....  
ID.....{9076BBC9-3C76-4445-9F41-E4E59E84BED7}  
TERM.....STRAIGHT CATHETER

METHOD: SUPERVISION-OVERSIGHT

---

ABBREVIATION.....Supervisio  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Supervision-Oversight  
HELP\_TEXT.....  
ID.....{D0A9689E-DB8B-42BC-A3CF-009124DA11D4}  
TERM.....SUPERVISION-OVERSIGHT

METHOD: SUPRAPUBIC

---

ABBREVIATION.....Suprapubic  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Suprapubic  
HELP\_TEXT.....  
ID.....{4BF7948A-0532-41A3-9C1E-171F11DA1056}  
TERM.....SUPRAPUBIC

METHOD: T-PIECE

---

ABBREVIATION.....TP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....T-Piece  
HELP\_TEXT.....No Help Text  
ID.....{27FC4BC6-2F25-2154-553C-2B452E28A91C}  
TERM.....T-PIECE

METHOD: THIGH CUFF

---

ABBREVIATION.....ThC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Thigh Cuff  
HELP\_TEXT.....No Help Text  
ID.....{C581DFAC-691C-B64A-F058-AF2AA5050147}  
TERM.....THIGH CUFF

METHOD: TOTAL DEPENDENCE-FULL STAFF PERFORMANCE

---

ABBREVIATION.....TotalDepen  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Total Dependence-Full Staff Performance  
HELP\_TEXT.....  
ID.....{3A52DBCD-F202-40A7-B7E7-E400E371BAD3}  
TERM.....TOTAL DEPENDENCE-FULL STAFF PERFORMANCE

METHOD: TPN

---

ABBREVIATION.....TPN  
ACTIVE.....Yes  
DESCRIPTION.....Total Parenteral Nutrition Method  
DISPLAY\_NAME.....TPN - Method  
HELP\_TEXT.....No Help Text  
ID.....{B0BE1126-1C5B-4B7E-9B82-5A58AAF63FD2}  
TERM.....TPN

METHOD: TRACHEOSTOMY COLLAR

---

ABBREVIATION.....TC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Tracheostomy Collar  
HELP\_TEXT.....No Help Text  
ID.....{CBF8A3B9-D323-E021-FD1B-BF4CE19AD20E}  
TERM.....TRACHEOSTOMY COLLAR

METHOD: TRANSFUSION

---

ABBREVIATION.....TRANSFUSIO  
ACTIVE.....Yes  
DESCRIPTION.....Transfusion - Method  
DISPLAY\_NAME.....Transfusion - Method  
HELP\_TEXT.....No Help Text  
ID.....{9CBA9E7F-C0E2-4936-8AD1-04E2BD1D770F}  
TERM.....TRANSFUSION

METHOD: TRANSTRACHEAL

---

ABBREVIATION.....Tt  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Transtracheal  
HELP\_TEXT.....No Help Text  
ID.....{48951129-CEEC-10D9-F746-99B4713B9C64}  
TERM.....TRANSTRACHEAL

METHOD: TRIPLE LUMEN CATHETER

---

ABBREVIATION.....TRIPLE LUM  
ACTIVE.....Yes  
DESCRIPTION.....Triple Lumen Catheter  
DISPLAY\_NAME.....Triple Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{704E2B3E-5E5D-43FB-B956-CFF90AF7D774}  
TERM.....TRIPLE LUMEN CATHETER

METHOD: UROSTOMY

---

ABBREVIATION.....Urostomy  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Urostomy  
HELP\_TEXT.....  
ID.....{746BDA57-3D09-4DF7-BED0-5AA1F66DD0C9}  
TERM.....UROSTOMY

METHOD: VENTILATOR

---

ABBREVIATION.....Ven  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventilator  
HELP\_TEXT.....No Help Text  
ID.....{416FCBD3-5370-15B9-C480-48855ED486D9}  
TERM.....VENTILATOR

METHOD: VENTRICULAR DRAIN

---

ABBREVIATION.....VENT DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ventricular Drain  
HELP\_TEXT.....No Help Text  
ID.....{5FF035D1-9C97-415D-BBEB-943506395A0C}  
TERM.....VENTRICULAR DRAIN

METHOD: VENTURI MASK

---

ABBREVIATION.....VM  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Venturi Mask  
HELP\_TEXT.....No Help Text  
ID.....{E0401675-9C4E-2AFA-2B93-F352B781E963}  
TERM.....VENTURI MASK

METHOD: VOIDED

---

ABBREVIATION.....Voided  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Voided  
HELP\_TEXT.....  
ID.....{432E7674-7F59-45AC-8BF6-D60B45F7250B}  
TERM.....VOIDED

METHOD: WHEELCHAIR SCALE

---

ABBREVIATION.....WcS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Scale  
HELP\_TEXT.....No Help Text  
ID.....{8C496753-9F42-2A36-E5CA-750188306ED4}  
TERM.....WHEELCHAIR SCALE

METHOD: WITH ACTIVITY

---

ABBREVIATION.....Act  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Activity  
HELP\_TEXT.....No Help Text  
ID.....{544A262B-EA34-F82A-46A9-F80740515D65}  
TERM.....WITH ACTIVITY

METHOD: WITH AMBULATION

---

ABBREVIATION.....WA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Ambulation  
HELP\_TEXT.....No Help Text  
ID.....{4E91DE6A-359E-5AF4-AB49-AFAF735E1B94}  
TERM.....WITH AMBULATION

METHOD: WITH CAST OR BRACE

---

ABBREVIATION.....WCB  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Cast or Brace  
HELP\_TEXT.....No Help Text  
ID.....{47709C05-DF21-FB7D-DE7F-0699D1B7E457}  
TERM.....WITH CAST OR BRACE

METHOD: WITH PROSTHESIS

---

ABBREVIATION.....WP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....With Prosthesis  
HELP\_TEXT.....No Help Text  
ID.....{73C93D2D-934B-CA55-3557-E756A89710F5}  
TERM.....WITH PROSTHESIS

METHOD: WITHOUT PROSTHESIS

---

ABBREVIATION.....WOP  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Without Prosthesis  
HELP\_TEXT.....No Help Text  
ID.....{9AACAA852-E70D-1048-FCE7-112D46C12619}  
TERM.....WITHOUT PROSTHESIS

=====

TYPE: NULL FLAVOR

Page: 1557

=====

NULL FLAVOR: PATIENT ON PASS

-----

ABBREVIATION.....op  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....On Pass  
HELP\_TEXT.....No Help Text  
ID.....{3D2D2E52-D3F2-E02D-B9C7-CEB7C46C807D}  
TERM.....PATIENT ON PASS

NULL FLAVOR: PATIENT REFUSED

-----

ABBREVIATION.....pr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Refused  
HELP\_TEXT.....No Help Text  
ID.....{E9676179-B942-3851-37AF-75DAEE9E1F8E}  
TERM.....PATIENT REFUSED

## =====

POSITION: BILATERAL

-----  
ABBREVIATION.....Bilateral  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Bilateral  
HELP\_TEXT.....  
ID.....{47B72791-00D4-4444-B765-401038B3D189}  
TERM.....BILATERAL

POSITION: L MIDDLE POSTERIOR CHEST

-----  
ABBREVIATION.....L M P CHES  
ACTIVE.....No  
DESCRIPTION.....Left Middle Posterior Chest  
DISPLAY\_NAME.....L Mid. Pos. Chest  
HELP\_TEXT.....No Help Text  
ID.....{D6D6483C-90A9-4A32-A101-9DAA13BFD7ED}  
TERM.....L MIDDLE POSTERIOR CHEST

POSITION: LEFT

-----  
ABBREVIATION.....Left  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Left  
HELP\_TEXT.....  
ID.....{5E827317-6BDE-409A-B29D-D8FE2AF118A4}  
TERM.....LEFT

POSITION: LYING

-----  
ABBREVIATION.....Ly  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Lying  
HELP\_TEXT.....No Help Text  
ID.....{DE28D2BF-6F8D-64C3-0092-4CEB5E0902B9}  
TERM.....LYING

POSITION: MIDLINE

-----  
ABBREVIATION.....Midline  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Midline  
HELP\_TEXT.....  
ID.....{1C6F049F-532E-406B-9C54-2AA24CAC085E}  
TERM.....MIDLINE

POSITION: RES EVAL: BED/WHEELCHAIR ALARM

-----  
ABBREVIATION.....R.E. ALAR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Bed / Wheelchair Alarm  
HELP\_TEXT.....No Help Text  
ID.....{BDF926A9-2BEF-4E7C-A099-D02BD98CA2F2}  
TERM.....RES EVAL: BED/WHEELCHAIR ALARM

POSITION: RES EVAL: REALITY ORIENTATION

-----  
ABBREVIATION.....R.E. REALI  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Reality Orientation  
HELP\_TEXT.....No Help Text  
ID.....{04D911E1-AADC-4125-9F93-B298266BA61A}  
TERM.....RES EVAL: REALITY ORIENTATION

POSITION: RIGHT

-----  
ABBREVIATION.....Right  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Right  
HELP\_TEXT.....  
ID.....{B66EABF4-A800-40DD-869F-7423173989FB}  
TERM.....RIGHT

POSITION: SEMIFOWLERS

-----  
ABBREVIATION.....Sfl  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Semifowlers  
HELP\_TEXT.....No Help Text  
ID.....{C2F6A945-3829-AABA-3D67-54D1829D3EB9}  
TERM.....SEMIFOWLERS

POSITION: SITTING

-----  
ABBREVIATION.....Sit  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Sitting  
HELP\_TEXT.....No Help Text  
ID.....{DD4DCDF1-0A22-2CC5-404F-0E472C73961C}  
TERM.....SITTING

POSITION: STANDING

---

ABBREVIATION.....St  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Standing  
HELP\_TEXT.....No Help Text  
ID.....{0776AE42-C370-B7B3-9B4D-9C914BA8F231}  
TERM.....STANDING

POSITION: SUPINE

---

ABBREVIATION.....SUPINE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Supine  
HELP\_TEXT.....No Help Text  
ID.....{DEA8A744-B445-4A9E-875D-485E060F2ACC}  
TERM.....SUPINE

POSITION: TRENDLENBURG

---

ABBREVIATION.....Tr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Trendelenburg  
HELP\_TEXT.....No Help Text  
ID.....{42F3353B-7041-EEE1-A87E-941D3BE1CBED}  
TERM.....TRENDELENBURG

POSITION: WHEELCHAIR EXIT

---

ABBREVIATION.....WHEEL EXIT  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wheelchair Exit  
HELP\_TEXT.....No Help Text  
ID.....{DE13F84A-168F-490D-9AC7-840DAB2D8E22}  
TERM.....WHEELCHAIR EXIT

## =====

## PRODUCT: 25 PERCENT ALBUMIN

-----  
ABBREVIATION.....25 PERC AL  
ACTIVE.....Yes  
DESCRIPTION.....25 Percent Albumin  
DISPLAY\_NAME.....25 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{CBC7E32F-E457-4A7F-8F27-030EBC6ECBD5}  
TERM.....25 PERCENT ALBUMIN

## PRODUCT: 5 PERCENT ALBUMIN

-----  
ABBREVIATION.....5 PERC ALB  
ACTIVE.....Yes  
DESCRIPTION.....5 Percent Albumin  
DISPLAY\_NAME.....5 Percent Albumin  
HELP\_TEXT.....No Help Text  
ID.....{A2D0F9A0-A9EC-4540-9663-B8B19A189198}  
TERM.....5 PERCENT ALBUMIN

## PRODUCT: 6 PERCENT HETASTARCH

-----  
ABBREVIATION.....6 PERC HET  
ACTIVE.....Yes  
DESCRIPTION.....6 Percent Hetastarch  
DISPLAY\_NAME.....6 Percent Hetastarch  
HELP\_TEXT.....No Help Text  
ID.....{8A82F108-D2FE-4C21-93BB-344502235AE8}  
TERM.....6 PERCENT HETASTARCH

## PRODUCT: ALBUMIN

-----  
ABBREVIATION.....ALBUMIN  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Albumin  
HELP\_TEXT.....No Help Text  
ID.....{EF4CC3AE-32B2-4EBC-BBDE-7DE7CCEAF081}  
TERM.....ALBUMIN

## PRODUCT: ALBUTEROL

-----  
ABBREVIATION.....Albuterol  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Albuterol  
HELP\_TEXT.....  
ID.....{2EEA1F33-3555-4ABF-AE7F-C6A08B77A1E0}  
TERM.....ALBUTEROL

PRODUCT: AMPHOTERICIN B

---

ABBREVIATION.....AMPHOTERIC B  
ACTIVE.....Yes  
DESCRIPTION.....Amphotericin B  
DISPLAY\_NAME.....Amphotericin B  
HELP\_TEXT.....Amphotericin B  
ID.....{E4ED1488-6A27-4622-A8EE-AB6B53DB86D0}  
TERM.....AMPHOTERICIN B

PRODUCT: ANTIBIOTIC

---

ABBREVIATION.....AB  
ACTIVE.....Yes  
DESCRIPTION.....Antibiotic  
DISPLAY\_NAME.....Antibiotic  
HELP\_TEXT.....No Help Text  
ID.....{BC1045A3-FF58-41C0-B48F-C2CFD6E522A7}  
TERM.....ANTIBIOTIC

PRODUCT: BACTERIOSTATIC WATER

---

ABBREVIATION.....BACTER H2O  
ACTIVE.....Yes  
DESCRIPTION.....Bacteriostatic Water  
DISPLAY\_NAME.....Bacteriostatic Water  
HELP\_TEXT.....Bacteriostatic Water  
ID.....{EF13BCA6-3AF2-47E9-87A0-82642B529368}  
TERM.....BACTERIOSTATIC WATER

PRODUCT: BLADDER IRRIGATION

---

ABBREVIATION.....BLAD IRRIG  
ACTIVE.....Yes  
DESCRIPTION.....Bladder Irrigation Output Product  
DISPLAY\_NAME.....Bladder Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{BCBB106B-ECE4-4232-87C7-D90EDB47F80D}  
TERM.....BLADDER IRRIGATION

PRODUCT: BLOOD PRODUCT

---

ABBREVIATION.....bp  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Blood Product  
HELP\_TEXT.....No Help Text  
ID.....{A910DBA4-1CD7-1302-40B2-5BEE95DD3B08}  
TERM.....BLOOD PRODUCT

PRODUCT: CANE

-----  
ABBREVIATION.....Cane  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Cane  
HELP\_TEXT.....  
ID.....{5D669D6F-AE43-4A66-8A5F-0679B1E12FFD}  
TERM.....CANE

PRODUCT: CARDIAC OUTPUT INJECTATE

-----  
ABBREVIATION.....CARD OUT I  
ACTIVE.....Yes  
DESCRIPTION.....Cardiac Output Injectate  
DISPLAY\_NAME.....Cardiac Output Injectate  
HELP\_TEXT.....No Help Text  
ID.....{2128B705-DDF4-4776-87C3-AA82F854E313}  
TERM.....CARDIAC OUTPUT INJECTATE

PRODUCT: CHEST TUBE

-----  
ABBREVIATION.....CHEST TUBE  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube Output  
DISPLAY\_NAME.....Chest Tube  
HELP\_TEXT.....No Help Text  
ID.....{74C0C672-02AD-45A8-99DB-F5256BA14C72}  
TERM.....CHEST TUBE

PRODUCT: CHEST TUBE DRAINAGE

-----  
ABBREVIATION.....CHEST T DR  
ACTIVE.....Yes  
DESCRIPTION.....Chest Tube Drainage  
DISPLAY\_NAME.....Chest Tube Drainage  
HELP\_TEXT.....No Help Text  
ID.....{591D62C9-D173-45AD-8E05-A500F1C4AAA7}  
TERM.....CHEST TUBE DRAINAGE

PRODUCT: CLEAR LIQUIDS

-----  
ABBREVIATION.....Clear Liq  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Clear Liquids  
HELP\_TEXT.....  
ID.....{BBE3A652-ACDC-4797-B140-D4DB4F474B13}  
TERM.....CLEAR LIQUIDS

PRODUCT: COFFEE

---

ABBREVIATION.....Coffee  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Coffee  
HELP\_TEXT.....  
ID.....{BEFE282A-F07F-4B3A-A1FC-5FBC0DE75AE1}  
TERM.....COFFEE

PRODUCT: COLLOID

---

ABBREVIATION.....COLLOID  
ACTIVE.....Yes  
DESCRIPTION.....Colloid  
DISPLAY\_NAME.....Colloid  
HELP\_TEXT.....No Help Text  
ID.....{5B912A05-9ECA-43C1-A117-BE0843313CDD}  
TERM.....COLLOID

PRODUCT: COMPLETE DENTURE

---

ABBREVIATION.....CompDentu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Complete Denture  
HELP\_TEXT.....  
ID.....{B5962EBD-769C-47EE-AC19-D0E03855A8B9}  
TERM.....COMPLETE DENTURE

PRODUCT: CRYOPRECIPITATE

---

ABBREVIATION.....CRYOPRECIP  
ACTIVE.....Yes  
DESCRIPTION.....Cryoprecipitate Blood Product  
DISPLAY\_NAME.....Cryoprecipitate  
HELP\_TEXT.....No Help Text  
ID.....{5329E737-E059-480D-83F8-1146B091C14E}  
TERM.....CRYOPRECIPITATE

PRODUCT: CRYSTALLOID

---

ABBREVIATION.....CRYSTALLOI  
ACTIVE.....Yes  
DESCRIPTION.....Crystalloid  
DISPLAY\_NAME.....Crystalloid  
HELP\_TEXT.....No Help Text  
ID.....{F8B0C9B5-F386-4C88-896A-092C4A95A031}  
TERM.....CRYSTALLOID

PRODUCT: DAKINS SOLUTION

---

ABBREVIATION.....DAKINS SOL  
ACTIVE.....Yes  
DESCRIPTION.....Dakins Solution  
DISPLAY\_NAME.....Dakins Solution  
HELP\_TEXT.....Dakins Solution  
ID.....{51651D24-B909-427B-9FF0-3C2859A63D73}  
TERM.....DAKINS SOLUTION

PRODUCT: EF RESIDUAL

---

ABBREVIATION.....EF RESID  
ACTIVE.....Yes  
DESCRIPTION.....Enteral Feeding Residual  
DISPLAY\_NAME.....EF Residual  
HELP\_TEXT.....No Help Text  
ID.....{35E269DF-F246-4DF6-9D68-7FD61F8FE088}  
TERM.....EF RESIDUAL

PRODUCT: ELEMENTAL FORMULA

---

ABBREVIATION.....ELE FORM  
ACTIVE.....Yes  
DESCRIPTION.....Elemental Enteral Nutrition Formula  
DISPLAY\_NAME.....Elemental Formula  
HELP\_TEXT.....No Help Text  
ID.....{E85DFA33-7F32-4348-9E0E-249AC301EC03}  
TERM.....ELEMENTAL FORMULA

PRODUCT: EMESIS

---

ABBREVIATION.....EMESIS  
ACTIVE.....Yes  
DESCRIPTION.....Emesis output  
DISPLAY\_NAME.....Emesis  
HELP\_TEXT.....No Help Text  
ID.....{A7B1605E-1DFE-4FC6-A69B-0E18C1A291FF}  
TERM.....EMESIS

PRODUCT: FECES

---

ABBREVIATION.....f  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Feces  
HELP\_TEXT.....No Help Text  
ID.....{C1CED7CD-EF5D-37D8-4EE0-CC9FD6F20DB0}  
TERM.....FECES

PRODUCT: FFP

---

ABBREVIATION.....FFP  
ACTIVE.....Yes  
DESCRIPTION.....Fresh Frozen Plasma  
DISPLAY\_NAME.....FFP  
HELP\_TEXT.....No Help Text  
ID.....{9DD0ECF5-634F-49CF-A529-A2657240A80C}  
TERM.....FFP

PRODUCT: FFP - THAWED

---

ABBREVIATION.....FFP-THAWED  
ACTIVE.....Yes  
DESCRIPTION.....Fresh Frozen Plasma, Thawed  
DISPLAY\_NAME.....FFP - THAWED  
HELP\_TEXT.....No Help Text  
ID.....{AAF452A3-0DCA-4FF4-BF96-08E60D2D2875}  
TERM.....FFP - THAWED

PRODUCT: FORMULA - HIGH FIBER

---

ABBREVIATION.....FORM H FIB  
ACTIVE.....Yes  
DESCRIPTION.....High Fiber Formula  
DISPLAY\_NAME.....High Fiber Formula  
HELP\_TEXT.....No Help Text  
ID.....{249D8C78-B600-4443-A2E2-39F1B67698DD}  
TERM.....FORMULA - HIGH FIBER

PRODUCT: FORMULA - PROBALANCE

---

ABBREVIATION.....PROBALANCE  
ACTIVE.....Yes  
DESCRIPTION.....Probalance Formula  
DISPLAY\_NAME.....Probalance Formula  
HELP\_TEXT.....No Help Text  
ID.....{4EA729FE-08EA-490B-822D-696061E5B55F}  
TERM.....FORMULA - PROBALANCE

PRODUCT: FORMULA 1.5 CAL

---

ABBREVIATION.....1.5 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....1.5 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....1.5 Cal Formula  
HELP\_TEXT.....No Help Text  
ID.....{95FAE60B-BEAE-4EB2-88FC-0A199F4534EB}  
TERM.....FORMULA 1.5 CAL

PRODUCT: FORMULA 2.0 CAL

---

ABBREVIATION.....2.0 C FORM  
ACTIVE.....Yes  
DESCRIPTION.....2.0 Cal Enteral Nutrition Formula  
DISPLAY\_NAME.....2.0 Cal Formula  
HELP\_TEXT.....No Help Text  
ID.....{E5FB9590-25AA-435A-B9B4-4812EA15C217}  
TERM.....FORMULA 2.0 CAL

PRODUCT: FORMULA D10W ENTERAL NUTRITION

---

ABBREVIATION.....D10W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D10W Enteral Nutrition  
DISPLAY\_NAME.....D10W Enteral Nutrition  
HELP\_TEXT.....10% Dextrose and Water solution  
ID.....{F8FB55C4-6229-427F-987D-3D469E307D0D}  
TERM.....FORMULA D10W ENTERAL NUTRITION

PRODUCT: FORMULA D50W ENTERAL NUTRITION

---

ABBREVIATION.....D50W ENT N  
ACTIVE.....Yes  
DESCRIPTION.....D50W Enteral Nutrition  
DISPLAY\_NAME.....D50W Enteral Nutrition  
HELP\_TEXT.....50% Dextrose and Water Solution  
ID.....{19ED9C83-42C1-42AF-AB4D-1A34B621EFB9}  
TERM.....FORMULA D50W ENTERAL NUTRITION

PRODUCT: FORMULA D5W ENTERAL NUTRITION

---

ABBREVIATION.....D5W ENT NU  
ACTIVE.....Yes  
DESCRIPTION.....D5W Enteral Nutrition  
DISPLAY\_NAME.....D5W Enteral Nutrition  
HELP\_TEXT.....5% Dextrose and Water Solution  
ID.....{9EA15A1B-DA1C-49EC-B463-82DD5F125F82}  
TERM.....FORMULA D5W ENTERAL NUTRITION

PRODUCT: FORMULA FIBER

---

ABBREVIATION.....FIBER FORM  
ACTIVE.....Yes  
DESCRIPTION.....Fiber Enteral Nutrition Formula  
DISPLAY\_NAME.....Fiber Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{F6D7E75F-917A-4C50-AABB-BE9DE3C1939D}  
TERM.....FORMULA FIBER

PRODUCT: FULL LIQUID

---

ABBREVIATION.....FL LIQUID  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Full Liquid  
HELP\_TEXT.....No Help Text  
ID.....{C8405270-CCA3-4BFF-B9D0-398590FBB1D9}  
TERM.....FULL LIQUID

PRODUCT: GASTRIC DRAINAGE

---

ABBREVIATION.....GAST DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Gastric Drainage  
DISPLAY\_NAME.....Gastric Drainage  
HELP\_TEXT.....No Help Text  
ID.....{C01D18F9-191A-4D34-B45D-D8D70ACA67BE}  
TERM.....GASTRIC DRAINAGE

PRODUCT: GLUCERNA DIABETIC

---

ABBREVIATION.....GLUCERNA D  
ACTIVE.....Yes  
DESCRIPTION.....Glucerna Diabetic  
DISPLAY\_NAME.....Glucerna Diabetic  
HELP\_TEXT.....No Help Text  
ID.....{C2F2CCFE-6D77-49B4-BF5E-F1A285326440}  
TERM.....GLUCERNA DIABETIC

PRODUCT: GRANULOCYTES PHERESIS

---

ABBREVIATION.....GRAN PHERE  
ACTIVE.....Yes  
DESCRIPTION.....Granulocytes Pheresis Blood Product  
DISPLAY\_NAME.....Granulocytes Pheresis  
HELP\_TEXT.....No Help Text  
ID.....{2B90878D-9C29-4731-9525-D7DD7FCB513B}  
TERM.....GRANULOCYTES PHERESIS

PRODUCT: HEME

---

ABBREVIATION.....HEME  
ACTIVE.....Yes  
DESCRIPTION.....Heme output  
DISPLAY\_NAME.....Heme  
HELP\_TEXT.....No Help Text  
ID.....{A0ADA229-E779-4562-84B5-67121B88C443}  
TERM.....HEME

PRODUCT: HEMODIALYSIS

---

ABBREVIATION.....HEMODIALYS  
ACTIVE.....Yes  
DESCRIPTION.....Hemodialysis Intake and Output Product  
DISPLAY\_NAME.....Hemodialysis  
HELP\_TEXT.....No Help Text  
ID.....{8409B357-C41E-4F4A-BB52-F09AD9704C30}  
TERM.....HEMODIALYSIS

PRODUCT: HEPATIC FORMULA

---

ABBREVIATION.....HEPAT FORM  
ACTIVE.....Yes  
DESCRIPTION.....Hepatic Enteral Nutrition Formula  
DISPLAY\_NAME.....Hepatic Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{41DEECAB-168F-4522-852C-C1ED751BFEDC}  
TERM.....HEPATIC FORMULA

PRODUCT: HIGH PROTEIN FORMULA

---

ABBREVIATION.....HIGH PROTE  
ACTIVE.....Yes  
DESCRIPTION.....High Protein  
DISPLAY\_NAME.....High Protein Formula  
HELP\_TEXT.....No Help Text  
ID.....{3618C874-3EAE-41CF-BE2B-3DFB960E034F}  
TERM.....HIGH PROTEIN FORMULA

PRODUCT: JP DRAIN

---

ABBREVIATION.....JP DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Jackson-Pratt Drain  
DISPLAY\_NAME.....JP DRAIN  
HELP\_TEXT.....No Help Text  
ID.....{0889246D-AD40-4CFC-A721-BBCB8C34BE19}  
TERM.....JP DRAIN

PRODUCT: JUICE

---

ABBREVIATION.....JUICE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Juice  
HELP\_TEXT.....No Help-Text  
ID.....{91FFF519-1677-BB1D-D959-65B1BFA10285}  
TERM.....JUICE

PRODUCT: LINE FLUSH

---

ABBREVIATION.....LINE FLUSH  
ACTIVE.....Yes  
DESCRIPTION.....Fluid flushed from line  
DISPLAY\_NAME.....LINE FLUSH  
HELP\_TEXT.....No Help Text  
ID.....{D3EA8BCD-0EC4-4B39-BA92-BC3FF505C9A4}  
TERM.....LINE FLUSH

PRODUCT: LINE FLUSH HEPARIN

---

ABBREVIATION.....LN FL HEPA  
ACTIVE.....Yes  
DESCRIPTION.....Heparin used to flush dialysis lines  
DISPLAY\_NAME.....Line Flush Heparin  
HELP\_TEXT.....No Help Text  
ID.....{E8B68E5A-6B9A-401F-9D1A-E3C907C7B81C}  
TERM.....LINE FLUSH HEPARIN

PRODUCT: LIPIDS

---

ABBREVIATION.....LIPIDS  
ACTIVE.....Yes  
DESCRIPTION.....Lipids  
DISPLAY\_NAME.....Lipids  
HELP\_TEXT.....No Help Text  
ID.....{80E456A6-CA3D-4C2D-8DCD-06C63AE1F320}  
TERM.....LIPIDS

PRODUCT: MAGNACAL

---

ABBREVIATION.....MAGNACAL  
ACTIVE.....Yes  
DESCRIPTION.....Magnacal Enteral Nutrition Type  
DISPLAY\_NAME.....Magancal  
HELP\_TEXT.....No Help Text  
ID.....{86688633-DFCA-4FBF-99F5-8E0B3FAFE695}  
TERM.....MAGNACAL

PRODUCT: MEDIASTINAL

---

ABBREVIATION.....MEDIASTINA  
ACTIVE.....Yes  
DESCRIPTION.....Mediastinal Output Product  
DISPLAY\_NAME.....Mediastinal  
HELP\_TEXT.....No Help Text  
ID.....{A0550B31-B937-4FC7-8F7E-071F75215311}  
TERM.....MEDIASTINAL

PRODUCT: MEDICATION

-----  
ABBREVIATION.....MEDICATION  
ACTIVE.....Yes  
DESCRIPTION.....Medication  
DISPLAY\_NAME.....Medication  
HELP\_TEXT.....Medication  
ID.....{CDD5944E-A0EC-45CE-8EB0-7F9EDF7197E5}  
TERM.....MEDICATION

PRODUCT: METERED DOSE INHALER

-----  
ABBREVIATION.....MeteredDos  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Metered Dose Inhaler  
HELP\_TEXT.....  
ID.....{DB69F8CB-3359-4D2D-B444-7B19AEB876A1}  
TERM.....METERED DOSE INHALER

PRODUCT: MILK

-----  
ABBREVIATION.....Milk  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Milk  
HELP\_TEXT.....  
ID.....{6C4DF9C1-D7BA-429A-BDAF-00FBF35F6B09}  
TERM.....MILK

PRODUCT: MODULAR CUSTOMIZED FORMULA

-----  
ABBREVIATION.....CUST FORMU  
ACTIVE.....Yes  
DESCRIPTION.....Modular Customized Formula  
DISPLAY\_NAME.....Modular Customized Formula  
HELP\_TEXT.....No Help Text  
ID.....{249D095E-9676-4CC5-8A39-097F96A4C032}  
TERM.....MODULAR CUSTOMIZED FORMULA

PRODUCT: MOUTH GUARD

-----  
ABBREVIATION.....MouthGuard  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mouth Guard  
HELP\_TEXT.....  
ID.....{408BA51C-5DB0-49F4-8540-F49B1E80A425}  
TERM.....MOUTH GUARD

PRODUCT: NEPRO RENAL FORMULA

-----  
ABBREVIATION.....NEPR RENAL  
ACTIVE.....Yes  
DESCRIPTION.....Nepro Renal Enteral Nutrition Formula  
DISPLAY\_NAME.....Nepro Renal Enteral Nutrition Formula  
HELP\_TEXT.....No Help Text  
ID.....{59C9B396-A705-445B-B566-F030DA4B2B79}  
TERM.....NEPRO RENAL FORMULA

PRODUCT: NG RESIDUAL

-----  
ABBREVIATION.....NG RESID  
ACTIVE.....Yes  
DESCRIPTION.....Naso-Gastric Residual Output  
DISPLAY\_NAME.....NG Residual  
HELP\_TEXT.....No Help Text  
ID.....{B03C9557-84B5-4B05-B784-C87FA90D27A7}  
TERM.....NG RESIDUAL

PRODUCT: NONE

-----  
ABBREVIATION.....None  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....None  
HELP\_TEXT.....  
ID.....{F023B077-AFDB-46A1-9E1F-49B5C80A2D63}  
TERM.....NONE

PRODUCT: NOVASOURCE 2.0

-----  
ABBREVIATION.....NOVAS 2.0  
ACTIVE.....Yes  
DESCRIPTION.....Novasource 2.0 Enteral Nutrition  
    Formula  
DISPLAY\_NAME.....Novasource 2.0 Enteral Nutrition  
    Formula  
HELP\_TEXT.....No Help Text  
ID.....{67D16273-6271-43E1-80D6-D12C4D55E024}  
TERM.....NOVASOURCE 2.0

PRODUCT: NUTREN 1.5

-----  
ABBREVIATION.....NUTREN 1.5  
ACTIVE.....Yes  
DESCRIPTION.....Nutren 1.5  
DISPLAY\_NAME.....Nutren 1.5  
HELP\_TEXT.....No Help Text  
ID.....{B93EF897-B9A1-45C6-AC9A-B386554A3186}  
TERM.....NUTREN 1.5

PRODUCT: NUTRITIONAL SUPPLEMENT

---

ABBREVIATION.....NUTR SUPPL  
ACTIVE.....Yes  
DESCRIPTION.....Nutritional Supplement  
DISPLAY\_NAME.....Nutritional Supplement  
HELP\_TEXT.....No Help Text  
ID.....{17F8F1DA-4FC6-48E5-9E6E-1F67CD06D200}  
TERM.....NUTRITIONAL SUPPLEMENT

PRODUCT: OSMOLITE

---

ABBREVIATION.....OSMOLITE  
ACTIVE.....Yes  
DESCRIPTION.....Osmolite Enteral Nutrition  
DISPLAY\_NAME.....Osmolite  
HELP\_TEXT.....No Help Text  
ID.....{18C5843F-BC33-4609-9D58-49F07F12A059}  
TERM.....OSMOLITE

PRODUCT: OSMOLITE HN

---

ABBREVIATION.....OSMOLIT HN  
ACTIVE.....Yes  
DESCRIPTION.....Osmolite HN Enteral Nutrition  
DISPLAY\_NAME.....Osmolite HN  
HELP\_TEXT.....No Help Text  
ID.....{3622D5C6-1D7B-4377-94B7-5E33C642C4C5}  
TERM.....OSMOLITE HN

PRODUCT: OTHER (SEE COMMENTS)

---

ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (See Comments)  
HELP\_TEXT.....  
ID.....{E8B97A9D-BA49-45F4-88D0-97E91490B944}  
TERM.....OTHER (SEE COMMENTS)

PRODUCT: OTHER (USE COMMENTS)

---

ABBREVIATION.....Other  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Other (Use Comments)  
HELP\_TEXT.....  
ID.....{23302A01-D187-43C9-A7AA-27AE87EF850E}  
TERM.....OTHER (USE COMMENTS)

PRODUCT: OTHER PO FLUID

---

ABBREVIATION.....PO OTHER  
ACTIVE.....Yes  
DESCRIPTION.....PO Fluid other than those listed.  
DISPLAY\_NAME.....Other - Please Specify  
HELP\_TEXT.....No Help Text  
ID.....{1EA44424-4DE2-42B8-A50F-60DC56204502}  
TERM.....OTHER PO FLUID

PRODUCT: PARTIAL DENTURE

---

ABBREVIATION.....PartDentu  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Partial Denture  
HELP\_TEXT.....  
ID.....{E09EFE03-B525-4EB1-90D3-D9ACE55B3AC5}  
TERM.....PARTIAL DENTURE

PRODUCT: PCA

---

ABBREVIATION.....PCA  
ACTIVE.....Yes  
DESCRIPTION.....Patient Controlled Analgesia  
DISPLAY\_NAME.....Patient Controlled Analgesia  
HELP\_TEXT.....No Help Text  
ID.....{D93028EE-9A44-43F5-9C0C-A903BD9B6E6D}  
TERM.....PCA

PRODUCT: PLASMAPHERESIS

---

ABBREVIATION.....PLASMAPHER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Plasmapheresis  
HELP\_TEXT.....No Help Text  
ID.....{E1214367-8BB0-4FAA-A916-EC707569A9C4}  
TERM.....PLASMAPHERESIS

PRODUCT: PLATELETS

---

ABBREVIATION.....PLATELETS  
ACTIVE.....Yes  
DESCRIPTION.....Platelets  
DISPLAY\_NAME.....Platelets  
HELP\_TEXT.....No Help Text  
ID.....{3F4FA2EF-DF05-4A6D-839F-F97D3C2AFCF7}  
TERM.....PLATELETS

PRODUCT: PLATELETS PHERESIS

---

ABBREVIATION.....PLATELET P  
ACTIVE.....Yes  
DESCRIPTION.....Platelets Pheresis (Apheresis  
                  Platelets)  
DISPLAY\_NAME.....Platelets Pheresis  
HELP\_TEXT.....No Help Text  
ID.....{65CBDCBD-99DB-44FE-9230-D62886208EBF}  
TERM.....PLATELETS PHERESIS

PRODUCT: PLATELETS PHERESIS IRRADIATED

---

ABBREVIATION.....PLATEL P I  
ACTIVE.....Yes  
DESCRIPTION.....Platelets Pheresis (Apheresis  
                  platelets) Irradiated  
DISPLAY\_NAME.....Platelets Pheresis Irradiated  
HELP\_TEXT.....No Help Text  
ID.....{70C7155A-5AB6-4733-B43F-606F8BBB3B4A}  
TERM.....PLATELETS PHERESIS IRRADIATED

PRODUCT: PPN

---

ABBREVIATION.....PPN  
ACTIVE.....Yes  
DESCRIPTION.....Peripheral Parenteral Nutrition  
DISPLAY\_NAME.....PPN  
HELP\_TEXT.....No Help Text  
ID.....{BF402283-3E6F-4DF1-9CC6-4DE35D755C7C}  
TERM.....PPN

PRODUCT: PRBC

---

ABBREVIATION.....PRBC  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells  
DISPLAY\_NAME.....PRBC  
HELP\_TEXT.....No Help Text  
ID.....{BCE37EFD-78D6-4A13-A5E4-EA278BF18E02}  
TERM.....PRBC

PRODUCT: PRBC - AUTOLOGOUS

---

ABBREVIATION.....PRBC-A  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Autologous  
DISPLAY\_NAME.....PRBC - AUTOLOGOUS  
HELP\_TEXT.....No Help Text  
ID.....{1580990C-0B35-4DDD-84AA-682B341C9B76}  
TERM.....PRBC - AUTOLOGOUS

PRODUCT: PRBC - LEUKOREDUCED

-----  
ABBREVIATION.....PRBC-L  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced  
DISPLAY\_NAME.....PRBC - Leukoreduced  
HELP\_TEXT.....No Help Text  
ID.....{13DB3170-6C26-4178-B429-C02AFC541AC7}  
TERM.....PRBC - LEUKOREDUCED

PRODUCT: PRBC - LEUKOREDUCED - DIRECTED

-----  
ABBREVIATION.....PRBC-L-D  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Directed  
DISPLAY\_NAME.....PRBC - LEUKOREDUCED - DIRECTED  
HELP\_TEXT.....No Help Text  
ID.....{9C54B7F7-FBD9-4FA8-B2A1-893A25A9CD2C}  
TERM.....PRBC - LEUKOREDUCED - DIRECTED

PRODUCT: PRBC - LEUKOREDUCED - IRRADIATED

-----  
ABBREVIATION.....PRBC-L-I  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Irradiated  
DISPLAY\_NAME.....PRBC - LEUKOREDUCED - IRRADIATED  
HELP\_TEXT.....No Help Text  
ID.....{B4431519-0102-49ED-94D6-1738E375C5A4}  
TERM.....PRBC - LEUKOREDUCED - IRRADIATED

PRODUCT: PRBC - LEUKOREDUCED - WASHED

-----  
ABBREVIATION.....PRBC-L-W  
ACTIVE.....Yes  
DESCRIPTION.....Packed Red Blood Cells, Leukoreduced,  
Washed  
DISPLAY\_NAME.....PRBC - LEUKOREDUCED - WASHED  
HELP\_TEXT.....No Help Text  
ID.....{BB58F35A-1086-4061-B485-FA35DFB79A0D}  
TERM.....PRBC - LEUKOREDUCED - WASHED

PRODUCT: RESPIMAT

-----  
ABBREVIATION.....Respimat  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Respimat  
HELP\_TEXT.....  
ID.....{DC659CEB-ECF6-4DAF-9431-9E19E3CB5F30}  
TERM.....RESPIMAT

PRODUCT: Rh IMMUNE GLOBULIN

-----  
ABBREVIATION.....Rh IM GLOB  
ACTIVE.....Yes  
DESCRIPTION.....Rh Immune Globulin  
DISPLAY\_NAME.....Rh Immune Globulin  
HELP\_TEXT.....No Help Text  
ID.....{1FE7BD0C-7252-427A-8216-36FCA4637089}  
TERM.....Rh IMMUNE GLOBULIN

PRODUCT: SALINE

-----  
ABBREVIATION.....SALINE  
ACTIVE.....Yes  
DESCRIPTION.....Saline  
DISPLAY\_NAME.....Saline  
HELP\_TEXT.....No Help Text  
ID.....{19D84001-70DB-47AA-9149-A37B7E0BAEF1}  
TERM.....SALINE

PRODUCT: SANDOSOURCE PEPTIDE

-----  
ABBREVIATION.....SAND PEPTI  
ACTIVE.....Yes  
DESCRIPTION.....Sandosource Peptide Enteral Nutrition  
    Formula  
DISPLAY\_NAME.....Sandosource Peptide Enteral Nutrition  
    Formula  
HELP\_TEXT.....No Help Text  
ID.....{B543461C-7316-4750-9918-B30E96AB3C95}  
TERM.....SANDOSOURCE PEPTIDE

PRODUCT: SODA: DIET

-----  
ABBREVIATION.....Soda: Diet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Soda: Diet  
HELP\_TEXT.....  
ID.....{0EFA0EC7-EB52-4F84-B863-5CD8BC5509DA}  
TERM.....SODA: DIET

PRODUCT: SODA: NON-DIET

-----  
ABBREVIATION.....Soda: Non  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Soda: Non-Diet  
HELP\_TEXT.....  
ID.....{B15D88DC-07B6-4980-98B2-A59B5662797A}  
TERM.....SODA: NON-DIET

PRODUCT: SOFT DRINK

---

ABBREVIATION.....SOFT DRIN  
ACTIVE.....Yes  
DESCRIPTION.....Soft Drink  
DISPLAY\_NAME.....Soft Drink  
HELP\_TEXT.....No Help Text  
ID.....{9216F0F9-4D5F-4AF7-8D84-04A2CE11BCBE}  
TERM.....SOFT DRINK

PRODUCT: SPIRIVA

---

ABBREVIATION.....Spiriva  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Spiriva  
HELP\_TEXT.....  
ID.....{CB04C459-C463-4C5F-AA29-3501A22CA719}  
TERM.....SPIRIVA

PRODUCT: TAP WATER

---

ABBREVIATION.....Tap Water  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Tap Water  
HELP\_TEXT.....  
ID.....{EAAF11A5-6DC5-481F-81D3-A3035812D5C9}  
TERM.....TAP WATER

PRODUCT: TPN

---

ABBREVIATION.....TPN  
ACTIVE.....Yes  
DESCRIPTION.....Total Parenteral Nutrition  
DISPLAY\_NAME.....TPN  
HELP\_TEXT.....No Help Text  
ID.....{55341B62-E356-4C38-A52D-4F196751E9EB}  
TERM.....TPN

PRODUCT: ULTRACAL

---

ABBREVIATION.....ULTRACAL  
ACTIVE.....Yes  
DESCRIPTION.....Ultracal Enteral Nutrition  
DISPLAY\_NAME.....Ultracal Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{B18E6151-9DC6-4380-899A-E84715BFC61B}  
TERM.....ULTRACAL

PRODUCT: URINE

---

ABBREVIATION.....u  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Urine  
HELP\_TEXT.....No Help Text  
ID.....{1F61B077-1D34-0CBA-E55B-65A8B6A7CAE7}  
TERM.....URINE

PRODUCT: VITAL ENTERAL NUTRITION TYPE

---

ABBREVIATION.....VIT ENT NU  
ACTIVE.....Yes  
DESCRIPTION.....Vital Enteral Nutrition  
DISPLAY\_NAME.....Vital Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{D77B607C-85C4-428E-AAE6-B319F33F4E9F}  
TERM.....VITAL ENTERAL NUTRITION TYPE

PRODUCT: VITAL HN ENTERAL NUTRITION

---

ABBREVIATION.....VIT NUT HN  
ACTIVE.....Yes  
DESCRIPTION.....Vital HN Enteral Nutrition  
DISPLAY\_NAME.....Vital HN Enteral Nutrition  
HELP\_TEXT.....No Help Text  
ID.....{3973F52F-D53F-4D80-928A-BD6154D5C434}  
TERM.....VITAL HN ENTERAL NUTRITION

PRODUCT: WALKER

---

ABBREVIATION.....Walker  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Walker  
HELP\_TEXT.....  
ID.....{BA1E31F8-ECC6-44EB-88D7-1578F96FE0B4}  
TERM.....WALKER

PRODUCT: WATER

---

ABBREVIATION.....WATER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Water  
HELP\_TEXT.....No Help-Text  
ID.....{ACCC998E-0F64-510D-B843-3D30B2AD67CF}  
TERM.....WATER

PRODUCT: WBC - WASHED

-----  
ABBREVIATION.....WBC WASHED  
ACTIVE.....Yes  
DESCRIPTION.....White Blood Cells, Washed  
DISPLAY\_NAME.....WBC - Washed  
HELP\_TEXT.....No Help Text  
ID.....{F1460F94-203C-473D-AC7C-92E8ADFFC0F5}  
TERM.....WBC - WASHED

PRODUCT: WHEELCHAIR

-----  
ABBREVIATION.....Wheelchair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Wheelchair  
HELP\_TEXT.....  
ID.....{18D64450-A01F-4562-8C1B-AE7577A14890}  
TERM.....WHEELCHAIR

PRODUCT: WHOLE BLOOD

-----  
ABBREVIATION.....WHOL BLOOD  
ACTIVE.....Yes  
DESCRIPTION.....Whole Blood  
DISPLAY\_NAME.....Whole Blood  
HELP\_TEXT.....No Help Text  
ID.....{144EE01A-16B5-4F9B-9A1C-D420D0A9A2D0}  
TERM.....WHOLE BLOOD

PRODUCT: WOUND DRAINAGE

-----  
ABBREVIATION.....WOUN DRAIN  
ACTIVE.....Yes  
DESCRIPTION.....Wound Drainage  
DISPLAY\_NAME.....Wound Drainage  
HELP\_TEXT.....Drainage From Wound  
ID.....{73038CBA-1F31-47E2-A78E-50ED1067CBEA}  
TERM.....WOUND DRAINAGE

PRODUCT: WOUND IRRIGATION

-----  
ABBREVIATION.....WOUND IRRI  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Wound Irrigation  
HELP\_TEXT.....No Help Text  
ID.....{192EC6B7-8E2E-418C-9345-BC8A7986CA59}  
TERM.....WOUND IRRIGATION

PRODUCT: WOUND VACUUM

---

ABBREVIATION.....WOUND VAC  
ACTIVE.....Yes  
DESCRIPTION.....Wound Vacuum Output Product  
DISPLAY\_NAME.....Wound Vacuum  
HELP\_TEXT.....No Help Text  
ID.....{9F4983A6-B622-4E4D-A7F7-ADA7A4B7CEBC}  
TERM.....WOUND VACUUM

## =====

## QUALITY: ACTUAL

-----  
ABBREVIATION.....A  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Actual  
HELP\_TEXT.....No Help Text  
ID.....{5842A4D9-56A1-7A5A-13C9-F481699C3A09}  
TERM.....ACTUAL

-----  
QUALITY: ANASARCA

-----  
ABBREVIATION.....Anasarca  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Anasarca  
HELP\_TEXT.....  
ID.....{24F43355-DF9A-4BC7-BF1D-1DB2B4612804}  
TERM.....ANASARCA

-----  
QUALITY: ANTECUBITAL

-----  
ABBREVIATION.....ANTECUB  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Antecubital  
HELP\_TEXT.....No Help Text  
ID.....{0D56DDB8-EDCD-BF9F-5F77-567BC59F3580}  
TERM.....ANTECUBITAL

-----  
QUALITY: BRACHIAL

-----  
ABBREVIATION.....BRACHIAL  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Brachial  
HELP\_TEXT.....No Help Text  
ID.....{CFE7E2E3-20BC-7ACE-262B-8BAE4FB36B59}  
TERM.....BRACHIAL

-----  
QUALITY: DEPENDENT

-----  
ABBREVIATION.....Dependent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Dependent  
HELP\_TEXT.....  
ID.....{4F215B2C-E0B3-44F8-9513-7F6E4FBF2396}  
TERM.....DEPENDENT

QUALITY: DRY

---

ABBREVIATION.....D  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Dry  
HELP\_TEXT.....No Help Text  
ID.....{B319EFF4-BA4A-85B1-2617-E00E46A54ABE}  
TERM.....DRY

QUALITY: ESTIMATED

---

ABBREVIATION.....E  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Estimated  
HELP\_TEXT.....No Help Text  
ID.....{9EAFF26B-7D87-DA66-F991-022D095FB5A0}  
TERM.....ESTIMATED

QUALITY: ESTIMATED BY ARM SPAN

---

ABBREVIATION.....EAS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Estimated by Arm Span  
HELP\_TEXT.....No Help Text  
ID.....{486CAE5A-BE56-06BA-C65E-1F8131DB1C2D}  
TERM.....ESTIMATED BY ARM SPAN

QUALITY: EXCELLENT

---

ABBREVIATION.....Excellent  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Excellent  
HELP\_TEXT.....  
ID.....{69C28725-C59B-40D4-85FF-20F265E75356}  
TERM.....EXCELLENT

QUALITY: FAIR

---

ABBREVIATION.....Fair  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Fair  
HELP\_TEXT.....  
ID.....{6FA21296-0786-4C3C-8061-D8FEBF3E0292}  
TERM.....FAIR

QUALITY: GOOD

---

ABBREVIATION.....Good  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Good  
HELP\_TEXT.....  
ID.....{655644C4-E165-4E2E-AE5B-DCFC7F1B6BC3}  
TERM.....GOOD

QUALITY: LOUD

---

ABBREVIATION.....Loud  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Loud  
HELP\_TEXT.....  
ID.....{47D5B61A-25DE-4CCB-A1F8-1B554719B4D1}  
TERM.....LOUD

QUALITY: MUTE

---

ABBREVIATION.....Mute  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Mute  
HELP\_TEXT.....  
ID.....{BE487084-2C18-48DE-B23F-7C704804AB6C}  
TERM.....MUTE

QUALITY: NONDEPENDENT

---

ABBREVIATION.....Nondepend  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Nondependent  
HELP\_TEXT.....  
ID.....{B89A9E91-4A5E-4CC6-A8C0-A56FD51A53B8}  
TERM.....NONDEPENDENT

QUALITY: NORMAL

---

ABBREVIATION.....Normal  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Normal  
HELP\_TEXT.....  
ID.....{266B7051-608B-4AA9-8CC0-220CE6FDFDF1}  
TERM.....NORMAL

QUALITY: OTHER

---

ABBREVIATION.....Oth  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Other  
HELP\_TEXT.....No Help Text  
ID.....{7C0850DD-931C-65C8-1003-E31FBBADF6E9}  
TERM.....OTHER

QUALITY: PEDIATRIC

---

ABBREVIATION.....Ped  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Pediatric  
HELP\_TEXT.....No Help Text  
ID.....{83C8FF79-1919-B001-9F8B-68F014216F0B}  
TERM.....PEDIATRIC

QUALITY: POOR

---

ABBREVIATION.....Poor  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Poor  
HELP\_TEXT.....  
ID.....{A5C9517C-5BCE-49E4-95C0-58AEE60CB774}  
TERM.....POOR

QUALITY: RADIAL

---

ABBREVIATION.....RADIAL  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Radial  
HELP\_TEXT.....No Help Text  
ID.....{8F407DAB-8C6D-A5B3-524E-444B22613F4D}  
TERM.....RADIAL

QUALITY: SHINY

---

ABBREVIATION.....Shiny  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Shiny  
HELP\_TEXT.....  
ID.....{BDCB0902-850F-4497-B3EC-EC8442D90AC8}  
TERM.....SHINY

QUALITY: SOFT

---

ABBREVIATION.....Soft  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Soft  
HELP\_TEXT.....  
ID.....{56901AD6-57B1-40CD-AF35-E0562EF0EEEB}  
TERM.....SOFT

QUALITY: STATED

---

ABBREVIATION.....Sta  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Stated  
HELP\_TEXT.....No Help Text  
ID.....{6362C194-B7F2-D38C-5B72-3BE5DE09438E}  
TERM.....STATED

QUALITY: TAUT

---

ABBREVIATION.....Taut  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Taut  
HELP\_TEXT.....  
ID.....{8AFE29D8-4FCF-471E-BFFA-A8F06D5C64AD}  
TERM.....TAUT

QUALITY: UNABLE TO TOLERATE

---

ABBREVIATION.....UnableTol  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Unable to Tolerate  
HELP\_TEXT.....  
ID.....{974A3EF4-74FA-4462-A2BF-34A20D875029}  
TERM.....UNABLE TO TOLERATE

QUALITY: WEEPING

---

ABBREVIATION.....Weeping  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Weeping  
HELP\_TEXT.....  
ID.....{83BD0C57-9011-4B7B-A03F-C56E25C461AD}  
TERM.....WEEPING



## =====

## SCHEDULE: CATHETER

-----  
ABBREVIATION.....CATHETER  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Catheter  
HELP\_TEXT.....No Help Text  
ID.....{8C788C2B-3C73-7D8D-9032-A1E2188413B8}  
TERM.....CATHETER

## SCHEDULE: PRN

-----  
ABBREVIATION.....PRN  
ACTIVE.....Yes  
DESCRIPTION.....AS NEEDED  
DISPLAY\_NAME.....PRN  
HELP\_TEXT.....No Help Text  
ID.....{B9423F6A-166B-CF51-6375-E3928FE0BAD6}  
TERM.....PRN

## SCHEDULE: Q2H

-----  
ABBREVIATION.....q2h  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 2 hours  
HELP\_TEXT.....No Help Text  
ID.....{8EF08D16-5529-5FF0-5B84-36703D82E01C}  
TERM.....Q2H

## SCHEDULE: Q4H

-----  
ABBREVIATION.....q4  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 4 Hours  
HELP\_TEXT.....No Help Text  
ID.....{E5638DC5-2772-FD4A-2D81-04B2DA5C8DDC}  
TERM.....Q4H

## SCHEDULE: Q7D

-----  
ABBREVIATION.....q7d  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Every 7 Days  
HELP\_TEXT.....No Help Text  
ID.....{E3E171BF-17B3-1C59-112B-042380890C62}  
TERM.....Q7D

SCHEDULE: QD

---

ABBREVIATION.....qd  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Everyday  
HELP\_TEXT.....No Help Text  
ID.....{741F0241-5BC5-5AE2-8D8E-543155C46711}  
TERM.....QD

SCHEDULE: RESTRAINT STRAP

---

ABBREVIATION.....RES STRAP  
ACTIVE.....No  
DESCRIPTION.....Restraint Strap  
DISPLAY\_NAME.....Restraint Strap  
HELP\_TEXT.....No Help Text  
ID.....{D9162D47-0F50-49F4-837F-70AD65C169BB}  
TERM.....RESTRAINT STRAP

## TASK: ACTIVITY - ABD PILLOW

-----  
ABBREVIATION.....ACT ABD PI  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - ABD PILLOW  
DISPLAY\_NAME.....ACTIVITY - ABD PILLOW  
HELP\_TEXT.....ACTIVITY - ABD PILLOW  
ID.....{381AA3BB-8858-4B2B-B607-8FC6C6FF707F}  
TERM.....ACTIVITY - ABD PILLOW

## TASK: ACTIVITY - AMBULATE

-----  
ABBREVIATION.....ACT AMBULA  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - AMBULATE  
DISPLAY\_NAME.....ACTIVITY - AMBULATE  
HELP\_TEXT.....ACTIVITY - AMBULATE  
ID.....{E7232201-7FC2-4900-82D0-EF3A10FCB760}  
TERM.....ACTIVITY - AMBULATE

## TASK: ACTIVITY - CONT. PASSIVE MOTION DEV.

-----  
ABBREVIATION.....ACT CPM DE  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - CONTINUOUS PASSIVE MOTION  
DEVICE  
DISPLAY\_NAME.....ACTIVITY - CONT. PASS. MOT. DEV.  
HELP\_TEXT.....ACTIVITY - CONTINUOUS PASSIVE MOTION  
DEVICE  
ID.....{7587CDE1-CD6F-4A9C-8E4E-9919485E321E}  
TERM.....ACTIVITY - CONT. PASSIVE MOTION DEV.

## TASK: ACTIVITY - ELEVATE HEAD OF BED

-----  
ABBREVIATION.....ACT EL HOB  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - ELEVATE HEAD OF BED  
DISPLAY\_NAME.....ACTIVITY - ELEVATE HEAD OF BED  
HELP\_TEXT.....ACTIVITY - ELEVATE HEAD OF BED  
ID.....{66CDCA34-6B02-4D8B-AD39-FD56BD51EC7E}  
TERM.....ACTIVITY - ELEVATE HEAD OF BED

## TASK: ACTIVITY - KNEE IMMOBILIZER

-----  
ABBREVIATION.....ACT KNEE I  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - KNEE IMMOBILIZER  
DISPLAY\_NAME.....ACTIVITY - KNEE IMMOBILIZER  
HELP\_TEXT.....ACTIVITY - KNEE IMMOBILIZER  
ID.....{182692D9-7ECC-45B9-82F6-163DFF937438}  
TERM.....ACTIVITY - KNEE IMMOBILIZER

TASK: ACTIVITY - ORIENT TO WARD

-----  
ABBREVIATION.....ACT ORIENT  
ACTIVE.....Yes  
DESCRIPTION.....Orient patient and family to ward  
                  policies and procedures  
DISPLAY\_NAME.....ACTIVITY - ORIENT TO WARD  
HELP\_TEXT.....ACTIVITY - ORIENT TO WARD  
ID.....{35B092D6-86E0-655B-9B0E-8E819FE6967D}  
TERM.....ACTIVITY - ORIENT TO WARD

TASK: ACTIVITY - RANGE OF MOTION EXERCISES

-----  
ABBREVIATION.....ACT ROM EX  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - RANGE OF MOTION EXERCISES  
DISPLAY\_NAME.....ACTIVITY - RANGE OF MOTION EXERCISES  
HELP\_TEXT.....ACTIVITY - RANGE OF MOTION EXERCISES  
ID.....{D028A8B1-2548-485F-9D87-D9154858E076}  
TERM.....ACTIVITY - RANGE OF MOTION EXERCISES

TASK: ACTIVITY - SIT IN CHAIR

-----  
ABBREVIATION.....ACT SIT CH  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - SIT IN CHAIR  
DISPLAY\_NAME.....ACTIVITY - SIT IN CHAIR  
HELP\_TEXT.....ACTIVITY - SIT IN CHAIR  
ID.....{62765F1D-A170-450C-89C3-5F9EEFAFF71B}  
TERM.....ACTIVITY - SIT IN CHAIR

TASK: ACTIVITY - TURN PATIENT

-----  
ABBREVIATION.....ACT TURN  
ACTIVE.....Yes  
DESCRIPTION.....ACTIVITY - TURN PATIENT  
DISPLAY\_NAME.....ACTIVITY - TURN PATIENT  
HELP\_TEXT.....ACTIVITY - TURN PATIENT  
ID.....{7A545892-7660-4ADE-8017-12DD76762EE8}  
TERM.....ACTIVITY - TURN PATIENT

TASK: ADL - BATH ASSIST

-----  
ABBREVIATION.....ADLBATHASS  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH ASSIST  
DISPLAY\_NAME.....ADL - BATH ASSIST  
HELP\_TEXT.....ADL - BATH ASSIST  
ID.....{0DF710C3-7EB8-44EA-8425-C4F5707D1744}  
TERM.....ADL - BATH ASSIST

TASK: ADL - BATH COMPLETE

---

ABBREVIATION.....ADLBATHCOM  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH COMPLETE  
DISPLAY\_NAME.....ADL - BATH COMPLETE  
HELP\_TEXT.....No Help Text  
ID.....{E48D2F58-C42D-4D61-9E34-19DB98966970}  
TERM.....ADL - BATH COMPLETE

TASK: ADL - BATH PARTIAL

---

ABBREVIATION.....ADLBATHPAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH PARTIAL  
DISPLAY\_NAME.....ADL - BATH PARTIAL  
HELP\_TEXT.....ADL - BATH PARTIAL  
ID.....{6997EBBC-1D7C-46CC-AFC0-0035A777DFBD}  
TERM.....ADL - BATH PARTIAL

TASK: ADL - BATH SELF

---

ABBREVIATION.....ADLBATHSEL  
ACTIVE.....Yes  
DESCRIPTION.....ADL - BATH SELF  
DISPLAY\_NAME.....ADL - BATH SELF  
HELP\_TEXT.....ADL - BATH SELF  
ID.....{F79F34A1-F147-4A68-8039-2F80E3BF7CBE}  
TERM.....ADL - BATH SELF

TASK: ADL - CATHETER CARE

---

ABBREVIATION.....ADLCATHCAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - CATHETER CARE  
DISPLAY\_NAME.....ADL - CATHETER CARE  
HELP\_TEXT.....ADL - CATHETER CARE  
ID.....{8AAD5864-D7A5-4886-AD58-BDDDC00D80DC}  
TERM.....ADL - CATHETER CARE

TASK: ADL - FEED PATIENT

---

ABBREVIATION.....ADL FEED P  
ACTIVE.....Yes  
DESCRIPTION.....ADL - FEED PATIENT  
DISPLAY\_NAME.....ADL - FEED PATIENT  
HELP\_TEXT.....ADL - FEED PATIENT  
ID.....{D525A017-C515-4FBE-9CC2-FDB5FA6CF010}  
TERM.....ADL - FEED PATIENT

TASK: ADL - ORAL HYGIENE

---

ABBREVIATION.....ADLORALHYG  
ACTIVE.....Yes  
DESCRIPTION.....ADL - ORAL HYGIENE  
DISPLAY\_NAME.....ADL - ORAL HYGIENE  
HELP\_TEXT.....ADL - ORAL HYGIENE  
ID.....{27044060-F4C7-4616-9CE4-D2BFE1001EEE}  
TERM.....ADL - ORAL HYGIENE

TASK: ADL - SHAVE

---

ABBREVIATION.....ADLSHAVE  
ACTIVE.....Yes  
DESCRIPTION.....ADL - SHAVE  
DISPLAY\_NAME.....ADL - SHAVE  
HELP\_TEXT.....ADL - SHAVE  
ID.....{B5763C28-DEF7-4A6B-86C2-1C1237B6F568}  
TERM.....ADL - SHAVE

TASK: ADL - SKIN CARE

---

ABBREVIATION.....ADLSKINCAR  
ACTIVE.....Yes  
DESCRIPTION.....ADL - SKIN CARE  
DISPLAY\_NAME.....ADL - SKIN CARE  
HELP\_TEXT.....ADL - SKIN CARE  
ID.....{7B41CD6E-8F0C-44B5-9415-288ABAF8271A}  
TERM.....ADL - SKIN CARE

TASK: ADL - TURN

---

ABBREVIATION.....ADLTURN  
ACTIVE.....Yes  
DESCRIPTION.....ADL - TURN  
DISPLAY\_NAME.....ADL - TURN  
HELP\_TEXT.....ADL - TURN  
ID.....{CCF74486-3ADE-4A67-A6A0-121F195E6FCB}  
TERM.....ADL - TURN

TASK: ASSESSMENT - CO

---

ABBREVIATION.....A CO  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - CO  
DISPLAY\_NAME.....ASSESSMENT - CO  
HELP\_TEXT.....ASSESSMENT - CO  
ID.....{D94C0EFD-CFB8-4249-89D0-1A4BF6C777FC}  
TERM.....ASSESSMENT - CO

TASK: ASSESSMENT - COLLECT VITALS

-----  
ABBREVIATION.....A CO VITAL  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - COLLECT VITALS  
DISPLAY\_NAME.....ASSESSMENT - COLLECT VITALS  
HELP\_TEXT.....ASSESSMENT - COLLECT VITALS  
ID.....{9A21F145-1DBA-0BA5-4C9D-E9E31B3F3E45}  
TERM.....ASSESSMENT - COLLECT VITALS

TASK: ASSESSMENT - DOPPLERS

-----  
ABBREVIATION.....A DOPPLERS  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - DOPPLERS  
DISPLAY\_NAME.....ASSESSMENT - DOPPLERS  
HELP\_TEXT.....ASSESSMENT - DOPPLERS  
ID.....{8B1F6E7E-95D5-47A0-A23D-2A8A088930B8}  
TERM.....ASSESSMENT - DOPPLERS

TASK: ASSESSMENT - FINGERSTICK BLOOD SUGAR

-----  
ABBREVIATION.....A BLD SUGR  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - FINGERSTICK BLOOD SUGAR  
DISPLAY\_NAME.....ASSESSMENT - FINGERSTICK BLOOD SUGAR  
HELP\_TEXT.....ASSESSMENT - FINGERSTICK BLOOD SUGAR  
(FSBS)  
ID.....{50A07B57-D9E6-4F67-B6BC-E21D4A60A56C}  
TERM.....ASSESSMENT - FINGERSTICK BLOOD SUGAR

TASK: ASSESSMENT - HEMODYNAMIC READINGS

-----  
ABBREVIATION.....A HEMO REA  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - HEMODYNAMIC READINGS  
DISPLAY\_NAME.....ASSESSMENT - HEMODYNAMIC READINGS  
HELP\_TEXT.....ASSESSMENT - HEMODYNAMIC READINGS  
ID.....{98328403-2F7B-7404-34EA-5411633EA55C}  
TERM.....ASSESSMENT - HEMODYNAMIC READINGS

TASK: ASSESSMENT - I&O

-----  
ABBREVIATION.....A I&O  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - I&O  
DISPLAY\_NAME.....ASSESSMENT - I&O  
HELP\_TEXT.....ASSESSMENT - I&O  
ID.....{53CA663E-40AC-4089-A250-10635CC64F06}  
TERM.....ASSESSMENT - I&O

TASK: ASSESSMENT - NEURO CHECKS

---

ABBREVIATION.....A NRO CHKS  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - NEURO CHECKS  
DISPLAY\_NAME.....ASSESSMENT - NEURO CHECKS  
HELP\_TEXT.....ASSESSMENT - NEURO CHECKS  
ID.....{8E1E8DE5-EFE6-41B9-86CD-484BC9EF4F66}  
TERM.....ASSESSMENT - NEURO CHECKS

TASK: ASSESSMENT - NEUROVASCULAR CHECKS

---

ABBREVIATION.....A NROVASCU  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - NEUROVASCULAR CHECKS  
DISPLAY\_NAME.....ASSESSMENT - NEUROVASCULAR CHECKS  
HELP\_TEXT.....ASSESSMENT - NEUROVASCULAR CHECKS  
ID.....{4C7FBC3F-F88B-426B-9DCB-74EE2FBC40EA}  
TERM.....ASSESSMENT - NEUROVASCULAR CHECKS

TASK: ASSESSMENT - PCA

---

ABBREVIATION.....A PCA  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - PCA  
DISPLAY\_NAME.....ASSESSMENT - PCA  
HELP\_TEXT.....ASSESSMENT - PCA  
ID.....{88464AA6-3DCF-4388-B0EC-6B3D6B098FEC}  
TERM.....ASSESSMENT - PCA

TASK: ASSESSMENT - PULSE OX

---

ABBREVIATION.....A PULSE OX  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - PULSE OX  
DISPLAY\_NAME.....ASSESSMENT - PULSE OX  
HELP\_TEXT.....ASSESSMENT - PULSE OX  
ID.....{FC2A17F3-DC69-427D-946B-C3403B92528B}  
TERM.....ASSESSMENT - PULSE OX

TASK: ASSESSMENT - RESTRAINTS

---

ABBREVIATION.....A RESTRAIN  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - RESTRAINTS  
DISPLAY\_NAME.....ASSESSMENT - RESTRAINTS  
HELP\_TEXT.....ASSESSMENT - RESTRAINTS  
ID.....{3D02BA0C-BFDD-4D82-8B44-40C861E7FD24}  
TERM.....ASSESSMENT - RESTRAINTS

TASK: ASSESSMENT - TELEMETRY

---

ABBREVIATION.....A TELEMETR  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - TELEMETRY  
DISPLAY\_NAME.....ASSESSMENT - TELEMETRY  
HELP\_TEXT.....ASSESSMENT - TELEMETRY  
ID.....{48C7FB6E-74C2-4EA4-984F-19C11C9072D7}  
TERM.....ASSESSMENT - TELEMETRY

TASK: ASSESSMENT - WEIGHT

---

ABBREVIATION.....A WEIGHT  
ACTIVE.....Yes  
DESCRIPTION.....ASSESSMENT - GET PATIENTS WEIGHT  
DISPLAY\_NAME.....ASSESSMENT - WEIGHT  
HELP\_TEXT.....ASSESSMENT - GET PATIENTS WEIGHT  
ID.....{CCB2F8DF-9319-4767-AE7D-90A7705C03FD}  
TERM.....ASSESSMENT - WEIGHT

TASK: CALL HOUSE OFFICER - BP DIASTOLIC

---

ABBREVIATION.....CHO DBP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - BP DIASTOLIC  
DISPLAY\_NAME.....CALL HOUSE OFFICER - BP DIASTOLIC  
HELP\_TEXT.....CALL HOUSE OFFICER - BP DIASTOLIC  
ID.....{19A8A7AD-6BAC-4326-806C-BC80E5636FFC}  
TERM.....CALL HOUSE OFFICER - BP DIASTOLIC

TASK: CALL HOUSE OFFICER - BP SYSTOLIC

---

ABBREVIATION.....CHO SBP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - BP SYSTOLIC  
DISPLAY\_NAME.....CALL HOUSE OFFICER - BP SYSTOLIC  
HELP\_TEXT.....CALL HOUSE OFFICER - BP SYSTOLIC  
ID.....{971F71F9-AAD6-46BF-A729-45F0B98FD6D3}  
TERM.....CALL HOUSE OFFICER - BP SYSTOLIC

TASK: CALL HOUSE OFFICER - PULSE

---

ABBREVIATION.....CHO PULSE  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - PULSE  
DISPLAY\_NAME.....CALL HOUSE OFFICER - PULSE  
HELP\_TEXT.....CALL HOUSE OFFICER - PULSE  
ID.....{81EED77A-5116-4B2D-B52B-42BAFACC69C9}  
TERM.....CALL HOUSE OFFICER - PULSE

TASK: CALL HOUSE OFFICER - RESPIRATORY RATE

---

ABBREVIATION.....CHO RR  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - RESPIRATORY RATE  
DISPLAY\_NAME.....CALL HOUSE OFFICER - RESPIRATORY RATE  
HELP\_TEXT.....CALL HOUSE OFFICER - RESPIRATORY RATE  
ID.....{D2DFE1EC-017F-49B8-B59C-C724F71F2E63}  
TERM.....CALL HOUSE OFFICER - RESPIRATORY RATE

TASK: CALL HOUSE OFFICER - TEMP

---

ABBREVIATION.....CHO TEMP  
ACTIVE.....Yes  
DESCRIPTION.....CALL HOUSE OFFICER - TEMP  
DISPLAY\_NAME.....CALL HOUSE OFFICER - TEMP  
HELP\_TEXT.....CALL HOUSE OFFICER - TEMP  
ID.....{E59A3DC0-73CB-4B0F-B031-E3CFF280EA5F}  
TERM.....CALL HOUSE OFFICER - TEMP

TASK: HYDRATION - DIET

---

ABBREVIATION.....HY DIET  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - DIET  
DISPLAY\_NAME.....HYDRATION - DIET  
HELP\_TEXT.....HYDRATION - DIET  
ID.....{C0F14019-FF1A-4D42-A857-4B1E86E793FA}  
TERM.....HYDRATION - DIET

TASK: HYDRATION - HEPARIN DRIP

---

ABBREVIATION.....HY HEPARIN  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - HEPARIN DRIP  
DISPLAY\_NAME.....HYDRATION - HEPARIN DRIP  
HELP\_TEXT.....HYDRATION - HEPARIN DRIP  
ID.....{EC49EE9D-C2EB-4F7D-A9D4-9746DDEF84A6}  
TERM.....HYDRATION - HEPARIN DRIP

TASK: HYDRATION - HYPERAL

---

ABBREVIATION.....HY HYPERAL  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - HYPERAL  
DISPLAY\_NAME.....HYDRATION - HYPERAL  
HELP\_TEXT.....HYDRATION - HYPERAL  
ID.....{5F91CA9E-82F1-4490-8648-896864F1F68C}  
TERM.....HYDRATION - HYPERAL

TASK: HYDRATION - IV FLUIDS

---

ABBREVIATION.....HY IV FLU  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - IV FLUIDS  
DISPLAY\_NAME.....HYDRATION - IV FLUIDS  
HELP\_TEXT.....HYDRATION - IV FLUIDS  
ID.....{75D6B913-147F-4318-B6A5-985438E8CF66}  
TERM.....HYDRATION - IV FLUIDS

TASK: HYDRATION - NPO

---

ABBREVIATION.....HY NPO  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - NPO  
DISPLAY\_NAME.....HYDRATION - NPO  
HELP\_TEXT.....HYDRATION - NPO  
ID.....{44028E10-FB0D-4AFD-9B8D-90F157D6329D}  
TERM.....HYDRATION - NPO

TASK: HYDRATION - PERIPHERAL IV

---

ABBREVIATION.....HY PIV  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - PERIPHERAL IV  
DISPLAY\_NAME.....HYDRATION - PERIPHERAL IV  
HELP\_TEXT.....HYDRATION - PERIPHERAL IV  
ID.....{1ACA57CF-4226-4EF1-AABD-142EE1DE369F}  
TERM.....HYDRATION - PERIPHERAL IV

TASK: HYDRATION - PICC/CENTRAL LINE

---

ABBREVIATION.....HY PICC  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - PICC/CENTRAL LINE  
DISPLAY\_NAME.....HYDRATION - PICC/CENTRAL LINE  
HELP\_TEXT.....HYDRATION - PICC/CENTRAL LINE  
ID.....{E1D6E811-CE80-4F8A-AB00-570D1C8079CA}  
TERM.....HYDRATION - PICC/CENTRAL LINE

TASK: HYDRATION - SUPPLEMENT SNACK

---

ABBREVIATION.....HY SNACK S  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - SUPPLEMENT SNACK  
DISPLAY\_NAME.....HYDRATION - SUPPLEMENT SNACK  
HELP\_TEXT.....HYDRATION - SUPPLEMENT SNACK  
ID.....{0916F365-7FBC-4FD3-A55B-CAD4E41A00B1}  
TERM.....HYDRATION - SUPPLEMENT SNACK

TASK: HYDRATION - TUBE FEEDING

---

ABBREVIATION.....HY TU FEED  
ACTIVE.....Yes  
DESCRIPTION.....HYDRATION - TUBE FEEDING  
DISPLAY\_NAME.....HYDRATION - TUBE FEEDING  
HELP\_TEXT.....HYDRATION - TUBE FEEDING  
ID.....{6EDD774C-DD5A-4BF6-B06D-725FD7A0B26C}  
TERM.....HYDRATION - TUBE FEEDING

TASK: NURSING INTERVENTIONS - STRAIGHT CATH

---

ABBREVIATION.....NI ST CATH  
ACTIVE.....Yes  
DESCRIPTION.....NURSING INTERVENTIONS - STRAIGHT CATH  
DISPLAY\_NAME.....NURSING INTERVENTIONS - STRAIGHT CATH  
HELP\_TEXT.....NURSING INTERVENTIONS - STRAIGHT CATH  
ID.....{A1F54C3F-CFD1-4767-BED8-55BF2BE872DD}  
TERM.....NURSING INTERVENTIONS - STRAIGHT CATH

TASK: NURSING INTERVENTIONS - WOUND CARE

---

ABBREVIATION.....NI WOU CAR  
ACTIVE.....Yes  
DESCRIPTION.....NURSING INTERVENTIONS - WOUND CARE  
DISPLAY\_NAME.....NURSING INTERVENTIONS - WOUND CARE  
HELP\_TEXT.....NURSING INTERVENTIONS - WOUND CARE  
ID.....{BFBE2EFF-3644-439F-951C-804B43BFFF30}  
TERM.....NURSING INTERVENTIONS - WOUND CARE

TASK: PRECAUTIONS - 24 HOUR CHART CHECK

---

ABBREVIATION.....PREC 24 CH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - 24 HOUR CHART CHECK  
DISPLAY\_NAME.....PRECAUTIONS - 24 HOUR CHART CHECK  
HELP\_TEXT.....PRECAUTIONS - 24 HOUR CHART CHECK  
ID.....{96C39F92-CE4C-4D6B-9837-9C9FECDEC199}  
TERM.....PRECAUTIONS - 24 HOUR CHART CHECK

TASK: PRECAUTIONS - ASPIRATION

---

ABBREVIATION.....PREC ASPIR  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - ASPIRATION  
DISPLAY\_NAME.....PRECAUTIONS - ASPIRATION  
HELP\_TEXT.....PRECAUTIONS - ASPIRATION  
ID.....{D8D28810-655E-4707-BF6D-B853F18A1E08}  
TERM.....PRECAUTIONS - ASPIRATION

TASK: PRECAUTIONS - ETOH W/D

-----  
ABBREVIATION.....PREC ETOH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - ETOH W/D  
DISPLAY\_NAME.....PRECAUTIONS - ETOH W/D  
HELP\_TEXT.....PRECAUTIONS - ETOH W/D  
ID.....{7800B16E-ECCD-4086-985C-0D12D4671123}  
TERM.....PRECAUTIONS - ETOH W/D

TASK: PRECAUTIONS - FALL

-----  
ABBREVIATION.....PREC FALL  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - FALL  
DISPLAY\_NAME.....PRECAUTIONS - FALL  
HELP\_TEXT.....PRECAUTIONS - FALL  
ID.....{CAB2E3CC-18AD-40AB-946B-DB0292E7FA09}  
TERM.....PRECAUTIONS - FALL

TASK: PRECAUTIONS - PATIENT TEACHING

-----  
ABBREVIATION.....PREC TEACH  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - PATIENT TEACHING  
DISPLAY\_NAME.....PRECAUTIONS - PATIENT TEACHING  
HELP\_TEXT.....PRECAUTIONS - PATIENT TEACHING  
ID.....{C58B33AB-6442-46A5-B24A-E2B856C72B98}  
TERM.....PRECAUTIONS - PATIENT TEACHING

TASK: PRECAUTIONS - VALIDATE ALARMS

-----  
ABBREVIATION.....PREC ALARM  
ACTIVE.....Yes  
DESCRIPTION.....PRECAUTIONS - VALIDATE ALARMS  
DISPLAY\_NAME.....PRECAUTIONS - VALIDATE ALARMS  
HELP\_TEXT.....PRECAUTIONS - VALIDATE ALARMS  
ID.....{CF386EC1-F5B6-4D15-8E48-8453FE6FC1CC}  
TERM.....PRECAUTIONS - VALIDATE ALARMS

TASK: PULMONARY - CHEST PHYSIO-THERAPY

-----  
ABBREVIATION.....PULMCHPTH  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - CHEST PHYSIO-THERAPY  
DISPLAY\_NAME.....PULMONARY - CHEST PHYSIO-THERAPY  
HELP\_TEXT.....PULMONARY - CHEST PHYSIO-THERAPY  
ID.....{F028FA64-3957-4A15-B30A-277AF594A69D}  
TERM.....PULMONARY - CHEST PHYSIO-THERAPY

TASK: PULMONARY - COUGH AND DEEP BREATH

-----  
ABBREVIATION.....PULMCOUGH  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - COUGH AND DEEP BREATH  
DISPLAY\_NAME.....PULMONARY - COUGH AND DEEP BREATH  
HELP\_TEXT.....PULMONARY - COUGH AND DEEP BREATH  
ID.....{17A5D60E-ED50-4FBA-879D-4618563D2B98}  
TERM.....PULMONARY - COUGH AND DEEP BREATH

TASK: PULMONARY - ET TUBE CARE

-----  
ABBREVIATION.....PULM ET TU  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - ET TUBE CARE  
DISPLAY\_NAME.....PULMONARY - ET TUBE CARE  
HELP\_TEXT.....PULMONARY - ET TUBE CARE  
ID.....{B2F57E59-33C5-49FB-BEE9-176647329910}  
TERM.....PULMONARY - ET TUBE CARE

TASK: PULMONARY - INCENTIVE SPIROMETER

-----  
ABBREVIATION.....PULMINCSPI  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - INCENTIVE SPIROMETER  
DISPLAY\_NAME.....PULMONARY - INCENTIVE SPIROMETER  
HELP\_TEXT.....PULMONARY - INCENTIVE SPIROMETER  
ID.....{F856E287-BAAC-4D8C-AFAD-34912621F3B4}  
TERM.....PULMONARY - INCENTIVE SPIROMETER

TASK: PULMONARY - OXYGEN

-----  
ABBREVIATION.....PULM OXYGE  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - OXYGEN  
DISPLAY\_NAME.....PULMONARY - OXYGEN  
HELP\_TEXT.....PULMONARY - OXYGEN  
ID.....{14A986A8-54F1-4D9A-A2EB-43F306704C42}  
TERM.....PULMONARY - OXYGEN

TASK: PULMONARY - SUCTION PATIENT

-----  
ABBREVIATION.....PULM-SUCTI  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - SUCTION PATIENT  
DISPLAY\_NAME.....PULMONARY - SUCTION PATIENT  
HELP\_TEXT.....PULMONARY - SUCTION PATIENT  
ID.....{8B74C2F6-8CFB-4A60-9158-5333B980D047}  
TERM.....PULMONARY - SUCTION PATIENT

TASK: PULMONARY - TRACH CARE

---

ABBREVIATION.....PULMTRACHC  
ACTIVE.....Yes  
DESCRIPTION.....PULMONARY - TRACH CARE  
DISPLAY\_NAME.....PULMONARY - TRACH CARE  
HELP\_TEXT.....PULMONARY - TRACH CARE  
ID.....{EAAFB44D-359B-4FB0-9683-BC44F7D59C23}  
TERM.....PULMONARY - TRACH CARE

TASK: RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET

---

ABBREVIATION.....RES TOILET  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Assess Need for  
Fluids/Toileting  
DISPLAY\_NAME.....Restraint - Assess Need for  
Fluids/Toileting  
HELP\_TEXT.....Restraint - Assess Need for  
Fluids/Toileting  
ID.....{58A09EA6-3336-4985-83A9-B765E3CB9C9E}  
TERM.....RESTRAINT - ASSESS NEED FOR  
FLUIDS/TOILET

TASK: RESTRAINT - CIRCULATION CHECK

---

ABBREVIATION.....RES CIR CH  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Circulation Check  
DISPLAY\_NAME.....Restraint - Circulation Check  
HELP\_TEXT.....Restraint - Circulation Check  
ID.....{0A1DA91C-BC0E-4B07-967D-2BAB7E64B028}  
TERM.....RESTRAINT - CIRCULATION CHECK

TASK: RESTRAINT - DEVICE RELEASE

---

ABBREVIATION.....RES DEV RE  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Device Release  
DISPLAY\_NAME.....Restraint - Device Release  
HELP\_TEXT.....Restraint - Device Release  
ID.....{7B0C29DA-6593-472C-9716-24F7E2B7ABD7}  
TERM.....RESTRAINT - DEVICE RELEASE

TASK: RESTRAINT - FALL PRECAUTIONS

---

ABBREVIATION.....RES FALL P  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Fall Precautions  
DISPLAY\_NAME.....Restraint - Fall Precautions  
HELP\_TEXT.....Restraint - Fall Precautions  
ID.....{D812036A-7B6B-4C9C-9EE2-616C5EFC4789}  
TERM.....RESTRAINT - FALL PRECAUTIONS

TASK: RESTRAINT - SEIZURE PRECAUTIONS

---

ABBREVIATION.....RES SEI PR  
ACTIVE.....Yes  
DESCRIPTION.....Restraint - Seizure Precautions  
DISPLAY\_NAME.....Restraint - Seizure Precautions  
HELP\_TEXT.....Restraint - Seizure Precautions  
ID.....{71606A0A-05E6-4DFD-9E00-677A07167199}  
TERM.....RESTRAINT - SEIZURE PRECAUTIONS

TASK: TESTS/PROC. - ACCUCHEKS

---

ABBREVIATION.....TP ACCUCHE  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - ACCUCHEKS  
DISPLAY\_NAME.....TESTS/PROC. - ACCUCHEKS  
HELP\_TEXT.....TESTS/PROC. - ACCUCHEKS  
ID.....{0A5E0495-B990-449B-B5F6-10497842534E}  
TERM.....TESTS/PROC. - ACCUCHEKS

TASK: TESTS/PROC. - BLOOD CULTURES

---

ABBREVIATION.....T/P BLOOD  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - BLOOD CULTURES  
DISPLAY\_NAME.....TESTS/PROC. - BLOOD CULTURES  
HELP\_TEXT.....TESTS/PROC. - BLOOD CULTURES  
ID.....{BC2F7EFE-3990-47D2-863A-6FB2227746F3}  
TERM.....TESTS/PROC. - BLOOD CULTURES

TASK: TESTS/PROC. - DAILY LABS

---

ABBREVIATION.....T/P D LABS  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - DAILY LABS  
DISPLAY\_NAME.....TESTS/PROC. - DAILY LABS  
HELP\_TEXT.....TESTS/PROC. - DAILY LABS  
ID.....{03B3A828-D4B0-40CF-B12C-1DD936DE98AC}  
TERM.....TESTS/PROC. - DAILY LABS

TASK: TESTS/PROC. - MORNING LABS

---

ABBREVIATION.....T/P M LABS  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - MORNING LABS  
DISPLAY\_NAME.....TESTS/PROC. - MORNING LABS  
HELP\_TEXT.....TESTS/PROC. - MORNING LABS  
ID.....{6F81B3D1-CCBC-4BC9-AFF0-64000DF212EB}  
TERM.....TESTS/PROC. - MORNING LABS

TASK: TESTS/PROC. - ZERO BALANCE HEMO. LINES

-----  
ABBREVIATION.....T/P 0 HEMO  
ACTIVE.....Yes  
DESCRIPTION.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
DISPLAY\_NAME.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
HELP\_TEXT.....TESTS/PROC. - ZERO BALANCE HEMO. LINES  
ID.....{9CEDB731-A785-48B7-AC92-84B10FCCCE86}  
TERM.....TESTS/PROC. - ZERO BALANCE HEMO. LINES

TASK: TUBES & DRAINS - CONDOM CATH

-----  
ABBREVIATION.....T&D C CATH  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - CONDOM CATH  
DISPLAY\_NAME.....TUBES & DRAINS - CONDOM CATH  
HELP\_TEXT.....TUBES & DRAINS - CONDOM CATH  
ID.....{385EFB2B-55BB-486E-B168-D1FFF71E086C}  
TERM.....TUBES & DRAINS - CONDOM CATH

TASK: TUBES & DRAINS - FOLEY

-----  
ABBREVIATION.....T&D FOLEY  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - FOLEY  
DISPLAY\_NAME.....TUBES & DRAINS - FOLEY  
HELP\_TEXT.....TUBES & DRAINS - FOLEY  
ID.....{14CECC17-A780-41DD-98A4-6E226630BC65}  
TERM.....TUBES & DRAINS - FOLEY

TASK: TUBES & DRAINS - I/O CATH

-----  
ABBREVIATION.....T&D I/O CA  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - I/O CATH  
DISPLAY\_NAME.....TUBES & DRAINS - I/O CATH  
HELP\_TEXT.....TUBES & DRAINS - I/O CATH  
ID.....{5BA34E92-5248-4954-A677-443C4B2183E8}  
TERM.....TUBES & DRAINS - I/O CATH

TASK: TUBES & DRAINS - NG TUBE

-----  
ABBREVIATION.....T&D NG TU  
ACTIVE.....Yes  
DESCRIPTION.....TUBES & DRAINS - NG TUBE  
DISPLAY\_NAME.....TUBES & DRAINS - NG TUBE  
HELP\_TEXT.....TUBES & DRAINS - NG TUBE  
ID.....{BBFCE51A-9CCF-44AC-8C37-4A779232A4B7}  
TERM.....TUBES & DRAINS - NG TUBE

TASK: TUBES & DRAINS - SUPRAPUBLIC DRAIN

---

ABBREVIATION.....T&D SUP DR

ACTIVE.....Yes

DESCRIPTION.....TUBES & DRAINS - SUPRAPUBLIC DRAIN

DISPLAY\_NAME.....TUBES & DRAINS - SUPRAPUBLIC DRAIN

HELP\_TEXT.....TUBES & DRAINS - SUPRAPUBLIC DRAIN

ID.....{6A4A5F28-35D3-494E-BA97-2E0DE4A7B8CC}

TERM.....TUBES & DRAINS - SUPRAPUBLIC DRAIN

**UNIT: BEATS PER MINUTE**

-----  
ABBREVIATION.....bpm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Beats Per Minute  
HELP\_TEXT.....No Help Text  
ID.....{8319B3B0-0F31-1393-154D-59A86692D637}  
TERM.....BEATS PER MINUTE

**UNIT: BRADEN SCALE**

-----  
ABBREVIATION.....BRADEN SCA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Braden Scale  
HELP\_TEXT.....No Help Text  
ID.....{B5EE25BB-DA66-4AC9-9A3B-C05497B2647C}  
TERM.....BRADEN SCALE

**UNIT: BREATHS PER MINUTE**

-----  
ABBREVIATION.....rpm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Resp/Min  
HELP\_TEXT.....No Help Text  
ID.....{DCF89527-FFAE-F68E-0871-602F3C32DDB1}  
TERM.....BREATHS PER MINUTE

**UNIT: CALORIE**

-----  
ABBREVIATION.....CALORIE  
ACTIVE.....Yes  
DESCRIPTION.....A unit of food energy  
DISPLAY\_NAME.....Calorie  
HELP\_TEXT.....The amount of energy required to  
raise the temperature of a liter of  
water one degree centigrade at sea  
level  
ID.....{9F7DE371-AB4B-45EE-A8E3-825822419CCA}  
TERM.....CALORIE

**UNIT: CENTIMETER**

-----  
ABBREVIATION.....cm  
ACTIVE.....Yes  
DESCRIPTION.....Measurment of length  
DISPLAY\_NAME.....Centimeter  
HELP\_TEXT.....Metric  
ID.....{EF700458-8C2D-16E8-02DC-9E1711584C53}  
TERM.....CENTIMETER

UNIT: CENTIMETERS H2O

-----  
ABBREVIATION.....CM H2O  
ACTIVE.....Yes  
DESCRIPTION.....CENTIMETERS OF WATER  
DISPLAY\_NAME.....CM H2O  
HELP\_TEXT.....No Help Text  
ID.....{F7030BB1-AD2C-15F6-FF41-6DA893C851C1}  
TERM.....CENTIMETERS H2O

UNIT: CIWA SCALE

-----  
ABBREVIATION.....CIWA SCALE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....CIWA SCALE  
HELP\_TEXT.....Scale For Addition Of All CIWA Scores  
ID.....{0ED378B9-C1A4-4ABA-82B7-F62BC0D62886}  
TERM.....CIWA SCALE

UNIT: CUBIC CENTIMETER

-----  
ABBREVIATION.....Cubic Cent  
ACTIVE.....Yes  
DESCRIPTION.....Cubic Centimeter  
DISPLAY\_NAME.....Cubic Centimeter  
HELP\_TEXT.....No Help Text  
ID.....{(4698E6A0-DA6C-4A0A-800A-395BBCD2871E}  
TERM.....CUBIC CENTIMETER

UNIT: DAY

-----  
ABBREVIATION.....Day  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of passage of time (24  
hours)  
DISPLAY\_NAME.....Day  
HELP\_TEXT.....No Help Text  
ID.....{742619B2-A8C7-1A53-45CD-C3E25A05D58C}  
TERM.....DAY

UNIT: DEGREES (ANGLE)

-----  
ABBREVIATION.....DEG  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Degrees (Angle)  
HELP\_TEXT.....No Help Text  
ID.....{5F407D72-3009-2553-7DDC-82BAF2043FCA}  
TERM.....DEGREES (ANGLE)

UNIT: DEGREES C

---

ABBREVIATION.....C  
ACTIVE.....Yes  
DESCRIPTION.....Metric Temperature  
DISPLAY\_NAME.....Celsius  
HELP\_TEXT.....No Help Text  
ID.....{1964CB4C-0584-DA80-C7A9-E7400DCD817D}  
TERM.....DEGREES C

UNIT: DEGREES F

---

ABBREVIATION.....F  
ACTIVE.....Yes  
DESCRIPTION.....US measurement of temperature  
DISPLAY\_NAME.....Fahrenheit  
HELP\_TEXT.....No Help Text  
ID.....{59FC6CA4-9389-B770-5A9C-8C5A38C572D8}  
TERM.....DEGREES F

UNIT: DYNE \* SECONDS / CM(-5) \* M2

---

ABBREVIATION.....D\*S/CM\*M2  
ACTIVE.....Yes  
DESCRIPTION.....dyne \* seconds / cm(-5) \* m2  
DISPLAY\_NAME.....dyne \* seconds / cm(-5) \* m2  
HELP\_TEXT.....dyne \* seconds / cm(-5) \* m2  
ID.....{1241878F-AECA-B1A8-BF12-D5FA583FC1B2}  
TERM.....DYNE \* SECONDS / CM(-5) \* M2

UNIT: DYNE \* SECONDS / CM(-5) / M2

---

ABBREVIATION.....D\*S/CM/M2  
ACTIVE.....Yes  
DESCRIPTION.....dyne \* seconds/cm(-5) / m2  
DISPLAY\_NAME.....dyne \* seconds/cm(-5) / m2  
HELP\_TEXT.....dyne \* seconds/cm(-5) / m2  
ID.....{A642531F-A72E-CF60-D31A-F38AD12A8B30}  
TERM.....DYNE \* SECONDS / CM(-5) / M2

UNIT: DYNE-SEC/CM5

---

ABBREVIATION.....dyne-sec/c  
ACTIVE.....Yes  
DESCRIPTION.....dyne-sec/cm5  
DISPLAY\_NAME.....dyne-sec/cm5  
HELP\_TEXT.....dyne-sec/cm5  
ID.....{01A538D8-41AF-4D0B-B827-D557060A618A}  
TERM.....DYNE-SEC/CM5

UNIT: EVENT(S)

---

ABBREVIATION.....EVENT(S)  
ACTIVE.....Yes  
DESCRIPTION.....Event(s)  
DISPLAY\_NAME.....Event(s)  
HELP\_TEXT.....No Help Text  
ID.....{723F907D-8B71-4183-AE54-66D0C3C72DCA}  
TERM.....EVENT(S)

UNIT: EVENTS PER HOUR

---

ABBREVIATION.....EVENT/H  
ACTIVE.....Yes  
DESCRIPTION.....NUMBER OF TIMES PER HOUR THAT AN  
                  OBSERVABLE EVENT OCCURS  
DISPLAY\_NAME.....Events Per Hour  
HELP\_TEXT.....No Help Text  
ID.....{3D648D4F-02A9-474A-65BF-70608E75BC29}  
TERM.....EVENTS PER HOUR

UNIT: EVENTS/2 HOURS

---

ABBREVIATION.....Events/2Hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Events/2 Hours  
HELP\_TEXT.....  
ID.....{975A8B7B-A40D-49A9-9BF7-015A70238E9A}  
TERM.....EVENTS/2 HOURS

UNIT: EVENTS/4 HOURS

---

ABBREVIATION.....Events/4Hr  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Events/4 Hours  
HELP\_TEXT.....  
ID.....{364272CB-A3C0-42EB-8718-9DD16DD93118}  
TERM.....EVENTS/4 HOURS

UNIT: FEET

---

ABBREVIATION.....Feet  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Feet  
HELP\_TEXT.....  
ID.....{98B70109-C498-4A6E-A662-184EC1AAF993}  
TERM.....FEET

UNIT: FOOT

---

ABBREVIATION.....FT  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Foot/Feet  
HELP\_TEXT.....No Help Text  
ID.....{66D6F7EC-3884-4790-AC35-10B2AE84257F}  
TERM.....FOOT

UNIT: FRENCH

---

ABBREVIATION.....FRENCH  
ACTIVE.....Yes  
DESCRIPTION.....UNIT OF MEASURE FOR ARTIFICIAL AIRWAYS  
DISPLAY\_NAME.....French  
HELP\_TEXT.....No Help Text  
ID.....{3734E0E0-087B-098A-984A-E42264CF6567}  
TERM.....FRENCH

UNIT: GAUGE

---

ABBREVIATION.....GAUGE  
ACTIVE.....Yes  
DESCRIPTION.....Gauge For Needles  
DISPLAY\_NAME.....Gauge  
HELP\_TEXT.....No Help Text  
ID.....{5670BBC1-4962-4FA1-A4D0-1E399F2D06B1}  
TERM.....GAUGE

UNIT: GLASGOW COMA SCALE

---

ABBREVIATION.....GCS  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Glasgow Coma Scale  
HELP\_TEXT.....No Help Text  
ID.....{CA674718-C98D-669F-8954-F9EC91C2F6F3}  
TERM.....GLASGOW COMA SCALE

UNIT: GM-M/M2/BEAT

---

ABBREVIATION.....gm-m/m2/be  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....gm-m/m2/beat  
HELP\_TEXT.....No Help Text  
ID.....{DB5404C8-1880-4B54-B053-DF0875E72C3B}  
TERM.....GM-M/M2/BEAT

UNIT: GRAMS PER HOUR

---

ABBREVIATION.....gm/hr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....gm/hr  
HELP\_TEXT.....No Help Text  
ID.....{A50449B1-DF42-4D18-8F02-59937EA6CDE4}  
TERM.....GRAMS PER HOUR

UNIT: GRAMS PER MINUTE

---

ABBREVIATION.....gm/min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Grams Per Minute  
HELP\_TEXT.....No Help Text  
ID.....{07D005E8-B078-A48F-96B5-8CCAA92EC97F}  
TERM.....GRAMS PER MINUTE

UNIT: HOUR

---

ABBREVIATION.....hr  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of time  
DISPLAY\_NAME.....Hour  
HELP\_TEXT.....No Help Text  
ID.....{60034E2A-D088-E9B6-9B98-D0F4357A059F}  
TERM.....HOUR

UNIT: INCH

---

ABBREVIATION.....in  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Inch  
HELP\_TEXT.....No Help Text  
ID.....{9CB32FC9-4130-11F8-E750-AF1415556705}  
TERM.....INCH

UNIT: KG/M2

---

ABBREVIATION.....KG/M2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....KG/M2  
HELP\_TEXT.....No Help Text  
ID.....{E3204003-83B3-4D12-872D-C32A50F177D0}  
TERM.....KG/M2

UNIT: KGS/HOUR

-----  
ABBREVIATION.....KGS/HOUR  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....kgs/hour  
HELP\_TEXT.....  
ID.....{704F239F-CAAF-4F32-B705-62906403B874}  
TERM.....KGS/HOUR

UNIT: KILOGRAM

-----  
ABBREVIATION.....kg  
ACTIVE.....Yes  
DESCRIPTION.....Metric measurement of weight  
DISPLAY\_NAME.....Kilogram  
HELP\_TEXT.....No Help Text  
ID.....{0AC4E9AC-41CB-32EA-9674-74FDFAA6B4F4}  
TERM.....KILOGRAM

UNIT: LITER

-----  
ABBREVIATION.....L  
ACTIVE.....Yes  
DESCRIPTION.....Volume, 1000 ml  
DISPLAY\_NAME.....Liter  
HELP\_TEXT.....No Help Text  
ID.....{AFADB383-5867-4D7C-8ADB-E76782E5943D}  
TERM.....LITER

UNIT: LITERS PER MINUTE

-----  
ABBREVIATION.....L/min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L/min  
HELP\_TEXT.....No Help Text  
ID.....{CFCD64D2-8555-8513-5DB0-F0522C19DCCF}  
TERM.....LITERS PER MINUTE

UNIT: LITERS PER MINUTE PER METER2 (BSA)

-----  
ABBREVIATION.....L/min/m2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....L/min/m2 (BSA)  
HELP\_TEXT.....No Help Text  
ID.....{F033FDA0-C6D6-0D93-F836-C4A42708FDF2}  
TERM.....LITERS PER MINUTE PER METER2 (BSA)

UNIT: MEWS: SCORE UNIT

---

ABBREVIATION.....MEWS-Score  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....MEWS: Score Unit  
HELP\_TEXT.....  
ID.....{C640633E-785A-4ED3-8CD0-356A139ACF36}  
TERM.....MEWS: SCORE UNIT

UNIT: MICROGRAMS

---

ABBREVIATION.....mcg  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms  
DISPLAY\_NAME.....mcg  
HELP\_TEXT.....Micrograms  
ID.....{5D2A9B6F-4DD1-48C6-B223-09CAF66A5A50}  
TERM.....MICROGRAMS

UNIT: MICROGRAMS PER HOUR

---

ABBREVIATION.....mcg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Hour  
DISPLAY\_NAME.....mcg/hr  
HELP\_TEXT.....Micrograms per Hour  
ID.....{971A5FA5-2FD7-4ABD-9035-229B00DC484E}  
TERM.....MICROGRAMS PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER HOUR

---

ABBREVIATION.....mcg/kg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Kilogram per Hour  
DISPLAY\_NAME.....mcg/kg/hr  
HELP\_TEXT.....Micrograms per Kilogram per Hour  
ID.....{E5C07334-6932-4329-88A9-2F56780C5DA9}  
TERM.....MICROGRAMS PER KILOGRAM PER HOUR

UNIT: MICROGRAMS PER KILOGRAM PER MINUTE

---

ABBREVIATION.....mcg/kg/min  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Kilogram per Minute  
DISPLAY\_NAME.....mcg/kg/min  
HELP\_TEXT.....Micrograms per Kilogram per Minute  
ID.....{37423DE7-B103-456A-9B36-6C2FBBC55CBE}  
TERM.....MICROGRAMS PER KILOGRAM PER MINUTE

UNIT: MICROGRAMS PER MINUTE

---

ABBREVIATION.....mcg/min  
ACTIVE.....Yes  
DESCRIPTION.....Micrograms per Minute  
DISPLAY\_NAME.....mcg/min  
HELP\_TEXT.....Micrograms per Minute  
ID.....{BC684DBB-7DCC-4209-A773-D1243616BD69}  
TERM.....MICROGRAMS PER MINUTE

UNIT: MICROGRAMS PER SHIFT

---

ABBREVIATION.....mcg/shift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Micrograms per Shift  
HELP\_TEXT.....  
ID.....{8FF15E2C-54DF-43C3-B5F1-C4AD323CE043}  
TERM.....MICROGRAMS PER SHIFT

UNIT: MILLIAMPS

---

ABBREVIATION.....mA  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mA  
HELP\_TEXT.....No Help Text  
ID.....{5146A84A-C500-CB21-4718-0E5755691FD5}  
TERM.....MILLIAMPS

UNIT: MILLIBAR

---

ABBREVIATION.....mBar  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Millibar  
HELP\_TEXT.....No Help Text  
ID.....{DB8DBC26-6A46-4F2B-AD14-B6A8212F4FCA}  
TERM.....MILLIBAR

UNIT: MILLIGRAMS

---

ABBREVIATION.....mg  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams  
DISPLAY\_NAME.....mg  
HELP\_TEXT.....Milligrams  
ID.....{E8CF6B0F-FA19-4F22-BA9D-6EBAA93D7D0D}  
TERM.....MILLIGRAMS

UNIT: MILLIGRAMS PER HOUR

---

ABBREVIATION.....mg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Hour  
DISPLAY\_NAME.....mg/hr  
HELP\_TEXT.....Milligrams per Hour  
ID.....{1DCC6F14-E4FF-4BDC-ADBA-99192FB44BE7}  
TERM.....MILLIGRAMS PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER HOUR

---

ABBREVIATION.....mg/kg/hr  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Kilogram per Hour  
DISPLAY\_NAME.....mg/kg/hr  
HELP\_TEXT.....Milligrams per Kilogram per Hour  
ID.....{6900F44E-3581-4558-83E2-76FB376D6711}  
TERM.....MILLIGRAMS PER KILOGRAM PER HOUR

UNIT: MILLIGRAMS PER KILOGRAM PER MINUTE

---

ABBREVIATION.....mg/kg/min  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Kilogram per Minute  
DISPLAY\_NAME.....mg/kg/min  
HELP\_TEXT.....Milligrams per Kilogram per Minute  
ID.....{7C1C10C2-8B88-4F45-B667-0F988090CD47}  
TERM.....MILLIGRAMS PER KILOGRAM PER MINUTE

UNIT: MILLIGRAMS PER MINUTE

---

ABBREVIATION.....mg/min  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per Minute  
DISPLAY\_NAME.....mg/min  
HELP\_TEXT.....Milligrams per Minute  
ID.....{C5E49AC7-5671-4E84-8047-C7B78607CDA2}  
TERM.....MILLIGRAMS PER MINUTE

UNIT: MILLIGRAMS PER SHIFT

---

ABBREVIATION.....mg/shift  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Milligrams Per Shift  
HELP\_TEXT.....  
ID.....{518BC06B-84C0-48E3-8241-E123B7B4C642}  
TERM.....MILLIGRAMS PER SHIFT

UNIT: MILLILITER

---

ABBREVIATION.....ml  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml  
HELP\_TEXT.....No Help Text  
ID.....{EAF55107-F8D5-4F0A-6211-B4AB57A874B4}  
TERM.....MILLILITER

UNIT: MILLILITERS PER BEAT

---

ABBREVIATION.....ml/beat  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/beat  
HELP\_TEXT.....No Help Text  
ID.....{548699B0-98CF-2F0F-F289-415228AFAC42}  
TERM.....MILLILITERS PER BEAT

UNIT: MILLILITERS PER BEAT PER METER SQUARE (BSA)

---

ABBREVIATION.....ml/beat/m<sup>2</sup>  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/beat/m<sup>2</sup>(BSA)  
HELP\_TEXT.....No Help Text  
ID.....{574CDB00-A831-EF35-4F2C-A98C0F58923F}  
TERM.....MILLILITERS PER BEAT PER METER SQUARE  
(BSA)

UNIT: MILLILITERS PER HOUR

---

ABBREVIATION.....ml/hr  
ACTIVE.....Yes  
DESCRIPTION.....ml/hr  
DISPLAY\_NAME.....ml/hr  
HELP\_TEXT.....No Help Text  
ID.....{345899A8-9DED-418F-A53F-F8084A5601A1}  
TERM.....MILLILITERS PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER HOUR

---

ABBREVIATION.....ml kg hr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/kg/hour  
HELP\_TEXT.....No Help Text  
ID.....{2F63C17C-8246-4466-9DC2-C5E5BE1777C2}  
TERM.....MILLILITERS PER KILOGRAM PER HOUR

UNIT: MILLILITERS PER KILOGRAM PER MINUTE

-----  
ABBREVIATION.....ml/kg mi  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/kg/min  
HELP\_TEXT.....No Help Text  
ID.....{E564F111-8B23-404A-B610-7707A5B1195D}  
TERM.....MILLILITERS PER KILOGRAM PER MINUTE

UNIT: MILLILITERS PER METER SQUARE (BSA)

-----  
ABBREVIATION.....mL/M2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mL/M2  
HELP\_TEXT.....No Help Text  
ID.....{42C265B4-76B3-44FC-985F-EA1EFCEADA244}  
TERM.....MILLILITERS PER METER SQUARE (BSA)

UNIT: MILLILITERS PER MINUTE

-----  
ABBREVIATION.....ml/min  
ACTIVE.....Yes  
DESCRIPTION.....Milliliters per Minute  
DISPLAY\_NAME.....ml/min  
HELP\_TEXT.....Milliliters per Minute  
ID.....{25F4A228-D614-457A-9885-8F74D4596897}  
TERM.....MILLILITERS PER MINUTE

UNIT: MILLILITERS PER MINUTE PER METER SQUARE

-----  
ABBREVIATION.....ml/min/m2  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....ml/min/m2(BSA)  
HELP\_TEXT.....No Help Text  
ID.....{6404DFC7-F8B4-3C97-80EF-96627E9C0270}  
TERM.....MILLILITERS PER MINUTE PER METER SQUARE

UNIT: MILLIMETERS

-----  
ABBREVIATION.....mm  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mm  
HELP\_TEXT.....No Help Text  
ID.....{23F389B2-8308-91DC-2620-EDFFF07B14A5}  
TERM.....MILLIMETERS

UNIT: MILLIMETERS OF MERCURY

-----  
ABBREVIATION.....mm/Hg  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mm Hg  
HELP\_TEXT.....No Help Text  
ID.....{57CF7550-FD97-351E-DF60-56F8F68BE7C6}  
TERM.....MILLIMETERS OF MERCURY

UNIT: MILLIVOLTS

-----  
ABBREVIATION.....mV  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....mV  
HELP\_TEXT.....No Help Text  
ID.....{40B59357-C9F2-0E5C-DDC7-6C815811F90D}  
TERM.....MILLIVOLTS

UNIT: MINUTE

-----  
ABBREVIATION.....Min  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Minute  
HELP\_TEXT.....No Help Text  
ID.....{0AF0056E-0EB1-3712-6974-A0F5DC60010B}  
TERM.....MINUTE

UNIT: MODIFIED ALDRETE SCORE

-----  
ABBREVIATION.....MOD ALD SC  
ACTIVE.....Yes  
DESCRIPTION.....Modified Aldrete Scoring System Unit  
DISPLAY\_NAME.....Modified Aldrete Score  
HELP\_TEXT.....Unit of measure for Aldrete Scoring  
System  
ID.....{8D9A43E8-D4E6-4BBE-A8E6-72677342BC82}  
TERM.....MODIFIED ALDRETE SCORE

UNIT: MONTH

-----  
ABBREVIATION.....Mo  
ACTIVE.....Yes  
DESCRIPTION.....Month of the year  
DISPLAY\_NAME.....Month  
HELP\_TEXT.....1 - 12  
ID.....{8933A469-2D06-D3DA-C2C4-A8FB3DD894D6}  
TERM.....MONTH

UNIT: MORSE SCORE

---

ABBREVIATION.....MORSE SCOR  
ACTIVE.....Yes  
DESCRIPTION.....Morse Score  
DISPLAY\_NAME.....Morse Score  
HELP\_TEXT.....Scale for recording Morse Score Values  
ID.....{301282A4-2BC8-430A-853B-C817F9A61878}  
TERM.....MORSE SCORE

UNIT: MULTIVOLTS

---

ABBREVIATION.....Multivolts  
ACTIVE.....No  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Multivolts  
HELP\_TEXT.....No Help Text  
ID.....{2882958B-C91D-4B8C-BEE7-382F3D7CCC49}  
TERM.....MULTIVOLTS

UNIT: OUNCE

---

ABBREVIATION.....oz  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Ounce  
HELP\_TEXT.....No Help Text  
ID.....{642336FB-7BC9-A1D5-99E5-05447DAD3B75}  
TERM.....OUNCE

UNIT: PAINAD SCALE

---

ABBREVIATION.....PAINAD SC  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....PAINAD Scale  
HELP\_TEXT.....No Help Text  
ID.....{D6CE83BB-3DBE-4E94-9E91-E21C07A12CAD}  
TERM.....PAINAD SCALE

UNIT: PERCENTAGE

---

ABBREVIATION.....%  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Percentage  
HELP\_TEXT.....No Help Text  
ID.....{0B3163CE-2C5C-B196-DBBE-A1BC6A970B2A}  
TERM.....PERCENTAGE

UNIT: POINTS

---

ABBREVIATION.....POINTS  
ACTIVE.....Yes  
DESCRIPTION.....Points  
DISPLAY\_NAME.....Points  
HELP\_TEXT.....No Help Text  
ID.....{A41F9244-F8A9-4CBD-AD62-32165D77414B}  
TERM.....POINTS

UNIT: POUND

---

ABBREVIATION.....lb  
ACTIVE.....Yes  
DESCRIPTION.....US measurement of Weight  
DISPLAY\_NAME.....Pound  
HELP\_TEXT.....No Help Text  
ID.....{F9CBB050-E809-52FF-6C2D-51B7E9557F98}  
TERM.....POUND

UNIT: QUAD LUMEN CATHETER

---

ABBREVIATION.....QUAD LUMEN  
ACTIVE.....Yes  
DESCRIPTION.....Quad Lumen Catheter  
DISPLAY\_NAME.....Quad Lumen Catheter  
HELP\_TEXT.....No Help Text  
ID.....{C894DDF4-5976-4435-B0E4-70EC7A909565}  
TERM.....QUAD LUMEN CATHETER

UNIT: RANGE

---

ABBREVIATION.....range  
ACTIVE.....Yes  
DESCRIPTION.....Defines the minimum and maximum  
values in a range  
DISPLAY\_NAME.....Range  
HELP\_TEXT.....No Help Text  
ID.....{DD90689F-3B19-BC1D-1875-E9EAB08C9C9E}  
TERM.....RANGE

UNIT: SCALE

---

ABBREVIATION.....SCALE  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Scale  
HELP\_TEXT.....No Help Text  
ID.....{57E423C4-98D9-0891-0982-0B84EFD2D132}  
TERM.....SCALE

UNIT: SECOND

-----  
ABBREVIATION.....sec  
ACTIVE.....Yes  
DESCRIPTION.....Measurement of passage of time (1/60  
                  of a minute)  
DISPLAY\_NAME.....Second  
HELP\_TEXT.....No Help Text  
ID.....{82E7C9B1-38E7-D568-F42D-23F18AA08819}  
TERM.....SECOND

UNIT: SEWS SCALE

-----  
ABBREVIATION.....SEWS SCALE  
ACTIVE.....Yes  
DESCRIPTION.....Severity Of Ethanol Withdrawl Scale  
DISPLAY\_NAME.....SEWS SCALE  
HELP\_TEXT.....Severity Of Ethanol Withdrawl Scale  
ID.....{4C8DFD61-E4FB-4918-93B0-33DAAF4EF1D1}  
TERM.....SEWS SCALE

UNIT: SI UNIT

-----  
ABBREVIATION.....SI UNITS  
ACTIVE.....Yes  
DESCRIPTION.....Unit of measure for Specific Gravity  
DISPLAY\_NAME.....SI Unit  
HELP\_TEXT.....No Help Text  
ID.....{42C760F2-BBFC-4523-82C1-953CB41B4016}  
TERM.....SI UNIT

UNIT: SQUARE METERS

-----  
ABBREVIATION.....M2  
ACTIVE.....Yes  
DESCRIPTION.....Surface area measured in square meters  
DISPLAY\_NAME.....Square Meters  
HELP\_TEXT.....Surface area measured in square meters  
ID.....{5E49A34D-CC24-ABDA-7320-14071BA88781}  
TERM.....SQUARE METERS

UNIT: STOOL

-----  
ABBREVIATION.....Stool  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Stool  
HELP\_TEXT.....  
ID.....{96A2ED78-6649-42DC-B2A7-EE4729619ECD}  
TERM.....STOOL

UNIT: STROKE WORK PER BEAT

---

ABBREVIATION.....gm-M/beat  
ACTIVE.....Yes  
DESCRIPTION.....Stroke Work Per Beat  
DISPLAY\_NAME.....gm-M / beat  
HELP\_TEXT.....Stroke Work Per Beat  
ID.....{61721D2C-02BF-14AA-EB7F-602194924117}  
TERM.....STROKE WORK PER BEAT

UNIT: STROKE WORK PER BEAT PER M2

---

ABBREVIATION.....gm-M/B/M2  
ACTIVE.....Yes  
DESCRIPTION.....STROKE WORK PER BEAT PER M2  
DISPLAY\_NAME.....gm-M / Beat / M2  
HELP\_TEXT.....Systemic Vascular Resistance Index  
ID.....{900EBF1F-B706-0419-1697-58FE11257EF3}  
TERM.....STROKE WORK PER BEAT PER M2

UNIT: UNITS

---

ABBREVIATION.....UNITS  
ACTIVE.....Yes  
DESCRIPTION.....Units  
DISPLAY\_NAME.....Units  
HELP\_TEXT.....Units  
ID.....{7E9E6B8E-8B47-4B06-81FF-227E46707401}  
TERM.....UNITS

UNIT: UNITS PER HOUR

---

ABBREVIATION.....units/hr  
ACTIVE.....Yes  
DESCRIPTION.....Units per Hour  
DISPLAY\_NAME.....units/hr  
HELP\_TEXT.....Units per Hour  
ID.....{7AE61C6C-F8D9-4D6B-8A7C-AE07F93EB3D9}  
TERM.....UNITS PER HOUR

UNIT: UNITS PER MINUTE

---

ABBREVIATION.....units/min  
ACTIVE.....Yes  
DESCRIPTION.....Units per Minute  
DISPLAY\_NAME.....Units/min  
HELP\_TEXT.....Units per Minute  
ID.....{3C31F294-AD93-4509-908A-72F3995B01B9}  
TERM.....UNITS PER MINUTE

UNIT: UNITS/kg/HOUR

---

ABBREVIATION.....UNkgHR  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Units/kg/Hour  
HELP\_TEXT.....No Help Text  
ID.....{89A25E97-A6B8-49B2-934F-797C80C80711}  
TERM.....UNITS/kg/HOUR

UNIT: VOID

---

ABBREVIATION.....Void  
ACTIVE.....Yes  
DESCRIPTION.....  
DISPLAY\_NAME.....Void  
HELP\_TEXT.....  
ID.....{92261C9F-D9CF-4637-AFB8-D84FA9693ACE}  
TERM.....VOID

UNIT: YEAR

---

ABBREVIATION.....yr  
ACTIVE.....Yes  
DESCRIPTION.....No Description  
DISPLAY\_NAME.....Year  
HELP\_TEXT.....No Help Text  
ID.....{F800BBF4-BC4F-6F5D-BB28-BD3EB5ADC34D}  
TERM.....YEAR

UNIT: mg/dl

---

ABBREVIATION.....mg/dl  
ACTIVE.....Yes  
DESCRIPTION.....Milligrams per deciliter  
DISPLAY\_NAME.....mg/dl  
HELP\_TEXT.....No Help Text  
ID.....{796F843B-3EF5-4E9B-AAD6-254088D77FFB}  
TERM.....mg/dl

UNIT: pH

---

ABBREVIATION.....pH  
ACTIVE.....Yes  
DESCRIPTION.....pH  
DISPLAY\_NAME.....pH  
HELP\_TEXT.....No Help Text  
ID.....{EF524413-89B4-4ABA-BD68-1FC6713C623D}  
TERM.....pH



0 (data).....	971
0 (q-pair).....	134, 469, 470, 471, 472, 473, 475, 584, 585, 809, 810, 811, 812, 813, 814, 815, 816, 817, 819, 820
0 - ABLE TO SIT STILL (data).....	985
0 - ABLE TO SIT STILL (q-pair).....	156
0 - ABSENT (data).....	985
0 - ABSENT (q-pair).....	111
0 - ALERT (data).....	985
0 - ALERT (q-pair).....	453
0 - HR 51-100 (data).....	986
0 - HR 51-100 (q-pair).....	454
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (data)....	986
0 - INDEPENDENT - NO HELP OR STAFF OVERSIGHT (q-pair)..	419, 421, 423, 425, 427, 429, 431, 433, 435, 437
0 - INDEPENDENT - NO HELP PROVIDED (data).....	986
0 - INDEPENDENT - NO HELP PROVIDED (q-pair).....	417
0 - NO ANXIETY AT EASE (data).....	986
0 - NO ANXIETY AT EASE (q-pair).....	144
0 - NO GI SYMPTOMS (data).....	986
0 - NO GI SYMPTOMS (q-pair).....	161
0 - NO NAUSEA/VOMITING (data).....	987
0 - NO NAUSEA/VOMITING (q-pair).....	147
0 - NO REPORT OF CHILLS OR FLUSHING (data).....	987
0 - NO REPORT OF CHILLS OR FLUSHING (q-pair).....	155
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (data).....	987
0 - NO SETUP OR PHYSICAL HELP FROM STAFF (q-pair).....	418, 420, 422, 424, 426, 428, 430, 432, 434, 436, 438
0 - NO SWEAT VISIBLE (data).....	987
0 - NO SWEAT VISIBLE (q-pair).....	149
0 - NO TREMOR (data).....	987
0 - NO TREMOR (q-pair).....	152, 162
0 - NO YAWNING (data).....	988
0 - NO YAWNING (q-pair).....	160
0 - NONE (data).....	988
0 - NONE (q-pair).....	150, 163
0 - NORMAL ACTIVITY (data).....	988
0 - NORMAL ACTIVITY (q-pair).....	143
0 - NOT PRESENT (data).....	988
0 - NOT PRESENT (q-pair).....	158, 159
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (data).....	988
0 - ORIENTED AND CAN DO SERIAL ADDITIONS (q-pair).....	148
0 - PULSE RATE 80 OR BELOW (data).....	989
0 - PULSE RATE 80 OR BELOW (q-pair).....	154
0 - PUPILS PINNED OR NORMAL SIZE FOR ROOM LIGHT (data).....	989
0 - PUPILS PINNED OR NORMAL SIZE FOR ROOM LIGHT (q-pair).....	157
0 - RR 9-14 (data).....	989
0 - RR 9-14 (q-pair).....	456
0 - SBP 101-199 (data).....	989
0 - SBP 101-199 (q-pair).....	458
0 - SKIN IS SMOOTH (data).....	989
0 - SKIN IS SMOOTH (q-pair).....	164
0 - TEMP 36.1-38 C (data).....	990
0 - TEMP 36.1-38 C (q-pair).....	459

0 = 0 EXTREMITIES (data).....	990
0 = 0 EXTREMITIES (q-pair).....	22
0 = <90% (data).....	990
0 = <90% (q-pair).....	25
0 = ABSENT (data).....	990
0 = ABSENT (q-pair).....	93, 94, 145, 146, 153, 174, 262, 526
0 = ABSENT PULSE (data).....	990
0 = ALERT (data).....	.991
0 = ALERT (q-pair).....	.525
0 = ANSWERS BOTH QUESTIONS CORRECTLY (data).....	.991
0 = ANSWERS BOTH QUESTIONS CORRECTLY (q-pair).....	.528
0 = APNEIC (data).....	.991
0 = APNEIC (q-pair).....	.26
0 = BP +/- 50% PREOP (data).....	.991
0 = BP +/- 50% PREOP (q-pair).....	.23
0 = NO ABNORMALITY (data).....	.991
0 = NO ABNORMALITY (q-pair).....	.523
0 = NO APHASIA (data).....	.992
0 = NO APHASIA (q-pair).....	.521
0 = NO DRIFT (data).....	.992
0 = NO DRIFT (q-pair).....	.529, 530
0 = NO VISUAL LOSS (data).....	.992
0 = NO VISUAL LOSS (q-pair).....	.533
0 = NORMAL (data).....	.992
0 = NORMAL (q-pair).....	.520, 522, 531
0 = NORMAL SYMMETRICAL MOVEMENT (data).....	.992
0 = NORMAL SYMMETRICAL MOVEMENT (q-pair).....	.524
0 = NOT RESPONDING (data).....	.993
0 = NOT RESPONDING (q-pair).....	.24
0 = PEFORMS BOTH TASKS CORRECTLY (data).....	.993
0 = PEFORMS BOTH TASKS CORRECTLY (q-pair).....	.527

- 1 -

1 (data).....	971
1 (q-pair).....	134, 229, 405, 584, 585, 809, 810, 816
1 - HR 101-110 (data).....	.993
1 - HR 101-110 (q-pair).....	.454
1 - BARELY PERCEPTEBLE SWEATING / PALMS MOIST (data)....	.993
1 - BARELY PERCEPTEBLE SWEATING / PALMS MOIST (q-pair)....	.149
1 - CANNOT DO SERIAL ADDITIONS (data).....	.993
1 - CANNOT DO SERIAL ADDITIONS (q-pair).....	.148
1 - HR 40-50 (data).....	.994
1 - HR 40-50 (q-pair).....	.454
1 - LESS THAN 45MLS/HR (data).....	.994
1 - LESS THAN 45MLS/HR (q-pair).....	.455
1 - MILD DIFFUSE DISCOMFORT (data).....	.994
1 - MILD DIFFUSE DISCOMFORT (q-pair).....	.158
1 - MILD NAUSEA / NO VOMITING (data).....	.994
1 - MILD NAUSEA / NO VOMITING (q-pair).....	.147
1 - MILDLY ANXIOUS (data).....	.994
1 - MILDLY ANXIOUS (q-pair).....	.144
1 - NASAL STUFFINESS OR UNUSUALLY MOIST EYES (data)....	.995
1 - NASAL STUFFINESS OR UNUSUALLY MOIST EYES (q-pair)....	.159
1 - NEW AGITATION CONFUSION (data).....	.995
1 - NEW AGITATION CONFUSION (q-pair).....	.453
1 - NO RESPONSE (data).....	.995
1 - NO RESPONSE (q-pair).....	.262, 263, 265
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (data).....	.995
1 - NOT VISIBLE BUT CAN BE FELT FINGERTIP (q-pair).....	.152

1 - PATIENT REPORTS INCREASING IRRITABILITY OR ANXIOUSNESS (data) .....	995
1 - PATIENT REPORTS INCREASING IRRITABILITY OR ANXIOUSNESS (q-pair) .....	163
1 - PULSE RATE 81-100 (data).....	996
1 - PULSE RATE 81-100 (q-pair).....	154
1 - REPORTS DIFFICULTY SITTING STILL, BUT IS ABLE TO DO SO (data) .....	996
1 - REPORTS DIFFICULTY SITTING STILL, BUT IS ABLE TO DO SO (q-pair) .....	156
1 - RESPONDS TO VOICE (data).....	996
1 - RESPONDS TO VOICE (q-pair).....	453
1 - RR 15-20 (data).....	996
1 - RR 15-20 (q-pair).....	456
1 - SBP 81-100 (data).....	996
1 - SBP 81-100 (q-pair).....	458
1 - SETUP HELP ONLY (data).....	997
1 - SETUP HELP ONLY (q-pair).....	418, 420, 422, 424, 426, 428, 430, 432, 434, 436, 438
1 - STOMACH CRAMPS (data).....	997
1 - STOMACH CRAMPS (q-pair).....	161
1 - SUBJECTIVE REPORT OF CHILLS OR FLUSHING (data).....	997
1 - SUBJECTIVE REPORT OF CHILLS OR FLUSHING (q-pair)....	155
1 - SUPERVISION - OVERSIGHT (data).....	997
1 - SUPERVISION - OVERSIGHT (q-pair).....	419, 421, 423, 425, 427, 429, 431, 433, 435, 437
1 - SUPERVISION - OVERSIGHT HELP ONLY (data).....	997
1 - SUPERVISION - OVERSIGHT HELP ONLY (q-pair).....	417
1 - TEMP 35.1-36 C (data).....	998
1 - TEMP 35.1-36 C (q-pair).....	459
1 - TEMP 38.1-38.5 C (data).....	998
1 - TEMP 38.1-38.5 C (q-pair).....	459
1 - TREMOR CAN BE FELT, BUT NOT OBSERVED (data).....	998
1 - TREMOR CAN BE FELT, BUT NOT OBSERVED (q-pair)....	162
1 - VERY MILD (data).....	998
1 - VERY MILD (q-pair).....	146
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (data)....	998
1 - VERY MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair)....	145
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (data).....	999
1 - VERY MILD ITCHING PINS/NEEDLES BURNING (q-pair)....	150
1 - VERY MILD SENSITIVITY (data).....	999
1 - VERY MILD SENSITIVITY (q-pair).....	153
1 - WEAK (data).....	999
1 - YAWNING ONCE OR TWICE DURING ASSESSMENT (data)....	999
1 - YAWNING ONCE OR TWICE DURING ASSESSMENT (q-pair)....	160
1 = 2 EXTREMITIES (data).....	999
1 = 2 EXTREMITIES (q-pair).....	22
1 = ANSWERS ONE QUESTION CORRECTLY (data).....	1000
1 = ANSWERS ONE QUESTION CORRECTLY (q-pair).....	528
1 = AROUSABLE (data).....	1000
1 = AROUSABLE (q-pair).....	24
1 = AWAKE AND ALERT (data).....	1000
1 = AWAKE AND ALERT (q-pair).....	596
1 = BP +/- 20-49% PREOP (data).....	1000
1 = BP +/- 20-49% PREOP (q-pair).....	23
1 = DRIFT (data).....	1000
1 = DRIFT (q-pair).....	529, 530
1 = DYSPNEA (data).....	1001
1 = DYSPNEA (q-pair).....	26
1 = MILD TO MODERATE APHASIA (data).....	1001

1 = MILD TO MODERATE APHASIA (q-pair).....	521
1 = MILD TO MODERATE DYSARTHRIA (data).....	1001
1 = MILD TO MODERATE DYSARTHRIA (q-pair).....	522
1 = MILD TO MODERATE SENSORY LOSS (data).....	1001
1 = MILD TO MODERATE SENSORY LOSS (q-pair).....	531
1 = MINOR PARALYSIS (data).....	1001
1 = MINOR PARALYSIS (q-pair).....	524
1 = NEEDS O2 (data).....	1002
1 = NEEDS O2 (q-pair).....	25
1 = NOT ALERT, MINOR STIMULATION RESPONSE (data).....	1002
1 = NOT ALERT, MINOR STIMULATION RESPONSE (q-pair).....	525
1 = PARTIAL GAZE PALSY (data).....	1002
1 = PARTIAL GAZE PALSY (q-pair).....	520
1 = PARTIAL HEMIANOPIA (data).....	1002
1 = PARTIAL HEMIANOPIA (q-pair).....	533
1 = PERFORMS ONE TASK CORRECTLY (data).....	1002
1 = PERFORMS ONE TASK CORRECTLY (q-pair).....	527
1 = PRESENT IN ONE LIMB (data).....	1003
1 = PRESENT IN ONE LIMB (q-pair).....	526
1 = UNAROUSABLE (data).....	1003
1 = UNAROUSABLE (q-pair).....	797
1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (data) .....	1003
1 = VISUAL, TACTILE, AUDITORY, SPATIAL, OR 2 PERSONAL INATTENTION (q-pair) .....	523
1 HOUR (data).....	1003
1 HOUR (q-pair).....	608
1+ - WEAK, BARELY PALPABLE (data).....	1003
1+ - WEAK, BARELY PALPABLE (q-pair).....	111
1+=PALPABLE, THREADY, EASILY OBLITERATED (data).....	1004
1- MILD ANXIOUS (data).....	1004
1- PUPILS POSSIBLY LARGER THAN NORMAL FOR ROOM LIGHT (data) .....	1004
1- PUPILS POSSIBLY LARGER THAN NORMAL FOR ROOM LIGHT (q-pair) .....	157
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (data).....	1004
1- SOMEWHAT MORE THAN NORMAL ACTIVITY (q-pair).....	143
1. DRY (data).....	1004
1. DRY (q-pair).....	200
10 (data).....	974
10 (q-pair).....	18, 134, 405, 470, 584, 585
11 (data).....	974
11 (q-pair).....	405
12 (data).....	974
12 (q-pair).....	405
12.5 (data).....	974
13 (data).....	975
13.5 (data).....	975
14 (data).....	975
14.5 (data).....	975
15 (data).....	975
15 (q-pair).....	469, 473, 475
15.5 (data).....	976
16 (data).....	976
16.5 (data).....	976
17 (data).....	976
17.5 (data).....	976
18 (data).....	977
18.5 (data).....	977
1800 CALORIE CONTROLLED (data).....	1005
1800 DIABETIC (data).....	1005

19 (data).....	977
19.5 (data).....	977
1:1 (data).....	1005
1:1 (q-pair).....	185, 295, 298
1:1 OBSERVATION (data).....	1005
1:1 OBSERVATION (q-pair).....	55, 536
1:2 (data).....	1005
1:2 (q-pair).....	185, 295, 298
1:3 (data).....	1006
1:3 (q-pair).....	185, 295, 298
1:4 (data).....	1006
1:4 (q-pair).....	185, 295, 298, 897
1:8 (data).....	1006
1:8 (q-pair).....	185, 295, 298
1A + 2V (data).....	1006
1A + 2V (q-pair).....	110
1A + 3V (data).....	1006
1A + 3V (q-pair).....	110
1A +1V (data).....	1007
1A +1V (q-pair).....	110

- 2 -

2 (data).....	971
2 (q-pair).....	134, 143, 144, 147, 149, 152, 229, 405, 584, 585, 817, 819
2 - ABNORMAL EXTENSION FROM PAIN (data).....	1007
2 - ABNORMAL EXTENSION FROM PAIN (q-pair).....	263
2 - ANSWERS NEITHER QUESTION CORRECTLY (data).....	1007
2 - ANSWERS NEITHER QUESTION CORRECTLY (q-pair).....	528
2 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	1007
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (data).....	1007
2 - DISORIENTED FOR DATE < 2 CALENDAR DAYS (q-pair)....	148
2 - HR 0-39 (data).....	1008
2 - HR 0-39 (q-pair).....	454
2 - HR 111-129 (data).....	1008
2 - HR 111-129 (q-pair).....	454
2 - INCOMPREHENSIBLE SOUNDS (data).....	1008
2 - INCOMPREHENSIBLE SOUNDS (q-pair).....	265
2 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	1008
2 - LESS THAN 30MLS/HR (data).....	1008
2 - LESS THAN 30MLS/HR (q-pair).....	455
2 - LIMITED ASSISTANCE (data).....	1009
2 - LIMITED ASSISTANCE (q-pair).....	419, 421, 423, 425, 427, 429, 431, 433, 435, 437
2 - MILD (data).....	1009
2 - MILD (q-pair).....	146
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	1009
2 - MILD HARSHNESS OR ABILITY TO FRIGHTEN (q-pair)....	145
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (data) ..	1009
2 - MILD ITCHING PINS/NEEDLES BURNING NUMBNESS (q-pair)	150
2 - MILD SENSITIVITY (data).....	1009
2 - MILD SENSITIVITY (q-pair).....	153
2 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	1010
2 - NAUSEA OR LOOSE STOOL (data).....	1010
2 - NAUSEA OR LOOSE STOOL (q-pair).....	161
2 - NORMAL (data).....	1010
2 - NOSE RUNNING OR TEARING (data).....	1010
2 - NOSE RUNNING OR TEARING (q-pair).....	159
2 - ONE PERSON PHYSICAL ASSIST (data).....	1010

2 - ONE PERSON PHYSICAL ASSIST (q-pair).....	418, 420, 422, 424,
	426, 428, 430, 432,
	434, 436, 438
2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS (data).....	1011
2 - PATIENT OBVIOUSLY IRRITABLE/ANXIOUS (q-pair).....	163
2 - PATIENT REPORTS SEVERE DIFFUSE ACHING OF JOINT/MUSCLES (data)	
.....	1011
2 - PATIENT REPORTS SEVERE DIFFUSE ACHING OF JOINT/MUSCLES (q-pair)	
.....	158
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (data).....	1011
2 - PHYSICAL HELP LIMITED TO TRANSFER ONLY (q-pair)....	417
2 - PULSE RATE 101-120 (data).....	1011
2 - PULSE RATE 101-120 (q-pair).....	154
2 - PUPILS MODERATELY DILATED (data).....	1011
2 - PUPILS MODERATELY DILATED (q-pair).....	157
2 - RESPONDS TO PAIN (data).....	1012
2 - RESPONDS TO PAIN (q-pair).....	453
2 - RR 0-8 (data).....	1012
2 - RR 0-8 (q-pair).....	456
2 - RR 21-29 (data).....	1012
2 - RR 21-29 (q-pair).....	456
2 - SBP 200 OR MORE (data).....	1012
2 - SBP 200 OR MORE (q-pair).....	458
2 - SBP 71-80 (data).....	1012
2 - SBP 71-80 (q-pair).....	458
2 - SLIGHT TREMOR OBSERVABLE (data).....	1013
2 - SLIGHT TREMOR OBSERVABLE (q-pair).....	162
2 - TEMP 35.0 C OR LESS (data).....	1013
2 - TEMP 35.0 C OR LESS (q-pair).....	459
2 - TEMP MORE THAN 38.6 C (data).....	1013
2 - TEMP MORE THAN 38.6 C (q-pair).....	459
2 - TO PAIN (data).....	1013
2 - TO PAIN (q-pair).....	262
2 - YAWNING THREE OR MORE TIMES DURING ASSESSMENT (data)	
.....	1013
2 - YAWNING THREE OR MORE TIMES DURING ASSESSMENT (q-pair)	
.....	160
2 = 4 EXTREMITIES (data).....	1014
2 = 4 EXTREMITIES (q-pair).....	22
2 = BP +/- 20% PREOP (data).....	1014
2 = BP +/- 20% PREOP (q-pair).....	23
2 = BREATHES FREELY (data).....	1014
2 = BREATHES FREELY (q-pair).....	26
2 = COMPLETE HEMIANOPIA (data).....	1014
2 = COMPLETE HEMIANOPIA (q-pair).....	533
2 = FORCED DEVIATION (data).....	1014
2 = FORCED DEVIATION (q-pair).....	520
2 = FULLY AWAKE (data).....	1015
2 = FULLY AWAKE (q-pair).....	24
2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (data)	
.....	1015
2 = NOT ALERT, REPEAT/STRONG STIMULATION RESPONSE (q-pair)	
.....	525
2 = ON ROOM AIR (data).....	1015
2 = ON ROOM AIR (q-pair).....	25
2 = PARTIAL PARALYSIS (data).....	1015
2 = PARTIAL PARALYSIS (q-pair).....	524
2 = PERFORMS NEITHER TASK CORRECTLY (data).....	1015
2 = PERFORMS NEITHER TASK CORRECTLY (q-pair).....	527
2 = PRESENT IN TWO LIMBS (data).....	1016
2 = PRESENT IN TWO LIMBS (q-pair).....	526
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (data)	

).....	1016
2 = PROFOUND HEMI-INATTENTION OR EXTINCTION TO MORE THAN ONE MODALITY (q-pair)	
ir).....	523
2 = SEVERE APHASIA (data).....	1016
2 = SEVERE APHASIA (q-pair).....	521
2 = SEVERE DYSARTHRIA (data).....	1016
2 = SEVERE DYSARTHRIA (q-pair).....	522
2 = SEVERE TO TOTAL SENSORY LOSS (data).....	1016
2 = SEVERE TO TOTAL SENSORY LOSS (q-pair).....	531
2 = SLIGHTLY DROWSY, EASILY AROUSED (data).....	1017
2 = SLIGHTLY DROWSY, EASILY AROUSED (q-pair).....	596
2 = SOME EFFORT AGAINST GRAVITY (data).....	1017
2 = SOME EFFORT AGAINST GRAVITY (q-pair).....	529, 530
2 = VERY SEDATED (data).....	1017
2 = VERY SEDATED (q-pair).....	797
2+ - NORMAL, PALPABLE (data).....	1017
2+ - NORMAL, PALPABLE (q-pair).....	111
2+=NORMAL, NOT EASILY OBLITERATED (data).....	1017
2- MILD HARSHNESS OR ABILITY TO FRIGHTEN (data).....	1018
2. INTACT (data).....	1018
2. INTACT (q-pair).....	200
2.0 CAL FORMULA (data).....	1018
20 (data).....	977
20 (q-pair).....	232, 470, 472
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (data).....	1018
20 MINUTES SINCE LAST IV NARCOTIC/SEDATIVE (q-pair)....	576
20.5 (data).....	978
20/100 (data).....	1018
20/100 (q-pair).....	192
20/15 (data).....	1019
20/15 (q-pair).....	192
20/20 (data).....	1019
20/20 (q-pair).....	192
20/200 (data).....	1019
20/200 (q-pair).....	192
20/25 (data).....	1019
20/25 (q-pair).....	192
20/30 (data).....	1019
20/30 (q-pair).....	192
20/300 (data).....	1020
20/300 (q-pair).....	192
20/40 (data).....	1020
20/40 (q-pair).....	192
20/400 (data).....	1020
20/400 (q-pair).....	192
20/50 (data).....	1020
20/50 (q-pair).....	192
20/60 (data).....	1020
20/60 (q-pair).....	192
20/70 (data).....	1021
20/70 (q-pair).....	192
20/80 (data).....	1021
20/80 (q-pair).....	192
20/800 (data).....	1021
20/800 (q-pair).....	192
2000 CALORIE CONTROLLED (data).....	1021
2000 DIABETIC (data).....	1021
21 (data).....	978
21 (q-pair).....	232
21.5 (data).....	978
22 (data).....	978
22 (q-pair).....	232

22.5 (data).....	978
2200 CALORIE CONTROLLED (data).....	1022
2200 DIABETIC (data).....	1022
23 (data).....	979
23 (q-pair).....	232
23.5 (data).....	979
24 (data).....	979
24 (q-pair).....	232
24.5 (data).....	979
2400 CALORIE CONTROLLED (data).....	1022
2400 DIABETIC (data).....	1022
25 (data).....	979
25 (q-pair).....	232, 471
25 PERCENT ALBUMIN (data).....	1022
25 PERCENT ALBUMIN (prod).....	1561
25 PERCENT ALBUMIN (q-pair).....	170, 369, 377, 380
25.5 (data).....	980
26 (data).....	980
26 (q-pair).....	232
26.5 (data).....	980
27 (data).....	980
27 (q-pair).....	232
27.5 (data).....	980
28 (data).....	981
28 (q-pair).....	232
28.5 (data).....	981
29 (data).....	981
2:4 (data).....	1023
2:4 (q-pair).....	897
2A (data).....	1023
2A (q-pair).....	110
2A + 1V (data).....	1023
2A + 1V (q-pair).....	110
2A + 2V (data).....	1023
2A + 2V (q-pair).....	110
2V (data).....	1023
2V (q-pair).....	110

- 3 -

3 - HR 130 OR MORE (data).....	1024
3 - HR 130 OR MORE (q-pair).....	454
3 (data).....	971
3 (q-pair).....	134, 143, 144, 147, 149, 152, 229, 405, 584, 585, 811, 812, 813, 814, 815, 816, 820
3 - ABNORMAL FLEXION FROM PAIN (data).....	1024
3 - ABNORMAL FLEXION FROM PAIN (q-pair).....	263
3 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	1024
3 - BEADS OF SWEAT ON BROW OR FACE (data).....	1024
3 - BEADS OF SWEAT ON BROW OR FACE (q-pair).....	155
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (data).....	1024
3 - DISORIENTED FOR DATE > 2 CALENDAR DAYS (q-pair)....	148
3 - EXTENSIVE ASSISTANCE (data).....	1025
3 - EXTENSIVE ASSISTANCE (q-pair).....	419, 421, 423, 425, 427, 429, 431, 433, 435, 437
3 - FREQUENT SHIFTING OR EXTRANEOUS MOVEMENTS OF LEGS/ARMS (data)	
.....	1025
3 - FREQUENT SHIFTING OR EXTRANEOUS MOVEMENTS OF LEGS/ARMS (q-pair)	

.....	156
3 - INAPPROPRIATE WORDS (data).....	1025
3 - INAPPROPRIATE WORDS (q-pair).....	265
3 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	1025
3 - LESS THAN 10MLS/HR (data).....	1025
3 - LESS THAN 10MLS/HR (q-pair).....	455
3 - MODERATE (data).....	1026
3 - MODERATE (q-pair).....	146
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (data)...	1026
3 - MODERATE HARSHNESS OR ABILITY TO FRIGHTEN (q-pair).	145
3 - MODERATE ITCHING PINS/NEEDLES BURNING (data).....	1026
3 - MODERATE ITCHING PINS/NEEDLES BURNING (q-pair)....	150
3 - MODERATE SENSITIVITY (data).....	1026
3 - MODERATE SENSITIVITY (q-pair).....	153
3 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	1026
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (data)...	1027
3 - PHYSICAL HELP IN PART OF BATHING ACTIVITY (q-pair).	417
3 - PILOERECTION OF SKIN CAN BE FELT OR HAIRS STANDING UP ON ARMS (data)	
.....	1027
3 - PILOERECTION OF SKIN CAN BE FELT OR HAIRS STANDING UP ON ARMS (q-pair)	
.....	164
3 - PULSE RATE GREATER THAN 120 (data).....	1027
3 - PULSE RATE GREATER THAN 120 (q-pair).....	154
3 - RR 30 OR MORE (data).....	1027
3 - RR 30 OR MORE (q-pair).....	456
3 - SBP 70 OR LESS (data).....	1027
3 - SBP 70 OR LESS (q-pair).....	458
3 - STRONG (data).....	1028
3 - TO VERBAL COMMAND (data).....	1028
3 - TO VERBAL COMMAND (q-pair).....	262
3 - TWO + PERSONS PHYSICAL ASSIST (data).....	1028
3 - TWO + PERSONS PHYSICAL ASSIST (q-pair).....	418, 420, 422, 424,
.....	426, 428, 430, 432,
.....	434, 436, 438
3 - UNRESPONSIVE (data).....	1028
3 - UNRESPONSIVE (q-pair).....	453
3 - VOMITING OR DIARRHEA (data).....	1028
3 - VOMITING OR DIARRHEA (q-pair).....	161
3 = BILATERAL HEMIANOPIA (data).....	1029
3 = BILATERAL HEMIANOPIA (q-pair).....	533
3 = COMPLETE PARALYSIS (data).....	1029
3 = COMPLETE PARALYSIS (q-pair).....	524
3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (	
data).....	1029
3 = FREQUENTLY DROWSY, AROUSABLE, DRIFTS OFF TO SLEEP DURING CONVERSATION (	
q-pair).....	596
3 = MUTE, GLOBAL APHASIA (data).....	1029
3 = MUTE, GLOBAL APHASIA (q-pair).....	521
3 = NO EFFORT AGAINST GRAVITY (data).....	1029
3 = NO EFFORT AGAINST GRAVITY (q-pair).....	529, 530
3 = SEDATED (data).....	1030
3 = SEDATED (q-pair).....	797
3 = UNRESPONSIVE (data).....	1030
3 = UNRESPONSIVE (q-pair).....	525
3 WAY FOLEY (data).....	1030
3 WAY FOLEY (q-pair).....	276
3+ - STRONG, EASILY PALPABLE (data).....	1030
3+ - STRONG, EASILY PALPABLE (q-pair).....	111
3+=BOUNDING, EASILY PALPABLE, CANNOT BE OBLITERATED (data)	
.....	1030
3. CHANGED (data).....	1031
3. CHANGED (q-pair).....	200

30 (data).....	981
30 (q-pair).....	469
31 (data).....	981
34 ml (data).....	1031
34 ml (q-pair).....	290
3:4 (data).....	1031
3:4 (q-pair).....	897

- 4 -

4 (data).....	971
4 (q-pair).....	18, 134, 229, 405, 584, 585
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (data).....	1031
4 - BEADS OF SWEAT OBVIOUS ON FOREHEAD (q-pair).....	149
4 - DISORIENTED AND CONVERSES (data).....	1031
4 - DISORIENTED AND CONVERSES (q-pair).....	265
4 - DISORIENTED FOR PLACE OR PERSON (data).....	1032
4 - DISORIENTED FOR PLACE OR PERSON (q-pair).....	148
4 - GROSS TREMOR OR MUSCLE TWITCHING (data).....	1032
4 - GROSS TREMOR OR MUSCLE TWITCHING (q-pair).....	162
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (data).....	1032
4 - INTERMITTENT NAUSEA WITH DRY HEAVES (q-pair).....	147
4 - MODERATE WITH PATIENTS ARMS EXTENDED (data).....	1032
4 - MODERATE WITH PATIENTS ARMS EXTENDED (q-pair).....	152
4 - MODERATELY ANXIOUS (data).....	1032
4 - MODERATELY ANXIOUS (q-pair).....	144
4 - MODERATELY FIDGETY AND RESTLESS (data).....	1033
4 - MODERATELY FIDGETY AND RESTLESS (q-pair).....	143
4 - MODERATELY SEVERE (data).....	1033
4 - MODERATELY SEVERE (q-pair).....	146
4 - MODERATELY SEVERE HALLUCINATIONS (data).....	1033
4 - MODERATELY SEVERE HALLUCINATIONS (q-pair).....	145, 150, 153
4 - NOSE CONSTANLY RUNNING OR TEARS STREAMING DOWN FACE (data) .....	1033
4 - NOSE CONSTANLY RUNNING OR TEARS STREAMING DOWN FACE (q-pair) .....	159
4 - PT. RUBBING JOINTS/MUSCLES & UNABLE TO SIT STILL BECAUSE OF DISCOMFORT (data).....	1033
4 - PT. RUBBING JOINTS/MUSCLES & UNABLE TO SIT STILL BECAUSE OF DISCOMFORT (q-pair).....	158
4 - PT. SO IRRITABLE/ANXIOUS THAT PARTICIPATION IN ASSESSMENT IS DIFFICULT (data).....	1034
4 - PT. SO IRRITABLE/ANXIOUS THAT PARTICIPATION IN ASSESSMENT IS DIFFICULT (q-pair).....	163
4 - SPONTANEOUSLY (data).....	1034
4 - SPONTANEOUSLY (q-pair).....	262
4 - SWEAT STREAMING OFF FACE (data).....	1034
4 - SWEAT STREAMING OFF FACE (q-pair).....	155
4 - TOTAL DEPENDENCE (data).....	1034
4 - TOTAL DEPENDENCE (q-pair).....	417
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (data)...	1034
4 - TOTAL DEPENDENCE - FULL STAFF PERFORMANCE (q-pair)....	419, 421, 423, 425, 427, 429, 431, 433, 435, 437
4 - WITHDRAWS FROM PAIN (data).....	1035
4 - WITHDRAWS FROM PAIN (q-pair).....	263
4 - YAWNING SEVERAL TIMES/MINUTE (data).....	1035
4 - YAWNING SEVERAL TIMES/MINUTE (q-pair).....	160
4 = CALM AND COOPERATIVE (data).....	1035
4 = CALM AND COOPERATIVE (q-pair).....	797
4 = NO MOVEMENT (data).....	1035

4 = NO MOVEMENT (q-pair).....	529, 530
4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (da ta).....	1035
4 = SOMNOLENT, MINIMAL OR NO RESPONSE TO VERBAL OR PHYSICAL STIMULATION (q- pair).....	596
4 HOUR (data).....	1036
4 HOUR (q-pair).....	608
4. REINFORCED (data).....	1036
4. REINFORCED (q-pair).....	200
4.5 (data).....	972
4.5 (q-pair).....	18
40 ml (data).....	1036
40 ml (q-pair).....	290
4:4 (data).....	1036
4:4 (q-pair).....	897

- 5 -

5 (data).....	972
5 (q-pair).....	18, 134, 143, 144, 147, 149, 152, 229, 405, 584, 585
5 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data) .....	1036
5 - DRENCHING SWEAT (data).....	1037
5 - LOCALIZES PAIN (data).....	1037
5 - LOCALIZES PAIN (q-pair).....	263
5 - MULTIPLE EPISODES OF DIARRHEA OR VOMITING (data)...	1037
5 - MULTIPLE EPISODES OF DIARRHEA OR VOMITING (q-pair).	161
5 - ORIENTED AND CONVERSES (data).....	1037
5 - ORIENTED AND CONVERSES (q-pair).....	265
5 - PROMINENT PILOERECTION (data).....	1037
5 - PROMINENT PILOERECTION (q-pair).....	164
5 - PUPILS SO DILATED THAT ONLY THE RIM OF THE IRIS IS VISIBLE (data) .....	1038
5 - PUPILS SO DILATED THAT ONLY THE RIM OF THE IRIS IS VISIBLE (q-pair) .....	157
5 - SEVERE (data).....	1038
5 - SEVERE (q-pair).....	146
5 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	1038
5 - SEVERE HALLUCINATIONS (data).....	1038
5 - SEVERE HALLUCINATIONS (q-pair).....	145, 150, 153
5 - UNABLE TO SIT STILL FOR MORE THAN A FEW SECONDS (data) .....	1038
5 - UNABLE TO SIT STILL FOR MORE THAN A FEW SECONDS (q-pair) .....	156
5 = AGITATED (data).....	1039
5 = AGITATED (q-pair).....	797
5 PERCENT ALBUMIN (data).....	1039
5 PERCENT ALBUMIN (prod).....	1561
5 PERCENT ALBUMIN (q-pair).....	170, 369, 377, 380
5.5 (data).....	972
5.5 (q-pair).....	18

- 6 -

6 (data).....	972
6 (q-pair).....	18, 134, 143, 144, 147, 149, 152, 405, 584, 585
6 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data) .....	1039

6 - DRENCHING SWEAT (data).....	1039
6 - EXTREMELY SEVERE HALLUCINATIONS (data).....	1039
6 - EXTREMELY SEVERE HALLUCINATIONS (q-pair).....	145, 150, 153
6 - OBEYS COMMANDS (data).....	1040
6 - OBEYS COMMANDS (q-pair).....	263
6 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	1040
6 - VERY SEVERE (data).....	1040
6 - VERY SEVERE (q-pair).....	146
6 = VERY AGITATED (data).....	1040
6 = VERY AGITATED (q-pair).....	797
6 HOUR (data).....	1040
6 HOUR (q-pair).....	608
6 PERCENT HETASTARCH (data).....	1041
6 PERCENT HETASTARCH (prod).....	1561
6 PERCENT HETASTARCH (q-pair).....	170, 369, 380
6.5 (data).....	972
6.5 (q-pair).....	18
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (data).....	1041
60 MINUTES SINCE ADMINISTRATION OF REVERSAL AGENT (q-pair).....	576

- 7 -

7 (data).....	973
7 (q-pair).....	18, 134, 405, 584, 585
7 - ACUTE PANIC (data).....	1041
7 - ACUTE PANIC (q-pair).....	144
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (data).....	1041
7 - CONSTANT NAUSEA W FREQUENT HEAVES AND VOMITING (q-pair).....	147
7 - CONTINUOUS HALLUCINATIONS (data).....	1041
7 - CONTINUOUS HALLUCINATIONS (q-pair).....	145, 150, 153
7 - DRENCHING SWEAT (data).....	1042
7 - DRENCHING SWEAT (q-pair).....	149
7 - EXTREMELY SEVERE (data).....	1042
7 - EXTREMELY SEVERE (q-pair).....	146
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (data).....	1042
7 - PACING BACK AND FORTH MOST OF THE INTERVIEW (q-pair).....	143
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (data).....	1042
7 - SEVERE EVEN WITH ARMS NOT EXTENDED (q-pair).....	152
7 = DANGEROUS AGITATION (data).....	1042
7 = DANGEROUS AGITATION (q-pair).....	797
7.5 (data).....	973
7.5 (q-pair).....	18, 297

- 8 -

8 (data).....	973
8 (q-pair).....	18, 134, 297, 405, 584, 585
8 - ACTIVITY DID NOT OCCUR (data).....	1043
8 - ACTIVITY DID NOT OCCUR (q-pair).....	417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438
8 HOUR (data).....	1043

8 HOUR (q-pair).....	608
8.5 (data).....	973
8.5 (q-pair).....	18, 297

- 9 -

9 (data).....	973
9 (q-pair).....	18, 134, 297, 405, 584, 585
9.5 (data).....	974
9.5 (q-pair).....	18, 297
99 (data).....	982
99 (q-pair).....	585

- -

+1 = RESTLESS (data).....	982
+1 = RESTLESS (q-pair).....	796
+2 = AGITATED (data).....	982
+2 = AGITATED (q-pair).....	796
+3 = VERY AGITATED (data).....	982
+3 = VERY AGITATED (q-pair).....	796
+4 = COMBATIVE (data).....	982
+4 = COMBATIVE (q-pair).....	796
-1 = DROWSY (data).....	983
-1 = DROWSY (q-pair).....	796
-2 = LIGHT SEDATION (data).....	983
-2 = LIGHT SEDATION (q-pair).....	796
-3 = MODERATE SEDATION (data).....	983
-3 = MODERATE SEDATION (q-pair).....	796
-4 = DEEP SEDATION (data).....	983
-4 = DEEP SEDATION (q-pair).....	796
0 = ALERT AND CALM (data).....	983
0 = ALERT AND CALM (q-pair).....	796
4+ - BOUNDING, SOMETIMES VISIBLE (data).....	984
4+ - BOUNDING, SOMETIMES VISIBLE (q-pair).....	111
LARYNGEAL MASK AIRWAY (data).....	984
LARYNGEAL MASK AIRWAY (q-pair).....	19

- + -

+1 = SLIGHT (data).....	984
+1 = SLIGHT (q-pair).....	93, 94
+2 = MODERATE (data).....	984
+2 = MODERATE (q-pair).....	93, 94
+3 = MARKED (data).....	984
+3 = MARKED (q-pair).....	93, 94
+4 = VERY MARKED (data).....	985
+4 = VERY MARKED (q-pair).....	93, 94

- - -

-5 = UNAROUSABLE (data).....	985
-5 = UNAROUSABLE (q-pair).....	796

- A -

AAI (data).....	1043
AAI (q-pair).....	101
AAIR (data).....	1043
AAIR (q-pair).....	101
AAO (data).....	1043

AAO (q-pair).....	101
ABDOMEN (loca).....	1470
ABDOMEN (q-pair).....	94, 452, 510, 585, 845
ABDOMEN BOWEL SOUNDS.....	1
ABDOMEN LLQ (loca).....	1470
ABDOMEN LLQ (q-pair).....	1, 452, 585, 845
ABDOMEN LUQ (loca).....	1470
ABDOMEN LUQ (q-pair).....	1, 452, 585, 845
ABDOMEN RLQ (loca).....	1470
ABDOMEN RLQ (q-pair).....	1, 452, 585, 845
ABDOMEN RUQ (loca).....	1470
ABDOMEN RUQ (q-pair).....	1, 452, 585, 845
ABDOMINAL (data).....	1044
ABDOMINAL (loca).....	1471
ABDOMINAL (q-pair).....	142, 720
ABDOMINAL AORTA (loca).....	1471
ABDOMINAL AORTA (q-pair).....	76, 883
ABDOMINAL CONDITION.....	2
ABDOMINAL GIRTH.....	3
ABDUCTION PILLOW (data).....	1044
ABDUCTION PILLOW (q-pair).....	482
ABDUCTION-DECREASED (data).....	1044
ABDUCTION-DECREASED (q-pair).....	485, 488
ABDUCTION-WNL (data).....	1044
ABDUCTION-WNL (q-pair).....	485, 488
ABLE TO AMBULATE (data).....	1044
ABLE TO AMBULATE (q-pair).....	576, 900
ABLE TO FOLLOW DIRECTION (data).....	1045
ABLE TO FOLLOW DIRECTION (q-pair).....	451
ABNORMAL (data).....	1045
ABNORMAL (q-pair).....	28
ABNORMAL GAIT (data).....	1045
ABNORMAL GAIT (q-pair).....	483
ABOVE THE ELBOW (data).....	1045
ABOVE THE ELBOW (q-pair).....	480
ABOVE THE KNEE (data).....	1045
ABOVE THE KNEE (q-pair).....	480
ABRASION (data).....	1046
ABRASION (q-pair).....	967
ABSENT (NO SENSATION) (data).....	1046
ABSENT (NO SENSATION) (q-pair).....	511, 512
ABSENT (data).....	1046
ABSENT (q-pair).....	1, 75, 76, 176, 194, 244, 246, 279, 411, 414, 498, 499, 500, 514, 517, 638, 639, 804, 805, 806, 807, 883, 901, 904, 905
ABSENT TO MINIMAL BLEEDING (data).....	1046
ABSENT TO MINIMAL BLEEDING (q-pair).....	576
ACCELERATING (data).....	1046
ACCELERATING (q-pair).....	933
ACCOMMODATE (data).....	1047
ACCOMMODATE (q-pair).....	507
ACE WRAP (data).....	1047
ACE WRAP (q-pair).....	88
ACHING (data).....	1047
ACHING (q-pair).....	582
ACID REFLUX (data).....	1047
ACID REFLUX (q-pair).....	267

ACTIVE RANGE OF MOTION (data).....	1047
ACTIVE RANGE OF MOTION (q-pair).....	12
ACTIVITIES OF DAILY LIVING (data).....	1048
ACTIVITIES OF DAILY LIVING (q-pair).....	205
ACTIVITIES OF DAILY LIVING: WANDERING PREVENTION MEASURES .....	4
ACTIVITY - ABD PILLOW (task).....	1590
ACTIVITY - AMBULATE (task).....	1590
ACTIVITY - CONT. PASSIVE MOTION DEV. (task).....	1590
ACTIVITY - ELEVATE HEAD OF BED (task).....	1590
ACTIVITY - KNEE IMMOBILIZER (task).....	1590
ACTIVITY - ORIENT TO WARD (task).....	1591
ACTIVITY - RANGE OF MOTION EXERCISES (task).....	1591
ACTIVITY - SIT IN CHAIR (task).....	1591
ACTIVITY - TURN PATIENT (task).....	1591
ACTIVITY DID NOT OCCUR (meth).....	1532
ACTIVITY DID NOT OCCUR (q-pair).....	723, 724, 725, 726, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 755, 756, 757
ACTUAL (q-pair).....	206, 284, 715, 882, 909, 941, 943
ACTUAL (qual).....	1582
ACUTE (data).....	1048
ACUTE (q-pair).....	589
ADL - AMBULATION ASSISTANCE.....	5
ADL - AMBULATION DISTANCE.....	6
ADL - BATH ASSIST (task).....	1591
ADL - BATH COMPLETE (task).....	1592
ADL - BATH PARTIAL (task).....	1592
ADL - BATH SELF (task).....	1592
ADL - CATHETER CARE (task).....	1592
ADL - DRESSING.....	7
ADL - EATING.....	8
ADL - FEED PATIENT (task).....	1592
ADL - ORAL HYGIENE (task).....	1593
ADL - SHAVE (task).....	1593
ADL - SKIN CARE (task).....	1593
ADL - SPIRITUAL CARE.....	9
ADL - TURN (task).....	1593
ADL: ACTIVITIES OF DAILY LIVING.....	10
ADL: BED MOBILITY.....	11
ADL: OTHER ACTIVITY.....	12
ADL: REPOSITION.....	13
ADMINISTERED PER MANUFACTURER'S INSTRUCTIONS (data)....	1048
ADMINISTERED PER MANUFACTURER'S INSTRUCTIONS (q-pair)....	367
ADMINISTRATION OF MEDS/FLUIDS/ENTERAL FEEDINGS (data).....	1048
ADMINISTRATION OF MEDS/FLUIDS/ENTERAL FEEDINGS (q-pair)....	252
ADMISSION (data).....	1048
ADMISSION (q-pair).....	181, 962
ADMISSION DIAGNOSIS (data).....	1049
ADULT (data).....	1049
ADULT (meth).....	1532
ADULT (q-pair).....	64
ADULT CUFF (meth).....	1532
ADULT LARGE (data).....	1049
ADULT LARGE (q-pair).....	64
ADULT SMALL (data).....	1049
ADULT SMALL (q-pair).....	64
ADVANCED CARE PLANNING (data).....	1049

ADVANCED CARE PLANNING (q-pair).....	205
AEROSOL/HUMIDIFIED MASK (meth).....	1532
AEROSOL/HUMIDIFIED MASK (q-pair).....	874
AFFECT.....	14
AFTER EXERCISE (meth).....	1532
AFTER EXERCISE (q-pair).....	63, 715, 721
AGENT CASHIER (data).....	1050
AGENT CASHIER (q-pair).....	655
AGGRESSIVE (data).....	1050
AGGRESSIVE (q-pair).....	759
AGITATED (data).....	1050
AGITATED (q-pair).....	52, 54, 57, 412, 502
AGITATED/HOSTILE (data).....	1050
AGITATED/HOSTILE (q-pair).....	775
AGONAL (data).....	1050
AGONAL (q-pair).....	85, 720
AGONIZING (data).....	1051
AGONIZING (q-pair).....	582
AICD (data).....	1051
AICD (q-pair).....	461, 701
AIR FLOW DEVICE (data).....	1051
AIR FLOW DEVICE (q-pair).....	939
AIR LEAK (data).....	1051
AIR LEAK (q-pair).....	139
AIRBORNE (data).....	1051
AIRBORNE (q-pair).....	393, 644
AIRWAY ARTIFICIAL CUFF STATUS.....	15
AIRWAY ARTIFICIAL POSITION AT LIP/NOSE.....	16
AIRWAY ARTIFICIAL SIZE - FRENCH.....	17
AIRWAY ARTIFICIAL SIZE - MILLIMETERS.....	18
AIRWAY ARTIFICIAL TYPE.....	19
AIRWAY REFLEXES INTACT / SECRETIONS (data).....	1052
AIRWAY REFLEXES INTACT / SECRETIONS (q-pair).....	576
ALARM PARAMETERS VERIFIED.....	20
ALARMS.....	21
ALARMS ON (data).....	1052
ALARMS ON (q-pair).....	235
ALBUMIN (data).....	1052
ALBUMIN (prod).....	1561
ALBUMIN (q-pair).....	380
ALBUTEROL (prod).....	1561
ALBUTEROL (q-pair).....	367
ALCOHOL PORT PROTECTOR (data).....	1052
ALCOHOL PORT PROTECTOR (q-pair).....	404
ALDRETE - ACTIVITY.....	22
ALDRETE - CIRCULATION.....	23
ALDRETE - CONSCIOUSNESS.....	24
ALDRETE - O2 SATURATION.....	25
ALDRETE - RESPIRATION.....	26
ALDRETE - TOTAL.....	27
ALDRETE SCORE 8 OR GREATER (data).....	1052
ALDRETE SCORE 8 OR GREATER (q-pair).....	576
ALDRETE SCORE AT BASELINE (data).....	1053
ALDRETE SCORE AT BASELINE (q-pair).....	576
ALERT (data).....	1053
ALERT (q-pair).....	54, 412, 451, 502, 606
ALERT AND ORIENTED (data).....	1053
ALERT AND ORIENTED (q-pair).....	191, 576
ALL DOWN (data).....	1053
ALL DOWN (q-pair).....	821

ALL UP (data).....	1053
ALL UP (q-pair).....	821
ALLEN TEST.....	28
ALLERGY (data).....	1054
ALLERGY (q-pair).....	38
ALLERGY WRISTBAND (data).....	1054
ALLERGY WRISTBAND (q-pair).....	647
ALOPECIA PARTIAL (data).....	1054
ALOPECIA PARTIAL (q-pair).....	278
ALOPECIA TOTAL (data).....	1054
ALOPECIA TOTAL (q-pair).....	278
ALPHABET BOARD (data).....	1054
ALPHABET BOARD (q-pair).....	728
ALTERED WEIGHT BEARING (data).....	1055
ALTERED WEIGHT BEARING (q-pair).....	483
AMBER (data).....	1055
AMBER (q-pair).....	198, 216, 269, 906, 954
AMBU BAG (meth).....	1533
AMBU BAG (q-pair).....	875
AMBULATE (data).....	1055
AMBULATE (q-pair).....	759
AMBULATE AND ASSIST (data).....	1055
AMBULATED (data).....	1055
AMBULATED (q-pair).....	10
AMBULATION/EXERCISE (data).....	1056
AMBULATION/EXERCISE (q-pair).....	770
AMBULATORY CARE UNIT (data).....	1056
AMBULATORY CARE UNIT (q-pair).....	578
AMPHOTERICIN B (prod).....	1562
AMPHOTERICIN B (q-pair).....	376
AMPUTATION (data).....	1056
AMPUTATION (q-pair).....	503, 504, 511, 512
AMPUTATION: COMMENT (data).....	1056
AMPUTATION: COMMENT (q-pair).....	483
AMPUTEE (data).....	1056
AMPUTEE (q-pair).....	111
ANALGESIA (data).....	1057
ANALGESIA (q-pair).....	205
ANASARCA (q-pair).....	89, 90, 91, 92
ANASARCA (qual).....	1582
ANESTHESIA PLANNED.....	29
ANESTHESIOLOGIST (data).....	1057
ANESTHESIOLOGIST (q-pair).....	698
ANGINAL (data).....	1057
ANGINAL (q-pair).....	582
ANGRY (data).....	1057
ANGRY (q-pair).....	14, 52
ANKLE (loca).....	1471
ANKLE (q-pair).....	89, 90, 91, 92, 142, 482, 486
ANNOYING (data).....	1057
ANNOYING (q-pair).....	582
ANTECUBITAL (qual).....	1582
ANTI-EMBOLUS STOCKINGS KNEE HIGH (data).....	1058
ANTI-EMBOLUS STOCKINGS KNEE HIGH (q-pair).....	201
ANTI-EMBOLUS STOCKINGS THIGH HIGH (data).....	1058
ANTI-EMBOLUS STOCKINGS THIGH HIGH (q-pair).....	201
ANTI-MICROBIAL DRESSING (data).....	1058
ANTI-MICROBIAL DRESSING (q-pair).....	122, 959
ANTIBIOTIC (prod).....	1562
ANTIBIOTIC (q-pair).....	376

ANTIBIOTIC OINTMENT (data).....	1058
ANTIBIOTIC OINTMENT (q-pair).....	692
ANTIMICROBIAL DISK (data).....	1058
ANTIMICROBIAL DISK (q-pair).....	959
ANURIC (data).....	1059
ANURIC (q-pair).....	907
ANXIOUS (data).....	1059
ANXIOUS (q-pair).....	52, 54, 202
ANXIOUS ABOUT BEING LEFT ALONE (data).....	1059
ANXIOUS ABOUT BEING LEFT ALONE (q-pair).....	599
AOO (data).....	1059
AOO (q-pair).....	101
APATHETIC (data).....	1059
APATHETIC (q-pair).....	14
APHASIA (ACUTE/NEW) (data).....	1060
APHASIA (ACUTE/NEW) (q-pair).....	516
APHASIA (CHRONIC) (data).....	1060
APHASIA (CHRONIC) (q-pair).....	516
APICAL (loca).....	1471
APICAL (q-pair).....	715
APIXABAN (data).....	1060
APIXABAN (q-pair).....	88
APNEA (data).....	1060
APNEA (q-pair).....	463
APPEARANCE.....	30
APPEARS ASLEEP (data).....	1060
APPEARS ASLEEP (q-pair).....	606
APPLIANCE CHANGED (data).....	1061
APPLIANCE CHANGED (q-pair).....	547
APPROPRIATE (data).....	1061
APPROPRIATE (q-pair).....	14, 30, 52, 233
ARGUMENTATIVE (data).....	1061
ARGUMENTATIVE (q-pair).....	52
ARM (loca).....	1471
ARM (q-pair).....	510, 637, 638, 639,
	640
ARM BAND - ALLERGIES.....	31
ARM BAND - BLOOD TRANSFUSION IV.....	32
ARM BAND - DNR.....	33
ARM BAND - ELOPMENT.....	34
ARM BAND - HIGH FALL RISK.....	35
ARM BAND - PERSONAL MEDICAL ALERT.....	36
ARM BAND - WANDERER.....	37
ARM BANDS PRESENT.....	38
ARRHYTHMIA (data).....	1061
ARRHYTHMIA (q-pair).....	463
ARTERIAL LINE (data).....	1061
ARTERIAL LINE (meth).....	1533
ARTERIAL LINE (q-pair).....	21, 63, 189, 440,
	441, 878
ARTERIAL LINE ALARMS ON.....	39
ARTERIAL LINE CARE (data).....	1062
ARTERIAL LINE CARE (q-pair).....	404
ARTERIAL LINE CIRCULATION ASSESSED.....	40
ARTERIAL LINE DRESSING CHANGE.....	41
ARTERIAL LINE DRESSING TYPE.....	42
ARTERIAL LINE SITE CARE.....	43
ARTERIAL LINE SITE CONDITION.....	44
ARTERIAL LINE SIZE.....	45
ARTERIAL LINE WAVEFORM.....	46
ARTERIAL LINE ZEROED.....	47
ARTHRITIS (data).....	1062

ARTHRITIS (q-pair).....	483
ARTICULATE (data).....	1062
ARTICULATE (q-pair).....	854
ARTIFICIAL AIRWAY (data).....	1062
ARTIFICIAL AIRWAY (q-pair).....	712
ARTIFICIAL VALVES (data).....	1062
ARTIFICIAL VALVES (q-pair).....	461
ASA PHYSICAL STATUS.....	48
ASA PS 1 (data).....	1063
ASA PS 1 (q-pair).....	48
ASA PS 2 (data).....	1063
ASA PS 2 (q-pair).....	48
ASA PS 3 (data).....	1063
ASA PS 3 (q-pair).....	48
ASA PS 4 (data).....	1063
ASA PS 4 (q-pair).....	48
ASA PS 5 (data).....	1063
ASA PS 5 (q-pair).....	48
ASEPTIC TECHNIQUE FOLLOWED (data).....	1064
ASEPTIC TECHNIQUE FOLLOWED (q-pair).....	116
ASHEN (data).....	1064
ASHEN (q-pair).....	832
ASLEEP (data).....	1064
ASLEEP (q-pair).....	502
ASLEEP AT ROUNDS (data).....	1064
ASLEEP AT ROUNDS (q-pair).....	851
ASPIRATION (data).....	1064
ASPIRATION (q-pair).....	270, 644
ASPIRATION OF GASTRIC CONTENTS FOR SPECIMEN (data)....	1065
ASPIRATION OF GASTRIC CONTENTS FOR SPECIMEN (q-pair)...	252
ASSAULTIVE (data).....	1065
ASSAULTIVE (q-pair).....	52, 56, 535
ASSESS FOR CONTINUING NEED FOR DEVICE (data).....	1065
ASSESS FOR CONTINUING NEED FOR DEVICE (q-pair).....	237
ASSESSMENT - CO (task).....	1593
ASSESSMENT - COLLECT VITALS (task).....	1594
ASSESSMENT - DOPPLERS (task).....	1594
ASSESSMENT - FINGERSTICK BLOOD SUGAR (task).....	1594
ASSESSMENT - HEMODYNAMIC READINGS (task).....	1594
ASSESSMENT - I&O (task).....	1594
ASSESSMENT - NEURO CHECKS (task).....	1595
ASSESSMENT - NEUROVASCULAR CHECKS (task).....	1595
ASSESSMENT - PCA (task).....	1595
ASSESSMENT - PULSE OX (task).....	1595
ASSESSMENT - RESTRAINTS (task).....	1595
ASSESSMENT - TELEMETRY (task).....	1596
ASSESSMENT - WEIGHT (task).....	1596
ASSIGNED ONE TO ONE SITTER (data).....	1065
ASSIGNED ONE TO ONE SITTER (q-pair).....	4
ASSIST CONTROL (data).....	1065
ASSIST CONTROL (q-pair).....	918
ASSIST OF FAMILY (data).....	1066
ASSIST OF FAMILY (q-pair).....	540
ASSIST OF STAFF (data).....	1066
ASSIST OF STAFF (q-pair).....	540
ASSISTED (data).....	1066
ASSISTED (q-pair).....	13, 537
ASSISTED VENTILATOR (meth).....	1533
ASSISTED VENTILATOR (q-pair).....	721, 874
ASSISTIVE LISTENING DEVICE (HEARING AID, HEARING AMPLIFIER) (data)	
.....	1066
ASSISTIVE LISTENING DEVICE (HEARING AID, HEARING AMPLIFIER) (q-pair)	

.....	728
ASYSTOLE (data).....	1066
ASYSTOLE (q-pair).....	85
AT REST (meth).....	1533
AT REST (q-pair).....	63, 715, 721
ATAxia (data).....	1067
ATAxia (q-pair).....	518
ATRIAL (data).....	1067
ATRIAL (q-pair).....	107
ATRIAL FIB/FLUTTER (data).....	1067
ATRIAL FIB/FLUTTER (q-pair).....	85
ATRIAL FIBRILLATION (data).....	1067
ATRIAL FIBRILLATION (q-pair).....	85
ATRIAL FLUTTER (data).....	1067
ATRIAL FLUTTER (q-pair).....	85
ATTENDS/BRIEFS (data).....	1068
ATTENDS/BRIEFS (q-pair).....	66
ATTENTIVE (data).....	1068
ATTENTIVE (q-pair).....	451
ATTIRE APPROPRIATE (data).....	1068
ATTIRE APPROPRIATE (q-pair).....	286
ATTIRE IN APPROPRIATE (data).....	1068
ATTIRE IN APPROPRIATE (q-pair).....	286
AUDIBLE "SCUFFING TOE" (data).....	1068
AUDIBLE "SCUFFING TOE" (q-pair).....	248
AUSCULTATE (meth).....	1533
AUSCULTATE (q-pair).....	715
AUSCULTATION (data).....	1069
AUSCULTATION (q-pair).....	270
AUTOLOGOUS (data).....	1069
AUTOLOGOUS (q-pair).....	651
AV FISTULA (loca).....	1472
AV FISTULA (q-pair).....	715
AVF (data).....	1069
AVF (q-pair).....	86
AVI (data).....	1069
AVI (q-pair).....	101
AVL (data).....	1069
AVL (q-pair).....	86
AVO (data).....	1070
AVO (q-pair).....	101
AVOIDANT (data).....	1070
AVOIDANT (q-pair).....	52, 233
AVOIDED LIGHT AND NOISE OVERSTIMULATION (data).....	1070
AVOIDED LIGHT AND NOISE OVERSTIMULATION (q-pair).....	235
AVR (data).....	1070
AVR (q-pair).....	86
AWAKE (data).....	1070
AWAKE (q-pair).....	502, 606
AXILLARY (loca).....	1472
AXILLARY (q-pair).....	882

- B -

BABINSKI.....	49
BACK (loca).....	1472
BACK (q-pair).....	452, 482, 585, 845
BACK BRACE (data).....	1071
BACK BRACE (q-pair).....	482
BACTERICIDAL (data).....	1071
BACTERICIDAL (q-pair).....	692
BACTERIOSTATIC (data).....	1071

BACTERIOSTATIC (q-pair).....	692
BACTERIOSTATIC WATER (prod).....	1562
BACTERIOSTATIC WATER (q-pair).....	376
BAG - CONTINUOUS (data).....	1071
BAG - CONTINUOUS (q-pair).....	210
BAG - INTERMITTENT (data).....	1071
BAG - INTERMITTENT (q-pair).....	210
BAG CHANGE (data).....	1072
BAG CHANGE (q-pair).....	213
BAG CHANGED (data).....	1072
BAG CHANGED (q-pair).....	404, 609
BAG/MASK & O2 SET UP (data).....	1072
BAG/MASK & O2 SET UP (q-pair).....	465
BALANCE IMPAIRMENT (data).....	1072
BALANCE IMPAIRMENT (q-pair).....	248
BALSAM OF PERU (data).....	1072
BALSAM OF PERU (q-pair).....	959
BARIATRIC EQUIPMENT (data).....	1073
BARIATRIC EQUIPMENT (q-pair).....	413, 754
BARIATRIC FRAME (data).....	1073
BARIATRIC FRAME (q-pair).....	852
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (data).....	1073
BARIATRIC LOW AIRLOSS MATTRESS REPLACEMENT (q-pair)....	852
BARIATRIC PATIENT (data).....	1073
BARIATRIC PATIENT (q-pair).....	689
BARRIERS TO LEARNING .....	50
BATHING LIFTS (data).....	1073
BATHING LIFTS (q-pair).....	413
BATHROOM (data).....	1074
BATHROOM (q-pair).....	53, 66, 168
BATHROOM PRIVILEGES (data).....	1074
BATHROOM PRIVILEGES (q-pair).....	12
BEATS PER MINUTE (unit).....	1606
BED (data).....	1074
BED (meth).....	1534
BED (q-pair).....	941
BED EXIT ALARM (data).....	1074
BED EXIT ALARM (q-pair).....	21, 770
BED POSITION.....	51
BEDPAN (data).....	1074
BEDPAN (q-pair).....	.909
BEDREST (data).....	1075
BEDREST (q-pair).....	12
BEDSIDE (data).....	1075
BEDSIDE (q-pair).....	.697
BEDSIDE COMMODE (data).....	1075
BEDSIDE COMMODE (q-pair).....	.66, 112
BEHAVIOR.....	52
BEHAVIOR CURRENT LOCATION.....	53
BEHAVIOR OBSERVED.....	54
BEHAVIOR PRECAUTION LEVEL.....	55
BEHAVIOR PRECAUTION REASON.....	56
BEHAVIORAL (data).....	1075
BEHAVIORAL (q-pair).....	.535
BEHAVIORAL HEALTH: MOTOR ACTIVITY.....	57
BEHAVIORAL HEALTH: THOUGHT PROCESS.....	58
BELCHING (data).....	1075
BELCHING (q-pair).....	.267
BELOW THE ELBOW (data).....	1076
BELOW THE ELBOW (q-pair).....	.480
BELOW THE KNEE (data).....	1076
BELOW THE KNEE (q-pair).....	.480

BIER BLOCK (data).....	1076
BIER BLOCK (q-pair).....	29
BIGEMINY (data).....	1076
BIGEMINY (q-pair).....	84
BILATERAL (data).....	1076
BILATERAL (posi).....	1558
BILATERAL (q-pair).....	89, 90, 91, 92, 96, 111, 480, 481, 482, 483, 484, 485, 486, 487, 488, 490, 497, 498, 501, 503, 504, 506, 507, 508, 510, 511, 512, 513, 514, 519, 637, 638, 639, 640
BILATERAL ANKLES (loca).....	1472
BILATERAL ANKLES (q-pair).....	779, 781
BILATERAL FOOT (loca).....	1472
BILATERAL FOOT (q-pair).....	244
BILATERAL HAND (loca).....	1473
BILATERAL HAND (q-pair).....	279
BILATERAL LEG (loca).....	1473
BILATERAL LEG (q-pair).....	414, 779
BILATERAL NECK (loca).....	1473
BILATERAL NECK (q-pair).....	94
BILATERAL PERIPHERALS (loca).....	1473
BILATERAL PERIPHERALS (q-pair).....	715
BILATERAL WRIST (loca).....	1473
BILATERAL WRIST (q-pair).....	779, 780, 905
BIPAP (meth).....	1534
BIPAP (q-pair).....	636, 875
BIPAP - RESPIRONICS (data).....	1077
BIPAP - RESPIRONICS (q-pair).....	932
BIPAP - VISION (data).....	1077
BIPAP - VISION (q-pair).....	932
BIPAP-CPAP (meth).....	1534
BIPAP-CPAP (q-pair).....	875
BIPAP-EXPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS.....	59
BIPAP-INSPIRATORY - DO NOT CHECK TOTAL OR SUBTOTALS....	60
BIPAP/CPAP (data).....	1077
BIPAP/CPAP (q-pair).....	932
BIPHASIC POSITIVE AIRWAY PRESSURE (data).....	1077
BIPHASIC POSITIVE AIRWAY PRESSURE (q-pair).....	918, 932
BISMUTH GAUZE (data).....	1077
BISMUTH GAUZE (q-pair).....	959
BITE (data).....	1078
BITE (q-pair).....	967
BITE BLOCK (data).....	1078
BITE BLOCK (q-pair).....	19
BIVENTRICULAR (data).....	1078
BIVENTRICULAR (q-pair).....	101
BIZARRE (data).....	1078
BIZARRE (q-pair).....	14
BLACK (data).....	1078
BLACK (q-pair).....	198, 216, 269, 869, 906, 950, 954
BLACK/NECROTIC (data).....	1079
BLACK/NECROTIC (q-pair).....	681
BLADDER (loca).....	1474
BLADDER (meth).....	1534
BLADDER (q-pair).....	376, 452, 585
BLADDER ASSESSMENT.....	61

BLADDER IRRIGATION (prod).....	1562
BLADDER IRRIGATION (q-pair).....	560
BLADDER SCAN (data).....	1079
BLADDER SCAN (q-pair).....	112
BLADDER SCAN - DO NOT CHECK TOTAL OR SUBTOTALS.....	62
BLADDER TRAINING (data).....	1079
BLADDER TRAINING (q-pair).....	750
BLANCHED (data).....	1079
BLANCHED (q-pair).....	44
BLAND (data).....	1079
BLAND (q-pair).....	190
BLEEDING (data).....	1080
BLEEDING (q-pair).....	892
BLIND (ACUTE CHANGE) (data).....	1080
BLIND (ACUTE CHANGE) (q-pair).....	519
BLIND (BASELINE/CHRONIC) (data).....	1080
BLIND (BASELINE/CHRONIC) (q-pair).....	519
BLISTERING (data).....	1080
BLISTERING (q-pair).....	967
BLOATING (data).....	1080
BLOATING (q-pair).....	267
BLOCKING (data).....	1081
BLOCKING (q-pair).....	58
BLOOD CELL DISORDERS (data).....	1081
BLOOD CELL DISORDERS (q-pair).....	87
BLOOD GLUCOSE MONITORING (data).....	1081
BLOOD GLUCOSE MONITORING (q-pair).....	205
BLOOD PRESSURE.....	63
BLOOD PRESSURE (data).....	1081
BLOOD PRESSURE (q-pair).....	467
BLOOD PRESSURE CUFF SIZE.....	64
BLOOD PRODUCT (prod).....	1562
BLOOD PRODUCT (q-pair).....	369
BLOOD STREAKED (data).....	1081
BLOOD TRANSFUSION IV (data).....	1082
BLOOD TRANSFUSION IV (q-pair).....	38
BLOOD TRANSFUSION REACTIONS (data).....	1082
BLOOD TRANSFUSION REACTIONS (q-pair).....	87
BLOODY (data).....	1082
BLOODY (q-pair).....	135, 355, 683, 868
BLUE (data).....	1082
BLUE (q-pair).....	954
BLUNTED (data).....	1082
BLUNTED (q-pair).....	14
BLURRED (data).....	1083
BLURRED (q-pair).....	519
BLURRED VISION (data).....	1083
BLURRED VISION (q-pair).....	227
BMI>35KG/M2 (data).....	1083
BMI>35KG/M2 (q-pair).....	461
BODY ODOR (data).....	1083
BODY ODOR (q-pair).....	286
BODY SURFACE AREA.....	65
BONE (data).....	1083
BOOST (data).....	1084
BOOST (q-pair).....	215
BOOST PLUS (data).....	1084
BOOST PLUS (q-pair).....	215
BORDERLINE REDUCED (data).....	1084
BORDERLINE REDUCED (q-pair).....	409
BOTH ARMS (loca).....	1474
BOTH ARMS (q-pair).....	780

BOTH EYES (loca).....	1474
BOTH HANDS (loca).....	1474
BOTH HANDS (q-pair).....	94
BOTH LEGS (loca).....	1474
BOTH LEGS (q-pair).....	94, 174, 781
BOWEL ELIMINATION.....	66
BOWEL MOVEMENT EVENT(S).....	67
BOWEL TRAINING (data).....	1084
BOWEL TRAINING (q-pair).....	751
BRACHIAL (loca).....	1475
BRACHIAL (q-pair).....	63, 111, 715
BRACHIAL (qual).....	1582
BRADEN FRICTION AND SHEAR 1 PROBLEM (data).....	1084
BRADEN FRICTION AND SHEAR 1 PROBLEM (q-pair).....	69
BRADEN SCALE (unit).....	1606
BRADEN SCALE ACTIVITY.....	68
BRADEN SCALE ACTIVITY 1 BEDFAST (data).....	1085
BRADEN SCALE ACTIVITY 1 BEDFAST (q-pair).....	68
BRADEN SCALE ACTIVITY 2 CHAIRFAST (data).....	1085
BRADEN SCALE ACTIVITY 2 CHAIRFAST (q-pair).....	68
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (data).....	1085
BRADEN SCALE ACTIVITY 3 WALKS OCCASIONALLY (q-pair)....	68
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (data).....	1085
BRADEN SCALE ACTIVITY 4 WALKS FREQUENTLY (q-pair)....	68
BRADEN SCALE FRICTION AND SHEAR.....	69
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (data)	
.....	1085
BRADEN SCALE FRICTION AND SHEAR 2 POTENTIAL PROBLEM (q-pair)	
.....	69
BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (data)	
.....	1086
BRADEN SCALE FRICTION AND SHEAR 3 NO APPARENT PROBLEM (q-pair)	
.....	69
BRADEN SCALE MOBILITY.....	70
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (data)....	1086
BRADEN SCALE MOBILITY 1 COMPLETELY IMMOBILE (q-pair)....	70
BRADEN SCALE MOBILITY 2 VERY LIMITED (data).....	1086
BRADEN SCALE MOBILITY 2 VERY LIMITED (q-pair).....	70
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (data).....	1086
BRADEN SCALE MOBILITY 3 SLIGHTLY LIMITED (q-pair).....	70
BRADEN SCALE MOBILITY 4 NO LIMITATION (data).....	1086
BRADEN SCALE MOBILITY 4 NO LIMITATION (q-pair).....	70
BRADEN SCALE MOISTURE.....	71
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (data).....	1087
BRADEN SCALE MOISTURE 1 CONSTANTLY MOIST (q-pair).....	71
BRADEN SCALE MOISTURE 2 VERY MOIST (data).....	1087
BRADEN SCALE MOISTURE 2 VERY MOIST (q-pair).....	71
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (data).....	1087
BRADEN SCALE MOISTURE 3 OCCASIONALLY MOIST (q-pair)....	71
BRADEN SCALE MOISTURE 4 RARELY MOIST (data).....	1087
BRADEN SCALE MOISTURE 4 RARELY MOIST (q-pair).....	71
BRADEN SCALE NUTRITION.....	72
BRADEN SCALE NUTRITION 1 VERY POOR (data).....	1087
BRADEN SCALE NUTRITION 1 VERY POOR (q-pair).....	72
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (data)....	1088
BRADEN SCALE NUTRITION 2 PROBABLY INADEQUATE (q-pair)....	72
BRADEN SCALE NUTRITION 3 ADEQUATE (data).....	1088
BRADEN SCALE NUTRITION 3 ADEQUATE (q-pair).....	72
BRADEN SCALE NUTRITION 4 EXCELLENT (data).....	1088
BRADEN SCALE NUTRITION 4 EXCELLENT (q-pair).....	72
BRADEN SCALE SENSORY PERCEPTION.....	73
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (data)	

.....	1088
BRADEN SCALE SENSORY PERCEPTION 1 COMPLETELY LIMITED (q-pair)	
.....	73
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (data)..	1088
BRADEN SCALE SENSORY PERCEPTION 2 VERY LIMITED (q-pair)	73
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (data)	
.....	1089
BRADEN SCALE SENSORY PERCEPTION 3 SLIGHTLY LIMITED (q-pair)	
.....	73
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (data).	1089
BRADEN SCALE SENSORY PERCEPTION 4 NO IMPAIRMENT (q-pair)	
.....	73
BRADEN SCALE TOTAL.....	74
BRAWNY (CHRONIC DISCOLORED) (data).....	1089
BRAWNY (CHRONIC DISCOLORED) (q-pair).....	89, 90, 91, 92
BREAKDOWN (data).....	1089
BREAKDOWN (q-pair).....	833
BREAKFAST (data).....	1089
BREAKFAST (q-pair).....	439
BREAKTHROUGH (SHORT ACTING ORAL OPIOIDS ARE PRIMARY ANALGESIC) (data)	
.....	1090
BREAKTHROUGH (SHORT ACTING ORAL OPIOIDS ARE PRIMARY ANALGESIC) (q-pair)	
.....	629
BREAST (data).....	1090
BREAST (q-pair).....	701
BREATH SOUNDS.....	75
BREATHS PER MINUTE (unit).....	1606
BRIDGE PRESENT (data).....	1090
BRIDGE PRESENT (q-pair).....	547
BRIDLE (data).....	1090
BRIDLE (q-pair).....	259
BRIGHT (data).....	1090
BRIGHT (q-pair).....	14
BRISK (data).....	1091
BRISK (q-pair).....	507
BROWN (data).....	1091
BROWN (q-pair).....	198, 216, 269, 708, 869, 906, 954
BRUISED (data).....	1091
BRUISED (q-pair).....	832, 967
BRUIT.....	76
BRUIT (data).....	1091
BRUIT (q-pair).....	1
BUCKS TRACTION (data).....	1091
BUCKS TRACTION (q-pair).....	895
BULB (data).....	1092
BULB (q-pair).....	197
BULB SUCTION (data).....	1092
BULB SUCTION (q-pair).....	956
BULLET (data).....	1092
BULLET (q-pair).....	967
BUPIVACAINE (data).....	1092
BUPIVACAINE (q-pair).....	225
BURN (data).....	1092
BURN (q-pair).....	967
BURNING (data).....	1093
BURNING (q-pair).....	511, 512, 582, 639
BUTTOCK (loca).....	1475
BUTTOCK (q-pair).....	452, 585
BY PROVIDER ORDER (data).....	1093
BY PROVIDER ORDER (q-pair).....	97

C1 (data).....	1093
C1 (q-pair).....	223, 224
C2 (data).....	1093
C2 (q-pair).....	223, 224
C3 (data).....	1093
C3 (q-pair).....	223, 224
C4 (data).....	1094
C4 (q-pair).....	223, 224
C5 (data).....	1094
C5 (q-pair).....	223, 224
CADEXOMER IODINE (data).....	1094
CADEXOMER IODINE (q-pair).....	692
CALCIUM ALGINATE (data).....	1094
CALCIUM ALGINATE (q-pair).....	692, 959
CALF (loca).....	1475
CALF (q-pair).....	89, 90, 91, 92, 142
CALL HOUSE OFFICER - BP DIASTOLIC (task).....	1596
CALL HOUSE OFFICER - BP SYSTOLIC (task).....	1596
CALL HOUSE OFFICER - PULSE (task).....	1596
CALL HOUSE OFFICER - RESPIRATORY RATE (task).....	1597
CALL HOUSE OFFICER - TEMP (task).....	1597
CALL LIGHT WITHIN REACH.....	77
CALM (data).....	1094
CALM (q-pair).....	54, 775
CALORIE (unit).....	1606
CAMERA NOT IN USE (data).....	1095
CAMERA NOT IN USE (q-pair).....	468
CANE (data).....	1095
CANE (prod).....	1563
CANE (q-pair).....	5, 482, 756, 757, 900
CANES (data).....	1095
CANES (q-pair).....	900
CARDIAC (data).....	1095
CARDIAC (loca).....	1475
CARDIAC (q-pair).....	76, 467
CARDIAC ALARM PARAMETERS VERIFIED.....	78
CARDIAC CHAIR (data).....	1095
CARDIAC CHAIR (q-pair).....	51
CARDIAC DIET (data).....	1096
CARDIAC INDEX.....	79
CARDIAC MONITOR (meth).....	1534
CARDIAC OUTPUT.....	80
CARDIAC OUTPUT INJECTATE (data).....	1096
CARDIAC OUTPUT INJECTATE (prod).....	1563
CARDIAC OUTPUT MONITOR (meth).....	1535
CARDIAC OUTPUT MONITOR (q-pair).....	131, 410, 415, 440, 703, 705, 714, 786, 787, 872, 873, 877
CARDIAC REPOSITION (data).....	1096
CARDIAC REPOSITION (q-pair).....	13
CARDIAC THRILL TIMING.....	81
CARDIAC/HEMODYNAMIC INSTABILITY (data).....	1096
CARDIAC/HEMODYNAMIC INSTABILITY (q-pair).....	175
CARDIO-RESP MONITOR (data).....	1096
CARDIO-RESP MONITOR (q-pair).....	465
CARDIOLOGY PROCEDURE ROOM (data).....	1097
CARDIOLOGY PROCEDURE ROOM (q-pair).....	697
CARDIOVASCULAR: CAPILLARY REFILL.....	82
CARDIOVASCULAR: CARDIAC ABNORMAL BEATS PER MINUTE.....	83

CARDIOVASCULAR: CARDIAC ECTOPY.....	84
CARDIOVASCULAR: CARDIAC RHYTHM.....	85
CARDIOVASCULAR: CARDIAC RHYTHM LEAD.....	86
CARDIOVASCULAR: CONDITIONS.....	87
CARDIOVASCULAR: DVT PREVENTION.....	88
CARDIOVASCULAR: EDEMA #1.....	89
CARDIOVASCULAR: EDEMA #2.....	90
CARDIOVASCULAR: EDEMA #3.....	91
CARDIOVASCULAR: EDEMA #4.....	92
CARDIOVASCULAR: EDEMA AMOUNT.....	93
CARDIOVASCULAR: EDEMA SEVERITY.....	94
CARDIOVASCULAR: HEART SOUNDS.....	95
CARDIOVASCULAR: JVD.....	96
CARDIOVASCULAR: PA CATHETER REPOSITIONED/DISCONTINUED REASON .....	97
CARDIOVASCULAR: PACEMAKER ATRIAL mA.....	98
CARDIOVASCULAR: PACEMAKER AV INTERVAL.....	99
CARDIOVASCULAR: PACEMAKER CAPTURE.....	100
CARDIOVASCULAR: PACEMAKER MODE.....	101
CARDIOVASCULAR: PACEMAKER ON.....	102
CARDIOVASCULAR: PACEMAKER RATE - DO NOT CHECK TOTAL OR SUBTOTALS .....	103
CARDIOVASCULAR: PACEMAKER SENSE.....	106
CARDIOVASCULAR: PACEMAKER SENSITIVITY ATRIAL.....	104
CARDIOVASCULAR: PACEMAKER SENSITIVITY VENTRICULAR.....	105
CARDIOVASCULAR: PACEMAKER TYPE.....	107
CARDIOVASCULAR: PACEMAKER UNIT ID.....	108
CARDIOVASCULAR: PACEMAKER VENTRICULAR mA.....	109
CARDIOVASCULAR: PACEMAKER WIRES.....	110
CARDIOVASCULAR: PULSE STRENGTH.....	111
CAREGIVER (data).....	1097
CAREGIVER (q-pair).....	208
CAREGIVER STRESS (data).....	1097
CAREGIVER STRESS (q-pair).....	205
CAROTID (loca).....	1475
CAROTID (q-pair).....	715
CAROTID ARTERY (loca).....	1476
CAROTID ARTERY (q-pair).....	76
CASS ENDOTRACHEAL TUBE (data).....	1097
CASS ENDOTRACHEAL TUBE (q-pair).....	19
CAST BOOT (data).....	1097
CAST BOOT (q-pair).....	482
CAST SHOE (data).....	1098
CAST SHOE (q-pair).....	482
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (data) .....	1098
CATH SECURED WITH DRAIN BAG BELOW PT'S BLADDER LEVEL (q-pair) .....	116
CATH SIZE DOCUMENTED (data).....	1098
CATH SIZE DOCUMENTED (q-pair).....	116
CATHETER (data).....	1098
CATHETER (meth).....	1535
CATHETER (q-pair).....	277
CATHETER (sche).....	1588
CATHETERIZATION TIME DOCUMENTED (data).....	1098
CATHETERIZATION TIME DOCUMENTED (q-pair).....	116
CAUTI PREVENTION: ALTERNATIVES ATTEMPTED PRIOR TO CATH.....	112
CAUTI PREVENTION: CATHETER IN PLACE.....	113
CAUTI PREVENTION: GU CATHETER DISCONTINUED.....	114
CAUTI PREVENTION: INDICATIONS.....	115
CAUTI PREVENTION: INSERTION REQUIREMENTS.....	116
CAUTI PREVENTION: MAINTENANCE.....	117

CAUTION-VITALS MAY NOT DISPLAY IN CORRECT SEQUENCE. REVIEW TIMES CAREFULLY.

.....	118
CEILING LIFT (data).....	1099
CEILING LIFT (q-pair).....	413, 754
CELLULITIS (data).....	1099
CELLULITIS (q-pair).....	967
CENTIMETER (unit).....	1606
CENTIMETERS H2O (unit).....	1607
CENTRAL ECG (data).....	1099
CENTRAL ECG (q-pair).....	21
CENTRAL LINE ALARMS ON.....	119
CENTRAL LINE CHANGED.....	120
CENTRAL LINE DRESSING CHANGE.....	121
CENTRAL LINE DRESSING TYPE.....	122
CENTRAL LINE INSERTION MARK.....	123
CENTRAL LINE SITE CARE.....	124
CENTRAL LINE SITE CONDITION.....	125
CENTRAL LINE SIZE FRENCH.....	126
CENTRAL LINE SIZE GAUGE.....	127
CENTRAL LINE TYPE.....	128
CENTRAL LINE WAVEFORM.....	129
CENTRAL LINE ZEROED.....	130
CENTRAL VENOUS CATHETER (data).....	1099
CENTRAL VENOUS CATHETER (q-pair).....	404, 609
CENTRAL VENOUS PRESSURE.....	131
CEREBRAL PERFUSION PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS.....	132
CERVICAL COLLAR (data).....	1099
CERVICAL COLLAR (q-pair).....	482
CERVICAL SPINAL PRECAUTIONS (data).....	1100
CERVICAL SPINAL PRECAUTIONS (q-pair).....	645
CERVICAL SPINE (loca).....	1476
CERVICAL SPINE (q-pair).....	452, 489, 585
CEVICAL SPINE DISEASE (data).....	1100
CEVICAL SPINE DISEASE (q-pair).....	483
CF: COUNTING FINGERS (data).....	1100
CF: COUNTING FINGERS (q-pair).....	192
CHAIR (data).....	1100
CHAIR (meth).....	1535
CHAIR (q-pair).....	12, 900, 941
CHANGED (data).....	1100
CHANGED (q-pair).....	41, 121, 404
CHART VERIFIED CORRECT (data).....	1101
CHART VERIFIED CORRECT (q-pair).....	647
CHEMOTHERAPY (data).....	1101
CHEMOTHERAPY (q-pair).....	644
CHEST (loca).....	1476
CHEST (q-pair).....	206, 452, 510, 585, 779, 782, 845
CHEST EXPANSION.....	133
CHEST PAIN.....	134
CHEST PAIN (ANGINA) (data).....	1101
CHEST PAIN (ANGINA) (q-pair).....	87
CHEST TUBE (meth).....	1535
CHEST TUBE (prod).....	1563
CHEST TUBE (q-pair).....	561
CHEST TUBE DRAINAGE (prod).....	1563
CHEST TUBE DRAINAGE CHARACTERISTICS.....	135
CHEST TUBE DRAINAGE SUCTION TYPE.....	136
CHEST TUBE DRAINAGE SYSTEM REPLACED.....	137
CHEST TUBE DRESSING CHANGE.....	138
CHEST TUBE SITE ASSESSMENT.....	139

CHEST TUBE SUCTION (CM H20).....	140
CHEYNE-STOKES (data).....	1101
CHEYNE-STOKES (q-pair).....	720
CHIEF CONCERN/COMPLAINT.....	141
CHRONIC (data).....	1101
CHRONIC (q-pair).....	589
CIRCULATION CHECK (data).....	1102
CIRCULATION CHECK (q-pair).....	778
CIRCUMDUCTION (data).....	1102
CIRCUMDUCTION (q-pair).....	485, 488
CIRCUMFERENCE/GIRTH.....	142
CIWA SCALE (unit).....	1607
CIWA: AGITATION.....	143
CIWA: ANXIETY.....	144
CIWA: AUDITORY DISTURBANCES.....	145
CIWA: HEADACHE FULLNESS IN HEAD.....	146
CIWA: NAUSEA/VOMITING.....	147
CIWA: ORIENTATION AND CLOUDING OF SENSORIUM.....	148
CIWA: PAROXYSMAL SWEATS.....	149
CIWA: TACTILE DISTURBANCES.....	150
CIWA: TOTAL.....	151
CIWA: TREMOR.....	152
CIWA: VISUAL DISTURBANCES.....	153
CLAMPED (data).....	1102
CLASS I (data).....	1102
CLASS I (q-pair).....	416
CLASS II (data).....	1102
CLASS II (q-pair).....	416
CLASS III (data).....	1103
CLASS III (q-pair).....	416
CLASS IV (data).....	1103
CLASS IV (q-pair).....	416
CLAY (data).....	1103
CLAY (q-pair).....	198, 216, 269, 906, 954
CLEAN (data).....	1103
CLEAN (q-pair).....	44, 125, 183, 296, 406, 571
CLEAR (data).....	1103
CLEAR (q-pair).....	75, 198, 216, 269, 355, 516, 683, 708, 823, 854, 869, 906, 907
CLEAR LIQUID (data).....	1104
CLEAR LIQUID (q-pair).....	190
CLEAR LIQUID DIET (data).....	1104
CLEAR LIQUIDS (prod).....	1563
CLEAR LIQUIDS (q-pair).....	389
CLICK (data).....	1104
CLICK (q-pair).....	95
CLINICAL ASSESSMENT (data).....	1104
CLINICAL ASSESSMENT (q-pair).....	205
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): ANXIETY OR IRRITABILITY .....	163
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): BONE OR JOINT ACHEs .....	158
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): GI UPSET.....	161
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): GOOSEFLESH SKIN .....	164
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): PUPIL SIZE....	157
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): RESTING PULSE RATE .....	154

CLINICAL OPIATE WITHDRAWAL SCALE (COWS): RESTLESSNESS OBSERVED .....	156
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): RUNNY NOSE OR TEARING .....	159
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): SEVERITY.....	166
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): SWEATING.....	155
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): TOTAL SCORE... <td>165</td>	165
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): TREMOR OBSERVATION .....	162
CLINICAL OPIATE WITHDRAWAL SCALE (COWS): YAWNING OBSERVATION .....	160
CLONIC (data).....	1104
CLONIC (q-pair).....	510
CLOSE OBSERVATION (data).....	1105
CLOSE OBSERVATION (q-pair).....	55, 536, 599
CLOSE OBSERVATION BEHAVIOR.....	167
CLOSE OBSERVATION CURRENT LOCATION.....	168
CLOSED (data).....	1105
CLOSED (q-pair).....	171
CLOSED DRAINAGE SYSTEM (data).....	1105
CLOSED DRAINAGE SYSTEM (q-pair).....	117
CLOSED SYSTEM (data).....	1105
CLOSED SYSTEM (q-pair).....	210
CLOTHED SELF (data).....	1105
CLOTHED SELF (q-pair).....	10
CLOTHING ROOM (data).....	1106
CLOTHING ROOM (q-pair).....	654, 655
CLOTS (data).....	1106
CLOTS (q-pair).....	868, 907
CLOUDY (data).....	1106
CLOUDY (q-pair).....	355, 683, 823, 907
CLUBBING (data).....	1106
CLUBBING (q-pair).....	492
CMS INTACT DISTAL TO SURGICAL SITE (data).....	1106
CMS INTACT DISTAL TO SURGICAL SITE (q-pair).....	576
CNS (data).....	1107
CNS (q-pair).....	698
CNS DEPRESSION (data).....	1107
CNS DEPRESSION (q-pair).....	227
COCCYX (loca).....	1476
COCCYX (q-pair).....	452, 489, 585, 691, 845, 962
CODE CART IS ASSESSIBLE (data).....	1107
CODE CART IS ASSESSIBLE (q-pair).....	465
CODE STATUS.....	169
COFFEE (prod).....	1564
COFFEE (q-pair).....	389
COFFEE GROUND (data).....	1107
COGNITIVE IMPAIRMENT (data).....	1107
COGNITIVE IMPAIRMENT (q-pair).....	50
COGNITIVELY IMPAIRED (data).....	1108
COLD (data).....	1108
COLD (q-pair).....	587, 845
COLLAGEN (data).....	1108
COLLAGEN (q-pair).....	692
COLLOID (meth).....	1535
COLLOID (prod).....	1564
COLLOID (q-pair).....	369, 384
COLLOID TYPE.....	170
COLOR AND CONSISTENCY OF ASPIRATED SECRETIONS (data)...	1108
COLOR AND CONSISTENCY OF ASPIRATED SECRETIONS (q-pair).	258
COLOR APPROPRIATE FOR ETHNICITY (data).....	1108

COLOR APPROPRIATE FOR ETHNICITY (q-pair).....	479
COLORLESS (data).....	1109
COLORLESS (q-pair).....	954
COLOSTOMY (data).....	1109
COLOSTOMY (q-pair).....	66, 548
COMA SCORE EYE.....	171
COMA SCORE MOTOR.....	172
COMA SCORE VERBAL.....	173
COMATOSE (data).....	1109
COMATOSE (q-pair).....	451
COMBATIVE (data).....	1109
COMBATIVE (q-pair).....	54, 451, 644, 759
COMFORT CARE (PALLIATIVE CARE CONSULT REQUIRED) (data).....	1110
COMFORT CARE (PALLIATIVE CARE CONSULT REQUIRED) (q-pair).....	629
COMFORT CARE (data).....	1109
COMFORT CARE (q-pair).....	115
COMFORT CARE SUBCUTANEOUS (data).....	1110
COMFORT CARE SUBCUTANEOUS (q-pair).....	629
COMFORT MEASURES (data).....	1110
COMFORT MEASURES (q-pair).....	235
COMMODE (data).....	1110
COMMODE (q-pair).....	12
COMMUNICATION BARRIER (data).....	1110
COMMUNICATION BARRIER (q-pair).....	202
COMMUNITY RESOURCES (data).....	1111
COMMUNITY RESOURCES (q-pair).....	205
COMPLETE BATH (data).....	1111
COMPLETE BATH (q-pair).....	10
COMPLETE DENTURE (prod).....	1564
COMPLETE DENTURE (q-pair).....	538
COMPLIANCE (data).....	1111
COMPLIANCE (q-pair).....	205
COMPR. HOSE SEQ. COMP. DEVICE.....	174
COMPULSIVE (data).....	1111
COMPULSIVE (q-pair).....	52
COMPUTED TOMOGRAPHY (meth).....	1536
COMPUTED TOMOGRAPHY (q-pair).....	408, 409
CONDITIONS IMPACTING TRANSFER OR POSITIONING.....	175
CONFUSED (data).....	1111
CONFUSED (q-pair).....	173, 202, 412, 599
CONFUSION (data).....	1112
CONFUSION (q-pair).....	227, 635
CONNECTED TO DRAINAGE BAG (data).....	1112
CONNECTED TO DRAINAGE BAG (q-pair).....	547
CONSISTENT WITH BODY TEMPERATURE (data).....	1112
CONSISTENT WITH BODY TEMPERATURE (q-pair).....	845
CONSTANT (data).....	1112
CONSTANT (q-pair).....	581, 582, 968
CONSTANT CARBOHYDRATE (data).....	1112
CONSTANT CARBOHYDRATE (q-pair).....	190
CONSTIPATION (data).....	1113
CONSTIPATION (q-pair).....	227, 267, 635, 868
CONSTRICITED (data).....	1113
CONSTRICTED (q-pair).....	14
CONTACT (data).....	1113
CONTACT (q-pair).....	393, 644
CONTACT GLIDE (data).....	1113
CONTACT GLIDE (q-pair).....	754
CONTACTS (data).....	1113
CONTACTS (q-pair).....	460
CONTEMPLATIVE (data).....	1114

CONTEMPLATIVE (q-pair).....	204
CONTINENT (data).....	1114
CONTINENT (q-pair).....	66, 277, 750, 751, 909
CONTINUOUS (data).....	1114
CONTINUOUS (q-pair).....	81, 197, 273, 808
CONTINUOUS ONLY (data).....	1114
CONTINUOUS ONLY (q-pair).....	626
CONTINUOUS POSITIVE AIR PRESSURE (data).....	1114
CONTINUOUS POSITIVE AIR PRESSURE (q-pair).....	918, 932
CONTINUOUS SUCTION (data).....	1115
CONTINUOUS SUCTION (q-pair).....	136
CONTRACT CARE FACILITY (data).....	1115
CONTRACT CARE FACILITY (q-pair).....	668
CONTRACTURE (data).....	1115
CONTRACTURE (q-pair).....	486
CONTRACTURES/SPASMS (data).....	1115
CONTRACTURES/SPASMS (q-pair).....	175
CONTRAST LEFT VENTRICULOGRAPHY (meth).....	1536
CONTRAST LEFT VENTRICULOGRAPHY (q-pair).....	408, 409
CONTROL MODE VENTILATION (data).....	1115
CONTROL MODE VENTILATION (q-pair).....	918
CONTROLLED VENTILATOR (meth).....	1536
CONTROLLED VENTILATOR (q-pair).....	721
CONTUSION (data).....	1116
CONTUSION (q-pair).....	967
COOL (data).....	1116
COOL (q-pair).....	640, 845
COOL CHEM PACK (data).....	1116
COOL CHEM PACK (q-pair).....	939
COOLER THAN GENERAL BODY TEMPERATURE (data).....	1116
COOLER THAN GENERAL BODY TEMPERATURE (q-pair).....	845
COOLER THAN OPPOSITE BODY PART (data).....	1116
COOLER THAN OPPOSITE BODY PART (q-pair).....	845
COOLING BLANKET (data).....	1117
COOLING BLANKET (q-pair).....	939
COOLING OFF (data).....	1117
COOLING OFF (q-pair).....	940
COOLING ON (data).....	1117
COOLING ON (q-pair).....	940
COOPERATIVE (data).....	1117
COOPERATIVE (q-pair).....	52, 54
COPIOUS (data).....	1117
COPIOUS (q-pair).....	557, 707
CORE (loca).....	1476
CORE (q-pair).....	882
CORNEAL (data).....	1118
CORNEAL (q-pair).....	509
COUGH.....	176
COUGH (data).....	1118
COUGH (q-pair).....	509
CPAP.....	177
CPAP (meth).....	1536
CPAP (q-pair).....	875
CRACKLES (data).....	1118
CRACKLES (q-pair).....	75
CRAMPING (data).....	1118
CRAMPING (q-pair).....	267, 582
CREPITUS (data).....	1118
CREPITUS (q-pair).....	139
CRNA (data).....	1119
CRNA (q-pair).....	698

CRRT (meth).....	1536
CRRT (q-pair).....	371, 553
CRUSHING (data).....	1119
CRUSHING (q-pair).....	582, 967
CRUTCH (data).....	1119
CRUTCH (q-pair).....	900
CRUTCHES (data).....	1119
CRUTCHES (q-pair).....	5, 482, 900
CRYING (data).....	1119
CRYING (q-pair).....	586
CRYOPRECIPITATE (prod).....	1564
CRYOPRECIPITATE (q-pair).....	369, 377
CRYSTALLOID (data).....	1120
CRYSTALLOID (prod).....	1564
CRYSTALLOID (q-pair).....	369, 384
CSM: CENTRAL STEADY MAINTAINED (data).....	1120
CSM: CENTRAL STEADY MAINTAINED (q-pair).....	192
CUBIC CENTIMETER (unit).....	1607
CUFF (meth).....	1537
CUFF (q-pair).....	189, 440, 441, 878
CUFF INFLATION CHECKED.....	178
CUFF-AUTOMATED (meth).....	1537
CUFF-AUTOMATED (q-pair).....	63
CUFF-MANUAL (meth).....	1537
CUFF-MANUAL (q-pair).....	63
CUFFED (data).....	1120
CUFFED (q-pair).....	.894
CULTURAL (data).....	1120
CULTURAL (q-pair).....	203
CVVHD (meth).....	1537
CVVHD (q-pair).....	371, 553
CYANOTIC (data).....	1120
CYANOTIC (q-pair).....	479, 491, 637, 832

- D -

D - DOPPLER (data).....	1121
D - DOPPLER AUDIBLE ONLY (data).....	1121
D - DOPPLER AUDIBLE ONLY (q-pair).....	111
D10W ENTERAL NUTRITION (data).....	1121
D10W ENTERAL NUTRITION (q-pair).....	215
D50W ENTERAL NUTRITION (data).....	1121
D50W ENTERAL NUTRITION (q-pair).....	215
D5W ENTERAL NUTRITION (data).....	1121
D5W ENTERAL NUTRITION (q-pair).....	215
D=DOPPLER (data).....	1122
DABIGATRAN (data).....	1122
DABIGATRAN (q-pair).....	88
DAILY ASSESSMENT OF NEED (data).....	1122
DAILY ASSESSMENT OF NEED (q-pair).....	117
DAILY HYGIENE (data).....	1122
DAILY HYGIENE (q-pair).....	117
DAILY PLAN (data).....	1122
DAILY PLAN (q-pair).....	205
DAKINS SOLUTION (prod).....	1565
DAKINS SOLUTION (q-pair).....	376
DAMPENED (data).....	1123
DAMPENED (q-pair).....	46, 97, 129, 567,
	574
DANGLED (data).....	1123
DANGLED (q-pair).....	12
DATE OF BIRTH (data).....	1123

DATE OF BIRTH (q-pair).....	466
DAY (unit).....	1607
DAY ROOM (data).....	1123
DAY ROOM (q-pair).....	53, 168
DDD (data).....	1123
DDD (q-pair).....	101
DDDR (data).....	1124
DDDR (q-pair).....	101
DDI (data).....	1124
DDI (q-pair).....	101
DDIR (data).....	1124
DDIR (q-pair).....	101
DEAF (data).....	1124
DEAF (q-pair).....	497
DECCELERATING (data).....	1124
DECCELERATING (q-pair).....	933
DECLINED TO PARTICIPATE (data).....	1125
DECLINED TO PARTICIPATE (q-pair).....	750, 751
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (data).....	1125
DECLINES BLOOD PRODUCT(S) - SEE COMMENTS (q-pair).....	651
DECREASE STIMULATION (data).....	1125
DECREASE STIMULATION (q-pair).....	770
DECREASED (data).....	1125
DECREASED (q-pair).....	848
DECREASED ROM (data).....	1125
DECREASED ROM (q-pair).....	486, 494
DEEP (data).....	1126
DEEP (q-pair).....	582, 720
DEEP: DEEP RESPIRATIONS (data).....	1126
DEEP: DEEP RESPIRATIONS (q-pair).....	632
DEFLATE BALLOON (data).....	1126
DEFLATE BALLOON (q-pair).....	238
DEFORMITY (data).....	1126
DEFORMITY (q-pair).....	486
DEGREES (ANGLE) (unit).....	1607
DEGREES C (unit).....	1608
DEGREES F (unit).....	1608
DELIRIOUS (data).....	1126
DELIRIOUS (q-pair).....	412
DELUSIONS (data).....	1127
DELUSIONS (q-pair).....	58
DEMANDING (data).....	1127
DEMANDING (q-pair).....	52
DEMENTIA (data).....	1127
DEMENTIA (q-pair).....	175
DENIES HAVING SLEPT (data).....	1127
DENIES HAVING SLEPT (q-pair).....	851
DENIES NEED (data).....	1127
DENIES NEED (q-pair).....	204
DENTAL (data).....	1128
DENTAL (q-pair).....	697
DENTAL IMPLANTS (data).....	1128
DENTAL IMPLANTS (q-pair).....	179
DENTIST (data).....	1128
DENTIST (q-pair).....	698
DENTURES.....	179
DENTURES (data).....	1128
DENTURES (q-pair).....	460
DEPENDENT (q-pair).....	89, 90, 91, 92
DEPENDENT (qual).....	1582
DEPRESSED ST (data).....	1128
DEPRESSED ST (q-pair).....	207

DESCRIP (data).....	1129
DEVIATION LEFT (data).....	1129
DEVIATION LEFT (q-pair).....	887
DEVIATION RIGHT (data).....	1129
DEVIATION RIGHT (q-pair).....	887
DEVICE RELATED PRESSURE (data).....	1129
DEVICE RELATED PRESSURE (q-pair).....	689
DEVICE RELEASE (data).....	1129
DEVICE RELEASE (q-pair).....	778
DEVICE SAFETY (data).....	1130
DEVICE SAFETY (q-pair).....	535
DIABETES (data).....	1130
DIABETES (q-pair).....	461
DIABETIC/VASCULAR ULCER (data).....	1130
DIABETIC/VASCULAR ULCER (q-pair).....	967
DIAGNOSIS.....	180
DIAGNOSIS TYPE.....	181
DIAGNOSIS/HEALTH STATUS (data).....	1130
DIAGNOSIS/HEALTH STATUS (q-pair).....	205
DIALYSIS (meth).....	1537
DIALYSIS ACCESS (data).....	1130
DIALYSIS ACCESS (q-pair).....	701
DIALYSIS BLOOD FLOW RATE.....	182
DIALYSIS CATHETER (meth).....	1538
DIALYSIS CATHETER SITE CONDITION.....	183
DIALYSIS DRESSING TYPE.....	184
DIALYSIS LINE (data).....	1131
DIALYSIS LINE (q-pair).....	128
DIALYSIS RATIO.....	185
DIALYSIS: ARTERIAL PRESSURE.....	186
DIALYSIS: UFR (ULTRAFILTRATION RATE).....	187
DIALYSIS: VENOUS PRESSURE.....	188
DIAPHORETIC (data).....	1131
DIAPHORETIC (q-pair).....	840
DIARRHEA (data).....	1131
DIARRHEA (q-pair).....	66, 267, 868
DIASTOLIC (data).....	1131
DIASTOLIC (q-pair).....	81
DIASTOLIC PRESSURE.....	189
DID NOT MOVE BOWELS THIS OBSERVATION PERIOD (data)....	1131
DID NOT MOVE BOWELS THIS OBSERVATION PERIOD (q-pair)...	751
DID NOT VOID THIS OBSERVATION PERIOD (data).....	1132
DID NOT VOID THIS OBSERVATION PERIOD (q-pair).....	750
DIET.....	190
DIFFICULT TO AROUSE (data).....	1132
DIFFICULT TO AROUSE (q-pair).....	606
DIFFICULTY FALLING ASLEEP (data).....	1132
DIFFICULTY FALLING ASLEEP (q-pair).....	515
DIFFICULTY STAYING ASLEEP (data).....	1132
DIFFICULTY STAYING ASLEEP (q-pair).....	515
DIFFICULTY WAKING UP (data).....	1132
DIFFICULTY WAKING UP (q-pair).....	515
DIGITAL STIMULATION (data).....	1133
DIGITAL STIMULATION (q-pair).....	66
DILATED (data).....	1133
DILATED (q-pair).....	507
DILUTE DAKINS SOLUTION (data).....	1133
DILUTE DAKINS SOLUTION (q-pair).....	692
DILUTE SODIUM HYPOCHLORITE SOLUTION (data).....	1133
DIMINISHED (data).....	1133
DIMINISHED (q-pair).....	75, 498, 499, 500,

DINING ROOM (data).....	1134
DINING ROOM (q-pair).....	53
DIPLOPIA (data).....	1134
DIPLOPIA (q-pair).....	519
DISCHARGE (data).....	1134
DISCHARGE (q-pair).....	181, 205, 962
DISCHARGE ACTIVITIES.....	191
DISCHARGE MEDS PLANNED (data).....	1134
DISCHARGE MEDS PLANNED (q-pair).....	191
DISCHARGE ORDER ON CHART (data).....	1134
DISCHARGE ORDER ON CHART (q-pair).....	191
DISCOLORATION (data).....	1135
DISCOLORATION (q-pair).....	491, 827
DISCOMFORT (data).....	1135
DISCOMFORT (q-pair).....	44, 125, 183, 296, 406, 571
DISCONTINUED (data).....	1135
DISCONTINUED (q-pair).....	404, 609, 808
DISEASE PROCESS (data).....	1135
DISEASE PROCESS (q-pair).....	205
DISHEVELED (data).....	1135
DISHEVELED (q-pair).....	30, 286
DISORGANIZED (data).....	1136
DISORGANIZED (q-pair).....	854
DISORIENTED (data).....	1136
DISORIENTED (q-pair).....	451, 599, 775
DISORIENTED TO PERSON (data).....	1136
DISORIENTED TO PERSON (q-pair).....	505, 545
DISORIENTED TO PLACE (data).....	1136
DISORIENTED TO PLACE (q-pair).....	505, 545
DISORIENTED TO SITUATION (data).....	1136
DISORIENTED TO SITUATION (q-pair).....	505, 545
DISORIENTED TO TIME (data).....	1137
DISORIENTED TO TIME (q-pair).....	505, 545
DISRUPTED SLEEP (data).....	1137
DISRUPTED SLEEP (q-pair).....	515
DISTAL PORT (data).....	1137
DISTAL PORT (q-pair).....	405
DISTANCE VISION.....	192
DISTANT (data).....	1137
DISTANT (q-pair).....	95
DISTENDED (data).....	1137
DISTENDED (q-pair).....	2, 495
DISTENDED WITH HOB 30 DEGREES (data).....	1138
DISTENDED WITH HOB 30 DEGREES (q-pair).....	96
DIVERSION (data).....	1138
DIVERSION (q-pair).....	909
DIVISIONAL ACTIVITIES (data).....	1138
DIVISIONAL ACTIVITIES (q-pair).....	770
DIVIATION TO ONE SIDE (data).....	1138
DIVIATION TO ONE SIDE (q-pair).....	248
DIZZINESS (data).....	1138
DIZZINESS (q-pair).....	518
DO (data).....	1139
DO (q-pair).....	794
DO NOT INTUBATE (data).....	1139
DO NOT INTUBATE (q-pair).....	38, 169
DO NOT PROCESS.....	193
DO NOT RESUSCITATE (data).....	1139
DO NOT RESUSCITATE (q-pair).....	38, 169
DONE (data).....	1139
DONE (q-pair).....	537

DONE AS PER POLICY (data).....	1139
DONE AS PER POLICY (q-pair).....	893
DONOR SITE (loca).....	1477
DONOR SITE (q-pair).....	362
DOO (data).....	1140
DOO (q-pair).....	101
DOPPLER (meth).....	1538
DOPPLER (q-pair).....	63, 189, 715, 878
DORSALIS PEDIS (loca).....	1477
DORSALIS PEDIS (q-pair).....	111, 715
DORSI FLEXION.....	194
DORSIFLEXION ABNORMAL (data).....	1140
DORSIFLEXION ABNORMAL (q-pair).....	481
DORSIFLEXION BOOT (data).....	1140
DORSIFLEXION BOOT (q-pair).....	482
DORSIFLEXION WNL (data).....	1140
DORSIFLEXION WNL (q-pair).....	481
DOUBLE (data).....	1140
DOUBLE (q-pair).....	128
DOUBLE LUMEN CATHETER (meth).....	1538
DOWN (data).....	1141
DOWNWARD (data).....	1141
DOWNWARD (q-pair).....	506
DRAIN DRESSING CHANGE.....	195
DRAIN SUCTION CM H20.....	196
DRAIN SUCTION TYPE.....	197
DRAINAGE CHARACTERISTICS.....	198
DRAINAGE FLOW IS UNOBSTRUCTED (data).....	1141
DRAINAGE FLOW IS UNOBSTRUCTED (q-pair).....	116
DRAINAGE SYSTEM REPLACED.....	199
DRAINING POORLY (data).....	1141
DRAINING POORLY (q-pair).....	237
DRAINING WELL (data).....	1141
DRAINING WELL (q-pair).....	237
DRESSING (data).....	1142
DRESSING (q-pair).....	507, 951
DRESSING CHANGE.....	200
DRESSING CHANGED (data).....	1142
DRESSING CHANGED (q-pair).....	404, 609
DRESSING WITH PRESCRIPTION RX (data).....	1142
DRESSINGS CHECKED (data).....	1142
DRESSINGS CHECKED (q-pair).....	191
DROPLET (data).....	1142
DROPLET (q-pair).....	393, 644
DROPPING FOOT (data).....	1143
DROPPING FOOT (q-pair).....	248
DROWSY (data).....	1143
DROWSY (q-pair).....	54, 412, 451, 606
DRY (data).....	1143
DRY (q-pair).....	41, 121, 479, 825, 840, 892, 941
DRY (qual).....	1583
DRY AND INTACT (data).....	1143
DRY HEAVES (data).....	1143
DRY HEAVES (q-pair).....	267
DRY SHAMPOO (data).....	1144
DRY SHAMPOO (q-pair).....	10
DRY STERILE DRESSING (data).....	1144
DUAL CANNULA (data).....	1144
DUAL CANNULA (q-pair).....	894
DULL (data).....	1144
DULL (q-pair).....	582

DUMPING SYNDROME (data).....	1144
DUODENOSTOMY (data).....	1145
DUODENOSTOMY (q-pair).....	209
DUSKY (data).....	1145
DUSKY (q-pair).....	832
DVI (data).....	1145
DVI (q-pair).....	101
DVT PROPHYLAXIS.....	201
DYE PRESENT (data).....	1145
DYE PRESENT (q-pair).....	906
DYNE * SECONDS / CM(-5) * M2 (unit).....	1608
DYNE * SECONDS / CM(-5) / M2 (unit).....	1608
DYNE-SEC/CM5 (unit).....	1608
DYSARTHRIA (data).....	1145
DYSARTHRIA (q-pair).....	516
DYSPHAGIA (data).....	1146
DYSPHAGIA (q-pair).....	38, 190, 267
DYSPHAGIA PHASE I (data).....	1146
DYSPHAGIA STAGE II (data).....	1146
DYSPHAGIA STAGE III (data).....	1146
DYSPHAGIA STAGE IV (data).....	1146
DYSPHAGIA STAGE V (data).....	1147
DYSPNEA (data).....	1147
DYSPNEA (q-pair).....	87
DYSPNEIC (data).....	1147
DYSPNEIC (q-pair).....	720
DYSURIA (data).....	1147
DYSURIA (q-pair).....	909

- E -

EAGER TO LEARN (data).....	1147
EAGER TO LEARN (q-pair).....	204
EAR (data).....	1148
EAR (q-pair).....	701
EASY TO AROUSE (data).....	1148
EASY TO AROUSE (q-pair).....	606
ECHHYMOSIS (data).....	1148
ECHHYMOSIS (q-pair).....	832
ECHOCARDIOGRAPHY (meth).....	1538
ECHOCARDIOGRAPHY (q-pair).....	408, 409
ED IMPLANT (data).....	1148
ED IMPLANT (q-pair).....	701
EDEMA (NON-PITTING) (data).....	1148
EDEMA (NON-PITTING) (q-pair).....	486
EDUCATION (data).....	1149
EDUCATION (q-pair).....	770
EDUCATION - BARRIERS.....	202
EDUCATION - BELIEFS.....	203
EDUCATION - READINESS TO LEARN.....	204
EDUCATION - TOPIC.....	205
EF RESIDUAL (prod).....	1565
EF RESIDUAL (q-pair).....	560
EKG LEAD.....	206
EKG WAVE DESCRIPTIONS.....	207
ELASTIC WRAP (data).....	1149
ELASTIC WRAP (q-pair).....	201
ELBOW (loca).....	1477
ELBOW (q-pair).....	482, 486
ELBOW PAD (data).....	1149
ELBOW PAD (q-pair).....	688
ELECTRIC (data).....	1149

ELECTRIC (q-pair).....	582
ELECTROCARDIOGRAM (meth).....	1538
ELECTROCARDIOGRAM (q-pair).....	715, 855, 856, 857,
858, 859, 860, 861,	
862, 863, 864, 865,	
866, 889, 890	
ELECTROCARDIOGRAM TRACE 1 (meth).....	1539
ELECTROCARDIOGRAM TRACE 1 (q-pair).....	715
ELECTROCARDIOGRAM TRACE 2 (meth).....	1539
ELECTROCARDIOGRAM TRACE 2 (q-pair).....	715
ELECTRONIC LARYNX (data).....	1149
ELECTRONIC LARYNX (q-pair).....	728
ELEMENTAL FORMULA (data).....	1150
ELEMENTAL FORMULA (prod).....	1565
ELEMENTAL FORMULA (q-pair).....	369
ELEVATED ST (data).....	1150
ELEVATED ST (q-pair).....	207
ELIMINATED ENVIRONMENTAL HAZARDS (data).....	1150
ELIMINATED ENVIRONMENTAL HAZARDS (q-pair).....	235
ELOPEMENT (data).....	1150
ELOPEMENT (q-pair).....	38, 56, 535
ELOPEMENT RISK (data).....	1150
ELOPEMENT RISK (q-pair).....	599, 644
EMERGENCY (data).....	1151
EMERGENCY (q-pair).....	48
EMERGENCY DEPARTMENT (data).....	1151
EMERGENCY DEPARTMENT (q-pair).....	231, 578
EMERGENCY DEPT (data).....	1151
EMERGENCY DEPT (q-pair).....	697
EMESIS (prod).....	1565
EMESIS (q-pair).....	554
EMOTIONAL (data).....	1151
EMOTIONAL (q-pair).....	202
EMOTIONAL SUPPORT.....	208
END OF LIFE CARE (data).....	1151
END OF LIFE CARE (q-pair).....	689
END-TIDAL CO2 MONITOR (data).....	1152
END-TIDAL CO2 MONITOR (q-pair).....	465
ENEMA (data).....	1152
ENEMA (q-pair).....	66
ENOXAPARIN (data).....	1152
ENOXAPARIN (q-pair).....	88
ENSURE PLUS (data).....	1152
ENSURE PLUS (q-pair).....	215
ENTERAL FEEDING / SUPPLEMENT (meth).....	1539
ENTERAL FEEDING / SUPPLEMENT (q-pair).....	369
ENTERAL FEEDING FORMULAWATER ADMINISTRATION (data)....	1152
ENTERAL FEEDING FORMULAWATER ADMINISTRATION (q-pair)..	205
ENTERAL FEEDING PUMP (data).....	1153
ENTERAL FEEDING PUMP (q-pair).....	205
ENTERAL FEEDING TUBE (meth).....	1539
ENTERAL FEEDING TUBE (q-pair).....	369
ENTERAL FEEDING TUBE TYPE.....	209
ENTERAL NUTRITION DELIVERY METHOD.....	210
ENTERAL NUTRITION LINE TRACED.....	211
ENTERAL NUTRITION RATE.....	212
ENTERAL NUTRITION SYSTEM MAINTENANCE.....	213
ENTERAL NUTRITION TUBE PLACEMENT VERIFIED.....	214
ENTERAL NUTRITION TYPE.....	215
ENTERAL TUBE ASPIRATE COLOR.....	216
ENTERAL TUBE ASPIRATE PH.....	217
ENTERAL TUBE MEDICATION ADMINISTRATION (data).....	1153

ENTERAL TUBE MEDICATION ADMINISTRATION (q-pair).....	205
ENTERAL TUBE RESIDUAL VOLUME.....	218
ENTERAL TUBE SITE CONDITION CHECKED.....	219
ENTERAL TUBE/STOMA CARE (data).....	1153
ENTERAL TUBE/STOMA CARE (q-pair).....	205
ENVIRONMENT (data).....	1153
ENVIRONMENT (q-pair).....	205
ENZYMATIC OINTMENT (data).....	1153
ENZYMATIC OINTMENT (q-pair).....	692
EPICARDIAL LEADS (data).....	1154
EPICARDIAL LEADS (q-pair).....	107
EPIDURAL (data).....	1154
EPIDURAL (q-pair).....	29
EPIDURAL PUMP (data).....	1154
EPIDURAL PUMP (q-pair).....	205
EPIDURAL: BOLUS (ML).....	220
EPIDURAL: CATHETER SITE.....	221
EPIDURAL: CONTINUOUS RATE (ML/HR).....	222
EPIDURAL: DERMATOME SENSORY LEVEL - LEFT.....	223
EPIDURAL: DERMATOME SENSORY LEVEL - RIGHT.....	224
EPIDURAL: MEDICATION.....	225
EPIDURAL: RESERVOIR VOLUME REMAINING.....	226
EPIDURAL: SIDE EFFECTS.....	227
EPIDURAL: TOTAL VOLUME GIVEN.....	228
EPITHELIALIZATION (data).....	1154
EPITHELIALIZATION (q-pair).....	961
EQUAL (data).....	1154
EQUAL (q-pair).....	414, 507, 905
EQUIPMENT (data).....	1155
EQUIPMENT (q-pair).....	205, 759
ER EMERGENCY SEVERITY INDEX.....	229
ER TRIAGE CONDITION.....	230
ER TRIAGE DISPOSITION.....	231
ERYTHEMA (data).....	1155
ERYTHEMA (q-pair).....	827
ERYTHEMATOUS (data).....	1155
ERYTHEMATOUS (q-pair).....	892
ESCAPE (data).....	1155
ESCAPE (q-pair).....	.56
ESCHAR (data).....	1155
ESCHAR (q-pair).....	.961
ESTABLISHED ROUTINE TOILETING SCHEDULE (data).....	1156
ESTABLISHED ROUTINE TOILETING SCHEDULE (q-pair).....	235
ESTIMATED (q-pair).....	284, 356, 557, 715,
	882, 941, 943
ESTIMATED (qual).....	1583
ESTIMATED BY ARM SPAN (q-pair).....	284
ESTIMATED BY ARM SPAN (qual).....	1583
ET LOCATION.....	232
ETT REPOSITIONED (data).....	1156
ETT REPOSITIONED (q-pair).....	.537
ETT RETAPED/SECURED (data).....	1156
ETT RETAPED/SECURED (q-pair).....	.537
EUPHORIC (data).....	1156
EUPHORIC (q-pair).....	.14
EVENT(S) (unit).....	1609
EVENTS PER HOUR (unit).....	1609
EVENTS/2 HOURS (unit).....	1609
EVENTS/4 HOURS (unit).....	1609
EVERSION ABNORMAL (data).....	1156
EVERSION ABNORMAL (q-pair).....	481
EVERSION WNL (data).....	1157

EVERSION WNL (q-pair).....	481
EWALD TUBE (data).....	1157
EWALD TUBE (q-pair).....	272
EXCELLENT (q-pair).....	723, 724, 725, 726, 727, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 755
EXCELLENT (qual).....	1583
EXPIRATORY WHEEZES (data).....	1157
EXPIRATORY WHEEZES (q-pair).....	75
EXTENDED PERIOD OF IMMOBILITY (data).....	1157
EXTENDED PERIOD OF IMMOBILITY (q-pair).....	227
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (data) .....	1157
EXTENDS AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair) .....	835
EXTENDS AROUND INCISION MORE THAN 1 CM (data).....	1158
EXTENDS AROUND INCISION MORE THAN 1 CM (q-pair).....	835
EXTENDS AROUND INCISION NONE (data).....	1158
EXTENDS AROUND INCISION NONE (q-pair).....	835
EXTENDS INTO PERIWOUND <1CM (data).....	1158
EXTENDS INTO PERIWOUND <1CM (q-pair).....	360
EXTENDS INTO PERIWOUND>1CM (data).....	1158
EXTENDS INTO PERIWOUND>1CM (q-pair).....	360
EXTENDS TO PAIN (data).....	1158
EXTENDS TO PAIN (q-pair).....	172
EXTENSION ABNORMAL (data).....	1159
EXTENSION ABNORMAL (q-pair).....	490
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (data) .....	1159
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND LESS THAN 1 CM (q-pair) .....	836
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (data) .....	1159
EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND MORE THAN 1 CM (q-pair) .....	836
EXTENSION AROUND WOUND LIMITED TO WOUND (data).....	1159
EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair).....	836
EXTENSION AROUND WOUND NONE (data).....	1159
EXTENSION AROUND WOUND NONE (q-pair).....	836
EXTENSION WNL (data).....	1160
EXTENSION WNL (q-pair).....	490
EXTENSION-ABNORMAL (data).....	1160
EXTENSION-ABNORMAL (q-pair).....	487
EXTENSION-WNL (data).....	1160
EXTENSION-WNL (q-pair).....	487
EXTENSIVE ASSISTANCE (data).....	1160
EXTENSIVE ASSISTANCE (meth).....	1539
EXTENSIVE ASSISTANCE (q-pair).....	7, 8, 11, 723, 724, 725, 726, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 755, 756, 757
EXTERNAL CATHETER (data).....	1160
EXTERNAL CATHETER (meth).....	1540
EXTERNAL CATHETER (q-pair).....	276, 558, 909
EXTERNAL CONDOM CATH (data).....	1161
EXTERNAL CONDOM CATH (q-pair).....	112
EXTERNAL FECAL INCONTINENCE DEVICE (data).....	1161

EXTERNAL FECAL INCONTINENCE DEVICE (q-pair).....	239
EXTERNAL ORTHOPEDIC HARDWARE (data).....	1161
EXTERNAL ORTHOPEDIC HARDWARE (q-pair).....	175
EXTERNAL ROTATION (data).....	1161
EXTERNAL ROTATION (q-pair).....	485, 486, 488
EXTRA MOVEMENTS THAT AFFECT GAIT (data).....	1161
EXTRA MOVEMENTS THAT AFFECT GAIT (q-pair).....	248
EXTREMELY DRY (data).....	1162
EXTREMELY WEAK (data).....	1162
EXTREMELY WEAK (q-pair).....	503, 504
EXTREMITY BRACE (data).....	1162
EXTREMITY BRACE (q-pair).....	482
EXTREMITY IMMOBILIZER (data).....	1162
EXTREMITY IMMOBILIZER (q-pair).....	482
EYE CLOSED (data).....	1162
EYE CLOSED (q-pair).....	507
EYE CONTACT.....	233
EYE LENS (data).....	1163
EYE LENS (q-pair).....	701
EYEGLASSES (data).....	1163
EYEGLASSES (q-pair).....	460
Edoxaban (data).....	1163
Edoxaban (q-pair).....	88

- F -

FACE (loca).....	1477
FACE (q-pair).....	94, 452, 510, 585, 845
FACE TENT (meth).....	1540
FACE TENT (q-pair).....	874
FACE WASH (data).....	1163
FACE WASH (q-pair).....	10
FACIAL (data).....	1163
FACIAL (loca).....	1477
FACIAL (q-pair).....	89, 90, 91, 92, 701
FACIAL GRIMACES (data).....	1164
FACIAL GRIMACES (q-pair).....	57, 477
FAINTING (data).....	1164
FAINTING (q-pair).....	87
FAIR (q-pair).....	723, 724, 725, 726, 727, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 755
FAIR (qual).....	1583
FALL PRECAUTIONS.....	234
FALL PREVENTION.....	235
FALL PREVENTION REVIEWED (data).....	1164
FALL PREVENTION REVIEWED (q-pair).....	788
FALL RISK ID (data).....	1164
FALL RISK ID (q-pair).....	235
FALL RISK SIGN (data).....	1164
FALL RISK SIGN (q-pair).....	235
FAMILY (data).....	1165
FAMILY (q-pair).....	208, 654, 655
FAMILY INFORMED (data).....	1165
FAMILY INFORMED (q-pair).....	468, 761
FAMILY INSTRUCTED (data).....	1165
FAMILY INSTRUCTED (q-pair).....	547
FAMILY NEEDS (data).....	1165
FAMILY NEEDS (q-pair).....	205

FAMILY ORIENTED TO UNIT.....	236
FAMILY STATED (data).....	1165
FAMILY STATED (q-pair).....	647
FAMILY/FRIEND (data).....	1166
FAMILY/FRIEND (q-pair).....	899
FASCIA (data).....	1166
FAT RESTRICTED 50 GM DIET (data).....	1166
FATIGUE (data).....	1166
FATIGUE (q-pair).....	87
FECAL FAT TEST DIET (data).....	1166
FECAL INCONTINENCE DEVICE: ASSESSMENT.....	237
FECAL INCONTINENCE DEVICE: CARE.....	238
FECAL INCONTINENCE DEVICE: TYPE.....	239
FECES (prod).....	1565
FEET (loca).....	1478
FEET (q-pair).....	94
FEET (unit).....	1609
FEMORAL (loca).....	1478
FEMORAL (q-pair).....	63, 111, 715
FENESTRATED (data).....	1167
FENESTRATED (q-pair).....	894
FENTANYL (data).....	1167
FENTANYL (q-pair).....	225, 625
FETAL HEART TONES.....	240
FFP (prod).....	1566
FFP (q-pair).....	369, 377
FFP - THAWED (prod).....	1566
FFP - THAWED (q-pair).....	369, 377
FHWN1 (data).....	1167
FIBER FORMULA (data).....	1167
FIBER STAT (data).....	1167
FIBER STAT (q-pair).....	215
FIBERSOURCE (data).....	1168
FIBERSOURCE (q-pair).....	215
FIBRINOUS (data).....	1168
FIBRINOUS (q-pair).....	961
FINANCIAL CONCERNs (data).....	1168
FINANCIAL CONCERNs (q-pair).....	205
FINGER (data).....	1168
FINGER (q-pair).....	480
FINGERS (loca).....	1478
FINGERS (q-pair).....	513
FINGERSTICK GLUCOSE.....	241
FIRM (data).....	1168
FIRM (q-pair).....	2
FIRST DEGREE AV BLOCK (data).....	1169
FIRST DEGREE AV BLOCK (q-pair).....	85
FISTULA SITE (loca).....	1478
FISTULA SITE (q-pair).....	76, 883
FIXED (data).....	1169
FIXED (q-pair).....	507
FLACCID/PARALYZED (data).....	1169
FLACCID/PARALYZED (q-pair).....	503, 504
FLAT (data).....	1169
FLAT (q-pair).....	2, 14, 495
FLATTENED T WAVE (data).....	1169
FLATTENED T WAVE (q-pair).....	207
FLATULENCE (data).....	1170
FLATULENCE (q-pair).....	66
FLATUS.....	242
FLATUS (data).....	1170
FLATUS (q-pair).....	267

FLEXION ABNORMAL (data).....	1170
FLEXION ABNORMAL (q-pair).....	484, 490
FLEXION TO PAIN (data).....	1170
FLEXION TO PAIN (q-pair).....	172
FLEXION WNL (data).....	1170
FLEXION WNL (q-pair).....	484, 490
FLEXION-ABNORMAL (data).....	1171
FLEXION-ABNORMAL (q-pair).....	487
FLEXION-WNL (data).....	1171
FLEXION-WNL (q-pair).....	487
FLICKER OF CONTRACTION (data).....	1171
FLICKER OF CONTRACTION (q-pair).....	476
FLIGHT OF IDEAS (data).....	1171
FLIGHT OF IDEAS (q-pair).....	58
FLOOR LIFT (TOTAL LIFT) (data).....	1171
FLOOR LIFT (TOTAL LIFT) (q-pair).....	413
FLOTATION BED (data).....	1172
FLOTATION BED (q-pair).....	852
FLOWSCHEET ADDENDUM.....	243
FLUCTUANCE (data).....	1172
FLUCTUATES (data).....	1172
FLUCTUATES (q-pair).....	139
FLUIDS OFFERED (data).....	1172
FLUIDS OFFERED (q-pair).....	788
FLUSHED (data).....	1172
FLUSHED (q-pair).....	404, 832
FOAM AIR HEEL ELEVATOR (data).....	1173
FOAM AIR HEEL ELEVATOR (q-pair).....	688
FOAM DRESSING (data).....	1173
FOAM DRESSING (q-pair).....	959
FOCAL (data).....	1173
FOCAL (q-pair).....	510
FOCAL - MOTOR (data).....	1173
FOCAL - MOTOR (q-pair).....	510
FOLEY (data).....	1173
FOLEY (q-pair).....	276
FOLLOWS COMMANDS (data).....	1174
FOLLOWS COMMANDS (q-pair).....	412, 502
FONDAPARINUX (data).....	1174
FONDAPARINUX (q-pair).....	88
FOOT (data).....	1174
FOOT (loca).....	1478
FOOT (q-pair).....	89, 90, 91, 92, 480, 482, 510, 637, 638, 639, 640
FOOT (unit).....	1610
FOOT CARE (data).....	1174
FOOT CARE (q-pair).....	10
FOOT DOWN (data).....	1174
FOOT DOWN (q-pair).....	821
FOOT DRAGGING (data).....	1175
FOOT DRAGGING (q-pair).....	248
FOOT STRENGTH.....	244
FOOT UP (data).....	1175
FOOT UP (q-pair).....	821
FOREARM (loca).....	1479
FOREARM (q-pair).....	89, 90, 91, 92, 482
FOREHEAD (loca).....	1479
FOREHEAD (q-pair).....	691
FORMULA - HIGH FIBER (prod).....	1566
FORMULA - PROBALANCE (prod).....	1566
FORMULA 1.5 CAL (prod).....	1566

FORMULA 1.5 CAL (q-pair).....	369
FORMULA 2.0 CAL (prod).....	1567
FORMULA 2.0 CAL (q-pair).....	369
FORMULA D10W ENTERAL NUTRITION (prod).....	1567
FORMULA D50W ENTERAL NUTRITION (prod).....	1567
FORMULA D5W ENTERAL NUTRITION (prod).....	1567
FORMULA FIBER (prod).....	1567
FORMULA FIBER (q-pair).....	369
FOUL SMELLING (data).....	1175
FOUL SMELLING (q-pair).....	686, 955
FOWLER'S (data).....	1175
FOWLER'S (q-pair).....	13
FRACTURE: COMMENT (data).....	1175
FRACTURE: COMMENT (q-pair).....	483
FRACTURES (data).....	1176
FRACTURES (q-pair).....	175
FRAGMENTED (data).....	1176
FRAGMENTED (q-pair).....	854
FRANK BLOOD (data).....	1176
FRANK BLOOD (q-pair).....	868
FRENCH (unit).....	1610
FREQUENT VERBAL REMINDERS (data).....	1176
FREQUENT VERBAL REMINDERS (q-pair).....	766
FRIEND (data).....	1176
FRIEND (q-pair).....	208, 654, 655, 657
FROM A NON-VA OUTSIDE FACILITY (data).....	1177
FROM A NON-VA OUTSIDE FACILITY (q-pair).....	113
FROM ANOTHER UNIT (data).....	1177
FROM ANOTHER UNIT (q-pair).....	113
FROM ANOTHER VA FACILITY (data).....	1177
FROM ANOTHER VA FACILITY (q-pair).....	113
FROM CLC (data).....	1177
FROM CLC (q-pair).....	113
FROM EMERGENCY DEPARTMENT (data).....	1177
FROM EMERGENCY DEPARTMENT (q-pair).....	113
FROM HOME (data).....	1178
FROM HOME (q-pair).....	113
FROM INTERVENTIONAL RADIOLOGY (data).....	1178
FROM INTERVENTIONAL RADIOLOGY (q-pair).....	113
FROM MICU (data).....	1178
FROM MICU (q-pair).....	113
FROM OPERATING ROOM (data).....	1178
FROM OPERATING ROOM (q-pair).....	113
FROM SICU (data).....	1178
FROM SICU (q-pair).....	113
FRONTAL (loca).....	1479
FULL CODE (data).....	1179
FULL CODE (q-pair).....	169
FULL LIQUID (data).....	1179
FULL LIQUID (prod).....	1568
FULL LIQUID (q-pair).....	190, 389
FULL LIQUID DIABETIC (data).....	1179
FULL LIQUID DIET (data).....	1179
FULL LOWER (data).....	1179
FULL LOWER (q-pair).....	179
FULL NAME (data).....	1180
FULL NAME (q-pair).....	466
FULL SPINAL PRECAUTIONS (data).....	1180
FULL SPINAL PRECAUTIONS (q-pair).....	645
FULL SSN (data).....	1180
FULL SSN (q-pair).....	466
FULL THICK SKIN LOSS INVOLVING MUSCLE, BONE, SUPPO (data)	

.....	1180
FULL THICK SKIN LOSS INVOLVING SUBCUTANEOUS TISSUE (data)	
.....	1180
FULL UPPER (data).....	1181
FULL UPPER (q-pair).....	179
FUNCTIONAL SECTION SET UP (data).....	1181
FUNCTIONAL SECTION SET UP (q-pair).....	465
FUNDAL HEIGHT.....	245
FUSED (data).....	1181
FUSED (q-pair).....	489

- G -

GAG (data).....	1181
GAG (q-pair).....	509
GAG REFLEX.....	246
GAIT.....	247
GAIT ASSESSMENT.....	248
GAIT BELT (data).....	1181
GAIT BELT (q-pair).....	5, 754
GARBLED (data).....	1182
GARBLED (q-pair).....	516
GASTRIC BYPASS CLEAR LIQUID (data).....	1182
GASTRIC BYPASS PUREED (data).....	1182
GASTRIC BYPASS REGULAR (data).....	1182
GASTRIC DECOMPRESSION (data).....	1182
GASTRIC DECOMPRESSION (q-pair).....	252
GASTRIC DRAINAGE (prod).....	1568
GASTRIC DRAINAGE (q-pair).....	560
GASTRIC IRRIGATION (data).....	1183
GASTRIC IRRIGATION (q-pair).....	252
GASTRIC LAVAGE (data).....	1183
GASTRIC LAVAGE (q-pair).....	252
GASTRIC RESIDUAL AMOUNT DISCARDED.....	249
GASTRIC RESIDUAL CHECKED.....	250
GASTRIC RESIDUAL NOT DISCARDED.....	251
GASTRIC TUBE (data).....	1183
GASTRIC TUBE (q-pair).....	209, 272
GASTRIC TUBE INSERTION: INDICATION.....	252
GASTRIC TUBE INSERTION: PLACEMENT MARKED WITH PERMANENT MARKER	
.....	253
GASTRIC TUBE INSERTION: RESPONSE TO PROCEDURE.....	254
GASTRIC TUBE INSERTION: SMALL BORE FEEDING TUBE, GUIDE WIRE REMOVED	
.....	255
GASTRIC TUBE INSERTION: X-RAY VERIFICATION.....	256
GASTRIC TUBE: INSERTED VIA:.....	257
GASTRIC TUBE: PLACEMENT CHECKED BY GASTRIC CONTENT.....	258
GASTRIC TUBE: SECUREMENT.....	259
GASTRIC TUBE: SUCTION TYPE.....	260
GASTRIC pH.....	261
GASTROINTESTINAL (loca).....	1479
GASTROINTESTINAL (q-pair).....	452, 585
GASTROSTOMY FEEDING BUTTON (data).....	1183
GASTROSTOMY FEEDING BUTTON (q-pair).....	272
GASTROSTOMY TUBE (data).....	1183
GASTROSTOMY TUBE (q-pair).....	272
GAUGE (unit).....	1610
GAUZE (data).....	1184
GAUZE (q-pair).....	122, 692, 959
GAUZE AND TAPE (data).....	1184
GAUZE AND TAPE (q-pair).....	42, 293
GAUZE PACKING (data).....	1184

GAUZE PACKING (q-pair).....	692, 959
GAUZE WRAP (data).....	1184
GAUZE WRAP (q-pair).....	692, 959
GCS: EYE OPENING.....	262
GCS: MOTOR RESPONSE.....	263
GCS: TOTAL.....	264
GCS: VERBAL RESPONSE.....	265
GENERAL (data).....	1184
GENERAL (q-pair).....	29
GENERAL HEALTH (data).....	1185
GENERAL HEALTH (q-pair).....	205
GENERAL UMBILICUS (loca).....	1479
GENERAL UMBILICUS (q-pair).....	1
GENERALIZED (loca).....	1480
GENERALIZED (q-pair).....	89, 90, 91, 92, 94, 962
GENITAL ASSESSMENT.....	266
GENITALS (loca).....	1480
GENITALS (q-pair).....	89, 90, 91, 92, 962
GERI-CHAIR (data).....	1185
GERI-CHAIR (q-pair).....	12, 167, 782
GI PROCEDURE ROOM (data).....	1185
GI PROCEDURE ROOM (q-pair).....	697
GI SYMPTOMS.....	267
GI TUBE (meth).....	1540
GI TUBE DRAINAGE CHARACTERISTICS.....	268
GI TUBE DRAINAGE COLOR.....	269
GI TUBE PLACEMENT CONFIRMATION.....	270
GI TUBE SIZE.....	271
GI TUBE TYPE.....	272
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (data) .....	1185
GIVEN DISCHARGE INSTRUCTION AND VERBALIZES UNDERSTANDING (q-pair) .....	191
GLASGOW COMA SCALE (unit).....	1610
GLUCERNA 1.0 (data).....	1185
GLUCERNA 1.0 (q-pair).....	215
GLUCERNA 1.2 (data).....	1186
GLUCERNA 1.2 (q-pair).....	215
GLUCERNA DIABETIC (prod).....	1568
GLUTEN RESTRICTED (data).....	1186
GM-M/M2/BEAT (unit).....	1610
GNAWING (data).....	1186
GNAWING (q-pair).....	582
GOLD (data).....	1186
GOLD (q-pair).....	216
GOOD (data).....	1186
GOOD (q-pair).....	638, 723, 724, 725, 726, 727, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 755, 848
GOOD (qual).....	1584
GRAFT SITE (loca).....	1480
GRAFT SITE (q-pair).....	76, 883
GRAFTS (data).....	1187
GRAFTS (q-pair).....	461
GRAMS PER HOUR (unit).....	1611
GRAMS PER MINUTE (unit).....	1611
GRANULATING (data).....	1187
GRANULATING (q-pair).....	961

GRANULOCYTES PHERESIS (prod).....	1568
GRANULOCYTES PHERESIS (q-pair).....	369, 377
GRAVITY (data).....	1187
GRAVITY (q-pair).....	260
GRAY (data).....	1187
GRAY (q-pair).....	950
GREEN (data).....	1187
GREEN (q-pair).....	198, 216, 269, 708, 869, 906, 950, 954
GRIMACING (data).....	1188
GRIMACING (q-pair).....	586
GROUP ROOM (data).....	1188
GROUP ROOM (q-pair).....	53, 168
GU BLADDER IRRIGATION FREQUENCY.....	273
GU CATHETER CARE PERFORMED.....	274
GU CATHETER SIZE.....	275
GU CATHETER TYPE.....	276
GU PROCEDURE ROOM (data).....	1188
GU PROCEDURE ROOM (q-pair).....	697
GU VOIDING.....	277
GUARDED (data).....	1188
GUARDED (q-pair).....	52
GUARDING (data).....	1188
GUARDING (q-pair).....	2, 586
GURNEY CHAIR (data).....	1189
GURNEY CHAIR (q-pair).....	12

- H -

HAIR CONDITION.....	278
HALL (data).....	1189
HALL (q-pair).....	53, 168
HAND (data).....	1189
HAND (loca).....	1480
HAND (q-pair).....	89, 90, 91, 92, 480, 482, 510, 637, 638, 639, 640
HAND GRIP.....	279
HAND HYGIENE BEFORE AND AFTER (data).....	1189
HAND HYGIENE BEFORE AND AFTER (q-pair).....	116
HAND/FINGERS (loca).....	1480
HAND/FINGERS (q-pair).....	486
HANDOFF REPORT.....	280
HARD (data).....	1189
HARD (q-pair).....	2, 825
HARD OF HEARING (data).....	1190
HARD OF HEARING (q-pair).....	497
HARM TO SELF (data).....	1190
HARM TO SELF (q-pair).....	759
HAS NOT SLEPT (data).....	1190
HAS NOT SLEPT (q-pair).....	851
HEAD (loca).....	1481
HEAD (q-pair).....	142, 452, 482, 510, 585, 845
HEAD CIRCUMFERENCE.....	281
HEAD DOWN (data).....	1190
HEAD DOWN (q-pair).....	821
HEAD OCCIPITAL (loca).....	1481
HEAD OCCIPITAL (q-pair).....	691, 962
HEAD OF BED ELEVATION.....	282
HEAD UP (data).....	1190
HEAD UP (q-pair).....	821

HEADACHE (data).....	1191
HEADACHE (q-pair).....	227
HEADACHE(S) (data).....	1191
HEADACHE(S) (q-pair).....	518
HEALTH TECH (data).....	1191
HEALTH TECH (q-pair).....	698
HEARING (data).....	1191
HEARING (q-pair).....	202
HEARING AIDS (data).....	1191
HEARING AIDS (q-pair).....	460
HEART (loca).....	1481
HEART (q-pair).....	883
HEARTBURN (data).....	1192
HEARTBURN (q-pair).....	267
HEAT (data).....	1192
HEAT (q-pair).....	587
HEAT CHEM PACK (data).....	1192
HEAT CHEM PACK (q-pair).....	939
HEAT LAMP (data).....	1192
HEAT LAMP (q-pair).....	939
HEAT/MOISTURE EXCHANGER PRESENT.....	283
HEAT/WARMTH (data).....	1192
HEAT/WARMTH (q-pair).....	486
HEAVY (data).....	1193
HEAVY (q-pair).....	582, 834
HEEL LIFT (data).....	1193
HEEL LIFT (q-pair).....	688
HEEL PILLOW (data).....	1193
HEIGHT.....	284
HEIMLICH VALVE (data).....	1193
HEIMLICH VALVE (q-pair).....	136
HELMET (data).....	1193
HELMET (q-pair).....	235
HEMATEMESIS (data).....	1194
HEMATEMESIS (q-pair).....	267
HEMATOMA (data).....	1194
HEMATOMA (q-pair).....	832, 967
HEMATURIA (data).....	1194
HEMATURIA (q-pair).....	907
HEME (prod).....	1568
HEME (q-pair).....	560
HEMIPLEGIA (data).....	1194
HEMIPLEGIA (q-pair).....	483
HEMODIALYSIS (meth).....	1540
HEMODIALYSIS (prod).....	1569
HEMODIALYSIS (q-pair).....	371, 553, 560
HEMODYNAMIC (data).....	1194
HEMODYNAMIC (q-pair).....	21
HEMORRHAGE (data).....	1195
HEMORRHAGE (q-pair).....	491
HEMOVAC (data).....	1195
HEMOVAC (meth).....	1540
HEMOVAC (q-pair).....	561, 956
HEPARIN (data).....	1195
HEPARIN (q-pair).....	88
HEPATIC FORMULA (data).....	1195
HEPATIC FORMULA (prod).....	1569
HEPATIC FORMULA (q-pair).....	369
HEPLOCK (data).....	1195
HEPLOCK (q-pair).....	404, 609
HESITATION AND FREEZING (data).....	1196
HESITATION AND FREEZING (q-pair).....	248

HICCUPS (data).....	1196
HICCUPS (q-pair).....	267
HIGH (data).....	1196
HIGH (q-pair).....	51, 197
HIGH CALORIE (data).....	1196
HIGH FALL RISK (data).....	1196
HIGH FALL RISK (q-pair).....	38
HIGH FIBER (data).....	1197
HIGH FOWLER'S (data).....	1197
HIGH FOWLER'S (q-pair).....	13
HIGH PROTEIN (data).....	1197
HIGH PROTEIN FORMULA (prod).....	1569
HIGH STEPPAGE (data).....	1197
HIGH STEPPAGE (q-pair).....	248
HIP (loca).....	1481
HIP (q-pair).....	142, 486
HIP-PROTECTORS (data).....	1197
HIP-PROTECTORS (q-pair).....	235
HIP/KNEE/SHOULDER REPLACEMENTS (data).....	1198
HIP/KNEE/SHOULDER REPLACEMENTS (q-pair).....	175
HIRSUTISM (data).....	1198
HIRSUTISM (q-pair).....	278
HISTORY OF FALLS (data).....	1198
HISTORY OF FALLS (q-pair).....	175, 483
HM: HAND MOTIONS (data).....	1198
HM: HAND MOTIONS (q-pair).....	192
HOMANS SIGN.....	285
HOME (data).....	1198
HOME (q-pair).....	578
HOME HEALTH (data).....	1199
HOME HEALTH (q-pair).....	205
HOMICIDAL (data).....	1199
HOMICIDAL (q-pair).....	644
HOSTILE (data).....	1199
HOSTILE (q-pair).....	14, 54
HOT (data).....	1199
HOT (q-pair).....	845
HOUR (unit).....	1611
HUMIDIFIED AIR (data).....	1199
HUMIDIFIED AIR (q-pair).....	893
HUMIDIFIER (data).....	1200
HUMIDIFIER (q-pair).....	939
HYDRATION - DIET (task).....	1597
HYDRATION - HEPARIN DRIP (task).....	1597
HYDRATION - HYPERAL (task).....	1597
HYDRATION - IV FLUIDS (task).....	1598
HYDRATION - NPO (task).....	1598
HYDRATION - PERIPHERAL IV (task).....	1598
HYDRATION - PICC/CENTRAL LINE (task).....	1598
HYDRATION - SUPPLEMENT SNACK (task).....	1598
HYDRATION - TUBE FEEDING (task).....	1599
HYDROCOLLOIDAL DRESSING (data).....	1200
HYDROCOLLOIDAL DRESSING (q-pair).....	692, 959, 966
HYDROFIBER (data).....	1200
HYDROFIBER (q-pair).....	692
HYDROFIBER WITH SILVER (data).....	1200
HYDROFIBER WITH SILVER (q-pair).....	692
HYDROGEL DRESSING (data).....	1200
HYDROGEL DRESSING (q-pair).....	692, 959
HYDROMORPHONE (data).....	1201
HYDROMORPHONE (q-pair).....	225, 625
HYGIENE.....	286

HYPERACTIVE (data).....	1201
HYPERACTIVE (q-pair).....	1, 52
HYPERACTIVITY (PSYCHOMOTOR AGITATION) (data).....	1201
HYPERACTIVITY (PSYCHOMOTOR AGITATION) (q-pair).....	477
HYPERACTIVITY (data).....	1201
HYPERACTIVITY (q-pair).....	57
HYPERTONIC HYDROGEL (data).....	1201
HYPERTONIC HYDROGEL (q-pair).....	46, 129, 409, 567, 574
HYPEREXTENSION (data).....	1202
HYPEREXTENSION (q-pair).....	487
HYPERGRANULIZATION (data).....	1202
HYPERGRANULIZATION (q-pair).....	961
HYPERTONIC HYDROGEL (data).....	1202
HYPERTONIC HYDROGEL (q-pair).....	959
HYPOACTIVE (data).....	1202
HYPOACTIVE (q-pair).....	1
HYPOACTIVITY (PSYCHOMOTOR RETARDATION) (data).....	1203
HYPOACTIVITY (PSYCHOMOTOR RETARDATION) (q-pair).....	477
HYPOACTIVITY (data).....	1202
HYPOACTIVITY (q-pair).....	57
HYPOTENSION (data).....	1203
HYPOTENSION (q-pair).....	227, 463, 635
HYPOTONIA (data).....	1203
HYPOTONIA (q-pair).....	463

- I -

I (data).....	1204
I (q-pair).....	86
I:E RATIO.....	287
IABP (data).....	1204
IABP (meth).....	1541
IABP (q-pair).....	21, 441
IABP ASSISTED SYSTOLIC PRESSURE.....	288
IABP BAEDP.....	289
IABP BALLOON SIZE.....	290
IABP CATHETER FLUSH.....	291
IABP CIRCULATION ASSESSED.....	292
IABP DRESSING TYPE.....	293
IABP PEAK DIASTOLIC AUGMENTED PRESSURE.....	294
IABP RATIO.....	295
IABP SITE CONDITION.....	296
IABP SIZE.....	297
IABP TIMING.....	298
IABP TIMING CHECK.....	299
IABP UAEFP.....	300
IABP UNASSISTED SYSTOLIC PRESSURE.....	301
ICE PACK (data).....	1204
ICE PACK (q-pair).....	939
ICTERIC (data).....	1204
ICTERIC (q-pair).....	832
ICU (data).....	1204
ICU (q-pair).....	578, 668, 697
ID BAND (data).....	1205
ID BAND (q-pair).....	884
ID CARD (data).....	1205
ID CARD (q-pair).....	884

IDENTIFICATION (data).....	1205
IDENTIFICATION (q-pair).....	38
IDIOVENTRICULAR (data).....	1205
IDIOVENTRICULAR (q-pair).....	85
II (data).....	1205
II (q-pair).....	86
III (data).....	1206
III (q-pair).....	86
ILEAL CONDUIT (data).....	1206
ILEAL CONDUIT (meth).....	1541
ILEAL CONDUIT (q-pair).....	276, 558, 909
ILEAL-CONDUIT (data).....	1206
ILEAL-CONDUIT (q-pair).....	548
ILEOSTOMY (data).....	1206
ILEOSTOMY (q-pair).....	66, 548
ILLOGICAL (data).....	1206
ILLOGICAL (q-pair).....	58
IMAGING (data).....	1207
IMAGING (q-pair).....	578
IMPACTION (data).....	1207
IMPACTION (q-pair).....	267
IMPAIRED (data).....	1207
IMPAIRED (q-pair).....	639
IMPAIRED JUDGEMENT/INSIGHT (data).....	1207
IMPAIRED JUDGEMENT/INSIGHT (q-pair).....	451
IMPAIRED LISTENING SKILLS (data).....	1207
IMPAIRED LISTENING SKILLS (q-pair).....	202
IMPLANTS (data).....	1208
IMPLANTS (q-pair).....	461
IMPULSIVE (data).....	1208
IMPULSIVE (q-pair).....	52
IN HEARING (data).....	1208
IN HEARING (q-pair).....	53
INACTIVE - ARTERIAL LINE SITE.....	302
INACTIVE - ARTERIAL LINE TYPE.....	303
INACTIVE - AUDIOMETRY.....	304
INACTIVE - BISPECTRAL INDEX.....	305
INACTIVE - BODY MASS INDEX.....	306
INACTIVE - CARDIAC AV FISTULA BRUIT.....	307
INACTIVE - CATHETER TYPE.....	308
INACTIVE - CENTRAL LINE SITE.....	309
INACTIVE - CHEST TUBE DRESSING INTACT.....	310
INACTIVE - CHEST TUBE SITE.....	311
INACTIVE - COUGH AND DEEP BREATH EVENTS.....	312
INACTIVE - DATE.....	313
INACTIVE - DATE DAY.....	314
INACTIVE - DATE MONTH.....	315
INACTIVE - DATE YEAR.....	316
INACTIVE - DIALYSIS CATHETER SITE.....	317
INACTIVE - EDEMA LOCATION.....	318
INACTIVE - ENTERAL NUTRITION FORMULA.....	319
INACTIVE - GI EMESIS APPEARANCE.....	320
INACTIVE - HEARING.....	321
INACTIVE - IABP INSERTION SITE.....	322
INACTIVE - IABP SITE.....	323
INACTIVE - INCISION LOCATION.....	324
INACTIVE - INCISION SITE.....	325
INACTIVE - IV DOSE RATE.....	326
INACTIVE - IV FLUID.....	327
INACTIVE - IV INSERTION DATE.....	328
INACTIVE - IV SITE.....	329
INACTIVE - NOSE SIZE.....	330

INACTIVE - OR OUTPUT - CHEST TUBE.....	331
INACTIVE - OR OUTPUT - DRAIN.....	332
INACTIVE - OR OUTPUT - PUMP LOSS.....	333
INACTIVE - OR OUTPUT - URINE.....	334
INACTIVE - OSTOMY TYPE.....	335
INACTIVE - OXYGEN DELIVERED.....	336
INACTIVE - OXYGEN DELIVERY METHOD.....	337
INACTIVE - OXYGEN EXTRACTION RATIO.....	338
INACTIVE - PA CATHETER INSERTION DATE.....	339
INACTIVE - PA CATHETER SITE.....	340
INACTIVE - PACEMAKER DATE INSERTED.....	341
INACTIVE - PACEMAKER SITES.....	342
INACTIVE - PAIN LOCATION.....	343
INACTIVE - POST OPERATION DAY NUMBER.....	344
INACTIVE - PRESSURE ULCER SITE.....	345
INACTIVE - PRESSURE ULCER VISIBLE STRUCTURE.....	346
INACTIVE - PULSE OXIMETRY.....	347
INACTIVE - SKIN DISCHARGE COLOR.....	348
INACTIVE - SKIN DISCHARGE ODOR.....	349
INACTIVE - SKIN DRAINAGE CHARACTERISTICS.....	350
INACTIVE - VENTILATOR IN-LINE NEBULIZER.....	351
INACTIVE - WOUND SITE.....	352
INACTIVE - WOUND TOPICAL TREATMENT TYPE.....	353
INAPPROPRIATE (data).....	1208
INAPPROPRIATE (q-pair).....	30, 52, 173
INAPPROPRIATE OR BIZARRE FOOT PLACEMENT (data).....	1208
INAPPROPRIATE OR BIZARRE FOOT PLACEMENT (q-pair).....	248
INCENTIVE SPIROMETRY.....	354
INCH (unit).....	1611
INCISION DISCHARGE CHARACTERISTICS.....	355
INCISION DISCHARGE CHARACTERISTICS BLOODY (data).....	1209
INCISION DISCHARGE CHARACTERISTICS CLOUDY (data).....	1209
INCISION DISCHARGE CHARACTERISTICS NONE (data).....	1209
INCISION DISCHARGE CHARACTERISTICS PURULENT (data).....	1209
INCISION DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data).....	1209
INCISION DISCHARGE CHARACTERISTICS SEROUS (data).....	1210
INCISION DISCHARGE CHARACTERISTICS VISCOUS (data).....	1210
INCISION DRAINAGE AMOUNT.....	356
INCISION DRAINAGE AMOUNT HEAVY (data).....	1210
INCISION DRAINAGE AMOUNT HEAVY (q-pair).....	356
INCISION DRAINAGE AMOUNT MODERATE (data).....	1210
INCISION DRAINAGE AMOUNT MODERATE (q-pair).....	356
INCISION DRAINAGE AMOUNT NONE (data).....	1210
INCISION DRAINAGE AMOUNT NONE (q-pair).....	356
INCISION DRAINAGE AMOUNT SCANT (data).....	1211
INCISION DRAINAGE AMOUNT SCANT (q-pair).....	356
INCISION DRAINAGE AMOUNT SMALL (data).....	1211
INCISION DRAINAGE AMOUNT SMALL (q-pair).....	356
INCISION DRESSING PREVENTS ASSESSMENT.....	357
INCISION DRESSING TYPE.....	358
INCISION DRESSING TYPE ANTIMICROBIAL (data).....	1211
INCISION DRESSING TYPE ANTIMICROBIAL (q-pair).....	358
INCISION DRESSING TYPE ANTIMICROBIAL DISK (data).....	1211
INCISION DRESSING TYPE ANTIMICROBIAL DISK (q-pair).....	358
INCISION DRESSING TYPE BALSAM OF PERU (data).....	1211
INCISION DRESSING TYPE BALSAM OF PERU (q-pair).....	358
INCISION DRESSING TYPE BISMUTH GAUZE (data).....	1212
INCISION DRESSING TYPE BISMUTH GAUZE (q-pair).....	358
INCISION DRESSING TYPE CALCIUM ALGINATE (data).....	1212
INCISION DRESSING TYPE CALCIUM ALGINATE (q-pair).....	358
INCISION DRESSING TYPE FOAM DRESSING (data).....	1212

INCISION DRESSING TYPE FOAM DRESSING (q-pair).....	358
INCISION DRESSING TYPE GAUZE (data).....	1212
INCISION DRESSING TYPE GAUZE (q-pair).....	358
INCISION DRESSING TYPE GAUZE PACKING (data).....	1212
INCISION DRESSING TYPE GAUZE PACKING (q-pair).....	358
INCISION DRESSING TYPE GAUZE WRAP (data).....	1213
INCISION DRESSING TYPE GAUZE WRAP (q-pair).....	358
INCISION DRESSING TYPE HYDROCOLLOIDAL (data).....	1213
INCISION DRESSING TYPE HYDROCOLLOIDAL (q-pair).....	358
INCISION DRESSING TYPE HYDROGEL (data).....	1213
INCISION DRESSING TYPE HYDROGEL (q-pair).....	358
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (data).....	1213
INCISION DRESSING TYPE HYPERTONIC HYDROGEL (q-pair).....	358
INCISION DRESSING TYPE NONE (data).....	1213
INCISION DRESSING TYPE NONE (q-pair).....	358
INCISION DRESSING TYPE PRESSURE (data).....	1214
INCISION DRESSING TYPE PRESSURE (q-pair).....	358
INCISION DRESSING TYPE TRANSPARENT (data).....	1214
INCISION DRESSING TYPE TRANSPARENT (q-pair).....	358
INCISION EDGE.....	359
INCISION EDGE INDISTINCT/ATTACHED (data).....	1214
INCISION EDGE INDISTINCT/ATTACHED (q-pair).....	359
INCISION EDGE NON-ATTACHED (data).....	1214
INCISION EDGE NON-ATTACHED (q-pair).....	359
INCISION EDGE ROLLED (data).....	1214
INCISION EDGE ROLLED (q-pair).....	359
INCISION EDGE TUNNELING (data).....	1215
INCISION EDGE TUNNELING (q-pair).....	359
INCISION EDGE UNDERMINING (data).....	1215
INCISION EDGE UNDERMINING (q-pair).....	359
INCISION ERYTHEMA.....	360
INCISION ODOR.....	361
INCISION ODOR FOUL (data).....	1215
INCISION ODOR FOUL (q-pair).....	361
INCISION ODOR NONE (data).....	1215
INCISION ODOR NONE (q-pair).....	361
INCISION PRESENT.....	362
INCISION STAPLES INTACT.....	363
INCISION SUTURES INTACT.....	364
INCISION TENDER TO PALPATION.....	365
INCISION WOUND CLOSURE APPROXIMATED (data).....	1215
INCISION WOUND CLOSURE APPROXIMATED (q-pair).....	837
INCISION WOUND CLOSURE DEHISCENCE (data).....	1216
INCISION WOUND CLOSURE DEHISCENCE (q-pair).....	837
INCISION WOUND CLOSURE GLUE (data).....	1216
INCISION WOUND CLOSURE GLUE (q-pair).....	837
INCISION WOUND CLOSURE NOT CLOSED (data).....	1216
INCISION WOUND CLOSURE NOT CLOSED (q-pair).....	837
INCISIONAL SITE (data).....	1216
INCISIONAL SITE (loca).....	1481
INCISIONAL SITE (q-pair).....	94, 452, 585
INCOMPREHENSIBLE (data).....	1216
INCOMPREHENSIBLE (q-pair).....	173
INCONTENENCE DERMATITIS (data).....	1217
INCONTENENCE DERMATITIS (q-pair).....	967
INCONTINENT (data).....	1217
INCONTINENT (q-pair).....	66, 277, 750, 751, 909
INCREASE ROUNDS (data).....	1217
INCREASE ROUNDS (q-pair).....	235
INDEPENDENT (data).....	1217
INDEPENDENT (meth).....	1541

INDEPENDENT (q-pair).....	5, 7, 8, 11, 723, 724, 725, 726, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 755, 756, 757
INDICATES UNDERSTANDING (data).....	1217
INDICATES UNDERSTANDING (q-pair).....	772, 777
INDIFFERENT (NO RESPONSE) (data).....	1218
INDIFFERENT (NO RESPONSE) (q-pair).....	506
INDIFFERENT (data).....	1218
INDIFFERENT (q-pair).....	204
INDIGATION (data).....	1218
INDIGATION (q-pair).....	267
INDURATION (data).....	1218
INDURATION (q-pair).....	827
INDWELLING CATHETER (data).....	1218
INDWELLING CATHETER (meth).....	1541
INDWELLING CATHETER (q-pair).....	276, 558, 909
INEFFECTIVE COPING (data).....	1219
INEFFECTIVE COPING (q-pair).....	52, 54
INFECTION (data).....	1219
INFECTION (q-pair).....	205
INFECTION PREVENTION AND SCREENING (data).....	1219
INFECTION PREVENTION AND SCREENING (q-pair).....	205
INFLATABLE HEEL LIFT (data).....	1219
INFLATABLE HEEL LIFT (q-pair).....	688
INFLATE BALLOON (data).....	1219
INFLATE BALLOON (q-pair).....	238
INFUSION SET CHANGED.....	366
INHALER.....	367
INHALER DEMONSTRATION OF USE COMPLETED (data).....	1220
INHALER DEMONSTRATION OF USE COMPLETED (q-pair).....	367
INHALER EDUCATION COMPLETED (data).....	1220
INHALER EDUCATION COMPLETED (q-pair).....	367
INHALER EDUCATION REINFORCED (data).....	1220
INHALER EDUCATION REINFORCED (q-pair).....	367
INITIATED (data).....	1220
INITIATED (q-pair).....	808
INNER CANNULA CHANGED (data).....	1220
INNER CANNULA CHANGED (q-pair).....	893
INSERTED THROUGH EXISTING INTRODUCER (data).....	1221
INSERTED THROUGH EXISTING INTRODUCER (q-pair).....	120, 569
INSERTED THROUGH NEW INTRODUCER (data).....	1221
INSERTED THROUGH NEW INTRODUCER (q-pair).....	120, 569
INSERTION (data).....	1221
INSERTION (q-pair).....	238
INSPIRATORY WHEEZES (data).....	1221
INSPIRATORY WHEEZES (q-pair).....	75
INSTRUCTED ON SELF-CARE INCLUDING HAND AND CATH HYGIENE (data)	
.....	1221
INSTRUCTED ON SELF-CARE INCLUDING HAND AND CATH HYGIENE (q-pair)	
.....	117
INSULIN PUMP SQ INFUSION ON?.....	368
INTACT (data).....	1222
INTACT (q-pair).....	41, 121, 639, 804, 805, 806, 807, 833
INTAKE.....	369
INTAKE - CBI IRRIGATION TO SUBTRACT (NEGATIVE NUMBER) ..	370
INTAKE - DIALYSIS.....	371
INTAKE - EF/SUPPLEMENT CALORIES.....	372

INTAKE - ENTERAL FEEDING TUBE.....	373
INTAKE - ENTERAL TUBE FLUSH.....	374
INTAKE - GI TUBE.....	375
INTAKE - IRRIGATION.....	376
INTAKE - IV BLOOD PRODUCTS.....	377
INTAKE - IV CALORIES.....	378
INTAKE - IV CARDIAC OUTPUT INJECTATE.....	379
INTAKE - IV COLLOID.....	380
INTAKE - IV CRYSTALLOIDS.....	381
INTAKE - IV FLUID.....	382
INTAKE - IV MEDS.....	383
INTAKE - IV NUTRITION.....	384
INTAKE - LINE FLUSH.....	385
INTAKE - PCA VOLUME.....	386
INTAKE - PERCENT MEAL CONSUMED.....	387
INTAKE - PO CALORIES.....	388
INTAKE - PO FLUIDS.....	389
INTAKE - TPN CALORIES.....	390
INTAKE - TRANSFUSION .....	391
INTENTIONAL (data).....	1222
INTENTIONAL (q-pair).....	478
INTERMITTENT (data).....	1222
INTERMITTENT (q-pair).....	100, 197, 273, 581, 582, 968
INTERMITTENT SLEEP (data).....	1222
INTERMITTENT SLEEP (q-pair).....	851
INTERNAL CARDIAC DEFIBRILLATOR PRESENT (data).....	1222
INTERNAL CARDIAC DEFIBRILLATOR PRESENT (q-pair).....	87
INTERNAL CARDIO-DEFIBRILLATOR (ICD) (data).....	1223
INTERNAL CARDIO-DEFIBRILLATOR (ICD) (q-pair).....	107
INTERNAL FECAL INCONTINENCE SYSTEM (data).....	1223
INTERNAL FECAL INCONTINENCE SYSTEM (q-pair).....	239
INTERNAL ROTATION (data).....	1223
INTERNAL ROTATION (q-pair).....	485, 486, 488
INTERRUPTED (data).....	1223
INTERRUPTED (q-pair).....	808
INTERVENTIONAL RADIOLOGY (data).....	1223
INTERVENTIONAL RADIOLOGY (q-pair).....	697
INTIMIDATING (data).....	1224
INTIMIDATING (q-pair).....	52
INTRACRANIAL PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS	392
INTRODUCER (data).....	1224
INTRODUCER (q-pair).....	128
INTRODUCER CATHETER (meth).....	1541
INVASIVE (meth).....	1542
INVASIVE (q-pair).....	.63, 186, 187, 188, 189, 440, 441, 715, 878
INVERSION ABNORMAL (data).....	1224
INVERSION ABNORMAL (q-pair).....	481
INVERSION WNL (data).....	1224
INVERSION WNL (q-pair).....	481
INVERTED T WAVE (data).....	1224
INVERTED T WAVE (q-pair).....	207
INVOLVEMENT WITH FAMILY (data).....	1225
INVOLVEMENT WITH FAMILY (q-pair).....	770
IRREGULAR (data).....	1225
IRREGULAR (q-pair).....	507, 720
IRREGULAR HEART RATE/RHYTHM (data).....	1225
IRREGULAR HEART RATE/RHYTHM (q-pair).....	87
IRRIGATION (data).....	1225
IRRIGATION (meth).....	1542

IRRIGATION (q-pair).....	238
IRRITABLE (data).....	1225
IRRITABLE (q-pair).....	586
ISOLATING (data).....	1226
ISOLATING (q-pair).....	52
ISOLATION (data).....	1226
ISOLATION (q-pair).....	205
ISOLATION PRECAUTIONS.....	393
ISOSOURCE 1.5 (data).....	1226
ISOSOURCE 1.5 (q-pair).....	215
ISOSOURCE VHN (data).....	1226
ISOSOURCE VHN (q-pair).....	215
ITCHING (data).....	1226
ITCHING (q-pair).....	227, 635
IV (meth).....	1542
IV (q-pair).....	369
IV DISCONTINUED (data).....	1227
IV DISCONTINUED (q-pair).....	191
IV DOSE RATE - UNITS/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	394
IV DOSE RATE - UNITS/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	395
IV DOSE RATE - g/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	396
IV DOSE RATE - mcg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	397
IV DOSE RATE - mcg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	398
IV DOSE RATE - mg/TIME- DO NOT CHECK TOTAL OR SUBTOTALS	399
IV DOSE RATE - mg/kg/HOUR - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	400
IV DOSE RATE MCG/KG/MIN: DO NOT CHECK TOTAL OR SUBTOTALS	
.....	401
IV FLOW RATE - ml/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	402
IV FLOW RATE: ml/kg/TIME - DO NOT CHECK TOTAL OR SUBTOTALS	
.....	403
IV LINE CARE.....	404
IV PORT / NUMBER.....	405
IV PUMP (data).....	1227
IV PUMP (q-pair).....	21
IV SEDATION (data).....	1227
IV SEDATION (q-pair).....	29
IV SITE CONDITION.....	406
IVPB (data).....	1227

- J -

JAUNDICE (data).....	1227
JAUNDICE (q-pair).....	832
JEJUNOSTOMY (data).....	1228
JEJUNOSTOMY (q-pair).....	209, 272, 548
JEVITY 1.0 (data).....	1228
JEVITY 1.0 (q-pair).....	215
JEVITY 1.2 (data).....	1228
JEVITY 1.2 (q-pair).....	215
JEVITY 1.5 (data).....	1228
JEVITY 1.5 (q-pair).....	215
JOINT (SPECIFY IN COMMENTS) (data).....	1228
JOINT (SPECIFY IN COMMENTS) (q-pair).....	701
JOINT CAPSULE (data).....	1229
JOINT REPLACEMENT: COMMENT (data).....	1229
JOINT REPLACEMENT: COMMENT (q-pair).....	483

JP DRAIN (data).....	1229
JP DRAIN (meth).....	1542
JP DRAIN (prod).....	1569
JP DRAIN (q-pair).....	561, 956
JUICE (prod).....	1569
JUICE (q-pair).....	369, 389
JUNCTIONAL (data).....	1229
JUNCTIONAL (q-pair).....	85
JUNCTIONAL ESCAPE BEAT (data).....	1229
JUNCTIONAL ESCAPE BEAT (q-pair).....	84
JUNCTIONAL TACHYCARDIA (data).....	1230
JUNCTIONAL TACHYCARDIA (q-pair).....	85
JUVEN (data).....	1230
JUVEN (q-pair).....	215

- K -

K-PAD (data).....	1230
K-PAD (q-pair).....	939
KG/M2 (unit).....	1611
KGS/HOUR (unit).....	1612
KILOGRAM (unit).....	1612
KINETIC BED THERAPY (data).....	1230
KINETIC BED THERAPY (q-pair).....	13
KNEE (loca).....	1482
KNEE (q-pair).....	89, 90, 91, 92, 142, 482, 486
KNEES (loca).....	1482
KNEES (q-pair).....	94
KNIFE-LIKE (data).....	1230
KNIFE-LIKE (q-pair).....	582
KNOWN DONOR (data).....	1231
KNOWN DONOR (q-pair).....	651
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (data).....	1231
KNOWN/SUSPECTED OBSTRUCTIVE SLEEP APNEA (q-pair).....	461
KUSSMAUL (data).....	1231
KUSSMAUL (q-pair).....	720
KYPHOSIS (data).....	1231
KYPHOSIS (q-pair).....	489

- L -

L ABDOMEN (loca).....	1482
L ABDOMEN (q-pair).....	962
L ANKLE (loca).....	1482
L ANKLE (q-pair).....	362, 452, 585, 691, 781, 845, 962
L ANTECUBITAL (loca).....	1482
L ANTECUBITAL (q-pair).....	128, 183, 405, 406, 691, 962
L ARM (loca).....	1483
L ARM (q-pair).....	63, 94, 128, 183, 189, 206, 405, 406, 452, 529, 585, 779, 780, 845, 878
L AXILLARY (loca).....	1483
L AXILLARY (q-pair).....	44, 45, 293, 297
L BRACHIAL (loca).....	1483
L BRACHIAL (q-pair).....	44, 45, 102, 107,
	131
L BUNDLE BRANCH BLOCK (data).....	1231
L BUNDLE BRANCH BLOCK (q-pair).....	85

L CALF (loca).....	1483
L CALF (q-pair).....	362
L CAROTID (loca).....	1483
L CAROTID (q-pair).....	76, 883
L CHEST (loca).....	1484
L CHEST (q-pair).....	134, 452, 585, 845, 962
L DORSALIS PEDIS (loca).....	1484
L EAR (loca).....	1484
L EAR (q-pair).....	362, 452, 585, 691, 845, 962
L ELBOW (loca).....	1484
L ELBOW (q-pair).....	452, 585, 691, 845, 962
L EXTERNAL JUGULAR (loca).....	1484
L EXTERNAL JUGULAR (q-pair).....	128, 183, 405, 406, 573
L EYE (loca).....	1485
L EYE (q-pair).....	94, 171, 935, 962
L FACE (loca).....	1485
L FACE (q-pair).....	94, 362, 962
L FEMORAL (loca).....	1485
L FEMORAL (q-pair).....	44, 45, 76, 102, 107, 128, 131, 183, 293, 297, 362, 405, 406, 573, 691, 883, 962
L FINGER (loca).....	1485
L FINGER (q-pair).....	362
L FLANK (loca).....	1485
L FLANK (q-pair).....	362
L FOOT (loca).....	1486
L FOOT (q-pair).....	94, 244, 362, 405, 406, 452, 585, 691, 804, 845, 962
L FOOT DOWN (data).....	1232
L FOOT DOWN (q-pair).....	821
L FOOT UP (data).....	1232
L FOOT UP (q-pair).....	821
L GLUTEUS (loca).....	1486
L GLUTEUS (q-pair).....	362, 691, 962
L GROIN (loca).....	1486
L GROIN (q-pair).....	452, 585, 845
L HAND (loca).....	1486
L HAND (q-pair).....	94, 279, 452, 585, 805, 845, 962
L HEAD (loca).....	1486
L HEAD (q-pair).....	691, 962
L HEAD DOWN (data).....	1232
L HEAD DOWN (q-pair).....	821
L HEAD UP (data).....	1232
L HEAD UP (q-pair).....	821
L HEEL (loca).....	1487
L HEEL (q-pair).....	691, 962
L HIP (loca).....	1487
L HIP (q-pair).....	362, 452, 585, 845, 962
L INGUINAL (loca).....	1487
L INGUINAL (q-pair).....	362
L INNER KNEE (loca).....	1487
L INNER KNEE (q-pair).....	691, 962
L INTERNAL JUGULAR (loca).....	1487

L INTERNAL JUGULAR (q-pair).....	102, 107, 128, 131, 183, 405, 406, 573
L ISCHIAL (loca).....	1488
L ISCHIAL (q-pair).....	691, 962
L JAW (loca).....	1488
L JAW (q-pair).....	452, 585, 845
L KNEE (loca).....	1488
L KNEE (q-pair).....	94, 362, 452, 585, 845
L LATERAL HEEL (loca).....	1488
L LATERAL HEEL (q-pair).....	691
L LATERAL MALLEOLUS (loca).....	1488
L LATERAL MALLEOLUS (q-pair).....	691
L LEG (loca).....	1489
L LEG (q-pair).....	63, 94, 174, 189, 206, 405, 406, 452, 530, 585, 779, 781, 845, 878
L LOWER ANTERIOR CHEST (loca).....	1489
L LOWER ANTERIOR CHEST (q-pair).....	136, 362
L LOWER ARM (loca).....	1489
L LOWER ARM (q-pair).....	362, 452, 585, 691, 845, 962
L LOWER EXTREMITY (loca).....	1489
L LOWER EXTREMITY (q-pair).....	476, 806
L LOWER LEG (loca).....	1489
L LOWER LEG (q-pair).....	362, 962
L LOWER LIMB (loca).....	1490
L LOWER LIMB (q-pair).....	414
L LOWER POSTERIOR CHEST (loca).....	1490
L LOWER POSTERIOR CHEST (q-pair).....	136, 362
L MANDIBULAR (loca).....	1490
L MANDIBULAR (q-pair).....	362
L MEDIAL HEEL (loca).....	1490
L MEDIAL HEEL (q-pair).....	691
L MEDIAL MALLEOLUS (loca).....	1490
L MEDIAL MALLEOLUS (q-pair).....	691
L MIDDLE ANTERIOR CHEST (loca).....	1491
L MIDDLE ANTERIOR CHEST (q-pair).....	136, 362
L MIDDLE POSTERIOR CHEST (loca).....	1491
L MIDDLE POSTERIOR CHEST (posi).....	1558
L MIDDLE POSTERIOR CHEST (q-pair).....	136, 362
L NECK (data).....	1232
L NECK (loca).....	1491
L NECK (q-pair).....	362
L NEPHROSTOMY (data).....	1233
L NEPHROSTOMY (q-pair).....	276, 909
L NOSE (loca).....	1491
L NOSE (q-pair).....	452, 585, 845
L OCCIPITAL (loca).....	1491
L OCCIPITAL (q-pair).....	362
L ORAL (loca).....	1492
L ORAL (q-pair).....	362
L ORBIT (loca).....	1492
L ORBIT (q-pair).....	362
L OUTER KNEE (loca).....	1492
L OUTER KNEE (q-pair).....	691, 962
L PARIETAL (loca).....	1492
L PARIETAL (q-pair).....	362
L PEDAL (loca).....	1492
L POST TIBIAL (loca).....	1493
L RADIAL (loca).....	1493

L RADIAL (q-pair).....	44, 45
L RIBS (loca).....	1493
L RIBS (q-pair).....	691, 962
L SCAPULA (loca).....	1493
L SCAPULA (q-pair).....	452, 585, 691, 845, 962
L SHOULDER (loca).....	1493
L SHOULDER (q-pair).....	452, 585, 691, 845, 962
L STENT (data).....	1233
L STENT (q-pair).....	276
L SUBCLAVIAN (loca).....	1494
L SUBCLAVIAN (q-pair).....	102, 107, 128, 131, 183, 362, 405, 406, 573
L TEMPORAL (loca).....	1494
L TEMPORAL (q-pair).....	76, 883
L TESTICLE (loca).....	1494
L TESTICLE (q-pair).....	962
L THIGH (loca).....	1494
L THIGH (q-pair).....	362, 452, 585, 845
L THORACIC ANTERIOR (loca).....	1494
L THORACIC ANTERIOR (q-pair).....	362
L THORACIC LATERAL (loca).....	1495
L THORACIC LATERAL (q-pair).....	362
L THORACIC POSTERIOR (loca).....	1495
L THORACIC POSTERIOR (q-pair).....	362
L THORACOTOMY (loca).....	1495
L THORACOTOMY (q-pair).....	362
L THUMB (loca).....	1495
L THUMB (q-pair).....	362
L TOE (loca).....	1495
L TOE (q-pair).....	362
L TRAPEZIUS (loca).....	1496
L TRAPEZIUS (q-pair).....	362
L TROCHANTER (loca).....	1496
L TROCHANTER (q-pair).....	691, 962
L UPPER ANTERIOR CHEST (loca).....	1496
L UPPER ANTERIOR CHEST (q-pair).....	136, 362
L UPPER ARM (loca).....	1496
L UPPER ARM (q-pair).....	128, 183, 362, 405, 406, 452, 585, 691, 845, 962
L UPPER EXTREMITY (loca).....	1496
L UPPER EXTREMITY (q-pair).....	476, 807
L UPPER LEG (loca).....	1497
L UPPER LEG (q-pair).....	962
L UPPER LIMB (loca).....	1497
L UPPER LIMB (q-pair).....	905
L UPPER POSTERIOR CHEST (loca).....	1497
L UPPER POSTERIOR CHEST (q-pair).....	136, 362
L WRIST (loca).....	1497
L WRIST (q-pair).....	128, 183, 405, 406, 779, 780, 962
L1 (data).....	1233
L1 (q-pair).....	223, 224
L2 (data).....	1233
L2 (q-pair).....	223, 224
L3 (data).....	1233
L3 (q-pair).....	223, 224
L4 (data).....	1234
L4 (q-pair).....	223, 224

L5 (data).....	1234
L5 (q-pair).....	223, 224
LABILE (data).....	1234
LABILE (q-pair).....	14
LABORED: INCREASED EFFORT, ACCESSORY MUSCLES/NASAL FLARING (data)	
.....	1234
LABORED: INCREASED EFFORT, ACCESSORY MUSCLES/NASAL FLARING (q-pair)	
.....	632
LABS PER ORDERS.....	407
LACERATION (data).....	1234
LACERATION (q-pair).....	967
LACKS INTEREST (data).....	1235
LACKS INTEREST (q-pair).....	204
LACTOSE RESTRICTED (data).....	1235
LANGUAGE (data).....	1235
LANGUAGE (q-pair).....	202
LAPTOP/TABLET (data).....	1235
LAPTOP/TABLET (q-pair).....	728
LARGE (data).....	1235
LARGE (q-pair).....	552, 557, 559, 707
LARYNGEAL MASK (meth).....	1542
LARYNGEAL MASK (q-pair).....	874
LARYNGECTOMY (data).....	1236
LARYNGECTOMY (q-pair).....	19
LATERAL TRANSFER DEVICE - AIR ASSISTED (data).....	1236
LATERAL TRANSFER DEVICE - AIR ASSISTED (q-pair).....	413
LATERAL TRANSFER DEVICE - NON-AIR ASSISTED (data).....	1236
LATERAL TRANSFER DEVICE - NON-AIR ASSISTED (q-pair)....	413
LATEX ALLERGY (data).....	1236
LATEX ALLERGY (q-pair).....	38
LEAD (meth).....	1543
LEAD (q-pair).....	715
LEAKAGE (data).....	1236
LEAKAGE (q-pair).....	237
LEFT (data).....	1237
LEFT (loca).....	1497
LEFT (posi).....	1558
LEFT (q-pair).....	13, 89, 90, 91, 92, 96, 111, 142, 232, 253, 480, 481, 482, 483, 484, 485, 486, 487, 488, 490, 497, 498, 501, 503, 504, 506, 507, 508, 510, 511, 512, 513, 514, 519, 637, 638, 639, 640
LEFT ANKLE (loca).....	1498
LEFT ELBOW (loca).....	1498
LEFT EYE (loca).....	1498
LEFT EYE (q-pair).....	192
LEFT HAND/FINGERS (loca).....	1498
LEFT HIP (loca).....	1498
LEFT KNEE (loca).....	1499
LEFT LOWER LOBE (loca).....	1499
LEFT LOWER LOBE (q-pair).....	75
LEFT NARIS (data).....	1237
LEFT NARIS (q-pair).....	257
LEFT NECK (loca).....	1499
LEFT NECK (q-pair).....	94
LEFT SHOULDER (loca).....	1499
LEFT UPPER LOBE (loca).....	1499

LEFT UPPER LOBE (q-pair).....	75
LEFT VENTRICULAR EJECTION FRACTION - CATEGORICAL.....	409
LEFT VENTRICULAR EJECTION FRACTION - CONTINUOUS.....	408
LEFT VENTRICULAR STROKE WORK.....	410
LEFT WRIST (loca).....	1500
LEG (loca).....	1500
LEG (q-pair).....	89, 90, 91, 92, 510, 637, 638, 639, 640
LEG MOVEMENTS.....	411
LEG PAIN (data).....	1237
LEG PAIN (q-pair).....	87
LESION PRESENT (data).....	1237
LESION PRESENT (q-pair).....	479
LESIONS (data).....	1237
LESIONS (q-pair).....	543
LESS THAN 30 (data).....	1238
LESS THAN 30 (q-pair).....	409
LETHARGIC (data).....	1238
LETHARGIC (q-pair).....	54, 412, 451, 502
LEVEL OF CONSCIOUSNESS.....	412
LEVELED (data).....	1238
LEVELED (q-pair).....	404
LG ADULT (meth).....	1543
LG ADULT CUFF (meth).....	1543
LIBERAL DIABETIC (data).....	1238
LIFT SCALE (meth).....	1543
LIFT SCALE (q-pair).....	941
LIFT SEAT COMMODE (data).....	1238
LIFT SEAT COMMODE (q-pair).....	413
LIFT/TRANSFER DEVICES NEEDED.....	413
LIGHT SLEEPER (data).....	1239
LIGHT SLEEPER (q-pair).....	515
LIMITED (data).....	1239
LIMITED (q-pair).....	638
LIMITED ASSISTANCE (data).....	1239
LIMITED ASSISTANCE (meth).....	1543
LIMITED ASSISTANCE (q-pair).....	7, 8, 11, 723, 724, 725, 726, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 755, 756, 757
LIMITED ATTENION SPAN (data).....	1239
LIMITED ATTENION SPAN (q-pair).....	202
LIMITED TO INCISION (data).....	1239
LIMITED TO INCISION (q-pair).....	360, 835
LIMPING (data).....	1240
LIMPING (q-pair).....	248
LINE FLUSH (data).....	1240
LINE FLUSH (prod).....	1570
LINE FLUSH HEPARIN (prod).....	1570
LINE FLUSH HEPARIN (q-pair).....	385
LINEN CHANGE (data).....	1240
LINEN CHANGE (q-pair).....	10
LINES (data).....	1240
LINES (q-pair).....	759
LIP (loca).....	1500
LIP (q-pair).....	232
LIP SALVE (data).....	1240
LIP SALVE (q-pair).....	537

LIPIDS (prod).....	1570
LIPIDS (q-pair).....	384
LIST PER SME (data).....	1241
LISTED (data).....	1241
LISTED (q-pair).....	190
LISTED DIET (data).....	1241
LITER (unit).....	1612
LITERS PER MINUTE (unit).....	1612
LITERS PER MINUTE PER METER2 (BSA) (unit).....	1612
LOCAL (data).....	1241
LOCAL (q-pair).....	29
LOCALIZES TO PAIN (data).....	1241
LOCALIZES TO PAIN (q-pair).....	172
LOCK BOX (data).....	1242
LOCK BOX (q-pair).....	655
LOCKER (data).....	1242
LOCKER (q-pair).....	654, 655
LOGICAL (data).....	1242
LOGICAL (q-pair).....	58
LONG HANDLED TRANSFER SHEET (data).....	1242
LONG HANDLED TRANSFER SHEET (q-pair).....	413
LONG-HANDED UTENSILS (data).....	1242
LONG-HANDED UTENSILS (q-pair).....	731
LOOSE (data).....	1243
LOOSE (q-pair).....	868
LOOSE ASSOCIATIONS (data).....	1243
LOOSE ASSOCIATIONS (q-pair).....	58
LOOSE TEETH (data).....	1243
LOOSE TEETH (q-pair).....	543
LORDOSIS (data).....	1243
LORDOSIS (q-pair).....	489
LOUD (q-pair).....	854
LOUD (qual).....	1584
LOW (data).....	1243
LOW (q-pair).....	51, 197
LOW AIRLOSS OVERLAY (data).....	1244
LOW AIRLOSS OVERLAY (q-pair).....	852
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (data).....	1244
LOW AIRLOSS/ALTERNATING PRESSURE COMBO (q-pair).....	852
LOW BACK PAIN (data).....	1244
LOW BACK PAIN (q-pair).....	483
LOW CHOLESTEROL (data).....	1244
LOW CONTINUOUS (data).....	1244
LOW CONTINUOUS (q-pair).....	260
LOW FIBER (data).....	1245
LOW INTERMITTENT (data).....	1245
LOW INTERMITTENT (q-pair).....	260
LOW PROTEIN 60 GM (data).....	1245
LOW TYRAMINE (data).....	1245
LOWER (loca).....	1500
LOWER (q-pair).....	538
LOWER ABDOMEN (loca).....	1500
LOWER ABDOMEN (q-pair).....	962
LOWER ARM (loca).....	1501
LOWER ARM (q-pair).....	142
LOWER BACK (loca).....	1501
LOWER BACK (q-pair).....	962
LOWER LEG (loca).....	1501
LOWER LEG (q-pair).....	482
LOWER LIMB EXTREMITIES STRENGTH.....	414
LP: LIGHT PERCEPTION (data).....	1245
LP: LIGHT PERCEPTION (q-pair).....	192

LPP: LIGHT PERCEPTION WITH PROJECTION (data).....	1246
LPP: LIGHT PERCEPTION WITH PROJECTION (q-pair).....	192
LUMBAR (data).....	1246
LUMBAR (q-pair).....	221
LUMBAR DRAIN (data).....	1246
LUMBAR DRAIN (q-pair).....	956
LUMBAR SPINAL PRECAUTIONS (data).....	1246
LUMBAR SPINAL PRECAUTIONS (q-pair).....	645
LUMBAR SPINE (loca).....	1501
LUMBAR SPINE (q-pair).....	452, 489, 585
LUNCH (data).....	1246
LUNCH (q-pair).....	439
LVN (data).....	1247
LVN (q-pair).....	794
LVN/LPN (data).....	1247
LVN/LPN (q-pair).....	698
LVSWI.....	415
LYING (posi).....	1558
LYING (q-pair).....	63, 189, 715, 721, 878, 941
LYING OR SITTING (data).....	1247
LYING OR SITTING (q-pair).....	167
Lips (loca).....	1501
Lips (q-pair).....	253

- M -

MACERATION (data).....	1247
MACERATION (q-pair).....	827
MAGNACAL (data).....	1247
MAGNACAL (prod).....	1570
MAGNACAL (q-pair).....	215
MAGNETIC RESONANCE IMAGING (meth).....	1544
MAGNETIC RESONANCE IMAGING (q-pair).....	408, 409
MAINTAINING EFFECTIVE VENTILATION (data).....	1248
MAINTAINING EFFECTIVE VENTILATION (q-pair).....	576
MALLAMPATI SCORE.....	416
MAROON (data).....	1248
MAROON (q-pair).....	869, 954
MASK (meth).....	1544
MASK (q-pair).....	874, 875
MD (data).....	1248
MD (q-pair).....	794
MDS: BATHING-SELF PERFORMANCE.....	417
MDS: BATHING-SUPPORT.....	418
MDS: BED MOBILITY-SELF PERFORMANCE.....	419
MDS: BED MOBILITY-SUPPORT.....	420
MDS: DRESSING-SELF PERFORMANCE.....	421
MDS: DRESSING-SUPPORT.....	422
MDS: EATING-SELF PERFORMANCE.....	423
MDS: EATING-SUPPORT.....	424
MDS: LOCOMOTION OFF UNIT-SELF PERFORMANCE.....	425
MDS: LOCOMOTION OFF UNIT-SUPPORT.....	426
MDS: LOCOMOTION ON UNIT-SELF PERFORMANCE.....	427
MDS: LOCOMOTION ON UNIT-SUPPORT.....	428
MDS: PERSONAL HYGIENE-SELF PERFORMANCE.....	429
MDS: PERSONAL HYGIENE-SUPPORT.....	430
MDS: TOILET USE-SELF PERFORMANCE.....	431
MDS: TOILET USE-SUPPORT.....	432
MDS: TRANSFER-SELF PERFORMANCE.....	433
MDS: TRANSFER-SUPPORT.....	434
MDS: WALK IN CORRIDOR-SELF PERFORMANCE.....	435

MDS: WALK IN CORRIDOR-SUPPORT.....	436
MDS: WALK IN ROOM-SELF PERFORMANCE.....	437
MDS: WALK IN ROOM-SUPPORT.....	438
MEAL (data).....	1248
MEAL (q-pair).....	10
MEAL TYPE.....	439
MEAN ARTERIAL PRESSURE.....	440
MEAN BLOOD PRESSURE.....	441
MEAN BLOOD PRESSURE ARTERIAL LINE.....	442
MEAN BLOOD PRESSURE NON-INVASIVE.....	443
MEAN BP CUFF.....	444
MECHANICAL (data).....	1248
MECHANICAL (q-pair).....	190
MED LAST DOSE: ANTIBIOTIC.....	445
MED LAST DOSE: ANTICOAGULANT.....	446
MED LAST DOSE: ASPIRIN.....	447
MED LAST DOSE: ESA ERYTHROPOETIN.....	448
MED LAST DOSE: HYPOGLYCEMIC AGENT.....	449
MED LAST DOSE: NON-STEROIDAL ANTI-INFLAMMATORY DRUG....	450
MED RECONCILIATION DOCUMENTED (data).....	1249
MED RECONCILIATION DOCUMENTED (q-pair).....	191
MEDIAL PORT (data).....	1249
MEDIAL PORT (q-pair).....	405
MEDIASTINAL (loca).....	1502
MEDIASTINAL (prod).....	1570
MEDIASTINAL (q-pair).....	293, 297, 560
MEDICAL (data).....	1249
MEDICAL (q-pair).....	535
MEDICAL DEVICE SAFETY (data).....	1249
MEDICAL DEVICE SAFETY (q-pair).....	56, 535
MEDICAL NECESSITY CONFIRMED (data).....	1249
MEDICAL NECESSITY CONFIRMED (q-pair).....	404
MEDICALLY SEDATED (data).....	1250
MEDICALLY SEDATED (q-pair).....	502
MEDICATION (data).....	1250
MEDICATION (prod).....	1571
MEDICATION (q-pair).....	205, 587
MEDICATION PROPHYLAXIS (data).....	1250
MEDICATION PROPHYLAXIS (q-pair).....	201
MEDICATION REVIEW (data).....	1250
MEDICATION REVIEW (q-pair).....	770
MEDICATION ROOM (data).....	1250
MEDICATION ROOM (q-pair).....	53, 168
MEDIPORT (data).....	1251
MEDIPORT (q-pair).....	128, 701
MEDIUM (data).....	1251
MEDIUM (q-pair).....	197
MEMORY (data).....	1251
MEMORY (q-pair).....	202
MENTAL HEALTH (data).....	1251
MENTAL HEALTH (q-pair).....	205
MENTAL HEALTH HOLD (data).....	1251
MENTAL HEALTH HOLD (q-pair).....	205
MENTAL STATUS.....	451
MENTAL STATUS - AWAKE ORIENTED (data).....	1252
MENTAL STATUS - AWAKE ORIENTED (q-pair).....	576
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (data)....	1252
MENTAL STATUS - BASELINE FOR KNOWN DEMENTIA (q-pair)...	576
METAL (data).....	1252
METAL (q-pair).....	894
METAL IMPLANT/SHRAPNEL.....	452
METAL IMPLANTS (data).....	1252

METAL IMPLANTS (q-pair).....	452, 461
METERED DOSE INHALER (prod).....	1571
METERED DOSE INHALER (q-pair).....	367
MEWS: CONSCIOUS LEVEL.....	453
MEWS: HEART RATE.....	454
MEWS: HOURLY URINE.....	455
MEWS: RESPIRATORY.....	456
MEWS: SCORE.....	457
MEWS: SCORE UNIT (unit).....	1613
MEWS: SYSTOLIC BLOOD PRESSURE.....	458
MEWS: TEMPERATURE.....	459
MICROGRAMS (unit).....	1613
MICROGRAMS PER HOUR (unit).....	1613
MICROGRAMS PER KILOGRAM PER HOUR (unit).....	1613
MICROGRAMS PER KILOGRAM PER MINUTE (unit).....	1613
MICROGRAMS PER MINUTE (unit).....	1614
MICROGRAMS PER SHIFT (unit).....	1614
MICU (data).....	1252
MICU (q-pair).....	578
MID BACK (loca).....	1502
MID BACK (q-pair).....	962
MID-STERNAL (loca).....	1502
MID-STERNAL (q-pair).....	134
MIDDLE (loca).....	1502
MIDLINe (data).....	1253
MIDLINe (posi).....	1558
MIDLINe (q-pair).....	128, 232, 887
MIDLINe ABDOMINAL (loca).....	1502
MIDLINe ABDOMINAL (q-pair).....	362
MIDLINe NECK (loca).....	1503
MIDLINe NECK (q-pair).....	362
MIGRAINE(S) (data).....	1253
MIGRAINE(S) (q-pair).....	518
MILD-MODERATELY REDUCED (data).....	1253
MILD-MODERATELY REDUCED (q-pair).....	409
MILD: 5-12 (data).....	1253
MILD: 5-12 (q-pair).....	166
MILDLY WEAK (data).....	1253
MILDLY WEAK (q-pair).....	503, 504
MILK (prod).....	1571
MILK (q-pair).....	389
MILLIAMPS (unit).....	1614
MILLIBAR (unit).....	1614
MILLIGRAMS (unit).....	1614
MILLIGRAMS PER HOUR (unit).....	1615
MILLIGRAMS PER KILOGRAM PER HOUR (data).....	1254
MILLIGRAMS PER KILOGRAM PER HOUR (unit).....	1615
MILLIGRAMS PER KILOGRAM PER MINUTE (unit).....	1615
MILLIGRAMS PER MINUTE (unit).....	1615
MILLIGRAMS PER SHIFT (unit).....	1615
MILLILITER (unit).....	1616
MILLILITERS PER BEAT (unit).....	1616
MILLILITERS PER BEAT PER METER SQUARE (BSA) (unit).....	1616
MILLILITERS PER HOUR (unit).....	1616
MILLILITERS PER KILOGRAM PER HOUR (unit).....	1616
MILLILITERS PER KILOGRAM PER MINUTE (unit).....	1617
MILLILITERS PER METER SQUARE (BSA) (unit).....	1617
MILLILITERS PER MINUTE (unit).....	1617
MILLILITERS PER MINUTE PER METER SQUARE (unit).....	1617
MILLIMETERS (unit).....	1617
MILLIMETERS OF MERCURY (unit).....	1618
MILLIVOLTS (unit).....	1618

MINUTE (unit).....	1618
MISSING (data).....	1254
MOANING (data).....	1254
MOANING (q-pair).....	586
MODE SWITCHING (data).....	1254
MODE SWITCHING (q-pair).....	101
Moderate (data).....	1254
Moderate (q-pair).....	501, 552, 557, 559, 707, 834
Moderate sedation (data).....	1255
Moderate sedation (q-pair).....	29
Moderate sedation: pre-assessment appliances removed... Moderate sedation: pre-assessment CPRS health hx reviewed	460 461
Moderate sedation: pre-assessment time out.....	462
Moderate sedation: preassess: previous mod sed. complications	463
Moderate sedation: preassess: substance abuse.....	464
Moderate sedation: preparation.....	465
Moderate sedation: time out: patient identifiers.....	466
Moderately severely reduced (data).....	1255
Moderately severely reduced (q-pair).....	409
Moderate: 13-24 (data).....	1255
Moderate: 13-24 (q-pair).....	166
Moderately reduced (data).....	1255
Moderately reduced (q-pair).....	409
Moderately severe: 25-36 (data).....	1255
Moderately severe: 25-36 (q-pair).....	166
Moderately weak (data).....	1256
Moderately weak (q-pair).....	503, 504
Modified Aldrete score (unit).....	1618
Modular customized formula (prod).....	1571
Moist (data).....	1256
Moist (q-pair).....	479, 840, 892
Monitor (meth).....	1544
Monitor (q-pair).....	63, 79, 80, 131, 715, 721, 880
Monitor placed.....	467
Monitored Q 1 hour (data).....	1256
Monitored Q 1 hour (q-pair).....	750, 751
Monitored Q 2 hours (data).....	1256
Monitored Q 2 hours (q-pair).....	750, 751
Monitoring camera.....	468
Monotone (data).....	1256
Monotone (q-pair).....	854
Month (unit).....	1618
Morphine (data).....	1257
Morphine (q-pair).....	625
Morse fall risk score > 45 (data).....	1257
Morse fall risk score > 45 (q-pair).....	599
Morse score (unit).....	1619
Morse: ambulatory aid during walking.....	469
Morse: gait.....	470
Morse: history of falling within last three months....	471
Morse: IV therapy saline lock.....	472
Morse: mental status of pt own ability.....	473
Morse: score total.....	474
Morse: secondary diagnosis listed on chart.....	475
Motion sickness (data).....	1257
Motion sickness (q-pair).....	518
Motor activity.....	476
Motor activity/posture.....	477

MOTOR CHECK.....	478
MOTORIZED WHEELCHAIR (data).....	1257
MOTORIZED WHEELCHAIR (q-pair).....	482, 900
MOTTLED (data).....	1257
MOTTLED (q-pair).....	832
MOUTH (data).....	1258
MOUTH (q-pair).....	257
MOUTH GUARD (prod).....	1571
MOUTH GUARD (q-pair).....	538
MOUTHWASH USED (data).....	1258
MOUTHWASH USED (q-pair).....	537
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (data) .....	1258
MOVE AGAINST GRAVITY AND RESISTANCE, EASILY OVERCOME BY THE EXAMINER (q-pai r).....	476
MOVE AGAINST GRAVITY BUT NO RESISTANCE (data).....	1258
MOVE AGAINST GRAVITY BUT NO RESISTANCE (q-pair).....	476
MOVEMENT WITH GRAVITY ELIMINATED (data).....	1258
MOVEMENT WITH GRAVITY ELIMINATED (q-pair).....	476
MUCOID (data).....	1259
MUCOID (q-pair).....	868
MUCOUS MEMBRANE CONDITION.....	479
MUCUS (data).....	1259
MUCUS (q-pair).....	892
MULTIFOCAL PVC (data).....	1259
MULTIFOCAL PVC (q-pair).....	84
MULTIGATED NUCLEAR VENTRICULOGRAPHY (meth).....	1544
MULTIGATED NUCLEAR VENTRICULOGRAPHY (q-pair).....	408, 409
MULTIPODOUS (data).....	1259
MULTIPODOUS (q-pair).....	688
MULTIVOLTS (unit).....	1619
MURMUR (data).....	1259
MURMUR (q-pair).....	95
MUSCLE WEAKNESS (data).....	1260
MUSCLE WEAKNESS (q-pair).....	483
MUSCULOSKELETAL: AMPUTATION TYPE.....	480
MUSCULOSKELETAL: ANKLE ROM.....	481
MUSCULOSKELETAL: ASSISTIVE DEVICES.....	482
MUSCULOSKELETAL: CONDITIONS.....	483
MUSCULOSKELETAL: ELBOW ROM.....	484
MUSCULOSKELETAL: HIP ROM.....	485
MUSCULOSKELETAL: JOINT CONDITION.....	486
MUSCULOSKELETAL: KNEE ROM.....	487
MUSCULOSKELETAL: SHOULDER ROM.....	488
MUSCULOSKELETAL: SPINE CONDITION.....	489
MUSCULOSKELETAL: WRIST ROM.....	490
MUSHROOM CATHETER (data).....	1260
MUSHROOM CATHETER (q-pair).....	276
MUSTACHE CANNULA (meth).....	1544
MUTE (q-pair).....	854
MUTE (qual).....	1584
MUTIFOCAL ATRIAL TACHYCARDIA (data).....	1260
MUTIFOCAL ATRIAL TACHYCARDIA (q-pair).....	85
MYOCLONUS (data).....	1260
MYOCLONUS (q-pair).....	635
mg/dl (unit).....	1623
N/A (data).....	1260
N/A (q-pair).....	38, 195, 244, 279, 354, 654, 655

NA (data).....	1261
NA (q-pair).....	794
NAIL CARE (data).....	1261
NAIL CARE (q-pair).....	10
NAIL COLOR.....	491
NAIL SHAPE.....	492
NAIL TEXTURE.....	493
NAPS DURING THE DAY (data).....	1261
NAPS DURING THE DAY (q-pair).....	515
NAPS ONLY (data).....	1261
NAPS ONLY (q-pair).....	851
NARES (loca).....	1503
NARES (q-pair).....	253
NASAL (data).....	1261
NASAL (q-pair).....	712
NASAL CANNULA (meth).....	1545
NASAL CANNULA (q-pair).....	875
NASAL ENDOTRACHEAL (data).....	1262
NASAL ENDOTRACHEAL (q-pair).....	19
NASAL INTESTINAL SMALL BORE (data).....	1262
NASAL INTESTINAL SMALL BORE (q-pair).....	209
NASAL SMALL BOWEL FEEDING TUBE (data).....	1262
NASAL SMALL BOWEL FEEDING TUBE (q-pair).....	272
NASAL TRUMPET (data).....	1262
NASAL TRUMPET (q-pair).....	19
NASOGASTRIC LARGE BORE TUBE (data).....	1262
NASOGASTRIC LARGE BORE TUBE (q-pair).....	209
NASOGASTRIC TUBE (data).....	1263
NASOGASTRIC TUBE (q-pair).....	272
NASOGASTRIC TUBE SMALL BORE (data).....	1263
NAUSEA (data).....	1263
NAUSEA (q-pair).....	227, 267, 518, 635
NEAT (data).....	1263
NEAT (q-pair).....	30
NEBULIZER (meth).....	1545
NEBULIZER (q-pair).....	875
NECK (loca).....	1503
NECK (q-pair).....	142, 452, 482, 486, 585, 845, 962
NECK EVALUATION.....	494
NECK VEIN CONDITION.....	495
NECROTIC (data).....	1263
NECROTIC (q-pair).....	961
NEED FOR FLUIDS/TOILETING ASSESSED.....	496
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (data)	
.....	1264
NEEDLELESS HUB DISINFECTED AND ACCESSED PER POLICY (q-pair)	
.....	404
NEEDS REINFORCEMENT (data).....	1264
NEEDS REINFORCEMENT (q-pair).....	772, 777
NEGATIVE PRESSURE (data).....	1264
NEGATIVE PRESSURE (q-pair).....	393
NEGATIVE PRESSURE THERAPY DEVICE (data).....	1264
NEGATIVE PRESSURE THERAPY DEVICE (q-pair).....	692
NEPHROSTOMY - LEFT (meth).....	1545
NEPHROSTOMY - LEFT (q-pair).....	558
NEPHROSTOMY - RIGHT (meth).....	1545
NEPHROSTOMY - RIGHT (q-pair).....	558
NEPRO (data).....	1264
NEPRO (q-pair).....	215
NEPRO CARB STEADY (data).....	1265
NEPRO CARB STEADY (q-pair).....	215

NEPRO RENAL FORMULA (data).....	1265
NEPRO RENAL FORMULA (prod).....	1572
NEPRO RENAL FORMULA (q-pair).....	369
NEURO ASSESSMENT: AUDITORY.....	497
NEURO ASSESSMENT: CORNEAL REFLEX.....	498
NEURO ASSESSMENT: COUGH REFLEX.....	499
NEURO ASSESSMENT: GAG REFLEX.....	500
NEURO ASSESSMENT: HAND GRIP.....	501
NEURO ASSESSMENT: MENTAL STATUS .....	502
NEURO ASSESSMENT: MOTOR LOWER EXTREMITIES.....	503
NEURO ASSESSMENT: MOTOR UPPER EXTREMITIES.....	504
NEURO ASSESSMENT: ORIENTATION.....	505
NEURO ASSESSMENT: PLANTAR (BABINSKI) REFLEX.....	506
NEURO ASSESSMENT: PUPIL.....	507
NEURO ASSESSMENT: PUPIL SIZE.....	508
NEURO ASSESSMENT: REFLEXES PRESENT .....	509
NEURO ASSESSMENT: SEIZURE ACTIVITY.....	510
NEURO ASSESSMENT: SENSATION LOWER EXTREMITIES.....	511
NEURO ASSESSMENT: SENSATION UPPER EXTREMITIES.....	512
NEURO ASSESSMENT: SENSORY TESTING.....	513
NEURO ASSESSMENT: SHOULDER SHRUG.....	514
NEURO ASSESSMENT: SLEEP.....	515
NEURO ASSESSMENT: SPEECH .....	516
NEURO ASSESSMENT: SWALLOW REFLEX.....	517
NEURO ASSESSMENT: SYMPTOMS.....	518
NEURO ASSESSMENT: VISION.....	519
NEUROGENIC BLADDER (data).....	1265
NEUROGENIC BLADDER (q-pair).....	115
NEUTRAL PRESSURE CONNECTOR (data).....	1265
NEUTRAL PRESSURE CONNECTOR (q-pair).....	404
NEUTROPENIC (data).....	1265
NEUTROPENIC (q-pair).....	393, 644
NEW ADMISSION EDUCATION (data).....	1266
NEW ADMISSION EDUCATION (q-pair).....	205
NEW SITE (data).....	1266
NEW SITE (q-pair).....	120, 569
NG RESIDUAL (prod).....	1572
NG RESIDUAL (q-pair).....	560
NG STRIP (data).....	1266
NG STRIP (q-pair).....	259
NIGHT LIGHT PROVIDED (data).....	1266
NIGHT LIGHT PROVIDED (q-pair).....	235
NIGHTMARES (data).....	1266
NIGHTMARES (q-pair).....	515
NIHSS - BEST GAZE.....	520
NIHSS - BEST LANGUAGE.....	521
NIHSS - DYSARTHRIA.....	522
NIHSS - EXTINCTION AND INATTENTION.....	523
NIHSS - FACIAL PALSY.....	524
NIHSS - LEVEL OF CONSCIOUSNESS.....	525
NIHSS - LIMB ATAXIA.....	526
NIHSS - LOC COMMANDS.....	527
NIHSS - LOC QUESTIONS.....	528
NIHSS - MOTOR ARM.....	529
NIHSS - MOTOR LEG.....	530
NIHSS - SENSORY.....	531
NIHSS - TOTAL SCORE.....	532
NIHSS - VISUAL FIELD.....	533
NLP: NO LIGHT PERCEPTION (data).....	1267
NLP: NO LIGHT PERCEPTION (q-pair).....	192
NO (data).....	1267
NO (q-pair).....	9, 15, 20, 31, 32,

33, 34, 35, 36, 37, 39, 40, 43, 47, 49, 61, 77, 78, 82, 100, 102, 106, 119, 124, 130, 133, 137, 138, 178, 195, 234, 236, 250, 266, 274, 283, 285, 291, 292, 299, 354, 357, 362, 363, 364, 365, 366, 496, 565, 570, 575, 577, 579, 597, 611, 641, 642, 672, 684, 687, 690, 693, 695, 706, 718, 747, 763, 764, 765, 767, 768, 769, 771, 792, 802, 803, 824, 826, 828, 829, 830, 841, 842, 891, 902, 903, 911, 937, 958, 965	
NO ASSISTIVE DEVICE (data).....	1267
NO ASSISTIVE DEVICE (q-pair).....	731, 754
NO BREAK IN EPIDERMIS (data).....	1267
NO LEAKAGE (data).....	1267
NO LEAKAGE (q-pair).....	237
NO MOVEMENT (data).....	1268
NO MOVEMENT (q-pair).....	476
NO PREFERENCE (data).....	1268
NO PREFERENCE (q-pair).....	651
NO SIGNS AND SYMPTOMS (data).....	1268
NO SIGNS AND SYMPTOMS (q-pair).....	586
NO T WAVE (data).....	1268
NO T WAVE (q-pair).....	207
NO VERIFICATION OBTAINED (NO PLANS TO INSTILL MEDS/NUTRITION/FLUIDS) (data) .....	1268
NO VERIFICATION OBTAINED (NO PLANS TO INSTILL MEDS/NUTRITION/FLUIDS) (q-pai r).....	256
NO WANDERING PREVENTION MEASURES APPLIED (data).....	1269
NO WANDERING PREVENTION MEASURES APPLIED (q-pair).....	4
NO WANDERING PREVENTION MEASURES NEEDED (data).....	1269
NO WANDERING PREVENTION MEASURES NEEDED (q-pair).....	4
NOCTURIA (data).....	1269
NOCTURIA (q-pair).....	515
NON RE-BREATHER (meth).....	1545
NON RE-BREATHER (q-pair).....	875
NON-ADHERENT GAUZE (data).....	1269
NON-COOERATIVE WITH PLAN OF CARE (data).....	1269
NON-COOERATIVE WITH PLAN OF CARE (q-pair).....	599
NON-COOPERATIVE WITH ISOLATION PRECAUTIONS (data).....	1270
NON-COOPERATIVE WITH ISOLATION PRECAUTIONS (q-pair)....	599
NON-INVASIVE (meth).....	1546
NON-INVASIVE (q-pair).....	63, 189, 440, 441, 715, 878
NON-PITTING (data).....	1270
NON-PITTING (q-pair).....	89, 90, 91, 92
NON-PRODUCTIVE (data).....	1270
NON-PRODUCTIVE (q-pair).....	176
NON-SKID SLIPPERS (data).....	1270
NON-SKID SLIPPERS (q-pair).....	235
NON-TENDER (data).....	1270
NON-TENDER (q-pair).....	2

NON-VERBAL (data).....	1271
NON-VERBAL (q-pair).....	588
NONBLANCHABLE ERYTHEMA (data).....	1271
NONDEPENDENT (q-pair).....	89, 90, 91, 92
NONDEPENDENT (qual).....	1584
NONE (data).....	1271
NONE (prod).....	1572
NONE (q-pair).....	29, 84, 171, 172, 173, 179, 197, 202, 227, 355, 360, 463, 510, 538, 552, 608, 683, 686, 689, 728, 756, 757, 831, 834, 955, 959
NONE - PLUGGED WITH ANTI-REFLUX VALVE (data).....	1271
NONE - PLUGGED WITH ANTI-REFLUX VALVE (q-pair).....	260
NONE IDENTIFIED AT THIS VISIT (data).....	1271
NONE IDENTIFIED AT THIS VISIT (q-pair).....	205
NONE NEEDED (data).....	1272
NONE NEEDED (q-pair).....	541
NONINVASIVE (meth).....	1546
NONREACTIVE (data).....	1272
NONREACTIVE (q-pair).....	507
NORMAL (NO DEFICITS) (data).....	1272
NORMAL (NO DEFICITS) (q-pair).....	511, 512
NORMAL (data).....	1272
NORMAL (meth).....	1546
NORMAL (q-pair).....	1, 28, 46, 57, 129, 139, 278, 409, 477, 486, 492, 493, 494, 495, 514, 515, 519, 567, 574, 637, 840, 854
NORMAL (qual).....	1584
NORMAL FOR ETHNIC GROUP (data).....	1272
NORMAL FOR ETHNIC GROUP (q-pair).....	491, 832
NORMAL HEARING (data).....	1273
NORMAL HEARING (q-pair).....	497
NORMAL POWER (data).....	1273
NORMAL POWER (q-pair).....	476
NORMAL SINUS (data).....	1273
NORMAL STOOL (data).....	1273
NORMAL STOOL (q-pair).....	868
NORMAL/FLAT WITH HOB 30 DEGREES (data).....	1273
NORMAL/FLAT WITH HOB 30 DEGREES (q-pair).....	96
NORMAL: NORMAL DEPTH, REGULAR, EFFORTLESS, CLEAR (data)	1274
NORMAL: NORMAL DEPTH, REGULAR, EFFORTLESS, CLEAR (q-pair)	632
NOSE (loca).....	1503
NOSE (q-pair).....	232, 452, 585, 845
NOSE CUP OR NOSE CUTOUT CUP (data).....	1274
NOSE CUP OR NOSE CUTOUT CUP (q-pair).....	731
NOT DONE (data).....	1274
NOT DONE (q-pair).....	7, 8, 11, 537
NOT MONITORED (data).....	1274
NOT MONITORED (q-pair).....	129, 574
NOT PERFORMED (SEE COMMENTS) (data).....	1274
NOT PERFORMED (SEE COMMENTS) (q-pair).....	540
NOT REMOVED AND CLEANED (SEE COMMENTS) (data).....	1275
NOT REMOVED AND CLEANED (SEE COMMENTS) (q-pair).....	538
NOVASOURCE 2.0 (data).....	1275
NOVASOURCE 2.0 (prod).....	1572

NOVASOURCE 2.0 (q-pair).....	369
NP (data).....	1275
NP (q-pair).....	698, 794
NPO (data).....	1275
NPO (q-pair).....	190
NPO DIET (data).....	1275
NSG ASSIST (data).....	1276
NSG ASSIST (q-pair).....	698
NUCLEAR PERFUSION IMAGING (meth).....	1546
NUCLEAR PERFUSION IMAGING (q-pair).....	408, 409
NUMB (data).....	1276
NUMB (q-pair).....	582
NUMBER OF DAYS.....	534
NUMBER: SPECIFY (data).....	1276
NUMBER: SPECIFY (q-pair).....	197
NUMBNESS (data).....	1276
NUMBNESS (q-pair).....	511, 512, 639, 804, 805, 806, 807
NUMERIC (data).....	1276
NUMERIC (q-pair).....	588
NURSING INTERVENTIONS - STRAIGHT CATH (task).....	1599
NURSING INTERVENTIONS - WOUND CARE (task).....	1599
NURSING STATION (data).....	1277
NURSING STATION (q-pair).....	53, 168
NUTREN 1.5 (prod).....	1572
NUTRIHEP (data).....	1277
NUTRIHEP (q-pair).....	215
NUTRITION (data).....	1277
NUTRITION (q-pair).....	205
NUTRITIONAL SUPPLEMENT (data).....	1277
NUTRITIONAL SUPPLEMENT (prod).....	1573
NUTRITIONAL SUPPLEMENT (q-pair).....	389
NYSTAGMUS (data).....	1277
NYSTAGMUS (q-pair).....	519

- O -

O2 SATS (meth).....	1546
OBEYS COMMANDS (data).....	1278
OBEYS COMMANDS (q-pair).....	172
OBSERVATION REASON.....	535
OBSERVATION STATUS.....	536
OBSESSIONS (data).....	1278
OBSESSIONS (q-pair).....	58
OBSTRUCTED: BLOCKED AIRWAY, NO AIR MOVEMENT (data)....	1278
OBSTRUCTED: BLOCKED AIRWAY, NO AIR MOVEMENT (q-pair)...	632
OBSTRUCTIVE SLEEP APNEA (data).....	1278
OBTUNDED (data).....	1278
OBTUNDED (q-pair).....	412, 502
OBTURATOR AT BEDSIDE (data).....	1279
OBTURATOR AT BEDSIDE (q-pair).....	893
OCCIPITAL (loca).....	1503
OCCIPITAL (q-pair).....	362
OCCLUDED (data).....	1279
OCCLUDED (q-pair).....	44, 125, 183, 296, 406, 571
OCULAR PROSTHESIS (data).....	1279
OCULAR PROSTHESIS (q-pair).....	701
ODOROUS (data).....	1279
ODOROUS (q-pair).....	907
OFF DURING BATHING (data).....	1279
OFF DURING BATHING (q-pair).....	808

OFF UNIT (data).....	1280
OFF UNIT (q-pair).....	53
OFF UNIT - TESTING/PROCEDURE (data).....	1280
OFF UNIT - TESTING/PROCEDURE (q-pair).....	53
OFF WHILE AMBULATORY (data).....	1280
OFF WHILE AMBULATORY (q-pair).....	808
OFFER PRN MEDS (data).....	1280
OFFER PRN MEDS (q-pair).....	766
OFFERED (data).....	1280
OFFERED (q-pair).....	537
ON WHILE SITTING IN CHAIR (data).....	1281
ON WHILE SITTING IN CHAIR (q-pair).....	808
ONE PERSON ASSIST (data).....	1281
ONE PERSON ASSIST (q-pair).....	5, 7, 8, 11
ONE TO ONE SUPERVISION (data).....	1281
ONE TO ONE SUPERVISION (q-pair).....	766
OOZING (data).....	1281
OOZING (q-pair).....	44, 125, 183, 296, 406, 571
OPEN SPONTANEOUSLY (data).....	1281
OPEN SPONTANEOUSLY (q-pair).....	171
OPEN SYSTEM (data).....	1282
OPEN SYSTEM (q-pair).....	210
OPEN TO AIR (data).....	1282
OPEN TO AIR (q-pair).....	692, 966
OPEN TRANSFER BELT (data).....	1282
OPEN TRANSFER BELT (q-pair).....	413
OPERATING ROOM (data).....	1282
OPERATING ROOM (q-pair).....	578
OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED) (data).....	1282
OPIOID NAÏVE (NO OTHER OPIOIDS ALLOWED) (q-pair).....	629
OPIOID TOLERANT (USE OF LONG ACTING ALLOWED; CONT RATE ALLOWED) (data).....	1283
OPIOID TOLERANT (USE OF LONG ACTING ALLOWED; CONT RATE ALLOWED) (q-pair).....	629
ORAL (data).....	1283
ORAL (loca).....	1504
ORAL (q-pair).....	712, 882, 962
ORAL AIRWAY (data).....	1283
ORAL AIRWAY (q-pair).....	19
ORAL CARE.....	537
ORAL CARE: DENTURES/REMOVABLE APPLIANCE.....	538
ORAL CARE: PATIENT EDUCATION.....	539
ORAL CARE: PERFORMED/OBSERVED.....	540
ORAL CARE: REFERRAL OR CONSULT TO DENTAL/DENTAL HYGIENE	541
ORAL CARE: SUPPLIES IN ROOM.....	542
ORAL CARE: SYMPTOMS OR PROBLEMS.....	543
ORAL CARE: TYPE.....	544
ORAL ENDOTRACHEAL (data).....	1283
ORAL ENDOTRACHEAL (q-pair).....	19
ORAL GASTRIC TUBE (data).....	1283
ORAL GASTRIC TUBE (q-pair).....	209, 272
ORAL SWABBING (EDENTUIOUS) (data).....	1284
ORAL SWABBING (EDENTUIOUS) (q-pair).....	544
ORANGE (data).....	1284
ORANGE (q-pair).....	198, 216, 269, 906, 954
ORIENTATION.....	545
ORIENTATION (data).....	1284
ORIENTATION (q-pair).....	205
ORIENTED (data).....	1284
ORIENTED (q-pair).....	173, 451, 775

ORIENTED TO CALL FOR ASSISTANCE (data).....	1284
ORIENTED TO CALL FOR ASSISTANCE (q-pair).....	235
ORIENTED TO PERSON (data).....	1285
ORIENTED TO PERSON (q-pair).....	505, 545
ORIENTED TO PLACE (data).....	1285
ORIENTED TO PLACE (q-pair).....	505, 545
ORIENTED TO SITUATION (data).....	1285
ORIENTED TO SITUATION (q-pair).....	505, 545
ORIENTED TO SURROUNDINGS/ROUTINE (data).....	1285
ORIENTED TO SURROUNDINGS/ROUTINE (q-pair).....	235
ORIENTED TO TIME (data).....	1285
ORIENTED TO TIME (q-pair).....	505, 545
ORTHOPNEIC (data).....	1286
ORTHOPNEIC (q-pair).....	720
ORTHOTIC BOOTS (data).....	1286
ORTHOTIC BOOTS (q-pair).....	546
ORTHOTIC COLLAR (data).....	1286
ORTHOTIC COLLAR (q-pair).....	546
ORTHOTIC KNEE IMMOBILIZER (data).....	1286
ORTHOTIC KNEE IMMOBILIZER (q-pair).....	546
ORTHOTIC SPINE BRACE (data).....	1286
ORTHOTIC SPINE BRACE (q-pair).....	546
ORTHOTIC TED HOSE (data).....	1287
ORTHOTIC TED HOSE (q-pair).....	546
ORTHOTIC WEDGE PILLOW (data).....	1287
ORTHOTIC WEDGE PILLOW (q-pair).....	546
ORTHOPTICS.....	546
OSMOLITE (data).....	1287
OSMOLITE (prod).....	1573
OSMOLITE 1.0 (data).....	1287
OSMOLITE 1.0 (q-pair).....	215
OSMOLITE 1.2 (data).....	1287
OSMOLITE 1.2 (q-pair).....	215
OSMOLITE 1.5 (data).....	1288
OSMOLITE 1.5 (q-pair).....	215
OSMOLITE HN (data).....	1288
OSMOLITE HN (prod).....	1573
OSMOLITE HN (q-pair).....	215
OSTOMY CARE.....	547
OSTOMY CARE (data).....	1288
OSTOMY CARE (q-pair).....	205
OSTOMY TYPE.....	548
OTHER (ADD COMMENTS) (data).....	1288
OTHER (ADD COMMENTS) (q-pair).....	588, 688
OTHER (COMMENT REQUIRED) (data).....	1289
OTHER (COMMENT REQUIRED) (q-pair).....	232
OTHER (DESCRIBE IN COMMENTS) (data).....	1289
OTHER (DESCRIBE IN COMMENTS) (q-pair).....	480, 486
OTHER (ENTER COMMENT) (data).....	1289
OTHER (ENTER COMMENT) (q-pair).....	122, 128, 175, 237, 238, 252, 254, 259, 260, 267, 413, 482, 639, 701, 892, 893, 894
OTHER (SEE COMMENTS) (data).....	1289
OTHER (SEE COMMENTS) (loca).....	1504
OTHER (SEE COMMENTS) (prod).....	1573
OTHER (SEE COMMENTS) (q-pair).....	88, 96, 97, 190, 215, 367, 460, 463, 497, 498, 499, 500, 503, 504, 506, 509, 510, 511, 512, 515,

517, 518, 543, 544, 698, 728, 731, 750, 751, 754	
OTHER (USE COMMENTS) (prod).....	1573
OTHER (USE COMMENTS) (q-pair).....	756, 757
OTHER (data).....	1288
OTHER (meth).....	1547
OTHER (q-pair).....	50, 115, 205, 227, 230, 231, 235, 376, 408, 409, 561, 582, 586, 587, 668, 681, 683, 692, 697
OTHER (qual).....	1585
OTHER CHANGES (SEE COMMENTS) (data).....	1289
OTHER CHANGES (SEE COMMENTS) (q-pair).....	502, 507, 516, 519
OTHER DEFORMITY (data).....	1290
OTHER DEFORMITY (q-pair).....	489
OTHER PO FLUID (prod).....	1574
OTHER PO FLUID (q-pair).....	389
OTHER( SEE COMMENTS) (loca).....	1504
OTHER( SEE COMMENTS) (q-pair).....	513
OUNCE (unit).....	1619
OUTPATIENT (data).....	1290
OUTPATIENT (q-pair).....	668
OUTPUT - BLOOD.....	549
OUTPUT - CBI DRAINAGE.....	550
OUTPUT - CHEST TUBE.....	551
OUTPUT - CHEST TUBE ESTIMATED.....	552
OUTPUT - DIALYSIS.....	553
OUTPUT - EMESIS.....	554
OUTPUT - GI TUBE.....	555
OUTPUT - NASOGASTRIC TUBE.....	556
OUTPUT - STOOL ESTIMATED.....	557
OUTPUT - URINE.....	558
OUTPUT - URINE ESTIMATED.....	559
OUTPUT: DO NOT CHECK TOTAL OR SUBTOTALS.....	560
OUTPUT: DRAIN.....	561
OUTPUT: STOOL.....	562
OVER WIRE (data).....	1290
OVER WIRE (q-pair).....	120, 569
OXEPA (data).....	1290
OXEPA (q-pair).....	215
OXIMETRIC (data).....	1290
OXIMETRIC (q-pair).....	573
OXYGEN CONSUMPTION.....	563
OXYGEN SATURATION.....	564

- P -

P WAVE ABSENT (data).....	1291
P WAVE ABSENT (q-pair).....	207
P WAVE BIPHASIC (data).....	1291
P WAVE BIPHASIC (q-pair).....	207
P WAVE PRESENT (data).....	1291
P WAVE PRESENT (q-pair).....	207
P.O. (meth).....	1547
P.O. (q-pair).....	369
PA (data).....	1291
PA (q-pair).....	698, 794
PA CATHETER (meth).....	1547
PA CATHETER ALARMS ON.....	565
PA CATHETER DRESSING TYPE.....	566

PA CATHETER DYNAMIC RESPONSE TEST.....	567
PA CATHETER INSERTION MARK.....	568
PA CATHETER INSERTION TECHNIQUE.....	569
PA CATHETER SITE CARE.....	570
PA CATHETER SITE CONDITION.....	571
PA CATHETER SIZE.....	572
PA CATHETER TYPE.....	573
PA CATHETER WAVEFORM.....	574
PA CATHETER ZEROED.....	575
PA LINE (meth).....	1547
PAC (data).....	1291
PAC (q-pair).....	84
PACED: ATRIAL (data).....	1292
PACED: ATRIAL (q-pair).....	85
PACED: AV SEQUENTIAL (data).....	1292
PACED: AV SEQUENTIAL (q-pair).....	85
PACED: VENTRICULAR (data).....	1292
PACED: VENTRICULAR (q-pair).....	85
PACEMAKER (data).....	1292
PACEMAKER (q-pair).....	701
PACEMAKER PRESENT (data).....	1292
PACEMAKER PRESENT (q-pair).....	87
PACEMAKER/ICD (data).....	1293
PACEMAKER/ICD (q-pair).....	107
PACER (data).....	1293
PACER (q-pair).....	461, 573
PACING (data).....	1293
PACING (q-pair).....	52
PACU - DISCHARGE CRITERIA.....	576
PACU - DISCHARGE CRITERIA MET.....	577
PACU - DISPOSITION.....	578
PACU - PT RECEIVED REVERSAL AGENT.....	579
PACU - TIME OF REVERSAL AGENT.....	580
PAIN (data).....	1293
PAIN (q-pair).....	202, 205, 267, 486, 513, 543, 788
PAIN CONTROLLED PER PT (data).....	1293
PAIN CONTROLLED PER PT (q-pair).....	576
PAIN DURATION.....	581
PAIN MANAGEMENT ASSESSMENT (data).....	1294
PAIN MANAGEMENT ASSESSMENT (q-pair).....	599
PAIN WITH BRUSHING (data).....	1294
PAIN WITH BRUSHING (q-pair).....	543
PAIN: CHARACTER.....	582
PAIN: CONTROL.....	583
PAIN: GOAL.....	584
PAIN: LEVEL.....	585
PAIN: NON-VERBAL CUES.....	586
PAIN: RELIEVING FACTOR INTERVENTION.....	587
PAIN: SCALE USED.....	588
PAIN: TYPE.....	589
PAINAD (data).....	1294
PAINAD (q-pair).....	588
PAINAD BL 0 (data).....	1294
PAINAD BL 0 (q-pair).....	590
PAINAD BL 1 (data).....	1294
PAINAD BL 1 (q-pair).....	590
PAINAD BL 2 (data).....	1295
PAINAD BL 2 (q-pair).....	590
PAINAD BODY LANGUAGE.....	590
PAINAD BR 0 (data).....	1295
PAINAD BR 0 (q-pair).....	591

PAINAD BR 1 (data).....	1295
PAINAD BR 1 (q-pair).....	591
PAINAD BR 2 (data).....	1295
PAINAD BR 2 (q-pair).....	591
PAINAD BREATHING.....	591
PAINAD CO 0 (data).....	1295
PAINAD CO 0 (q-pair).....	592
PAINAD CO 1 (data).....	1296
PAINAD CO 1 (q-pair).....	592
PAINAD CO 2 (data).....	1296
PAINAD CO 2 (q-pair).....	592
PAINAD CONSOLABILITY.....	592
PAINAD FACIAL EXPRESSION.....	593
PAINAD FE 0 (data).....	1296
PAINAD FE 0 (q-pair).....	593
PAINAD FE 1 (data).....	1296
PAINAD FE 1 (q-pair).....	593
PAINAD FE 2 (data).....	1296
PAINAD FE 2 (q-pair).....	593
PAINAD NEGATIVE VOCALIZATION.....	594
PAINAD NV 0 (data).....	1297
PAINAD NV 0 (q-pair).....	594
PAINAD NV 1 (data).....	1297
PAINAD NV 1 (q-pair).....	594
PAINAD NV 2 (data).....	1297
PAINAD NV 2 (q-pair).....	594
PAINAD SCALE (unit).....	1619
PAINAD TOTAL.....	595
PAINFUL EXPRESSION (data).....	1297
PAINFUL EXPRESSION (q-pair).....	586
PAIRS (data).....	1297
PAIRS (q-pair).....	84
PALE (data).....	1298
PALE (q-pair).....	479, 491, 832
PALLOR (data).....	1298
PALLOR (q-pair).....	637
PALPATED (meth).....	1547
PALPATED (q-pair).....	63, 715
PALPITATIONS (data).....	1298
PALPITATIONS (q-pair).....	87
PARALYSIS/PARESIS (data).....	1298
PARALYSIS/PARESIS (q-pair).....	175
PAROXYSMAL ATRIAL TACHYCARDIA (data).....	1298
PAROXYSMAL ATRIAL TACHYCARDIA (q-pair).....	85
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (data).....	1299
PAROXYSMAL SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	85
PART THICKNESS SKIN LOSS INVOLVE EPIDERMIS/DERMIS (data).....	1299
PARTIAL (data).....	1299
PARTIAL (q-pair).....	480, 510
PARTIAL BATH (data).....	1299
PARTIAL BATH (q-pair).....	10
PARTIAL CODE (SPECIFY IN COMMENTS) (data).....	1299
PARTIAL CODE (SPECIFY IN COMMENTS) (q-pair).....	169
PARTIAL DENTURE (prod).....	1574
PARTIAL DENTURE (q-pair).....	538
PARTIAL IMPAIRED (data).....	1300
PARTIAL IMPAIRED (q-pair).....	799
PARTIAL LOWER (data).....	1300
PARTIAL LOWER (q-pair).....	179
PARTIAL RE-BREATHER (meth).....	1548
PARTIAL RE-BREATHER (q-pair).....	875

PARTIAL SIMPLE (data).....	1300
PARTIAL SIMPLE (q-pair).....	799
PARTIAL UPPER (data).....	1300
PARTIAL UPPER (q-pair).....	179
PARTIALLY BLOCKED: SNORING/NOISY BREATHING (data).....	1300
PARTIALLY BLOCKED: SNORING/NOISY BREATHING (q-pair)....	632
PASERO OPIOID-INDUCED SEDATION SCALE (POSS).....	596
PASSIVE RANGE OF MOTION (data).....	1301
PASSIVE RANGE OF MOTION (q-pair).....	12
PATENT (data).....	1301
PATENT (q-pair).....	44, 125, 183, 296, 406, 571
PATENT CLEAN (data).....	1301
PATENT CLEAN (q-pair).....	404, 609
PATIENT (data).....	1301
PATIENT (q-pair).....	208
PATIENT ABLE TO RESPOND.....	597
PATIENT EDUCATION PROVIDED (data).....	1301
PATIENT EDUCATION PROVIDED (q-pair).....	117
PATIENT EDUCATION PROVIDED PRIOR TO SEDATION.....	598
PATIENT INFORMED (data).....	1302
PATIENT INFORMED (q-pair).....	468, 761
PATIENT INSTRUCTED (data).....	1302
PATIENT INSTRUCTED (q-pair).....	547
PATIENT LOCATOR DEVICE IN PLACE (data).....	1302
PATIENT LOCATOR DEVICE IN PLACE (q-pair).....	4
PATIENT ON PASS (null).....	1557
PATIENT REFUSED (data).....	1302
PATIENT REFUSED (null).....	1557
PATIENT REFUSED (q-pair).....	538, 540
PATIENT REFUSES MARKING (data).....	1302
PATIENT REFUSES MARKING (q-pair).....	672
PATIENT REPORTS NOT PRESENT (data).....	1303
PATIENT REPORTS NOT PRESENT (q-pair).....	242
PATIENT REPORTS PRESENT (data).....	1303
PATIENT REPORTS PRESENT (q-pair).....	242
PATIENT RIGHTS AND RESPONSIBILITIES (data).....	1303
PATIENT RIGHTS AND RESPONSIBILITIES (q-pair).....	205
PATIENT SAFETY ROUNDS COMPLETED.....	599
PATIENT SIGNS SAFETY CONTRACT (data).....	1303
PATIENT SIGNS SAFETY CONTRACT (q-pair).....	55
PATIENT STATED (data).....	1303
PATIENT STATED (q-pair).....	647
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (data)	
.....	1304
PATIENT STAYS WITHIN LINE OF SITE OF NURSING STATION (q-pair)	
.....	55
PATIENT'S ROOM (data).....	1304
PATIENT'S ROOM (q-pair).....	53, 168
PATIO (data).....	1304
PATIO (q-pair).....	53
PCA (data).....	1304
PCA (prod).....	1574
PCA (q-pair).....	369
PCA + CONTINUOUS (data).....	1304
PCA + CONTINUOUS (q-pair).....	626
PCA - CLINICAL BOLUS DOSE.....	600
PCA - CONTINUOUS MCG/HR (BASAL).....	601
PCA - CONTINUOUS MG/HR (BASAL).....	602
PCA - DEMAND DOSE - DO NOT CHECK TOTAL OR SUBTOTALS....	603
PCA - DOSAGE DELIVERED.....	604
PCA - DOSES DELIVERED.....	605

PCA - LEVEL OF CONSCIOUSNESS.....	606
PCA - LIMIT DOSE - DO NOT CHECK TOTAL OR SUBTOTALS....	607
PCA - LIMIT TIME.....	608
PCA - LINE CARE.....	609
PCA - LOCK OUT- DO NOT CHECK TOTAL OR SUBTOTALS.....	610
PCA - PUMP CLEARED.....	611
PCA - REQUESTS.....	612
PCA - TOTAL DOSE 24 HR.....	613
PCA - TOTAL DOSE WASTED.....	614
PCA - TOTAL MCG PER SHIFT.....	615
PCA - TOTAL MG PER SHIFT.....	616
PCA - VOLUME REMAINING - DO NOT CHECK TOTAL OR SUBTOTALS .....	617
PCA - VOLUME START - DO NOT CHECK TOTAL OR SUBTOTALS..	618
PCA ONLY (data).....	1305
PCA ONLY (q-pair).....	626
PCA PUMP (data).....	1305
PCA PUMP (q-pair).....	205
PCA: 2ND VERIFIER.....	619
PCA: ABILITY TO REPORT PAIN AND USE PCA WITHOUT REQUIRING CLUES? .....	620
PCA: AOX3 FOR PCA USE?.....	621
PCA: CONTINUOUS RATE.....	622
PCA: LOADING DOSE GIVEN.....	623
PCA: MAX LIMIT PER HOUR.....	624
PCA: MEDICATION ORDERED.....	625
PCA: MODE.....	626
PCA: ORDERED DOSE RANGE.....	627
PCA: ORDERED DOSE RANGE (FREE TEXT).....	628
PCA: ORDERED PROFILE.....	629
PCA: ORIENTED TO PERSON, PLACE, AND TIME?.....	630
PCA: RASS SCORE +1, 0, -1?.....	631
PCA: RESPIRATORY PATTERN.....	632
PCA: RISK FOR RESPIRATORY DEPRESSION ASSESSED?.....	633
PCA: RR11/MIN OR GREATER?.....	634
PCA: SIDE EFFECTS.....	635
PEAK INSPIRATORY PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS .....	636
PEAKED T WAVE (data).....	1305
PEAKED T WAVE (q-pair).....	207
PEDIATRIC (data).....	1305
PEDIATRIC (q-pair).....	64
PEDIATRIC (qual).....	1585
PEDIATRIC CUFF (meth).....	1548
PEG TUBE (data).....	1305
PEG TUBE (q-pair).....	209, 272
PENDANT CANNULA (meth).....	1548
PENDANT CANNULA (q-pair).....	875
PENETRATING (data).....	1306
PENETRATING (q-pair).....	967
PENIS (loca).....	1504
PENIS (q-pair).....	89, 90, 91, 92, 452, 585, 845
PENROSE (meth).....	1548
PENROSE (q-pair).....	561
PENROSE DRAIN (data).....	1306
PENROSE DRAIN (q-pair).....	956
PERATIVE (data).....	1306
PERATIVE (q-pair).....	215
PERCENTAGE (unit).....	1619
PERCUSSION BED (data).....	1306
PERCUSSION BED (q-pair).....	852

PERINEAL (loca).....	1504
PERINEAL (q-pair).....	362, 452, 585, 691, 962
PERINEAL CARE (data).....	1306
PERINEAL CARE (q-pair).....	10
PERINEAL PAIN (data).....	1307
PERINEAL PAIN (q-pair).....	237
PERIORBITAL (loca).....	1505
PERIORBITAL (q-pair).....	89, 90, 91, 92, 94
PERIPHERAL (loca).....	1505
PERIPHERAL (q-pair).....	715
PERIPHERAL-VASCULAR: COLOR.....	637
PERIPHERAL-VASCULAR: MOVEMENT.....	638
PERIPHERAL-VASCULAR: SENSATION.....	639
PERIPHERAL-VASCULAR: TEMPERATURE.....	640
PERIRECTAL (loca).....	1505
PERITONEAL DIALYSIS (meth).....	1548
PERITONEAL DIALYSIS (q-pair).....	371, 553
PERMANENT (data).....	1307
PERMANENT (q-pair).....	107
PERSONAL ARTICLES AT REACH (data).....	1307
PERSONAL ARTICLES AT REACH (q-pair).....	235
PERSONAL HYGIENE AND/OR GROOMING (data).....	1307
PERSONAL HYGIENE AND/OR GROOMING (q-pair).....	205
PERSONAL MEDICAL ALERT BRACELET (data).....	1307
PERSONAL MEDICAL ALERT BRACELET (q-pair).....	38
PETROLATUM (data).....	1308
PETROLATUM (q-pair).....	692
PHANTOM LIMB (data).....	1308
PHANTOM LIMB (q-pair).....	639
PHANTOM LIMB PAIN (data).....	1308
PHANTOM LIMB PAIN (q-pair).....	511, 512
PHYSICAL ASSIST (data).....	1308
PHYSICAL ASSIST (q-pair).....	754
PHYSICAL IMPAIRMENT (data).....	1308
PHYSICAL IMPAIRMENT (q-pair).....	50
PHYSICIAN (data).....	1309
PHYSICIAN (q-pair).....	698, 899
PHYSICIAN NOTIFIED (data).....	1309
PHYSICIAN NOTIFIED (q-pair).....	587
PHYSICIAN ORDER (data).....	1309
PHYSICIAN ORDER (q-pair).....	773
PHYSIOLOGICAL ASSESSMENT (data).....	1309
PHYSIOLOGICAL ASSESSMENT (q-pair).....	599
PICC (data).....	1309
PICC (q-pair).....	128, 404
PICC LINE (meth).....	1549
PICTURE BOARD (data).....	1310
PICTURE BOARD (q-pair).....	728
PIN (data).....	1310
PIN TRACTION (data).....	1310
PIN TRACTION (q-pair).....	895
PINK (data).....	1310
PINK (q-pair).....	198, 216, 269, 479, 708, 832, 892, 906, 950, 954
PINK / GRANULATING (data).....	1310
PINK / GRANULATING (q-pair).....	681
PINPOINT (data).....	1311
PINPOINT (q-pair).....	507
PINS & NEEDLES (data).....	1311
PINS & NEEDLES (q-pair).....	511, 512, 639

PITTED (data).....	1311
PITTED (q-pair).....	493
PITTING (data).....	1311
PITTING +1 (BARELY DETECTABLE) (data).....	1311
PITTING +1 (BARELY DETECTABLE) (q-pair).....	89, 90, 91, 92
PITTING +2 (INDENTATION LESS THAN 5mm) (data).....	1312
PITTING +2 (INDENTATION LESS THAN 5mm) (q-pair).....	89, 90, 91, 92
PITTING +3 (INDENTATION OF 5-10 mm) (data).....	1312
PITTING +3 (INDENTATION OF 5-10 mm) (q-pair).....	89, 90, 91, 92
PITTING +4 (INDENTATION OF MORE THAN 10mm) (data).....	1312
PITTING +4 (INDENTATION OF MORE THAN 10mm) (q-pair)....	89, 90, 91, 92
PIVOT (data).....	1312
PIVOT (q-pair).....	215
PIVOT 1.5 (data).....	1312
PIVOT 1.5 (q-pair).....	215
PJC (data).....	1313
PJC (q-pair).....	84
PLACED NEAR TO NURSE STATION (data).....	1313
PLACED NEAR TO NURSE STATION (q-pair).....	235
PLACEMENT INCONCLUSIVE, SPECIMEN SENT TO LAB FOR GASTRIC PH LEVEL 1-4 (data ).....	1313
PLACEMENT INCONCLUSIVE, SPECIMEN SENT TO LAB FOR GASTRIC PH LEVEL 1-4 (q-pair).....	258
PLAIN (data).....	1313
PLAIN (q-pair).....	573
PLAN OF CARE - REVISION INDICATED.....	641
PLANTAR (BABINSKI) (data).....	1313
PLANTAR (BABINSKI) (q-pair).....	509
PLANTAR FLEXION.....	642
PLANTAR FLEXION ABNORMAL (data).....	1314
PLANTAR FLEXION ABNORMAL (q-pair).....	481
PLANTAR FLEXION WNL (data).....	1314
PLANTAR FLEXION WNL (q-pair).....	481
PLASMAPHERESIS (prod).....	1574
PLASMAPHERESIS (q-pair).....	377
PLASTIC (data).....	1314
PLASTIC (q-pair).....	894
PLATE GUARD (data).....	1314
PLATE GUARD (q-pair).....	731
PLATELETS (prod).....	1574
PLATELETS (q-pair).....	369, 377
PLATELETS PHERESIS (prod).....	1575
PLATELETS PHERESIS (q-pair).....	369, 377
PLATELETS PHERESIS IRRADIATED (prod).....	1575
PLATELETS PHERESIS IRRADIATED (q-pair).....	369, 377
POINTS (unit).....	1620
POOR (data).....	1314
POOR (q-pair).....	723, 724, 725, 726, 727, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 755, 848
POOR (qual).....	1585
POOR BAL (data).....	1315
POOR BAL (q-pair).....	227
POORLY GROOMED (data).....	1315
POORLY GROOMED (q-pair).....	286
POPLITEAL (loca).....	1505
POPLITEAL (q-pair).....	111, 715
PORCINE SUBMUCOSA (data).....	1315
PORCINE SUBMUCOSA (q-pair).....	692
POSITIONAL (data).....	1315

POSITIONAL (q-pair).....	46, 129, 574, 582
POSITIVE PRESSURE CONNECTOR (data).....	1315
POSITIVE PRESSURE CONNECTOR (q-pair).....	404
POST CATH DIET (data).....	1316
POST OPERATION DIAGNOSIS (data).....	1316
POST PROCEDURE DIAGNOSIS (data).....	1316
POST PROCEDURE DIAGNOSIS (q-pair).....	181
POST-FALL (data).....	1316
POST-FALL (q-pair).....	962
POST-OPERATIVE (data).....	1316
POST-OPERATIVE (q-pair).....	181, 205, 962
POST-PROCEDURE (data).....	1317
POST-PROCEDURE (q-pair).....	205
POST-SEDATION (data).....	1317
POST-SEDATION (q-pair).....	205
POST-SUCTIONING OXYGENATION (data).....	1317
POST-SUCTIONING OXYGENATION (q-pair).....	893
POSTERIOR TIBIAL (loca).....	1505
POSTERIOR TIBIAL (q-pair).....	111, 715
POSTURAL HYPOTENSION (data).....	1317
POSTURAL HYPOTENSION (q-pair).....	175
POTASSIUM MODIFIED 60 MEQ (data).....	1317
POTASSIUM RESTRICTED (data).....	1318
POTASSIUM RESTRICTED (q-pair).....	190
POUND (unit).....	1620
POVERTY OF CONTENT (data).....	1318
POVERTY OF CONTENT (q-pair).....	854
POVERTY OF SPEECH (data).....	1318
POVERTY OF SPEECH (q-pair).....	854
POWER DRIVE STRETCHER (data).....	1318
POWER DRIVE STRETCHER (q-pair).....	413
POWERPORT (data).....	1318
POWERPORT (q-pair).....	128
PPN (prod).....	1575
PPN (q-pair).....	369
PR INTERVAL.....	643
PR NORMAL DURATION (data).....	1319
PR NORMAL DURATION (q-pair).....	207
PR PROLONGED DURATION (data).....	1319
PR PROLONGED DURATION (q-pair).....	207
PR SHORTENED DURATION (data).....	1319
PR SHORTENED DURATION (q-pair).....	207
PRBC (data).....	1319
PRBC (prod).....	1575
PRBC (q-pair).....	369, 377
PRBC - AUTOLOGOUS (prod).....	1575
PRBC - AUTOLOGOUS (q-pair).....	369, 377
PRBC - LEUKOREDUCED (prod).....	1576
PRBC - LEUKOREDUCED (q-pair).....	369, 377
PRBC - LEUKOREDUCED - DIRECTED (prod).....	1576
PRBC - LEUKOREDUCED - DIRECTED (q-pair).....	369, 377
PRBC - LEUKOREDUCED - IRRADIATED (prod).....	1576
PRBC - LEUKOREDUCED - IRRADIATED (q-pair).....	369, 377
PRBC - LEUKOREDUCED - WASHED (prod).....	1576
PRBC - LEUKOREDUCED - WASHED (q-pair).....	369, 377
PRE-MEDICATED FOR ACTIVITY (data).....	1319
PRE-MEDICATED FOR ACTIVITY (q-pair).....	587
PRE-OPERATIVE (data).....	1320
PRE-OPERATIVE (q-pair).....	205
PRE-PROCEDURE (data).....	1320
PRE-PROCEDURE (q-pair).....	205
PRE-SEDATION (data).....	1320

PRE-SEDATION (q-pair).....	205
PRE-SUCTIONING OXYGENATION (data).....	1320
PRE-SUCTIONING OXYGENATION (q-pair).....	893
PRE-SURGERY (data).....	1320
PRECAUTIONS.....	644
PRECAUTIONS - 24 HOUR CHART CHECK (task).....	1599
PRECAUTIONS - ASPIRATION (task).....	1599
PRECAUTIONS - ETOH W/D (task).....	1600
PRECAUTIONS - FALL (task).....	1600
PRECAUTIONS - PATIENT TEACHING (task).....	1600
PRECAUTIONS - VALIDATE ALARMS (task).....	1600
PRECAUTIONS: SPINAL.....	645
PREGNANT, NO (data).....	1321
PREGNANT, NO (q-pair).....	461
PREGNANT, YES (data).....	1321
PREGNANT, YES (q-pair).....	461
PREMATURE ATRIAL (data).....	1321
PREPROCEDURE: 12 LEAD EKG DONE?.....	646
PREPROCEDURE: ALLERGIES REASSESSED AND DOCUMENTED.....	647
PREPROCEDURE: ANTIBIOTIC GIVEN?.....	648
PREPROCEDURE: ANTIBIOTIC ORDERED?.....	649
PREPROCEDURE: BLOOD TRANSFUSION CONSENT CURRENT?.....	650
PREPROCEDURE: BLOOD TRANSFUSION PREFERENCE?.....	651
PREPROCEDURE: CHEST XRAY DONE?.....	652
PREPROCEDURE: DENTURES REMOVED?.....	653
PREPROCEDURE: DISPOSITION OF CLOTHING.....	654
PREPROCEDURE: DISPOSITION OF VALUABLES.....	655
PREPROCEDURE: DRAINAGE BAG EMPTIED?.....	656
PREPROCEDURE: DRIVER/ESCORT TO HOME CONFIRMED.....	657
PREPROCEDURE: FINGERSTICK GLUCOSE DONE?.....	658
PREPROCEDURE: GLASSES / CONTACTS REMOVED?.....	659
PREPROCEDURE: H AND P CURRENT?.....	660
PREPROCEDURE: HEARING AIDS IN PLACE?.....	661
PREPROCEDURE: HOME MEDICATIONS TAKEN/TIME.....	662
PREPROCEDURE: HOSPITAL GOWN ON?.....	663
PREPROCEDURE: INFORMED CONSENT CURRENT .....	664
PREPROCEDURE: JEWELRY REMOVED?.....	665
PREPROCEDURE: LABS DONE?.....	666
PREPROCEDURE: NPO SINCE (DATE/TIME).....	667
PREPROCEDURE: PLANNED DISPOSITION POST PROCEDURE.....	668
PREPROCEDURE: PLANNED PROCEDURE.....	669
PREPROCEDURE: PREMEDICATION ADMINISTERED?.....	670
PREPROCEDURE: PREMEDICATION ORDERED?.....	671
PREPROCEDURE: PROCEDURE SITE MARKED CORRECTLY.....	672
PREPROCEDURE: PROSTHETICS/IMPLANTS?.....	673
PREPROCEDURE: PULMONARY FUNCTION TEST DONE?.....	674
PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP NIGHT BEFORE? .....	675
PREPROCEDURE: SHOWER/BATH W CHLORHEXIDINE SOAP THIS AM?676	
PREPROCEDURE: TYPE AND CROSS MATCH DONE?.....	677
PREPROCEDURE: TYPE AND SCREEN DONE?.....	678
PREPROCEDURE: VITALS SIGNS DONE?.....	679
PREPROCEDURE: VOIDED?.....	680
PRESENT (data).....	1321
PRESENT (q-pair).....	76, 174, 194, 242, 246, 411, 498, 499, 500, 517, 883, 901, 904
PRESSURE (data).....	1321
PRESSURE (q-pair).....	293, 582, 959
PRESSURE CALIBRATION (data).....	1322
PRESSURE CALIBRATION (q-pair).....	404

PRESSURE CONTROL (data).....	1322
PRESSURE CONTROL (q-pair).....	918
PRESSURE DRESSING (data).....	1322
PRESSURE DRESSING (q-pair).....	42, 122, 184, 566
PRESSURE ULCER (data).....	1322
PRESSURE ULCER (q-pair).....	967
PRESSURE ULCER COLOR.....	681
PRESSURE ULCER DEPTH.....	682
PRESSURE ULCER DRAINAGE CHARACTER.....	683
PRESSURE ULCER DRESSING PREVENTS ASSESSMENT.....	684
PRESSURE ULCER LENGTH.....	685
PRESSURE ULCER ODOR.....	686
PRESSURE ULCER PHOTOGRAPHED.....	687
PRESSURE ULCER PREVENTION DEVICE TYPE.....	688
PRESSURE ULCER RISK FACTORS.....	689
PRESSURE ULCER SINUS/UNDERMINING.....	690
PRESSURE ULCER STAGE/SITE.....	691
PRESSURE ULCER TREATMENT.....	692
PRESSURE ULCER TUNNEL.....	693
PRESSURE ULCER TUNNEL LENGTH.....	694
PRESSURE ULCER UNDERMINING.....	695
PRESSURE ULCER WIDTH.....	696
PRESSURED (data).....	1322
PRESSURED (q-pair).....	854
PRESYSTOLIC (data).....	1323
PRESYSTOLIC (q-pair).....	81
PREVENT ACCESS TO DEVICE (data).....	1323
PREVENT ACCESS TO DEVICE (q-pair).....	766
PREVENTIVE HEALTH REHAB TECHNIQUES (data).....	1323
PREVENTIVE HEALTH REHAB TECHNIQUES (q-pair).....	205
PREVIOUS PERCUTANEOUS SITE (data).....	1323
PREVIOUS PERCUTANEOUS SITE (q-pair).....	967
PRN (data).....	1323
PRN (q-pair).....	273
PRN (sche).....	1588
PRO STAT SUGAR FREE 64 (data).....	1324
PRO STAT SUGAR FREE 64 (q-pair).....	215
PRO-STAT (data).....	1324
PROCEDURE LOCATION.....	697
PROCEDURE PERSONNEL.....	698
PROCEDURE ROOM (data).....	1324
PROCEDURE ROOM (q-pair).....	578
PROCEDURE TIME.....	699
PROCEDURE, PLANNED.....	700
PRODUCTIVE (data).....	1324
PRODUCTIVE (q-pair).....	176
PROJECTILE VOMITING (data).....	1324
PROJECTILE VOMITING (q-pair).....	267, 518
PROLONGED/UNUSUAL BLEEDING (data).....	1325
PROLONGED/UNUSUAL BLEEDING (q-pair).....	87
PROMOTE (data).....	1325
PROMOTE (q-pair).....	215
PROMOTE WITH FIBER (data).....	1325
PROMOTE WITH FIBER (q-pair).....	215
PROMPTED VOIDING (data).....	1325
PROMPTED VOIDING (q-pair).....	750, 751
PRONATION ABNORMAL (data).....	1325
PRONATION ABNORMAL (q-pair).....	484
PRONATION WNL (data).....	1326
PRONATION WNL (q-pair).....	484
PRONE (data).....	1326
PRONE (q-pair).....	13

PROPASS PROTEIN POWDER (data).....	1326
PROPASS PROTEIN POWDER (q-pair).....	215
PROSOURCE (data).....	1326
PROSOURCE (q-pair).....	215
PROSTHESIS (data).....	1326
PROSTHESIS (q-pair).....	192, 460, 482
PROSTHESIS: COMMENT (data).....	1327
PROSTHESIS: COMMENT (q-pair).....	483
PROSTHETIC DEVICES.....	701
PROTENEX WOUND CARE (data).....	1327
PROTENEX WOUND CARE (q-pair).....	215
PROVIDED PATIENT EDUCATION (data).....	1327
PROVIDED PATIENT EDUCATION (q-pair).....	116
PROVIDER CONSULTED (data).....	1327
PROVIDER CONSULTED (q-pair).....	117
PROVIDER NOTIFIED (data).....	1327
PROVIDER NOTIFIED (q-pair).....	541
PROVOCATIVE (data).....	1328
PROVOCATIVE (q-pair).....	52
PROXIMAL PORT (data).....	1328
PROXIMAL PORT (q-pair).....	405
PT DENIES NAUSEA / NO VOMITING (data).....	1328
PT DENIES NAUSEA / NO VOMITING (q-pair).....	576
PT PAIN AT ACCEPTABLE LEVEL (data).....	1328
PT PAIN AT ACCEPTABLE LEVEL (q-pair).....	576
PULMOCARE (data).....	1328
PULMOCARE (q-pair).....	215
PULMONARY - CHEST PHYSIO-THERAPY (task).....	1600
PULMONARY - COUGH AND DEEP BREATH (task).....	1601
PULMONARY - ET TUBE CARE (task).....	1601
PULMONARY - INCENTIVE SPIROMETER (task).....	1601
PULMONARY - OXYGEN (task).....	1601
PULMONARY - SUCTION PATIENT (task).....	1601
PULMONARY - TRACH CARE (task).....	1602
PULMONARY ARTERY DIASTOLIC.....	702
PULMONARY ARTERY MEAN PRESSURE.....	703
PULMONARY ARTERY SYSTOLIC.....	704
PULMONARY CAPILLARY WEDGE PRESSURE.....	705
PULMONARY CARE.....	706
PULMONARY PROCEDURE ROOM (data).....	1329
PULMONARY PROCEDURE ROOM (q-pair).....	697
PULMONARY SECRETION AMOUNT.....	707
PULMONARY SECRETION COLOR.....	708
PULMONARY SECRETION CONSISTENCY.....	709
PULMONARY SUCTIONING EVENT.....	710
PULMONARY SUCTIONING FREQUENCY.....	711
PULMONARY SUCTIONING SITE.....	712
PULMONARY VASCULAR RESISTANCE.....	713
PULMONARY VASCULAR RESISTANCE INDEX.....	714
PULSE - DO NOT CHECK TOTAL OR SUBTOTALS.....	715
PULSE OX MONITOR (meth).....	1549
PULSE OX MONITOR (q-pair).....	880
PULSE OXIMETER (data).....	1329
PULSE OXIMETER (q-pair).....	465, 467
PULSELESS ELECTRICAL ACTIVITY (data).....	1329
PULSELESS ELECTRICAL ACTIVITY (q-pair).....	85
PUMP - CONTINUOUS (data).....	1329
PUMP - CONTINUOUS (q-pair).....	210
PUMP - INTERMITTENT (data).....	1329
PUMP - INTERMITTENT (q-pair).....	210
PUNCTURE (data).....	1330
PUNCTURE (q-pair).....	967

PUPIL CONSTRICION (data).....	1330
PUPIL CONSTRICION (q-pair).....	233
PUPIL DILATION (data).....	1330
PUPIL DILATION (q-pair).....	233
PUREED (data).....	1330
PUREED (q-pair).....	190
PURPOSEFUL MOVEMENT (data).....	1330
PURPOSEFUL MOVEMENT (q-pair).....	503, 504
PURULENT (data).....	1331
PURULENT (q-pair).....	135, 198, 216, 269, 355, 683, 907
PVC (data).....	1331
PVC (q-pair).....	84
PVR (POST VOID RESIDUAL) - CATHED (meth).....	1549
PVR (POST VOID RESIDUAL) - CATHED (q-pair).....	558
pH (data).....	1468
pH (q-pair).....	270
pH (unit).....	1623

- Q -

Q SHIFT (data).....	1331
Q SHIFT (q-pair).....	599
Q10MIN (data).....	1331
Q10MIN (q-pair).....	599
Q15MIN (data).....	1331
Q15MIN (q-pair).....	599
Q1HR (data).....	1332
Q1HR (q-pair).....	599
Q2H (sche).....	1588
Q2HR (data).....	1332
Q2HR (q-pair).....	599
Q30MIN (data).....	1332
Q30MIN (q-pair).....	599
Q45MIN (data).....	1332
Q45MIN (q-pair).....	599
Q4H (sche).....	1588
Q4HR (data).....	1332
Q4HR (q-pair).....	599
Q5MIN (data).....	1333
Q5MIN (q-pair).....	599
Q7D (sche).....	1588
Q90MIN (data).....	1333
Q90MIN (q-pair).....	599
QD (sche).....	1589
QR (data).....	1333
QR (q-pair).....	207
QRS.....	716
QRS (data).....	1333
QRS (q-pair).....	207
QRS NORMAL (data).....	1333
QRS NORMAL (q-pair).....	207
QRS WIDENED (data).....	1334
QRS WIDENED (q-pair).....	207
QRSr' (data).....	1334
QRSr' (q-pair).....	207
QS (data).....	1334
QS (q-pair).....	207
QT.....	717
QUAD (data).....	1334
QUAD (q-pair).....	128
QUAD CANE (data).....	1334

QUAD CANE (q-pair).....	482
QUAD LUMEN CATHETER (unit).....	1620
QUADRAGEMINY (data).....	1335
QUADRAGEMINY (q-pair).....	84
QUADRIPLEGIA (data).....	1335
QUADRIPLEGIA (q-pair).....	483
QUIET OR RESTING (data).....	1335
QUIET OR RESTING (q-pair).....	167
QUIET ROOM (data).....	1335
QUIET ROOM (q-pair).....	53, 168, 587

- R -

R ABDOMEN (loca).....	1506
R ABDOMEN (q-pair).....	962
R ANKLE (loca).....	1506
R ANKLE (q-pair).....	362, 452, 585, 691, 781, 845, 962
R ANTECUBITAL (loca).....	1506
R ANTECUBITAL (q-pair).....	128, 183, 405, 406, 691, 962
R ARM (loca).....	1506
R ARM (q-pair).....	63, 94, 128, 183, 189, 206, 405, 406, 452, 529, 585, 779, 780, 845, 878
R ARTERY (loca).....	1506
R AXILLARY (loca).....	1507
R AXILLARY (q-pair).....	44, 45, 293, 297
R BRACHIAL (loca).....	1507
R BRACHIAL (q-pair).....	44, 45, 102, 107, 131
R BUNDLE BRANCH BLOCK (data).....	1335
R BUNDLE BRANCH BLOCK (q-pair).....	85
R CALF (loca).....	1507
R CALF (q-pair).....	362
R CAROTID (loca).....	1507
R CAROTID (q-pair).....	76, 883
R CHEST (loca).....	1507
R CHEST (q-pair).....	134, 452, 585, 845, 962
R DORSALIS PEDIS (loca).....	1508
R EAR (loca).....	1508
R EAR (q-pair).....	362, 452, 585, 691, 962
R ELBOW (loca).....	1508
R ELBOW (q-pair).....	452, 585, 691, 845, 962
R EXTERNAL JUGULAR (loca).....	1508
R EXTERNAL JUGULAR (q-pair).....	128, 183, 405, 406, 573
R EYE (loca).....	1508
R EYE (q-pair).....	94, 171, 935, 962
R FACE (loca).....	1509
R FACE (q-pair).....	94, 362, 962
R FEMORAL (loca).....	1509
R FEMORAL (q-pair).....	44, 45, 76, 102, 107, 128, 131, 183, 293, 297, 362, 405, 406, 573, 691, 883, 962
R FINGER (loca).....	1509

R FINGER (q-pair).....	362
R FLANK (loca).....	1509
R FLANK (q-pair).....	362
R FOOT (loca).....	1509
R FOOT (q-pair).....	94, 244, 362, 405, 406, 452, 585, 691, 804, 845, 962
R FOOT DOWN (data).....	1336
R FOOT DOWN (q-pair).....	821
R FOOT UP (data).....	1336
R FOOT UP (q-pair).....	821
R GLUTEUS (loca).....	1510
R GLUTEUS (q-pair).....	362, 691, 962
R GROIN (loca).....	1510
R GROIN (q-pair).....	452, 585, 845
R HAND (loca).....	1510
R HAND (q-pair).....	94, 279, 452, 585, 805, 845, 962
R HEAD (loca).....	1510
R HEAD (q-pair).....	691, 962
R HEAD DOWN (data).....	1336
R HEAD DOWN (q-pair).....	821
R HEAD UP (data).....	1336
R HEAD UP (q-pair).....	821
R HEEL (loca).....	1510
R HEEL (q-pair).....	691, 962
R HIP (loca).....	1511
R HIP (q-pair).....	362, 452, 585, 845, 962
R INGUINAL (loca).....	1511
R INGUINAL (q-pair).....	362
R INNER KNEE (loca).....	1511
R INNER KNEE (q-pair).....	691, 962
R INTERNAL JUGULAR (loca).....	1511
R INTERNAL JUGULAR (q-pair).....	102, 107, 128, 131, 183, 405, 406, 573
R ISCHIAL (loca).....	1511
R ISCHIAL (q-pair).....	691, 962
R JAW (loca).....	1512
R JAW (q-pair).....	452, 585, 845
R KNEE (loca).....	1512
R KNEE (q-pair).....	94, 362, 452, 585, 845
R LATERAL HEEL (loca).....	1512
R LATERAL HEEL (q-pair).....	691
R LATERAL MALLEOLUS (loca).....	1512
R LATERAL MALLEOLUS (q-pair).....	691
R LEG (loca).....	1512
R LEG (q-pair).....	63, 94, 174, 189, 206, 405, 406, 452, 530, 585, 779, 781, 845, 878
R LOWER ANTERIOR CHEST (loca).....	1513
R LOWER ANTERIOR CHEST (q-pair).....	136, 362
R LOWER ARM (loca).....	1513
R LOWER ARM (q-pair).....	362, 452, 585, 691, 845, 962
R LOWER EXTREMITY (loca).....	1513
R LOWER EXTREMITY (q-pair).....	476, 806
R LOWER LEG (loca).....	1513
R LOWER LEG (q-pair).....	362, 962
R LOWER LIMB (loca).....	1513

R LOWER LIMB (q-pair).....	414
R LOWER LOBE (loca).....	1514
R LOWER LOBE (q-pair).....	75
R LOWER POSTERIOR CHEST (loca).....	1514
R LOWER POSTERIOR CHEST (q-pair).....	136, 362
R MANDIBULAR (loca).....	1514
R MANDIBULAR (q-pair).....	362
R MEDIAL HEEL (loca).....	1514
R MEDIAL HEEL (q-pair).....	691
R MEDIAL MALLEOLUS (loca).....	1514
R MEDIAL MALLEOLUS (q-pair).....	691
R MIDDLE ANTERIOR CHEST (loca).....	1515
R MIDDLE ANTERIOR CHEST (q-pair).....	136, 362
R MIDDLE LOBE (loca).....	1515
R MIDDLE LOBE (q-pair).....	75
R MIDDLE POSTERIOR CHEST (loca).....	1515
R MIDDLE POSTERIOR CHEST (q-pair).....	136, 362
R NECK (data).....	1336
R NECK (loca).....	1515
R NECK (q-pair).....	94, 362
R NEPHROSTOMY (data).....	1337
R NEPHROSTOMY (q-pair).....	276, 909
R NOSE (loca).....	1515
R NOSE (q-pair).....	452, 585, 845
R OCCIPITAL (loca).....	1516
R OCCIPITAL (q-pair).....	362
R ON T PVC (data).....	1337
R ON T PVC (q-pair).....	84
R ORAL (loca).....	1516
R ORAL (q-pair).....	362
R ORBIT (loca).....	1516
R ORBIT (q-pair).....	362
R OUTER KNEE (loca).....	1516
R OUTER KNEE (q-pair).....	691, 962
R PARIETAL (loca).....	1516
R PARIETAL (q-pair).....	362
R PEDAL (loca).....	1517
R POST TIBIAL (loca).....	1517
R RADIAL (loca).....	1517
R RADIAL (q-pair).....	44, 45
R RIBS (loca).....	1517
R RIBS (q-pair).....	691, 962
R SCAPULA (loca).....	1517
R SCAPULA (q-pair).....	452, 585, 691, 845,
	962
R SHOULDER (loca).....	1518
R SHOULDER (q-pair).....	452, 585, 691, 845,
	962
R STENT (data).....	1337
R STENT (q-pair).....	276
R SUBCLAVIAN (loca).....	1518
R SUBCLAVIAN (q-pair).....	102, 107, 128, 131,
	183, 362, 405, 406,
	573
R TEMPORAL (loca).....	1518
R TEMPORAL (q-pair).....	76, 883
R TESTICLE (loca).....	1518
R TESTICLE (q-pair).....	962
R THIGH (loca).....	1518
R THIGH (q-pair).....	362, 452, 585, 845
R THORACIC ANTERIOR (loca).....	1519
R THORACIC ANTERIOR (q-pair).....	362

R THORACIC LATERAL (loca).....	1519
R THORACIC LATERAL (q-pair).....	362
R THORACIC POSTERIOR (loca).....	1519
R THORACIC POSTERIOR (q-pair).....	362
R THORACOTOMY (loca).....	1519
R THORACOTOMY (q-pair).....	362
R THUMB (loca).....	1519
R THUMB (q-pair).....	362
R TOE (loca).....	1520
R TOE (q-pair).....	362
R TRAPEZIUS (loca).....	1520
R TRAPEZIUS (q-pair).....	362
R TROCHANTER (loca).....	1520
R TROCHANTER (q-pair).....	691, 962
R UPPER ANTERIOR CHEST (loca).....	1520
R UPPER ANTERIOR CHEST (q-pair).....	136, 362
R UPPER ARM (loca).....	1520
R UPPER ARM (q-pair).....	128, 183, 362, 405, 406, 452, 585, 691, 845, 962
R UPPER EXTREMITY (loca).....	1521
R UPPER EXTREMITY (q-pair).....	476, 807
R UPPER LEG (loca).....	1521
R UPPER LEG (q-pair).....	962
R UPPER LIMB (loca).....	1521
R UPPER LIMB (q-pair).....	905
R UPPER LOBE (loca).....	1521
R UPPER LOBE (q-pair).....	75
R UPPER POSTERIOR CHEST (loca).....	1521
R UPPER POSTERIOR CHEST (q-pair).....	136, 362
R WRIST (loca).....	1522
R WRIST (q-pair).....	128, 183, 405, 406, 779, 780, 962
RAD TECH (data).....	1337
RAD TECH (q-pair).....	698
RADIAL (loca).....	1522
RADIAL (q-pair).....	63, 111, 715
RADIAL (qual).....	1585
RADIAL ABNORMAL (data).....	1337
RADIAL ABNORMAL (q-pair).....	490
RADIAL WNL (data).....	1338
RADIAL WNL (q-pair).....	490
RADIATING (data).....	1338
RADIATING (q-pair).....	582
RADIATION (data).....	1338
RADIATION (q-pair).....	644
RADIATION SEEDS (data).....	1338
RADIATION SEEDS (q-pair).....	701
RADIOLOGY (data).....	1338
RADIOLOGY (q-pair).....	697
RAMSAY ANXIOUS (data).....	1339
RAMSAY ANXIOUS (q-pair).....	795
RAMSAY ASLEEP BRISK RESPONSE (data).....	1339
RAMSAY ASLEEP BRISK RESPONSE (q-pair).....	795
RAMSAY ASLEEP NO RESPONSE (data).....	1339
RAMSAY ASLEEP NO RESPONSE (q-pair).....	795
RAMSAY ASLEEP SLUGGISH (data).....	1339
RAMSAY ASLEEP SLUGGISH (q-pair).....	795
RAMSAY COOPERATIVE (data).....	1339
RAMSAY COOPERATIVE (q-pair).....	795
RAMSAY SEDATED (data).....	1340
RAMSAY SEDATED (q-pair).....	795

RANGE (unit).....	1620
RAPID (meth).....	1549
RAPID (q-pair).....	854
RASH/EXFOLIATION (data).....	1340
RASH/EXFOLIATION (q-pair).....	967
RATE ADAPTIVE (data).....	1340
RATE ADAPTIVE (q-pair).....	101
REACTIVE (data).....	1340
REACTIVE (q-pair).....	507
REALITY ORIENTATION (data).....	1340
REALITY ORIENTATION (q-pair).....	770
RECTAL (loca).....	1522
RECTAL (q-pair).....	882, 962
RECTAL TEMP PROBE (meth).....	1549
RECTAL TUBE (data).....	1341
RECTAL TUBE (q-pair).....	66, 239
RECTAL TUBE PRESENT.....	718
RED (data).....	1341
RED (q-pair).....	44, 125, 183, 198, 216, 269, 296, 406, 571, 681, 708, 869, 906, 950, 954
RED/GRA NU LATING (data).....	1341
REDDENING OF THE SKIN (data).....	1341
REDIRECT PATIENT ACTIVITY (data).....	1341
REDIRECT PATIENT ACTIVITY (q-pair).....	766
REDNESS (data).....	1342
REDNESS (q-pair).....	486
REFERRAL/CONSULT COMPLETED (data).....	1342
REFERRAL/CONSULT COMPLETED (q-pair).....	541
REFERRAL/CONSULT ENTERED (data).....	1342
REFERRAL/CONSULT ENTERED (q-pair).....	541
REFLEX INTACT (data).....	1342
REFLEX INTACT (q-pair).....	244, 279, 414, 478, 905
REFUSE MEDICATION (data).....	1342
REFUSE MEDICATION (q-pair).....	587
REFUSE TO MOVE (data).....	1343
REFUSE TO MOVE (q-pair).....	689
REFUSED (data).....	1343
REFUSED (q-pair).....	537
REFUSES TO SLEEP (data).....	1343
REFUSES TO SLEEP (q-pair).....	515
REGIONAL BLOCK (data).....	1343
REGIONAL BLOCK (q-pair).....	29
REGISTERED NURSE (data).....	1343
REGISTERED NURSE (q-pair).....	773
REGULAR (data).....	1344
REGULAR (q-pair).....	190, 720
REINFORCED (data).....	1344
REINFORCED (q-pair).....	41, 121
RELATIVE (data).....	1344
RELATIVE (q-pair).....	657
RELAXED (data).....	1344
RELAXED (q-pair).....	52, 57, 477
RELIGIOUS (data).....	1344
RELIGIOUS (q-pair).....	203
RELOCATE (data).....	1345
RELOCATE (q-pair).....	770
REMNANT P-WAVE (data).....	1345
REMNANT P-WAVE (q-pair).....	84
REMOVAL (data).....	1345

REMOVAL (q-pair).....	238
REMOVAL CRITERIA (data).....	1345
REMOVAL CRITERIA (q-pair).....	762
REMOVE FROM STIM. SETTING (data).....	1345
REMOVE FROM STIM. SETTING (q-pair).....	766
REMOVE RECTAL TUBE (data).....	1346
REMOVED AND CLEANED (data).....	1346
REMOVED AND CLEANED (q-pair).....	538
RENAL DIET (data).....	1346
REORIENTED TO ENVIRONMENT (data).....	1346
REORIENTED TO ENVIRONMENT (q-pair).....	766
REPETITIVE (data).....	1346
REPETITIVE (q-pair).....	854
RESPIRATORY DEPRESSION (data).....	1347
RESPIRATORY DEPRESSION (q-pair).....	227
REPORTED (data).....	1347
REPORTED (q-pair).....	537, 909
REPOSITION (data).....	1347
REPOSITION (q-pair).....	587, 766, 774, 808
REQUEST FOR MORE MEDICATION (data).....	1347
REQUEST FOR MORE MEDICATION (q-pair).....	587
RES EVAL: BED/WHEELCHAIR ALARM (posi).....	1559
RES EVAL: REALITY ORIENTATION (posi).....	1559
RES LRM: DEVICE ACCESS (data).....	1347
RES LRM: DEVICE ACCESS (q-pair).....	774
RES LRM: LIMIT SETTING (data).....	1348
RES LRM: LIMIT SETTING (q-pair).....	774
RES LRM: PRN MEDS (data).....	1348
RES LRM: PRN MEDS (q-pair).....	774
RES LRM: REDIRECT (data).....	1348
RES LRM: REDIRECT (q-pair).....	774
RES LRM: REMOVE FROM SETTING (data).....	1348
RES LRM: REMOVE FROM SETTING (q-pair).....	774
RES LRM: REORIENT (data).....	1348
RES LRM: REORIENT (q-pair).....	774
RES LRM: SUPERVISION (data).....	1349
RES LRM: SUPERVISION (q-pair).....	774
RES LRM: VERBAL DE-ESCALATION (data).....	1349
RES LRM: VERBAL DE-ESCALATION (q-pair).....	774
RES LRM: VERBAL REMINDERS (data).....	1349
RES LRM: VERBAL REMINDERS (q-pair).....	774
RESERVOIR CANNULA (meth).....	1550
RESERVOIR CANNULA (q-pair).....	875
RESOURCE BREEZE (data).....	1349
RESOURCE BREEZE (q-pair).....	215
RESOURCE DM (data).....	1349
RESOURCE DM (q-pair).....	215
RESP TECH (data).....	1350
RESP TECH (q-pair).....	698
RESPIMAT (prod).....	1576
RESPIMAT (q-pair).....	367
RESPIRATION (data).....	1350
RESPIRATION (q-pair).....	467
RESPIRATION: END-TIDAL CO <sub>2</sub> .....	719
RESPIRATORY COMPROMISE (data).....	1350
RESPIRATORY COMPROMISE (q-pair).....	175
RESPIRATORY DEPRESSION (data).....	1350
RESPIRATORY DEPRESSION (q-pair).....	635
RESPIRATORY PATTERN.....	720
RESPIRATORY RATE - DO NOT CHECK TOTAL OR SUBTOTALS.....	721
RESPONDS APPROPRIATELY TO STIMULI (data).....	1350
RESPONDS APPROPRIATELY TO STIMULI (q-pair).....	502

RESTING (data).....	1351
RESTING RESPIRATORY RATE BASELINE OR ABOVE (data).....	1351
RESTING RESPIRATORY RATE BASELINE OR ABOVE (q-pair)....	576
RESTLESS (data).....	1351
RESTLESS (q-pair).....	52, 54, 57, 412, 502, 586, 775
RESTLESS AGITATED MOTOR MOVEMENTS (data).....	1351
RESTLESS AGITATED MOTOR MOVEMENTS (q-pair).....	477
RESTLESS SLEEP (data).....	1351
RESTLESS SLEEP (q-pair).....	515
RESTORATIVE CARE: AMPUTATION/PROSTHETIC CARE.....	722
RESTORATIVE CARE: BED MOBILITY SUPINE - SIDE ROLL LEFT.	725
RESTORATIVE CARE: BED MOBILITY SUPINE - SIDE ROLL RIGHT	726
RESTORATIVE CARE: BED MOBILITY SUPINE TO SITTING - LEGS DANGLING	
.....	724
RESTORATIVE CARE: BED MOBILITY SUPINE TO SITTING - LEGS IN BED	
.....	723
RESTORATIVE CARE: COMMUNICATION.....	727
RESTORATIVE CARE: COMMUNICATION ASSISTIVE DEVICE.....	728
RESTORATIVE CARE: DRESSING.....	729
RESTORATIVE CARE: EATING.....	730
RESTORATIVE CARE: EATING ASSISTIVE DEVICE.....	731
RESTORATIVE CARE: GROOMING.....	732
RESTORATIVE CARE: RANGE OF MOTION ACTIVE LEFT LOWER EXTREMITY	
.....	735
RESTORATIVE CARE: RANGE OF MOTION ACTIVE LEFT UPPER EXTREMITY	
.....	733
RESTORATIVE CARE: RANGE OF MOTION ACTIVE RIGHT LOWER EXTREMITY	
.....	736
RESTORATIVE CARE: RANGE OF MOTION ACTIVE RIGHT UPPER EXTREMITY	
.....	734
RESTORATIVE CARE: RANGE OF MOTION ACTIVE SIT AND STAND.	737
RESTORATIVE CARE: RANGE OF MOTION PASSIVE LEFT LOWER EXTREMITY	
.....	740
RESTORATIVE CARE: RANGE OF MOTION PASSIVE LEFT UPPER EXTREMITY	
.....	738
RESTORATIVE CARE: RANGE OF MOTION PASSIVE RIGHT LOWER EXTREMITY	
.....	741
RESTORATIVE CARE: RANGE OF MOTION PASSIVE RIGHT UPPER EXTREMITY	
.....	739
RESTORATIVE CARE: RANGE OF MOTION PASSIVE SIT AND STAND	742
RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE LEFT LOWER EXTREMITY	
.....	745
RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE LEFT UPPER EXTREMITY	
.....	743
RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE RIGHT LOWER EXTREMITY	
.....	746
RESTORATIVE CARE: SPLINT/BRACE ASSISTANCE RIGHT UPPER EXTREMITY	
.....	744
RESTORATIVE CARE: SWALLOWING PRECAUTIONS.....	747
RESTORATIVE CARE: TOILETING BOWEL CONTINENT INCIDENTS..	748
RESTORATIVE CARE: TOILETING BOWEL INCONTINENT INCIDENTS	749
RESTORATIVE CARE: TOILETING PROGRAM BOWEL.....	751
RESTORATIVE CARE: TOILETING PROGRAM URINARY.....	750
RESTORATIVE CARE: TOILETING URINARY CONTINENT INCIDENTS	752
RESTORATIVE CARE: TOILETING URINARY INCONTINENT INCIDENTS	
.....	753
RESTORATIVE CARE: TRANSFER ASSISTIVE DEVICES.....	754
RESTORATIVE CARE: TRANSFER TIME SPENT.....	755
RESTORATIVE CARE: WALKING DISTANCE.....	756
RESTORATIVE CARE: WALKING TIME SPENT.....	757
RESTRAINT (data).....	1352

RESTRAINT (q-pair).....	776
RESTRAINT - ASSESS NEED FOR FLUIDS/TOILET (task).....	1602
RESTRAINT - CIRCULATION CHECK (task).....	1602
RESTRAINT - DEVICE RELEASE (task).....	1602
RESTRAINT - FALL PRECAUTIONS (task).....	1602
RESTRAINT - SEIZURE PRECAUTIONS (task).....	1603
RESTRAINT BILATERAL ANKLE (data).....	1352
RESTRAINT BILATERAL ANKLE (q-pair).....	779
RESTRAINT BILATERAL HAND MITT (data).....	1352
RESTRAINT BILATERAL HAND MITT (q-pair).....	779
RESTRAINT CIRCULATION CHECK.....	758
RESTRAINT CRITERIA.....	759
RESTRAINT DEVICE TRIAL RELEASE.....	760
RESTRAINT EDUCATION.....	761
RESTRAINT EDUCATION TYPE.....	762
RESTRAINT EVAL - ELIMINATION MONITORED.....	763
RESTRAINT EVAL - FLUID/NUTRITION INTAKE.....	764
RESTRAINT EVAL - HYGIENE/COMFORT.....	765
RESTRAINT EVAL - LEAST RESTRICTIVE MEASURES.....	766
RESTRAINT EVAL - MENTAL.....	767
RESTRAINT EVAL - PRIVACY/DIGNITY.....	768
RESTRAINT EVAL - REPOSITION/RANGE OF MOTION.....	769
RESTRAINT EVAL: ALT. MEASURES ATTEMPTED.....	770
RESTRAINT EVAL: SKIN INTEGRITY.....	771
RESTRAINT FAMILY ED. UNDERSTANDING.....	772
RESTRAINT GERI CHAIR (data).....	1352
RESTRAINT GERI CHAIR (q-pair).....	779
RESTRAINT HARD PLASTIC/LEATHER (data).....	1352
RESTRAINT HARD PLASTIC/LEATHER (q-pair).....	779, 780, 781
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (data).....	1353
RESTRAINT HARD PLASTIC/LEATHER 2 POINT (q-pair).....	779
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (data).....	1353
RESTRAINT HARD PLASTIC/LEATHER 4 POINT (q-pair).....	779
RESTRAINT INITIATED BY.....	773
RESTRAINT LEAST RESTRICTIVE MEASURES.....	774
RESTRAINT MENTAL ASSESSMENT.....	775
RESTRAINT ONE ARM (data).....	1353
RESTRAINT ONE ARM (q-pair).....	779
RESTRAINT ONE LEG (data).....	1353
RESTRAINT ONE LEG (q-pair).....	779
RESTRAINT ORDER TYPE.....	776
RESTRAINT PATIENT ED. UNDERSTANDING.....	777
RESTRAINT SAFETY CARE.....	778
RESTRAINT SINGLE HAND MITT (data).....	1353
RESTRAINT SINGLE HAND MITT (q-pair).....	779, 780
RESTRAINT SOFT (data).....	1354
RESTRAINT SOFT (q-pair).....	779, 780, 781
RESTRAINT SOFT 2 POINT (data).....	1354
RESTRAINT SOFT 2 POINT (q-pair).....	779
RESTRAINT SOFT 4 POINT (data).....	1354
RESTRAINT SOFT 4 POINT (q-pair).....	779
RESTRAINT SOFT ARMS + LOCKED WAIST (data).....	1354
RESTRAINT SOFT ARMS + LOCKED WAIST (q-pair).....	779
RESTRAINT SOFT ARMS + WAIST (data).....	1354
RESTRAINT SOFT ARMS + WAIST (q-pair).....	779
RESTRAINT STRAP (data).....	1355
RESTRAINT STRAP (q-pair).....	779, 781
RESTRAINT STRAP (sche).....	1589
RESTRAINT TYPE (data).....	1355
RESTRAINT TYPE (q-pair).....	762
RESTRAINT TYPE ALL.....	779
RESTRAINT TYPE ARMS.....	780

RESTRAINT TYPE LEGS.....	781
RESTRAINT TYPE OTHER.....	782
RESTRAINT VEST (data).....	1355
RESTRAINT VEST (q-pair).....	779, 782
RESTRAINT WAIST (data).....	1355
RESTRAINT WAIST (q-pair).....	779, 782
RESTRAINT WAIST LOCKED (data).....	1355
RESTRAINT WAIST LOCKED (q-pair).....	779
RESTRAINT WRIST (data).....	1356
RESTRAINT WRIST (q-pair).....	779
RESTRAINT- ACTIVE ORDER.....	783
RESTRAINT/SECLUSION DISCONTINUED.....	784
RESTRAINTS BROCHURE (data).....	1356
RESTRAINTS BROCHURE (q-pair).....	762
RESTRAINTS EXPLAINED (data).....	1356
RESTRAINTS EXPLAINED (q-pair).....	762
RESTRAINTS LIMIT SETTING (data).....	1356
RESTRAINTS LIMIT SETTING (q-pair).....	766
RESTRAINTS TIME LIMIT (data).....	1356
RESTRAINTS TIME LIMIT (q-pair).....	762
RESTRAINTS: BEHAVIOR CRITERIA FOR DISCONTINUE.....	785
RESTRICTED DIET (data).....	1357
RESTRICTED DIET (q-pair).....	38
RESTRICTED EXTREMITY (data).....	1357
RESTRICTED EXTREMITY (q-pair).....	38, 644
RETCHING (data).....	1357
RETCHING (q-pair).....	267
RETURN DEMONSTRATION REINFORCED (data).....	1357
RETURN DEMONSTRATION REINFORCED (q-pair).....	367
RETURN DEMONSTRATION SUCCESSFUL (data).....	1357
RETURN DEMONSTRATION SUCCESSFUL (q-pair).....	367
RHONCHI (data).....	1358
RHONCHI (q-pair).....	75
RHYTHM (meth).....	1550
RIGHT (data).....	1358
RIGHT (loca).....	1522
RIGHT (posi).....	1559
RIGHT (q-pair).....	13, 89, 90, 91, 92, 96, 111, 142, 232, 253, 480, 481, 482, 483, 484, 485, 486, 487, 488, 490, 497, 498, 501, 503, 504, 506, 507, 508, 510, 511, 512, 513, 514, 519, 637, 638, 639, 640
RIGHT ANKLE (loca).....	1522
RIGHT ELBOW (loca).....	1523
RIGHT EYE (loca).....	1523
RIGHT EYE (q-pair).....	192
RIGHT HAND/FINGERS (loca).....	1523
RIGHT HIP (loca).....	1523
RIGHT KNEE (loca).....	1523
RIGHT NARIS (data).....	1358
RIGHT NARIS (q-pair).....	257
RIGHT SHOULDER (loca).....	1524
RIGHT VENTRICULAR STROKE WORK.....	786
RIGHT VENTRICULAR STROKE WORK INDEX.....	787
RIGHT WRIST (loca).....	1524
RIGID (data).....	1358
RIGID (q-pair).....	57, 477

RIGID HEEL SPLINT (data).....	1358
RIGID HEEL SPLINT (q-pair).....	688
RIVAROXABAN (data).....	1359
RIVAROXABAN (q-pair).....	88
RN (data).....	1359
RN (q-pair).....	698, 794
ROOM AIR (meth).....	1550
ROOM AIR15 (meth).....	1550
ROOM AIR20 (meth).....	1550
ROPIVACAINE (data).....	1359
ROPIVACAINE (q-pair).....	225
ROTATION (data).....	1359
ROTATION (q-pair).....	238
ROTATION DISK (data).....	1359
ROTATION DISK (q-pair).....	413
ROTATIONAL THERAPY (data).....	1360
ROTATIONAL THERAPY (q-pair).....	852
ROUND (data).....	1360
ROUND (q-pair).....	2, 507
ROUNDING.....	788
ROUNDING: PATIENT OFF UNIT.....	789
ROUNDING: PRIVACY MAINTAINED.....	790
ROUNDING: TOILETING.....	791
RS (data).....	1360
RS (q-pair).....	207
RSr' (data).....	1360
RSr' (q-pair).....	207
RT (data).....	1360
RT (q-pair).....	794
RUB (data).....	1361
RUB (q-pair).....	95
RUMINATIONS (data).....	1361
RUMINATIONS (q-pair).....	58
RUNS OF VT (data).....	1361
RUNS OF VT (q-pair).....	84
Rh IMMUNE GLOBULIN (prod).....	1577
Rh IMMUNE GLOBULIN (q-pair).....	377
rSR' (data).....	1469
rSR' (q-pair).....	207

- S -

S = SLEEP, EASY TO AROUSE (data).....	1361
S = SLEEP, EASY TO AROUSE (q-pair).....	596
S1 (data).....	1361
S1 (q-pair).....	95
S2 (data).....	1362
S2 (q-pair).....	95
S3 (data).....	1362
S3 (q-pair).....	95
S4 (data).....	1362
S4 (q-pair).....	95
SACRAL (loca).....	1524
SACRAL (q-pair).....	94, 691, 962
SACRAL SPINE (loca).....	1524
SACRAL SPINE (q-pair).....	452, 489, 585
SACRUM (loca).....	1524
SACRUM (q-pair).....	89, 90, 91, 92
SAD (data).....	1362
SAD (q-pair).....	14
SAFETY (data).....	1362
SAFETY (q-pair).....	205

SAFETY CHECK (data).....	1363
SAFETY CHECK (q-pair).....	788
SAFETY DEVICE WAIST BELT APPLIED.....	792
SALINE (prod).....	1577
SALINE (q-pair).....	376, 385
SALINE LOCK (data).....	1363
SALINE LOCK (q-pair).....	404, 609
SALINE MOIST DRESSING (data).....	1363
SALINE MOIST DRESSING (q-pair).....	692, 966
SANDOSOURCE PEPTIDE (data).....	1363
SANDOSOURCE PEPTIDE (prod).....	1577
SANDOSOURCE PEPTIDE (q-pair).....	369
SCALE (unit).....	1620
SCANT (data).....	1363
SCANT (q-pair).....	552, 707, 834
SCAPHOID (data).....	1364
SCAPHOID (q-pair).....	2
SCDs (data).....	1364
SCDs (q-pair).....	88
SCHEDULED TOILETING (data).....	1364
SCHEDULED TOILETING (q-pair).....	750, 751
SCISSORING (BILATERAL CIRCUMDUCTION) (data).....	1364
SCISSORING (BILATERAL CIRCUMDUCTION) (q-pair).....	248
SCLERA (loca).....	1525
SCLERA (q-pair).....	89, 90, 91, 92
SCOLIOSIS (data).....	1364
SCOLIOSIS (q-pair).....	489
SCOOTER (data).....	1365
SCOOTER (q-pair).....	247, 482
SCROTUM (loca).....	1525
SCROTUM (q-pair).....	89, 90, 91, 92, 452, 585, 691, 845
SECLUSION (data).....	1365
SECLUSION (q-pair).....	776
SECLUSION: BEHAVIOR CRITERIA FOR DISCONTINUATION.....	793
SECOND (unit).....	1621
SECOND DEGREE AV BLOCK: TYPE 1 (data).....	1365
SECOND DEGREE AV BLOCK: TYPE 1 (q-pair).....	85
SECOND DEGREE AV BLOCK: TYPE 2 (data).....	1365
SECOND DEGREE AV BLOCK: TYPE 2 (q-pair).....	85
SECOND VERIFIER.....	794
SECURE TRACK IN PLACE (data).....	1365
SECURE TRACK IN PLACE (q-pair).....	4
SECURED SO DRAINAGE BAG IS BELOW PT'S BLADDER AND FLOW UNOBSTRUCTED (data)	
.....	1366
SECURED SO DRAINAGE BAG IS BELOW PT'S BLADDER AND FLOW UNOBSTRUCTED (q-pair)	
).....	117
SECUREMENT DEVICE (data).....	1366
SECUREMENT DEVICE (q-pair).....	122
SEDATED (data).....	1366
SEDATED (q-pair).....	54, 202, 451, 606, 775
SEDATION SCALE - RAMSAY.....	795
SEDATION SCALE - RASS.....	796
SEDATION SCALE - SAS.....	797
SEDIMENT (data).....	1366
SEDIMENT (q-pair).....	907
SEE COMMENT (data).....	1366
SEE COMMENT (q-pair).....	599
SEE CPRS PROGRESS NOTE FOR ADDITIONAL DATA AND ASSESSMENTS	
.....	798
SEIZURE (data).....	1367

SEIZURE (q-pair).....	644
SEIZURE CHARACTER.....	799
SEIZURE DURATION.....	800
SEIZURE FOCI.....	801
SEIZURE PRECAUTIONS.....	802
SEIZURES.....	803
SEIZURES (data).....	1367
SEIZURES (q-pair).....	461
SELECTED SURGERY (data).....	1367
SELECTED SURGERY (q-pair).....	115
SELF AM CARE BY PATIENT (data).....	1367
SELF AM CARE BY PATIENT (q-pair).....	10
SELF CARE (data).....	1367
SELF CARE (q-pair).....	13, 537
SELF CARE OF BEDSIDE ENVIRONMENT (data).....	1368
SELF CARE OF BEDSIDE ENVIRONMENT (q-pair).....	10
SELF FACE WASH (data).....	1368
SELF FACE WASH (q-pair).....	10
SELF FOOT CARE (data).....	1368
SELF FOOT CARE (q-pair).....	10
SELF INDEPENDENT (data).....	1368
SELF INDEPENDENT (q-pair).....	540
SELF SHAVE (data).....	1368
SELF SHAVE (q-pair).....	10
SELF SHOWER (data).....	1369
SELF SHOWER (q-pair).....	10
SELF TRACH CARE (data).....	1369
SELF TRACH CARE (q-pair).....	10
SELF-CARE SKILLS (data).....	1369
SELF-CARE SKILLS (q-pair).....	205
SEMIFOWLERS (posi).....	1559
SEMIFOWLERS (q-pair).....	63, 715, 721
SEMIFOWLERS HIGH (data).....	1369
SEMIFOWLERS HIGH (q-pair).....	51
SEMIFOWLERS LOW (data).....	1369
SEMIFOWLERS LOW (q-pair).....	51
SENSATION FOOT.....	804
SENSATION HAND.....	805
SENSATION LOWER EXTREMITY.....	806
SENSATION UPPER EXTREMITY.....	807
SEQUENTIAL COMPRESSION DEVICE (data).....	1370
SEQUENTIAL COMPRESSION DEVICE (q-pair).....	201
SEQUENTIAL COMPRESSION DEVICE APPLICATION.....	808
SEROSANGUINOUS (data).....	1370
SEROSANGUINOUS (q-pair).....	135, 355, 683, 823
SEROUS (data).....	1370
SEROUS (q-pair).....	135, 355, 683, 823
SET UP HELP ONLY (data).....	1370
SET UP HELP ONLY (q-pair).....	8
SEVERE EDEMA (data).....	1370
SEVERE EDEMA (q-pair).....	175
SEVERE OSTEOPOROSIS (data).....	1371
SEVERE OSTEOPOROSIS (q-pair).....	175
SEVERE PAIN/DISCOMFORT (data).....	1371
SEVERE PAIN/DISCOMFORT (q-pair).....	175
SEVERE: GREATER THAN 36 (data).....	1371
SEVERE: GREATER THAN 36 (q-pair).....	166
SEVERELY REDUCED (data).....	1371
SEVERELY REDUCED (q-pair).....	409
SEWS - DISORIENTATION NAME PLACE.....	809
SEWS - HALLUCINATION AUDITORY ONLY.....	810
SEWS - NAME ONLY.....	811

SEWS SCALE (unit).....	1621
SEWS: AGITATION.....	812
SEWS: ANXIETY.....	813
SEWS: HALLUCINATION ANY.....	814
SEWS: NAUSEA.....	815
SEWS: ORIENTATION.....	816
SEWS: SWEATING.....	817
SEWS: TOTAL.....	818
SEWS: TREMOR.....	819
SEWS: VITAL SIGNS.....	820
SHALLOW (data).....	1371
SHALLOW (q-pair).....	720
SHALLOW: SHALLOW RESPIRATIONS (data).....	1372
SHALLOW: SHALLOW RESPIRATIONS (q-pair).....	632
SHAMPOO (data).....	1372
SHAMPOO (q-pair).....	10
SHARP (data).....	1372
SHARP (q-pair).....	582
SHAVE (data).....	1372
SHAVE (q-pair).....	10
SHILEY (data).....	1372
SHILEY (q-pair).....	894
SHINY (q-pair).....	89, 90, 91, 92
SHINY (qual).....	1585
SHOOTING (data).....	1373
SHOOTING (q-pair).....	582
SHORT NECK (data).....	1373
SHORT NECK (q-pair).....	494
SHOULDER (loca).....	1525
SHOULDER (q-pair).....	482, 486
SHOWER (data).....	1373
SHOWER (q-pair).....	10
SHRAPNEL (data).....	1373
SHRAPNEL (q-pair).....	452
SHUFFLING (data).....	1373
SHUFFLING (q-pair).....	247, 248
SHUFFLING GAIT (data).....	1374
SHUFFLING GAIT (q-pair).....	57, 477
SHUNTS (data).....	1374
SHUNTS (q-pair).....	461
SI UNIT (unit).....	1621
SICU (data).....	1374
SICU (q-pair).....	578
SIDE RAILS.....	821
SIGMOIDOSTOMY (data).....	1374
SIGMOIDOSTOMY (q-pair).....	548
SIGNIFICANT EVENT.....	822
SIGNIFICANT OTHER (data).....	1374
SIGNIFICANT OTHER (q-pair).....	208
SILICONE (data).....	1375
SILICONE (q-pair).....	894
SILLY (data).....	1375
SILLY (q-pair).....	52
SILVADENE (data).....	1375
SILVADENE (q-pair).....	692
SILVER (data).....	1375
SILVER SULFADIAZINE (data).....	1375
SINGLE (data).....	1376
SINGLE (q-pair).....	128
SINGLE CANNULA (data).....	1376
SINGLE CANNULA (q-pair).....	894
SINGLE LUMEN CATHETER (meth).....	1551

SINGLE USE LUBRICANT PACKET (data).....	1376
SINGLE USE LUBRICANT PACKET (q-pair).....	116
SINUS ARREST (data).....	1376
SINUS ARREST (q-pair).....	85
SINUS ARRHYTHMIA (data).....	1376
SINUS ARRHYTHMIA (q-pair).....	85
SINUS BLOCK (data).....	1377
SINUS BLOCK (q-pair).....	85
SINUS BRADYCARDIA (data).....	1377
SINUS BRADYCARDIA (q-pair).....	85
SINUS DRAINAGE CHARACTER.....	823
SINUS DRAINAGE PRESENT.....	824
SINUS NECROTIC TISSUE APPEARANCE.....	825
SINUS NECROTIC TISSUE PRESENT.....	826
SINUS PAUSE (data).....	1377
SINUS PAUSE (q-pair).....	85
SINUS RHYTHM (data).....	1377
SINUS RHYTHM (q-pair).....	85
SINUS TACHYCARDIA (data).....	1377
SINUS TACHYCARDIA (q-pair).....	85
SINUS TRACT SURROUNDING TISSUE CHARACTER.....	827
SINUS TRACT ULCER.....	828
SINUS TRACT ULCER EPITHELIALIZATION.....	829
SINUS TRACT ULCER GRANULIZATION.....	830
SIT TO STAND LIFT (data).....	1378
SIT TO STAND LIFT (q-pair).....	754
SIT-TO-STAND LIFT - NON-POWERED (data).....	1378
SIT-TO-STAND LIFT - NON-POWERED (q-pair).....	413
SIT-TO-STAND LIFT - POWERED (data).....	1378
SIT-TO-STAND LIFT - POWERED (q-pair).....	413
SITE UNABLE TO BE MARKED (data).....	1378
SITE UNABLE TO BE MARKED (q-pair).....	672
SITTING (posi).....	1559
SITTING (q-pair).....	63, 189, 715, 721, 878, 941
SKIN (ADHESIVE INDICATOR) (meth).....	1551
SKIN (ADHESIVE INDICATOR) (q-pair).....	206
SKIN (loca).....	1525
SKIN (q-pair).....	882
SKIN ALTERATION.....	831
SKIN BREAKDOWN (data).....	1378
SKIN BREAKDOWN (q-pair).....	237
SKIN CARE (data).....	1379
SKIN CARE (q-pair).....	10
SKIN COLOR.....	832
SKIN CONDITION.....	833
SKIN DRAINAGE AMOUNT.....	834
SKIN ERYTHEMA EXTENDS AROUND INCISION.....	835
SKIN ERYTHEMA EXTENSION AROUND WOUND.....	836
SKIN EXCORIATION (data).....	1379
SKIN EXCORIATION (q-pair).....	237
SKIN INCISION CLOSURE.....	837
SKIN INCISION WOUND CLOSURE OPEN WOUND (data).....	1379
SKIN INCISION WOUND CLOSURE OPEN WOUND (q-pair).....	837
SKIN INCISION WOUND CLOSURE STAPLES (data).....	1379
SKIN INCISION WOUND CLOSURE STAPLES (q-pair).....	837
SKIN INCISION WOUND CLOSURE STERI-STRIPS (data).....	1379
SKIN INCISION WOUND CLOSURE STERI-STRIPS (q-pair).....	837
SKIN INCISION WOUND CLOSURE SUTURES (data).....	1380
SKIN INCISION WOUND CLOSURE SUTURES (q-pair).....	837
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (data ).....	1380

SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND LESS THAN 1 cm (q-pair)	
ir).....838	
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (data)	
).....1380	
SKIN INDURATION AROUND INCISION EXTENDS INTO PERIWOUND MORE THAN 1 cm (q-pair)	
ir).....838	
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (data)	
.....1380	
SKIN INDURATION AROUND INCISION LIMITED TO INCISION (q-pair)	
.....838	
SKIN INDURATION AROUND INCISION NONE (data).....1380	
SKIN INDURATION AROUND INCISION NONE (q-pair).....838	
SKIN INDURATION EXTENSION AROUND INCISION.....838	
SKIN INDURATION EXTENSION AROUND WOUND.....839	
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data)	
.....1381	
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair)	
r).....839	
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data)	
.....1381	
SKIN INDURATION EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair)	
r).....839	
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (data)	
.....1381	
SKIN INDURATION EXTENSION AROUND WOUND LIMITED TO WOUND (q-pair)	
.....839	
SKIN INDURATION EXTENSION AROUND WOUND NONE (data)....1381	
SKIN INDURATION EXTENSION AROUND WOUND NONE (q-pair)...839	
SKIN INTACT (data).....1381	
SKIN INTACT (q-pair).....237	
SKIN MOISTURE.....840	
SKIN PATCHES PRESENT.....841	
SKIN RISK (data).....1382	
SKIN RISK (q-pair).....38, 644	
SKIN RISK FACTORS PRESENT.....842	
SKIN SWELLING EXTENSION AROUND INCISION.....843	
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (data)	
).....1382	
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND < 1 cm (q-pair)	
ir).....843	
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (data)	
).....1382	
SKIN SWELLING EXTENSION AROUND INCISION EXTENDS INTO PERIWOUND > 1 cm (q-pair)	
ir).....843	
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (data)	
.....1382	
SKIN SWELLING EXTENSION AROUND INCISION FLUCTUANT (q-pair)	
.....843	
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (data)	
.....1382	
SKIN SWELLING EXTENSION AROUND INCISION LIMITED TO WOUND (q-pair)	
.....843	
SKIN SWELLING EXTENSION AROUND INCISION NONE (data)....1383	
SKIN SWELLING EXTENSION AROUND INCISION NONE (q-pair)..843	
SKIN SWELLING EXTENSION AROUND WOUND.....844	
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (data)	
.....1383	
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND < 1 cm (q-pair)	
.....844	
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (data)	
.....1383	
SKIN SWELLING EXTENSION AROUND WOUND EXTENDS INTO PERIWOUND > 1 cm (q-pair)	

.....844	
Skin Swelling Extension Around Wound Fluctant (data)....1383	
Skin Swelling Extension Around Wound Fluctant (q-pair).844	
Skin Swelling Extension Around Wound Limited To Wound (data) .....1383	
Skin Swelling Extension Around Wound Limited To Wound (q-pair) .....844	
Skin Swelling Extension Around Wound None (data).....1384	
Skin Swelling Extension Around Wound None (q-pair).....844	
Skin Tear (data).....1384	
Skin Tear (q-pair).....967	
Skin Temp .....845	
Skin Temperature At Incision Site.....846	
Skin Temperature At Incision Site Consistent With Body Temperature (data) .....1384	
Skin Temperature At Incision Site Consistent With Body Temperature (q-pair) .....846	
Skin Temperature At Incision Site Cooler Than General Body Temperature (dat a).....1384	
Skin Temperature At Incision Site Cooler Than General Body Temperature (q-p air).....846	
Skin Temperature At Incision Site Cooler Than Opposite Body Part (data) .....1384	
Skin Temperature At Incision Site Cooler Than Opposite Body Part (q-pair) .....846	
Skin Temperature At Incision Site Warmer Than General Body Temperature (dat a).....1385	
Skin Temperature At Incision Site Warmer Than General Body Temperature (q-p air).....846	
Skin Temperature At Incision Site Warmer Than Opposite Body Part (data) .....1385	
Skin Temperature At Incision Site Warmer Than Opposite Body Part (q-pair) .....846	
Skin Temperature At Wound Site.....847	
Skin Temperature At Wound Site Consistent With Body Temperature (data) .....1385	
Skin Temperature At Wound Site Consistent With Body Temperature (q-pair) .....847	
Skin Temperature At Wound Site Cooler Than General Body Temperature (data) .....1385	
Skin Temperature At Wound Site Cooler Than General Body Temperature (q-pair ).....847	
Skin Temperature At Wound Site Cooler Than Opposite Body Part (data) .....1385	
Skin Temperature At Wound Site Cooler Than Opposite Body Part (q-pair) .....847	
Skin Temperature At Wound Site Warmer Than General Body Temperature (data) .....1386	
Skin Temperature At Wound Site Warmer Than General Body Temperature (q-pair ).....847	
Skin Temperature At Wound Site Warmer Than Opposite Body Part (data) .....1386	
Skin Temperature At Wound Site Warmer Than Opposite Body Part (q-pair) .....847	
Skin Trauma (data).....1386	
Skin Trauma (q-pair).....967	
Skin Turgor.....848	
Skin Warm And Dry Color Appropriate (data).....1386	
Skin Warm And Dry Color Appropriate (q-pair).....576	
Skin Wound Closure.....849	
Skin Wound Closure Approximated (data).....1386	
Skin Wound Closure Approximated (q-pair).....849	

SKIN WOUND CLOSURE DEHISCENCE (data).....	1387
SKIN WOUND CLOSURE DEHISCENCE (q-pair).....	849
SKIN WOUND CLOSURE GLUE (data).....	1387
SKIN WOUND CLOSURE GLUE (q-pair).....	849
SKIN WOUND CLOSURE NOT CLOSED (data).....	1387
SKIN WOUND CLOSURE NOT CLOSED (q-pair).....	849
SKIN WOUND CLOSURE OPEN WOUND (data).....	1387
SKIN WOUND CLOSURE OPEN WOUND (q-pair).....	849
SKIN WOUND CLOSURE STAPLES (data).....	1387
SKIN WOUND CLOSURE STAPLES (q-pair).....	849
SKIN WOUND CLOSURE STERI-STRIPS (data).....	1388
SKIN WOUND CLOSURE STERI-STRIPS (q-pair).....	849
SKIN WOUND CLOSURE SUTURES (data).....	1388
SKIN WOUND CLOSURE SUTURES (q-pair).....	849
SLEEP AMOUNT.....	850
SLEEP APNEA (data).....	1388
SLEEP APNEA (q-pair).....	515
SLEEP QUALIFIERS.....	851
SLEEPING (data).....	1388
SLEEPING (q-pair).....	52, 167, 586, 775
SLEEPING LESS THAN NORMAL (data).....	1388
SLEEPING LESS THAN NORMAL (q-pair).....	515
SLEEPING MORE THAN NORMAL (data).....	1389
SLEEPING MORE THAN NORMAL (q-pair).....	515
SLEEPS DURING THE DAY/WORKS NIGHTS (data).....	1389
SLEEPS DURING THE DAY/WORKS NIGHTS (q-pair).....	515
SLEEPS POORLY (data).....	1389
SLEEPS POORLY (q-pair).....	54
SLEPT WELL (data).....	1389
SLEPT WELL (q-pair).....	851
SLIDING BOARD (data).....	1389
SLIDING BOARD (q-pair).....	754
SLIGHT (data).....	1390
SLIGHT (q-pair).....	559
SLING (data).....	1390
SLING (q-pair).....	482
SLING TRACTION (data).....	1390
SLING TRACTION (q-pair).....	895
SLOUGH (data).....	1390
SLOUGH (q-pair).....	681, 961
SLOW (meth).....	1551
SLOW (q-pair).....	854
SLOW, WIDE BASE, SHORT STEPS (data).....	1390
SLOW, WIDE BASE, SHORT STEPS (q-pair).....	248
SLUGGISH (data).....	1391
SLUGGISH (q-pair).....	507
SLURRED (data).....	1391
SLURRED (q-pair).....	516, 854
SLURRED SPEECH (data).....	1391
SLURRED SPEECH (q-pair).....	227
SM ADULT (meth).....	1551
SM ADULT CUFF (meth).....	1551
SMALL (data).....	1391
SMALL (q-pair).....	552, 557, 559, 707, 834
SMALL BORE FEEDING TUBE (data).....	1391
SMALL BORE FEEDING TUBE (q-pair).....	272
SMEAR (data).....	1392
SMEAR (q-pair).....	557
SMOKING AREA (data).....	1392
SMOKING AREA (q-pair).....	53, 168
SMOKING PORCH (data).....	1392

SMOKING PORCH (q-pair).....	168
SMOOTH (data).....	1392
SMOOTH (q-pair).....	961
SNACK (data).....	1392
SNACK (q-pair).....	10
SNACK - AM (data).....	1393
SNACK - AM (q-pair).....	439
SNACK - HS (data).....	1393
SNACK - HS (q-pair).....	439
SNACK - OTHER (data).....	1393
SNACK - OTHER (q-pair).....	439
SNACK - PM (data).....	1393
SNACK - PM (q-pair).....	439
SNORES (data).....	1393
SNORES (q-pair).....	461
SODA: DIET (prod).....	1577
SODA: DIET (q-pair).....	389
SODA: NON-DIET (prod).....	1577
SODA: NON-DIET (q-pair).....	389
SODIUM CONTROLLED (data).....	1394
SODIUM CONTROLLED (q-pair).....	190
SODIUM CONTROLLED 2 GM (data).....	1394
SODIUM CONTROLLED 4 GM (data).....	1394
SOFT (data).....	1394
SOFT (q-pair).....	2, 825, 854, 868
SOFT (qual).....	1586
SOFT DRINK (prod).....	1578
SOMNOLENT (data).....	1394
SOMNOLENT (q-pair).....	502, 635
SPACER PROVIDED (data).....	1395
SPACER PROVIDED (q-pair).....	367
SPEAKING VALVE (data).....	1395
SPEAKING VALVE (q-pair).....	894
SPECIAL PROCEDURE ROOM (data).....	1395
SPECIAL PROCEDURE ROOM (q-pair).....	697
SPECIALTY BED/MATTRESS.....	852
SPECIALTY MATTRESS/BED (data).....	1395
SPECIALTY MATTRESS/BED (q-pair).....	688
SPECIFIC GRAVITY.....	853
SPEECH.....	854
SPINAL (data).....	1395
SPINAL (q-pair).....	29
SPINE (data).....	1396
SPINE (q-pair).....	701
SPINE CERVICAL (loca).....	1525
SPINE CERVICAL (q-pair).....	362
SPINE LUMBAR (loca).....	1526
SPINE LUMBAR (q-pair).....	362
SPINE THORACIC (loca).....	1526
SPINE THORACIC (q-pair).....	362
SPIRITUAL (data).....	1396
SPIRITUAL (q-pair).....	203, 205
SPIRIVA (prod).....	1578
SPIRIVA (q-pair).....	367
SPLINT (data).....	1396
SPLINT (q-pair).....	482
SPLINTING (data).....	1396
SPLINTING (q-pair).....	586
SPLINTS/TRACTION (data).....	1396
SPLINTS/TRACTION (q-pair).....	175
SPONTANEOUS (data).....	1397
SPONTANEOUS (meth).....	1552

SPONTANEOUS (q-pair).....	721, 854, 918
SPOONING (data).....	1397
SPOONING (q-pair).....	492
SPOUSE (data).....	1397
SPOUSE (q-pair).....	654, 655, 657
SQ EMPHYSEMA (data).....	1397
SQ EMPHYSEMA (q-pair).....	139
SQUARE (data).....	1397
SQUARE (q-pair).....	933
SQUARE METERS (unit).....	1621
SQUEEZING (data).....	1398
SQUEEZING (q-pair).....	582
ST SEGMENT AVF.....	855
ST SEGMENT AVL.....	856
ST SEGMENT AVR.....	857
ST SEGMENT I.....	858
ST SEGMENT II.....	859
ST SEGMENT III.....	860
ST SEGMENT V1.....	861
ST SEGMENT V2.....	862
ST SEGMENT V3.....	863
ST SEGMENT V4.....	864
ST SEGMENT V5.....	865
ST SEGMENT V6.....	866
ST/T WAVE MEASUREMENT.....	867
STABBING (data).....	1398
STABBING (q-pair).....	582
STABLE (data).....	1398
STABLE (q-pair).....	230
STABLE BP AND PULSE (data).....	1398
STABLE BP AND PULSE (q-pair).....	576
STAFF (data).....	1398
STAFF (q-pair).....	899
STAGE 3 OR 4 PRESSURE ULCER (data).....	1399
STAGE 3 OR 4 PRESSURE ULCER (q-pair).....	115
STAGE I (data).....	1399
STAGE I (q-pair).....	691
STAGE II (data).....	1399
STAGE II (q-pair).....	691
STAGE III (data).....	1399
STAGE III (q-pair).....	691
STAGE IV (data).....	1399
STAGE IV (q-pair).....	691
STAGGERING GAIT (data).....	1400
STAGGERING GAIT (q-pair).....	57, 477
STAGGERING, WIDE BASED (data).....	1400
STAGGERING, WIDE BASED (q-pair).....	248
STAMMERING (data).....	1400
STAMMERING (q-pair).....	854
STANDARD (data).....	1400
STANDARD (q-pair).....	393
STANDARD PRESSURE REDUCTION (data).....	1400
STANDARD PRESSURE REDUCTION (q-pair).....	852
STANDING (posi).....	1560
STANDING (q-pair).....	63, 189, 715, 721, 878, 941
STANDING WEIGHT (meth).....	1552
STANDING WEIGHT (q-pair).....	941
STAPLES (data).....	1401
STARE (data).....	1401
STARE (q-pair).....	233
START TIME: (data).....	1401

START TIME: (q-pair).....	699
STARTED (data).....	1401
STARTED (q-pair).....	404, 609
STARTED ON LEFT (data).....	1401
STARTED ON LEFT (q-pair).....	801
STARTED ON RIGHT (data).....	1402
STARTED ON RIGHT (q-pair).....	801
STATED (q-pair).....	284, 909, 941, 943
STATED (qual).....	1586
STEADY (data).....	1402
STEADY (q-pair).....	247
STEADY GAIT OR BASELINE (data).....	1402
STEADY GAIT OR BASELINE (q-pair).....	191
STEP DOWN (data).....	1402
STEP DOWN (q-pair).....	578
STERILE GLOVES-DRAPES USED (data).....	1402
STERILE GLOVES-DRAPES USED (q-pair).....	116
STERNOTOMY (loca).....	1526
STIFFNESS (data).....	1403
STIFFNESS (q-pair).....	486
STINGING (data).....	1403
STINGING (q-pair).....	582
STOMA BUTTON (data).....	1403
STOMA BUTTON (q-pair).....	894
STOMA CARE (data).....	1403
STOMA CARE (q-pair).....	893
STOMA ONLY (data).....	1403
STOMA ONLY (q-pair).....	894
STOMACH (loca).....	1526
STOMACH (q-pair).....	452, 585
STOOL (unit).....	1621
STOOL MANAGEMENT SYSTEM (data).....	1404
STOOL MANAGEMENT SYSTEM (q-pair).....	66
STOOL TOO FIRM TO DRAIN (data).....	1404
STOOL TOO FIRM TO DRAIN (q-pair).....	237
STOOL: CHARACTERISTICS.....	868
STOOL: COLOR.....	869
STOOL: NUMBER OF STOOLS.....	870
STOP TIME: (data).....	1404
STOP TIME: (q-pair).....	699
STOPCOCK CHANGE (data).....	1404
STOPCOCK CHANGE (q-pair).....	213
STRAIGHT CATHETER (data).....	1404
STRAIGHT CATHETER (meth).....	1552
STRAIGHT CATHETER (q-pair).....	276, 558, 909
STRETCHER (data).....	1405
STRETCHER (q-pair).....	900
STRICT (data).....	1405
STRICT (q-pair).....	393
STRICT I&O (data).....	1405
STRICT I&O (q-pair).....	115
STRIDOR (data).....	1405
STRIDOR (q-pair).....	75
STROKE (data).....	1405
STROKE (q-pair).....	461
STROKE INDEX.....	871
STROKE VOLUME.....	872
STROKE VOLUME INDEX.....	873
STROKE WORK PER BEAT (unit).....	1622
STROKE WORK PER BEAT PER M2 (unit).....	1622
STRONG (data).....	1406
STRONG (q-pair).....	244, 279, 414, 501,

SUSPECTED DEEP TISSUE INJURY (data).....	503, 504, 905
STRYKER FRAME (data).....	1406
STRYKER FRAME (q-pair).....	852
STUDENT (data).....	1406
STUDENT (q-pair).....	698, 899
STUPOROUS (data).....	1406
STUPOROUS (q-pair).....	412, 606
SUBCUTANEOUS TISSUE (data).....	1406
SUBSTERNAL (loca).....	1526
SUBSTERNAL (q-pair).....	452, 585
SUBTLE (data).....	1407
SUBTLE (q-pair).....	510
SUCTIONED (data).....	1407
SUCTIONED (q-pair).....	893
SUCTIONED ONLY (data).....	1407
SUCTIONED ONLY (q-pair).....	537
SUCTIONING (data).....	1407
SUCTIONING (q-pair).....	544
SUICIDAL (data).....	1407
SUICIDAL (q-pair).....	56, 535, 644
SUICIDE RISK (data).....	1408
SUICIDE RISK (q-pair).....	599
SUMP (data).....	1408
SUMP (q-pair).....	956
SUPERVISION-OVERSIGHT (meth).....	1552
SUPERVISION-OVERSIGHT (q-pair).....	723, 724, 725, 726, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 755, 756, 757
SUPERVISION/SET-UP HELP (data).....	1408
SUPERVISION/SET-UP HELP (q-pair).....	7, 8, 11
SUPINATION ABNORMAL (data).....	1408
SUPINATION ABNORMAL (q-pair).....	484
SUPINATION WNL (data).....	1408
SUPINATION WNL (q-pair).....	484
SUPINE (data).....	1409
SUPINE (posi).....	1560
SUPINE (q-pair).....	13, 63, 721
SUPLENA (data).....	1409
SUPLENA (q-pair).....	215
SUPPER (data).....	1409
SUPPER (q-pair).....	439
SUPPLEMENTAL OXYGEN CONCENTRATION.....	874
SUPPLEMENTAL OXYGEN FLOW RATE.....	875
SUPPORT GROUPS (data).....	1409
SUPPORT GROUPS (q-pair).....	205
SUPPOSITORY (data).....	1409
SUPPOSITORY (q-pair).....	66
SUPRAPUBIC (data).....	1410
SUPRAPUBIC (meth).....	1552
SUPRAPUBIC (q-pair).....	276, 558, 909
SUPRAVENTRICULAR TACHYCARDIA (data).....	1410
SUPRAVENTRICULAR TACHYCARDIA (q-pair).....	85
SURGICAL (data).....	1410
SURGICAL (q-pair).....	967
SURGICAL DONOR (data).....	1410
SURGICAL DONOR (q-pair).....	967
SURGICAL GRAFT (data).....	1410
SURGICAL GRAFT (q-pair).....	967
SUSPECTED DEEP TISSUE INJURY (data).....	1411

SUSPECTED DEEP TISSUE INJURY (q-pair).....	691
SUSPICIOUS (data).....	1411
SUSPICIOUS (q-pair).....	52
SUTURES (data).....	1411
SWALLOW (data).....	1411
SWALLOW (q-pair).....	509
SWOLLEN (data).....	1411
SWOLLEN (q-pair).....	44, 125, 183, 296, 406, 571
SYMPTOMS INTERFERE WITH SLEEP (data).....	1412
SYMPTOMS INTERFERE WITH SLEEP (q-pair).....	515
SYMPTOMS OF MEDICATION ALLERGY (data).....	1412
SYMPTOMS OF MEDICATION ALLERGY (q-pair).....	227
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (data).....	1412
SYNCHRONOUS INTERMITTENT MANDATORY VENTILATION (q-pair).....	918
SYNCOPE (data).....	1412
SYNCOPE (q-pair).....	518
SYRINGE (data).....	1412
SYRINGE (q-pair).....	210
SYRINGE CHANGE (data).....	1413
SYRINGE CHANGE (q-pair).....	213
SYRINGE CHANGED (data).....	1413
SYRINGE CHANGED (q-pair).....	609
SYSTEMIC VASCULAR RESISTANCE.....	876
SYSTEMIC VASCULAR RESISTANCE INDEX.....	877
SYSTOLIC (data).....	1413
SYSTOLIC (q-pair).....	81
SYSTOLIC PRESSURE.....	878
SaO2%.....	879
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (data).....	1413
SaO2% AT ACCEPTABLE LEVEL BY ORDERS (q-pair).....	576
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (data).....	1413
SaO2% AT ACCEPTABLE LEVEL WITH PRESCRIBED O2 LEVEL (q-pair).....	576
SpO2%.....	880
SvO2%.....	881

- T -

T WAVE NORMAL (data).....	1414
T WAVE NORMAL (q-pair).....	207
T-PIECE (meth).....	1553
T-PIECE (q-pair).....	874
T1 (data).....	1414
T1 (q-pair).....	223, 224
T10 (data).....	1414
T10 (q-pair).....	223, 224
T11 (data).....	1414
T11 (q-pair).....	223, 224
T12 (data).....	1414
T12 (q-pair).....	223, 224
T2 (data).....	1415
T2 (q-pair).....	223, 224
T3 (data).....	1415
T3 (q-pair).....	223, 224
T4 (data).....	1415
T4 (q-pair).....	223, 224
T5 (data).....	1415
T5 (q-pair).....	223, 224
T6 (data).....	1415
T6 (q-pair).....	223, 224

T7 (data).....	1416
T7 (q-pair).....	223, 224
T8 (data).....	1416
T8 (q-pair).....	223, 224
T9 (data).....	1416
T9 (q-pair).....	223, 224
TACTILE HALLUCINATIONS (data).....	1416
TACTILE HALLUCINATIONS (q-pair).....	451
TALKATIVE (data).....	1416
TALKATIVE (q-pair).....	854
TAN (data).....	1417
TAN (q-pair).....	198, 216, 269, 708, 906, 950, 954
TAP WATER (prod).....	1578
TAP WATER (q-pair).....	376
TAPE BURN (data).....	1417
TAPE BURN (q-pair).....	967
TARRY (data).....	1417
TARRY (q-pair).....	868
TAUT (q-pair).....	89, 90, 91, 92
TAUT (qual).....	1586
TEA (data).....	1417
TEA (q-pair).....	906
TECH (data).....	1417
TECH (q-pair).....	698
TED HOSE (data).....	1418
TED HOSE (q-pair).....	88
TEETH (loca).....	1527
TEETH (q-pair).....	232, 452, 585
TEETH BRUSHED (data).....	1418
TEETH BRUSHED (q-pair).....	537
TEMPERATURE.....	882
TEMPERATURE (data).....	1418
TEMPERATURE (q-pair).....	513
TEMPORAL (loca).....	1527
TEMPORAL (q-pair).....	882
TEMPORARY (TRANSVENOUS) (data).....	1418
TEMPORARY (TRANSVENOUS) (q-pair).....	107
TENACIOUS (data).....	1418
TENACIOUS (q-pair).....	709
TENDER (data).....	1419
TENDER (q-pair).....	2, 582
TENDERNESS (data).....	1419
TENDERNESS (q-pair).....	267, 486
TENDON (data).....	1419
TENS (data).....	1419
TENS (q-pair).....	701
TESTS/PROC. - ACCUCHECKS (task).....	1603
TESTS/PROC. - BLOOD CULTURES (task).....	1603
TESTS/PROC. - DAILY LABS (task).....	1603
TESTS/PROC. - MORNING LABS (task).....	1603
TESTS/PROC. - ZERO BALANCE HEMO. LINES (task).....	1604
THICK (data).....	1419
THICK (q-pair).....	198, 268, 493, 709
THIGH (data).....	1420
THIGH (loca).....	1527
THIGH (q-pair).....	64, 89, 90, 91, 92,
THIGH CUFF (meth).....	1553
THIN (data).....	1420
THIN (q-pair).....	198, 268, 709
THIRD DEGREE AV BLOCK (data).....	1420

THIRD DEGREE AV BLOCK (q-pair).....	85
THORACIC (data).....	1420
THORACIC (q-pair).....	221
THORACIC SPINAL PRECAUTIONS (data).....	1420
THORACIC SPINAL PRECAUTIONS (q-pair).....	645
THORACIC SPINE (loca).....	1527
THORACIC SPINE (q-pair).....	452, 489, 585
THREADS (data).....	1421
THREADS (q-pair).....	907
THRILL.....	883
THROBBING (data).....	1421
THROBBING (q-pair).....	582
THRUSH (YEAST) (data).....	1421
THRUSH (YEAST) (q-pair).....	543
THUMB (data).....	1421
THUMB (q-pair).....	480
THYROID (loca).....	1527
THYROID (q-pair).....	362
THYROMENTAL DISTANCE LESS THAN 3 PB (data).....	1421
THYROMENTAL DISTANCE LESS THAN 3 PB (q-pair).....	494
TIME OUT: PATIENT IDENTIFICATION METHOD.....	884
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE AND LATERALITY .....	886
TIME OUT: VERBAL CONFIRMATION BY TEAM OF PROCEDURE TO BE PERFORMED .....	885
TINGLING (data).....	1422
TINGLING (q-pair).....	511, 512, 582, 639, 804, 805, 806, 807
TINGLING MOUTH/LIPS (data).....	1422
TINGLING MOUTH/LIPS (q-pair).....	227
TINNITUS (data).....	1422
TINNITUS (q-pair).....	497, 635
TO PAIN (data).....	1422
TO PAIN (q-pair).....	171
TO SPEECH (data).....	1422
TO SPEECH (q-pair).....	171
TOE (data).....	1423
TOE (q-pair).....	480
TOENAIL CARE (data).....	1423
TOENAIL CARE (q-pair).....	10
TOES (loca).....	1528
TOES (q-pair).....	513
TOILET (data).....	1423
TOILET (q-pair).....	909
TOILETING (data).....	1423
TOILETING (q-pair).....	788
TOILETING BY SCHEDULE (data).....	1423
TOILETING BY SCHEDULE (q-pair).....	112
TOLERATED FAIR (data).....	1424
TOLERATED FAIR (q-pair).....	893
TOLERATED POOR (data).....	1424
TOLERATED POOR (q-pair).....	893
TOLERATED WELL (data).....	1424
TOLERATED WELL (q-pair).....	254, 893
TOLERATING FLUIDS/NOURISHMENT (data).....	1424
TOLERATING FLUIDS/NOURISHMENT (q-pair).....	191, 576
TONGUE POSITION.....	887
TONIC (data).....	1424
TONIC (q-pair).....	510
TONIC/CLONIC (data).....	1425
TONIC/CLONIC (q-pair).....	510, 799
TONOMETRY.....	888

TOOTH (loca).....	1528
TOOTH (q-pair).....	452, 585
TOOTHBRUSHING (data).....	1425
TOOTHBRUSHING (q-pair).....	544
TOOTHETTES (EDENTUIOUS) (data).....	1425
TOOTHETTES (EDENTUIOUS) (q-pair).....	544
TOPICAL TREATMENT (data).....	1425
TOPICAL TREATMENT (q-pair).....	951
TORSADES DE POINTES (data).....	1425
TORSADES DE POINTES (q-pair).....	85
TORSO (loca).....	1528
TORSO (q-pair).....	94, 782
TOTAL DEPENDENCE (data).....	1426
TOTAL DEPENDENCE (q-pair).....	7, 8, 11
TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (meth).....	1553
TOTAL DEPENDENCE-FULL STAFF PERFORMANCE (q-pair).....	723, 724, 725, 726,
	729, 730, 732, 733,
	734, 735, 736, 737,
	738, 739, 740, 741,
	742, 743, 744, 745,
	746, 755
TOUCH (data).....	1426
TOUCH (q-pair).....	513
TPN (meth).....	1553
TPN (prod).....	1578
TPN (q-pair).....	369
TRACE (data).....	1426
TRACE (q-pair).....	89, 90, 91, 92
TRACE ST SEGMENT.....	889
TRACE ST SEGMENT 2.....	890
TRACH CARE (data).....	1426
TRACH CARE (q-pair).....	10
TRACH COLLAR O2 (data).....	1426
TRACH COLLAR O2 (q-pair).....	893
TRACH DRESSING (data).....	1427
TRACH DRESSING (q-pair).....	893
TRACH TALKING VALVE (data).....	1427
TRACH TALKING VALVE (q-pair).....	728
TRACH TIES/HOLDER CHANGED (data).....	1427
TRACH TIES/HOLDER CHANGED (q-pair).....	893
TRACHEA MIDLINE DEVIATED.....	891
TRACHEOSTOMY (data).....	1427
TRACHEOSTOMY (loca).....	1528
TRACHEOSTOMY (q-pair).....	19, 691, 712
TRACHEOSTOMY ASSESSMENT.....	892
TRACHEOSTOMY CARE.....	893
TRACHEOSTOMY COLLAR (meth).....	1553
TRACHEOSTOMY COLLAR (q-pair).....	874
TRACHEOSTOMY TYPE.....	894
TRACHEOSTOMY/LARYNGECTOMY (data).....	1427
TRACHEOSTOMY/LARYNGECTOMY (q-pair).....	516
TRACTION TYPE.....	895
TRACTION WEIGHT - DO NOT CHECK TOTAL OR SUBTOTALS.....	896
TRAIN OF FOUR RESPONSE.....	897
TRAIN OF FOUR SMS.....	898
TRANSCUTANEOUS (data).....	1428
TRANSCUTANEOUS (q-pair).....	107
TRANSFER (data).....	1428
TRANSFER (q-pair).....	181, 962
TRANSFER WITH ASSIST (data).....	1428
TRANSFER WITH ASSIST (q-pair).....	12
TRANSFUSION (meth).....	1554

TRANSFUSION (q-pair).....	369
TRANSPARENT (data).....	1428
TRANSPARENT (q-pair).....	42, 122, 184, 293, 566, 959
TRANSPARENT DRESSING (data).....	1428
TRANSPARENT DRESSING (q-pair).....	692, 966
TRANSPORT FACILITATOR.....	899
TRANSPORT FACILITATOR PRESENT (data).....	1429
TRANSPORT FACILITATOR PRESENT (q-pair).....	191
TRANSPORTATION MODE/DEVICE.....	900
TRANSPYLORIC (data).....	1429
TRANSPYLORIC (q-pair).....	209
TRANSTRACHEAL (meth).....	1554
TRANSVERSE ABDOMINAL (loca).....	1528
TRANSVERSE ABDOMINAL (q-pair).....	362
TRAUMATIC (data).....	1429
TRAUMATIC (q-pair).....	480
TRAUMATIC BRAIN INJURY (data).....	1429
TRAUMATIC BRAIN INJURY (q-pair).....	175
TREATMENTS (data).....	1429
TREATMENTS (q-pair).....	205
TREMORS (data).....	1430
TREMORS (q-pair).....	57, 477, 503, 504, 510
TREMULOUS.....	901
TRENDELENBURG (posi).....	1560
TRENDELENBURG (q-pair).....	63, 721
TRIGEMINY (data).....	1430
TRIGEMINY (q-pair).....	84
TRIPLE (data).....	1430
TRIPLE (q-pair).....	128
TRIPLE LUMEN CATHETER (meth).....	1554
TUBE POSITION VERIFIED.....	902
TUBED/DYSPHAGIC (data).....	1430
TUBED/DYSPHAGIC (q-pair).....	173
TUBES & DRAINS - CONDOM CATH (task).....	1604
TUBES & DRAINS - FOLEY (task).....	1604
TUBES & DRAINS - I/O CATH (task).....	1604
TUBES & DRAINS - NG TUBE (task).....	1604
TUBES & DRAINS - SUPRAPUBIC DRAIN (task).....	1605
TUBES (IV, CHEST, DRAINS, ETC.) (data).....	1430
TUBES (IV, CHEST, DRAINS, ETC.) (q-pair).....	175
TUBING CHANGE (data).....	1431
TUBING CHANGE (q-pair).....	213
TUBING CHANGED/LABELED (data).....	1431
TUBING CHANGED/LABELED (q-pair).....	404, 609
TURN AND POSITION (data).....	1431
TURN AND POSITION (q-pair).....	10
TURN AND SKIN CARE.....	903
TURNING SELF INDEPENDENTLY (data).....	1431
TURNING SELF INDEPENDENTLY (q-pair).....	10
TWILL TAPE (data).....	1431
TWILL TAPE (q-pair).....	956
TWO CAL HN (data).....	1432
TWO CAL HN (q-pair).....	215
TWO PERSON ASSIST (data).....	1432
TWO PERSON ASSIST (q-pair).....	5, 7, 8, 11
TYMPANIC (loca).....	1529
TYMPANIC (q-pair).....	882

U WAVE PRESENT (data).....	1432
U WAVE PRESENT (q-pair).....	207
ULNAR (loca).....	1529
ULNAR (q-pair).....	715
ULNAR ABNORMAL (data).....	1432
ULNAR ABNORMAL (q-pair).....	490
ULNAR DRIFT.....	904
ULNAR WNL (data).....	1432
ULNAR WNL (q-pair).....	490
ULTRACAL (data).....	1433
ULTRACAL (prod).....	1578
ULTRACAL (q-pair).....	215
UMBILICAL (loca).....	1529
UMBILICAL (q-pair).....	362
UN = UNEXAMINABLE (data).....	1433
UN = UNEXAMINABLE (q-pair).....	520, 521, 522, 523, 524, 525, 526, 529, 530, 531, 533
UNABLE TO AROUSE (data).....	1433
UNABLE TO AROUSE (q-pair).....	606
UNABLE TO ASSESS (ENTER COMMENT) (data).....	1433
UNABLE TO ASSESS (ENTER COMMENT) (q-pair).....	111, 588
UNABLE TO ASSESS (data).....	1433
UNABLE TO ASSESS (q-pair).....	202, 204, 501
UNABLE TO ASSESS: PARALYTICS (data).....	1434
UNABLE TO ASSESS: PARALYTICS (q-pair).....	639
UNABLE TO ASSESS: SEDATED (data).....	1434
UNABLE TO ASSESS: SEDATED (q-pair).....	639
UNABLE TO ATTEMPT (data).....	1434
UNABLE TO ATTEMPT (q-pair).....	770
UNABLE TO FOLLOW DIRECTIONS (data).....	1434
UNABLE TO FOLLOW DIRECTIONS (q-pair).....	759
UNABLE TO GRIP (data).....	1434
UNABLE TO GRIP (q-pair).....	501
UNABLE TO INFORM (data).....	1435
UNABLE TO INFORM (q-pair).....	468
UNABLE TO READ (data).....	1435
UNABLE TO READ (q-pair).....	202
UNABLE TO RESPOND (data).....	1435
UNABLE TO RESPOND (q-pair).....	204
UNABLE TO TOLERATE (q-pair).....	723, 724, 725, 726, 727, 729, 730, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 755
UNABLE TO TOLERATE (qual).....	1586
UNABLE TO VOID (data).....	1435
UNABLE TO VOID (q-pair).....	115
UNABLE TO WEDGE (data).....	1435
UNABLE TO WEDGE (q-pair).....	97
UNBEARABLE (data).....	1436
UNBEARABLE (q-pair).....	582
UNCOOPERATIVE (data).....	1436
UNCOOPERATIVE (q-pair).....	52, 54
UNCUFFED (data).....	1436
UNCUFFED (q-pair).....	894
UNDER STRETCHER/BED (data).....	1436
UNDER STRETCHER/BED (q-pair).....	654
UNEQUAL (data).....	1436
UNEQUAL (q-pair).....	414, 905
UNEXPECTED NUMBNESS (data).....	1437
UNEXPECTED NUMBNESS (q-pair).....	227

UNIFOCAL PVC (data).....	1437
UNIFOCAL PVC (q-pair).....	84
UNITS (unit).....	1622
UNITS PER HOUR (unit).....	1622
UNITS PER MINUTE (unit).....	1622
UNITS/kg/HOUR (unit).....	1623
UNKNOWN (data).....	1437
UNKNOWN (q-pair).....	242, 801
UNRESPONSIVE (data).....	1437
UNRESPONSIVE (q-pair).....	412
UNRESPONSIVE/COMATOSE (data).....	1437
UNRESPONSIVE/COMATOSE (q-pair).....	502
UNSTABLE (data).....	1438
UNSTABLE (q-pair).....	230, 689
UNSTABLE SPINE (data).....	1438
UNSTABLE SPINE (q-pair).....	175
UNSTAGEABLE (data).....	1438
UNSTAGEABLE (q-pair).....	691
UNSTEADY (data).....	1438
UNSTEADY (q-pair).....	247
UNSTEADY GAIT (data).....	1438
UNSTEADY GAIT (q-pair).....	518
UNSUCCESSFUL (data).....	1439
UNSUCCESSFUL (q-pair).....	772, 777
UNUSUAL GESTURES OR MANNERISMS (data).....	1439
UNUSUAL GESTURES OR MANNERISMS (q-pair).....	57, 477
UP (data).....	1439
UP TO CHAIR (data).....	1439
UP TO CHAIR (q-pair).....	10
UPPER (loca).....	1529
UPPER (q-pair).....	538
UPPER ABDOMEN (loca).....	1529
UPPER ABDOMEN (q-pair).....	962
UPPER ARM (loca).....	1530
UPPER ARM (q-pair).....	89, 90, 91, 92, 142, 482
UPPER BACK (loca).....	1530
UPPER BACK (q-pair).....	962
UPPER LEG (loca).....	1530
UPPER LEG (q-pair).....	482
UPPER LIMB EXTREMITIES STRENGTH.....	905
UPWARD (data).....	1439
UPWARD (q-pair).....	506
URINAL (data).....	1440
URINAL (q-pair).....	909
URINARY RETENTION (data).....	1440
URINARY RETENTION (q-pair).....	227, 635
URINARY/FECAL STOMA (data).....	1440
URINARY/FECAL STOMA (q-pair).....	175
URINE (prod).....	1579
URINE (q-pair).....	853
URINE COLOR.....	906
URINE: CHARACTERISTICS.....	907
URINE: NUMBER OF VOIDS.....	908
URINE: VOIDING METHOD.....	909
UROMETER (data).....	1440
UROMETER (q-pair).....	21
UROSTOMY (data).....	1440
UROSTOMY (meth).....	1554
UROSTOMY (q-pair).....	276, 558

V1 (data).....	1441
V1 (q-pair).....	86
V2 (data).....	1441
V2 (q-pair).....	86
V3 (data).....	1441
V3 (q-pair).....	86
V4 (data).....	1441
V4 (q-pair).....	86
V5 (data).....	1441
V5 (q-pair).....	86
V6 (data).....	1442
V6 (q-pair).....	86
VACUUM ASSISTED CLOSURE (data).....	1442
VACUUM ASSISTED CLOSURE (q-pair).....	956
VASCULAR (data).....	1442
VASCULAR (q-pair).....	967
VASCULAR LESION ARTERIAL (data).....	1442
VASCULAR LESION ARTERIAL (q-pair).....	967
VASCULAR LESION MIXED (data).....	1442
VASCULAR LESION MIXED (q-pair).....	967
VASCULAR LESION VENOUS (data).....	1443
VASCULAR LESION VENOUS (q-pair).....	967
VASCULAR/NEUROPATHIC (data).....	1443
VASCULAR/NEUROPATHIC (q-pair).....	967
VASOPRESSOR (data).....	1443
VASOPRESSOR (q-pair).....	689
VDD (data).....	1443
VDD (q-pair).....	101
VEGETARIAN (data).....	1443
VEGETARIAN (q-pair).....	190
VEGETARIAN DIET (data).....	1444
VENDOR REP (data).....	1444
VENDOR REP (q-pair).....	698
VENTILATOR (data).....	1444
VENTILATOR (meth).....	1554
VENTILATOR (q-pair).....	21, 636, 720, 721, 874, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933
VENTILATOR ACHIEVA P5O2 (data).....	1444
VENTILATOR ACHIEVA P5O2 (q-pair).....	932
VENTILATOR ADULT STAR (data).....	1444
VENTILATOR ADULT STAR (q-pair).....	932
VENTILATOR AUTO PEEP - DO NOT CHECK TOTAL OR SUBTOTALS.	910
VENTILATOR BEAR 1000 (data).....	1445
VENTILATOR BEAR 1000 (q-pair).....	932
VENTILATOR CIRCUIT CHANGE.....	911
VENTILATOR DRAEGER (data).....	1445
VENTILATOR DRAEGER (q-pair).....	932
VENTILATOR EXHALED VOLUME.....	912
VENTILATOR EXPIRATORY TIME.....	913
VENTILATOR FLOW RATE.....	914
VENTILATOR INSPIRATORY TIME.....	915
VENTILATOR MEAN AIR PRESSURE.....	916
VENTILATOR MINUTE VOLUME.....	917
VENTILATOR MODE.....	918
VENTILATOR OTHER (data).....	1445

VENTILATOR OTHER (q-pair).....	932
VENTILATOR PATIENT EXHALE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS .....	919
VENTILATOR PATIENT MINUTE VOLUME - DO NOT CHECK TOTAL OR SUBTOTALS .....	920
VENTILATOR PATIENT RATE - DO NOT CHECK TOTAL OR SUBTOTALS .....	921
VENTILATOR PATIENT RATE TOTAL - DO NOT CHECK TOTAL OR SUBTOTALS .....	922
VENTILATOR PB 7200ae (data).....	1445
VENTILATOR PB 7200ae (q-pair).....	932
VENTILATOR PB 840 (data).....	1445
VENTILATOR PB 840 (q-pair).....	932
VENTILATOR PCV SET PRESSURE.....	923
VENTILATOR PEAK PRESSURE - DO NOT CHECK TOTAL OR SUBTOTALS .....	924
VENTILATOR PEEP.....	925
VENTILATOR PRESSURE SUPPORT.....	926
VENTILATOR PSV SET PRESSURE.....	927
VENTILATOR RATE.....	928
VENTILATOR SENSITIVITY.....	929
VENTILATOR SERVO (data).....	1446
VENTILATOR SERVO (q-pair).....	932
VENTILATOR TIDAL VOLUME ACTUAL - DO NOT CHECK TOTAL OR SUBTOTALS .....	930
VENTILATOR TIDAL VOLUME SET.....	931
VENTILATOR TYPE.....	932
VENTILATOR WAVE FORM.....	933
VENTRICULAR (data).....	1446
VENTRICULAR (q-pair).....	107
VENTRICULAR DRAIN (meth).....	1555
VENTRICULAR DRAIN (q-pair).....	392
VENTRICULAR FIBRILLATION (data).....	1446
VENTRICULAR FIBRILLATION (q-pair).....	85
VENTRICULAR TACHYCARDIA (data).....	1446
VENTRICULAR TACHYCARDIA (q-pair).....	85
VENTRICULAR WHIP PRESENT (data).....	1446
VENTRICULAR WHIP PRESENT (q-pair).....	97
VENTRICULOSTOMY (data).....	1447
VENTRICULOSTOMY (q-pair).....	956
VENTURI MASK (meth).....	1555
VENTURI MASK (q-pair).....	875
VERBAL DE-ESCALATION (data).....	1447
VERBAL DE-ESCALATION (q-pair).....	766
VERBALIZED BY PATIENT (data).....	1447
VERBALIZED BY PATIENT (q-pair).....	884
VERIFICATION OBTAINED (MANDATORY TO INSTILL MEDS/NUTRITION/FLUIDS) (data) .....	1447
VERIFICATION OBTAINED (MANDATORY TO INSTILL MEDS/NUTRITION/FLUIDS) (q-pair) .....	256
VERIFY TIME RANGE.....	934
VERTICAL TRANSFER DEVICE - AIR ASSISTED (data).....	1447
VERTICAL TRANSFER DEVICE - AIR ASSISTED (q-pair).....	413
VERTICAL TRANSFER DEVICE - NON-AIR ASSISTED (data).....	1448
VERTICAL TRANSFER DEVICE - NON-AIR ASSISTED (q-pair).....	413
VERTIGO (data).....	1448
VERTIGO (q-pair).....	518
VERY FRAGILE SKIN (data).....	1448
VERY FRAGILE SKIN (q-pair).....	175
VERY LOW BMI (data).....	1448
VERY LOW BMI (q-pair).....	689
VIOLENT (data).....	1448

VIOLENT (q-pair).....	52
VIOLET (data).....	1449
VIOLET (q-pair).....	954
VIP PORT (data).....	1449
VIP PORT (q-pair).....	573
VISCOUS (data).....	1449
VISCOUS (q-pair).....	355, 683
VISION CORRECTED.....	935
VISION UNCORRECTED.....	936
VISITORS.....	937
VISITORS INFORMED (data).....	1449
VISITORS INFORMED (q-pair).....	468
VISUAL HALLUCINATIONS (data).....	1449
VISUAL HALLUCINATIONS (q-pair).....	451
VISUAL IMPAIRMENT (data).....	1450
VISUAL IMPAIRMENT (q-pair).....	202
VITAL 1.0 (data).....	1450
VITAL 1.0 (q-pair).....	215
VITAL 1.5 (data).....	1450
VITAL 1.5 (q-pair).....	215
VITAL AF (data).....	1450
VITAL AF (q-pair).....	215
VITAL ENTERAL NUTRITION TYPE (data).....	1450
VITAL ENTERAL NUTRITION TYPE (prod).....	1579
VITAL HN ENTERAL NUTRITION (data).....	1451
VITAL HN ENTERAL NUTRITION (prod).....	1579
VITAL HN ENTERAL NUTRITION (q-pair).....	215
VITAL SIGNS STABLE (data).....	1451
VITAL SIGNS STABLE (q-pair).....	191
VIVONEX RTF (data).....	1451
VIVONEX RTF (q-pair).....	215
VOICE AMPLIFIER (data).....	1451
VOICE AMPLIFIER (q-pair).....	728
VOID (unit).....	1623
VOIDED (data).....	1451
VOIDED (meth).....	1555
VOIDED (q-pair).....	191, 558, 576
VOLUNTEER (data).....	1452
VOLUNTEER (q-pair).....	657, 899
VOMITING (data).....	1452
VOMITING (q-pair).....	227, 267, 518, 635
VOO (data).....	1452
VOO (q-pair).....	101
VT/VC - DO NOT CHECK TOTAL OR SUBTOTALS.....	938
VVI (data).....	1452
VVI (q-pair).....	101
VVIR (data).....	1452
VVIR (q-pair).....	101

- W -

WADDLING (data).....	1453
WADDLING (q-pair).....	248
WAFFLE (data).....	1453
WAFFLE (q-pair).....	688
WAIST (loca).....	1530
WAIST (q-pair).....	779, 782
WAITING ROOM (data).....	1453
WAITING ROOM (q-pair).....	231, 578
WALKER (data).....	1453
WALKER (prod).....	1579
WALKER (q-pair).....	5, 482, 754, 756,

757, 900

WALKING OR PACING (data).....	1453
WALKING OR PACING (q-pair).....	167
WANDER GUARD IN PLACE (data).....	1454
WANDER GUARD IN PLACE (q-pair).....	4
WANDERER (data).....	1454
WANDERER (q-pair).....	38
WARD (data).....	1454
WARD (q-pair).....	578, 668
WARM (data).....	1454
WARM (q-pair).....	640, 845
WARM HUMIDITY WITH O <sub>2</sub> (data).....	1454
WARM HUMIDITY WITH O <sub>2</sub> (q-pair).....	939
WARMER THAN GENERAL BODY TEMP (data).....	1455
WARMER THAN GENERAL BODY TEMP (q-pair).....	845
WARMER THAN OPPOSITE BODY PART (data).....	1455
WARMER THAN OPPOSITE BODY PART (q-pair).....	845
WARMING BLANKET (data).....	1455
WARMING BLANKET (q-pair).....	939
WARMING BOTTLE (data).....	1455
WARMING BOTTLE (q-pair).....	939
WARMING COOLING DEVICE.....	939
WARMING COOLING DEVICE APPLICATION.....	940
WARMING OFF (data).....	1455
WARMING OFF (q-pair).....	940
WARMING ON (data).....	1456
WARMING ON (q-pair).....	940
WATER (prod).....	1579
WATER (q-pair).....	369, 389
WATERSEAL (data).....	1456
WATERSEAL (q-pair).....	136
WAVEFORM REFLECTS ATRIAL PLACEMENT (data).....	1456
WAVEFORM REFLECTS ATRIAL PLACEMENT (q-pair).....	97
WBC - WASHED (prod).....	1580
WBC - WASHED (q-pair).....	369, 377
WEAK (data).....	1456
WEAK (q-pair).....	244, 279, 414, 501, 514, 905
WEAKNESS (data).....	1456
WEAKNESS (q-pair).....	635
WEDGED (data).....	1457
WEDGED (q-pair).....	97
WEEPING (q-pair).....	89, 90, 91, 92
WEEPING (qual).....	1586
WEIGHT.....	941
WEIGHT AT ADMISSION.....	942
WEIGHT DRY.....	943
WEIGHTED UTENSILS (data).....	1457
WEIGHTED UTENSILS (q-pair).....	731
WELL GROOMED (data).....	1457
WELL GROOMED (q-pair).....	286
WHEELCHAIR (data).....	1457
WHEELCHAIR (prod).....	1580
WHEELCHAIR (q-pair).....	482, 756, 757, 900
WHEELCHAIR EXIT (posi).....	1560
WHEELCHAIR EXIT ALARM (data).....	1457
WHEELCHAIR EXIT ALARM (q-pair).....	21, 770
WHEELCHAIR MOVER (data).....	1458
WHEELCHAIR MOVER (q-pair).....	413
WHEELCHAIR SCALE (meth).....	1555
WHEELCHAIR SCALE (q-pair).....	941
WHEEZES (data).....	1458

WHITE (data).....	1458
WHITE (q-pair).....	198, 216, 269, 708, 906, 950, 954
WHOLE BLOOD (prod).....	1580
WHOLE BLOOD (q-pair).....	369
WITH ACTIVITY (meth).....	1555
WITH ACTIVITY (q-pair).....	63, 715, 721
WITH AMBULATION (meth).....	1556
WITH CAST OR BRACE (meth).....	1556
WITH CAST OR BRACE (q-pair).....	941
WITH PHYSICIAN (data).....	1458
WITH PHYSICIAN (q-pair).....	167
WITH PROSTHESIS (meth).....	1556
WITH PROSTHESIS (q-pair).....	941
WITH THERAPIST (data).....	1458
WITH THERAPIST (q-pair).....	167
WITH TREATMENT TEAM/PROVIDER (data).....	1459
WITH TREATMENT TEAM/PROVIDER (q-pair).....	53
WITHDRAWN (data).....	1459
WITHDRAWN (q-pair).....	52, 54
WITHDRAWS TO PAIN (data).....	1459
WITHDRAWS TO PAIN (q-pair).....	172
WITHIN SIGHT (data).....	1459
WITHIN SIGHT (q-pair).....	536
WITHOUT ASSISTANCE (data).....	1459
WITHOUT ASSISTANCE (q-pair).....	5
WITHOUT PROSTHESIS (meth).....	1556
WITHOUT PROSTHESIS (q-pair).....	941
WITNESSED (data).....	1460
WITNESSED (q-pair).....	537
WNL: CARDIOVASCULAR SYSTEM.....	944
WNL: GASTROINTESTINAL.....	945
WNL: GENITOURINARY.....	946
WNL: MUSCULAR.....	947
WNL: NEUROLOGICAL SYSTEM.....	948
WNL: RESPIRATORY SYSTEM.....	949
WONG-BAKER FACES (data).....	1460
WONG-BAKER FACES (q-pair).....	588
WORD SALAD (data).....	1460
WORD SALAD (q-pair).....	58
WOUND (data).....	1460
WOUND (q-pair).....	831
WOUND BED COLOR.....	950
WOUND CARE TYPE.....	951
WOUND DEPTH.....	952
WOUND DISCHARGE CHARACTERISTICS.....	953
WOUND DISCHARGE CHARACTERISTICS BLOODY (data).....	1460
WOUND DISCHARGE CHARACTERISTICS BLOODY (q-pair).....	953
WOUND DISCHARGE CHARACTERISTICS CLOUDY (data).....	1461
WOUND DISCHARGE CHARACTERISTICS CLOUDY (q-pair).....	953
WOUND DISCHARGE CHARACTERISTICS NONE (data).....	1461
WOUND DISCHARGE CHARACTERISTICS NONE (q-pair).....	953
WOUND DISCHARGE CHARACTERISTICS PURULENT (data).....	1461
WOUND DISCHARGE CHARACTERISTICS PURULENT (q-pair).....	953
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (data).....	1461
WOUND DISCHARGE CHARACTERISTICS SEROSANGUINOUS (q-pair).....	953
WOUND DISCHARGE CHARACTERISTICS SEROUS (data).....	1461
WOUND DISCHARGE CHARACTERISTICS SEROUS (q-pair).....	953
WOUND DISCHARGE CHARACTERISTICS VISCOUS (data).....	1462
WOUND DISCHARGE CHARACTERISTICS VISCOUS (q-pair).....	953
WOUND DISCHARGE COLOR.....	954
WOUND DISCHARGE ODOR.....	955

WOUND DRAIN TYPE.....	956
WOUND DRAINAGE (prod).....	1580
WOUND DRAINAGE (q-pair).....	560
WOUND DRAINAGE AMOUNT.....	957
WOUND DRAINAGE AMOUNT HEAVY (data).....	1462
WOUND DRAINAGE AMOUNT HEAVY (q-pair).....	957
WOUND DRAINAGE AMOUNT MODERATE (data).....	1462
WOUND DRAINAGE AMOUNT MODERATE (q-pair).....	957
WOUND DRAINAGE AMOUNT NONE (data).....	1462
WOUND DRAINAGE AMOUNT NONE (q-pair).....	957
WOUND DRAINAGE AMOUNT SCANT (data).....	1462
WOUND DRAINAGE AMOUNT SCANT (q-pair).....	957
WOUND DRAINAGE AMOUNT SMALL (data).....	1463
WOUND DRAINAGE AMOUNT SMALL (q-pair).....	957
WOUND DRESSING CHANGE.....	958
WOUND DRESSING TYPE.....	959
WOUND DRESSING TYPE ANTIMICROBIAL (data).....	1463
WOUND DRESSING TYPE CALCIUM ALGINATE (data).....	1463
WOUND DRESSING TYPE GAUZE (data).....	1463
WOUND DRESSING TYPE GAUZE PACKING (data).....	1463
WOUND DRESSING TYPE GAUZE WRAP (data).....	1464
WOUND DRESSING TYPE HYDROCOLLOIDAL (data).....	1464
WOUND DRESSING TYPE HYDROGEL (data).....	1464
WOUND DRESSING TYPE NONE (data).....	1464
WOUND DRESSING TYPE PRESSURE (data).....	1464
WOUND DRESSING TYPE TRANSPARENT (data).....	1465
WOUND EDGE.....	960
WOUND EDGE INDISTINCT/ATTACHED (data).....	1465
WOUND EDGE INDISTINCT/ATTACHED (q-pair).....	960
WOUND EDGE NON-ATTACHED (data).....	1465
WOUND EDGE NON-ATTACHED (q-pair).....	960
WOUND EDGE ROLLED (data).....	1465
WOUND EDGE ROLLED (q-pair).....	960
WOUND EDGE TUNNELING (data).....	1465
WOUND EDGE TUNNELING (q-pair).....	960
WOUND EDGE UNDERMINING (data).....	1466
WOUND EDGE UNDERMINING (q-pair).....	960
WOUND HEALING STATUS.....	961
WOUND IDENTIFIED/SITE.....	962
WOUND IRRIGATION (prod).....	1580
WOUND LENGTH.....	963
WOUND ODOR.....	964
WOUND ODOR FOUL (data).....	1466
WOUND ODOR FOUL (q-pair).....	964
WOUND ODOR NONE (data).....	1466
WOUND ODOR NONE (q-pair).....	964
WOUND PHOTOGRAPHED.....	965
WOUND TREATMENT.....	966
WOUND TYPE.....	967
WOUND VAC DEVICE (data).....	1466
WOUND VAC DEVICE (q-pair).....	956
WOUND VACUUM (prod).....	1581
WOUND VACUUM (q-pair).....	560
WOUND VACUUM ASSISTED CLOSURE.....	968
WOUND WIDTH.....	969
WOUNDS AFFECTING TRANSFER/POSITIONING (data).....	1466
WOUNDS AFFECTING TRANSFER/POSITIONING (q-pair).....	175
WRIST (loca).....	1530
WRIST (q-pair).....	142, 486

X-RAY (data).....1467  
X-RAY (q-pair).....270  
XENADERM (data).....1467  
XENADERM (q-pair).....692  
XEROFORM (data).....1467  
XEROFORM (q-pair).....692, 966

- Y -

YEAR (unit).....1623  
YELLOW (data).....1467  
YELLOW (q-pair).....198, 216, 269, 708,  
825, 869, 906, 950,  
954  
YELLOW/FIBRINOUS (data).....1467  
YELLOW/FIBRINOUS (q-pair).....681  
YELLOW/GREEN (data).....1468  
YELLOW/GREEN (q-pair).....869  
YES (data).....1468  
YES (q-pair).....9, 15, 20, 31, 32,  
33, 34, 35, 36, 37,  
39, 40, 43, 47, 49,  
61, 77, 78, 82,  
100, 102, 106, 119,  
124, 130, 133, 137,  
138, 178, 195, 234,  
236, 250, 266, 274,  
283, 285, 291, 292,  
299, 354, 357, 362,  
363, 364, 365, 366,  
565, 570, 575, 577,  
579, 597, 611, 641,  
642, 672, 684, 687,  
690, 693, 695, 706,  
718, 747, 763, 764,  
765, 767, 768, 769,  
771, 792, 802, 803,  
824, 826, 828, 829,  
830, 841, 842, 891,  
902, 903, 911, 937,  
958, 965  
YES, NEED IDENTIFIED AND ADDRESSED (data).....1468  
YES, NEED IDENTIFIED AND ADDRESSED (q-pair).....496  
YES, NO NEED IDENTIFIED (data).....1468  
YES, NO NEED IDENTIFIED (q-pair).....496

- { -

{8BC7F294-7126-4843-91A0-14F805EC4578} (data).....1469  
{8BC7F294-7126-4843-91A0-14F805EC4578} (q-pair).....225