worldpay

Payments plugin for Magento 2

User guide

Version release-v2.4.9-beta10426 April 2026



Contents

1. Introduction 7

2. Overview of features 7

Before you start 8

How to get started 8

If you need support ..... 9 Basic configuration 9

3. Main configurations 11

Credit card configurations 11

Order notifications 13

Intelligent account verification (IAV) 13

How to configure IAV 14

Manage and customise labels 16

The shopper's experience *17*

Key XML update *18*

How to configure 3DS 18

How to activate 3DS *18*

Credit card configurations *23*

Previously saved card not working after 3DS2 activation *23*

US and Canadian domestic acquiring 24

Issuer Insights *24*

ACH Direct Debit (US only) *24*

The shopper's experience *30*

Prime routing (US only) *31*

Level 2/3 data .....

36 Latin American payments

..... 41

Latin America configurations *42*

The shopper's experience *44*

Recommendation for Brazil only *45*

Exemption engine 45

How to configure the exemption engine *45*

4. FraudSight 46

Configure Fraudsight 47

Manage alerts and messages *47*

FraudSight response 48

Order review..... 49

Cancel an order *49*

Errors *50*

Capture requests *52*

5. Tokenization and stored credentials 52

Token generation 52

Token initialisation and storage in the Magento database 52

Token usage for future authorisations 52

Token expiry..... 53

How to configure tokenization and stored credentials 53

The shopper’s experience with stored credentials enabled ..... 55 The shopper's experience with card tokens stored in their account 58

6. Hosted payment page ..... 60 Hosted payment page with 3D Secure 63

7. Mobile wallets 65

Apple Pay 65

Prerequisites 65

How it works 65

Implementation steps 66

How to configure Apple Pay 69

Apple Pay in PDP 70

The shopper's experience 71

Apple Pay HPP 72

Google Pay 76

The shopper's experience 78

Google Pay HPP 79

How to enable the Google Pay HPP button on the HPP 80

The shopper's experience 80

Google Pay in PDP *82*

The shopper's experience *82*

Samsung Pay 83

Pre-requisites *83*

Payment by PC *84*

Preparing for integration *84*

Admin configuration *85*

Test/Live mode *86*

The shopper's experience *86*

8. Chrome Pay 91

Chrome Pay 3DS-2 94

9. MOTO payments ..... 94 The shopper's experience 95

10. Alternative payment methods 97

Dynamic narratives 98

The shopper's experience 98

Payment XML changes 99

Klarna ..... 100 *Klarna configurations* *101*

Code 104

The shopper's experience 108

11. How to configure instant purchase 110

How to set up instant purchase..... 110

The shopper's experience 110

12. Multiple partial capture 112

Implementing multiple partial capture .....

112 How to execute partial capture from Magento

..... 113

13. Merchant profile override 115

How to synchronise order status with Worldpay 116

Executing the cron job for Worldpay-specific orders 117

How to set up cron jobs in periodic time 117

14. Dynamic currency exponents 118

How to setup dynamic exponent 118

How to set up currency code exponents 119

Subscriptions and recurring payments 120

How to configure subscription and payment plans 120

15. The shopper's experience 123

16. Recurring orders ..... 124 Products on Demand 125

17. Country-code spoofing 126

How does it work? *126*

18. Configurable alert messages 127

How to set up configurable alerts *127*

The shopper's experience *130*

Extended response codes 131

How to customise Worldpay response messages *131*

The shopper's experience *132*

19. Configurable labels 133

Checkout labels *134*

My account labels *134*

Admin labels *135*

20. Custom logo for payment 137

21. Global APM API call 139

22. Worldpay API security alerts 139

23. Worldpay multi-shipping 140

The shopper's experience *141*

24. Worldpay Pay by Link..... 143

The shopper's experience *144*

25. Eftpos payments, Australia 147

Admin configuration *147*

Least-cost routing *148*

3DS process *148*

The shopper's experience *151*

Invoice processing, shipments, refunds: *151*

26. Content Security Policy Compatibility 151

27. Multi-language support 151

How to report bugs 152

1. Introduction

The Worldpay payments plugin for Magento 2 is highly customisable and offers a comprehensive suite of payment and admin features, and we built it with your integration and business needs in mind. It features:

Quick and easy installation. Clear, succinct documentation enables developers to be as productive as possible

Lowest possible PCI DSS burden. We'll help you reach and maintain compliance with minimum effort

Full support whenever you need it. Our support teams are there for you – 24/7 for payment incident support and 24/5 for any other issues. Please get in touch with your Worldpay support contact. If they're not available, call our customer service team on 0800 096 3997.

2. Overview of features

The table below lists the main features of our plugin.

Features	Description
Supported credit cards	Visa, MasterCard, Maestro, American Express, Diners, Discover, JCB, Carte Bancaire, Carte Bleue, Dankort, ELO
3DS authentication	3D Secure authentication (strong customer authentication) for direct credit card integration and hosted payment pages
Exemption engine	Request real-time risk analysis of transactions to exempt as many as possible from strong customer authentication
Tokenization	Token creation for sending authorisation requests with stored card details that are PCI compliant
Stored credentials	With detailed ways of improving authorisation rates and ensuring compliance
Co-branded	If co-branded is enabled in WPG, co-badged functionality will be displayed in both HPP checked as well as direct payment.
Stored credentials: disclaimer message	Ask for shoppers' consent before saving their card during checkout

Hosted payment page	Redirection to the PCI-compliant payment page that Worldpay hosts

Apple Pay and Google Pay	Process Apple Pay and Google Pay payments
Google Chrome: payment service API	A payment service API for Chrome that helps shoppers with express checkout
MOTO	Your customer service team can make mail orders and telephone orders using the Create Order interface in Magento
Supported APMs	PayPal, Klarna, Union Pay, IDEAL, ACH, AliPay, SEPA, P24, Mistercash/Bancontact, Sofort/Pay.Now
Instant page checkout	Express checkout
Multiple partial capture	Support for multiple partial capture with Worldpay, allowing you to ship goods as they are available and capture only the funds required at that time
Merchant profile override	Override your merchant profile so you can (for example) support different payment methods in different stores using one merchant ID
Repeat payments	Support for regular payments (such as subscriptions) and for recurring orders

Before you start

Prerequisite: You need to have installed and correctly set up your Magento 2 store. If you have any problems with your Magento set-up, please visit the Magento support centre.

How to get started

Make sure your Implementation Manager or support contact has given you:

- A merchant code (or codes)
- A username and password for the Worldpay Merchant Administration Interface

Once you receive your login credentials to log in to the Merchant Administration Interface, follow the steps below to configure your XML connection credentials:

1. Click **ACCOUNT**, then select **Profile** from the top menu.
2. Note your new username for the connection.
3. Click the pencil icon next to **XML Password**.
4. Enter your new password and click **Save XML Password.**


If you need support


Please get in touch with your Worldpay support contact. If they're not available, call our customer service team on 0800 096 3997.

Basic configuration

After you've installed the extension, follow this menu path to configure it:

Stores/Configuration/Sales/Worldpay:


Configuration
admin3
Scope: Default Config
Save Config
GENERAL
CATALOG
SECURITY
CUSTOMERS
SALES
Sales
Sales Emails
PDF Print-outs
Tax
Checkout
Shipping Settings
Multishipping Settings
Delivery Methods
Google API
Payment Methods
General Configuration
Credit Cards
Credit Card 3DS Authentication
Tokenization / Stored Credentials
Hosted Payment Page
MOTO
Instant Purchase with Worldpay
Google Chrome Payment service API
Mobile Wallets
Alternative Payment Method
KLARNA
Level 2/3 Data for US and Canada payments
Prime Routing
Latin America Payments
Exemption Engine



The table below describes all the fields, and what you'll need to input to complete basic configuration.


Features	Description
Enable Worldpay	When set to **Yes**, shoppers will be able to process transactions using the Worldpay Payment Gateway at checkout
Environment Mode	Toggles between test and live modes. Set it to **Live** after testing is completed and before production launch
Test URL	The Worldpay test environment's URL
Live URL	The Worldpay production environment's URL
Merchant code	Your Worldpay merchant code, which your Worldpay support contact provides
XML username	Your Worldpay XML username, which you will find in the Worldpay Merchant Admin Interface
XML password	Your Worldpay XML password, which you can set in the Worldpay Merchant Admin Interface

Enable logging	If this is enabled, all requests, responses and other debug information, are logged at the Magento2Root/var/log/worldpay.log file. You should disable logging on production and enable it on staging for debugging. If you are troubleshooting, you might be asked to enable this feature
Auto invoice	If set to **Yes**, Magento automatically creates an invoice. This occurs so long as Worldpay authorises the transaction and sends a capture request. If set to **No**, an invoice will not be created until a capture order notification is received
Payment method selection	This has two options: payment methods can either be displayed as radio buttons or dropdowns in the payment section

3. Main configurations

Credit card configurations

The screenshot and the table below it describe your options for setting credit card configurations. The blue highlighted field in the screenshot shows that you can select multiple items.


Credit Cards
Enabled
[store view]
Yes
Enable Intelligent Account Verification
[store view]
No
Title
[store view]
Credit Cards
Integration Mode
[store view]
Direct
Set Hosted payment page by selecting Redirect
Payment Methods
[store view]
American Express
Visa
MasterCard
Carte Bancaire
Carte Bleue
Dankort
Diners
Discover
Japanese Credit Bank
Maestro
Client Side Encryption Enabled
[store view]
Yes
Public Key
[store view]
1#10001#9dwdwdwewxxxxedwe2923231312174e5d91f60afeeab06fa8d8f
936717d19f842adfddf344f05294cfd05e8f0ae7ece7113c970bf6f9d5090421c
5122408ac8b293335fdd72202534227bf71d7d6bbec984be8cersdsdsgdssad
z4f743f6d32bdc72540ca8f0f847153ad9dgfgrgrcbc421e56321790c4ad60e08
0d76857b89489e1b368bc3922b59cc14d0831b72581a9ee9759fbf61b0455fd
a074e3d25dbdc3c3db5714fccf90f3ebdf74a618359655370b3a51b82328caff
For this detail, You must connect with your Worldpay contact.
Require CVC
[store view]
Yes

Credit card configuration	Description
Enabled	When set to **Yes**, credit card payments are available to shoppers at checkout
Enable intelligent account verification	When set to **Yes**, the intelligent account verification (IAV) feature will validate a credit card using zero/nominal auth
Title	The title that appears above the credit card payment section at checkout
Integration mode	There are two integration modes for credit cards: 1. **Direct integration mode** Card information is saved at the Magento online store and passed to Worldpay by server-to-server transfer in XML format. No card information is saved by the Worldpay plugin. This integration requires the highest level of PCI DSS compliance 2. **Redirect integration mode** The shopper will be redirected to the Worldpay payment page, and their card information will be captured at the Worldpay end. This integration requires the lowest level of PCI DSS compliance
Payment methods	Select which credit cards are available to shoppers at checkout
Client-side encryption enabled	If enabled, all card details are securely transferred to Worldpay in encrypted format. This is only required when using the direct integration mode. Using CSE with direct integration reduces the level of PCI DSS compliance that's required
Public key	Only required if client-side encryption is enabled. You can get this key from the Worldpay Merchant Admin Interface. If you do not see the option for it, contact your Worldpay representative for help


Require CVC	If enabled, a mandatory CVC form field appears in the card-detail entry form

Order notifications

Note: You must set up order notifications to ensure this plugin works properly.

Order notifications are transaction-status updates that Worldpay pushes to the Magento store.

To enable your Magento store to receive order notifications, you need to enter the URL below in your Worldpay merchant profile: https://<brand url>/worldpay/notification/index



If transactions are being processed asynchronously, you may notice some details of the transaction among your Magento order details.

The fully updated order details (Sales/Orders/Order View/Information) appear after Magento has received the order notification from Worldpay. Under **Payment Information** you should see:

Payment Information

Alternative Payment methods

The order was placed using GBP.

Worldpay Order Id	**000000051-1583918751**
Payment Status	**SENT_FOR_AUTHORISATION**
Payment Model	**Redirect**
Payment Method	**KLARNA-SSL**
Card Number	
AVS Result	
CVC Result	
Basic Risk Score	

Shipping & Handling Information

Flat Rate - Fixed £5.00

Intelligent account verification (IAV)

IAV is a feature that validates a credit card.


Cardholders submit a zero or nominal value (a payment with a value greater than zero) while Worldpay determines the amount with the best chance of approval. Any value above zero is automatically reversed following verification.

The processing of a nominal value (or zero) is an important part of verifying that an account is real and set up for transactions. Contact Worldpay Support to enable IAV for your company or organisation.

How to configure IAV

Follow these steps:

1. Go to Admin/Configuration/Sales/Worldpay/Credit Cards/Enable Intelligent Account Verification. The screen should appear similar to the screenshot below.




The shopper can save a new card through IAV or through zero authorisation.

All form validations are handled through custom labels and custom alert messages.

To configure alerts or show customised messages, do the following:

1. Go to Store/Settings/Configuration/Sales/Worldpay Exception Codes.
2. The default alert messages are under **Customize Account Level Messages**. You can customise these messages and the custom message box:



3. Click **Save Config** after updating the configurations.

Use the information in the table below to add the configurations above.


Message code	Actual message	Custom message
IAVMA1	Please verify the billing address in your address book before adding a new card	
IAVMA2	Are you sure you want to delete the card? Once the card is deleted, subscriptions associated with it will be cancelled	
IAVMA3	The card has been added	

IAVMA4	Your card could not be saved	

Manage and customise labels

To manage or customise labels, do the following:

1. Go to Store/Settings/Configuration/Sales/Worldpay Custom Labels.
2. The default labels are under **My Account Labels**. You can customise these labels as well as the custom message box:



3. Click **Save Config** after updating the configurations.


Use the information in the table below to add or update the configurations above.

Message code	Actual message	Custom message

IAVAC1	Add new card	
IAVAC2	Card type	
IAVAC3	Default billing address	

The shopper's experience

A new form is added for saving new credit cards under Login/My Account/Saved cards/Add new card. See the screenshot below:



Key XML update

Below is the example of Worldpay IAV with zero authorisation amount for saving new card.

```
<paymentDetails action="ACCOUNTVERIFICATION">

<amount currencyCode="EUR" exponent="2" value="0"/>
```

The card is saved if ((lastEvent == 'AUTHORISED') || ((lastEvent == 'CANCELLED') &&

(riskScore[value] < 100 || riskScore[finalScore]< 100))). Otherwise, card will not be saved in the shopper's account.

Note: IAV works with AVS, CVC, 3DS, and checks made by a Worldpay fraud detection service, where available.

How to configure 3DS

3DS Flex is the most advanced product on the market for 3D Secure (3DS). It helps to increase issuer approvals for transactions affected by PSD2. For full details, download the user PDF.

To use 3DS authentication, you must enable and configure 3DS at Admin/Stores/Configuration/Sales/Worldpay

Under the **Credit Card 3DS Authentication** tab you will see this 3DS configuration panel:



How to activate 3DS

1. Set **Activate 3DS Authentication** to **Yes** or **No.**



2. If **Activate 3DS Authentication** is set to **Yes**, then set **Enable 3DS1 Authentication** to **Yes** or **No:**




3. If **Activate 3DS Authentication** and **Enable 3DS1 Authentication** are both set to **Yes**, then set **Enable 3DS2 Authentication** to **Yes** or **No:**



4. If **Activate 3DS Authentication** is set to **Yes**, **Enable 3DS1 Authentication** is set to **No**, and **Enable 3DS2 Authentication** is set to **Yes**, you can then configure 3DS2.

Note: If you enable both 3DS1 and 3DS2, the Worldpay gateway will detect the right authentication for the credit card.



See the sample values in the image above to configure 3DS2. After configuration, you must clear the Magento cache: `php bin/magento cache:clean`

Configuration	Description
Enable 3DS2 authentication	This enables or disables the 3DS2 feature. If 3DS2 is disabled, orders will be placed by 3DS1, so long as 3DS has been enabled. If both are disabled, then the order will be placed by normal credit card authorisation

JWT event URL	This is for capturing the session ID from the domain. For production mode, please use: https://centinelapi.cardinalcommerce.com. For test mode, please use: https://secure-test.worldpay.com


JWT API key, JWT issuer and organisational unit ID	Worldpay supplies these values. You must contact your Worldpay representative to register you for 3DS2
Test DDC (device data collection) URL	This is for creating the JWT session ID. For test mode, use: https://secure-test.worldpay.com/shopper/3ds/ddc.html
Production DDC URL	To create the JWT session ID in production mode, use: https://centinelapi.cardinalcommerce.com/V1/Cruise/Collect
Authentication method	This is added as risk data. It is a mechanism to authenticate shoppers: `guestCheckout`: the shopper is not authenticated `localAccount`: you authenticate the shopper using your own systems `federatedAccount`: you authenticate the shopper using a Federated ID `fidoAuthenticator`: you authenticate the shopper using FIDO Authenticator `issuerCredentials`: you authenticate the shopper using issuer credentials `thirdPartyAuthentication`: you authenticate the shopper using third-party authentication
Test challenge URL	This is the URL for the challenge page. For test mode, please use: https://secure-test.worldpay.com/shopper/3ds/challenge.html
Production challenge URL	This is the URL for the challenge page. For production mode, please use: https://centinelapi.cardinalcommerce.com/V2/Cruise/StepUp
Challenge preference	`noPreference`: You have no preference about whether a challenge is performed `noChallengeRequested`: You prefer that no challenge is performed `challengeRequested`: You prefer a challenge to be performed `challengeMandated`: There are local or regional mandates that mean that a challenge must be performed. This is an optional field

Challenge window type	The 3DS2 challenge form redirects shoppers either to a full page or an iframe. The full page redirects them to either Worldpay or Cardinal. The iframe challenge form appears in the same page

Note: 3DS2 works with both Direct and Redirect modes. You can enable the integration mode at Stores/Configuration/Sales/Credit Cards. Please see main configurations.

Credit card configurations

For a detailed view of risk data, go to Sales/Orders/Order View/Information and look under Payment Information:



Payment & Shipping Method

Payment Information

Alternative Payment methods

The order was placed using USD.


Worldpay Order Id	**000000008-1582891513**
Payment Status	**SENT_FOR_AUTHORISATION**
Payment Model	**Redirect**
Payment Method	**SEPA_DIRECT_DEBIT-SSL**
Card Number	
AVS Result	
CVC Result	
Basic Risk Score	
Advanced Risk Provider	
Advanced Risk Score	
Advanced Risk Threshold	
Advanced Risk Final Score	
Advanced Risk Id	
AAV Address Result Code	
AAV Postcode Result Code	
AAV Telephone Result Code	
AAV Email Result Code	
AAV Cardholder Name Result Code	
Interaction Type	**ECOM**

Shipping & Handling Information

Flat Rate - Fixed $75.00

Previously saved card not working after 3DS2 activation

If a shopper has saved their card before 3DS2 activation, they must update the card details in their **My Account** section. This is because the token created earlier may not work with 3DS2:



My Account
My Orders
Order by SKU
My Downloadable Products
My Wish List
Address Book
Account Information
Store Credit

My Saved Card

Card Brand #	Card Number	Card Holder Name	Card Expiry Month	Card Expiry Year		
ECMC	5454********5454	Satya	3	2023	Update	Delete
ECMC	5555********4444	Nitin	2	2027	Update	Delete
VISA	4111********1111	Avishek	2	2022	Update	Delete
AMEX	3434********3434	3D	6	2025	Update	Delete

Note: Card details are not saved. Only the token is saved at the Magento level.


US and Canadian domestic acquiring

This section covers features that only apply to merchants in the US and Canada.

Issuer Insights

This section describes the extra data available once Issuer Insights is enabled by WorldPay.

To view Issuer Insights, go to Sales/Order, and click **View**:




ACH Direct Debit (US only)

This section describes how to configure ACH Direct Debit (US domestic wire transfer) to your integrations.

Note: This is applicable only for the US. You must have a US domestic bank account to use this feature.

To configure the system for ACH pay, do the following:

1. Go to Store/Settings/Configuration/Sales/Worldpay.




2. Use the information in the table below to complete the configuration:

Configuration	Description
Enabled	If set to **Yes,** this will enable alternative payment methods
Payment methods	Select ACH Pay from the options provided. This feature is only available for the US
ACH account types	Configure the available bank account types

3. You can add the configuration to manage alerts/show customised messages by following these steps:

    a. Go to Store/Settings/Configuration/Sales/Worldpay Exception Codes

b. Under **Customize Admin Worldpay Configuration Messages**, click the **Add** button and then add the configurations below:




You must click **Add** after you add the configurations.

Use the table below to add the configurations in the screenshot above:

Message code	Actual message	Custom message
AACH01	Void sale action failed	
AACH02	Void sale executed successfully. Please run sync status after a while	

Under **Customize Checkout Messages**, you must click the **Add** button, then add the configurations below:




You must click **Add** after adding the configurations.


Use the information in the table below to add the above displayed configurations:

Message code	Actual message	Custom message
CACH03	Maximum allowed length of 17 exceeded	
CACH04	Required length should be 8 or 9	
CACH05	Maximum allowed length of 15 exceeded	
CACH06	Maximum allowed length of 40 exceeded	

4. In some cases, you might want to void a sale request. This must be done within the same US business day as the sale request.
    a. To void a sale request, go to Sales/Orders
    b. Search for the order id shared by the shopper: eg, 000000504




c. Click **View**, and the page below appears with option to void sale request



Note: The **Void Sale** button is visible within the same US business day as the sale request and only for ACH Pay orders.


If you choose to void the sale request, please do not send a refund request from the MAI site.

d. You must click the **Void Sale** button to void a particular sale request. You will receive the message below on successful execution of the void-sale request. e.




\

This indicates that the request was executed successfully. After a while you must run the sync status, which will reflect the current state of the order status as well as the payment status.



If you click the **Void Sale** button after the request has been voided, you will see the error message below:




Note: The alert messages may vary depending on the availability of custom messages from the configuration. If the **Void Sale** button is unavailable or if the request fails, you'll need to submit a refund request.

The shopper's experience

Once you have configured your system, it has the following effects on your shoppers:

Shoppers see seven new fields in the alternative payment methods section when they select ACH pay:

- Bank account types
- Account number
- Routing number
- Check number
- Company name
- Email address
- Purpose of transaction text box



The ACH Pay-specific fields appear once the admin has enabled them, and if the billing address is in the US.

ACH Pay-specific field	Storefront validation
Bank account types	The **Select** box will appear. Values for selection will depend on the account types configured by the admin
Account number	Only accepts up to 17 digits
Routing number	Only accepts digits with minimum length of 8 and maximum length of 9
Check number	Only accepts up to 15 digits

Company name	Accepts strings with a maximum length of 40 characters
Email address	Accepts standard email validation
Purpose of transaction	Accepts alphanumeric characters that will be truncated to 15 characters while sending the request.

Note: ACH Pay is only available in direct integration mode.


Prime routing (US only)

This section describes how to configure prime routing to your integrations.

Note: This is only applicable to the US and works only in direct integration mode. Once prime routing is enabled, the request is treated as a sales request.

To configure prime routing, do the following:

1. Go to Store/Settings/Configuration/Sales/Worldpay:




2. Use the information in the table below to complete the configuration:

Configuration	Description
Enable prime routing	If set to **Yes**, this enables the prime routing feature
Enable advanced prime routing	If set to **Yes**, this lets you configure the routing preference and debit networks
Routing preference	This lets you configure the routing preference to specify how a particular transaction should be routed
Debit networks	This lets you configure the debit networks to specify how a particular transaction should be routed

You can add the configuration to manage alerts/show customised messages by following these steps.

1. Go to Store/Settings/Configuration/Sales/Worldpay Exception Codes.


2. Under **Customize Admin Worldpay Configuration Messages**, click the **Add** button and then add the configurations below:



Click **Save Config** after adding the configurations, and use the table below for adding the configurations:

Message code	Actual message	Custom message
AACH01	Void sale action failed	
AACH02	Void sale executed successfully Please run sync status after a while	


Under **Customize Checkout Messages**, click the **Add** button and then add the configurations below:




Click **Save Config** after adding the configurations and use the table below for adding the configurations:

Message code	Actual message	Custom message
CPR01	Merchant is not enabled for prime routing	

3. In some cases, you might want to void a sale request. This must be done within the same US business day as the sale request.
    a. To void a sale request, go to Sales/Orders
    b. Search for the order ID shared by the shopper: eg, 000000713




    c. Click on **View**, and you will see the page below, with the option to void the sale request:




The **Void Sale** button is visible within the same US business day as the sale request and only for sale requests (prime routing requests) and ACH Pay orders.

If you want to void the sale request, please do not send a refund request from the MAI site.


d. You must click the **Void Sale** button to void a particular sale request. You will see the message below when the void sale request process is successful:



This indicates that the request was executed successfully. After a while, run the sync status. This status shows the current state of the order status as well as the payment status:



e. If you click the **Void Sale** button after the request has been voided, you will see the error message below:



Note: The alert messages may vary depending on the availability of custom messages from the configuration.

If the **Void Sale** button is unavailable, or if the request fails, you must submit a refund request.

Note: Prime Routing is available only in direct integration mode. If enabled, the request is treated as a sales request.

Level 2/3 data

Worldpay credit card processing data for VISA and MasterCard falls into two levels when being passed – Level 1 and Level 2/3.

Each level is defined by the amount of information that is required or passed as a set of extra data.

Level 1 processing has the lowest data requirements, but potentially the highest interchange fees. Level 2/3 processing demands card data that provides more information for business, commercial, corporate, purchasing and government cardholders.

Credit card transactions submitted with Level2/3 card data can obtain lower interchange fees and attract a lower processing cost, along with spending insights for shoppers. Naturally, it is in the best interest of merchants to submit Level 2/3 card data whenever possible.

You can supply Level 2 and Level 3 data through the following APIs:

- Direct XML (AUTHORISE and SALE)
- Redirect or HPP
- Capture or refund batch request
- Capture or refund order modification

Qualification criteria

MasterCard

- The transaction must be taxable
- Tax must be between 0.1% and 30% of the transaction amount
- For level 3, the transaction must use a corporate, business or purchasing card • For level 3, at least one line-item must be included

Visa

- The transaction must be taxable
- Tax must be between 0.1% and 22% of the transaction amount
- For level 3, the transaction must use a corporate or purchasing card. Tax must be between 0.1% and 22% of the transaction amount


- For level 3, the transaction must use a corporate or purchasing card

Note: Qualification criteria are validated by the Worldpay gateway and not by the Magento 2 plugin.

How to set up level 2/3 data

Go to Stores/Configuration/Sales/Worldpay: Level 2/3 Data for US and Canada Payments.

Configuring level 2/3 data



Configuration	Description
Enable level 2/3 data	This field enables/disables level 2/3 data for US and Canada payments
Card acceptor tax id	This must be between 1-20 characters (9 digits for USdomiciled merchants)
Duty amount	Duty amount manageable by merchant for international shipping that has duties tax
Unit of measure	You can configure a product's unit of measure, with the value set as "**each**" by default. The unit of measure will be passed on to the Worldpay gateway

Product attribute values

Browse Catalog/Products. For any product type:



Configuration	Description
Commodity code	The commodity code to be configured by you for each product
Unit of measure	You configure the product's unit of measure and this value will overwrite the default value set under Stores/Configuration/ Sales/Worldpay: Level 2/3 Data for US and Canada Payment

Note: The Worldpay Magento 2 plugin adds two product attributes. These are **Commodity code** and **Unit of measure** for all the product types to support level 2/3 data needs after installation.

Sample payment request

Configuration

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE paymentService PUBLIC "-//Worldpay//DTD Worldpay PaymentService v1//EN"
"http://dtd.worldpay.com/paymentService_v1.dtd" >
<paymentService version="1.4" merchantCode="YOUR_MERCHANT_CODE">
   <submit>
      <order orderCode="YOUR_ORDER_CODE">
         <description>YOUR DESCRIPTION</description>
         <amount value="100" currencyCode="EUR" exponent="2"/>
<orderContent>
            <![CDATA[]]>
         </orderContent>
         <paymentDetails>
            <CARD-SSL>
               <cardNumber>4444333322221111</cardNumber>
               <expiryDate>
                  <date month="06" year="2019"/>
               </expiryDate>
               <cardHolderName>AUTHORISED</cardHolderName>
               <cvc>666</cvc>
               <cardAddress>
                  <address>
                     <firstName>Mr Bert</firstName>
                     <address1>Worldpay</address1>
                     <address2>270-289 The Science Park</address2>
                     <address3>Milton Road</address3>
                     <postalCode>CB4 0WE</postalCode>
                     <city>Cambridge</city>
                     <countryCode>GB</countryCode>
                  </address>
               </cardAddress>
            </CARD-SSL>
            <session shopperIPAddress="127.0.0.1" id="ssn818495445"/>
</paymentDetails>
         <branchSpecificExtension>
```

```
            <purchase>
               <invoiceReferenceNumber>INV12233566</invoiceReferenceNumber>
               <customerReference>CUST00000001</customerReference>
               <cardAcceptorTaxId>VAT1999292</cardAcceptorTaxId>
               <salesTax>
                  <amount value="2400" exponent="2" currencyCode="USD"
/>                </salesTax>
               <discountAmount>
                  <amount value="0" exponent="2" currencyCode="USD" />
```

```
</discountAmount>
                <shippingAmount>
                   <amount value="100" exponent="2" currencyCode="USD" />
</shippingAmount>
                <dutyAmount>
                   <amount value="0" exponent="2" currencyCode="USD" />
</dutyAmount>
                <shipFromPostalCode>CB40WD</shipFromPostalCode>
                <destinationPostalCode>CB4OWD</destinationPostalCode>

<destinationCountryCode>GB</destinationCountryCode>
<orderDate>
                   <date dayOfMonth="1" month="1" year="2018" />
</orderDate>
                <taxExempt>false</taxExempt>
                <item>
                   <description>Mobile phone</description>
                   <productCode>MOB1001</productCode>
                   <commodityCode>COM10022</commodityCode>
                   <quantity>1</quantity>
                   <unitCost>
                      <amount value="12000" exponent="2" currencyCode="USD" />
                   </unitCost>
                   <unitOfMeasure>each</unitOfMeasure>
                   <itemTotal>
                      <amount value="12000" exponent="2" currencyCode="USD" />
                   </itemTotal>
                   <itemTotalWithTax>
                      <amount value="14400" exponent="2" currencyCode="USD" />
                   </itemTotalWithTax>
                   <itemDiscountAmount>
                      <amount value="100" exponent="2" currencyCode="USD" />
</itemDiscountAmount>
                   <taxAmount>
                      <amount value="2400" exponent="2" currencyCode="USD" />
</taxAmount>
                </item>
             </purchase>
          </branchSpecificExtension>
       </order>
    </submit>
</paymentService>
```

Note: Level 2/3 data is highlighted with blue font-colour.

Latin American payments

This section describes how to add Latin American payments to your integrations, including payments by instalment.

Prerequisite: You must have a legal entity in each Latin American country that you want to trade in.


Note: Please contact your Worldpay representative to set up the appropriate routing for the countries you want to trade in.

The plugin supports payments from these countries:

- Argentina
- Bolivia
- Brazil
- Central America (Costa Rica, Nicaragua, El Salvador, Honduras, Panama, Guatemala)
- Chile
- Colombia
- Ecuador
- Mexico
- Peru
- Uruguay

Latin America configurations

To begin the configuration: Go to Store/Settings/Configuration/Sales/Worldpay:



Use the information in the table below to complete the configuration:

Configuration	Description
Enable CPF/CNPJ	Set to **Yes**, a shopper is only required to submit their CPF (Cadastro de Pessoas Físicas) and CNPJ (Cadastro Nacional da Pessoa Jurídica) ID number for payments originating in Brazil*

Enable instalment	Set to **Yes**, shoppers can pay in instalments. If set to **No**, instalments are not available. This feature is only available for Latin American countries

Instalment configuration	This enables you to do instalment-type mapping for Latin American countries
Instalment type	Type1 up to 12 instalments are applicable to Argentina and Brazil. Type2 up to 18 instalments (3, 6, 9, 10, 12, 15) are applicable to Mexico Type3 up to 36 instalments (3, 6, 9, 10, 12, 18, 24, 36) are applicable to Colombia
	Type4 up to 48 instalments (3, 6, 9, 10, 12, 18; 24; 36; 48: are applicable to Brazil, Chile, Costa Rica, El Salvador, Guatemala, Honduras, Nicaragua, Panama and Peru

* You must only enable CPF for Brazilian payments.

Administrators can use the **Instalment** configuration to map countries with instalment types, and must apply the configurations in the table below:


Country	Permitted types of instalments
Brazil and Argentina	Up to 12 instalments
Mexico	Up to 18 sequential instalments: 3, 6, 9, 10, 12, 15, 18
Columbia	Up to 12 instalments without interest. Up to 48 instalments with interest. Sequential instalments: 3, 6, 9, 10, 12, 18, 24, 36, 48
Peru and Central America	Up to 48 sequential instalments: 3, 6, 9, 10, 12, 18, 24, 36, 48

The shopper's experience

Once you have configured your system, it has the following effects on your shoppers:

Shoppers see three new fields in the credit-card payment section:

- CPF/CNPJ text box (only for Brazil)
- Instalments-type dropdown (only for LatAm countries)
- Purpose-of-transaction text box



The Latin America-specific fields (**CPF/CPNJ, Instalment and Purpose of transaction**) appear once the admin has enabled them, and if the billing address is in one of the Latin American countries.

LatAm-specific field	Storefront validation
CPF	Accepts only digits up to 11
CPNJ	Accepts only digits up to 14
Instalment	Select box will appear. Values for selection will depend on selected billing country
Purpose of transaction	Accepts a maximum of 13 alphanumeric characters

Recommendation for Brazil only

There are three variations of fields that should be visible for payments from Brazil:

1. Only CPF is enabled. (The **CPF** and **Purpose of Transaction** fields are visible.)
2. Only Instalments is enabled. (The **Instalment** and **Purpose of Transaction** fields are visible.)


Both CPF and Instalments are enabled. (The **CPF**, **Instalment** and **Purpose of Transaction** fields are visible.)

Exemption engine

The exemption engine enables frictionless checkout during 3DS2 using transactional data to predict issuer behaviour. The engine requests real-time risk analysis of transactions to exempt as many as possible from SCA (strong customer authentication).

How to configure the exemption engine

Go to Stores/Configuration/Sales/Worldpay/Exemption Engine:



Configuration	Description
Enable Exemption Engine	If set to **Yes**, transactions can be exempted from SCA, based on realtime risk analysis
Exemption Placement	**AUTHORISATION**: Applies exemption in the authorisation flow **AUTHENTICATION**: Applies exemption in the authentication flow **OPTIMISED**: Applies the exemption placement that has the highest probability of issuer acceptance as determined by the exemption engine
Exemption Types	**LV**: Low-value exemption (less than 30 EUR) **LR**: Low-risk exemption. **OP**: Optimised exemption (highest probability of issuer acceptance determined by the exemption engine).

In some cases, the exemption might not be accepted by the issuing bank. If this occurs the shopper is required to go through authentication

If an exemption is allowed, the liability for the transaction rests with you and not the issuing bank

Optimised is the recommended *Placement and Types*

4. FraudSight

Fraudsight combines unparalleled data insights, industry-leading technology and fraud-prevention expertise that enable you to predict and prevent fraud.

Contact Worldpay Support to get FraudSight enabled on your system.


Configure Fraudsight

Once FraudSight is enabled on your account it is automatically activated in the Magento plugin. The information in this section is important if you are to manage fraud-related cases effectively.

Manage alerts and messages

To manage alerts/show customised messages do the following:

1. Go to Store/Settings/Configuration/Sales/Worldpay Exception Codes.
2. Under Customize Admin Worldpay Configuration Messages, click the **Add** button and then add the configurations below.



3. Click **Save Config** after you've added the configurations.

Use the information in the table below to add to the above configurations.

Message Code	Actual Message	Custom Message
AFR01	**Cancel** action failed	
AFR02	Order cancelled successfully Please run sync status after a while.	

FraudSight response

Fraudsight response displays one of these messages:

- LOW-RISK
- REVIEW
- HIGH-RISK

To see messages, go to Sales/Orders, and messages appear under **FraudSight Message:**



	ID	Purchase Point	Purchase Date ↑	Bill-to Name	Ship-to Name	Grand Total (Base)	Grand Total (Purchased)	Status	Action	Signifyd Guarantee Decision	Allocated sources	Worldpay Fraudsight Message
☐	000001930	Main Website Main Website Store Default Store View	Dec 15, 2020 9:00:05 AM	QA User	QA User	€38.00	€38.00	Pending	View			LOW-RISK
☐	000001929	Main Website Main Website Store Default Store View	Dec 15, 2020 8:56:13 AM	Test Test	Test Test	€32.00	€32.00	Pending	View			REVIEW

When the message is received it is “in review.” The message is highlighted in red, to show that you need to take action.

You can also click **View** to see Fraudsight data. The Advance Risk Provider is FraudSight and under **Fraudsight Data**, you can see the message, score and reason codes if they are available.



Payment Information

Credit Cards

The order was placed using EUR.

Worldpay Order Id	**000001841-1608005320**
Payment Status	**AUTHORISED**
Payment Model	**Redirect**
Payment Method	**MAESTRO-SSL**
Card Number	**6799**********0019**
AVS Result	**NOT SENT TO ACQUIRER**
CVC Result	**NOT SUPPLIED BY SHOPPER**
Basic Risk Score	**0**
Advanced Risk Provider	**FraudSight**
Advanced Risk Score	**0.0000**
Advanced Risk Threshold	
Advanced Risk Final Score	**0**
Advanced Risk Id	
AAV Address Result Code	**UNKNOWN**
AAV Postcode Result Code	**UNKNOWN**
AAV Telephone Result Code	**UNKNOWN**
AAV Email Result Code	**UNKNOWN**
AAV Cardholder Name Result Code	**UNKNOWN**
Interaction Type	**ECOM**

Issuer Insights

Source Type	
Available Balance	
Reloadable	
Prepaid Card Type	
Affluence	
Issuer Country	
Card Product Type	
Virtual Account Number	
Account Range Id	

Fraudsight Data

Fraudsight Message	**review**
Fraudsight Score	
Fraudsight ReasonCodes	

Shipping & Handling Information

Flat Rate - Fixed €5.00

\\


Order review

When the message received is “in review”, you might want to cancel the order or start a capture request.


Cancel an order

To cancel the order, do the following:

1. Go to Sales/Orders.
2. Click the checkbox next to the order that has a message in review:




3. Click the **Cancel** button to send a cancel request to Worldpay. The screenshot below shows an example of the message you receive after a successful cancellation.



4. After a while, run the sync status. This shows the current order status as well as the payment status.

Errors

If you click the **Cancel** button after the request has been cancelled, you will see an error message, as in the screenshot below:



The alert messages may vary depending on the availability of custom messages from the configuration.

Capture requests

To send a capture request, click **Invoice** and select **Capture Online**. If you have a redirect integration and FraudSight is enabled, use different methods to get FraudSight data. These methods are to use either order notification or to send order-inquiry requests. For order-inquiry requests, run Sync Status.

5. Tokenization and stored credentials

Magento does not save credit card details. Instead, it delegates the responsibility of securely storing credit card details to Worldpay by using tokens. These tokens act as references to the actual credit card information stored on Worldpay's servers.

Magento only stores and uses these tokens for future transactions, providing an added layer of security by reducing the exposure of sensitive credit card data within its system.

Token generation

When a shopper makes a payment using a credit card and selects **Save this card** at checkout, instead of Magento storing the credit card details, Worldpay generates a unique token for that credit card.

This token generation process typically occurs on Worldpay's servers during the payment transaction.

Token initialisation and storage in the Magento database

After Worldpay generates the token, it sends it back to Magento. Magento then stores this token in its database, associating it with the customer's account or payment method. The token acts as a reference to the credit card details stored securely on Worldpay's servers.

Token usage for future authorisations

When the shopper returns to the website and initiates a new transaction, Magento retrieves the token associated with their saved payment method and shows it to the user on the checkout page under the **Use Saved Card** option.

When the shopper selects a card from the list and clicks **Place Order,** Magento sends the token to Worldpay during the checkout process instead of sending the actual credit card details. Worldpay then references its database to retrieve the corresponding credit card details linked to that token.


The payment authorisation process then proceeds using the retrieved credit card details and, if successful, the transaction is completed.

Token expiry

In production, tokens are created with an initial life of four years. In Sandbox, tokens are created with an initial life of seven days. For more details, read our guidelines for connecting to tokenization.


How to configure tokenization and stored credentials

You can enable tokenization at Stores/Configuration/Sales/Worldpay/Tokenization:



Now follow these steps:

1. Set **Save Card** to **Yes** or **No**. Card-saving will only work if either **Tokenization** or **Stored Credentials** is enabled. Set **Enable Tokenization** to **Yes** or **No**.



2. Set **Enable Stored Credentials** to **Yes** or **No**. If **Stored Credentials** is enabled, the required usage attribute is added, with values like FIRST and USED. This will also add the `transactionIdentifier` value of the FIRST response as `schemeTransactionIdentifier` in the USED request.

Read the Worldpay online documentation for more details about stored credentials.

Configuration	Description
Save Card	If set to **Yes**, the save card function is enabled so long as either **tokenization** or **stored credentials** is enabled
Enable Tokenization	Write the message that shoppers will see
Enable Merchant Tokens	If set to **Yes**, it will create a token based on the Merchant ID
Enable Stored Credentials	If set to **Yes**, stored credentials are enabled and a token with a long expiry time is created

A maximum of 16 cards can be saved under each authenticated shopper ID. Tokenization/stored credentials must be enabled to ensure compliance when storing card details You can configure a disclaimer that shoppers must accept during checkout to save their card:


Configure Disclaimer
Disclaimer Message
[store view]
Show / Hide Editor
Show Disclaimer in Store Front
[store view]
Yes
Important Disclaimer Mandatory
[store view]
Yes

Configuration	Description
Enable Stored Credentials	If set to **Yes**, stored credentials is enabled
Disclaimer Message	Write the message that shoppers will see
Show Disclaimer In Store Front	If set to **Yes**, a pop-up link to the disclaimer message appears on the checkout page
Important Disclaimer Mandatory	If set to **Yes**, the shopper must agree to the disclaimer before they can save their card details

Note: See the Worldpay support centre for more details about disclaimers.


The shopper's experience with stored credentials enabled

Once stored credentials are enabled and a disclaimer is configured, the shopper enters a flow in which they can save the card after verifying the disclaimer.

This process typically involves the Magento merchant configuring a disclaimer message to tell users that their card details will be tokenised if they choose to save their card for future use.


The disclaimer gives the user transparency about how their payment information will be securely stored and used for future transactions. It outlines the tokenization process, assuring the user of the security measures in place to safeguard their sensitive data.

By presenting this disclaimer (as in the screenshot below), Magento merchants ensure that users can make informed decisions about saving their payment methods, fostering trust and confidence in the e-commerce platform:


Credit Cards Section
We Accept
Credit Card Type *
Credit Card Number
Card Holder Name
Month
Year
CVV
Save This Card (Important Disclaimer!)


Credit Cards Section
We Accept
Credit Card Type *
4111111111111111
satya
02 - February
2022
123
Save This Card (Important Disclaimer!)
Please, Verify the disclaimer! before saving the card


If a shopper tries to place an order without verifying the disclaimer, they will be prompted to review and accept it before proceeding. This ensures that their card details can be saved securely. Also, if the disclaimer is not accepted, a token should not be created for future use, thereby preserving the user's choice and privacy:




When the shopper clicks the **Important Disclaimer** link, they can either agree or disagree with the disclaimer. To place the order and save the card, the shopper must agree to the disclaimer.

If the shopper chooses to disagree with the disclaimer, the **Save This Card** option will remain unchecked, and the order will proceed without any saved card details.


The shopper's experience with card tokens stored in their account






When the shopper clicks on **Use Saved Card**, they will be presented with all previously tokenized cards. The shopper can then select any one of the cards for payment.

Shoppers can view all their saved cards on the My Account/Saved Cards page:




6. Hosted payment page

Shoppers can be redirected to a payment page hosted by Worldpay. To enable this, follow these steps:



1. Go to Stores/Configuration/Sales/Worldpay/Credit Cards. Set **Enabled** to **Yes** and **Integration Mode** to **Redirect:**





2. Go to Stores/Configuration/Sales/Worldpay/Hosted Payment Page. Set **Enabled** to **Yes** and enter your Worldpay installation id.

Configuration	Description
Enabled	When set to **Yes**, a redirection to the hosted payment page is available at checkout
Installation Id	Enter the installation id you should have received from Worldpay. It looks like: 1111111

Hide address	Choose whether to hide the billing address of the shopper on the hosted payment page
Hosted payment page integration	Choose whether the hosted payment page appears as an iframe or a complete page

Once the hosted payment page is configured, shoppers can use the method below:







1. The shopper selects their card type and continues to the Worldpay hosted payment page.
2. The hosted payment page appears in an iframe within the Magento application and requests payment details. The shopper completes the details and makes the payment.

Hosted payment page with 3D Secure

The shopper can complete 3D Secure authentication on the hosted payment page as shown below:



The hosted payment page opens in an iframe within the Magento application. The shopper can complete the details of 3D secure authentication and make the payment. The screenshot below shows the magic value used to simulate 3D secure authentication:



Here, the shopper has chosen a card that is part of the 3D Secure scheme, so they must authenticate it with their bank using the challenge window.

7. Mobile wallets

Apple Pay

The Apple Pay mobile payment and digital wallet service enables customers to make payments in person, in iOS apps and on the web. It is supported on the iPhone, Apple Watch, iPad and Mac.

Prerequisites


To enable Apple Pay for your customers, you'll need an Apple Developer account that is associated either with the Apple Developer Program or the Apple Developer Enterprise Program.

Your shoppers can only see Apple Pay as a payment option if they:

- Use an Apple Pay-compatible device
- Use Safari if they are paying on the web
- Are in a country or region where Apple Pay is available

How it works

You can see the transactional flow in the diagram below:




1. The shopper places the order.
2. Magento requests the encrypted payload from Apple Pay.
3. Apple Pay returns the encrypted payload after authentication.

4. Magento sends an XML Direct request for authorisation to Worldpay, containing the encrypted Apple Pay data.
5. Worldpay sends the payment response to Magento.
6. The Magento plugin informs the shopper of the outcome.

Implementation steps

1. Create your merchant ID (eg, merchant.com.worldpay.merchantAccount) then log in to your Worldpay merchant account.
2. Switch to the mode you'll be using (test or production), select **Integration** from the left-hand menu and **Apple Pay** in the top menu. You will see details as in the screenshot below:



3. Enter your Apple merchant ID and click the **Generate** button (if not generated already). Now you can see the certificate signing request (CSR) that you generated. Download that file so you can create your payment-processing certificate.
4. Enable Apple Pay on the Apple developer website.
5. Create a payment processing certificate on the Apple developer website, but please note the following:
   - Make sure you enter the Apple merchant ID you created in step 1
   - Skip the step in which you create an Apple-generated CSR
   - Instead, select the Worldpay CSR you generated step 1
   - Download and save the payment processing certificate you generated (.cer file)
6. When you have completed the steps on the Apple developer website, send the payment processing certificate you downloaded to Worldpay. You'll then need to wait until Worldpay confirms that the certificate is activated.
7. Register and validate your merchant domain with Apple. To do this, contact your Worldpay Relationship Manager or support team to register the domain for Apple Pay. Before you register your

domains with Apple, you must add this file to each domain. Put the file on your domain at this path: /.well-known/apple-developer-merchantid-domain-association.

8. Create a merchant identity certificate

For each transaction, you must request a session from Apple using your merchant identity certificate. Please note the following when you create your Apple merchant identity certificate:


- When asked for your merchant ID, make sure you enter the Apple merchant ID you created in step 1
- Follow the instructions from Apple for creating a CSR yourself

The CSR you generated from Worldpay can't be used for creating a merchant ID certificate. So, generate a CSR of your own and use that to generate the merchant ID certificate:

1. Download and save the generated merchant ID certificate (.cer file).
2. When you have completed the instructions from Apple, add the merchant ID certificate to your keychain.
3. When you create your own CSR, you might also get a private key. Add that file too in your keychain app.
4. Export the merchant ID certificate from your keychain as a p12 file (see screenshot below).



5. Make a note of the password you entered in the field shown below:



6. You must now convert your p12 file to a PEM file using the following command:

```
openssl pkcs12 -in ApplePayMerchantIdentity_and_privatekey.p12 -out ApplePay.crt.pem
-clcerts -nokeys
```

```
openssl pkcs12 -in ApplePayMerchantIdentity_and_privatekey.p12 -out
ApplePay.key.pem -nocerts
```

7. When you generate these files, you might be asked for your password. If so, use the password you used in step 5. Upload both files to your server: eg, /var/www/html/apple-certs/
8. Use the following commands to verify the files:

```
openssl x509 -noout -modulus -in ApplePay.crt.pem | openssl md5 openssl rsa -noout
```


```
modulus -in ApplePay.key.pem | openssl md5
```

9. The output of both commands should be the same. You can check this in the section below.
10. If the output of both commands is not the same, please double-check that you have followed all the previous steps accurately. If both outputs are the same, then you have enabled Apple Pay successfully.

How to configure Apple Pay

Go to Magento Admin/Stores/Configurations/Sales/Worldpay

You should see the Apple Pay configuration in the **Wallets** section. Complete and save these configurations, as shown below, and customers will now be able to use Apple Pay at checkout.




Configuration	Description
Wallet Enabled and Title	If set to **Yes**, the wallet section is available at checkout to enable payment by Apple Pay, Google Pay, etc The shopper sees the title you enter as the heading for the **Mobile Wallet** section
Enabled	When set to **Yes**, Apple Pay is available at checkout
Certification Key	The path of the certification key (pem) file in the server
Certification Path	The path of the certification CRT (pem) file in the server
Certification Password	Your certificates password
Merchant Name	Your Apple merchant ID

Domain Name	The domain name you registered with Apple


Note: CSR keys are unique for test and production environments, and for each Merchant ID.

At checkout, customers see the Apple Pay option in the format in the screenshot below:




Apple Pay in PDP


You need to enable the admin configuration to display **Apple Pay in PDP:**



The shopper's experience

Once Apple Pay on PDP is enabled, shoppers will see the Apple Pay button:





Apple Pay HPP

The Apple Pay HPP integration enables your customers to make payments using Apple Pay directly within WorldPay's hosted payment page.

This guide assumes you have a hosted payment page integration with Worldpay. If you do not, talk to your Worldpay Relationship Manager or support team before you proceed.

Prerequisites

Before you begin, you must:

- Have an HPP integration with Worldpay
- Verify your domain (iFrame/Lightbox only) with Apple Pay
- Have a Worldpay merchant code


There are two configurations available for Apple Pay HPP

- Full page redirect
- Lightbox/iframe integration

Full page redirect

There are no integration requirements for Apple Pay with Worldpay Hosted Payment Pages (HPP), but you must complete the registration process. To do this:

1) Login to the Production MAI. Go to the Apple Pay tab and scroll down to **Hosted Payment Pages.**
2) Contact your Worldpay Relationship Manager or support team to register the domain for Apple Pay HPP.
3) Review the Apple Pay terms and conditions.
4) Tick the box to confirm acceptance of the Apple Pay terms and conditions.



5) In the Production MAI you can enable/disable Secure Test and Production environments for this merchant code. The registration with Apple Pay applies to all your merchant codes but you must enable each code for Production individually.





LightBox/iframe

The process to enable apple pay HPP in lightbox/iframe is similar to full page redirect, but with one difference: Before you register your domains with Apple you must add this file to each domain. Put the file on your domain at this path: /.well-known/apple-developer-merchantid-domain-association.

The shopper's experience


Once the Apple Pay HPP configuration is done, the shopper will see the Apple Pay Express Checkout button on the HPP.




payments-test.worldpay.com
worldpay
from FIS
Test Mode - This is not a live transaction.
Order summary
Reference:
000008888-1709034016
Description:
WorldPay Order
Amount (AUD):
$38.82
Pay
Visa Test Card
•••• 0121
Pay Sapient Nitro Test Store
A$38.82
Pay with Passcode
Payment de
* Indicates a requ
Card number *
Enter a valid card
Expiry date *
MM
YY
e back of card
Instalments
Select
Cancel
Make Payment
When you submit your transaction for processing by Worldpay you confirm your acceptance of Worldpay's privacy policy
© Worldpay 2013-2024. All rights reserved.


Google Pay

Google Pay lets your customers pay with a single click, using payment methods saved in their Google account:



1. The shopper places the order.
2. Magento requests the payment token from Google Pay.
3. Google Pay returns the payment token.
4. Magento sends an XML Direct request for authorisation to Worldpay, containing the payment token.
5. Worldpay sends the payment response to Magento.
6. The Magento plugin informs the shopper of the outcome.

You can enable Google Pay payments, as seen in the screenshot below, at Admin/Stores/Configuration/Sales/Worldpay/Mobile Wallets:



The highlighted fields indicate that you can select multiple items.


Note: To use production mode, you must first submit a request to Google to have your account activated.

You will also need to set the configurations shown in the screenshot above:

Configuration	Description
Enabled	When set to **Yes**, Google Pay is available at checkout
Payment Methods	Supported credit cards
Authentication Methods	PAN_ONLY: Personal account number CYRPTOGRAM_3DS:3D Secure authentication
Gateway Name	Set this to worldpay
Gateway MerchantId	Your Worldpay merchant ID

Google MerchantId	Your Google merchant ID
Google MerchantName	You can configure this in your Google merchant account

To change between test and production environments, go to the **General Configuration** section:





The shopper's experience

Once Google Pay is enabled, shoppers see it as an option at checkout:


After clicking the **Place Order** button, the shopper sees their saved card details in their Google account (so long as they have already signed in to their Google account). If they haven't signed in, Google asks them to.

If the shopper doesn't have a saved card in their Google account, they are asked to enter their card details:





If the payment is approved by Google and Worldpay, the customer sees a success page:



Google Pay supports Strong Customer Authentication 3DS2.

Google Pay HPP

The Google Pay HPP integration enables your customers to make payments using Google Pay directly within WorldPay's hosted payment page.

Prerequisites

This guide assumes you have a hosted payment page integration with Worldpay. If you do not, talk to your Worldpay Relationship Manager or support team before you proceed.


How to enable the Google Pay HPP button on the HPP

You must have an admin user account to change the Google Pay settings in the MAI. Your admin user account must also have the permissions for Google Pay management ticked in the user settings.

1. Use your admin user account to log into the MAI.
2. Make sure you are in the production environment of the MAI. This environment has a grey background colour, and the toggle switch at the bottom of the column on the left says **Production Mode**. If you are in the Test environment, the background colour is purple, and the toggle switch says **Test Mode**. Click the purple button to change from test mode to production mode.
3. Click **INTEGRATION** from the menu on the left. The integration screen appears.
4. Click the **Google Pay** tab.
5. Tick the checkbox to accept Google's terms and conditions:




6. Change the Secure-Test switch to Enabled, and the Production switch to **Enabled:**




7. Click **Save.**

The shopper's experience


Once the **Google Pay Express Checkout** button is enabled, the shopper sees it on the HPP:


Test Mode - This is not a live transaction.
Express Checkout
Buy with G Pay
Payment details
* Indicates a required field
VISA
Card number *
Cardholder's name *
TK S
Expiry date *
MM / YY
Security code
Last 3 digits on the back of card
Instalments
Select
Cancel
Make Payment


Test Mode - This is
Express Checkout
Buy with G Pay
Payment details
* Indicates a required field
Card number *
Expiry date *
MM / YY
Instalments
Select
Cancel
Google Pay - Google Chrome
pay.google.com/gp/p/ui/pay?ng=true#__WA__=%7B"requestId"%3A"GPAY"%2C"return...
G Pay
Complete your purchase
twinkle.kumar.sharma.sapient@gmail.com
PAYMENT METHOD
VISA
TC One: Visa •••• 1111
visa_1
Get Google Pay emails with exclusive offers, tips, and invitations to give feedback
Your payment method won't be charged because you're in a test environment
Continue


Google Pay in PDP


You need to enable the admin configuration to display Google Pay in the PDP:



The shopper's experience

Once **Google Pay on PDP** is enabled, shoppers see the Google Pay button in the PDP:





Samsung Pay

Samsung Pay features cutting-edge technology and backward compatibility that makes acceptance easy for everyone. Apple Pay, Google Pay and Samsung Pay are all digital wallets that use near-field communications (NFC). NFC enables secure data transmission from a mobile device to a point of sale (POS) system.

Pre-requisites

1. The shopper needs to have a Samsung Pay-enabled mobile device or PC.
2. The acquirer/issuer must support tokenised transactions for in-app as per the card network specifications.
3. The domain name and development IP address should be whitelisted from the Samsung server.
4. Worldpay needs to enable Samsung Pay on your account.

This enables support for PC and mobile browser-based payments using cards tokenised on mobile device user identification and device binding. This is based on the Samsung account ID (email ID) and requires server-to-server integration between Samsung and the partner's backend server. User authentication and payment credential generation occurs on the shopper's device.

Payment by PC

You can offer a Samsung Pay option on your website. A payment-requesting push message arrives on the shopper's device and the payment can be confirmed by user authentication. The generated payment cryptogram and data is passed to your system. Then it is passed to the payment gateway and card network side for approval.

Preparing for integration

To become a new partner of the Samsung Pay web checkout service, you need to provide some details to the Samsung Pay team so that they can register them at the admin portal. After registration, the Samsung Pay team will give you your service ID.


Use your service ID to integrate with the Samsung Pay web checkout APIs and web checkout UI. You will need to supply the following details:

1. **Service name:** Supply the PG or merchant service name.
2. **Domains.** These are used for verifying the server-to-server API call. The Samsung web checkout API server uses this field to compare the domain or IP that calls the API. If they do not match, the transaction creation fails.
3. **CSR. P**rovide your CSR (public) file to the Samsung Pay team. If you have separate files for both the development and production environment, supply both these files. The Samsung Pay team uses the admin portal to register them. Payment credential data is encrypted using this CSR.
4. **Development server IPs.** Supply your development server IPs. This is to register them in the firewall exception list in the Samsung dev environment. Once registered, the web UI and web checkout API server in the Samsung development environment are opened for these IP addresses.
5. **Production server IPs.** Provide your production server IPs to register them in the firewall exception list in the Samsung production environment for server-to-server connection. Once registered, the web checkout API server is opened for these IP addresses.

6. **Developer IPs:** For testing, developers must manually call web checkout APIs. To support this, Samsung needs the developers' IP addresses from your side. These should be external IP addresses such as a proxy server IP. The Samsung team will also register them.

After registration, the Samsung team will give you your service ID for the web checkout service. Your service ID is used for the whole flow of the web checkout service. The Samsung team will supply two service IDs, one for the dev environment and one for the production environment. Read this document for information.


This diagram shows the transactional flow:



1. Web checkout initiates the Samsung Pay wallet.
2. Samsung Pay returns the encrypted payload after shopper authentication.
3. The plugin sends the encrypted payload to your server.
4. The plugin sends an XML Direct request to Worldpay containing the encrypted Samsung Pay data.
5. Worldpay sends the authorisation response.
6. The plugin informs the shopper of the outcome (payment success/failure).

Admin configuration

You can find the Samsung Pay admin configuration under mobile wallets in Admin/Store/Configuration/Sales/Worldpay/Mobile Wallet/Samsung Pay:



Samsung Pay
Enabled
[store view]
Yes
Service Id
[store view]
4ddf389a8702a24e33a878
Samsung Merchant Shop Name
[store view]
Worldpay Shop
Samsung Order Description
[store view]
Test Samsung Order
Samsung Merchant Shop URL
[store view]
dev.myshop.com

You can enable/disable Samsung Pay from this configuration.

Note: The Worldpay plugin's integration of Samsung Pay only supports payments made with Visa and MasterCard.

Test/Live mode

You can change the environment in the General Configuration section:




You don't need to change the API URL. It will be changed based on this selection.


The shopper's experience

1. The shopper places an order using Samsung Pay from the Magento checkout page.


2. Once authentication is successful, the shopper is redirected to the Samsung Pay page:





3. After providing their Samsung account ID, Samsung checks for the registered device under that account ID and triggers a push notification to that device. The shopper needs to accept/reject the payment in five minutes before this expires.




4. A push notification is triggered to the device, which the shopper needs to authorise:









5. The shopper needs to add (or to have already added) a Visa or MasterCard card to make the payment. They can then continue with the payment using a Samsung Pay PIN.
6. Payment can be accepted and verified, or it can be rejected.







7. The payment is now verified and the user is redirected to a success message:



8. You can see the order in the Magento admin in Sales/Order:



9. If the payment has failed or if the shopper clicked the **Cancel Order** button, the shopper can click the **Return to Store** button from the Samsung Payment page and is redirected to the shopping cart page.
   The order will be cancelled, and the same cart is restored:



For more information, read the Samsung developer's resource guide and the Worldpay guide to integrating Samsung Pay.

8. Chrome Pay

Note: This feature is experiencing issues with Chrome version 100 and above. We will release a patch for this as soon as possible.

To speed up the checkout process, Chrome Pay collects saved data from the Google Chrome browser and displays it within the checkout forms.

Shoppers see a single pop-up window that they use to confirm or change their billing and shipping address, and their choice of saved cards.

To configure Chrome Pay, go to Store/Configuration/Sales/Worldpay/Google Chrome Payment Request API:


Google Chrome Payment service API




Configuration	Description
Enable Chrome Pay	If set to **Yes**, Chrome Pay is available in the shopper's cart
Chrome Pay Button Name	Customise the **Button** label to access Chrome Pay


Note: The Chrome payment request API only works if the integration mode is set to Direct at Store/Configuration/Sales/Worldpay/Credit Cards


Once Chrome Pay is enabled, shoppers see a **Buy Now** button in their cart:



When the shopper clicks **Buy Now,** the Chrome payment request API displays the pop-ups shown below:


Review your payment
Order Summary
Erika Running Short
€45.00
Advanced Pilates & Yoga (Streng...
€18.00
3 more items
Total
EUR
€68.00
Delivery Address
Sayanit PVT LTD, 27 RUE ... and 9 more
Choose
Payment
Visa ••••1111
satya
VISA
Contact Info
QA Test
+33 1 43 12 48 65
User736273279@yahoo.com
You can manage cards and addresses in Settings.
chrome
Cancel
Pay


Review your payment
Order Summary
Erika Running Short
€45.00
Advanced Pilates & Yoga (Streng...
€18.00
3 more items
Total
EUR
€68.00
Delivery Address
QA Test
Sayanit PVT LTD, 27 RUE PASTEUR, 52 RUE DES F...
+33 1 43 12 48 65
Delivery Method
Flat Rate
€5.00
Payment
Visa ••••1111
satya
VISA
Contact Info
QA Test
+33 1 43 12 48 65
chrome
Cancel
Pay



Shoppers must:


1. Choose their shipping address and shipping method, then choose the payment method.
2. Click the **Pay** button to complete the order.
3. Enter their CVC details to confirm the payment.

Chrome Pay 3DS-2

The Chrome Pay payment services API supports 3DS2 strong customer authentication.

9. MOTO payments

This feature enables call centre staff to place mail-order and telephone orders on behalf of shoppers. It only supports direct credit card integration, with no 3D secure authentication.



Note: MOTO payments support hosted payment pages, which have a high level of PCI DSS compliance. However, the current version does not support client-side encryption or 3DS for direct integration, which have a low level of PCI DSS compliance.


Configuration	Description
Enabled	If set to **Yes**, MOTO payments are available for order processing in the Magento admin area
Moto Integration Mode	We only support direct integration even though HPP/redirect integration is enabled for the shopper's credit card journey
Moto Merchant Code	Enter your merchant code for MOTO orders. If it is blank, a global merchant code entered under **General Configuration** will be applied
Moto Username	Enter the username for this MOTO-specific merchant code. If it is blank, a global XML username entered in **General Configuration** will be applied

Moto Password	Enter the password for this MOTO specific merchant code. If it is blank, a global XML password entered under **General Configuration** will be applied
Payment Methods	Select the credit cards that are available to admin users in a dropdown
Title	Write the title that admin users see in the admin panel.


Note: To process a non-3DS payment, add your Moto merchant code, username and password details. You can then contact Worldpay and request a separate merchant code to process a non-3DS payment.

The shopper's experience


In the Magento admin area, in-store staff can generate MOTO payments as follows:




1. When they select the billing country in the billing address, they click **Get available payment methods:**



2. They can then select **MOTO** as the payment method:




After they select **Moto,** the credit card payment processing form opens, and the staff member can place the order:



10. Alternative payment methods

This section shows you how to configure alternative payment methods:



Note: The blue highlighted payment methods in the screenshot above show that you can select multiple payment methods.

Configuration	Description
Enabled	If set to **Yes**, shopper can use alternative payment methods at checkout
Payment Methods	The alternative payment methods you select are available for payment processing during checkout

Dynamic narratives


A statement narrative is added to all the APMs that Worldpay supports. It is the narrative that appears on the shopper's statement, as well as the web page of some banks.

To enable **Dynamic Narrative**, go to Store/Configuration/Sales/Worldpay/Alternative Payment Methods/ Enable Statement Narrative

Configuration	Description
Enable Statement Narrative	If set to **Yes**, shopper can use purpose of transaction box for alternative payment methods at checkout.

The shopper’s experience

There is a new text area where the shopper can add a narrative (max 255 characters) under the label **Purpose of transaction:**



Payment XML changes

Worldpay supports 10 APMs: PayPal, IDEAL, Klarna, Mistercash/Bancontact, Union Pay, P24, AliPay, ACH, SoFort EU and SEPA (one-off transactions).

They all have the following element added to the order node in the payment service request xml:


```
<statementNarrative>MERCHANT STATEMENT NARRATIVE</statementNarrative>
```

The DEAL APM expects the narrative to be passed in the description node within the order node, limited to a maximum of 35 characters.

Paypal

There is a new PayPal API available, please contact your Implementation Manager for more information. It will then be possible to switch to the new API, as well as add the PayPal SmartButton in HPP.

For the SmartButton to show up on the direct checkout or PDP (only for logged in users), the PayPal ID needs to be added (it can be found in the PayPal interface). Also, the currencies that are onboarded in Worldpay need to be selected. PayPalShippingAddressSource WPG configuration should be set to “ORDER”, and the module will collect and send the shipping address to PayPal.



Pay by Bank (Open Banking)

Pay by Bank needs to have a separate merchant from other payment methods, contact your Worldpay representative for help.

It can be enabled in the Payment methods dropdown.


The separate merchant configuration can be added in the “Merchant Profile Override Configuration” section, by adding a separate configuration for Pay by Bank, and adding the specific merchant configuration.

Klarna

Klarna is a buy now, pay later payment method that provides a fast checkout process. It is a redirect payment flow, and shoppers will be redirected to the hosted payment page.



There are three different product types that define when and how your shopper pays:



Value	Description	Available countries
KLARNA_SLICEIT-SSL	The shopper pays in instalments. During onboarding, the shopper agrees with Klarna the terms of the instalment timeframes	SE, NO, FI, DE, AT, UK, DK, US


KLARNA_PAYLATER-SSL	The shopper pays within a specified timeframe. This timeframe is 30 days for the UK/US and 14 days for Europe	SE, NO, FI, DE, NL, AT, CH, UK, DK, US
KLARNA_PAYNOW-SSL	The shopper pays the full amount immediately by bank transfer	SE, DE, NL, AT


Note: Shoppers only see the Klarna payment methods available in their respective countries (see the table above). This is when the shopper's billing country matches the site locale. See the portal documentation for the latest information on the countries available.

Klarna configurations

To configure Klarna, do the following:

1. Go to: Stores/Configuration/Sales/Worldpay/Klarna:




Configure Klarna PayLater
Type
[store view]
KLARNA_PAYLATER
Klarna PayLater Country list
[store view]
Austria
Denmark
Finland
Germany
Netherlands
Norway
Sweden
Switzerland
United Kingdom
United States
Klarna Paylater Subscription Configuration
Subscription Days
[store view]
Country
Subscription Days
Action
Sweden
14
Norway
14
Finland
14
Germany
14
United Kingdom
30



2. Use the information in the table below to complete the configuration.

Configuration	Description
Enabled	When set to **Yes,** Klarna is available at checkout
Klarna Allowed Countries	Countries that support Klarna are: SE, NO, FI, DE, NL, AT, CH, UK, DK, US

Configure Klarna PayLater	Klarna Paylater countries: SE, NO, FI, DE, NL, AT, CH, UK, DK, US. Subscription days: 30 days for UK/ US and 14 days for Europe
Configure Klarna PayNow	Klarna Paynow countries: SE, DE, NL, AT
Configure Klarna Sliceit	Klarna Sliceit countries: SE, NO, FI, DE, AT, UK, DK, US

3. Follow these steps to add the configurations to manage alerts/show customized messages:

    a) Go to Store/Settings/Configuration/Sales/Worldpay Exception Codes

    b) Under CustomizeCheckout Messages, click the **Add** button and add the configurations below:

    c) Click **Save Config** after adding the configurations

    d) Use the information in the table below to add the configurations above


Code	Actual message	Custom message
AKLR01	The Klarna payment method is not available in this country	



e) Under **Customize Admin Worldpay Configurations,** you must click the **Add** button then add the configurations below:

f) Click **save config** after you add the configurations

Use the table below to add the configurations above:



Message code	Actual message	Custom message

AAKL01	Please create Shipment with single tracking number	
AAKL02	Multi shipping is currently not available, please add single tracking number	
AAKL03	Tracking number cannot be blank, please add	


4. If you might want to create a capture/partial capture request, do the following:

   i. Go to Sales/Orders.

   ii. Search for the order ID shared by the shopper (for example, 000001415.):

	ID	Purchase Point	Purchase Date ↑	Bill-to Name	Ship-to Name	Grand Total (Base)	Grand Total (Purchased)	Status	Action	Allocated sources	Braintree Transaction Source	Worldpay Fraudsight Message
☐	000001415	Main Website Main Website Store Default Store View	Jun 7, 2021 7:53:39 AM	Veronica Costello Costello	Veronica Costello Costello	$123.41	$123.41	Pending	View			

   iii. Click **View**, and the page below appears with the 'Invoice' option to capture/partial capture the request:



iv. Points to remember when you create the invoice:

a) You must create an invoice with a tracking number, except for digital items: eg, downloadable videos, digital gift cards and bundle items, when you wish to ship items together).

Note: Magento will not let you create shipment for orders with bundle items (where bundle items are selected ship 'together' in catalog > products > ordered bundle item). Please follow below steps to create invoice with shipment:

- Go to Catalog/Products/Search ordered bundle items. Click on **Edit:**




- Select **Bundle Items Group** then select **Ship Bundle Items Separately,** as below:




Save the changes then go to **System**, update **Index Management** and flush **Cache Management**. You can create the tracking number by selecting the **Create Shipment** option on the invoice page and not using the **Ship** option on the **Order View** page.

Note: You cannot create multiple tracking numbers, as the plugin does not support multi shipments.




Click on Submit invoice button on the bottom, to create invoice and shipment.




Note: In an order modification request, only items with a tracking ID are displayed.

The shopper's experience

Once Klarna is enabled, shoppers see it as an option at checkout:




The screenshots below show how Klarna is displayed:



The screenshot above is a Test simulator page. The Production/Live flow will display a different page for payment processing.

Note: For KLARNA_SLICEIT in Production mode, shoppers must select the **Installment** option before they click **Continue**.

If the payment is approved by Worldpay, the customer sees a success page:




11. How to configure instant purchase

Use this feature to enable instant purchase on product-detail pages. This feature is for credit and debit cards only on the Worldpay gateway.

Note: The Magento 2 core vault data model has been updated with a token generated by Worldpay.

How to set up instant purchase

1. Go to Stores/Configuration/Sales/Instant Purchase and enable the default Magento option for instant purchase:




2. Go to Stores/Configuration/Sales/Worldpay/Quick checkout and enable **Instant Page Checkout:**
3.




The shopper's experience


If the shopper has saved their credit card in the **My Account** section, they go to Store front/Login/Product Details Page. Once on the page, they click **Instant Purchase:**



An instant purchase window opens, with the shipping and billing addresses set as default, along with the payment method:



The order is placed directly from the product-detail page:



The Worldpay plugin feature for instant checkout supports 3DS2 strong customer authentication.

12. Multiple partial capture

Worldpay supports partial payment capture for credit card and mobile wallet orders, and for PayPal.


In general, a payment can only have funds captured once, and that applies to partial captures too. If you make a partial capture, the rest of the authorisation is cancelled. To capture the remaining amount, you must submit a new order to the Worldpay payment service for authorisation.

Prerequisite: Worldpay supports one-time partial captures by default. For multiple partial captures you must ask Worldpay to enable multiple partial capture for your account.

Implementing multiple partial capture

You can enable or disable multiple partial capture in Stores/Configuration/Sales/Worldpay:

1. Go to Stores/Configuration/Sales/Worldpay/General Configuration and set **Auto Invoice** to **No.** (If it is set to **Yes,** a full capture request is sent to Worldpay automatically from the Magento side):




2. Go to Stores/Configuration/Sales/Worldpay/Multiple Partial Capture and set **Partial Capture** to **Yes**. This enables partial captures to be made multiple times at the line-item level within a single order.

How to execute partial capture from Magento


Go to Sales/Orders:

	ID	Purchase Point	Purchase Date	Bill-to Name	Ship-to Name	Grand Total (Base)	Grand Total (Purchased)	Status
☐	000000008	Main Website Main Website Store Default Store View	Feb 28, 2020 6:05:15 AM	Magent upgrade	Magent upgrade	$653.40	$653.40	Pending
☐	000000030	Main Website Main Website Store Default Store View	Mar 4, 2020 3:01:44 AM	Magent upgrade	Magent upgrade	$68.00	$68.00	Pending


1. Click and open an order with **Pending** status. Click **Invoice** to prepare for partial or full capture:




Notice that the **Qty** (quantity) **Ordered** is 4 but that the Qty to Invoice is an editable field. This is for partial capture and invoicing:



In the screenshot below, the **Qty to Invoice** is updated to 2 and the **Update Qty`s** button is enabled:




In the screenshot below, the quantity to be invoiced/captured is updated to 2, and the corresponding **Subtotal**, **Discount Amount** and **Row Total** are also automatically updated. The **Submit Invoice** button is enabled to start the invoice/capture:



Note: Worldpay supports partial capture for payments made by credit card (Direct/HPP), PayPal, Google Pay and Apple Pay.

13. Merchant profile override

This enables you to override the global merchant profile (Worldpay merchant code) based on payment method. If the override is not set, then Magento uses your global merchant profile for all transactions. To configure these settings, go to Stores/Configuration/Sales/Worldpay/Merchant Profile Override Configuration:




This enables you to use a different merchant code to process Diners and Apple Pay orders.

How to synchronise order status with Worldpay

To synchronise order status with Worldpay, use the following configurations:

Configuration	Description
Sync Order With Status	You must select the Magento order status to be available for status synchronisation with Worldpay status
Time Window	You must set n number of hours. All orders placed in the last n number of hours are considered for this synchronisation



Note: This job will synchronise the order status with Worldpay for all orders placed in the past 24 hours except those placed in the past 30 minutes: **Job Group**: *worldpay_orders*

Job Name: *order_sync_status*

During a rare failover of the notification channel update, Magento might not update orders as expected. You can set up a cron job to update them as a failover mechanism.


Cron jobs can update and synchronise any type of order (Direct, Redirect, MOTO, etc) on the Worldpay server so long as the order was placed during the past 24 hours. However, you cannot update cancelled orders with a cron job.

Executing the cron job for Worldpay-specific orders

During normal operation, Magento includes plenty of cron jobs. You can run all the cron groups or you can run single groups. To avoid running all the groups, run the Worldpay_orders group. This updates Worldpay orders only. Run the command below to execute the script that will update only Worldpay orders:

```
php bin/magento cron:run --group="worldpay_orders"
```

When the job is done, you see the results in the CLI screen:



For more details about order inquiries, please visit the Worldpay support site.

How to set up cron jobs in periodic time

To schedule cron jobs in periodic time, you must set them up on your server. First, use this command line to configure cron:

```
crontab -e
```

You can use the following command to execute a Worldpay cron job every minute (adding in your php.ini file path where indicated):

```
*/1 * * * * php -c {php.ini_path} {magento_path}/bin/magento
cron:rungroup="worldpay_orders"
```

You can adjust the time setting to suit your requirements.


14. Dynamic currency exponents

Use this feature to configure the expected exponent value for different currencies. This value applies when sending requests to Worldpay.

Note: The exponent value determines how many decimal places there are when processing a currency. For example, GBP has an exponent value of 2.

How to setup dynamic exponent

Go to Stores/Configuration/Sales/Worldpay/Miscellaneous:




Configuration	Description
Global Currency Exponent	You can define a global value that applies to all currencies
Use system value	The default exponent defined at the Worldpay end is 2. Select this option to define the global value as 2
Override Global Currency Exponent	Enable this option to override the global exponent value for any particular currency

Currency Code Exponents	Use this feature to configure exponents to various currencies. This configuration is applied only when **Override Global Currency Exponent** is enabled. A currency that is not added to this list will take global exponent value 2.

How to set up currency code exponents

Go to Stores/Configuration/Sales/Worldpay/Miscellaneous/Currency Code Exponents:



Configuration	Description
Currency Code	A unique ISO currency code, used by the worldwide payment gateway
Currency	A unique ISO currency name, used by the worldwide payment gateway

Exponent	This enables you to configure the exponent value for each currency
Action	If you need to add a new currency code exponent during future development, a delete icon appears so you can delete the incorrect new value

Note: For more details, read the online guide to currency exponents.

Subscriptions and recurring payments


You can use the plugin to configure different subscription plans (weekly/monthly/quarterly, etc) at a product level. Your shoppers can then place orders by subscribing to the associated payment plans.

How to configure subscription and payment plans


Prerequisite: Ask Worldpay to activate recurring payments on your merchant code.

To configure subscriptions:

1. Go to Stores/Configuration/Sales/Worldpay/Subscription Settings and set **Subscriptions Enabled** to **Yes:**




2. Go to Catalog/Products. Open a product and expand the **Subscriptions** section:




Configuration	Description
Enabled	If set to **Yes,** subscription is enabled at product level
Allow Selectable Start Date	If set to **Yes,** the shopper can set a start date for the subscription to begin
Add Payment Plan	Click to add payment plans for the shopper to subscribe to

3. Click **Add Payment Plan** to create a payment plan the shopper can subscribe to:




Configuration	Description
Active	If set to **Yes,** the subscription is enabled at product level
Code	The code retains the payment plan's uniqueness. If the code entered is a monthly plan, then the final sample code is Product ID_monthly-plan to maintain uniqueness
Description	An optional field to describe the payment plan
Recurring Cycle	Select a cycle (weekly/monthly/quarterly/ semiannually/annually). Future orders and payment capture are executed based on the cycle
Recurring Amount	The recurring amount overrides the product price if the shopper opts for subscriptions
Website	This payment plan is applicable to the whole website. (Default option)

4. After you create the payment plan, the plan appears in the **Subscription** section. To change the order of payment plans, use Magento's drag-and-drop feature:




15. The shopper's experience



On the product-detail page, the shopper can select a payment plan. If the shopper selects **Add a Payment Plan,** all the active payment plans created under **How to Configure Subscriptions and Payment Plans** are available.

The product price is updated based on the selected plan (as in the screenshot above), and the shopper can set the subscription start date/end date if this is enabled. For more details, read the Worldpay guide to configuring subscription and payment plans. The shopper can then complete the subscription after adding the product to their cart.


The shopper can see their subscription orders in **My Account/My Subscriptions,** where they can edit or cancel subscriptions and update their address:



16. Recurring orders

When a subscription order is placed using stored credentials/tokenization, all future orders and transactions related to that subscription are handled as recurring orders.

Shoppers cannot place a subscription order unless they select the **Save Your Card** option. This prompts Worldpay to create an authorisation token. Magento saves this token for future recurring orders:



To set up recurring orders, you must set up the cron job *worldpay_recurring_transactions* to run every 24 hours. This cron job checks all the subscriptions whose start date or next order date are queued over the next five days. The job creates recurring orders for all the subscriptions.

Once Magento creates a recurring order, it sends an authorisation request to Worldpay and, if successful, follow-up capture requests are triggered. After successful capturing/invoicing, recurring orders are fulfilled.

Products on Demand

Setting a product to On Demand allows you to authorise a saved credit card as a payment method of the shopper so that, once you issue the invoice, that respective payment is automatically completed. The invoicing and the payment can be done for the whole order or as a partial capture. Multiple partial capture can subsequently be issued up to the order completion.


This feature only works with direct integration (it does not work with HPP, iframe or full-page). Multi-shipping is not supported.

There are 2 settings that are overwritten when the shopping cart contains at least one Product On Demand


- Multiple Partial Capture setting: partial capture will always be available when the cart contains a Product On Demand.
- Auto Invoice setting will not initiate capture request automatically after authorization success. The capture will have to be manually triggered for all invoiced items.

Enabling Product on Demand requires the following steps:

- Enabling Product On Demand in the administration panel. Labels will have to be added for product description page, mini cart, cart and for checkout with multiple addresses disabled.



- Enabling Product on Demand for each product that should have this functionality.



17. Country-code spoofing

Worldpay payments are based on country codes, and if a country's code is not accepted by Worldpay, then no payment methods appear in the checkout page. To overcome this, there is a country-code spoofing option.

Use this option to override a refused country code by mapping it to an accepted country code.

How does it work?

Magento assigns a country code to orders based on the customer's billing address. Worldpay then fetches the accepted payment methods for that country code.


Because Worldpay does not recognize country codes for areas such as Jersey (JE) and the Isle of Man (IM), you can opt to implement country-code spoofing. This ensures that a refused country code is mapped to an accepted country code.

To configure this, go to: Stores/Configuration/Sales/Worldpay/Miscellaneous:



As shown above, enter the text **JE-GB** where JE is the refused code and GB is the code you want to map. To enter multiple country-code spoofs, separate your entries with commas.

If an order is placed with a refused country code, the shopper sees the error message below:



18. Configurable alert messages

With this feature you can customise various alert messages that appear during checkout and in the **My Account** and **Admin** sections.

How to set up configurable alerts

Go to Stores/Configuration/Sales/Worldpay Exception Codes to choose the types of alerts you want to customise:





Customize Account Level Messages: Customise the messages shoppers see in their **My Account** section


Customize Admin Worldpay Configuration Messages: Customise admin-level messages

Customize Checkout Messages: Customise the messages shoppers see during checkout

These three sections have identical configuration panels:


Customize Account Level Messages
Configurable Alert Messages
[store view]
Message Code
Actual Message
Custom Message
Action
MCAM0
You should login or register to buy a subscription.
MCAM1
Choose any of the plan!
MCAM2
Choose plan start date!


Customize Admin Worldpay Configuration Messages
Configurable Alert Messages
[store view]
Message Code
Actual Message
Custom Message
Action
ACAM0
Something went wrong, please reload the page
ACAM1
Plan code should not exceed 25 characters.
ACAM2
Plan with such code already exists



Customize Checkout Messages
Configurable Alert Messages
[store view]
Message Code
Actual Message
Custom Message
Action
CCAM0
The card number entered is invalid.
CCAM1
Card number should contain between 12 and 20 numeric characters.
CCAM2
This card number cannot be used to place 3DS2 order now, please go and update this from My account first.

Configuration	Description
Message Code	A unique code used within the script to assign the alert message. This is a mandatory field.
Actual Message	The default message that the plugin displays. This is a mandatory field.
Custom Message	Enter the text that will replace the default message. This is an optional field but it does not accept entries made of white spaces (space or tab).
Action	If you need to add a different message in future, a delete icon appears so that you can delete the current, incorrect message.

The shopper's experience

Go to StorefrontLlogin/Add to Cart/Proceed to checkout:

Actual message



Custom message




Note: This feature only applies to the Worldpay plugin. Magento messages are not affected.

Extended response codes

If Worldpay has enabled them for you, these are the extended response codes you can get if Worldpay is your acquirer. There is also a feature at plugin level to override/customise the messages you receive from Worldpay.

How to customise Worldpay response messages

Go to Stores/Configuration/Sales/Worldpay Exception Codes:




In **Extended Response Codes,** you can review and customise the messages triggered by various response codes:

Configuration	Description
Error Code	The unique ISO code within the response sent by Worldpay
Worldpay Response	The messages sent by Worldpay with each ISO code
Custom Response	This enables you to override the messages Worldpay sends
Action	If a new message is needed during any future development, a **Delete** icon appears so you can delete any old or incorrect messages


The shopper's experience

The shopper goes to Store front/login/Add to Cart/Proceed to Checkout:

In the screenshot below, the magic code REFUSED5 returns this gateway response message from Worldpay:



In the screenshot below, the magic code REFUSED13 returns this custom gateway response message from Worldpay:



See the online Test Values and Useful Tables guides for more details, and to access more codes.

19. Configurable labels

This section describes how to customise the labels shown to shoppers, and shows developers how to implement these messages in the plugin.


To begin the configuration, go to Store/Settings/Configuration/Sales/Worldpay Custom Labels:



You can configure labels using the three sections above: checkout labels, my account labels and admin labels.


Checkout labels

Use this screen to configure checkout labels:




My account labels

Use this screen to configure the My Account labels:



Admin labels


Use this screen to configure the Admin labels:




Configuration	Description
Label Code	This is a unique code number assigned to labels
Actual Label	This displays the default label description already available from Worldpay
Custom Label	This enables you to add a custom label description against an actual label. This label will be displayed to the user
Action	If you add a new configuration clicking the **Add** button, there is an option to delete this configuration before clicking you click **Save**


You can add a new configuration at the end of each section using the **ADD** button. Once the admin/developer adds a new configuration, as a developer you can use it in the plugin.

In the scenario below, the default label for credit card type is – *Credit Card Type*. If you haven't provided a custom label, this is the default label that the shopper will see:



If you have provided a custom label, then the shopper will see your custom label.






Note: These configurations only apply to default labels provided by Worldpay and not for the labels provided by Magento.

20. Restore cart after failure

The behavior of a failed payment can be customized. The default (Yes) is to add the products back to the cart when the




customer is redirected to the payment failed page. This can be switched off by selecting “No”.


21. Custom logo for payment

You can upload a new custom logo/icon for any payment method. To do this, go to

Store/Settings/Configuration/Sales/Worldpay Logo Personalization of Payment Methods:




Select the payment method and upload the new logo/icon:



22. Global APM API call

You need to enable this to display all the payment methods available to the shopper if they are mapped under different merchant codes. You can configure this in the merchant profile override configuration section. We recommend you set this to **Yes.**


To enable this feature, go to Store/Settings/Configuration/Sales/Worldpay Load Payment Methods from Multiple Merchant Code:



23. Worldpay API security alerts

This feature enables you to receive API security alerts and report the incident to Worldpay if the option **Do you want to report the error to Worldpay?** Is set to **Yes.**

To enable this feature, go to Store/Settings/Configuration/Sales/Worldpay Worldpay API security alerts:




24. Worldpay multi-shipping

This feature enables you to support the multi-shipping feature on Worldpay orders. To enable it, go to Store/Settings/Configuration/Sales/Worldpay Worldpay Multi Shipping:




The shopper's experience


Go to Store front/login/Add to Cart/Cart/ Check Out with Multiple Addresses:




Here you can edit the shipping addresses and use the **Update Qty & Address** button**,** as in the screenshot below. Then click on **Go to Shipping Information:**



On this screen you can update the shipping method for each product and click **Continue to Billing Information:**



You can change the billing address here before completing the sale, or go **Back to Billing Information:**



25. Worldpay Pay by Link


This feature creates a payment link as an alternate way for your shopper to make payments. Shoppers can pay using a secure payment link hosted by Worldpay, and shared with the shopper by email.

To enable this feature, go to Store/Settings/Configuration/Sales/Worldpay Pay By Link:





The shopper's experience

Go to Store front/login/Add to Cart/Cart/ Checkout Page:




After clicking the **Share Order** button, you will be redirected to an order success page, and you will receive an email with a secure payment link:






After you click the **Pay Now** button you will be redirect to a Worldpay hosted payment page:




To proceed, select a payment method:



After entering the card details and successfully completing the payment, you will be redirected to an order success page:

Payment Type	Card
Country	Australia
Acceptance Currency	AUD
Settlement Currency	AUD
Service Level	C
Value-Added Services (VAS)	3DSv2, stored credentials, mobile wallets, WPG tokenization
Integration	Direct
Transaction Type	Sale, Refund



26. Eftpos payments, Australia

Worldpay supports the Australian card system eftpos as an acquirer. It facilitates multi/dual debit transactions in real time with low cost of acceptance. If you want to offer eftpos services, you must have a business entity in Australia.


Features of eftpos

Note: This product is still in beta mode, and some features are under testing or in the development phase.

Admin configuration

You can locate the eftpos configuration at at Admin panel/Navigate to Stores/Configuration/Sales/Worldpay.

Expand the "Eftpos Payments Australia" section to access the admin configuration settings:



When you enable eftpos with the mode set to **Direct**, all transactions will be processed via the eftpos AU network. It's important to note that eftpos does not support the **Redirect HPP** mode. So, if you have enabled eftpos and set the mode to **Redirect**, eftpos functionality will not be available.

eftpos operates similarly to credit/Debit Direct checkout, with the primary difference being the handling of transactions, which is managed by eftpos.

To obtain configuration details for eftpos:

1. Connect with your Worldpay Relationship Manager, who will facilitate onboarding with eftpos.
2. Access the Merchant Admin Interface to retrieve these details.

Least-cost routing

When a shopper makes a payment (with their multi-network card) you may choose to send the transaction via the debit network of their choice, achieving a lower cost of acceptance.


Worldpay can configure your routing preferences to route all eligible transactions to a specific scheme. Contact your Worldpay Relationship Manager or support team to have this set with your scheme preference. The route is set to prefer eftpos by default.

You can also determine scheme preference at the transaction level using the Routing MID Configuration in admin.

3DS process


To enable 3DS, you must obtain the 3DS configuration details from the Merchant Acquirer Interface. Afterwards, you need to enter these details into the 3DS configuration section found at the following path:

Admin panel/Navigate to Store/Configuration/Sales/Worldpay/Credit Card 3DS Authentication:





The shopper's experience



Sample XML requests and responses can be referenced here.

Invoice processing, shipments, refunds:

The process of generating invoices, creating shipments and processing refunds is the same as for regular orders in Magento.

27. Content Security Policy Compatibility

The module is compatible with Content Security Policy. If you need to add new domains, use your website's csp_whitelist.xml file, as described in the Magento documentation.

28. Multi-language support

The module currently supports English, Spanish and Portuguese.

How to report bugs

Please report any bugs on GitHub.