.NET DEVOPS REVOLUTION

FLEXIBILITY AND QUALITY CONTROL WITH DOCKER'S ADAPTIVE ARSENAL

WOUTER BAUCHART - SOPRA STERIA



WHOAMI



Wouter Bauchart https://bauchart.be








.NET, Azure, Azure DevOps, Music, Games, ...



https://github.com/WouterBau











Build your first **Discord Chatbot**

Available on Learn**TV** + .**NET** Live TV


aka.ms/LearnTV live.dot.net





https://github.com/WouterBau/ShadowRoller






SHADOWROLLER









Unit Tests



Code Coverage





WHAT RUNS?

























WHAT RUNS?




























- Azure DevOps Documentation: PublishTestResults *
 - (Tedious?) Docker build, run, cp and stop sample
- .NET Docker samples: Complex App *
 - (Smooth) Docker build and run with volume binding sample
- Party of DevOps colleagues + Hands-On experience











- Reproducibility & Consistency
 - Dev Machine == Build Agent executions
 - Reproducible (integration) test environments
- Stability
 - Smaller dependency on build agents
 - Expected tooling versions used
- Flexibility
 - Unrestricted in how to create your build
 - Unrestricted on where to create your build
 - Unrestricted on what CI/CD platform you use









- Build agents
 - Require support for containers
- Build & Run Command
 - Ensure all expected arguments are provided




OPTIONAL TASKS FOR CI/CD PLATFORM

SHADOWROLLER

THESE COULD ALSO BE PART OF YOUR DOCKERFILE

- Pipelines
 - Store results for run




OPTIONAL TASKS FOR CI/CD PLATFORM

THESE COULD ALSO BE PART OF YOUR DOCKERFILE



- Dashboards
 - Visualize the results



SHOWTIME: CODE COVERAGE















```
You, last week | 1 author (You)
     # https://hub.docker.com/_/microsoft-dotnet
     FROM mcr.microsoft.com/dotnet/sdk:8.0 AS build
     WORKDIR /source
     # Copy each .csproj file individually
     COPY src/ShadowRoller.Domain/ShadowRoller.Domain.csproj src/ShadowRoller.
                                                                                                                   SHADOWROLLER
     Domain/
     COPY src/ShadowRoller.DiscordBot/ShadowRoller.DiscordBot.csproj src/
     ShadowRoller.DiscordBot/
     COPY tests/ShadowRoller.Domain.Tests/ShadowRoller.Domain.Tests.csproj tests/
     ShadowRoller.Domain.Tests/
10
     # Copy the solution file
     COPY ShadowRoller.sln ./
11
12
     # Restore the projects in the solution
13
     RUN dotnet restore ShadowRoller.sln
15
     # Copy the rest of the application code
16
17
     COPY . .
18
19
     # Build the application
     RUN dotnet build --no-restore ShadowRoller.sln
21
22
     # Run the tests
23
     FROM build AS test
     ENTRYPOINT ["dotnet", "test", "ShadowRoller.sln", "--no-build", "/
     p:CollectCoverage=true", "/
     p:CoverletOutputFormat=json%2ccobertura%2copencover", "/p:CoverletOutput=../
     TestResults/", "/p:MergeWith=../TestResults/coverage.json", "/
     p:SkipAutoProps=true", "/m:1"]
```

🧼 Dockerfile > ...



SHOWTIME: CODE COVERAGE

docker build --pull --rm -t shadowroller:qa .

docker run -rm \

-v \${pwd}/TestResults:/source/tests/TestResults \
shadowroller:qa



















```
Dockerfile > ...
     You, 7 days ago | 1 author (You)
     # https://hub.docker.com/_/microsoft-dotnet
     FROM mcr.microsoft.com/dotnet/sdk:8.0 AS copyrestore
     WORKDIR /source
     # Copy each .csproj file individually
     COPY src/ShadowRoller.Domain/ShadowRoller.Domain.csproj src/ShadowRoller.Domain/
     COPY src/ShadowRoller.DiscordBot/ShadowRoller.DiscordBot.csproj src/ShadowRoller.
     DiscordBot/
                                                                                                                              SHADOWROLLER
     COPY tests/ShadowRoller.Domain.Tests/ShadowRoller.Domain.Tests.csproj tests/ShadowRoller.
     Domain.Tests/
     # Copy the solution file
     COPY ShadowRoller.sln ./
     # Restore the projects in the solution
11
     RUN dotnet restore ShadowRoller.sln
12
     # Copy the rest of the application code
13
     COPY . .
15
     FROM copyrestore AS build
     # Build the application
16
17
     RUN dotnet build --no-restore ShadowRoller.sln
19
     # Run the tests
     FROM build AS test
21
     ENTRYPOINT ["dotnet", "test", "ShadowRoller.sln", "--no-build", "/
     p:CollectCoverage=true", "/p:CoverletOutputFormat=json%2ccobertura%2copencover", "/
     p:CoverletOutput=../TestResults/", "/p:MergeWith=../TestResults/coverage.json", "/
     p:SkipAutoProps=true", "/m:1"]
22
23
     FROM copyrestore as mutation
     # Install dotnet-stryker
     RUN dotnet tool install --global dotnet-stryker
25
     # Add dotnet tools to PATH
26
     ENV PATH="$PATH:/root/.dotnet/tools"
27
     ENTRYPOINT dotnet stryker -s ShadowRoller.sln --output MutationResults --dashboard-api-key
```

\$STRYKER_API_KEY -v \$BRANCH_NAME



SHOWTIME: MUTATION TESTING

```
docker build --pull -rm \
--target mutation -t shadowroller:qa-mutation .
```

```
docker run --rm --env-file .env \
-e BRANCH_NAME=$BRANCH \
-v ${pwd}/MutationResults:/source/MutationResults \
shadowroller:qa-mutation
```

SHOWTIME: SONARCLOUD

















```
Dockerfile > .
     # https://hub.docker.com/_/microsoft-dotnet
     FROM mcr.microsoft.com/dotnet/sdk:8.0 AS copyrestore
     WORKDIR /source
     # Copy each .csproj file individually
     COPY src/ShadowRoller.Domain/ShadowRoller.Domain.csproj src/ShadowRoller.Domain/
     COPY src/ShadowRoller.DiscordBot/ShadowRoller.DiscordBot.csproj src/ShadowRoller.
     DiscordBot/
     COPY tests/ShadowRoller.Domain.Tests/ShadowRoller.Domain.Tests.csproj tests/
     ShadowRoller.Domain.Tests/
     # Copy the solution file
     COPY ShadowRoller.sln ./
     # Restore the projects in the solution
     RUN dotnet restore ShadowRoller.sln
     # Copy the rest of the application code
     COPY . .
     FROM copyrestore as mutation
     # Install dotnet-stryker
     RUN dotnet tool install --global dotnet-stryker
     # Add dotnet tools to PATH
     ENV PATH="$PATH:/root/.dotnet/tools"
     ENTRYPOINT dotnet stryker -s ShadowRoller.sln --output MutationResults
     --dashboard-api-key $STRYKER_API_KEY -v $BRANCH_NAME
     FROM copyrestore as qabuild
     ARG SONAR_HOST_URL
     ARG SONAR_TOKEN
25
     ARG SONAR_ORGANIZATION
     ARG SONAR_PROJECT_KEY
     ARG SONAR_PROJECT_NAME
     ARG SONAR_BRANCH
     # Install OpenJDK 17
     RUN apt-get update && apt-get install -y openjdk-17-jdk
     # Install sonarqube scanner
     RUN dotnet tool install --global dotnet-sonarscanner
     # Add dotnet tools to PATH
     ENV PATH="$PATH:/root/.dotnet/tools"
```

```
# Add dotnet tools to PATH
 ENV PATH="$PATH:/root/.dotnet/tools"
 # Begin SonarCloud analysis
                                                SHADOWROLLER
 RUN dotnet sonarscanner begin \
 /o:"$SONAR_ORGANIZATION" \
  /k: "$SONAR_PROJECT_KEY" \
  /n:"$SONAR_PROJECT_NAME" \
  /d:sonar.token="$SONAR_TOKEN" \
  /d:sonar.host.url="$SONAR_HOST_URL" \
  /d:sonar.branch.name="$SONAR_BRANCH" \
  /d:sonar.cs.opencover.reportsPaths="**/coverage.opencover.xml"
 # Rebuild the application
 RUN dotnet build --no-restore ShadowRoller.sln
# Run the tests
RUN dotnet test ShadowRoller.sln --no-build /p:CollectCoverage=true /
 p:CoverletOutputFormat=json%2ccobertura%2copencover /p:CoverletOutput=../
 TestResults/ /p:MergeWith=../TestResults/coverage.json /p:SkipAutoProps=true /m:1
 # End SonarCloud analysis
RUN dotnet sonarscanner end /d:sonar.token="$SONAR_TOKEN"
FROM gabuild as gatest
ENTRYPOINT [ "cp", "-r", "./tests/TestResults", "./volume/TestResults" ]
 FROM copyrestore AS build
 # Build the application
RUN dotnet build --no-restore ShadowRoller.sln
```



SHOWTIME: MUTATION TESTING

```
docker build --pull -rm \
  --build-arg SONAR_HOST_URL=$SONAR_HOST \
  --build-arg SONAR_TOKEN=$SONAR_TOKEN \
  --build-arg SONAR_ORGANIZATION=$SONAR_ORGANIZATION \
  --build-arg SONAR_PROJECT_KEY=$SONAR_PROJECT_KEY \
  --build-arg SONAR_PROJECT_NAME=$SONAR_PROJECT_NAME \
  --build-arg SONAR_BRANCH=$BRANCH \
  --target qatest -t shadowroller:qa-tests .
```

docker run --rm -v \${pwd}/TestResults:/source/volume/TestResults \
shadowroller:qa-tests






















```
azure-pipelines > 🖹 qa-azure-pipelines.yml > [ ] jobs > {} 0 > [ ] steps > {} 0 > 🏧 script
                                                                                                 .azure-pipelines > 🖹 ga-azure-pipelines.yml > [ ] jobs > ( ) 0 > [ ] ste
     You, 1 hour ago | 1 author (You)
                                                                                                      jobs:
     trigger: none
                                                                                                      - job: sast
                                                                                                        steps:
     variables:
                                                                                                        - task: PublishTestResults@2
     - group: stryker-variable-group
                                                                                                                                                  SHADOWROLLER
                                                                                                          inputs:
     - group: sonarcloud-variable-group
                                                                                                            testRunner: VSTest
     name: SONAR_PROJECT_KEY
                                                                                                           testResultsFiles: '$(System.DefaultWorkingDirectory)/**/*.trx'
       value: WouterBau_ShadowRoller
                                                                                                            failTaskOnFailedTests: true
       name: SONAR PROJECT NAME
       value: ShadowRoller
                                                                                                        - task: PublishCodeCoverageResults@2
                                                                                                          inputs:
                                                                                                           codeCoverageTool: 'Cobertura'
       vmImage: 'ubuntu-latest'
                                                                                                 30
                                                                                                           summaryFileLocation: '$(System.DefaultWorkingDirectory)/**/coverage.cobertur
     jobs:
     - job: sast
                                                                                                      - job: mutation
        script:
          docker build --pull --rm --build-arg SONAR_HOST_URL=$(SONAR_HOST_URL)
                                                                                                            docker build --pull --rm --target mutation -t shadowroller:ga-mutation .
          --build-arg SONAR_TOKEN=$(SONAR_TOKEN) --build-arg SONAR_ORGANIZATION=$
                                                                                                           docker run --rm -e STRYKER_API_KEY=$(STRYKER_API_KEY) -e BRANCH_NAME=$(Build
          (SONAR_ORGANIZATION) --build-arg SONAR_PROJECT_KEY=$(SONAR_PROJECT_KEY)
                                                                                                           SourceBranchName) -v $(System.DefaultWorkingDirectory)/MutationResults:/
          --build-arg SONAR_PROJECT_NAME=$(SONAR_PROJECT_NAME) --build-arg
                                                                                                            source/MutationResults shadowroller:ga-mutation
          SONAR_BRANCH=$(Build.SourceBranchName) -- target gatest -t
          shadowroller:qa-tests .
                                                                                                        task: PublishMutationReport@1
          docker run --rm -v $(System.DefaultWorkingDirectory)/TestResults-Docker:/
                                                                                                          displayName: 'Publish Mutation Test Report'
          source/volume/TestResults shadowroller:qa-tests
                                                                                                          inputs:
                                                                                                            reportPattern: '$(System.DefaultWorkingDirectory)/**/mutation-report.html'
       - task: PublishTestResults@2
              Run the tests
              RUN dotnet test ShadowRoller.sln --no-build --logger trx --results-directory ./TestResults/
     48
              p:CollectCoverage=true /p:CoverletOutputFormat=json%2ccobertura%2copencover /
              p:CoverletOutput=../../TestResults/ /p:MergeWith=../../TestResults/coverage.json /
              p:SkipAutoProps=true /m:1
```





SHADOWROLLER

- Publish hybrid/desktop apps?
- How to handle NuGet packages?
- Moving to another CI/CD platform?





REFERENCES

- Azure DevOps 'PublishTestResults' Documentation:
 https://learn.microsoft.com/en us/azure/devops/pipelines/tasks/reference/publish-test-results-v2
- .NET Docker samples complexapp:
 https://github.com/dotnet/dotnet-docker/tree/main/samples/complexapp
- More reference information here soon:
 https://bauchart.be/2024/05/24/net-devops-revolution/



https://github.com/WouterBau/ShadowRoller-NET-DevOps-Revolution-Docker