


Features: 1. Supports 2S to 6S LiPo battery input, compatible with various power systems 2. Four switchable output voltages with robust load capacity, delivering continuous 5A output 3. Efficient buck design for high-performance BEC operation 4. Compact and lightweight, specifically engineered for RC applications 5. High conversion efficiency with minimal heat generation ensures stable long-term device operation Parameter: Default 5V output: 4A continuous without cooling, 5A continuous with cooling Solderable jumper points switchable to 6V@4A, 7.4V@4A, 8.4V@4A outputs Input voltage must exceed output voltage by 1.5V Four switchable output voltages (5V/6V/7.4V/8.4V) Four-layer PCB + resin-filled vias + gold-plated Features carbonyl powder inductors + solid-state capacitors Package include: 1 x Mini BEC Module 2-6S 7-26V to 5V/6V/7.4V/8.4V Step-down Regulator Module for RC FPV Racing Drone






2-6S BEC Module
input :2~6S (7~26VDC)
output : 5V 5A
6V 4A
7.4V 4A
8.4V 4A
EPC1050
100
SOUTHCHIP
SC81020DJR
7HC26
6V 7.4V 8.4V
OUT+
OUT-
BAT+
BAT-


OUT-
OUT+
EPC1050
100
BAT-
BAT+
SOUTHCHIP
SC8112QDJR
7HC26
6V
7.4V
8.4V
6.6mm/0.26in
18mm/0.70in
30mm/1.18in


EPC1050
100
SOUTHCHIP
SC8102ODJR
7HC26
6V 7.4V 8.4V
BAT+
BAT-
OUT+
OUT-


BAT-
BAT+
6V
7.4V
8.4V
OUT-
OUT+
EPC1050
100


6V
7.4V
8.4V
BAT+
BAT-
OUT+
OUT-
SOUTHCHIP
SC8102ODJR
7HC26
EPC1050
100



2–6S High–Performance BEC
Default Output: 5V 5A
Four Switchable Output Voltages