

DILG Client Satisfaction Survey

Operator's Manual

Document Code: FM-SP-DILG-07-07B • **Covers:** Online survey & spreadsheet system


Main task: Generating printable survey sheets from responses

DILG Client Satisfaction Survey — Operator's Manual

Document Code: FM-SP-DILG-07-07B **Systems covered:** the online survey (web form) and the spreadsheet system (Google Sheet + Apps Script)

This manual explains how the system works and how to do the everyday tasks: collecting responses, generating printable survey sheets, managing templates, and keeping everything healthy. It does **not** cover the web admin dashboard — all admin work happens in the spreadsheet.

1. How the system fits together



What you interact with every day:

- **The spreadsheet** — where all responses land and where all menu tools live. It has a **DILG Survey** menu added automatically at the top (see §2).
- **The online survey link** — the web page you share with clients.
- **Google Drive folders:**
 - **DILG Survey Templates** — holds the template documents
 - **DILG Survey Generated Sheets** — holds every generated printable (auto-created)

2. The DILG Survey menu (spreadsheet)

Open the spreadsheet. A menu bar named **DILG Survey** appears next to Help (it appears automatically when you open the file; if it is missing, see §8 Troubleshooting).

Main menu — everyday actions

Menu item	What it does
Create / Update Google Form	Creates (first time) or rebuilds the linked Google Form (on-site/offline use), links it to this spreadsheet, and shows the share link. See §3.
Generate Printable Sheet (Selected Row)	Generates the filled survey sheet for one response (the row you selected). See §5.
Batch Generate (Selected Rows)	Generates filled sheets for many responses at once (all rows you selected). See §5.
Settings	Opens the settings sidebar: template documents, output folder, Google Form. See §6.
Install Keep-Warm + Cleanup Triggers	One-time setup that keeps the online survey fast and cleans duplicate rows automatically. See §7.
About / Help	Shows a short summary of how to use the tool.

Advanced submenu — maintenance & power-user tools

Menu item	What it does
Generate Template Document	Creates a brand-new Tagalog template Google Doc with all <code>{{placeholders}}</code> already embedded. Ask for a name when prompted.
Prepare English Template	Inserts placeholders into your English template document (set in Settings first). See §6.2.
Reset English Template	Removes the placeholders from the English template (undoes "Prepare").
Verify Template	Checks the Tagalog template: file exists, is a native Google Doc, all ~89 placeholders present, SQD grid state, output folder and form configured.
Verify English Template	Same check for the English template.
Fix Template Layout	Repairs common template issues: merges orphan <code>{{key}}</code> lines back into label lines and strips literal checkbox glyphs. Run this when the printable output looks off.
Compact SQD Grid	Tidies the SQD rating tables in both templates: fills every rating cell with the checkbox glyph and narrows the rating columns. Run after making a new template.
Diagnose Deployment	The first thing to run when output looks wrong. Shows the code version (<code>MERGE_VERSION</code>), the state of both templates, and the active row's language/answers.
Diagnose Batch Append	Developer diagnostic for batch document building.
Batch Spacing Self-Test	Runs internal tests on the batch document layout; shows pass/fail counts.

Menu item	What it does
Batch Resume Self-Test	Runs internal tests on batch resume (continuing an interrupted batch).
Test Merge (English) — Selected Row	Performs the real English merge against the selected row and reports the values read and the resulting checkmarks. Use when a printable shows wrong/unchecked answers.
Remove Duplicate Reference Numbers	Scans the Reference Number column and deletes any duplicate rows, keeping the first. Safe to run any time.
Delete Test Rows	Deletes leftover test/diagnostic rows (Reference Numbers starting with REFTEST- , VERIFY- , DILG-TEST- , etc.). Keeps the sheet clean.

3. The online survey (collecting responses)

3.1 One-time setup

The online survey is a web page (hosted on Vercel) that posts answers into this spreadsheet. Everything was set up during installation; you only re-verify occasionally:

- The Vercel project has the environment variables set:
 - `APPS_SCRIPT_URL` — must equal the live web-app URL ending in `/AKfycbxGAbSu3N1x0iVaKGLmLIi8JgrR6mpmAdH00-.../exec`
 - `GOOGLE_SA_KEY` + `SPREADSHEET_ID` — enable the fast path that writes responses straight into the sheet (recommended, much faster)
- The Apps Script project has the **keep-warm** trigger installed (see §7) so the survey never feels slow.

3.2 Sharing the survey

- Share the **online web app link** (the Vercel URL) with clients. This is the recommended channel — submissions land in the sheet in ~2 seconds.
- Alternatively, share the **Google Form** link (from `DILG Survey → Create / Update Google Form`). The form is linked to the same spreadsheet, so on-site (tablet) responses land in the same rows.

3.3 What happens when someone answers

- The response is posted to the spreadsheet (directly via the fast path, or via the Apps Script web app as fallback).
- A **Reference Number** is assigned to the row (shown on the client's success screen).
- The `onFormSubmit` trigger runs automatically and:
 - numbers the **Response ID** column (1, 2, 3, ...)
 - auto-fills **SQD5 = N/A** if the respondent left it blank (this office has no payment transactions — the question does not apply)
- The row appears in the sheet's **Survey Data** tab, ready to be turned into a printable.

4. One-time setup (do this before generating your first printable)

1. **Set the template documents** — **DILG Survey** → **Settings** :
 - **Template Document** (Tagalog): click ⚡ **Auto-Generate Template** to create one, or paste the Doc ID of an existing template.
 - **English Template Document**: if you keep an English-language copy of the form (e.g. a converted Word file), upload/convert it to Google Docs (Drive → right-click → **Open with** → **Google Docs**), copy its Doc ID from the URL, paste it here and click **Save English Template**, then run **Advanced** → **Prepare English Template**.
2. **Output folder** (optional) — leave blank and the system auto-creates **DILG Survey Generated Sheets**; or paste a specific Drive folder ID to pin the destination.
3. **Click Save** on each section. Then run **Advanced** → **Verify Template** to confirm everything is ready (green checkmarks).

5. Generating a printable survey sheet ★ (the main task)

The printable is a filled copy of the form — every checkbox and answer from a response row pre-marked — saved as a **Google Doc + PDF** in the output folder.

5.1 Single response

1. Open the spreadsheet and go to the **Survey Data** tab.
2. **Select any cell in the response row** you want (click on the row number or a cell inside it — not the header row).
3. Menu: **DILG Survey** → **Generate Printable Sheet (Selected Row)**.
4. A small dialog asks which template to use:
 - **Auto** (recommended) — uses the row's **"Wika ng sarbey"** answer to pick the language. If that column is missing, it falls back to Tagalog.
 - **English form** — always uses the English template.
 - **Tagalog form** — always uses the Tagalog template.
5. Click **Generate**.
6. The dialog reports **"Generated! Printable sheet saved:"** with a link.
 - Click the link to open the Google Doc, or
 - find the matching **PDF** in the output folder (**DILG Survey Generated Sheets**) — the PDF is the copy you print/file.

5.2 Batch (many responses)

1. Select **multiple rows** (click-drag on the row numbers, or hold **Ctrl** while clicking row numbers) — any selection that covers data rows works.
2. Menu: **DILG Survey → Batch Generate (Selected Rows)**.
3. Choose the template (Auto / English / Tagalog) and click **Generate**.
4. The dialog shows **N / M files generated** plus the list of links. Any row that failed is listed separately (e.g. **Row 12: ...**) so you can retry it.
5. All PDFs land in the output folder with the response's reference details in the file name.

5.3 Where the files go

- Output folder: **DILG Survey Generated Sheets** (in Drive) — auto-created.
- Each response produces a **Google Doc** (editable) and a **PDF** (print-ready) with the same name.

5.4 If the printable shows raw `{{placeholders}}` or wrong marks

1. Run **Advanced → Diagnose Deployment** — check that **MERGE_VERSION** shows the current version (if it says **MISSING / STALE**, the deployed code is old — see §7.4 on deploying code updates).
2. Run **Advanced → Verify Template** for the template in use — fix anything it flags (missing keys → regenerate; **.docx** format → convert to Google Docs).
3. Run **Advanced → Fix Template Layout** to merge orphan placeholder lines.
4. Re-generate the printable for that row.

6. Settings sidebar

Open with **DILG Survey → Settings**. Sections:

Section	Purpose
Google Form	Shows the linked form's link. Create / Update Form rebuilds the form with all questions and conditional logic.
Template Document	The Tagalog template Doc ID. Paste an existing ID, or click ⚡ Auto-Generate Template .
English Template Document	The English template Doc ID (see §4 step 1 for how to create one).
Output Folder ID	Where generated PDFs are saved. Blank = auto-created DILG Survey Generated Sheets .
Reset All Settings	Clears template/form/folder settings (the sheet data is untouched). Only use when reconfiguring from scratch.

Note: the "Admin Dashboard Login" section in the sidebar is no longer used. Ignore it — all administration now happens in this spreadsheet.

7. Triggers, maintenance & updating

7.1 Install the triggers (one-time, do after any fresh setup)

Menu: **DILG Survey** → **Install Keep-Warm + Cleanup Triggers**. This installs:

- **keep-warm** — pings the live web app **every minute** so the online survey never hits the 20–40 second cold start. Without it, the first submission after ~6 idle minutes is very slow.
- **cleanup** — every day at 3 AM, scans the Reference Number column and deletes duplicate rows (keeping the first). Safety net against double submissions.

Re-run the item any time to re-install (it replaces old triggers, never stacks).

7.2 Weekly/monthly housekeeping

- **Delete test rows:** **Advanced** → **Delete Test Rows** — clears any test/diagnostic rows polluting the sheet.
- **Check for duplicates:** **Advanced** → **Remove Duplicate Reference Numbers** (or just rely on the 3 AM cleanup).
- **Spot-check a printable:** generate one with **Auto** and verify checkboxes match the row's answers.

7.3 If the sheet grows large

The system reads only recent rows for reference lookups by design, so a large sheet stays fast. The daily cleanup keeps duplicates out. No archiving needed.

7.4 Deploying code updates (for the developer)

1. In a terminal (repo root): `npm run clasp:push` to upload `apps-script/` changes to the Apps Script project.
2. In the Apps Script editor (open from the spreadsheet: **Extensions** → **Apps Script**): **Deploy** → **Manage deployments** → **Edit** → **Version: New version** → **Deploy**.
3. Verify the new version is live: open `https://script.google.com/macros/s/AKfycbxGAbSu3N1x0iVaKGLmLIi8JgrR6mpmAdH00-rjCJZDldT_n6R1iUlqtz-sPPDjRUH3/exec?status=1` in a browser — it returns JSON including the `mergeVersion`. A fresh deployment must match the current code version.
4. Confirm the Vercel `APPS_SCRIPT_URL` still points to that URL (it does, unless the URL changed — then update Vercel too, and the `WEBAPP_URL` constant in the code, *before* switching).

Every menu action above runs the **current** code the moment you click it — but the **online survey** runs the **deployed** web app, so after any code change you must redeploy (step 2) or the survey keeps using the old version.

8. Troubleshooting

Symptom	Fix
No DILG Survey menu in the spreadsheet	Refresh the page. If still missing, open Extensions → Apps Script , re-run onOpen once, then refresh. (Doing this needs editor access to the script.)
"Walang template na naka-set" / printable generates nothing	DILG Survey → Settings → set the Template Document (⚡ Auto-Generate), save.
Printable has <code>{{placeholders}}</code> text left in it	1) Advanced → Diagnose Deployment (is MERGE_VERSION current?) → 2) Advanced → Verify Template → 3) Advanced → Fix Template Layout → 4) regenerate.
Checkboxes not marked for a row	Advanced → Test Merge (English) – Selected Row on that row and read the values it reports; check the row's answers actually match the template's labels.
Online survey takes 30+ seconds after being idle	Install the triggers: DILG Survey → Install Keep-Warm + Cleanup Triggers .
A response appears twice	Advanced → Remove Duplicate Reference Numbers (or wait for the 3 AM cleanup).
SQD rating grid too wide / cells empty in the printable	Advanced → Compact SQD Grid , then regenerate.
Can't find a generated file	Check the DILG Survey Generated Sheets folder in Drive; the dialog also prints the direct link.
"Hindi makabuo" error on generate	Check Executions in the Apps Script editor for the exact error; most often a template issue — run Advanced → Verify Template .

9. Glossary

Term	Meaning
Printable / Printable Sheet	The filled copy of the survey form generated from a response (Google Doc + PDF).
Template	The blank form document containing <code>{{placeholders}}</code> that the merge fills. Two exist: Tagalog and English.
Placeholder	A token like <code>{{cc1_0}}</code> inside the template — replaced with a checkmark or text during generation.
Reference Number	Unique ID per submission, assigned when the response arrives.
SQD	Service Quality Dimension — the 8-question rating section of the form.
Keep-warm trigger	A once-a-minute ping that keeps the online survey web app from falling asleep.

Term	Meaning
Fast path FMT SR DILG 07-07B — DILG Client Satisfaction Survey	Writing responses directly from Vercel to the sheet (no Apps Script hop) — makes the online survey ~2s fast.