model

Author: DDRgrievous

Date: 2015-03-01


Table of Contents

Overview	
Model description	
Diagrams	
Classifiers	
CalculatorController	
CalculatorView	
CalculatorModel	
CalculateListener	
NumberPadController	
NumbersView	

1. Overview

1.1 Model Description

1.2 Diagrams



2 Classifiers

2.1 Class CalculatorController

2.1.1 Attributes

- **theView** : CalculatorView [1]

- theModel: CalculatorModel [1]

2.1.2 Generalizations

None

2.1.3 Operations

- Void CalulatorController ()

2.2 Class CalculatorView

2.2.1 Attributes

- firstNumber : JTextField [1]

- additionalLabel : JLabel [1]

- secondNumber : JTextField [1]

- calculateButton : JButton [1]

- calcSolution : JTextField [1]

2.2.2 Generalizations

None

2.2.3 Operations

- Void calculatorView ()

- Void getFirstNumber () - Void setNumber () - Void **getSecondNumber** () - Void operation () 2.3 Class CalculatorModel 2.3.1 Attributes - calculationValue : Integer [1] 2.3.2 Generalizations None 2.3.3 Operations - Void **addTwoNumbers** (parameter : Integer, parameter2 : Integer) - Integer **getCalculationValue** () 2.4 Class CalculateListener 2.4.1 Attributes No additional attributes

2.4.2 Generalizations

None

2.4.3 Operations

- Void **actionPerformed** (parameter : String)

2.5 Class NumberPadController

2.5.1 Attributes

- calcView : CalculatorView [1]

- **numView** : NumbersView [1]

- calcModel : CalculatorModel [1]

2.5.2 Generalizations

None

2.5.3 Operations

- Void NumberPadController ()

2.6 Class NumbersView

2.6.1 Attributes

No additional attributes

2.6.2 Generalizations

None

2.6.3 Operations

No additional operations