



# **OpenAM Java EE Policy Agent Release Notes**

Version 3.5

Mark Craig  
Gene Hirayama  
Chris Lee

ForgeRock AS  
201 Mission St., Suite 2900  
San Francisco, CA 94105, USA  
+1 415-599-1100 (US)  
[www.forgerock.com](http://www.forgerock.com)

---

Copyright © 2011-2016 ForgeRock AS

## Abstract

Notes covering prerequisites, fixes, known issues for OpenAM Java EE policy agents. OpenAM provides open source Authentication, Authorization, Entitlement and Federation software.



This work is licensed under the [Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License](http://creativecommons.org/licenses/by-nc-nd/3.0/).

To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-nd/3.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

ForgeRock™ is the trademark of ForgeRock Inc. or its subsidiaries in the U.S. and in other countries. Trademarks are the property of their respective owners.

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DejaVu Fonts

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong @ free . fr.

Admonition graphics by Yannick Lung. Free for commercial use. Available at [Freeecs.Cumulus](http://Freeecs.Cumulus).

---

---

# Table of Contents

1. What's New .....	1
1.1. Major New Features in 3.5.1 .....	1
1.2. Major New Features in 3.5.0 .....	1
2. Before You Install .....	3
2.1. Java Requirements .....	3
2.2. Browser Requirements .....	4
2.3. Native Application Platform Requirements .....	4
2.4. Java EE Agents Platform Requirements .....	5
2.5. Special Requests .....	5
3. Changes and Deprecated Functionality .....	7
3.1. Important Changes to Existing Functionality .....	7
3.2. Deprecated Functionality .....	7
3.3. Removed Functionality .....	8
4. Fixes, Limitations, and Known Issues .....	9
4.1. Key Fixes .....	9
4.2. Limitations .....	10
4.3. Known Issues .....	11
5. Documentation Updates .....	13
6. Support .....	15
7. How to Report Problems and Provide Feedback .....	17



---

## Chapter 1

# What's New

Before you install OpenAM Java EE Policy Agents or update your existing installation, read these release notes. Then update or install OpenAM Java EE Policy Agents.

## 1.1 Major New Features in 3.5.1

OpenAM Java EE Policy Agents 3.5.1 is a maintenance release that includes a number of fixes. See [Section 4.1.1, "Key Fixes in 3.5.1"](#).

## 1.2 Major New Features in 3.5.0

OpenAM Java EE Policy Agents 3.5.0 is a major release that introduces new features and functional enhancements.

This release introduces the following product enhancements:

- **Java 8 Support.** Java EE policy agents now fully support Java 8 environments.
- **Redhat Support.** Java EE policy agents can now be installed on Redhat Linux servers. ([OPENAM-2801](#)).
- **Reintroduce installing agent.war during Tomcat agent installation.** The manual step to add the agentapp.war file is no longer required as the Java agent installers now automatically install the .war file ([OPENAM-4514](#)).

- **Tomcat 8 Support.** The Apache Tomcat policy agent now supports Tomcat 8 ([OPENAM-5407](#)).

---

## Chapter 2

# Before You Install

This section covers software and hardware prerequisites for installing and running OpenAM Java EE Policy Agents.

*ForgeRock supports customers using the versions specified here. Other versions and alternative environments might work as well. When opening a support ticket for an issue, however, make sure you can also reproduce the problem on a combination covered here.*

## 2.1 Java Requirements

Java EE policy agents run in a Java EE Web container, and require a Java Development Kit.

ForgeRock supports customers using the following Java versions. ForgeRock recommends the most recent Java update, with the latest security fixes.

**Table 2.1. Supported Java Development Kit Versions**

Vendor	Version
Oracle Java	6, 7, 8
IBM Java (WebSphere only)	7

## 2.2 Browser Requirements

The following table summarizes browser support.

**Table 2.2. Supported Platforms & Browsers**

<b>Client Platform</b>	<b>Chrome 16 or later</b>	<b>Internet Explorer 9 or later</b>	<b>Firefox 3.6 or later</b>	<b>Safari 5 or later</b>
iOS 7 or later	Supported			Supported
Mac OS X 10.8 or later	Supported		Supported	Supported
Android 4.3 or later	Supported			
Windows 7 or later	Supported	Supported	Supported	Supported
Ubuntu Linux 13.04 LTS or later	Supported		Supported	

## 2.3 Native Application Platform Requirements

ForgeRock supports customers' use of OpenAM REST and other client APIs in native applications on the following platforms.

- Apple iOS 7 or later
- Apple Mac OS X 10.8 or later
- Google Android 4.3 or later
- Microsoft Windows 7 or later
- Ubuntu Linux 12.04 LTS or later

Other combinations might work as well. When opening a support ticket for an issue, however, make sure you can also reproduce the problem on one of these platforms.



## 2.4 Java EE Agents Platform Requirements

The following table summarizes platform support.

**Table 2.3. Supported Operating Systems & Web Application Containers**

Operating Systems (OS)	OS Versions	Web Application Containers & Versions
CentOS Red Hat Enterprise Linux Oracle Linux	5, 6, 7	Apache Tomcat 6, 7, 8 IBM WebSphere Application Server 8, 8.5 JBoss Enterprise Application Platform 6 JBoss Application Server 7 Jetty 8 (at least 8.1.13) Oracle WebLogic Server 11g, 12c
Microsoft Windows Server	2008, 2008 R2, 2012, 2012 R2	Apache Tomcat 6, 7, 8
Oracle Solaris x64 Oracle Solaris SPARC	10, 11	Apache Tomcat 6, 7, 8 Oracle WebLogic Server 11g, 12c
Ubuntu Linux	12.04 LTS, 14.04 LTS	Apache Tomcat 6, 7, 8 IBM WebSphere Application Server 8, 8.5 JBoss Enterprise Application Platform 6 JBoss Application Server 7 Jetty 8 (at least 8.1.13) Oracle WebLogic Server 11g, 12c

## 2.5 Special Requests

If you have a special request regarding support for a combination not listed here, contact ForgeRock at [info@forgerock.com](mailto:info@forgerock.com).



---

## Chapter 3

# Changes and Deprecated Functionality

This chapter covers both major changes to existing functionality, and also deprecated and removed functionality.

## 3.1 Important Changes to Existing Functionality

The default policy evaluation mode for new policy agent profiles is now self rather than subtree, in order to better scale for large numbers of policy rules.

Upgrade does not change existing policy agent profile configurations, however. If you want to adopt the new default setting for existing policy agents, you must change the setting manually.

To do so for Java EE policy agents, set `com.sun.identity.policy.client.cacheMode=self`.

## 3.2 Deprecated Functionality

Support for Oracle WebLogic 10g is deprecated and is likely to be removed in a future release.

Support for the following containers is deprecated:

- IBM WebSphere Application Server 7

- Jetty 7
- Oracle WebLogic Server 10g
- GlassFish 2 & 3

### **3.3 Removed Functionality**

No functionality has been removed in this release.

---

## Chapter 4

# Fixes, Limitations, and Known Issues

OpenAM Java EE policy agent issues are tracked at <https://bugster.forgerock.org/jira/browse/OPENAM>.

## 4.1 Key Fixes

The following issues were fixed in release 3.5. For details, see the [OpenAM issue tracker](#).

### 4.1.1 Key Fixes in 3.5.1

The following important issues were fixed in this release:

- [OPENAM-8523](#): J2EE Agent does not pickup "DN Restriction Only Enabled" from OpenAM configuration
- [OPENAM-5835](#): Redirect loop between OpenAM and J2EE Agent in case of invalid admin token

### 4.1.2 Key Fixes in 3.5.0

The following important issues were fixed in this release:

- [OPENAM-2726](#): Installer must not offer option to apply agent filter in global web.xml for Apache Tomcat Version 7

- [OPENAM-2732](#): Agent responds with HTTP 500 when not enforced ip is set to 127.0.0.1
- [OPENAM-2747](#): JEE Policy Agent Installer fails on all version of VMware tc Server except 2.7.1
- [OPENAM-2752](#): agentapp from JBoss 7 agent loses its MANIFEST file upon installation
- [OPENAM-2782](#): Bootstrap and Configuration files refer to incorrect PA version
- [OPENAM-2801](#): Tomcat agent fails to install on Redhat
- [OPENAM-3209](#): Tomcat 6 agent custom-install does not modify global web.xml
- [OPENAM-3228](#): Configuration for FQDN checking required even when FQDN checking is disabled
- [OPENAM-3255](#): J2EE Agent cannot handle doublequote in POSTed value in PDP
- [OPENAM-3492](#): Clean up the JavaEE Agent Maven build process to improve the handling of dependencies and their versions
- [OPENAM-3650](#): JPA removes a trailing '?' from a resource URL being evaluated
- [OPENAM-3817](#): com.sun.identity.agents.common.URLFailoverHelper is missing 'toString()' method
- [OPENAM-4084](#): JBoss agent fails to install on AS 7.0.0.Final due to incorrect module namespace version
- [OPENAM-4416](#): AgentException's details thrown during AmFilter.initialize are not logged in enough detail to help with diagnosis.
- [OPENAM-4451](#): Java EE agents can't be compiled using Maven 3.1.0+
- [OPENAM-4514](#): Reintroduce installing agentapp.war during Tomcat agent installation
- [OPENAM-5407](#): Provide Java Policy Agent support for Tomcat 8

## 4.2 Limitations

No particular limitations are identified for this release.

## 4.3 Known Issues

The following important known issues remained open at the time release 3.5 became available. For details and information on other issues, see the [OpenAM issue tracker](#).

### 4.3.1 Known Issues in 3.5.1

The following important issues remained open when OpenAM Java EE Policy Agents 3.5.1 became available:

- [OPENAM-4964](#): after logout from invalid session the application goes into a loop
- [OPENAM-5503](#): Jetty\_v7 j2ee agent is not compatible with jetty 9+
- [OPENAM-5532](#): J2ee agent archive name and agentadmin output contains outdated information
- [OPENAM-6477](#): request for Agent log retention configuration
- [OPENAM-6540](#): WebSphere J2EE Agent unable to use sub-realm with standalone custom registry - com.sun.identity.agents.websphere.AmAgentUserRegistry
- [OPENAM-7081](#): J2EE agent does not answer anymore after 1 sec of load due to high cache contention
- [OPENAM-7259](#): The Sample App shipped with the Java Agent should include logout link examples
- [OPENAM-7314](#): J2EE\_POLICY mode doesn't operate consistent with the J2EE spec.
- [OPENAM-8341](#): J2EE uninstall needs more detailed error reporting if invalid xml is found in tomcat configuration
- [OPENAM-8551](#): J2EE Agent logs 'The user does not have permission to perform the operation' errors during bootstrap

### 4.3.2 Known Issues in 3.5.0

The following important issues remained open when OpenAM Java EE Policy Agents 3.5.0 became available:

- [OPENAM-211](#): J2EE agents are unable to work, if the container was started prior to OpenAM

- [OPENAM-1279](#): Policy Agent fail-over error when the first naming service host is unavailable
- [OPENAM-3294](#): Agents should not probe the loginURL / logoutURL before redirecting by default
- [OPENAM-4849](#): FormLoginTaskHandler is only called if URI listed as 'Form Login URI' is a protected resource
- [OPENAM-5358](#): Support is missing for installing JBoss Policy Agent against a specific profile when there are multiple defined.
- [OPENAM-5448](#): CompositeAdviceForm.txt does not allow advice submission when javascript is disabled



---

# Chapter 5

## Documentation Updates

The following table tracks changes to the documentation set following the release of OpenAM Java EE Policy Agents 3.5:

**Table 5.1. Documentation Change Log**

Date	Description
2016-04-25	<p>Maintenance release of OpenAM Java EE Policy Agents 3.5.1.</p> <ul style="list-style-type: none"><li>• Merged the <i>OpenAM Java EE Policy Agent Reference</i> content into the <i>OpenAM Java EE Policy Agent User's Guide</i>.</li><li>• Added the reference documentation for the <code>agentadmin(1)</code> in the <i>OpenAM Java EE Policy Agent User's Guide</i> command, taken from the OpenAM documentation.</li></ul>
2015-02-25	<p>Initial release of OpenAM Java EE Policy Agents 3.5.0.</p>



---

## Chapter 6

# Support

You can purchase OpenAM support subscriptions and training courses from ForgeRock and from consulting partners around the world and in your area. To contact ForgeRock, send mail to [info@forgerock.com](mailto:info@forgerock.com). To find a partner in your area, see <http://forgerock.com/partners/find-a-partner/>.



---

## Chapter 7

# How to Report Problems and Provide Feedback

If you have questions regarding OpenAM policy agents which are not answered by the documentation, there is a mailing list which can be found at <https://lists.forgerock.org/mailman/listinfo/openam> where you are likely to find an answer.

If you have found issues or reproducible bugs within OpenAM policy agents, report them in <https://bugster.forgerock.org>.

When requesting help with a problem, include the following information:

- Description of the problem, including when the problem occurs and its impact on your operation
- Description of the environment, including the following information:
  - Machine type
  - Operating system and version
  - Web server or container and version
  - Java version
  - OpenAM policy agent and version
  - Any patches or other software that might be affecting the problem

- 
- Steps to reproduce the problem
  - Any relevant access and error logs, stack traces, or core dumps