Modeling impaired and enhanced learning with enhanced plasticity

based on work with: T.D. Barbara Nguyen-Vu, Grace Q. Zhao, Aparna Suvrathan, Han-Mi Lee, Surya Ganguli, Carla J. Shatz, Jennifer L. Raymond

Subhaneil Lahiri

Stanford University, Applied Physics

January 31, 2014

2014-01-31

Impaired/enhanced learning w/ enhanced plasticity

Modeling impaired and enhanced learning with enhanced plasticity
based on work with: T.D. Barbara Nguyen-Vu, Grace Q. Zhao, Aparna Suvrathan, Han-Mi Lee, Surya Ganguli, Carla J. Shatz, Jennifer L. Raymond
Subhaneil Lahiri
Stanford University, Applied Physics
January 31, 2014

1. Acknowledge Barbara and Grace

Introduction

Learning requires synaptic plasticity.
Expect enhanced plasticity $\rightarrow$ enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

Introduction
Learning requires synaptic plasticity.
Expect enhanced plasticity $\rightarrow$ enhance learning.
[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

1. It does help in some cases
2. Want to understand when and why
3. Depends on circumstance. Rich pattern of behaviour
4. Develop understanding of when and why learning is enhanced/impaired

Introduction

Learning requires synaptic plasticity.
Expect enhanced plasticity → enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

But often: → impairment.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)]
[Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]



1. It does help in some cases
2. Want to understand when and why
3. Depends on circumstance. Rich pattern of behaviour
4. Develop understanding of when and why learning is enhanced/impaired

Introduction

Learning requires synaptic plasticity.
Expect enhanced plasticity → enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

But often: → impairment.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)]
[Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]

Mice with enhanced cerebellar plasticity can show both impaired and enhanced learning.

Simple synapses cannot explain behaviour.
→ Necessary & sufficient conditions on complex synapses to replicate this.

Introduction
Learning requires synaptic plasticity.
Expect enhanced plasticity → enhance learning.
[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]
But often: → impairment.
[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)]
[Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]
Mice with enhanced cerebellar plasticity can show both impaired and enhanced learning.
Simple synapses cannot explain behaviour.
→ Necessary & sufficient conditions on complex synapses to replicate this.

1. It does help in some cases
2. Want to understand when and why
3. Depends on circumstance. Rich pattern of behaviour
4. Develop understanding of when and why learning is enhanced/impaired

Vestibulo-Occular Reflex training

VOR Increase Training

VOR Decrease Training



Gain increase: LTD in PF-Pk synapses.
Gain decrease: different mechanism, also reverses LTD in PF-Pk.

[du Lac et al. (1995), Boyden et al. (2004)]



1. Explain what VOR gain is
2. trick brain into thinking VOR gain needs adjusting my moving visual stimulu
3. anti-phase → increase gain
4. in phase → decrease gain
5. Gain change involves cerebellum
6. If we enhanced plasticity here: expect enhanced learning

Enhanced plasticity impairs learning

Knockout of MHC-I D^bK^b molecules in PF-Pk synapses

[McConnell et al. (2009)]

→ lower threshold for LTD → enhanced plasticity

↓

Hypothesis: enhanced learning.



Experiment: enhanced plasticity → impaired learning.



1. Major Histocompatibility Complex - involved in synaptic plasticity (Carla Shatz lab)
2. Easier LTD → expect better learning
3. Impairment of learning
4. Looking at change of VOR gain during gain-up training

Depletion hypothesis

Learning rate $\sim$ intrinsic plasticity rate $\times$ # synapses available for LTD.



Question 1: Can depletion effect overcome enhanced intrinsic plasticity?

Depletion hypothesis
Learning rate ∼ intrinsic plasticity rate × # synapses available for LTD.
Question 1: Can depletion effect overcome enhanced intrinsic plasticity?

1. Our model: baseline activity $\rightarrow$ saturation $\rightarrow$ less depression possible
2. Saturation has to compete with enhanced plsaticity. Which will win?

Depletion hypothesis

Learning rate $\sim$ intrinsic plasticity rate $\times$ # synapses available for LTD.



- Mimic depletion with ChR2 stim of CF
- Biochemical marker of LTD



Question 1: Can depletion effect overcome enhanced intrinsic plasticity?



1. Our model: baseline activity $\rightarrow$ saturation $\rightarrow$ less depression possible
2. Saturation has to compete with enhanced plsaticity. Which will win?
3. Prediction: replenish with rev-training $\rightarrow$ rescue

Replenishment by reverse-training





1. precede gain inc training w/ gain dec rev-training: reverses LTD
2. but behaviour from elsewhere → not modelled
3. Focus on gain inc part

Replenishment by reverse-training



Question 2: How can *too much* replenishment impair learning?



1. precede gain inc training w/ gain dec rev-training: reverses LTD
2. but behaviour from elsewhere → not modelled
3. Focus on gain inc part

Models of complex synaptic dynamics

- Internal functional state of synapse → synaptic weight.
- Candidate plasticity events → transitions between states



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]



1. complex synapse: not just synaptic weight. dynamical system
2. important for memory with bounded synapses
3. plasticity events at rate r. indep at each synapse.
4. fraction pot/dep
5. probs changed by Markov matrices, prob $i \to j$
6. Readout: synaptic weight vec when in each state.

Models of complex synaptic dynamics

- Internal functional state of synapse → synaptic weight.
- Candidate plasticity events → transitions between states



PF+~~CF~~ → LTP, PF+CF → LTD.

Lower threshold for LTD

VOR gain increase

[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)] [Smith et al. (2006)]



1. complex synapse: not just synaptic weight. dynamical system
2. important for memory with bounded synapses
3. plasticity events at rate r. indep at each synapse.
4. fraction pot/dep
5. probs changed by Markov matrices, prob $i \to j$
6. Readout: synaptic weight vec when in each state.
7. Mutation: lower threshold → increase transition probs
8. Training: Changes statistics of LTP/LTD. Only parameters we have. Don't care about r.
9. Learning: Only output we have. Don't keep track of synaptic identity.



[Leibold and Kempter (2008), Ben-Dayan Rubin and Fusi (2007)]



1. Binary fails – mathematical proof for any params
2. Enh.Plas: faster depression wins over bias
3. pre: reduces/reverses bias. always helps.
4. Serial: still only two weights. Works.
5. Understand by looking at distributions before training

Enhanced plasticity can enhance or impair learning





Intrinsic plasticity dominates depletion
↓
enhanced plasticity enhances learning

Depletion dominates intrinsic plasticity
↓
enhanced plasticity impairs learning

Key feature 1: Synaptic complexity that amplifies depletion effect.



1. Binary: enhanced plasticity $\to$ bias
2. Not enough to overcome faster depression
3. Serial: Only get signal from boundary
4. Exponential decay depopulates boundary, enhances effect of bias
5. borne out by other models

Reverse-training can impair or enhance learning





reverse-training
depopulates boundary
↓
impaired learning

reverse-training
repopulates boundary
↓
enhanced learning

Key feature 2: “Stubborn” metaplasticity.



1. rev-training: little repopulates boundary
2. Too much pushes to other side, depopulates boundary
3. this effect is absent in any simple synapse
4. repeated potentiation makes subsequent depression harder
5. borne out by other models

Conclusions

- We find diverse behavioural patterns in these mutant mice:
  Enhanced plasticity → enhance/impair learning depending on prior experience.
  Reverse-training → enhance/impair learning depending on plasticity rates.
- We can explain these behavioural patterns using synaptic models.
- Key required synaptic properties are:
  Synaptic complexity: necessary to amplify depletion.
  Synaptic stubbornness: repeated potentiation makes subsequent depression harder.
- We used behaviour to constrain the dynamics of synaptic plasticity

Conclusions

- We find diverse behavioural patterns in these mutant mice:
  Enhanced plasticity → enhance/impair learning depending on prior experience.
  Reverse-training → enhance/impair learning depending on plasticity rates.
- We can explain these behavioural patterns using synaptic models.
- Key required synaptic properties are:
  Synaptic complexity: necessary to amplify depletion.
  Synaptic stubbornness: repeated potentiation makes subsequent depression harder.
- We used behaviour to constrain the dynamics of synaptic plasticity

Acknowledgements

Surya Ganguli	**Jennifer Raymond**	**Carla Shatz**
Madhu Advani	Barbara Nguyen-Vu	Han-Mi Lee
Peiran Gao	Grace Zhao	
Niru Maheswaranathan	Aparna Suvrathan	
Ben Poole		
Jascha Sohl-Dickstein		

Funding: Swartz Foundation, Stanford Bio-X Genentech fellowship.

Acknowledgements
Surya Ganguli Jennifer Raymond Carla Shatz
Madhu Advani Barbara Nguyen-Vu Han-Mi Lee
Peiran Gao Grace Zhao
Niru Maheswaranathan Aparna Suvrathan
Ben Poole
Jascha Sohl-Dickstein
Funding: Swartz Foundation, Stanford Bio-X Genentech fellowship.

References I

Y. P. Tang, E. Shimizu, G. R. Dube, C. Rampon, G. A. Kerchner, M. Zhuo, G. Liu, and J. Z. Tsien.
"Genetic enhancement of learning and memory in mice".
Nature, 401(6748):63–69, (Sep, 1999) .
3 4 5

Gaël Malleret, Ursula Haditsch, David Genoux, Matthew W. Jones, Tim V.P. Bliss, Amanda M. Vanhoose, Carl Weitlauf, Eric R. Kandel, Danny G. Winder, and Isabelle M. Mansuy.
"Inducible and Reversible Enhancement of Learning, Memory, and Long-Term Potentiation by Genetic Inhibition of Calcineurin".
Cell, 104(5):675 – 686, (2001) .
3 4 5

J. S. Guan, S. J. Haggarty, E. Giacometti, J. H. Dannenberg, N. Joseph, J. Gao, T. J. Nieland, Y. Zhou, X. Wang, R. Mazitschek, J. E. Bradner, R. A. DePinho, R. Jaenisch, and L. H. Tsai.
"HDAC2 negatively regulates memory formation and synaptic plasticity".
Nature, 459(7243):55–60, (May, 2009) .
3 4 5

M. Migaud, P. Charlesworth, M. Dempster, L. C. Webster, A. M. Watabe, M. Makhinson, Y. He, M. F. Ramsay, R. G. Morris, J. H. Morrison, T. J. O'Dell, and S. G. Grant.
"Enhanced long-term potentiation and impaired learning in mice with mutant postsynaptic density-95 protein".
Nature, 396(6710):433–439, (Dec, 1998) .
3 4 5

N. Uetani, K. Kato, H. Ogura, K. Mizuno, K. Kawano, K. Mikoshiba, H. Yakura, M. Asano, and Y. Iwakura.
"Impaired learning with enhanced hippocampal long-term potentiation in PTPdelta-deficient mice".
EMBO J., 19(12):2775–2785, (Jun, 2000) .
3 4 5

References II

Mansuo L Hayashi, Se-Young Choi, B.S.Shankaranarayana Rao, Hae-Yoon Jung, Hey-Kyoung Lee, Dawei Zhang, Sumantra Chattarji, Alfredo Kirkwood, and Susumu Tonegawa.
“Altered Cortical Synaptic Morphology and Impaired Memory Consolidation in Forebrain- Specific Dominant-Negative {PAK} Transgenic Mice”.
Neuron, 42(5):773 – 787, (2004) .
3 4 5

Patrick R Cox, Velia Fowler, Bisong Xu, J.David Sweatt, Richard Paylor, and Huda Y Zoghbi.
“Mice lacking tropomodulin-2 show enhanced long-term potentiation, hyperactivity, and deficits in learning and memory”.
Molecular and Cellular Neuroscience, 23(1):1 – 12, (2003) .
3 4 5

Kris Rutten, Dinah L. Misner, Melissa Works, Arjan Blokland, Thomas J. Novak, Luca Santarelli, and Tanya L. Wallace.
“Enhanced long-term potentiation and impaired learning in phosphodiesterase 4D-knockout (PDE4D-/-) mice”.
European Journal of Neuroscience, 28(3):625–632, (2008) .
3 4 5

S.K.E. Koekkoek, K. Yamaguchi, B.A. Milojkovic, B.R. Dortland, T.J.H. Ruigrok, R. Maex, W. De Graaf, A.E. Smit, F. VanderWerf, C.E. Bakker, R. Willemsen, T. Ikeda, S. Kakizawa, K. Onodera, D.L. Nelson, E. Mientjes, M. Joosten, E. De Schutter, B.A. Oostra, M. Ito, and C.I. De Zeeuw.
“Deletion of *FMR1* in Purkinje Cells Enhances Parallel Fiber LTD, Enlarges Spines, and Attenuates Cerebellar Eyelid Conditioning in Fragile X Syndrome”.
Neuron, 47(3):339 – 352, (2005) .
3 4 5

References III

S du Lac, J L Raymond, T J Sejnowski, and S G Lisberger.
"Learning and Memory in the Vestibulo-Ocular Reflex".
Annual Review of Neuroscience, 18(1):409–441, (1995) .
6

Edward S. Boyden, Akira Katoh, and Jennifer L. Raymond.
"CEREBELLUM-DEPENDENT LEARNING: The Role of Multiple Plasticity Mechanisms".
Annual Review of Neuroscience, 27(1):581–609, (2004) .
6

Michael J. McConnell, Yanhua H. Huang, Akash Datwani, and Carla J. Shatz.
"H2-Kb and H2-Db regulate cerebellar long-term depression and limit motor learning".
Proc. Natl. Acad. Sci. U.S.A., 106(16):6784–6789, (2009) .
7

S. Fusi, P. J. Drew, and L. F. Abbott.
"Cascade models of synaptically stored memories".
Neuron, 45(4):599–611, (Feb, 2005) .
12 13 25

S. Fusi and L. F. Abbott.
"Limits on the memory storage capacity of bounded synapses".
Nat. Neurosci., 10(4):485–493, (Apr, 2007) .
12 13

2014-01-31

Impaired/enhanced learning w/ enhanced plasticity

└─References

References IV

A. B. Barrett and M. C. van Rossum.
"Optimal learning rules for discrete synapses".
PLoS Comput. Biol., 4(11):e1000230, (Nov, 2008) .
12 13

Maurice A Smith, Ali Ghazizadeh, and Reza Shadmehr.
"Interacting Adaptive Processes with Different Timescales Underlie Short-Term Motor Learning".
PLoS Biol, 4(6):e179, (05, 2006) .
12 13

Christian Leibold and Richard Kempter.
"Sparseness Constrains the Prolongation of Memory Lifetime via Synaptic Metaplasticity".
Cerebral Cortex, 18(1):67–77, (2008) .
14

Daniel D Ben-Dayan Rubin and Stefano Fusi.
"Long memory lifetimes require complex synapses and limited sparseness".
Frontiers in computational neuroscience, 1(November):1–14, (2007) .
14

D. J. Amit and S. Fusi.
"Learning in neural networks with material synapses".
Neural Computation, 6(5):957–982, (1994) .
24

Model of circuit





1. Contralateral baseline shift compensates for Our baseline shift
2. Gain increase due to LTD at lightning
3. Gain decease due to plasticity elsewhere, but also reverses LTD at lightning
4. Nonlinearity here won't affect our questions, as long as it doesn't change
5. Nonlinearity before compensation could change things

Other models that fail

Multistate model





Pooled resource model





[Amit and Fusi (1994)]



1. MS: linear weights, unlike serial.
2. like bunch of binary synapses in series.
3. solid curves: fails early on , but catches up quickly
4. black curves: fails badly
5. No real enhancement of saturation, no metaplasticity.
6. All transitions contribute: pushing to end has little effect.
7. Pooled: resource depleted by pot/dep. replenished by reverse.
8. solid curves succeed: enhanced saturation
9. black curves fail: opposite metaplasticity, pot makes dep easier

Other models that work

Non-uniform multistate model





Cascade model





[Fusi et al. (2005)]



1. Both models, trans probs decay exponentially from centre.
2. Nonuni: linear weights. Cascade: binary weights.
3. Enhanced saturation and metaplasticity
4. Pushing to end makes pot and dep harder
5. Note: hidden states not necessary