

# Modelling impaired and enhanced learning with enhanced plasticity

Subhaneil Lahiri


with: Barbara Nguyen-Vu, Grace Zhao, Aparna Suvrathan, Han-Mi Lee, Surya Ganguli, Carla Shatz and Jennifer Raymond

Stanford University

December 3, 2014



Barbara Nguyen-Vu



Grace Zhao

# Introduction

Learning requires synaptic plasticity.

Expect: enhanced plasticity  $\rightarrow$  enhanced learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]



# Introduction

Learning requires synaptic plasticity.

Expect: enhanced plasticity → enhanced learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]



But often: enhanced plasticity → impaired learning.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)]

[Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]



# Introduction

Learning requires synaptic plasticity.

Expect: enhanced plasticity → enhanced learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]



But often: enhanced plasticity → impaired learning.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)]

[Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]




Mice with enhanced cerebellar plasticity can show **both** impaired and enhanced learning.

Simple synapses **cannot** explain behaviour. **Complex synapses** are required.  
→ predictions for synaptic physiology.

# Enhanced plasticity *can* enhance learning


## Overexpress NR2B



## Fear conditioning

[Tang et al. (1999)]


## Inhibit CN



## Novel object recog.

[Malleret et al. (2001)]

## Knockout Hdac2




## Fear conditioning

[Guan et al. (2009)]

# Enhanced plasticity can *impair* learning


Mutate PSD-95



Water maze

[Migaud et al. (1998)]


Knockout PTP $\delta$



Water maze

[Uetani et al. (2000)]


Delete Tmod2



Fear cond.

[Cox et al. (2003)]

Knockout FMR1




Eyeblink

[Koekkoek et al. (2005)]

also: [Hayashi et al. (2004), Rutten et al. (2008)]

# Vestibulo-Occular Reflex



Eye movements compensate for head movements  
⇒ stabilise image on retina.

Requires control of VOR gain =  $\frac{\text{eye velocity}}{\text{head velocity}}$ .


Needs to be adjusted as eye muscles age, etc.

# Vestibulo-Ocular Reflex training

## VOR Increase Training



## VOR Decrease Training



VOR increase: LTD in PF-Pk synapses.  
VOR decrease: different mechanism, also reverses LTD in PF-Pk.


[du Lac et al. (1995), Boyden et al. (2004)]



# Enhanced plasticity impairs learning

**Expectation:** enhanced LTD → enhanced learning.

**VOR Increase  
Training**



**Experiment:** enhanced plasticity → impaired learning.


Knockout of MHC-I K<sup>b</sup>D<sup>b</sup> molecules in PF-Pk synapses

→ lower threshold for LTD

[McConnell et al. (2009)]



# Depletion hypothesis

Learning rate  $\sim$  intrinsic plasticity rate  $\times$  # synapses available for LTD.



# Depletion hypothesis

Learning rate  $\sim$  intrinsic plasticity rate  $\times$  # synapses available for LTD.




**Question 1:** depletion effect competes with enhanced intrinsic plasticity.  
When is depletion effect stronger?


# Replenishment by reverse-training




# Replenishment by reverse-training




# Replenishment by reverse-training




# Replenishment by reverse-training




# Replenishment by reverse-training



Enh. Plast.




WT




**Question 2:** How can replenishment ever impair learning?



# Synapses are complex




[Coba et al. (2009)]



[Montgomery and Madison (2002)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics

- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong




[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]



# Models of complex synaptic dynamics

- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong




[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics

- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong

PF  
CF

Candidate potentiation event




Candidate depression event

[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics


- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]

# Models of complex synaptic dynamics

- Internal functional state of synapse  $\rightarrow$  synaptic weight. ● weak
- Candidate plasticity events  $\rightarrow$  transitions between states ● strong



Mutation: transition probabilities

Training: rates of pot/dep events

Learning: synaptic weight

[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]  
[Smith et al. (2006), Lahiri and Ganguli (2013)]



Depletion effect competes with enhanced intrinsic plasticity.

**Question 1:** When is the depletion effect stronger?

Reverse training impairs learning in wild-type.


**Question 2:** How can replenishment *ever* impair learning?

# Simple synapses cannot explain the data

Multistate synapse





VOR Increase Training




# Simple synapses cannot explain the data

## Binary synapse





## VOR Increase Training




# Simple synapses cannot explain the data

## Binary synapse




## VOR Increase Training




# Simple synapses cannot explain the data

## Binary synapse



## Initial distribution



depletion effect



<

enhanced plasticity


⇒ enhanced learning

# Simple synapses cannot explain the data

## Binary synapse




## VOR Increase Training




# Simple synapses cannot explain the data

## Binary synapse



## Initial distribution



## VOR Increase Training



reverse training




replenishment





enhanced learning

# Complex metaplastic synapses can explain the data

## Serial synapse



## VOR Increase Training





[Leibold and Kempter (2008), Ben-Dayan Rubin and Fusi (2007)]




# Complex metaplastic synapses can explain the data

## Serial synapse





## VOR Increase Training



[Leibold and Kempter (2008), Ben-Dayan Rubin and Fusi (2007)]

# Complex metaplastic synapses can explain the data

## Serial synapse



amplified depletion

>



enhanced plasticity

⇒ impaired learning


[Leibold and Kempter (2008), Ben-Dayan Rubin and Fusi (2007)]

# Complex metaplastic synapses can explain the data

## Serial synapse





## VOR Increase Training



[Leibold and Kempter (2008), Ben-Dayan Rubin and Fusi (2007)]

# Complex metaplastic synapses can explain the data


## Serial synapse



reverse training  
+  
“stubborn” metaplasticity  
⇒ impaired learning

[Leibold and Kempter (2008), Ben-Dayan Rubin and Fusi (2007)]


# Enhanced plasticity can enhance or impair learning



Intrinsic plasticity  
dominates depletion

↓

enhanced plasticity  
enhances learning




Depletion dominates  
intrinsic plasticity

↓

enhanced plasticity  
impairs learning


**Key feature 1:** Synaptic complexity that amplifies depletion effect.

# Reverse-training can impair or enhance learning



**Key feature 2:** Synaptic stubbornness – metaplasticity where repeated potentiation impairs subsequent depression.


# Essential features




The success of the serial model relies on two features:

- Complexity - needed to for depletion to dominate enhanced plasticity,
- Stubbornness - repeated potentiation impairs subsequent depression.

Fail:



Succeed:



[Amit and Fusi (1994), Fusi et al. (2005)]

# Conclusions

- Diverse behavioural patterns:  
Enhanced plasticity → enhance/impair learning (prior experience).  
Reverse-training → enhance/impair learning (plasticity rates).
- enhanced LTD vs. depletion → learning outcome.
- Predictions for synaptic physiology:  
Complexity: necessary to amplify depletion.  
Stubbornness: repeated potentiation impairs subsequent depression.
- We used behaviour to constrain the dynamics of synaptic plasticity.





# Acknowledgements

**Surya Ganguli**

Madhu Advani

Peiran Gao

Niru Maheswaranathan

Ben Poole

Jascha Sohl-Dickstein

Kiah Hardcastle

Jay Sarkar

**Jennifer Raymond**

Barbara Nguyen-Vu

Grace Zhao


Aparna Suvrathan

**Carla Shatz**

Han-Mi Lee


**Funding:** Swartz Foundation, Stanford Bio-X Genentech fellowship.

# Model of circuit






# Other models that fail

## Multistate synapse




## Pooled resource model





[Amit and Fusi (1994)]

# Other models that work

Non-uniform multistate model




Cascade model



[Fusi et al. (2005)]

# Mathematical explanation



Serial synapse:  $\mathbf{p}_i^\infty \sim \mathcal{N} \left( \frac{q^{\text{pot}}}{q^{\text{dep}}} \right)^i$ .

Learning rate  $\sim \mathbf{p}_{M/2}^\infty \left( \frac{q^{\text{dep}}}{q^{\text{pot}}} \right) = \mathcal{N} \left( \frac{q^{\text{pot}}}{q^{\text{dep}}} \right)^{\frac{M}{2}-1}$ .

For  $M > 2$ : larger  $q^{\text{dep}} \implies$  slower learning.

For  $M = 2$ : larger  $q^{\text{dep}} \implies$  larger  $\mathcal{N} \implies$  faster learning.

# References I



Y. P. Tang, E. Shimizu, G. R. Dube, C. Rampon, G. A. Kerchner, M. Zhuo, G. Liu, and J. Z. Tsien.

“Genetic enhancement of learning and memory in mice”.

*Nature*, 401(6748):63–69, (Sep, 1999) .

2 3 4 5



Gaël Malleret, Ursula Haditsch, David Genoux, Matthew W. Jones, Tim V.P. Bliss, Amanda M. Vanhose, Carl Weitlauf, Eric R. Kandel, Danny G. Winder, and Isabelle M. Mansuy.

“Inducible and Reversible Enhancement of Learning, Memory, and Long-Term Potentiation by Genetic Inhibition of Calcineurin”.

*Cell*, 104(5):675 – 686, (2001) .

2 3 4 5



J. S. Guan, S. J. Haggarty, E. Giacometti, J. H. Dannenberg, N. Joseph, J. Gao, T. J. Nieland, Y. Zhou, X. Wang, R. Mazitschek, J. E. Bradner, R. A. DePinho, R. Jaenisch, and L. H. Tsai.

“HDAC2 negatively regulates memory formation and synaptic plasticity”.

*Nature*, 459(7243):55–60, (May, 2009) .

2 3 4 5



M. Migaud, P. Charlesworth, M. Dempster, L. C. Webster, A. M. Watabe, M. Makhinson, Y. He, M. F. Ramsay, R. G. Morris, J. H. Morrison, T. J. O'Dell, and S. G. Grant.

“Enhanced long-term potentiation and impaired learning in mice with mutant postsynaptic density-95 protein”.

*Nature*, 396(6710):433–439, (Dec, 1998) .

2 3 4 6



N. Uetani, K. Kato, H. Ogura, K. Mizuno, K. Kawano, K. Mikoshiba, H. Yakura, M. Asano, and Y. Iwakura.

“Impaired learning with enhanced hippocampal long-term potentiation in PTPdelta-deficient mice”.

*EMBO J.*, 19(12):2775–2785, (Jun, 2000) .

2 3 4 6

# References II



Mansuo L Hayashi, Se-Young Choi, B.S.Shankaranarayana Rao, Hae-Yoon Jung, Hey-Kyoung Lee, Dawei Zhang, Sumantra Chattarji, Alfredo Kirkwood, and Susumu Tonegawa.  
“Altered Cortical Synaptic Morphology and Impaired Memory Consolidation in Forebrain- Specific Dominant-Negative {PAK} Transgenic Mice”.  
*Neuron*, 42(5):773 – 787, (2004) .

2 3 4 6



Patrick R Cox, Velia Fowler, Bisong Xu, J.David Sweatt, Richard Paylor, and Huda Y Zoghbi.  
“Mice lacking tropomodulin-2 show enhanced long-term potentiation, hyperactivity, and deficits in learning and memory”.  
*Molecular and Cellular Neuroscience*, 23(1):1 – 12, (2003) .

2 3 4 6



Kris Rutten, Dinah L. Misner, Melissa Works, Arjan Blokland, Thomas J. Novak, Luca Santarelli, and Tanya L. Wallace.  
“Enhanced long-term potentiation and impaired learning in phosphodiesterase 4D-knockout (PDE4D-/-) mice”.  
*European Journal of Neuroscience*, 28(3):625–632, (2008) .

2 3 4 6



S.K.E. Koekkoek, K. Yamaguchi, B.A. Milojkovic, B.R. Dortland, T.J.H. Ruigrok, R. Maex, W. De Graaf, A.E. Smit, F. VanderWerf, C.E. Bakker, R. Willemsen, T. Ikeda, S. Kakizawa, K. Onodera, D.L. Nelson, E. Mientjes, M. Joosten, E. De Schutter, B.A. Oostra, M. Ito, and C.I. De Zeeuw.  
“Deletion of *FMRI* in Purkinje Cells Enhances Parallel Fiber LTD, Enlarges Spines, and Attenuates Cerebellar Eyelid Conditioning in Fragile X Syndrome”.  
*Neuron*, 47(3):339 – 352, (2005) .

2 3 4 6

# References III



S du Lac, J L Raymond, T J Sejnowski, and S G Lisberger.

“Learning and Memory in the Vestibulo-Ocular Reflex”.

*Annual Review of Neuroscience*, 18(1):409–441, (1995) .

8



Edward S. Boyden, Akira Katoh, and Jennifer L. Raymond.

“CEREBELLUM-DEPENDENT LEARNING: The Role of Multiple Plasticity Mechanisms”.

*Annual Review of Neuroscience*, 27(1):581–609, (2004) .

8



Michael J. McConnell, Yanhua H. Huang, Akash Datwani, and Carla J. Shatz.

“H2-Kb and H2-Db regulate cerebellar long-term depression and limit motor learning”.

*Proc. Natl. Acad. Sci. U.S.A.*, 106(16):6784–6789, (2009) .

9



M. P. Coba, A. J. Pocklington, M. O. Collins, M. V. Kopanitsa, R. T. Uren, S. Swamy, M. D. Croning, J. S. Choudhary, and S. G. Grant.

“Neurotransmitters drive combinatorial multistate postsynaptic density networks”.

*Sci Signal*, 2(68):ra19, (2009) .

17



Johanna M. Montgomery and Daniel V. Madison.

“State-Dependent Heterogeneity in Synaptic Depression between Pyramidal Cell Pairs”.

*Neuron*, 33(5):765 – 777, (2002) .

17



# References IV



S. Fusi, P. J. Drew, and L. F. Abbott.

“Cascade models of synaptically stored memories”.

*Neuron*, 45(4):599–611, (Feb, 2005) .

18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 47 52



S. Fusi and L. F. Abbott.

“Limits on the memory storage capacity of bounded synapses”.

*Nat. Neurosci.*, 10(4):485–493, (Apr, 2007) .

18 19 20 21 22 23 24 25 26 27 28 29 30 31 32



A. B. Barrett and M. C. van Rossum.

“Optimal learning rules for discrete synapses”.

*PLoS Comput. Biol.*, 4(11):e1000230, (Nov, 2008) .

18 19 20 21 22 23 24 25 26 27 28 29 30 31 32



Maurice A Smith, Ali Ghazizadeh, and Reza Shadmehr.

“Interacting Adaptive Processes with Different Timescales Underlie Short-Term Motor Learning”.

*PLoS Biol*, 4(6):e179, (May, 2006) .

18 19 20 21 22 23 24 25 26 27 28 29 30 31 32



Subhaneil Lahiri and Surya Ganguli.

“A memory frontier for complex synapses”.

In C.J.C. Burges, L. Bottou, M. Welling, Z. Ghahramani, and K.Q. Weinberger, editors, *Advances in Neural Information Processing Systems 26*, pages 1034–1042. NIPS, 2013.

18 19 20 21 22 23 24 25 26 27 28 29 30 31 32

# References V



Christian Leibold and Richard Kempter.

“Sparseness Constrains the Prolongation of Memory Lifetime via Synaptic Metaplasticity”.  
*Cerebral Cortex*, 18(1):67–77, (2008) .

40

41

42

43

44



Daniel D Ben-Dayano Rubin and Stefano Fusi.

“Long memory lifetimes require complex synapses and limited sparseness”.  
*Frontiers in computational neuroscience*, 1(November):1–14, (2007) .

40

41

42

43

44



D. J. Amit and S. Fusi.

“Learning in neural networks with material synapses”.  
*Neural Computation*, 6(5):957–982, (1994) .

47

51