Understanding impaired learning with enhanced plasticity

based on work in preparation with: T.D. Barbara Nguyen-Vu, Grace Q. Zhao, Han-Mi Lee, Surya Ganguli, Carla J. Shatz, Jennifer L. Raymond

Subhaneil Lahiri

Stanford University, Applied Physics

July 17, 2013

Impaired learning with enhanced plasticity



tanford University, Applied July 17, 2013

1. Acknowledge Barbara and Grace

Introduction

Learning requires synaptic plasticity.

Expect enhanced plasticity \rightarrow enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

4 D > 4 D > 4 E > 4 E > E 990

Impaired learning with enhanced plasticity

—Introduction

Learning requires synaptic plasticity.

Espect enhanced plasticity — enhance learning.

[Tang et al. (1899), Mallevet et al. (2001), Guan et al. (2009)]

- 1. It does help in some cases
- 2. Want to understand when and why

Introduction

Learning requires synaptic plasticity.

Expect enhanced plasticity \rightarrow enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

But often: \rightarrow impairment.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)] [Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]



Impaired learning with enhanced plasticity

Learning requires synaptic plasticity. Tang et al. (1999). Malleret et al. (2001). Guan et al. (2009)

-Introduction

- 1. It does help in some cases
- 2. Want to understand when and why

Introduction

Learning requires synaptic plasticity.

Expect enhanced plasticity \rightarrow enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

But often: \rightarrow impairment.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)] [Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]

Mice with enhanced cerebellar plasticity can show both impaired and enhanced learning.

Analysis of models of complex synapses:

Find necessary and sufficient conditions to reproduce behaviour.



Impaired learning with enhanced plasticity

-Introduction

Mice with enhanced cerebellar plasticity can show both impaired and enhanced learning.

Analysis of models of complex synapses:

Find necessary and sufficient conditions to reproduce behaviour.

- 1. It does help in some cases
- 2. Want to understand when and why

Outline

- Overview of motor learning of mice with enhanced plasticity
- Modelling with complex synapses

Impaired learning with enhanced plasticity

Overview of motor learning of mice with enhanced plasticity

· Modelling with complex synapses

∟c

-Outline

Vestibulo-Occular Reflex



Impaired learning with enhanced plasticity

└─Vestibulo-Occular Reflex



Eye movements compensate for head movements to maintain fixation.

Requires control of VOR gain = $\frac{\text{eye velocity}}{\text{head velocity}}$.

Needs to be adjusted as eye muscles age, etc.


VOR training

VOR Increase Training



VOR Decrease Training





Gain increase: LTD in PF-Pk synapses. Gain decrease: different mechanism,


also reverses LTD in PF-Pk.

[du Lac et al. (1995), Boyden et al. (2004)]

July 17, 2

Impaired learning with enhanced plasticity

└─VOR training



- 1. trick brain into thinking VOR gain needs adjusting my moving visual stimulu
- 2. $anti-phase \rightarrow increase gain$
- 3. in phase \rightarrow decrease gain
- 4. Gain change involves cerebellum
- 5. If we enhanced plasticity here: expect enhanced learning

Enhanced plasticity impairs learning


Knockout of MHC-I D^bK^b molecules in PF-Pk synapses

ightarrow lower threshold for LTD ightarrow enhanced plasticity.

[McConnell et al. (2009)]

VOR Increase Training






4014914714717 7 000


Impaired learning with enhanced plasticity

-Enhanced plasticity impairs learning



- 1. Major Histocompatibility Complex involved in synaptic plasticity (Carla Shatz lab)
- 2. Easier LTD \rightarrow expect better learning
- 3. Impairment of learning
- 4. Looking at change of VOR gain during gain-up training

Depletion hypothesis





Impaired learning with enhanced plasticity


Depletion hypothesis



- 1. Our model: baseline activity o saturation o less depression possible
- 2. Saturation has to compete with enhanced plsaticity. Which will win?

2013-07-17

Depletion hypothesis




1 -

2013-07-17


—Depletion hypothesis

Impaired learning with enhanced plasticity




- 1. Our model: baseline activity ightarrow saturation ightarrow less depression possible
- 2. Saturation has to compete with enhanced plsaticity. Which will win?
- 3. Prediction: replenish with rev-training \rightarrow rescue

Replenishment by reverse-training



Impaired learning with enhanced plasticity


Replenishment by reverse-training



- 1. precede gain inc training w/ gain dec rev-training: reverses LTD
- 2. but behaviour from elsewhere \rightarrow not modelled
- 3. Focus on gain inc part

2013-07-17

Subhaneil Lahiri (Stanford)



Questions:


4 D > 4 P > 4 E > 4 E > E 9 Q P


Impaired learning with enhanced plasticity

└─Summary of training results



- 1. Restricted to gain inc for comparison
- 2. Black: WT. Red: Enh.Plas
- 3. Solid: no pre. Dashed: with pre





Questions:

• Can the depletion effect overcome intrinsic plasticity?


1014010100


Impaired learning with enhanced plasticity

—Summary of training results



- 1. Restricted to gain inc for comparison
- 2. Black: WT. Red: Enh.Plas
- 3. Solid: no pre. Dashed: with pre
- 4. Enh.Plas. hurts w/o, but helps w/





Questions:


• Can the depletion effect overcome intrinsic plasticity?

Impaired learning with enhanced plasticity

└─Summary of training results



- 1. Restricted to gain inc for comparison
- 2. Black: WT. Red: Enh.Plas
- 3. Solid: no pre. Dashed: with pre
- 4. Enh.Plas. hurts w/o, but helps w/




Questions:


• Can the depletion effect overcome intrinsic plasticity?

Impaired learning with enhanced plasticity

—Summary of training results



- 1. Restricted to gain inc for comparison
- 2. Black: WT. Red: Enh.Plas
- 3. Solid: no pre. Dashed: with pre
- 4. Enh.Plas. hurts w/o, but helps w/
- 5. pre helps Enh.Plas. but hurts WT



Questions:


- Can the depletion effect overcome intrinsic plasticity?
- How can a little replenishment help, but too much hurt?

Impaired learning with enhanced plasticity

Summary of training results



- 1. Restricted to gain inc for comparison
- 2. Black: WT. Red: Enh.Plas
- 3. Solid: no pre. Dashed: with pre
- 4. Enh.Plas. hurts w/o, but helps w/
- 5. pre helps Enh.Plas. but hurts WT




Questions:

- Can the depletion effect overcome intrinsic plasticity?
- How can a little replenishment help, but too much hurt?

Impaired learning with enhanced plasticity

2013-07-17

-Summary of training results




- 1. Restricted to gain inc for comparison
- 2. Black: WT. Red: Enh.Plas
- 3. Solid: no pre. Dashed: with pre
- 4. Enh.Plas. hurts w/o, but helps w/
- $5. \ \, \text{pre helps Enh.Plas. but hurts WT}$

Behaviour to synapses

VOR Increase Training





Impaired learning with enhanced plasticity


VOR Increase



Behaviour to synapses

1. Focus on synapses. See if we can understand this behaviour.

Complex synapses




Simplifying assumptions:


- No spatial/temporal patterns in plasticity events.
- Synaptic identity \rightarrow synaptic distribution.

[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]




Impaired learning with enhanced plasticity





- 1. Not just synaptic weight
- 2. Multiple functional states w/ different weights
- 3. Stochastic transitions between states
- 4. Important for memory: simple synapses terrible storage, rescued by complexity
- 5. allows us to concentrate on synapse, not neuron/network
- 6. This is a question about synaptic populations after all.

Synaptic dynamics



Impaired learning with enhanced plasticity


2013-07-17

-Synaptic dynamics



- 1. stoch process has steady state distribution.
- 2. Prior activity puts it in this state. row vec.
- 3. plasticity events at rate r
- 4. fraction pot/dep
- 5. probs changed by Markov matrices, prob i
 ightarrow j
- 6. Readout: synaptic weight vec when in each state.


Synaptic dynamics



Impaired learning with enhanced plasticity

2013-07-17

-Synaptic dynamics




- 1. stoch process has steady state distribution.
- 2. Prior activity puts it in this state. row vec.
- 3. plasticity events at rate r
- 4. fraction pot/dep
- 5. probs changed by Markov matrices, prob $i \rightarrow j$
- 6. Readout: synaptic weight vec when in each state.
- 7. Mutation: lower threshold \rightarrow increase transition probs
- 8. Training: Changes statistics of LTP/LTD. Only parameters we have. Don't care about *r*.
- 9. Learning: Only output we have. Don't keep track of synaptic identity.
- 10. Same PF+CF input \rightarrow same $r, f^{\text{pot}}, f^{\text{dep}}$ in each case.
- 11. Input to Pk, some linear combination of w's.


Model results


Binary model












[Leibold and Kempter (2008)]

Impaired learning with enhanced plasticity


-Model results


2013-07-17



- 1. Binary fails mathematical prrof for any params
- 2. Enh.Plas: faster depression wins over bias
- 3. pre: reduces/reverses bias. always helps.
- 4. Serial: still only two weights. Works.
- 5. Understand by looking at distributions before training

Enhanced plasticity can enhance or impair learning





Intrinsic plasticity dominates depletion

depletion dominates intrinsic plasticity

40149147177 7 000

Impaired learning with enhanced plasticity


inherced platticity can enhance or impair learning


-Enhanced plasticity can enhance or impair learning

- 1. Binary: enhanced plasticity \rightarrow bias
- 2. Not enough to overcome faster depression
- 3. Serial: Only get signal from boundary
- 4. Exponential decay depopulates boundary, enhances effect of bias

2013-07-17

Reverse-training can impair or enhance learning





reverse-training depopulates boundary

reverse-training repopulates boundary

Impaired learning with enhanced plasticity


evene-training can impair or enhance learning

2013-07-17

-Reverse-training can impair or enhance learning

- 1. rev-training: little repopulates boundary
- 2. Too much pushes to other side, depopulates boundary

Essential features



The success of the serial model relies on two features:

- Complexity needed to amplify the effect of depletion,
- Metaplasticity repeated potentiation makes subsequent depression harder.

Fail: Succeed:

[Amit and Eusi (1994), Eusi et al. (2005)]

Impaired learning with enhanced plasticity



to access of the said model roles on too features.

The access of the said model roles on too features.

The access of the said model roles on too features.

The access of the said prevention makes subsequent department for the said of the said o

- 1. due to exponential decay
- 2. push away from boundary where signal generated
- 3. borne out by other models that fail/succeed

Conclusions and further questions

- We find diverse behavioural patterns:
 Enhanced plasticity → enhance/impair learning depending on prior experience.
 Reverse-training → enhance/impair learning depending on plasticity
- We can explain these behavioural patterns using synaptic models.
- Key required synaptic properties are:
 Synaptic complexity: necessary to amplify depletion.

 Synaptic stubborness: repeated potentiation makes subsequent depression harder.
- We used behaviour to constrain the dynamics of synaptic plasticity

20

Impaired learning with enhanced plasticity

—Conclusions and further questions

sions and further questions

We find diverse behavioural patterns:
 Enhanced plasticity → enhance/impair learning depending on prior

experience.

Reverse-training

enhance/impair learning depending on plasticit
rates.

We can explain these behavioural patterns using synaptic model.
 Key required synaptic properties are:

Synaptic complexity: necessary to amplify depletion.

Synaptic stubborness: repeated potentiation makes subsequen

depression harder.

• We used behaviour to constrain the dynamics of synaptic plasticit

We used behaviour to constrain the dynamics of synaptic plastic

rates.

Acknowledgements

Surya Ganguli Jennifer Raymond Carla Shatz Barbara Nguyen-Vu Han-Mi Lee Madhu Advani

Peiran Gao Grace Zhao

Niru Maheswaranathan Aparna Suvrathan

Funding: Swartz Foundation, Stanford Bio-X Genentech fellowship.

Impaired learning with enhanced plasticity

-Acknowledgements

Peiran Gao

Funding: Swartz Foundation, Stanford Bio-X Genentech fellowship

References I



Y. P. Tang, E. Shimizu, G. R. Dube, C. Rampon, G. A. Kerchner, M. Zhuo, G. Liu, and J. Z. Tsien.

"Genetic enhancement of learning and memory in mice".

Nature, 401(6748):63-69, (Sep. 1999).







GaÃńl Malleret, Ursula Haditsch, David Genoux, Matthew W. Jones, Tim V.P. Bliss, Amanda M. Vanhoose, Carl Weitlauf, Eric R. Kandel, Danny G. Winder, and Isabelle M. Mansuy.

"Inducible and Reversible Enhancement of Learning, Memory, and Long-Term Potentiation by Genetic Inhibition of Calcineurin".

Cell, 104(5):675 – 686, (2001).

ISSN 0092-8674.







Impaired learning with enhanced plasticity

-References

Y. P. Tang, E. Shimizu, G. R. Dube, C. Rampon, G. A. Kerchner, M. Zhuo

G. Liu, and J. Z. Tsien. "Genetic enhancement of learning and memory in mice".

GaĀril Malleret, Ursula Haditsch, David Genoux, Matthew W. Jones Tim V.P. Bliss, Amanda M. Vanhoose, Carl Weitlauf, Eric R. Kande Danny G. Winder, and Isabelle M. Mansuy. "Inducible and Reversible Enhancement of Learning, Memory, and Long-Term Potentiation by Genetic Inhibition of Calcineurin".

References II



J. S. Guan, S. J. Haggarty, E. Giacometti, J. H. Dannenberg, N. Joseph, J. Gao, T. J. Nieland, Y. Zhou, X. Wang, R. Mazitschek, J. E. Bradner, R. A. DePinho, R. Jaenisch, and L. H. Tsai.

"HDAC2 negatively regulates memory formation and synaptic plasticity". Nature, 459(7243):55-60, (May, 2009).







"Enhanced long-term potentiation and impaired learning in mice with mutant postsynaptic density-95 protein".

Nature, 396(6710):433-439, (Dec., 1998).







Impaired learning with enhanced plasticity

-References

J. S. Guan, S. J. Haggarty, E. Giacometti, J. H. Dannenberg, N. Joseph J. Gao, T. J. Nieland, Y. Zhou, X. Wang, R. Mazitschek, J. E. Bradner "HDAC2 negatively regulates memory formation and synaptic plasticity

M. Migaud, P. Charlesworth, M. Dempster, L. C. Webster, A. M. Watabe, M. Makhinson, Y. He, M. F. Ramsay, R. G. Morris, J. H. Morrison, T. J. "Enhanced long-term potentiation and impaired learning in mice with mutan postsynaptic density-95 protein".

References III



N. Uetani, K. Kato, H. Ogura, K. Mizuno, K. Kawano, K. Mikoshiba, H. Yakura, M. Asano, and Y. Iwakura.

"Impaired learning with enhanced hippocampal long-term potentiation in PTPdelta-deficient mice".

EMBO J., 19(12):2775-2785, (Jun, 2000).

[PubMed Central:PMC203365] [DOI:10.1093/emboj/19.12.2775] [PubMed:10856223].





Mansuo L Hayashi, Se-Young Choi, B.S.Shankaranarayana Rao, Hae-Yoon Jung, Hey-Kyoung Lee, Dawei Zhang, Sumantra Chattarji, Alfredo Kirkwood, and Susumu Tonegawa.

"Altered Cortical Synaptic Morphology and Impaired Memory Consolidation in Forebrain- Specific Dominant-Negative {PAK} Transgenic Mice".

Neuron, 42(5):773 – 787, (2004).

ISSN 0896-6273.



Impaired learning with enhanced plasticity


-References

N. Uetani, K. Kato, H. Ogura, K. Mizuno, K. Kawano, K. Mikoshiba "Impaired learning with enhanced hippocampal long-term potentiation is PTPdalta_deficient mice"

Mansuo L Havashi, Se-Young Choi, B.S.Shankaranarayana Rao, Hae-Yoo "Altered Cortical Synaptic Morphology and Impaired Memory Consolidation in Forebrain- Specific Dominant-Negative (PAK) Transpenic Mice".

References IV





Huda Y Zoghbi.

"Mice lacking tropomodulin-2 show enhanced long-term potentiation, hyperactivity, and deficits in learning and memory".

Molecular and Cellular Neuroscience, 23(1):1-12, (2003).

ISSN 1044-7431.







"Enhanced long-term potentiation and impaired learning in phosphodiesterase 4D-knockout (PDE4DâĹŠ/âĹŠ) mice".

European Journal of Neuroscience, 28(3):625-632, (2008).

ISSN 1460-9568.





Impaired learning with enhanced plasticity

-References



800

Patrick R Cox, Velia Fowler, Bisong Xu, J.David Sweatt, Richard Paylor, and "Mice lacking tropomodulin-2 show enhanced long-term potentiation hyperactivity, and deficits in learning and memory

Kris Rutten, Dinah L. Misner, Melissa Works, Arian Blokland, Thomas J Novak, Luca Santarelli, and Tanya L. Wallace.

"Enhanced long-term potentiation and impaired learning in phosphodiesterase 4D-knockout (PDE4Dá£S/á£S) mice*

References V



S.K.E. Koekkoek, K. Yamaguchi, B.A. Milojkovic, B.R. Dortland, T.J.H. Ruigrok, R. Maex, W. De Graaf, A.E. Smit, F. VanderWerf, C.E. Bakker, R. Willemsen, T. Ikeda, S. Kakizawa, K. Onodera, D.L. Nelson, E. Mientjes, M. Joosten, E. De Schutter, B.A. Oostra, M. Ito, and C.I. De Zeeuw.

"Deletion of {FMR1} in Purkinje Cells Enhances Parallel Fiber LTD, Enlarges Spines, and Attenuates Cerebellar Eyelid Conditioning in Fragile X Syndrome".

Neuron, 47(3):339 – 352, (2005). ISSN 0896-6273.







S du Lac, J L Raymond, T J Sejnowski, and S G Lisberger.

"Learning and Memory in the Vestibulo-Ocular Reflex".

Annual Review of Neuroscience, 18(1):409–441, (1995).





Impaired learning with enhanced plasticity

-References

S.K.E. Koekkoek, K. Yamaguchi, B.A. Miloikovic, B.R. Dortland, T.J.H. R. Willemsen, T. Reda, S. Kakizawa, K. Onodera, D.L. Nelson, E. Mientie "Deletion of (FMR1) in Purkinie Cells Enhances Parallel Fiber LTD. Enlarges Spines, and Attenuates Cerebellar Evelid Conditioning in Fragile >

000

S du Lac, J L Raymond, T J Sejnowski, and S G Lisberger "Learning and Memory in the Vestibulo-Ocular Reflex"

References VI



Edward S. Boyden, Akira Katoh, and Jennifer L. Raymond.

"CEREBELLUM-DEPENDENT LEARNING: The Role of Multiple Plasticity Mechanisms".

Annual Review of Neuroscience, 27(1):581–609, (2004).





Michael J. McConnell, Yanhua H. Huang, Akash Datwani, and Carla J. Shatz.

"H2-Kb and H2-Db regulate cerebellar long-term depression and limit motor learning".

Proc. Natl. Acad. Sci. U.S.A., 106(16):6784-6789, (2009).





Impaired learning with enhanced plasticity

-References

Edward S. Boyden, Akira Katoh, and Jennifer L. Raymond "CEREBELLUM-DEPENDENT LEARNING: The Role of Multiple Planticit

Michael J. McConnell, Yanhua H. Huane, Akash Datwani, and Carla J.

References VII



S. Fusi, P. J. Drew, and L. F. Abbott.

"Cascade models of synaptically stored memories".

Neuron, 45(4):599-611, (Feb. 2005).









"Limits on the memory storage capacity of bounded synapses".

Nat. Neurosci., 10(4):485-493, (Apr. 2007).





A. B. Barrett and M. C. van Rossum.

"Optimal learning rules for discrete synapses".

PLoS Comput. Biol., 4(11):e1000230, (Nov, 2008).





Impaired learning with enhanced plasticity

2013-07-17

-References

S. Fusi, P. J. Drew, and L. F. Abbott.

"Cascade models of synaptically stored memories"

S. Fusi and L. F. Abbott. "Limits on the memory storage capacity of bounded synapses

> A. B. Barrett and M. C. van Rossum. "Optimal learning rules for discrete synapses".

References VIII



Christian Leibold and Richard Kempter.

"Sparseness Constrains the Prolongation of Memory Lifetime via Synaptic Metaplasticity".

Cerebral Cortex, 18(1):67-77, (2008).





D. J. Amit and S. Fusi.

"Learning in neural networks with material synapses".

Neural Computation, 6(5):957–982, (1994).





Impaired learning with enhanced plasticity

-References

