Modelling impaired and enhanced learning with enhanced plasticity

Subhaneil Lahiri, Barbara Nguyen-Vu, Grace Zhao, Aparna Suvrathan, Han-Mi Lee, Surya Ganguli, Carla Shatz and Jennifer Raymond

Stanford University, Applied Physics

March 1, 2014



Barbara Nguyen-Vu



Grace Zhao

Introduction

Learning requires synaptic plasticity.

Expect: enhanced plasticity \rightarrow enhanced learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

Introduction

Learning requires synaptic plasticity.

Expect: enhanced plasticity \rightarrow enhanced learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

But often: enhanced plasticity \rightarrow impaired learning.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)] [Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]

Introduction

Learning requires synaptic plasticity.

Expect: enhanced plasticity \rightarrow enhanced learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

But often: enhanced plasticity \rightarrow impaired learning.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)] [Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]

Mice with enhanced cerebellar plasticity can show both impaired and enhanced learning.

Simple synapses cannot explain behaviour. Complex synapses are required.

→ predictions for synaptic physiology.

Vestibulo-Occular Reflex training

VOR Increase Training



VOR Decrease Training





VOR increase: LTD in PF-Pk synapses.




[du Lac et al. (1995), Boyden et al. (2004)]

Enhanced plasticity impairs learning

Expectation: enhanced LTD \rightarrow enhanced learning.

VOR Increase Training



Experiment: enhanced plasticity \rightarrow impaired learning.

Knockout of MHC-I $\mathsf{D}^\mathsf{b}\mathsf{K}^\mathsf{b}$ molecules in PF-Pk synapses


 \rightarrow lower threshold for LTD

[McConnell et al. (2009)]

ロト 4個ト 4度ト 4度ト 連伸 夕久で


Depletion hypothesis

Learning rate \sim intrinsic plasticity rate \times # synapses available for LTD.




Depletion hypothesis


Learning rate \sim intrinsic plasticity rate \times # synapses available for LTD.





Question 1: depletion effect competes with enhanced intrinsic plasticity. Which effect is stronger?


Depleted













Question 2: How can too much replenishment impair learning?

Synapses are complex




[Coba et al. (2009)]



[Montgomery and Madison (2002)]

- Internal functional state of synapse \rightarrow synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation



Depression

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- Internal functional state of synapse \rightarrow synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- Internal functional state of synapse \rightarrow synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- ullet Internal functional state of synapse o synaptic weight.
- ullet Candidate plasticity events o transitions between states


Potentiation event



Depression event

- Internal functional state of synapse \rightarrow synaptic weight.
- ullet Candidate plasticity events o transitions between states

Potentiation




Depression


Mutation: trans. probs.


Training: plast. event rates


Learning: synaptic weight

Multistate synapse









Binary synapse




Initial distribution




depletion effect < enhanced plasticity

 \implies enhanced learning




Binary synapse






 $\begin{array}{c} \text{reverse training} \\ \Longrightarrow \\ \text{replenishment} \\ \Longrightarrow \\ \text{enhanced learning} \end{array}$


Complex metaplastic synapses can explain the data




[Leibold and Kempter (2008), Ben-Dayan Rubin and Fusi (2007)]




Serial synapse







amplified depletion > enhanced plasticity

 \implies impaired learning



Serial synapse





 ${\it reverse training}\\ +\\ {\it "stubborn" metaplasticity}$

 \implies impaired learning

Conclusions

- Diverse behavioural patterns: Enhanced plasticity \rightarrow enhance/impair learning (prior experience). Reverse-training \rightarrow enhance/impair learning (plasticity rates).
- Predictions for synaptic physiology:
 Synaptic complexity: necessary to amplify depletion.
 Synaptic stubbornness: repeated potentiation makes subsequent depression harder.
- We used behaviour to constrain the dynamics of synaptic plasticity

Acknowledgements

Surya Ganguli

Madhu Advani

Peiran Gao

Niru Maheswaranathan

Ben Poole

Jascha Sohl-Dickstein

Kiah Hardcastle

Jennifer Raymond Carla Shatz

Barbara Nguyen-Vu Han-Mi Lee

Grace Zhao

Aparna Suvrathan

RStelli

Funding: Swartz Foundation, Stanford Bio-X Genentech fellowship.

References L



Y. P. Tang, E. Shimizu, G. R. Dube, C. Rampon, G. A. Kerchner, M. Zhuo, G. Liu, and J. Z. Tsien.

"Genetic enhancement of learning and memory in mice".

Nature, 401(6748):63-69, (Sep. 1999) .



Gaël Malleret, Ursula Haditsch, David Genoux, Matthew W. Jones, Tim V.P. Bliss, Amanda M. Vanhoose, Carl Weitlauf, Eric R. Kandel, Danny G. Winder, and Isabelle M. Mansuy.

"Inducible and Reversible Enhancement of Learning, Memory, and Long-Term Potentiation by Genetic Inhibition of Calcineurin".

Cell, 104(5):675 - 686, (2001) .



J. S. Guan, S. J. Haggarty, E. Giacometti, J. H. Dannenberg, N. Joseph, J. Gao, T. J. Nieland, Y. Zhou, X. Wang,

R. Mazitschek, J. E. Bradner, R. A. DePinho, R. Jaenisch, and L. H. Tsai.

"HDAC2 negatively regulates memory formation and synaptic plasticity".





M. Migaud, P. Charlesworth, M. Dempster, L. C. Webster, A. M. Watabe, M. Makhinson, Y. He, M. F. Ramsay, R. G. Morris, J. H. Morrison, T. J. O'Dell, and S. G. Grant.

"Enhanced long-term potentiation and impaired learning in mice with mutant postsynaptic density-95 protein". Nature, 396(6710):433–439, (Dec, 1998) .





N. Uetani, K. Kato, H. Ogura, K. Mizuno, K. Kawano, K. Mikoshiba, H. Yakura, M. Asano, and Y. Iwakura.

"Impaired learning with enhanced hippocampal long-term potentiation in PTPdelta-deficient mice".







References II



Mansuo L Hayashi, Se-Young Choi, B.S.Shankaranarayana Rao, Hae-Yoon Jung, Hey-Kyoung Lee, Dawei Zhang, Sumantra Chattarii, Alfredo Kirkwood, and Susumu Tonegawa.

"Altered Cortical Synaptic Morphology and Impaired Memory Consolidation in Forebrain- Specific Dominant-Negative {PAK} Transgenic Mice".

Neuron, 42(5):773 - 787, (2004) .



Patrick R Cox. Velia Fowler, Bisong Xu, J.David Sweatt, Richard Paylor, and Huda Y Zoghbi.

"Mice lacking tropomodulin-2 show enhanced long-term potentiation, hyperactivity, and deficits in learning and memory". Molecular and Cellular Neuroscience, 23(1):1 - 12, (2003) .





Kris Rutten, Dinah L. Misner, Melissa Works, Arjan Blokland, Thomas J. Novak, Luca Santarelli, and Tanya L. Wallace.

"Enhanced long-term potentiation and impaired learning in phosphodiesterase 4D-knockout (PDE4D-/-) mice". European Journal of Neuroscience, 28(3):625-632, (2008).







S.K.E. Koekkoek, K. Yamaguchi, B.A. Milojkovic, B.R. Dortland, T.J.H. Ruigrok, R. Maex, W. De Graaf, A.E. Smit, F. VanderWerf, C.E. Bakker, R. Willemsen, T. Ikeda, S. Kakizawa, K. Onodera, D.L. Nelson, E. Mienties, M. Joosten, E. De Schutter, B.A. Oostra, M. Ito, and C.I. De Zeeuw.

"Deletion of FMR1 in Purkinje Cells Enhances Parallel Fiber LTD, Enlarges Spines, and Attenuates Cerebellar Eyelid Conditioning in Fragile X Syndrome".

Neuron, 47(3):339 - 352, (2005).





References III



S du Lac, J L Raymond, T J Sejnowski, and S G Lisberger.

"Learning and Memory in the Vestibulo-Ocular Reflex".

Annual Review of Neuroscience, 18(1):409-441, (1995) .



Edward S. Boyden, Akira Katoh, and Jennifer L. Raymond.

"CEREBELLUM-DEPENDENT LEARNING: The Role of Multiple Plasticity Mechanisms".

Annual Review of Neuroscience, 27(1):581-609, (2004) .





Michael J. McConnell, Yanhua H. Huang, Akash Datwani, and Carla J. Shatz.

"H2-Kb and H2-Db regulate cerebellar long-term depression and limit motor learning".

Proc. Natl. Acad. Sci. U.S.A., 106(16):6784-6789, (2009) .





M. P. Coba, A. J. Pocklington, M. O. Collins, M. V. Kopanitsa, R. T. Uren, S. Swamy, M. D. Croning, J. S. Choudhary, and S. G. Grant.

"Neurotransmitters drive combinatorial multistate postsynaptic density networks".

Sci Signal, 2(68):ra19, (2009).





Johanna M. Montgomery and Daniel V. Madison.

"State-Dependent Heterogeneity in Synaptic Depression between Pyramidal Cell Pairs". Neuron, 33(5):765 – 777, (2002).





References IV



S. Fusi, P. J. Drew, and L. F. Abbott.

"Cascade models of synaptically stored memories".

Neuron, 45(4):599-611, (Feb. 2005)





S. Fusi and L. F. Abbott.

"Limits on the memory storage capacity of bounded synapses".

Nat. Neurosci., 10(4):485–493, (Apr., 2007)





A. B. Barrett and M. C. van Rossum.

"Optimal learning rules for discrete synapses".

PLoS Comput. Biol., 4(11):e1000230, (Nov, 2008)





"Interacting Adaptive Processes with Different Timescales Underlie Short-Term Motor Learning".

















Subhaneil Lahiri and Surya Ganguli.

"A memory frontier for complex synapses".

In C.J.C. Burges, L. Bottou, M. Welling, Z. Ghahramani, and K.Q. Weinberger, editors, *Advances in Neural Information Processing Systems 26*, pages 1034–1042. 2013.

URL http://papers.nips.cc/paper/4872-a-memory-frontier-for-complex-synapses.pdf.





References V



Christian Leibold and Richard Kempter.

"Sparseness Constrains the Prolongation of Memory Lifetime via Synaptic Metaplasticity". Cerebral Cortex, 18(1):67–77, (2008).









"Long memory lifetimes require complex synapses and limited sparseness".








"Learning in neural networks with material synapses".

Neural Computation, 6(5):957–982, (1994) .




Model of circuit





Other models that fail

Multistate synapse



Pooled resource model






Training time [Amit and Fusi (1994)]


Other models that work


Non-uniform multistate model




Cascade model







Mathematical explanation



Serial synapse: $\mathbf{p}_i^{\infty} \sim \mathcal{N}\left(\frac{q^{\mathrm{pot}}}{q^{\mathrm{dep}}}\right)^i$.

Learning rate
$$\sim \mathbf{p}_{M/2}^{\infty} \left(\frac{q^{\mathsf{dep}}}{q^{\mathsf{pot}}} \right) = \mathcal{N} \left(\frac{q^{\mathsf{pot}}}{q^{\mathsf{dep}}} \right)^{\frac{M}{2} - 1}$$
.

For M > 2: larger $q^{\text{dep}} \implies$ slower learning.

For M=2: larger $q^{\mathrm{dep}} \implies \mathrm{larger} \; \mathcal{N} \implies \mathrm{faster} \; \mathrm{learning}.$

