# Understanding impaired learning with enhanced plasticity

based on work in preparation with: T.D. Barbara Nguyen-Vu, Grace Q. Zhao, Aparna Suvrathan, Han-Mi Lee, Surya Ganguli, Carla J. Shatz, Jennifer L. Raymond

Subhaneil Lahiri

Stanford University, Applied Physics

January 29, 2014

4□ > 4回 > 4 豆 > 4 豆 > 豆 めのの

Impaired learning with enhanced plasticity

derstanding impaired learning with enhanced plasticity ed on work in preparation with: T.D. Burbara Nguyen-Ve, Grace Q. Zhao, parna Szorathan, Han-M. Lee, Surya Ganguli, Carla J. Shatz, Jennifer L. Raymond

> Subhaneil Lahiri Stanford University, Applied Physic January 29, 2014

1. Acknowledge Barbara and Grace

#### Introduction

Learning requires synaptic plasticity. Expect enhanced plasticity  $\rightarrow$  enhance learning.



[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

Impaired learning with enhanced plasticity

└─Introduction



- 1. It does help in some cases
- 2. Want to understand when and why
- 3. Depends on circumstance. Rich pattern of behaviour
- ${\it 4. \ \, Develop \ understanding \ of \ when \ and \ why \ learning \ is \ enhanced/impaired}}$

#### Introduction

Learning requires synaptic plasticity. Expect enhanced plasticity  $\rightarrow$  enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)]

But often:  $\rightarrow$  impairment.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)] [Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]

Impaired learning with enhanced plasticity

□Introduction



- 1. It does help in some cases
- 2. Want to understand when and why
- 3. Depends on circumstance. Rich pattern of behaviour
- 4. Develop understanding of when and why learning is enhanced/impaired

#### Introduction

Learning requires synaptic plasticity. Expect enhanced plasticity  $\rightarrow$  enhance learning.

[Tang et al. (1999), Malleret et al. (2001), Guan et al. (2009)

But often:  $\rightarrow$  impairment.

[Migaud et al. (1998), Uetani et al. (2000), Hayashi et al. (2004)] [Cox et al. (2003), Rutten et al. (2008), Koekkoek et al. (2005)]

Mice with enhanced cerebellar plasticity can show both impaired and enhanced learning.

Simple synapses cannot explain behaviour.

ightarrow Necessary & sufficient conditions on complex synapses to replicate this.



Impaired learning with enhanced plasticity

└─Introduction



- 1. It does help in some cases
- 2. Want to understand when and why
- 3. Depends on circumstance. Rich pattern of behaviour
- 4. Develop understanding of when and why learning is enhanced/impaired


# Vestibulo-Occular Reflex training

#### **VOR Increase Training**



**VOR Decrease Training** 





LTD in PF-Pk synapses. Gain increase: Gain decrease: different mechanism,

also reverses LTD in PF-Pk.

[du Lac et al. (1995), Boyden et al. (2004)]

Impaired learning with enhanced plasticity

└─Vestibulo-Occular Reflex training

- 1. Explain what VOR gain is
- 2. trick brain into thinking VOR gain needs adjusting my moving visual stimulu
- 3. anti-phase  $\rightarrow$  increase gain
- 4. in phase  $\rightarrow$  decrease gain
- 5. Gain change involves cerebellum
- 6. If we enhanced plasticity here: expect enhanced learning



# Enhanced plasticity impairs learning

Knockout of MHC-I D<sup>b</sup>K<sup>b</sup> molecules in PF-Pk synapses


[McConnell et al. (2009)]

 $\rightarrow$  lower threshold for LTD  $\rightarrow$  enhanced plasticity

Hypothesis: enhanced learning.

VOR Increase Training






**Experiment**: enhanced plasticity → impaired learning.

□ ト 4 @ ト 4 差 ト 4 差 ト ラ タ Q Q P

Impaired learning with enhanced plasticity


Enhanced plasticity impairs learning



- 1. Major Histocompatibility Complex involved in synaptic plasticity (Carla Shatz lab)
- 2. Easier LTD  $\rightarrow$  expect better learning
- 3. Impairment of learning
- 4. Looking at change of VOR gain during gain-up training

## Depletion hypothesis

Learning rate  $\sim$  intrinsic plasticity rate  $\times$  # synapses available for LTD.



Question 1: Can depletion effect overcome enhanced intrinsic plasticity?

Impaired learning with enhanced plasticity


Depletion hypothesis




- 1. Our model: baseline activity  $\rightarrow$  saturation  $\rightarrow$  less depression possible
- 2. Saturation has to compete with enhanced plsaticity. Which will win?

## Depletion hypothesis

Learning rate  $\sim$  intrinsic plasticity rate  $\times$  # synapses available for LTD.



- Mimic depletion with ChR2 stim of CF
- Biochemical marker of LTD




Question 1: Can depletion effect overcome enhanced intrinsic plasticity?

4 D > 4 A > 4 B > 4 B > B 900


Impaired learning with enhanced plasticity

\_\_Depletion hypothesis



- 1. Our model: baseline activity ightarrow saturation ightarrow less depression possible
- 2. Saturation has to compete with enhanced plsaticity. Which will win?
- 3. Prediction: replenish with rev-training  $\rightarrow$  rescue

## Replenishment by reverse-training



4 D > 4 D > 4 E > 4 E > E 9 Q Q


Impaired learning with enhanced plasticity

The state of the s

Replenishment by reverse-training

- 1. precede gain inc training w/ gain dec rev-training: reverses LTD
- 2. but behaviour from elsewhere  $\rightarrow$  not modelled
- 3. Focus on gain inc part

## Replenishment by reverse-training



Question 2: How can too much replenishment impair learning?


Impaired learning with enhanced plasticity

Repensionent by fever

Replenishment by reverse-training

- 1. precede gain inc training w/ gain dec rev-training: reverses LTD
- 2. but behaviour from elsewhere  $\rightarrow$  not modelled
- 3. Focus on gain inc part

## Complex synapses




#### Assumptions:

- Candidate plasticity events occur independently at each synapse,
- Each synapse responds with the same state-dependent rules,
- Keep track of distribution of synapses across states.

[Fusi et al. (2005), Fusi and Abbott (2007), Barrett and van Rossum (2008)]


Impaired learning with enhanced plasticity

Complex synapses



- 1. Not just synaptic weight, internal dynamical system
- Important for memory: simple synapses terrible storage, rescued by complexity
- 3. Multiple functional states w/ different weights
- 4. Stochastic transitions between states
- 5. allows us to concentrate on synapse, not neuron/network
- 6. This is a question about synaptic populations after all.

## Models of synaptic dynamics



Impaired learning with enhanced plasticity


2014-01-29

☐ Models of synaptic dynamics



- 1. stoch process has steady state distribution.
- 2. Prior activity puts it in this state. row vec.
- 3. plasticity events at rate r
- 4. fraction pot/dep
- 5. probs changed by Markov matrices, prob i 
  ightarrow j
- 6. Readout: synaptic weight vec when in each state.

# Models of synaptic dynamics



Impaired learning with enhanced plasticity

Pastich revents

Pastich revents

Training Madaton

PF+CF - LTD. Low threhold VOR gain increase

FF+CF - LTD. for LTD


☐ Models of synaptic dynamics

- 1. stoch process has steady state distribution.
- 2. Prior activity puts it in this state. row vec.
- 3. plasticity events at rate r
- 4. fraction pot/dep
- 5. probs changed by Markov matrices, prob  $i \rightarrow j$
- 6. Readout: synaptic weight vec when in each state.
- 7. Mutation: lower threshold  $\rightarrow$  increase transition probs
- 8. Training: Changes statistics of LTP/LTD. Only parameters we have. Don't care about *r*.
- 9. Learning: Only output we have. Don't keep track of synaptic identity.

 $PF+CF \rightarrow LTD$ .

for LTD

## Simple synapses cannot explain the data



Impaired learning with enhanced plasticity


Simple synapses cannot explain the data




- 1. Binary fails mathematical proof for any params
- 2. Enh.Plas: faster depression wins over bias
- 3. pre: reduces/reverses bias. always helps.


# Complex synapses can explain the data

## Serial synapse









[Leibold and Kempter (2008)]


Impaired learning with enhanced plasticity


Serial synapse

-Complex synapses can explain the data

- 1. Serial: still only two weights. Works.
- 2. Understand by looking at distributions before training

# Enhanced plasticity can enhance or impair learning






Intrinsic plasticity dominates depletion

the enhanced plasticity enhances learning

Depletion dominates intrinsic plasticity

enhanced plasticity impairs learning


Impaired learning with enhanced plasticity




-Enhanced plasticity can enhance or impair learning


- 1. Binary: enhanced plasticity  $\rightarrow$  bias
- 2. Not enough to overcome faster depression
- 3. Serial: Only get signal from boundary
- 4. Exponential decay depopulates boundary, enhances effect of bias

## Reverse-training can impair or enhance learning






reverse-training depopulates boundary impaired learning reverse-training repopulates boundary the enhanced learning Impaired learning with enhanced plasticity



-Reverse-training can impair or enhance learning


- 1. rev-training: little repopulates boundary
- 2. Too much pushes to other side, depopulates boundary
- 3. this effect is absent in any simple synapse

#### Essential features




The success of the serial model relies on two features:

- Complexity needed to amplify the effect of depletion,
- Metaplasticity repeated potentiation makes subsequent depression harder.



Impaired learning with enhanced plasticity

\_\_Essential features



- 1. due to exponential decay
- 2. push away from boundary where signal generated
- 3. borne out by other models that fail/succeed

#### Conclusions

- We find diverse behavioural patterns in these mutant mice: Enhanced plasticity → enhance/impair learning depending on prior experience.
- Reverse-training  $\rightarrow$  enhance/impair learning depending on plasticity rates.
- We can explain these behavioural patterns using synaptic models.
- Key required synaptic properties are: Synaptic complexity: necessary to amplify depletion. Synaptic stubbornness: repeated potentiation makes subsequent depression harder.
- We used behaviour to constrain the dynamics of synaptic plasticity

Impaired learning with enhanced plasticity

Conclusions

- w We find diverse behavioural patterns in these mutant mice Enhanced plasticity -> enhance/impair learning depending on prior Reverse-training -> enhance/impair learning depending on plasticit
- We can explain these behavioural patterns using synaptic model
- · Key required synaptic properties are: Synaptic complexity: necessary to amplify depletion
- Synaptic stubbornness: repeated potentiation makes subsequen
- · We used behaviour to constrain the dynamics of synaptic plasticit

## Acknowledgements

Surya Ganguli
Madhu Advani
Barbara Nguyen-Vu
Peiran Gao
Niru Maheswaranathan
Ben Poole
Jascha Sohl-Dickstein

Ganifer Raymond
Barbara Nguyen-Vu
Grace Zhao
Han-Mi Lee
Han-Mi Lee

Funding: Swartz Foundation, Stanford Bio-X Genentech fellowship.

Impaired learning with enhanced plasticity

\_\_Acknowledgements

Surya Ganguli Jennifer Raymond Carla Shi Madha Advani Bathara Riguyen-Vu Han-Mi L Priran Gao Grace Zhao Niu Mahbenaranathan Ban Poole Jaschu Sohl-Dickstein

Funding: Swartz Foundation, Stanford Bio-X Genentech fellowship

## References I



Y. P. Tang, E. Shimizu, G. R. Dube, C. Rampon, G. A. Kerchner, M. Zhuo, G. Liu, and J. Z. Tsien.

"Genetic enhancement of learning and memory in mice".

Nature, 401(6748):63-69, (Sep. 1999).



Gaël Malleret, Ursula Haditsch, David Genoux, Matthew W. Jones, Tim V.P. Bliss, Amanda M. Vanhoose, Carl Weitlauf, Eric R. Kandel, Danny G. Winder, and Isabelle M. Mansuy.

"Inducible and Reversible Enhancement of Learning, Memory, and Long-Term Potentiation by Genetic Inhibition of Calcineurin".

*Cell*, 104(5):675 – 686, (2001).





Impaired learning with enhanced plasticity

-References

Y. P. Tang, E. Shimizu, G. R. Dube, C. Rampon, G. A. Kerchner, M. Zhuo G. Liu, and J. Z. Tsien. "Genetic enhancement of learning and memory in mice".

Gail Malleret, Ursula Haditsch, David Genoux, Matthew W. Jones, Tim V.P. Bliss, Amanda M. Vanhoose, Carl Weitlauf, Eric R. Kandel, Danny G. "Inducible and Reversible Enhancement of Learning, Memory, and Long-Term Potentiation by Genetic Inhibition of Calcineurin".

## References II



J. S. Guan, S. J. Haggarty, E. Giacometti, J. H. Dannenberg, N. Joseph, J. Gao, T. J. Nieland, Y. Zhou, X. Wang, R. Mazitschek, J. E. Bradner, R. A. DePinho, R. Jaenisch, and L. H. Tsai.

"HDAC2 negatively regulates memory formation and synaptic plasticity". Nature, 459(7243):55-60, (May, 2009).



M. Migaud, P. Charlesworth, M. Dempster, L. C. Webster, A. M. Watabe, M. Makhinson, Y. He, M. F. Ramsay, R. G. Morris, J. H. Morrison, T. J. O'Dell, and S. G. Grant.

"Enhanced long-term potentiation and impaired learning in mice with mutant postsynaptic density-95 protein".

Nature, 396(6710):433-439, (Dec., 1998).





4 D > 4 A > 4 B > 4 B > 9 Q Q

Impaired learning with enhanced plasticity

-References

J. S. Guan, S. J. Haggarty, E. Giacometti, J. H. Dannenberg, N. Joseph J. Gao, T. J. Nieland, Y. Zhou, X. Wang, R. Mazitschek, J. E. Bradner "HDAC2 negatively regulates memory formation and synaptic plasticity

M. Migaud, P. Charlesworth, M. Dempster, L. C. Webster, A. M. Watabe, M. Makhinson, Y. He, M. F. Ramsay, R. G. Morris, J. H. Morrison, T. J. "Enhanced long-term potentiation and impaired learning in mice with mutan postsynaptic density-95 protein".

## References III



N. Uetani, K. Kato, H. Ogura, K. Mizuno, K. Kawano, K. Mikoshiba, H. Yakura, M. Asano, and Y. Iwakura.

"Impaired learning with enhanced hippocampal long-term potentiation in PTPdelta-deficient mice".

EMBO J., 19(12):2775-2785, (Jun, 2000).





"Altered Cortical Synaptic Morphology and Impaired Memory Consolidation in Forebrain- Specific Dominant-Negative {PAK} Transgenic Mice".

*Neuron*, 42(5):773 – 787, (2004).





4 D > 4 A > 4 B > 4 B > 9 Q Q

Impaired learning with enhanced plasticity

-References

N. Uetani, K. Kato, H. Oeura, K. Mizuno, K. Kawano, K. Mikoshibi

"Impaired learning with enhanced hippocampal long-term potentiation in PTPdelta-deficient mice" EMBO J., 19(12):2775-2785, (Jun. 2000)

000

Mansuo L Hayashi, Se-Young Choi, B.S.Shankaranarayana Rao, Hae-Yoon Jung, Hey-Kyoung Lee, Dawei Zhang, Sumantra Chattarii. Alfredo "Altered Cortical Synaptic Morphology and Impaired Memory Consolidation in Forebrain- Specific Dominant-Negative {PAK} Transgenic Mice".

#### References IV



Patrick R Cox, Velia Fowler, Bisong Xu, J.David Sweatt, Richard Paylor, and Huda Y Zoghbi.

"Mice lacking tropomodulin-2 show enhanced long-term potentiation, hyperactivity, and deficits in learning and memory".

Molecular and Cellular Neuroscience, 23(1):1 – 12, (2003).





Kris Rutten, Dinah L. Misner, Melissa Works, Arjan Blokland, Thomas J. Novak, Luca Santarelli, and Tanya L. Wallace.

"Enhanced long-term potentiation and impaired learning in phosphodiesterase 4D-knockout (PDE4D-/-) mice".

European Journal of Neuroscience, 28(3):625-632, (2008).





Impaired learning with enhanced plasticity

-References

Patrick R Cox, Velia Fowler, Binong Xu, J.David Sweatt, Richard Paylor, and "Mice lacking tropomodulin-2 show enhanced long-term potentiation hyperactivity, and deficits in learning and memory

Kris Rutten, Dinah L. Misner, Melissa Works, Arian Blokland, Thomas J. Novak, Luca Santarelli, and Tanya L. Wallace. "Enhanced long-term potentiation and impaired learning is phosphodiesterase 4D-knockout (PDE4D-/-) mice".

## References V



S.K.E. Koekkoek, K. Yamaguchi, B.A. Milojkovic, B.R. Dortland, T.J.H. Ruigrok, R. Maex, W. De Graaf, A.E. Smit, F. VanderWerf, C.E. Bakker, R. Willemsen, T. Ikeda, S. Kakizawa, K. Onodera, D.L. Nelson, E. Mientjes, M. Joosten, E. De Schutter, B.A. Oostra, M. Ito, and C.I. De Zeeuw.

"Deletion of FMR1 in Purkinje Cells Enhances Parallel Fiber LTD, Enlarges Spines, and Attenuates Cerebellar Eyelid Conditioning in Fragile X Syndrome".

*Neuron*, 47(3):339 – 352, (2005).





S du Lac, J L Raymond, T J Sejnowski, and S G Lisberger.

"Learning and Memory in the Vestibulo-Ocular Reflex".

Annual Review of Neuroscience, 18(1):409-441, (1995).





Impaired learning with enhanced plasticity

-References

S.K.E. Koekkoek, K. Yamazuchi, B.A. Miloikovic, B.R. Dortland, T.J.H. R. Willemsen, T., Beda, S., Kakizawa, K., Onodera, D.L., Nelson, E., Mientie Deletion of FMRI in Purkinie Cells Enhances Parallel Fiber LTD. Enlarger Spines, and Attenuates Cerebellar Evelid Conditioning in Fragile X

000

S du Lac, J L Raymond, T J Sejnowski, and S G Lisberger "Learning and Memory in the Vestibulo-Ocular Reflex"

## References VI



Edward S. Boyden, Akira Katoh, and Jennifer L. Raymond.

"CEREBELLUM-DEPENDENT LEARNING: The Role of Multiple Plasticity Mechanisms".

Annual Review of Neuroscience, 27(1):581-609, (2004).





Michael J. McConnell, Yanhua H. Huang, Akash Datwani, and Carla J. Shatz.

"H2-Kb and H2-Db regulate cerebellar long-term depression and limit motor learning".

Proc. Natl. Acad. Sci. U.S.A., 106(16):6784–6789, (2009).





Impaired learning with enhanced plasticity

References

es VI

Edward S. Boyden, Akira Katoh, and Jennifer L. Raymond.

"CEREBELLUM-DEPENDENT LEARNING: The Role of Multiple Plastick Mechanism".

Annual Review of Neuroscience, 27(1) 581-609, (2004).

Mechanism:
Annual Resistant of Reservationes, 27(1):581-609, (2004).

Michael J. McCorroll, Yashua H. Huang, Akash Debussi, and Carls J.

Michael J. McCorroll, Yashua H. Huang, Akash Debussi, and Carls J.

"RORs and RO. Do regulate comballs long-turn depression and limit meaning."

Proc. Ratl. Acad. Sci. U.S.A., 100(16):6784-6709, (2009).

## References VII



S. Fusi, P. J. Drew, and L. F. Abbott.

"Cascade models of synaptically stored memories".

Neuron, 45(4):599-611, (Feb. 2005).







S. Fusi and L. F. Abbott.

"Limits on the memory storage capacity of bounded synapses".

*Nat. Neurosci.*, 10(4):485–493, (Apr. 2007).





A. B. Barrett and M. C. van Rossum.

"Optimal learning rules for discrete synapses".

PLoS Comput. Biol., 4(11):e1000230, (Nov, 2008).





Impaired learning with enhanced plasticity

-References

- S. Fusi, P. J. Drew, and L. F. Abbott. "Cascade models of synaptically stored memories"
- S. Fusi and L. F. Abbott. "Limits on the memory storage capacity of bounded synapses
- A. B. Barrett and M. C. van Rossum. "Optimal learning rules for discrete synapses".

## References VIII





Christian Leibold and Richard Kempter.

"Sparseness Constrains the Prolongation of Memory Lifetime via Synaptic Metaplasticity".

Cerebral Cortex, 18(1):67-77, (2008).





D. J. Amit and S. Fusi.

"Learning in neural networks with material synapses".

Neural Computation, 6(5):957–982, (1994).



Subhaneil Lahiri (Stanford)



Impaired learning with enhanced plasticity

-References

```
Continue Linella and Richards Kompan.
"Sparmouse Construction the Phologogene of Memory Lifetime via Synaptic
Biological Continue (1)

D J. Am and S. Fast

"Lemning in most and reference with material sprapers."

Biol Computation (5) 507-502, (1904).
```