

Overweight and Underweight
Author: Metropolitan Life Insurance Company

The Project Gutenberg eBook of Overweight and Underweight

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

Title: Overweight and Underweight

Creator: Metropolitan Life Insurance Company

Release date: September 6, 2021 [eBook #66226]
Most recently updated: October 18, 2024

Language: English

Original publication: United States: Metropolitan Life Insurance Company, 1953

Other information and formats: www.gutenberg.org/ebooks/66226

Credits: Stephen Hutcheson, Lisa Corcoran and the Online Distributed Proofreading Team at <https://www.pgdp.net>

*** START OF THE PROJECT GUTENBERG EBOOK OVERWEIGHT AND UNDERWEIGHT ***

OVERWEIGHT
AND
UNDERWEIGHT

METROPOLITAN LIFE
INSURANCE COMPANY
HOME OFFICE: NEW YORK
Pacific Coast Head Office: San Francisco
Canadian Head Office: Ottawa

CONTENTS

	PAGE
What Is Desirable Weight?	3
Overweight and Its Dangers	5
What Makes a Person Fat?	5
Why Do People Overeat?	6
How to Lose Weight	7
The Body's Need for Food	8
The Body's Need for Exercise	11
What About Short Cuts?	12
How Many Calories?	13
On Keeping a Record	19
Special Problems	19
Underweight and Its Dangers	22
What Causes Underweight?	22
How to Gain Weight	23
Adding Extra Calories	24
Saving Energy	24
Calorie Tables	25

Edition of January 1953
 COPYRIGHT 1950, METROPOLITAN LIFE INSURANCE COMPANY.

P.F.M. PRINTED IN U.S.A. 380 L. W. (Edition Jan. 1953)

[Illustration: OVERWEIGHT and UNDERWEIGHT]

What Is Desirable Weight?

Desirable weight is a very individual thing. It may be described as the weight at which a person both looks and feels his best. Height, bone structure, and muscular development must all be taken into account.

Because no two people are alike, weight tables cannot show with complete accuracy exactly what every individual should weigh. The tables shown here are given as a guide rather than as a rigid standard to which everyone should conform. They show desirable weights for men and women at age 25 and over. After a person is full grown and has reached his best weight, he should not gain or lose much for the rest of his life. It used to be considered inevitable and normal for people to get heavier toward middle age. We know now that it is not a normal part of getting older, not healthy, and not necessary.

Life is much easier in many ways for people who are not too fat or too thin. They usually feel and look better. They are apt to live longer. They are less likely to suffer from backaches, foot troubles, constant fatigue, and a host of daily discomforts. They have more fun buying clothes. Normal weight is worth any effort it takes to reach and

keep?worth it in terms of everyday comfort and of a healthier, longer life.

DESIRABLE WEIGHTS FOR MEN AND WOMEN OF AGES 25 AND OVER[1]

Weight in Pounds According to Frame (as Ordinarily Dressed)

men HEIGHT SMALL FRAME MEDIUM FRAME LARGE FRAME

(with shoes on)

Feet Inches

5	2	116-125	124-133	131-142
5	3	119-128	127-136	133-144
5	4	122-132	130-140	137-149
5	5	126-136	134-144	141-153
5	6	129-139	137-147	145-157
5	7	133-143	141-151	149-162
5	8	136-147	145-156	153-166
5	9	140-151	149-160	157-170
5	10	144-155	153-164	161-175
5	11	148-159	157-168	165-180
6	0	152-164	161-173	169-185
6	1	157-169	166-178	174-190
6	2	163-175	171-184	179-196
6	3	168-180	176-189	184-202

women HEIGHT SMALL FRAME MEDIUM FRAME LARGE FRAME

(with shoes on)

Feet Inches

4	11	104-111	110-118	117-127
5	0	105-113	112-120	119-129
5	1	107-115	114-122	121-131
5	2	110-118	117-125	124-135
5	3	113-121	120-128	127-138
5	4	116-125	124-132	131-142
5	5	119-128	127-135	133-145
5	6	123-132	130-140	138-150
5	7	126-136	134-144	142-154
5	8	129-139	137-147	145-158
5	9	133-143	141-151	149-162
5	10	136-147	145-155	152-166
5	11	139-150	148-158	155-169

OVERWEIGHT AND ITS DANGERS

Anyone who is 15 or more pounds heavier than his desirable weight is considered overweight. For those still in their 20?s or younger a _little_ extra weight does no harm. For people over 30 it is not good.

Overweight is a danger signal, particularly for those over 40. Studies of life insurance figures show that overweight people develop diabetes, heart disease, high blood pressure, and other life-shortening conditions earlier, and are apt to die younger, than people whose weight is normal. They are poor surgical risks and have less resistance to infection. Stout women are more likely to develop complications in pregnancy.

What Makes a Person Fat?

Most people are fat simply because they eat too much. This does not necessarily mean that they stuff themselves with large quantities of food. It does mean that they take in more calories[2] than their bodies can use. This is often surprisingly easy to do, particularly for a person who has poor eating habits.

Some people blame their overweight on metabolism (the rate at which their bodies use energy) and on the glands which regulate metabolism. In a very few cases, poorly functioning glands may contribute to overweight. Even then, the overweight patient who is under a physician's treatment for glandular disorders is able to lose weight when his food intake is regulated.

What many people do not realize, however, is that the body's energy requirements usually change after age 30 or 40. As a person gets older, metabolism slows down, and fewer calories are needed to maintain weight. The trouble is that eating habits usually stay exactly the same, while physical activity often decreases.

Heredity is often claimed as a cause of overweight. Careful studies do not bear this out. Heredity does determine the type of body build a person has, but when people from overweight families change their eating habits it has been proved that they, too, can lose weight.

Actually, most overweight people readily admit that their excess poundage comes from overeating. They say they just don't seem to be able to stop. Knowing why a thing is hard to do sometimes makes it easier to change.

Why Do People Overeat?

Many people eat more than they need for reasons that have little to do with hunger. Habit is one of them. Eating habits are set in patterns which have often been followed for years. Such patterns are not always easy to change, but with persistence and determination they can be altered.

Some people develop the habit of overeating because good food and plenty of it is a family tradition. Some fall into the habit because of sociability. They eat more frequently and so consume greater amounts of food than they need. Some people consider food as a symbol of success or

social standing, and so eating rich food and too much of it becomes a custom. Not infrequently the habit is established in pregnancy, in convalescence from some illness, or in other situations when extra food may be required.

Other common reasons have their roots in the emotions. Some people eat constantly because they are bored, and eating is something pleasant to do. Others because they are lonely, or feel unloved, or suffer from discontent about money, job, family relationships, or social standing. People who overeat for such reasons usually find it necessary to do something about their emotional problems before they are able to tackle their eating habits successfully.

How to Lose Weight

Physical condition, degree of overweight, and individual living habits must all be carefully evaluated before an effective, safe reducing plan can be worked out. No one can do all this for himself. Only a physician has the necessary skill and equipment to decide how much, how fast, and with what treatment a person should lose weight. What benefits one may harm another. Therefore, a reducing program should be undertaken only under medical supervision.

Anyone who really wants to get rid of excess poundage can do it. Lots of people have, with determination and persistence. Desire and will power are ?musts? in any reducing program.

Everyone knows that self-denial is not easy and that changing long-established habits taxes the strongest will. Therefore, a person who is trying to do this difficult job deserves the help and support of his family and friends. Few people are able to persist in any course of action in the face of commiseration, indifference, ridicule, or opposition from those they love and respect.

To be worth anything, a loss of weight must be permanent. Therefore, anyone who wants to benefit from a weight-reduction program must make up his mind that he is changing his eating habits for life. Going back to old patterns will only pile up the pounds all over again. Unless this fact is accepted, reducing efforts will probably be wasted.

The Body's Need for Food

Awake or asleep, the body needs energy for every breath, every heartbeat, every activity of living. Food supplies this energy which is measured in units called calories.

When a person eats only enough to supply the energy he uses, his weight stays the same. If he takes in more calories than he needs, the excess is stored as fat. If his food adds up to fewer calories than he needs, his body takes the extra energy out of its storehouse of fat, and a loss

in weight occurs. Reducing diets are based on this simple principle:
_taking in fewer calories than needed to force the body to use its
stored fat_.

Foods vary in the number of calories they contain. As most people know, fats of all kinds have the most calories. One tablespoon of butter, for example, has in it about as many calories as a good slice of lean roast beef, or a cup of beets, or a quarter of a pound of cod steak. Sugars, alcohol, and starches are the next richest source of calories. Starches include cereals, flour and everything made with flour, potatoes, peas, beans, and corn. When calories must be cut down to make the body use stored fat, alcoholic drinks and foods rich in fats, sugars, and starches are the first to be restricted.

However, no one can lose weight safely by counting calories alone. In the 1920's, when a slim, boyish figure was in style, many girls and women made themselves seriously ill by reducing their weight without regard to the kinds of food they ate.

For good health, food must supply everyone?young and old alike?with more than calories. The body is constantly repairing and renewing itself. New cells are always growing to replace those worn out in doing their work. In babies, children, and young people, cell-making is going on at top speed, because actual growth is taking place. As in any building process, the right materials are needed. The body?s most essential building and maintenance materials are found in proteins. Foods richest in proteins include milk, meat, fish, poultry, eggs, and cheese.

Two other elements necessary for health are vitamins and minerals. Some of these are found in the same foods which are rich in protein. Others are found in grain products, fruits, vegetables, and fats.

To insure a well-balanced diet, made up of the protective foods containing enough proteins, vitamins, and minerals, everyone should have _daily_:

- _Milk_ ?2 or more glasses for adults. 4 or more for children and expectant and nursing mothers.
- _Vegetables_ ?2 or more servings, green or yellow.
- _Fruits_ ?2 servings, 1 a citrus fruit or tomato.
- _Eggs_ ?1; at least 3 to 5 a week.
- _Meat, fish, poultry, or cheese_ ?1 or more servings (dried legumes may be substituted occasionally).
- _Cereal and Bread_ ?2 servings, whole-grain or enriched.
- _Fats_ ?1 to 3 tablespoons. (_In reducing diets, some of the fat allowance may be in the cream in whole milk._)

People who are not overweight can add what they like to this list in the way of other foods and second helpings, to make up their caloric requirements. People who want to lose weight can add little or nothing. That is the only real difference between a well-balanced normal diet and a well-balanced reducing diet. Because this difference often means

restrictions on cakes, pastries, extra butter, rich sauces, cocktails, beer, soft drinks, and other high-calorie favorites, it is a hard one for many people to accept. Nevertheless, it must be accepted by everyone who wants to lose weight.

Few people claim that the first days on a reducing diet are happy ones. Some individuals find it easier to adjust than others, but all agree that the period of discomfort does not last too long if they persevere. They also claim that a wonderful feeling of physical vigor and liberation follows as they lose weight. The ability to bend down again with ease, the disappearance of unsightly bulges, and the pleasure of buying smaller sizes in clothes are among the things which amply compensate for any early discomfort.

The Body's Need for Exercise

Every healthy person needs some exercise. Daily physical exertion is good for muscle tone and circulation. It also helps to relieve the tension many people pile up in the course of a day's work.

Regular exercise, if not carried to the point of increasing hunger, can help in a reducing program, because the more active a person is, the more calories he needs to burn. But for the overweight individual, exercise can never replace eating less. A person would have to walk about five miles to use up the calories in one chocolate sundae. He would have to saw wood for an hour or so to offset a piece of apple pie, or walk about a mile to work off two graham crackers. Obviously, it is simpler to avoid eating the sundae, the pie, or the crackers than to try to exercise them off.

The decision about exercising while losing weight should be left to the physician supervising the reducing program. The kind and amount of extra physical activity which he advises will depend on age, physical condition, and previous habits. For children and young patients he will probably advise lots of exercise and active sports. For older people he may not prescribe anything more strenuous than walking. For people with heart or circulatory conditions, he may caution against any exercise. The necessity for tailoring the treatment to the individual in this way is one of the reasons why a reducing program should be undertaken only under medical supervision.

What About Short Cuts?

No one who has taken on the job of losing weight will say that the self-denial involved is pleasant. It is only natural to wonder if there isn't an easier way: What about drugs, steam baths, massage, or other quick methods?

Any drug which can increase the body's rate of burning calories enough to effect weight reduction without dieting is dangerous. One drug,

released in the early 1930's without medical sanction, "worked"; but it also caused deafness, blindness, and paralysis before it was withdrawn from the market. Even if drugs are prescribed by a physician, they will be used in addition to—not in place of—a diet.

Many people wonder about steam baths and massage as a short cut. Steam baths are often a delusion. The profuse sweating which a steam bath induces is apt to cause a sudden drop in weight because of water loss. Thirst soon makes the average person replace the lost water, and his weight is usually exactly what it was before.

Swedish massage is a relaxing luxury for those who can afford it. It is good for the circulation, and helps to keep tissues in firm condition. However, it will not take off pounds nor allow additions to the diet.

Nobody likes to believe unpleasant truths. Therefore, the search for short cuts goes on. Ten-day wonder diets; special foods; spot-reducing gadgets—many of these fads are harmless, though expensive and ineffective. Some suggest, in small print, that special low-calorie diets should be followed, thus acknowledging the disagreeable truth—that there is no way to reduce safely without eating less. It all boils down to this: No easy way is safe; no safe way is easy.

How Many Calories?

In planning the day's food, it should be decided into which meals the essential foods will go, and their calories should be computed first. Choice may then dictate the selection of the foods to make up the rest of the day's allowance. All foods and most beverages supply calories; therefore, it is important to know the calorie content of the usual portions of different foods. Tables which list the calories in common foods and beverages begin on page 25.

One of the most frequently selected diets for healthy adults who need to reduce is a three-meal-a-day schedule allowing, in all, 1,200 calories. Some people, however, cannot lose weight satisfactorily on a 1,200-calorie diet. The doctor may cut their daily calorie allowance to 1,000 if their progress is too slow, or increase it to 1,500 if they are losing too rapidly. Examples of 1,000-, 1,200-, and 1,500-calorie diets are given on pages 16-17. Diets which fall below 1,000 calories require very close medical supervision and are usually used only in cases where a rapid loss of weight is required for serious conditions.

Vitamin and mineral supplements are often prescribed for people on a reducing diet, especially if it allows less than 1,200 calories. This is to make doubly sure that the body gets all the vitamins and minerals it needs. The use of such supplements is never intended to take the place of eating the essential foods.

Some people, when they first see their reducing diet, are firmly convinced that they have never eaten as much as their present diet

allows them to. They are judging the caloric value of their food by its looks. The calories hidden in butter, sugar, and cream used for cooking and in beverages are invisible.

Unfortunately, it is easy to make a 1,000-calorie diet, for example, add up to about 2,000 merely by adding 4 tablespoons of butter to the vegetables, sugar and cream to 3 cups of coffee or tea, a tablespoon of French dressing on the salad, and substituting 3 halves of canned peaches with sirup for the $\frac{1}{2}$ cup of fresh fruit at lunch.

Few people stop to think that their hidden calories may be in the cocktail, the glass of beer, or the soda pop which they love. Liquids go down so quickly and easily that it is often hard to realize that they can contribute to overweight. A glance at the calorie tables on pages 25-32 will show why they are to be avoided by anyone who is trying to lose weight.

Some perfectly good foods which add extra calories to a diet are:

Cake?especially with icing
Cookies
Cream
Candy
Salad oil
Fatty meat
Fried foods
Nuts
Olives
Chocolate
Coconut
More butter than is allowed on the diet
Gravy
Pastries
Avocados
Jelly and jam
Honey
Marmalade
Sirups
Sugar
Puddings
Sweetened beverages

Remember

1. To have 1 $\frac{1}{2}$ pints of milk every day.
2. To cut the visible fat from meat.
3. To eat a salad or raw vegetable every day if possible.
4. To eat a green, leafy, or yellow vegetable every day.

5. To have a serving of citrus fruit, tomato, cantaloupe, strawberries, or raw cabbage every day.
6. To choose the bread or cereal you use from enriched, whole-grain, or rye varieties.

HELPFUL HINTS

1. Eat regular meals at regular times. Omitting a meal?particularly breakfast?is a strain on the body and a major cause of fatigue.
2. Eat all meals slowly and chew well. This helps to make smaller amounts of food more satisfying.
3. Never eat when emotionally upset or overtired. Relax or rest first.
4. Watch closely for hidden calories.
5. If drinking clear coffee or tea is too much of an ordeal, add some of the day?s allowance of milk, and use saccharin or another noncaloric sweetening agent. They may also be used to sweeten cooked fruits.
6. Stay away from highly seasoned foods. They stimulate the appetite.
7. Clear tea, coffee, or bouillon have no caloric values and may be used freely.
8. An average serving of meat is 3 ounces. Two eggs or $\frac{1}{2}$ cup of cottage cheese can be substituted for 2 ounces of meat.

1000 CALORIE DIET

breakfast

Fresh fruit or juice	1 serving? $\frac{1}{2}$ cup
Egg?cooked without fat	1
Bread or cereal	1 slice of bread or small serving of cereal
Butter or margarine	1 level teaspoon
Skim milk or buttermilk	1 glass?8 ounces
Clear coffee or tea	

dinner

Lean meat, fish, or poultry	3 ounces (average serving)
Vegetables[3]	$\frac{1}{2}$ cup Group I and $\frac{1}{2}$ cup Group II
Skim milk or buttermilk	1 glass?8 ounces
Fruit?raw, or cooked or canned without sugar	1 serving? $\frac{1}{2}$ cup

lunch or

supper

Cottage cheese, meat, or eggs	$\frac{1}{2}$ cup of cheese, 2 ounces of meat, or 2 eggs
Vegetables[3]	$\frac{1}{2}$ cup Group I and $\frac{1}{2}$ cup Group II
Skim milk or buttermilk	1 glass?8 ounces

Fruit?raw, or cooked or 1 serving?% cup
canned without sugar

1200 CALORIE DIET

breakfast

Fresh fruit or juice 1 serving?% cup
Egg?cooked without fat 1
Bread or cereal 1 slice of bread or small
serving of cereal
Butter or margarine 1 level teaspoon
Milk 1 glass?8 ounces
Clear coffee or tea

dinner

Lean meat, fish, or poultry 3 ounces (average serving)
Vegetables[3] % cup Group I
Potato or bread 1 small potato or 1 slice of
bread
Butter or margarine 1 level teaspoon
Milk 1 glass?8 ounces
Fruit?raw, or cooked or 1 serving?% cup
canned without sugar

lunch or

supper

Cottage cheese, meat, or % cup of cheese, 2 ounces of
eggs meat, or 2 eggs
Vegetables[3] % cup raw Group I and % cup
Group II
Milk 1 glass?8 ounces
Fruit?raw, or cooked or 1 serving?% cup
canned without sugar

1500 CALORIE DIET

breakfast

Fresh fruit of juice 1 serving?% cup
Egg?cooked without fat 1
Bread or cereal 1 slice of bread or a serving
of cereal (1 cup prepared or
% cup cooked)
Butter or margarine 1 level teaspoon
Milk 1 glass?8 ounces
Coffee or tea
Cream 1 tablespoon

dinner

Lean meat, fish, or poultry 3 ounces (average serving)
Vegetables[3] % cup Group I and % cup Group
II
Potato 1 small
Butter or margarine 1 level teaspoon
Milk 1 glass?8 ounces
Fruit?raw, or cooked or 1 serving?% cup

canned without sugar
 lunch or
 supper

Cottage cheese, meat, or	$\frac{1}{2}$ cup of cheese, 2 ounces of
eggs	meat, or 2 eggs
Vegetables[3]	$\frac{1}{2}$ cup Group I and $\frac{1}{2}$ cup Group
II	
Bread	1 slice
Butter or margarine	1 level teaspoon
Milk	1 glass?8 ounces
Fruit, plain custard, or	$\frac{1}{2}$ cup of fruit or custard, or
plain cookies	2 cookies

Vegetables are listed below in two groups, according to their carbohydrate content. Those in Group I have no more than 3 percent carbohydrate, and those in Group II have no more than 9 percent. It is simpler to choose the vegetables according to the listings than to count the calories for each vegetable in the day's meals.

Where the diets on pages 16-17 call for fruits, these may be chosen from the lower-calorie fruits listed below.

vegetables

GROUP I

Asparagus
 Beet greens
 Broccoli
 Cabbage
 Cauliflower
 Celery
 Chard
 Chicory
 Chinese Cabbage
 Cucumber
 Endive
 Escarole
 Lettuce
 Mushrooms
 Mustard greens
 Radishes
 Sauerkraut
 Spinach
 Summer squash
 Tomato Juice
 Tomatoes
 Turnip tops
 Watercress

GROUP II

Artichokes
 Beans, green

Beans, wax
Beets
Brussels sprouts
Carrots
Collards
Dandelion greens
Eggplant
Kale
Kohlrabi
Lamb's quarters
Okra
Onions
Peppers
Pumpkin
Rutabagas
Squash, winter
Turnips

fruit

Apples
Apricots
Blackberries
Blueberries
Cherries
Cranberries
Currants
Gooseberries
Grapefruit
Grapefruit juice
Lemons
Limes
Loganberries
Melons
 Cantaloupe
 Casaba
 Honeydew
 Spanish
 Watermelon
Oranges
Orange juice
Peaches
Pears
Pineapple
Pineapple juice
Plums
Raspberries
Rhubarb
Strawberries
Tangerines

On Keeping a Record

Most people find it helpful to keep a record of their progress. Weight should be recorded once a week only. To show progress accurately, the same scales should be used at the same time of the day.

It is also helpful to make weekly notes of body measurements. Sometimes a person gets discouraged because, after a period of satisfactory loss, the scales show no drop for a week or more. But during these periods body measurements often continue to decrease. To know that another half inch has melted off the waistline is encouraging at such times. It stiffens resistance to the common temptation of saying, "Oh, what's the use?" and stopping when success is in sight. Weight loss begins again if the diet is faithfully followed.

The most important record to keep carefully is a list of the foods eaten each day, and the quantity. Such a list serves several purposes. It can be checked against the essential foods to make sure there are no omissions. It will help the doctor in adjusting a diet to slower or faster weight loss, as the need may be. It is useful as a reminder of slips and indiscretions in eating or drinking which must be checked. It helps to keep a person convinced about the number of calories he is really taking in.

Special Problems

On a reducing diet many people find themselves eating more vegetables, raw fruits, and salads than they did before. Most of them benefit from the change. However, anyone who has previously had signs of ulcers, colitis, or other digestive disturbances should tell his physician. A person susceptible to such conditions may need to use raw fruits and vegetables sparingly, substituting fruits stewed without sugar, or perhaps using pureed vegetables.

Constipation sometimes occurs when eating habits are changed suddenly. It can often be corrected by drinking more water and by using green, leafy vegetables more generously. The substitution of stewed, dried fruits for some fresh fruits may also help. The amount must be watched, because dried fruits are richer in calories than fresh fruits. They are often eaten in greater quantity and cooked with sugar.

People who are on a diet and who eat in restaurants a great deal have a problem. Unless their budget runs to a daily steak diet, a good cafeteria is often a better choice than other types of restaurants. The foods are usually plainly cooked, without much fat, and can be chosen individually. The chief problem is to develop the habit of passing by all the display of foods which must not be eaten. The temptation to add something extra is sometimes greater than it is at home.

If lunch is the only meal which must be eaten out, and there is no suitable eating place available, the problem may be solved by taking

lunch from home. Some suggestions for a day's menus, including low-calorie lunches which can be carried to work or school, are given on the opposite page.

PACKED LUNCH
for 1200 Calorie Diet
BREAKFAST

½ cup fruit
1 egg
1 slice toast
1 teaspoon butter
1 glass milk
Clear coffee or tea

LUNCH

Sandwich:

1 slice bread
1 teaspoon butter
1 ounce lean meat
1 hard cooked egg
wedge of raw cabbage
whole raw carrot
fresh fruit
1 glass milk

LUNCH

Sandwich:

2 _thin_ slices bread
1 ounce lean meat
1 hard cooked egg
1 teaspoon mayonnaise
lettuce
2 stalks celery
1 small cucumber
fresh fruit
1 glass milk

LUNCH

Sandwich:

2 _thin_ slices bread
2 ounces chicken or meat
chopped and mixed with
1 tablespoon mayonnaise
1 tablespoon chopped celery and
a little chopped onion
large fresh tomato
½ green pepper
fruit

1 glass skim milk

DINNER

3 ounces meat, fish, or poultry
½ cup vegetables from Group I and
Group II
1 glass skim milk
½ cup fruit?fresh, or cooked or
canned without sugar

UNDERWEIGHT AND ITS DANGERS

Anyone 20 percent or more below his best weight is considered underweight. Definite underweight is not desirable in young people who are still growing. It may be a symptom of disease. The glandular disorders so often erroneously blamed for overweight are much more likely to show themselves in loss of weight or inability to gain. Even when there is nothing wrong, people whose weight is too far below normal are more likely to suffer from fatigue and poor physical endurance. Resistance to infection is often lowered. Tuberculosis strikes more often among adolescents and young people who are underweight than it does among those whose weight is closer to what it should be.

What Causes Underweight?

Certain diseases and glandular disorders can cause underweight. In healthy people, however, underweight comes from eating too little, from poor eating habits, from over-activity or too little rest, and from worry or prolonged tension.

Many people eat too little for much the same reasons which make others eat too much. Habit frequently plays a part. Meals are irregular in some families, sometimes poorly prepared, and eating is considered the least important of the day's activities. It is not surprising if the children from such families grow up with an indifferent attitude toward food.

Emotions may also play a part. The feeling of being unloved, dissatisfaction with personal relationships, discontent over job, money, or social restrictions, and other reasons of this kind cause some people to react with indifference to eating just as they cause others to overeat. Keen rivalry, a wish to take part in everything, or too great an absorption in school or social activities sometimes cause over-activity and underweight among adolescents.

How to Gain Weight

As in overweight, the first step is to see a physician and have a thorough physical examination. It is important to find and correct anything which may be wrong. Efforts to gain may be useless unless this is done.

The same principles apply to gaining weight as to losing it, but in reverse. Underweight people must take in more calories than they use, so that there will be some left over to store as fat.

Will power can be as great a factor in gaining weight successfully as it is in losing, particularly for people who do not like many of the essential foods. They must learn to say "yes" to enough of the right foods, regardless of their wishes, just as firmly as their fat friends need to say "no" to forbidden extras.

As in overweight, it is important first to include the essential foods in the day's meals. These foods are necessary for maximum health, whether a person's weight is too high, too low, or just right. Some underweight individuals whose food choices have been poor may find that they are able to gain merely by making sure that they include these foods in their diet. Others need to study ways to add extra calories.

Adding Extra Calories

The simplest way is to eat more at each meal—extra bread and butter, and second helpings of everything.

Often, however, underweight people seem to have a small stomach capacity. Therefore, additions of high-calorie foods which add little or no bulk are probably easier to take at first than trying to eat larger quantities. Such additions as cream on cereals and in beverages; extra eggs in puddings, salad dressings, and drinks; and butter or other fat used generously in salad dressings, cooking and seasoning should add enough calories to enable most people to gain weight. Also, provided they are added to regular meals and not used to replace them, the high-calorie foods listed on page 14 should be used freely by anyone trying to gain weight. If they do not interfere with eating enough at regular meals, between-meal snacks also help. So do extra milk and something to eat before going to bed.

Saving Energy

The body uses fewer calories at rest than when active, and least of all during sleep. Therefore, any extra sleep or rest which an underweight person gets will help him to gain. Whatever energy can be saved during waking hours by riding instead of walking, sitting instead of standing, and relaxing as often as possible will add to the calories saved.

A healthy person who decides to gain weight, and who sticks to his

program of taking in more calories than he needs, and of spending as few as possible in needless physical activity, can be sure that sooner or later his efforts will meet with success.

CALORIE TABLES

FOOD	MEASURES[4]	CALORIES
Almonds	12-15	100
Apple butter	1 tablespoon	40
Apples, baked	1 large and 2 tablespoons sugar	200
fresh	1 large	100
Applesauce, sweetened	$\frac{1}{2}$ cup	100
Apricots,		
canned in sirup	3 large halves and 2 tablespoons juice	100
dried	10 halves	100
Asparagus, fresh or	5 stalks 5 inches long	15
canned		
Avocado	$\frac{1}{2}$ pear 4 inches long	265
Bacon	2-3 long slices cooked	100
Bacon fat	1 tablespoon	100
Banana	1 medium 6 inches long	100
Beans,		
canned with pork	$\frac{1}{2}$ cup	130
dried	$\frac{1}{2}$ cup cooked	135
lima, fresh or canned	$\frac{1}{2}$ cup	100
snap, fresh or canned	$\frac{1}{2}$ cup	25
Beef		
corned	1 slice 4 inches by 1 $\frac{1}{2}$ by 1	100
dried	2 thin slices 4 by 5 inches	50
hamburg steak	1 patty (4 to 5 per pound)	150
round, lean	1 medium slice (2 ounces)	100
sirloin, lean	1 average slice (3 ounces)	150
tongue	2 slices 3 inches by 2 by ?	50
Beet greens	$\frac{1}{2}$ cup cooked	30
Beets, fresh or canned	2 beets 2 inches in diameter	50
Biscuits, baking powder	2 small	100
Blackberries, fresh	1 cup	100
Blueberries, fresh	1 cup	90
Bologna	1 slice 2 inches by $\frac{1}{2}$ thick	100
Breads		
Boston brown	1 slice 3 inches in diameter, $\frac{3}{4}$ thick	90
corn (1 egg)	1 2-inch square	120
cracked wheat	1 slice average	80
dark rye	1 slice $\frac{1}{2}$ inch thick	70
light rye	1 slice $\frac{1}{2}$ inch thick	75
white, enriched	1 slice average	75
white, enriched	1 slice thin	55

whole wheat, 60%	1 slice average	70
whole wheat, 100%	1 slice average	75
Broccoli	3 stalks 5% inches long	100
Brownies	1 piece 2 inches by 2 by $\frac{3}{4}$	140
Brussels sprouts	6 sprouts % inch in diameter	50
Butter	1 tablespoon	95
Cabbage, cooked	% cup	40
raw	1 cup	25
Cake		
angel	„/?? of a large cake	155
chocolate or vanilla,	1 piece 2 inches by 2 by 1	100
no icing		
chocolate or vanilla,	1 piece 2 inches by 1% by 1	100
with icing		
cup cake with	1 medium	250
chocolate icing		
Cantaloupe	% of a 5%-inch melon	50
Carrots	1 carrot 4 inches long	25
Cashew nuts	4-5	100
Cauliflower	... of a head 4% inches in diameter	25
Caviar	1 tablespoon	25
Celery	2 stalks	15
Cheese		
American cheddar	1 cube 1? inches square or three tablespoons grated	110
cottage	5 tablespoons	100
cream	2 tablespoons	100
Cherries, sweet	15 large	75
Chicken,		
broiled	% medium broiler	100
roast	1 slice 4 inches by 2% by ...	100
Chinese cabbage	1 cup raw	20
Chocolate		
almond bar	1 bar 5-cent size	200
fudge	1 piece 1 inch square by $\frac{3}{4}$ thick	100
malTED milk	fountain size	460
mints	1 mint 1% inches in diameter	100
plain bar	1 bar 5-cent size	240
sirup	... cup	195
unsweetened	1 square	162
Cider, sweet	1 cup	114
Clams	6 round	100
Cocoa, half milk, half	1 cup	150
water		
Cocanut	3 tablespoons dry	100
Cod liver oil	1 tablespoon	100
Cod steak	1 piece 3% inches by 2 by 1	100
Cola soft drinks	6-ounce bottle	75
Collards	% cup cooked	50
Cooking fats, vegetable	1 tablespoon	100
Corn	% cup	50
Corn sirup	1 tablespoon	75

Cornflakes	1 cup	80	
Cornmeal	1 tablespoon uncooked		35
Cornstarch pudding	$\frac{1}{2}$ cup	200	
Crackers			
graham	1 square	40	
peanut butter-cheese sandwich	1 cracker	45	
round snack-type	1 cracker 2 inches in diameter		15
rye wafers	1 wafer	25	
saltines	1 cracker 2 inches square	15	
Cranberry sauce	... cup	100	
Cream			
light	2 tablespoons	65	
heavy	2 tablespoons	120	
whipped	3 tablespoons	100	
Cream-puff shells	1 shell	85	
Cucumber	$\frac{1}{2}$ medium	10	
Custard, boiled or baked	$\frac{1}{2}$ cup	130	
Dates	4	100	
Egg	1 medium size	75	
Eggplant	3 slices 4 inches in diameter $\frac{1}{2}$ -inch thick		50
Endive	average serving	10	
Escarole	average serving	10	
Figs, dried	3 small	100	
Flour, white or whole grain	1 tablespoon unsifted		35
Frankfurter	1 sausage	100	
Gelatin, fruit flavored			
dry	3-ounce package	330	
ready to serve	$\frac{1}{2}$ cup	85	
Ginger ale	1 cup	85	
Gingerbread, hot water	2-inch square		270
Grapefruit juice, unsweetened	1 cup	100	
Grape juice	$\frac{1}{2}$ cup	80	
Grape nuts	... cup	100	
Grapes,			
American or Tokay	1 bunch?22 average		75
seedless	1 bunch?30 average		75
Griddle cakes	1 cake 4 inches in diameter		75
Halibut	1 piece 3 inches by 1? by 1	100	
Ham, lean	1 slice 4... inches by 4 by $\frac{1}{2}$		265
Hard sauce	1 tablespoon	100	
Hickory nuts	12-15	100	
Hominy grits	$\frac{3}{4}$ cup cooked	100	
Honey	1 tablespoon	100	
Ice cream	$\frac{1}{2}$ cup	200	
Ice cream soda	fountain size	325	
Jellies and jams	1 rounded tablespoon		100
Kale	$\frac{1}{2}$ cup	50	
Lamb, roast	1 slice 3 $\frac{1}{2}$ inches by 4 $\frac{1}{2}$ by ?		100

Lard	1 tablespoon	100
Lemon juice	1 tablespoon	5
Lettuce	2 large leaves	5
Liver	1 slice 3 inches by 3 by $\frac{1}{8}$	100
Liverwurst	1 slice 3... inches by $\frac{1}{8}$ thick	100
Lobster meat	1 cup	150
Macaroni	$\frac{3}{4}$ cup cooked	100
Maple sirup	1 tablespoon	70
Margarine	1 tablespoon	100
Marshmallows	1	20
Milk		
buttermilk	1 cup	85
condensed	1 $\frac{1}{2}$ tablespoons	100
evaporated	$\frac{1}{2}$ cup (1 cup diluted)	160
skim milk, dried	2 $\frac{1}{2}$ tablespoons	100
skim milk, fresh	1 cup	85
whole milk	1 cup	168
yogurt, plain	1 cup	160
Mints, cream	$\frac{1}{2}$ inch cube	5
Molasses	1 tablespoon	70
Muffins		
bran	1 medium	90
1 egg	1 medium	130
Mushrooms	10 large	10
Mustard greens	$\frac{1}{2}$ cup cooked	31
Noodles	$\frac{3}{4}$ cup cooked	100
Oatmeal	$\frac{3}{4}$ cup cooked	100
Oil (corn, cottonseed, olive, and peanut)	1 tablespoon	100
Okra	10-15 pods	50
Olives		
green	6 medium	50
ripe	4-5 medium	50
Onions	3-4 medium	100
Orange	1 medium	80
juice	1 cup	125
Oysters	5 medium	100
Parsnips	1 parsnip 7 inches long	100
Peaches		
canned in sirup	2 large halves and 3 tablespoons juice	100
dried	4 medium halves	100
fresh	1 medium	50
Peanut butter	1 tablespoon	100
Peanuts	10	50
Pears		
canned in sirup	3 halves and 3 tablespoons juice	100
fresh	1 medium	50
Peas		
canned	$\frac{1}{2}$ cup	65
fresh, shelled	$\frac{3}{4}$ cup	100
Pecans	6	100
Pepper, green	1 medium	20

Pickles, cucumber		
sour and dill	10 slices 2 inches in diameter	10
sweet	1 small	10
Pies	(sectors from 9-inch pies)	
apple	3-inch sector	200
lemon meringue	3-inch sector	300
mincemeat	3-inch sector	300
pumpkin	3-inch sector	250
Pineapple		
canned, unsweetened	1 slice $\frac{1}{2}$ inch thick and 1 tablespoon juice	50
fresh	1 slice $\frac{3}{4}$ inch thick	50
juice, unsweetened	1 cup	135
Plums		
canned	2 medium and 1 tablespoon juice	50
fresh	2 medium	50
Popcorn	1 $\frac{1}{2}$ cups popped	100
Popovers	1 popover	100
Pork chop, lean	1 medium	200
Potato chips	8-10 large	100
Potato salad with mayonnaise	$\frac{1}{2}$ cup	200
Potatoes		
mashed	$\frac{1}{2}$ cup	100
sweet	$\frac{1}{2}$ medium	100
white	1 medium	100
Prune juice	$\frac{1}{2}$ cup	100
Prunes, dried	4 medium	100
Pumpkin	$\frac{1}{2}$ cup	50
Radishes	5	10
Raisins	... cup	90
Raspberries, fresh	1 cup	90
Rhubarb, stewed and sweetened	$\frac{1}{2}$ cup	100
Rice	$\frac{3}{4}$ cup cooked	100
Roll, Parker House	1 medium	100
Rutabagas	$\frac{1}{2}$ cup	30
Salad dressing		
boiled	1 tablespoon	25
French	1 tablespoon	90
mayonnaise	1 tablespoon	100
Salmon, canned	$\frac{1}{2}$ cup	100
Sardines, drained	5 fish 3 inches long	100
Sauerkraut	$\frac{1}{2}$ cup	15
Sherbet	$\frac{1}{2}$ cup	120
Soup, condensed	11-ounce can	
Bouillon		25
Mushroom		360
Noodle		290
Tomato		230
Vegetable		200
Spaghetti	$\frac{3}{4}$ cup cooked	100

Spinach	% cup cooked	20
Squash		
summer	% cup cooked	20
winter	% cup cooked	50
Strawberries, fresh	1 cup	90
Sugar		
brown	1 tablespoon	35
granulated	1 tablespoon	50
powdered	1 tablespoon	40
Sweetbreads	1 pair medium-sized	240
Swiss chard	% cup leaves and stems	30
Tangerines	1 medium	60
Tapioca, uncooked	1 tablespoon	50
Tomato juice	1 cup	60
Tomatoes, canned	% cup	25
fresh	1 medium	30
Tuna fish, canned	... cup drained	100
Turkey, lean	1 slice 4 inches by 2% by ...	100
Turnip	1 turnip 1 3/4 inches in diameter	25
Turnip greens	% cup cooked	30
Veal, roast	1 slice 3 inches by 3 3/4 by %	120
Waffles	1 waffle 6 inches in diameter	250
Walnuts	8	100
Watermelon	1 slice 6 inches in diameter 1% inches thick	190
Wheat		
flakes	3/4 cup	100
germ	1 tablespoon	25
shredded	1 biscuit	100
<u>_Alcoholic Beverages_</u>		
Beer	8 ounces	120
Gin	1% ounces	120
Rum	1% ounces	150
Whiskey	1% ounces	150
Wines		
champagne	4 ounces	120
port	1 ounce	53
sherry	1 ounce	38
table, red or white	4 ounces	89-95

FOOTNOTES

[1]_ These tables are based on numerous Medico-Actuarial studies of hundreds of thousands of insured men and women._

[2]A calorie is a measure of the amount of heat (energy) which the body can get from a given amount of food.

[3]_ See page 18 for list of Group I and II vegetables, and for lower-calorie fruits._

[4]_ 1 cup equals 8 ounces. 3 teaspoons equal 1 tablespoon. 4 tablespoons equal ... cup._

Transcriber's Notes

?Silently corrected a few typos.

?Retained publication information from the printed edition: this eBook is public-domain in the country of publication.

?In the text versions only, text in italics is delimited by _underscores_.

*** END OF THE PROJECT GUTENBERG EBOOK OVERWEIGHT AND UNDERWEIGHT ***

Updated editions will replace the previous one?the old editions will be renamed.

Creating the works from print editions not protected by U.S. copyright law means that no one owns a United States copyright in these works, so the Foundation (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg? electronic works to protect the PROJECT GUTENBERG? concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for an eBook, except by following the terms of the trademark license, including paying royalties for use of the Project Gutenberg trademark. If you do not charge anything for copies of this eBook, complying with the trademark license is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. Project Gutenberg eBooks may be modified and printed and given away?you may do practically ANYTHING in the United States with eBooks not protected by U.S. copyright law. Redistribution is subject to the trademark license, especially commercial redistribution.

START: FULL LICENSE

THE FULL PROJECT GUTENBERG? LICENSE

PLEASE READ THIS BEFORE YOU DISTRIBUTE OR USE THIS WORK

To protect the Project Gutenberg? mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase "Project Gutenberg?"), you agree to comply with all the terms of the Full Project Gutenberg License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg electronic works

1.A. By reading or using any part of this Project Gutenberg electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property (trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. "Project Gutenberg?" is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg electronic works if you follow the terms of this agreement and help preserve free future access to Project Gutenberg electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation ("the Foundation" or PGLAF), owns a compilation copyright in the collection of Project Gutenberg electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is unprotected by copyright law in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg mission of promoting free access to electronic works by freely sharing Project Gutenberg works in compliance with the terms of this agreement for keeping the Project Gutenberg name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg work. The Foundation makes no representations concerning the copyright status of any work in any country other than the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg License must appear prominently whenever any copy of a Project Gutenberg work (any work on which the phrase "Project Gutenberg" appears, or with which the phrase "Project Gutenberg" is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere in the United States and most other parts of the world at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org. If you are not located in the United States, you will have to check the laws of the country where you are located before using this eBook.

1.E.2. If an individual Project Gutenberg electronic work is derived from texts not protected by U.S. copyright law (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase "Project Gutenberg" associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or remove the full Project Gutenberg License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without

prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg work in a format other than ?Plain Vanilla ASCII? or other format used in the official version posted on the official Project Gutenberg website (www.gutenberg.org), you must, at no additional cost, fee or expense to the user, provide a copy, a means of exporting a copy, or a means of obtaining a copy upon request, of the work in its original ?Plain Vanilla ASCII? or other form. Any alternate format must include the full Project Gutenberg License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access to, viewing, displaying, performing, copying or distributing any Project Gutenberg works unless you comply with paragraph 1.E.8 or 1.E.9.

1.E.8. You may charge a reasonable fee for copies of or providing access to or distributing Project Gutenberg electronic works provided that:

- ? You pay a royalty fee of 20% of the gross profits you derive from the use of Project Gutenberg works calculated using the method you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, ?Information about donations to the Project Gutenberg Literary Archive Foundation.?

- ? You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg? License. You must require such a user to return or destroy all copies of the works possessed in a physical medium and discontinue all use of and all access to other copies of Project Gutenberg? works.

- ? You provide, in accordance with paragraph 1.F.3, a full refund of any money paid for a work or a replacement copy, if a defect in the electronic work is discovered and reported to you within 90 days of receipt of the work.

- ? You comply with all other terms of this agreement for free distribution of Project Gutenberg? works.

1.E.9. If you wish to charge a fee or distribute a Project Gutenberg? electronic work or group of works on different terms than are set forth in this agreement, you must obtain permission in writing from the Project Gutenberg Literary Archive Foundation, the manager of the Project Gutenberg? trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread works not protected by U.S. copyright law in creating the Project Gutenberg? collection. Despite these efforts, Project Gutenberg? electronic works, and the medium on which they may be stored, may contain ?Defects,? such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF DAMAGES - Except for the ?Right of Replacement or Refund? described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg? trademark, and any other party distributing a Project Gutenberg? electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you ?AS-IS?, WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT

LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg? electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg? electronic works, harmless from all liability, costs and expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg work, (b) alteration, modification, or additions or deletions to any Project Gutenberg work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg

Project Gutenberg is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg?s goals and ensuring that the Project Gutenberg collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org.

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non-profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation?s EIN or federal tax identification number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state?s laws.

The Foundation?s business office is located at 41 Watchung Plaza #516,

Montclair NJ 07042, USA, +1 (862) 621-9288. Email contact links and up to date contact information can be found at the Foundation's website and official page at www.gutenberg.org/contact

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg? depends upon and cannot survive without widespread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine-readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status of compliance for any particular state visit www.gutenberg.org/donate.

While we cannot and do not solicit contributions from states where we have not met the solicitation requirements, we know of no prohibition against accepting unsolicited donations from donors in such states who approach us with offers to donate.

International donations are gratefully accepted, but we cannot make any statements concerning tax treatment of donations received from outside the United States. U.S. laws alone swamp our small staff.

Please check the Project Gutenberg web pages for current donation methods and addresses. Donations are accepted in a number of other ways including checks, online payments and credit card donations. To donate, please visit: www.gutenberg.org/donate.

Section 5. General Information About Project Gutenberg electronic works

Professor Michael S. Hart was the originator of the Project Gutenberg concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg eBooks with only a loose network of volunteer support.

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as not protected by copyright in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our website which has the main PG search facility: www.gutenberg.org.

This website includes information about Project Gutenberg, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.