

Metrics:

Total lines of code: 1919

Total lines skipped (#nosec): 0

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 184

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
183                 await websocket.send(existing_advertise.to_json())
184             except:
185                 pass
186
```

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 196

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
195                 await self._route_user_message(envelope)
196             except:
197                 pass
198             finally:
```

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 207

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
206                 await self._route_server_message(envelope, server_id)
207             except:
208                 pass
209             finally:
```

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 372

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
371                 await server.websocket.send(envelope.to_json())
372             except:
```

```
373                                     pass
374
```

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 380

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
379                                     await user.websocket.send(envelope.to_json())
380                                 except:
381                                     pass
382
```

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 388

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
387                                     await self.local_users[user_id].send(envelope.to_json())
388                                 except:
389                                     pass
390
```

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 429

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
428                                     await asyncio.sleep(0.1) # Brief delay to ensure message is sent
429                                 except Exception:
430                                     pass # Ignore errors when sending close message
431
```

try_except_pass: Try, Except, Pass detected.

Test ID: B110

Severity: LOW

Confidence: HIGH

CWE: [CWE-703](#)

File: [./server.py](#)

Line number: 435

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b110_try_except_pass.html

```
434                                     await websocket.close(code=code)
435                                 except Exception:
436                                     pass # Connection may already be closed
437
```

hardcoded_password_string: Possible hardcoded password: 'socp-web-client-secret'

Test ID: B105

Severity: LOW

Confidence: MEDIUM

CWE: [CWE-259](#)

File: [./web_client.py](#)

Line number: 63

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b105_hardcoded_password_string.html

```
62     app = Flask(__name__)
63     app.config['SECRET_KEY'] = 'socp-web-client-secret'
64     socketio = SocketIO(app, cors_allowed_origins="*")
```

hardcoded_bind_all_interfaces: Possible binding to all interfaces.

Test ID: B104

Severity: MEDIUM

Confidence: MEDIUM

CWE: [CWE-605](#)

File: [./web_client.py](#)

Line number: 995

More info: https://bandit.readthedocs.io/en/1.8.6/plugins/b104_hardcoded_bind_all_interfaces.html

```
994     print(f"📌 Open your browser to: http://localhost:{port}")
995     socketio.run(app, host='0.0.0.0', port=port, debug=False)
```