

Tiddler	LaTeX source	Rendered (KaTeX)
2510.11170v2 Q00077	$\sim 15\text{ h}$	$\sim 15\text{ h}$
2510.11170v2 Q00078	$\sim 16\text{ h}$	$\sim 16\text{ h}$
2510.11170v2 Q00079	$\sim 29\text{ h}$	$\sim 29\text{ h}$
2510.11170v2 Q00080	$\sim 30\text{ h}$	$\sim 30\text{ h}$
2510.11170v2 Q00081	$\sim 20\text{ h}$	$\sim 20\text{ h}$
2510.11170v2 Q00082	$\sim \text{13.5h}$	$\sim \text{13.5h}$
2510.11170v2 Q00083	$\sim 17\text{ h}$	$\sim 17\text{ h}$
2510.11170v2 Q00084	$\text{p}01$	$\text{p}01$
2510.11170v2 Q00085	$\tau = 0.9$	$\tau = 0.9$

Display Equations (6)

Tiddler	LaTeX source	Rendered (KaTeX)	MathPix image
2510.11170v2 Q00086 Q00087	$H_t^{(K)} := - \sum_{i \in \mathcal{I}_t^{(K)}} p_{t,i}^{(K)} \log p_{t,i}^{(K)}$	$H_t^{(K)} := - \sum_{i \in \mathcal{I}_t^{(K)}} p_{t,i}^{(K)} \log p_{t,i}^{(K)},$	
2510.11170v2 Q00088 Q00089	$p_{t,i}^{(K)} := \frac{p_{t,i}}{\sum_{j \in \mathcal{I}_t^{(K)}} p_{t,j}}, \quad i \in \mathcal{I}_t^{(K)},$	$p_{t,i}^{(K)} := \frac{p_{t,i}}{\sum_{j \in \mathcal{I}_t^{(K)}} p_{t,j}}, \quad i \in \mathcal{I}_t^{(K)},$	
2510.11170v2 Q00090 Q00091	$\bar{H}_{\text{peak}}^{(m)}(p^{\text{th}}) := \frac{1}{ \mathcal{T}_m^{\text{peak}}(p^{\text{th}}) } \sum_{t \in \mathcal{T}_m^{\text{peak}}(p^{\text{th}})} H_t^{(K)}(y^{(m)}),$	$\bar{H}_{\text{peak}}^{(m)}(p^{\text{th}}) := \frac{1}{ \mathcal{T}_m^{\text{peak}}(p^{\text{th}}) } \sum_{t \in \mathcal{T}_m^{\text{peak}}(p^{\text{th}})} H_t^{(K)}(y^{(m)}),$	
2510.11170v2 Q00092 Q00093	$\mathcal{T}_m^{\text{peak}}(p^{\text{th}}) := \left\{ t : H_t^{(K)}(y^{(m)}) \geq p^{\text{th}} \left(\left\{ H_{t'}^{(K)}(y^{(m)}) \right\}_{t'} \right) \right\},$	$\mathcal{T}_m^{\text{peak}}(p^{\text{th}}) := \left\{ t : H_t^{(K)}(y^{(m)}) \geq p^{\text{th}} \left(\left\{ H_{t'}^{(K)}(y^{(m)}) \right\}_{t'} \right) \right\},$	
2510.11170v2 Q00094 Q00095	$b_{\text{total}} = \min(M_{\text{theoretical}} - M_{\text{actual}}, 2M)$	$b_{\text{total}} = \min(M_{\text{theoretical}} - M_{\text{actual}}, 2M)$	
2510.11170v2 Q00096 Q00097	0.57	0.57	