

AB c=1 v1

: 2026-07-12
:
: AB
Version DOI: 10.5281/zenodo.21318697
Concept DOI: 10.5281/zenodo.21318696

0.

- AB
- 1.
 - 2.
 - 3. c=1 chi-tau
 - 4. c=1
 - 5. chi-tau
 - 6. chi-tau

ABC
ABC

AB

AB

f_A, f_B f_AB

AB

L_AB
1 / L_AB
1 / L_AB^2

c=1
ABC

1.

No.			
1		D_AB, V_AB, f_AB	
2			
3	c=1	s tau_read	tau
		chi-tau	
4	c=1	c=1	
5		1/A_chi_tau	native
6	native	alpha 2	native

2.

2.1

AB C

f_A

f_B

f_AB

2.2

case_count	32
observer_C_used	False
f_A_or_f_B_used	False
max_Q_closed_abs	0.0
oscillation_detected_all_cases	True
label_free_protocol_degenerate_all_cases	True
readout_decay_monotonic_all_cases	True
readout_off_decay_max_abs	6.49e-17
readout_strong_decay_min_abs	4.0004e-4



Protocol F/B

D_AB V_AB


readout_off

readout

AB



Protocol







3.

3.1

sweep_configuration_count	210
case_summary_count	420
period_count	5
deviation_count	7
leak_count	6
max_Q_closed_abs	0.0
label_free_protocol_degenerate_all_cases	True
oscillation_detected_all_cases	True
readout_off_decay_max_abs	8.26e-17
decay_abs_monotonic_by_leak_all_grids	True
max_normalized_f_AB_projection_error	2.58e-4

f_AB



4. c=1 chi-tau

4.1

s
tau_read

chi_read tau_read


4.2

case_summary_count	288
power_candidate_count	48
max_Q_closed_abs	0.0
disabled_max_area	0.0
locked_max_area	7.11e-15
independent_min_area	0.0024367633602631385
c1_readout_off_max_epsilon_c_abs	2.33e-15
c1_area_sweep_detected_all_cases	True
tau_is_step_used_any	False
external_c_used_any	False


tau disabled
tau locked
tau independent chi-tau
 chi-tau


4.3

chi-tau



c=1






5. c=1

5.1

sweep_case_count	756
readout_off_case_count	252
rank2_readout_off_count	246
c1_surface_like_readout_off_count	13
c1_locked_like_readout_off_count	8
min_c_error_readout_off	1.11e-15
max_area_readout_off	0.19685536479742288

```
c=1
rank_chi_tau = 2
A_chi_tau != 0
```

```
c=1    chi-tau
```



6.

6.1


chi-tau
1 / A_chi_tau

1/A_chi_tau
native readout


6.2

diagnostic_case_count	288
area_valid_case_count	144
fit_count	576
native_fit_count	132
derived_fit_count	84
native_positive2_count	0

1 / A_chi_taualpha 2
native readoutalpha 2



alpha



7. native


7.1

sweep_case_count	1323
area_valid_case_count	1260

c1_surface_like_case_count	126
fit_count	4158
native_fit_count	1056
native_positive2_count	0
c1_native_positive2_count	0
constructed_reciprocal_positive2_count	198

native inverse-area scaling

alpha 2



8.

8.1

AB	f_AB
f_A, f_B	
Protocol F/B	
tau_read	chi-tau
c=1	
1/A_chi_tau	alpha 2

8.2

AB
c=1
native
native
chi-tau 1/A

9.

AB

1. AB f_AB
2. AB

ABC

AB

f_AB

AB A B

chi-tau

1/A_chi_tau

native readout

AB

10.

ABC

C

C

f_AC
f_BC
f_ABC

ABC

C
C AB
f_ABC
f_AB, f_AC, f_BC

-
1. v4 Version DOI: 10.5281/zenodo.21316620, Concept DOI: 10.5281/zenodo.21315735,
2026.
 2. ABC Version DOI: 10.5281/zenodo.21308050, Concept DOI: 10.5281/zenodo.21308049,
2026.
 3. , AB .md, 2026.
 4. , AB v1.md, 2026.
 5. , AB c=1 v1.md, 2026.
 6. , N .md, 2026.

7. Max Born, "Zur Quantenmechanik der Stossvorgaenge", *Zeitschrift fuer Physik* 37, 863-867, 1926. DOI: 10.1007/BF01397477.
8. Y. Aharonov and D. Bohm, "Significance of electromagnetic potentials in the quantum theory", *Physical Review* 115, 485-491, 1959. DOI: 10.1103/PhysRev.115.485.