
SF state reduction on a DPA with |Σ|=2 that was created by nbautils from an NBA, using the Safra relat
Time taken in seconds
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0
50
100
150
200
250
300
Number of states in the original automaton


SF state reduction on a DPA with |Σ|=2 that was created by nbautils from an NBA, using the Safra relat
Number of removed states
0
5
10
15
20
25
0
50
100
150
200
250
300
Number of states in the original automaton


SF state reduction on a DPA with |Σ|=2 that was created by nbautils from an NBA, using the Safra relat
Relative number of removed states
0.00
0.05
0.10
0.15
0.20
0
50
100
150
200
250
300
Number of states in the original automaton


SF state reduction on a DPA with |Σ|=2 that was created by nbautils from an NBA, using the Safra relat
Relative number of removed states
0.00
0.05
0.10
0.15
0.20
0
50
100
150
200
Number of SCCs in the original automaton


SF state reduction on a DPA with |Σ|=2 that was created by nbautils from an NBA, using the Safra relat
Relative number of removed states
0.00
0.05
0.10
0.15
0.20
1
2
3
4
5
6
Number of priorities in the original automaton


SF state reduction on a DPA with |Σ|=2 that was created by nbautils from an NBA, using the Safra relat
Number of automata
0
50
100
150
200
250
0.00
0.02
0.04
0.06
0.09
0.11
0.13
0.15
0.17
0.19
0.21
Relative number of removed states